



2002 County BRFSS
HILLSBOROUGH
COUNTY

Bureau of Epidemiology
Florida Department of Health



A Guide to Using the 2002 County BRFSS Data

This report provides an overview of the Behavioral Risk Factor Surveillance System (BRFSS), a population-based telephone survey. A guide to interpreting the data from the 2002 County BRFSS survey is also provided. The 2002 County BRFSS survey was conducted from September 2002 to January 2003, with at least 500 completed interviews for each of Florida's 67 counties.

The BRFSS: A Brief Overview

The Centers for Disease Control and Prevention (CDC) began the BRFSS in the early 1980s, with a handful of states. Today all states, as well as the District of Columbia and Puerto Rico, participate. The Virgin Islands and Guam participate by conducting point-in-time surveys. Data gathered through the BRFSS provide important information for the development of public health programs. BRFSS data can be used for:

- assessing risk for chronic diseases
- identifying demographic differences
- measuring trends in health-related behaviors
- designing and monitoring health intervention and services
- addressing emergent and critical health issues
- formulating policy and proposing legislation for health initiatives
- measuring progress toward achieving state and national health objectives

Purpose of 2002 County BRFSS Survey

BRFSS survey data have been widely used to monitor health behavior and health status at the state and national levels. However, due to small sample sizes, the statewide BRFSS cannot provide accurate and reliable data at the county level for public health program planning and evaluation. Therefore, with support from county health departments and others, the Bureau of Epidemiology designed and implemented the 2002 County BRFSS to provide data on behavioral risk factors and chronic disease conditions for every one of Florida's 67 counties.

The County BRFSS is comparable to the State BRFSS. The County BRFSS survey methodology followed the State BRFSS protocol and adapted its questions from the State BRFSS. Both the protocol and the questions were developed by the CDC. The County BRFSS was designed to achieve approximately 500 completed interviews in order to obtain stable estimates of prevalence. In many cases, analyses can be conducted for subpopulations within each county; however, some subpopulations in some counties may have sample sizes too small to generate stable estimates.

Survey Protocol

The BRFSS is an anonymous telephone survey of a sample of adults (age 18 and older) in households with telephones. Survey respondents are randomly selected to ensure that the survey data will be representative of all adults in Florida. The CDC has developed a detailed survey protocol to ensure the quality of the survey and comparability of the data. Detailed information on the protocol can be found at the CDC website (<http://www.cdc.gov/brfss/training.htm>).

The standardized interview takes 10 to 20 minutes, depending on the number of questions being asked. For the 2002 County BRFSS, which has 76 questions, interviews took, on average, 13 minutes. Responses are entered directly into the computer by interviewers.

Survey Estimates

BRFSS survey data are adjusted, or "weighted," so that the resulting estimates can be generalized to a county's entire population, not just to those who responded to the survey. Data weighting is a statistical process that includes the consideration of factors such as: (1) number of residential telephones in household; (2) number of adults in household; (3) geographic or density stratification; and (4) age, race, and sex distribution of the population.

Strengths and Limitations of the BRFSS

In order to use the BRFSS correctly, users should be aware of the strengths and limitations of the data. The major strengths of the BRFSS include: (1) it is flexible and relatively inexpensive for collecting public health data; (2) it is a population-based survey, allowing the data to be generalized to overall adult populations; and (3) the BRFSS has been conducted in many states annually for many years. Thus, states can compare their data with each other as well as analyze the data for trends over time. However, the BRFSS has limitations: (1) the survey is a telephone survey, so households without a land-line telephone are not included in the survey sample; (2) the data collected consists of self-reported information that has not been verified; (3) the survey has a limited number of completed interviews and the sample size may be too small for analysis on sub-populations; and, finally, (4) the BRFSS survey uses complex sampling methods and the data from the survey are subject to sampling errors.

How to Interpret the Data

As noted above, prevalence from the BRFSS survey is an **estimate** of the real population prevalence. When prevalence is derived from a sample rather than a census of a population, **sampling errors** occur. Because sampling errors are inherent in these types of surveys, we calculate 95% **confidence intervals (CIs)** for each prevalence estimate to determine the accuracy of that estimate. Simply, a 95% confidence interval is the range in which the real population prevalence is likely to be found 95% of the time. The smaller the confidence interval, the more accurate the estimated prevalence. For example, the table below shows that 22.1% of adults in Florida are current smokers. The CI is 21.1 to 23.2; just 1 percentage point below and above the prevalence of 22.1%, suggesting that the real population prevalence is very likely to be in the narrow range and close to the estimate of 22.1%.

| Current Smoker | % | CI | |
|----------------|------|------|------|
| All | 22.1 | 21.1 | 23.2 |
| Men | 24.4 | 22.7 | 26.0 |
| Women | 20.1 | 18.8 | 21.4 |

The CIs are determined by many factors, in particular the sample size. Compare the CIs for men and women in the above table. As we divide the data for analysis by sex, race/ethnicity, age, etc., the sample size for each group becomes smaller, and the CIs become larger and the estimates less reliable.

In addition to estimating the accuracy of the prevalence, the CIs are used to compare prevalence between populations. As a rule, the difference between the prevalence of two populations is statistically significant if the CIs of the two prevalence estimates do not overlap. From the above example, we can see that the CI for men (22.7-26.0) and CI for women (18.8-21.4) do not overlap. We can thus conclude that there is a significant difference in the prevalence of current smoking between men and women, and that men have a higher prevalence of current smoking than women.

When making comparisons among groups of survey respondents, always compare the CIs, not just the estimates. This way you can accurately use and interpret the data.

For more information about your County BRFSS data, please contact:

Marie A. Bailey, MA, MSW
 Florida Department of Health Bureau of Epidemiology
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 Ext. 2434; marie_bailey@doh.state.fl.us

Prevalence of Major Behavioral Risk Factors in Hillsborough County

A Report from the 2002 County Behavior Risk Factor Surveillance System (BRFSS) Survey

Bureau of Epidemiology Florida Department of Health

The 2002 County BRFSS survey was conducted in September 2002 through January 2003. In Hillsborough County, 499 adults were randomly selected and interviewed for the survey. The purpose of this survey was to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, life style, chronic illnesses, and disease prevention practice in the Hillsborough County. These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease. The data listed in this report include the prevalence for all adults and for subpopulations as well.

Because the BRFSS is a random survey and all estimates of prevalence are subject to random sample errors, we include 95% confidence intervals (CI) with each prevalence (%) in the tables. Prevalence is excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

| Population Size and Health Status | | | | | | | | |
|--------------------------------------|------------------|------------|-------------------------------|------|------|--------------------------------|------|------|
| | Population Size* | | Health Status is Fair or Poor | | | Mostly sitting/standing at job | | |
| | County | State | % | CI | | % | CI | |
| | | | | | | | | |
| All | 998,948 | 15,982,378 | 14.3 | 10.8 | 17.8 | 64.1 | 57.7 | 70.5 |
| Sex | | | | | | | | |
| Men | 48.9% | 48.8% | 11.8 | 7.1 | 16.6 | 58.2 | 48.6 | 67.8 |
| Women | 51.1% | 51.2% | 16.5 | 11.4 | 21.7 | 71.4 | 63.6 | 79.3 |
| Race/ethnicity | | | | | | | | |
| NH White | 63.3% | 65.4% | 11.8 | 7.9 | 15.7 | 66.3 | 58.4 | 74.2 |
| NH Black | 14.4% | 14.2% | 13.4 | 4.7 | 22.2 | 60.4 | 43.3 | 77.4 |
| Hispanic | 18.0% | 16.8% | 33.6 | 15.8 | 51.3 | . | . | . |
| Race/ethnicity-Sex | | | | | | | | |
| NH White men | 31.0% | 31.9% | 10.3 | 4.9 | 15.7 | 65.4 | 54.1 | 76.8 |
| NH White women | 32.3% | 33.6% | 13.2 | 7.4 | 19.0 | 67.5 | 57.0 | 78.0 |
| NH Black men | 6.8% | 6.8% | 9.2 | 0.0 | 18.9 | . | . | . |
| NH Black women | 7.6% | 7.4% | 17.5 | 3.1 | 31.9 | . | . | . |
| Hispanic men | 9.0% | 8.4% | . | . | . | . | . | . |
| Hispanic women | 8.9% | 8.4% | . | . | . | . | . | . |
| Age | | | | | | | | |
| 18-44 | 41.0% | 36.9% | 10.1 | 6.0 | 14.2 | 66.0 | 57.6 | 74.5 |
| 45-64 | 21.7% | 22.7% | 17.4 | 10.8 | 24.1 | 61.7 | 51.6 | 71.8 |
| 65 and older | 12.0% | 17.6% | 24.6 | 14.0 | 35.3 | . | . | . |
| Marital Status | | | | | | | | |
| Never married | 25.0% | 22.5% | 6.3 | 1.6 | 11.0 | 68.2 | 52.6 | 83.7 |
| Married/ living together as a couple | 51.8% | 53.7% | 14.2 | 9.5 | 18.8 | 66.6 | 58.4 | 74.9 |
| Divorced/ widowed/separated | 23.2% | 23.8% | 24.5 | 15.8 | 33.2 | 55.2 | 41.8 | 68.6 |
| Education | | | | | | | | |
| 0-11 years | 19.2% | 20.1% | 37.4 | 23.3 | 51.5 | . | . | . |
| HS Grad/GED | 26.7% | 28.7% | 18.7 | 11.5 | 25.8 | 58.4 | 46.1 | 70.8 |
| 1 or more years of college | 54.1% | 51.1% | 7.6 | 4.2 | 11.0 | 71.7 | 64.1 | 79.3 |
| Employment | | | | | | | | |
| Employed for wages | 61.6% | 54.9% | 9.9 | 6.2 | 13.5 | 64.1 | 57.7 | 70.5 |
| Household Income | | | | | | | | |
| \$24,999 or less | 28.7% | 30.8% | 29.9 | 20.7 | 39.1 | 42.5 | 26.9 | 58.2 |
| \$25,000 – 49,999 | 31.4% | 31.6% | 10.9 | 4.9 | 16.9 | 63.1 | 51.1 | 75.1 |
| \$50,000 or more | 39.9% | 37.6% | 5.9 | 1.8 | 10.0 | 74.0 | 65.3 | 82.8 |

*Per Census Bureau calculations, the following demographic categories are limited to specific age groups: Marital Status, >=15 years old; Education, >=25 years old; Employment, >=16 years old.

| Risk Factors: Physical Activity | | | | | | | | | |
|--|-----------------------------------|------|------|--|------|------|--|------|------|
| Related Healthy People 2010 Objective(s) 22-1, 22-2, 22-3 | No leisure time physical activity | | | No regular moderate physical activity ⁽¹⁾ | | | No regular vigorous physical activity ⁽²⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 27.4 | 20.6 | 34.2 | 56.7 | 50.9 | 62.6 | 75.1 | 70.4 | 79.8 |
| Sex | | | | | | | | | |
| Men | 18.1 | 12.2 | 24.0 | 50.1 | 42.4 | 57.8 | 68.2 | 60.9 | 75.5 |
| Women | 35.7 | 25.0 | 46.5 | 62.7 | 54.6 | 70.7 | 81.2 | 75.7 | 86.6 |
| Race/ethnicity | | | | | | | | | |
| NH White | 25.3 | 15.7 | 34.9 | 55.0 | 47.2 | 62.8 | 74.2 | 68.1 | 80.2 |
| NH Black | 28.9 | 16.8 | 41.0 | 52.3 | 39.0 | 65.6 | 66.3 | 53.7 | 78.8 |
| Hispanic | 32.0 | 14.3 | 49.7 | 71.3 | 54.3 | 88.2 | 82.1 | 67.6 | 96.7 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 17.7 | 10.7 | 24.8 | 49.0 | 39.6 | 58.4 | 70.0 | 61.2 | 78.9 |
| NH White women | 32.5 | 16.5 | 48.5 | 60.6 | 49.3 | 71.9 | 78.0 | 70.2 | 85.9 |
| NH Black men | 7.3 | 0.0 | 16.3 | 43.2 | 23.1 | 63.3 | 56.4 | 36.1 | 76.8 |
| NH Black women | 48.2 | 30.3 | 66.2 | 60.4 | 42.6 | 78.3 | 75.2 | 60.3 | 90.2 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 27.6 | 16.0 | 39.2 | 54.3 | 44.7 | 63.8 | 70.6 | 62.9 | 78.2 |
| 45-64 | 27.6 | 19.8 | 35.5 | 52.3 | 43.7 | 60.9 | 75.2 | 67.8 | 82.7 |
| 65 and older | 26.5 | 16.5 | 36.5 | 75.1 | 64.9 | 85.3 | 92.5 | 86.4 | 98.7 |
| Marital Status | | | | | | | | | |
| Never married | 43.0 | 21.9 | 64.1 | 51.0 | 31.6 | 70.5 | 71.7 | 58.2 | 85.2 |
| Married/ living together as a couple | 19.1 | 14.0 | 24.2 | 58.6 | 52.0 | 65.2 | 73.9 | 67.9 | 79.9 |
| Divorced/ widowed/separated | 31.8 | 22.6 | 41.0 | 58.8 | 49.1 | 68.5 | 83.4 | 76.8 | 90.0 |
| Education | | | | | | | | | |
| 0-11 years | 40.4 | 25.4 | 55.4 | 75.0 | 61.8 | 88.2 | 88.7 | 78.8 | 98.6 |
| HS Grad/GED | 30.2 | 21.8 | 38.6 | 52.1 | 42.8 | 61.4 | 76.8 | 69.2 | 84.4 |
| 1 or more years of college | 22.9 | 11.9 | 33.9 | 55.4 | 46.8 | 63.9 | 71.2 | 64.2 | 78.3 |
| Employment | | | | | | | | | |
| Employed for wages | 19.9 | 14.9 | 25.0 | 50.8 | 44.3 | 57.3 | 68.5 | 62.4 | 74.6 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 47.5 | 37.2 | 57.9 | 68.4 | 58.4 | 78.4 | 88.7 | 82.4 | 95.1 |
| \$25,000 – 49,999 | 28.1 | 8.7 | 47.4 | 55.9 | 41.9 | 69.9 | 74.0 | 63.8 | 84.3 |
| \$50,000 or more | 12.5 | 7.2 | 17.7 | 47.7 | 39.1 | 56.3 | 65.7 | 57.4 | 74.0 |

| Risk Factors: Overweight and Nutrition | | | | | | | | | |
|--|---------------------------|------|------|----------------------|------|------|----------------------------------|------|-------|
| Related Healthy People 2010 Objective(s) 19-1, 19-2, 19-5, 19-6 | Overweight ⁽³⁾ | | | Obese ⁽⁴⁾ | | | Less than 5-A-Day ⁽⁵⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 34.3 | 29.0 | 39.6 | 24.3 | 19.7 | 28.9 | 76.8 | 72.3 | 81.2 |
| Sex | | | | | | | | | |
| Men | 42.7 | 35.1 | 50.2 | 25.5 | 19.0 | 32.0 | 79.5 | 73.4 | 85.6 |
| Women | 26.9 | 20.1 | 33.6 | 23.2 | 16.8 | 29.6 | 74.3 | 67.8 | 80.9 |
| Race/ethnicity | | | | | | | | | |
| NH White | 35.5 | 28.6 | 42.5 | 21.1 | 15.8 | 26.5 | 74.9 | 69.1 | 80.7 |
| NH Black | 36.8 | 24.0 | 49.7 | 33.8 | 22.1 | 45.6 | 82.8 | 72.7 | 92.9 |
| Hispanic | 32.9 | 15.4 | 50.4 | 36.6 | 17.5 | 55.7 | 74.0 | 57.2 | 90.7 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 45.0 | 35.7 | 54.2 | 25.3 | 17.4 | 33.1 | 75.1 | 67.2 | 82.9 |
| NH White women | 26.6 | 17.8 | 35.3 | 17.2 | 10.4 | 24.0 | 74.7 | 66.1 | 83.2 |
| NH Black men | 37.8 | 18.4 | 57.2 | 31.2 | 13.3 | 49.1 | 89.0 | 75.8 | 100.0 |
| NH Black women | 36.0 | 18.0 | 53.9 | 36.2 | 20.0 | 52.5 | 77.2 | 61.9 | 92.6 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 28.7 | 21.1 | 36.4 | 24.7 | 17.7 | 31.6 | 81.0 | 74.8 | 87.2 |
| 45-64 | 39.8 | 31.3 | 48.2 | 28.5 | 20.9 | 36.1 | 74.2 | 66.9 | 81.6 |
| 65 and older | 43.5 | 32.0 | 55.0 | 13.8 | 5.7 | 21.9 | 67.6 | 56.5 | 78.7 |
| Marital Status | | | | | | | | | |
| Never married | 34.3 | 18.8 | 49.8 | 19.1 | 8.2 | 30.1 | 89.7 | 82.3 | 97.1 |
| Married/ living together as a couple | 36.2 | 29.8 | 42.6 | 27.7 | 21.8 | 33.7 | 71.3 | 65.3 | 77.3 |
| Divorced/ widowed/separated | 30.8 | 22.3 | 39.4 | 21.8 | 14.0 | 29.7 | 78.6 | 71.0 | 86.2 |
| Education | | | | | | | | | |
| 0-11 years | 33.6 | 19.1 | 48.0 | 42.6 | 27.3 | 57.9 | 83.2 | 70.5 | 95.9 |
| HS Grad/GED | 35.0 | 26.1 | 43.9 | 24.3 | 16.4 | 32.2 | 78.4 | 71.0 | 85.8 |
| 1 or more years of college | 34.3 | 26.9 | 41.8 | 20.7 | 15.0 | 26.4 | 74.7 | 68.4 | 81.1 |
| Employment | | | | | | | | | |
| Employed for wages | 37.4 | 31.0 | 43.7 | 24.9 | 19.5 | 30.3 | 77.5 | 72.1 | 83.0 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 30.9 | 20.9 | 40.8 | 25.1 | 16.2 | 34.0 | 78.4 | 69.8 | 86.9 |
| \$25,000 – 49,999 | 38.1 | 25.2 | 51.0 | 23.2 | 13.8 | 32.7 | 80.3 | 71.7 | 88.9 |
| \$50,000 or more | 37.4 | 29.2 | 45.6 | 24.5 | 17.2 | 31.8 | 72.3 | 64.7 | 79.9 |

| Risk Factors: Tobacco and Alcohol Use | | | | | | | | | |
|---|-------------------------------|------|------|--|------|------|---|------|------|
| Related Healthy People 2010 Objective(s) 27-1a, 27-5, 26-11c | Current smoker ⁽⁶⁾ | | | Ever quit smoking in the past 12 months | | | Engage in heavy or binge drinking ⁽⁷⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 22.8 | 18.4 | 27.3 | 56.2 | 45.9 | 66.6 | 14.0 | 10.4 | 17.7 |
| Sex | | | | | | | | | |
| Men | 27.7 | 20.9 | 34.5 | 53.8 | 39.3 | 68.2 | 22.7 | 16.2 | 29.1 |
| Women | 18.5 | 12.9 | 24.1 | 59.4 | 44.3 | 74.5 | 6.2 | 3.3 | 9.2 |
| Race/ethnicity | | | | | | | | | |
| NH White | 24.0 | 18.3 | 29.8 | 50.0 | 37.6 | 62.3 | 15.6 | 10.8 | 20.4 |
| NH Black | 21.6 | 10.1 | 33.0 | . | . | . | 8.4 | 1.8 | 15.0 |
| Hispanic | 26.0 | 9.3 | 42.8 | . | . | . | 7.8 | 0.0 | 17.0 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 29.8 | 21.4 | 38.3 | 47.8 | 30.5 | 65.1 | 24.3 | 16.3 | 32.3 |
| NH White women | 18.6 | 11.5 | 25.6 | 53.2 | 35.3 | 71.1 | 7.2 | 3.3 | 11.1 |
| NH Black men | 23.7 | 5.8 | 41.6 | . | . | . | 15.9 | 2.4 | 29.3 |
| NH Black women | 19.6 | 4.2 | 35.1 | . | . | . | 1.6 | 0.0 | 5.0 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 25.9 | 18.8 | 32.9 | 66.3 | 53.2 | 79.3 | 19.3 | 13.1 | 25.5 |
| 45-64 | 23.6 | 16.4 | 30.8 | 35.4 | 18.6 | 52.2 | 9.7 | 4.9 | 14.5 |
| 65 and older | 10.6 | 2.7 | 18.5 | . | . | . | 3.3 | 0.0 | 7.3 |
| Marital Status | | | | | | | | | |
| Never married | 29.3 | 15.2 | 43.4 | . | . | . | 16.1 | 6.8 | 25.5 |
| Married/ living together as a couple | 18.2 | 13.3 | 23.2 | 66.6 | 52.6 | 80.5 | 14.0 | 9.2 | 18.8 |
| Divorced/ widowed/separated | 27.7 | 18.9 | 36.5 | 42.3 | 23.1 | 61.4 | 12.4 | 5.8 | 19.1 |
| Education | | | | | | | | | |
| 0-11 years | 38.1 | 22.6 | 53.5 | . | . | . | 10.9 | 1.5 | 20.3 |
| HS Grad/GED | 27.7 | 19.7 | 35.6 | 64.6 | 48.2 | 80.9 | 12.1 | 5.9 | 18.2 |
| 1 or more years of college | 17.3 | 12.1 | 22.6 | 55.4 | 40.0 | 70.8 | 15.7 | 10.6 | 20.9 |
| Employment | | | | | | | | | |
| Employed for wages | 26.9 | 21.3 | 32.6 | 57.9 | 46.0 | 69.9 | 20.0 | 14.6 | 25.4 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 29.5 | 19.8 | 39.1 | 62.2 | 42.5 | 82.0 | 12.6 | 5.6 | 19.6 |
| \$25,000 – 49,999 | 19.4 | 11.0 | 27.8 | 52.1 | 31.7 | 72.6 | 11.7 | 5.4 | 18.1 |
| \$50,000 or more | 20.2 | 13.4 | 27.0 | 51.3 | 31.9 | 70.6 | 20.9 | 13.6 | 28.1 |
| Health Care Coverage and Access | | | | | | | | | |
| Related Healthy People 2010 Objective(s) 1-1, 1-5 | No health care coverage | | | No personal health care provider(s) | | | Unable to get medical care in past 12 mos. | | |
| | % | CI | | % | CI | | % | CI | |
| All | 16.4 | 12.4 | 20.3 | 23.1 | 18.4 | 27.7 | 9.6 | 6.6 | 12.5 |
| Sex | | | | | | | | | |
| Men | 18.8 | 12.7 | 24.9 | 29.1 | 21.8 | 36.4 | 5.4 | 2.2 | 8.6 |
| Women | 14.2 | 9.1 | 19.3 | 17.7 | 12.1 | 23.2 | 13.3 | 8.5 | 18.2 |
| Race/ethnicity | | | | | | | | | |
| NH White | 10.5 | 6.8 | 14.2 | 19.4 | 13.9 | 24.9 | 8.8 | 5.5 | 12.1 |
| NH Black | 23.3 | 11.7 | 34.9 | 23.3 | 12.3 | 34.3 | 10.3 | 2.3 | 18.4 |
| Hispanic | 32.1 | 14.7 | 49.4 | 38.9 | 20.9 | 56.9 | 14.5 | 0.1 | 28.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 12.0 | 6.4 | 17.5 | 24.6 | 16.1 | 33.1 | 6.4 | 2.3 | 10.4 |
| NH White women | 9.1 | 4.3 | 13.9 | 14.5 | 8.1 | 20.9 | 11.2 | 5.8 | 16.6 |
| NH Black men | 25.6 | 6.8 | 44.4 | 27.4 | 8.5 | 46.3 | 5.5 | 0.0 | 16.4 |
| NH Black women | 21.3 | 6.5 | 36.0 | 19.6 | 7.1 | 32.2 | 14.7 | 2.6 | 26.8 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 20.4 | 14.0 | 26.8 | 30.5 | 22.6 | 38.4 | 8.1 | 4.4 | 11.9 |
| 45-64 | 15.3 | 8.9 | 21.6 | 15.5 | 9.2 | 21.9 | 12.5 | 6.8 | 18.3 |
| 65 and older | 3.3 | 0.0 | 8.4 | 11.4 | 3.2 | 19.7 | 8.1 | 0.6 | 15.7 |
| Marital Status | | | | | | | | | |
| Never married | 21.7 | 10.0 | 33.4 | 37.1 | 20.9 | 53.3 | 9.9 | 2.7 | 17.1 |
| Married/ living together as a couple | 11.6 | 7.2 | 16.0 | 14.7 | 10.0 | 19.4 | 7.0 | 3.8 | 10.2 |
| Divorced/ widowed/separated | 22.8 | 13.6 | 32.0 | 30.8 | 21.0 | 40.6 | 15.5 | 7.8 | 23.3 |
| Education | | | | | | | | | |
| 0-11 years | 29.7 | 15.2 | 44.1 | 35.2 | 20.5 | 50.0 | 23.1 | 9.3 | 36.8 |
| HS Grad/GED | 23.4 | 15.1 | 31.6 | 30.8 | 21.7 | 39.8 | 8.2 | 3.3 | 13.1 |
| 1 or more years of college | 9.8 | 5.9 | 13.8 | 16.2 | 10.9 | 21.5 | 7.8 | 4.5 | 11.0 |
| Employment | | | | | | | | | |
| Employed for wages | 16.5 | 11.6 | 21.5 | 25.2 | 19.4 | 31.1 | 9.6 | 6.0 | 13.2 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 29.5 | 20.2 | 38.8 | 35.7 | 25.6 | 45.9 | 15.9 | 8.5 | 23.3 |
| \$25,000 – 49,999 | 17.2 | 9.0 | 25.4 | 21.0 | 11.9 | 30.2 | 10.3 | 4.0 | 16.5 |
| \$50,000 or more | 3.9 | 0.3 | 7.4 | 14.9 | 8.5 | 21.2 | 5.0 | 1.7 | 8.3 |

| Oral Health | | | | | | | | | |
|--|---------------------------------------|------|------|--|------|-------|--|------|------|
| Related Healthy People 2010 Objective(s) 21-10, 21-3 | Visited a dentist within past year | | | No teeth removed | | | Had teeth cleaned within past year | | |
| | % | CI | | % | CI | | % | CI | |
| All | 69.9 | 64.9 | 75.0 | 54.0 | 48.1 | 60.0 | 70.8 | 65.5 | 76.1 |
| Sex | | | | | | | | | |
| Men | 67.0 | 59.5 | 74.4 | 54.7 | 47.1 | 62.3 | 73.3 | 65.9 | 80.6 |
| Women | 72.7 | 65.9 | 79.4 | 53.5 | 44.3 | 62.7 | 68.6 | 60.8 | 76.3 |
| Race/ethnicity | | | | | | | | | |
| NH White | 74.5 | 68.4 | 80.6 | 58.8 | 51.3 | 66.2 | 74.5 | 68.2 | 80.9 |
| NH Black | 61.6 | 49.1 | 74.1 | 33.3 | 20.7 | 45.9 | 67.9 | 55.6 | 80.3 |
| Hispanic | 64.9 | 46.7 | 83.1 | 54.4 | 35.1 | 73.7 | 56.1 | 36.4 | 75.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 73.0 | 64.3 | 81.6 | 57.7 | 48.4 | 66.9 | 74.7 | 65.8 | 83.6 |
| NH White women | 76.0 | 67.5 | 84.5 | 59.8 | 48.3 | 71.3 | 74.4 | 65.2 | 83.5 |
| NH Black men | 59.7 | 39.9 | 79.5 | 32.3 | 13.5 | 51.2 | . | . | . |
| NH Black women | 63.3 | 47.0 | 79.7 | 34.3 | 16.6 | 52.0 | 59.2 | 40.9 | 77.5 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 68.6 | 60.7 | 76.5 | 69.7 | 62.0 | 77.4 | 67.3 | 59.0 | 75.5 |
| 45-64 | 76.0 | 68.5 | 83.5 | 41.6 | 33.2 | 50.1 | 76.8 | 69.4 | 84.3 |
| 65 and older | 61.2 | 49.4 | 73.0 | 22.6 | 12.6 | 32.6 | 69.9 | 56.8 | 83.0 |
| Marital Status | | | | | | | | | |
| Never married | 67.5 | 52.6 | 82.4 | 77.5 | 65.6 | 89.4 | 66.5 | 50.8 | 82.1 |
| Married/ living together as a couple | 76.0 | 70.2 | 81.7 | 50.1 | 43.4 | 56.8 | 76.7 | 70.8 | 82.5 |
| Divorced/ widowed/separated | 56.0 | 46.1 | 66.0 | 38.0 | 28.4 | 47.6 | 58.0 | 47.5 | 68.6 |
| Education | | | | | | | | | |
| 0-11 years | 54.4 | 39.1 | 69.8 | 34.1 | 18.3 | 49.9 | 61.8 | 43.9 | 79.7 |
| HS Grad/GED | 62.3 | 53.2 | 71.4 | 38.2 | 28.8 | 47.5 | 61.5 | 51.8 | 71.2 |
| 1 or more years of college | 77.2 | 71.0 | 83.4 | 66.1 | 58.8 | 73.4 | 76.9 | 70.7 | 83.2 |
| Employment | | | | | | | | | |
| Employed for wages | 70.3 | 64.3 | 76.4 | 57.7 | 51.3 | 64.1 | 70.5 | 64.4 | 76.6 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 45.1 | 34.9 | 55.4 | 38.1 | 27.5 | 48.7 | 50.8 | 39.4 | 62.2 |
| \$25,000 – 49,999 | 75.2 | 65.2 | 85.3 | 51.2 | 36.1 | 66.2 | 74.5 | 63.9 | 85.1 |
| \$50,000 or more | 83.1 | 76.6 | 89.6 | 70.3 | 62.6 | 77.9 | 82.4 | 75.8 | 88.9 |
| Chronic Health Conditions: Hypertension and Weight Control | | | | | | | | | |
| Related Healthy People 2010 Objective(s) 12-9, 12-10 | Had high blood pressure (HBP) | | | Now taking HBP medication, if had HBP | | | Received advice about weight in past year | | |
| | % | CI | | % | CI | | % | CI | |
| All | 25.1 | 20.5 | 29.7 | 71.9 | 62.9 | 80.8 | 21.6 | 17.2 | 26.1 |
| Sex | | | | | | | | | |
| Men | 28.9 | 22.1 | 35.7 | 67.6 | 54.2 | 80.9 | 24.8 | 18.0 | 31.7 |
| Women | 21.7 | 15.7 | 27.7 | 77.0 | 65.4 | 88.5 | 18.8 | 13.2 | 24.3 |
| Race/ethnicity | | | | | | | | | |
| NH White | 24.5 | 18.8 | 30.3 | 70.0 | 58.4 | 81.6 | 20.5 | 15.0 | 26.1 |
| NH Black | 36.2 | 23.9 | 48.5 | 82.1 | 66.8 | 97.4 | 28.8 | 17.0 | 40.5 |
| Hispanic | 21.4 | 4.6 | 38.1 | . | . | . | 27.5 | 10.1 | 44.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 29.5 | 21.2 | 37.9 | 64.1 | 47.2 | 81.0 | 26.2 | 17.6 | 34.8 |
| NH White women | 19.8 | 12.4 | 27.1 | 78.5 | 63.6 | 93.4 | 15.2 | 8.9 | 21.5 |
| NH Black men | 32.5 | 15.0 | 50.0 | . | . | . | 23.8 | 6.7 | 40.9 |
| NH Black women | 39.5 | 21.9 | 57.1 | . | . | . | 33.4 | 16.5 | 50.2 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 12.8 | 7.7 | 17.9 | 47.9 | 26.8 | 69.0 | 19.2 | 12.9 | 25.5 |
| 45-64 | 31.4 | 23.3 | 39.4 | 73.2 | 58.6 | 87.9 | 25.0 | 17.3 | 32.7 |
| 65 and older | 56.6 | 45.0 | 68.1 | 91.4 | 81.8 | 100.0 | 21.6 | 11.5 | 31.6 |
| Marital Status | | | | | | | | | |
| Never married | 15.3 | 6.1 | 24.6 | . | . | . | 17.5 | 7.5 | 27.4 |
| Married/ living together as a couple | 24.0 | 18.3 | 29.7 | 73.4 | 60.7 | 86.1 | 24.1 | 18.2 | 30.0 |
| Divorced/ widowed/separated | 40.3 | 30.6 | 49.9 | 71.7 | 56.2 | 87.3 | 19.5 | 11.3 | 27.7 |
| Education | | | | | | | | | |
| 0-11 years | 40.6 | 25.7 | 55.5 | . | . | . | 26.3 | 13.0 | 39.7 |
| HS Grad/GED | 29.9 | 21.7 | 38.1 | 75.9 | 61.5 | 90.3 | 18.8 | 11.6 | 26.0 |
| 1 or more years of college | 19.7 | 14.1 | 25.4 | 66.8 | 52.8 | 80.9 | 22.4 | 16.1 | 28.6 |
| Employment | | | | | | | | | |
| Employed for wages | 20.0 | 15.0 | 25.0 | 58.6 | 44.5 | 72.6 | 20.9 | 15.5 | 26.3 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 35.2 | 25.4 | 44.9 | 80.4 | 67.4 | 93.3 | 26.6 | 17.1 | 36.0 |
| \$25,000 – 49,999 | 23.7 | 14.2 | 33.2 | 58.6 | 40.2 | 77.1 | 20.1 | 11.2 | 28.9 |
| \$50,000 or more | 20.7 | 13.6 | 27.9 | 67.4 | 46.9 | 87.9 | 23.7 | 16.2 | 31.2 |

| Chronic Health Conditions: High Cholesterol | | | | | | | | | |
|---|------------------------------------|------|-------|---|-------|-------|---------------------------|------|------|
| Related Healthy People 2010 Objective(s) 12-15 | Ever had blood cholesterol checked | | | If yes, cholesterol checked in past 2 years | | | Blood cholesterol is high | | |
| | % | CI | | % | CI | | % | CI | |
| | All | 80.9 | 73.7 | 88.1 | 91.4 | 88.2 | 94.5 | 36.9 | 31.6 |
| Sex | | | | | | | | | |
| Men | 82.9 | 76.9 | 88.9 | 89.7 | 84.5 | 94.9 | 37.8 | 29.7 | 45.8 |
| Women | 79.1 | 66.7 | 91.6 | 93.0 | 89.4 | 96.6 | 36.0 | 29.0 | 43.1 |
| Race/ethnicity | | | | | | | | | |
| NH White | 81.8 | 71.5 | 92.1 | 91.4 | 87.7 | 95.0 | 39.4 | 33.0 | 45.9 |
| NH Black | 88.7 | 81.1 | 96.3 | 94.1 | 87.5 | 100.0 | 32.8 | 19.2 | 46.5 |
| Hispanic | 65.9 | 47.2 | 84.7 | . | . | . | . | . | . |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 85.3 | 78.2 | 92.5 | 89.6 | 83.8 | 95.5 | 39.7 | 30.2 | 49.3 |
| NH White women | 78.2 | 59.6 | 96.9 | 93.3 | 89.1 | 97.5 | 39.1 | 30.5 | 47.7 |
| NH Black men | 85.4 | 72.2 | 98.6 | . | . | . | . | . | . |
| NH Black women | 91.7 | 82.9 | 100.0 | 94.6 | 88.1 | 100.0 | 35.6 | 16.0 | 55.2 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 69.3 | 57.6 | 81.0 | 86.4 | 80.5 | 92.2 | 23.9 | 16.3 | 31.5 |
| 45-64 | 93.7 | 90.1 | 97.4 | 93.9 | 89.7 | 98.1 | 41.6 | 32.7 | 50.6 |
| 65 and older | 96.7 | 92.8 | 100.0 | 98.3 | 95.1 | 100.0 | 60.3 | 48.6 | 71.9 |
| Marital Status | | | | | | | | | |
| Never married | 56.8 | 35.1 | 78.5 | 97.2 | 94.0 | 100.0 | 25.3 | 12.8 | 37.7 |
| Married/ living together as a couple | 87.6 | 83.5 | 91.8 | 89.9 | 85.3 | 94.5 | 37.6 | 30.6 | 44.6 |
| Divorced/ widowed/separated | 91.4 | 86.4 | 96.4 | 90.9 | 85.0 | 96.8 | 43.3 | 32.7 | 53.8 |
| Education | | | | | | | | | |
| 0-11 years | 76.7 | 62.7 | 90.8 | 100.0 | 100.0 | 100.0 | 51.9 | 34.5 | 69.3 |
| HS Grad/GED | 77.5 | 69.2 | 85.8 | 88.5 | 81.2 | 95.7 | 40.4 | 30.1 | 50.8 |
| 1 or more years of college | 83.8 | 72.3 | 95.3 | 91.2 | 87.3 | 95.0 | 32.5 | 25.9 | 39.0 |
| Employment | | | | | | | | | |
| Employed for wages | 82.4 | 77.3 | 87.5 | 87.8 | 82.9 | 92.6 | 32.5 | 25.6 | 39.4 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 78.8 | 69.9 | 87.8 | 91.0 | 84.1 | 97.9 | 40.8 | 29.3 | 52.4 |
| \$25,000 – 49,999 | 73.3 | 53.3 | 93.4 | 93.7 | 88.1 | 99.3 | 32.3 | 22.3 | 42.3 |
| \$50,000 or more | 89.4 | 83.9 | 94.8 | 87.7 | 81.8 | 93.6 | 38.6 | 29.7 | 47.6 |

| Chronic Health Conditions: Asthma & Diabetes | | | | | | | | | |
|---|-----------------|-----|------|---------------------------|------|------|---------------|------|------|
| Related Healthy People 2010 Objective(s) 5-3 | Ever had asthma | | | If yes, still have asthma | | | Have diabetes | | |
| | % | CI | | % | CI | | % | CI | |
| | All | 9.1 | 6.1 | 12.1 | 57.9 | 40.4 | 75.3 | 6.3 | 3.8 |
| Sex | | | | | | | | | |
| Men | 7.3 | 3.2 | 11.3 | . | . | . | 7.2 | 3.2 | 11.3 |
| Women | 10.8 | 6.4 | 15.1 | . | . | . | 5.5 | 2.5 | 8.5 |
| Race/ethnicity | | | | | | | | | |
| NH White | 6.3 | 3.5 | 9.1 | . | . | . | 5.3 | 2.6 | 8.0 |
| NH Black | 8.6 | 0.6 | 16.6 | . | . | . | 12.1 | 3.0 | 21.2 |
| Hispanic | 22.9 | 5.4 | 40.3 | . | . | . | 7.6 | 0.0 | 19.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 6.3 | 2.0 | 10.6 | . | . | . | 5.1 | 1.1 | 9.1 |
| NH White women | 6.3 | 2.6 | 10.0 | . | . | . | 5.4 | 1.7 | 9.1 |
| NH Black men | 1.9 | 0.0 | 5.7 | . | . | . | 12.8 | 0.0 | 27.2 |
| NH Black women | 14.6 | 0.2 | 29.0 | . | . | . | 11.4 | 0.0 | 23.5 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | 8.6 | 4.7 | 12.5 | . | . | . | 2.6 | 0.5 | 4.7 |
| 45-64 | 13.3 | 6.8 | 19.9 | . | . | . | 5.5 | 0.6 | 10.5 |
| 65 and older | 3.3 | 0.0 | 7.3 | . | . | . | 21.7 | 11.8 | 31.6 |
| Marital Status | | | | | | | | | |
| Never married | 10.0 | 2.6 | 17.4 | . | . | . | 1.6 | 0.0 | 3.6 |
| Married/ living together as a couple | 8.1 | 4.3 | 11.9 | . | . | . | 7.0 | 3.4 | 10.6 |
| Divorced/ widowed/separated | 11.2 | 5.0 | 17.3 | . | . | . | 10.1 | 3.6 | 16.5 |
| Education | | | | | | | | | |
| 0-11 years | 12.8 | 0.7 | 25.0 | . | . | . | 15.3 | 4.6 | 26.0 |
| HS Grad/GED | 9.3 | 4.0 | 14.7 | . | . | . | 5.6 | 1.4 | 9.8 |
| 1 or more years of college | 8.3 | 4.8 | 11.9 | . | . | . | 5.0 | 2.0 | 8.1 |
| Employment | | | | | | | | | |
| Employed for wages | 8.2 | 4.8 | 11.5 | . | . | . | 2.1 | 0.2 | 4.0 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 15.6 | 7.8 | 23.4 | . | . | . | 9.3 | 2.9 | 15.8 |
| \$25,000 – 49,999 | 9.1 | 3.3 | 14.8 | . | . | . | 5.9 | 1.4 | 10.4 |
| \$50,000 or more | 6.4 | 2.3 | 10.6 | . | . | . | 5.0 | 1.1 | 9.0 |

| Disease Prevention: Cardiovascular Disease Prevention | | | | | | | | | | |
|---|--------------------------------------|---|------|------|--------------------------------|------|------|---------------------------|------|------|
| Being advised by a health professional to... | | | | | | | | | | |
| | | Eat fewer high fat or cholesterol foods | | | Eat more fruits and vegetables | | | Be more physically active | | |
| | | % | CI | | % | CI | | % | CI | |
| All | | 23.1 | 18.6 | 27.6 | 29.7 | 24.7 | 34.7 | 26.4 | 21.5 | 31.2 |
| Sex | Men | 24.6 | 18.1 | 31.2 | 28.4 | 21.6 | 35.1 | 28.4 | 21.5 | 35.3 |
| | Women | 21.7 | 15.6 | 27.8 | 30.9 | 23.5 | 38.4 | 24.5 | 17.9 | 31.2 |
| Race/ethnicity | NH White | 20.7 | 15.4 | 26.1 | 24.0 | 18.2 | 29.7 | 21.9 | 16.4 | 27.4 |
| | NH Black | 28.7 | 16.9 | 40.5 | 40.8 | 27.8 | 53.7 | 40.3 | 27.2 | 53.4 |
| | Hispanic | 39.7 | 20.4 | 58.9 | 55.1 | 36.2 | 74.0 | 45.7 | 26.3 | 65.1 |
| Race/ethnicity-Sex | NH White men | 23.7 | 15.8 | 31.6 | 24.9 | 16.9 | 32.9 | 27.3 | 19.0 | 35.6 |
| | NH White women | 18.0 | 11.1 | 24.9 | 23.1 | 14.9 | 31.3 | 16.9 | 10.2 | 23.6 |
| | NH Black men | 28.7 | 11.1 | 46.3 | 34.1 | 15.9 | 52.4 | 34.1 | 15.7 | 52.6 |
| | NH Black women | 28.8 | 12.2 | 45.4 | 46.9 | 28.4 | 65.4 | 46.0 | 27.5 | 64.6 |
| | Hispanic men | . | . | . | . | . | . | . | . | . |
| | Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | 18-44 | 17.6 | 11.7 | 23.5 | 23.4 | 16.7 | 30.1 | 23.5 | 16.7 | 30.4 |
| | 45-64 | 27.2 | 19.5 | 34.9 | 36.3 | 27.9 | 44.8 | 30.5 | 22.4 | 38.7 |
| | 65 and older | 30.4 | 19.1 | 41.6 | 35.3 | 23.5 | 47.1 | 24.1 | 13.5 | 34.7 |
| Marital Status | Never married | 16.0 | 6.7 | 25.2 | 23.4 | 11.3 | 35.5 | 27.8 | 14.2 | 41.3 |
| | Married/ living together as a couple | 26.6 | 20.6 | 32.6 | 33.8 | 27.5 | 40.2 | 29.4 | 23.3 | 35.5 |
| | Divorced/ widowed/separated | 21.6 | 13.6 | 29.5 | 25.7 | 17.0 | 34.5 | 16.3 | 9.3 | 23.3 |
| Education | 0-11 years | 37.2 | 22.2 | 52.3 | 55.5 | 40.1 | 70.8 | 37.6 | 21.5 | 53.6 |
| | HS Grad/GED | 22.0 | 14.5 | 29.5 | 29.3 | 20.9 | 37.7 | 25.9 | 17.8 | 34.0 |
| | 1 or more years of college | 21.1 | 15.2 | 27.0 | 25.0 | 18.7 | 31.3 | 24.3 | 18.0 | 30.6 |
| Employment | Employed for wages | 20.4 | 15.2 | 25.6 | 25.3 | 19.9 | 30.8 | 24.0 | 18.7 | 29.4 |
| Household Income | \$24,999 or less | 25.1 | 16.2 | 33.9 | 38.5 | 28.1 | 48.8 | 34.5 | 24.3 | 44.8 |
| | \$25,000 – 49,999 | 23.2 | 13.7 | 32.7 | 26.5 | 16.3 | 36.6 | 22.8 | 13.4 | 32.1 |
| | \$50,000 or more | 20.4 | 13.4 | 27.5 | 26.6 | 19.0 | 34.3 | 25.2 | 17.7 | 32.7 |

| Preventive Health Behaviors: Annual Flu and One-Time Pneumonia Shots | | | | | | | | | | |
|--|--------------------------------------|---|------|------|--|-----|-----|---------------------------|------|------|
| Related Healthy People 2010 Objective(s) 14-29 | | Received flu shot within past 12 months | | | Received flu shot at county health dept. | | | Ever had a pneumonia shot | | |
| | | % | CI | | % | CI | | % | CI | |
| All | | 23.3 | 18.9 | 27.7 | 0.6 | 0.0 | 1.2 | 17.0 | 12.9 | 21.0 |
| Sex | Men | 23.7 | 17.4 | 30.1 | . | . | . | 15.7 | 9.9 | 21.5 |
| | Women | 22.9 | 16.8 | 28.9 | . | . | . | 18.0 | 12.3 | 23.8 |
| Race/ethnicity | NH White | 24.9 | 19.1 | 30.6 | 0.7 | 0.0 | 1.6 | 17.5 | 12.4 | 22.7 |
| | NH Black | 25.7 | 14.6 | 36.7 | 0.6 | 0.0 | 1.9 | 16.0 | 5.9 | 26.1 |
| | Hispanic | 16.8 | 3.5 | 30.1 | . | . | . | 15.1 | 0.0 | 30.3 |
| Race/ethnicity-Sex | NH White men | 23.7 | 15.9 | 31.4 | . | . | . | 16.5 | 9.4 | 23.7 |
| | NH White women | 26.0 | 17.4 | 34.7 | . | . | . | 18.5 | 11.0 | 25.9 |
| | NH Black men | 29.2 | 10.9 | 47.6 | . | . | . | 7.7 | 0.0 | 17.0 |
| | NH Black women | 22.5 | 8.9 | 36.1 | . | . | . | 23.6 | 6.8 | 40.4 |
| | Hispanic men | . | . | . | . | . | . | . | . | . |
| | Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | 18-44 | 12.3 | 7.3 | 17.2 | . | . | . | 8.7 | 4.0 | 13.3 |
| | 45-64 | 24.2 | 17.1 | 31.4 | . | . | . | 10.4 | 4.5 | 16.3 |
| | 65 and older | 62.6 | 51.3 | 74.0 | . | . | . | 53.7 | 41.8 | 65.6 |
| Marital Status | Never married | 10.3 | 2.9 | 17.8 | 0.4 | 0.0 | 1.2 | 14.6 | 4.7 | 24.5 |
| | Married/ living together as a couple | 25.8 | 20.1 | 31.5 | 0.6 | 0.0 | 1.6 | 15.3 | 10.3 | 20.3 |
| | Divorced/ widowed/separated | 32.1 | 23.1 | 41.1 | 0.6 | 0.0 | 1.8 | 25.1 | 16.3 | 33.9 |
| Education | 0-11 years | 27.6 | 14.6 | 40.5 | 1.9 | 0.0 | 4.7 | 34.4 | 19.6 | 49.2 |
| | HS Grad/GED | 25.7 | 17.6 | 33.7 | 0.8 | 0.0 | 2.4 | 19.3 | 11.5 | 27.1 |
| | 1 or more years of college | 21.1 | 15.5 | 26.8 | 0.2 | 0.0 | 0.5 | 11.9 | 7.5 | 16.3 |
| Employment | Employed for wages | 19.1 | 14.1 | 24.0 | . | . | . | 9.4 | 5.2 | 13.6 |
| Household Income | \$24,999 or less | 24.3 | 15.6 | 33.0 | 1.3 | 0.0 | 2.8 | 27.8 | 18.0 | 37.6 |
| | \$25,000 – 49,999 | 22.0 | 13.0 | 31.0 | 0.8 | 0.0 | 2.5 | 13.2 | 6.2 | 20.3 |
| | \$50,000 or more | 21.7 | 14.7 | 28.7 | . | . | . | 7.4 | 2.7 | 12.0 |

| Preventive Health Behaviors: Mammograms & Pap Smear Tests | | | | | | | | | |
|--|-------------------------------|------|------|-------------------------|-------|-------|------------------------------------|------|-------|
| Related Healthy People 2010 Objective(s) 3-13, 3-11a, 3-11b | Women age 40+ | | | All adult women | | | | | |
| | Had mammogram in past 2 years | | | Ever had Pap smear test | | | Had Pap smear test in past 2 years | | |
| | % | CI | | % | CI | | % | CI | |
| All | 80.8 | 74.4 | 87.2 | 96.0 | 92.6 | 99.5 | 84.5 | 78.7 | 90.3 |
| Sex | | | | | | | | | |
| Men | . | . | . | . | . | . | . | . | . |
| Women | 80.8 | 74.4 | 87.2 | 96.0 | 92.6 | 99.5 | 84.5 | 78.7 | 90.3 |
| Race/ethnicity | | | | | | | | | |
| NH White | 78.7 | 70.7 | 86.8 | 98.2 | 96.0 | 100.0 | 86.5 | 79.7 | 93.3 |
| NH Black | . | . | . | 94.6 | 88.2 | 100.0 | 91.0 | 81.4 | 100.0 |
| Hispanic | . | . | . | . | . | . | . | . | . |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | . | . | . | . | . | . | . | . | . |
| NH White women | 78.7 | 70.7 | 86.8 | 98.2 | 96.0 | 100.0 | 86.5 | 79.7 | 93.3 |
| NH Black men | . | . | . | . | . | . | . | . | . |
| NH Black women | . | . | . | 94.6 | 88.2 | 100.0 | 91.0 | 81.4 | 100.0 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | . | . | . | 93.6 | 87.9 | 99.3 | 88.7 | 81.7 | 95.8 |
| 45-64 | 85.4 | 78.2 | 92.6 | 100.0 | 100.0 | 100.0 | 82.0 | 71.7 | 92.4 |
| 65 and older | 74.9 | 60.3 | 89.5 | 100.0 | 100.0 | 100.0 | . | . | . |
| Marital Status | | | | | | | | | |
| Never married | . | . | . | 88.8 | 75.4 | 100.0 | 84.9 | 69.5 | 100.0 |
| Married/ living together as a couple | 85.9 | 78.0 | 93.7 | 98.2 | 95.7 | 100.0 | 88.2 | 82.1 | 94.3 |
| Divorced/ widowed/separated | 72.5 | 60.1 | 84.9 | 100.0 | 100.0 | 100.0 | 71.9 | 58.1 | 85.6 |
| Education | | | | | | | | | |
| 0-11 years | . | . | . | . | . | . | . | . | . |
| HS Grad/GED | 84.4 | 73.9 | 95.0 | 94.3 | 85.8 | 100.0 | 78.9 | 67.3 | 90.5 |
| 1 or more years of college | 82.8 | 75.1 | 90.6 | 97.1 | 94.0 | 100.0 | 88.8 | 82.6 | 94.9 |
| Employment | | | | | | | | | |
| Employed for wages | 83.3 | 75.3 | 91.3 | 98.1 | 96.0 | 100.0 | 87.4 | 81.4 | 93.4 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 63.8 | 48.0 | 79.5 | 94.0 | 87.7 | 100.0 | 77.7 | 65.6 | 89.8 |
| \$25,000 – 49,999 | 85.6 | 75.4 | 95.7 | 100.0 | 100.0 | 100.0 | 90.0 | 81.2 | 98.7 |
| \$50,000 or more | 86.4 | 76.5 | 96.3 | 100.0 | 100.0 | 100.0 | 94.5 | 89.4 | 99.6 |


| Preventive Health Behaviors: Colorectal Cancer Screening | | | | | | | | | |
|--|--|------|------|--------------------------------------|------|------|------------------------|------|------|
| Related Healthy People 2010 Objective(s) 3-12a, 3-12b | For respondents 50 years and older . . . | | | | | | | | |
| | Ever had blood stool test | | | Had blood stool test in past 2 years | | | Ever had sigmoidoscopy | | |
| | % | CI | | % | CI | | % | CI | |
| All | 31.6 | 24.5 | 38.6 | 23.7 | 17.3 | 30.0 | 50.1 | 42.4 | 57.9 |
| Sex | | | | | | | | | |
| Men | 30.5 | 19.8 | 41.1 | 20.3 | 11.4 | 29.2 | 55.3 | 43.2 | 67.5 |
| Women | 32.5 | 22.9 | 42.1 | 26.5 | 17.5 | 35.6 | 45.8 | 35.6 | 56.0 |
| Race/ethnicity | | | | | | | | | |
| NH White | 33.8 | 25.6 | 42.0 | 24.7 | 17.3 | 32.0 | 52.4 | 43.5 | 61.3 |
| NH Black | . | . | . | . | . | . | . | . | . |
| Hispanic | . | . | . | . | . | . | . | . | . |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 34.0 | 21.6 | 46.4 | 21.1 | 10.9 | 31.4 | 53.1 | 39.6 | 66.5 |
| NH White women | 33.6 | 22.5 | 44.8 | 28.0 | 17.4 | 38.6 | 51.8 | 39.8 | 63.8 |
| NH Black men | . | . | . | . | . | . | . | . | . |
| NH Black women | . | . | . | . | . | . | . | . | . |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | | | | | | | | | |
| 18-44 | . | . | . | . | . | . | . | . | . |
| 45-64 | 23.9 | 15.4 | 32.5 | 20.2 | 12.4 | 28.1 | 48.8 | 38.4 | 59.3 |
| 65 and older | 42.2 | 30.5 | 53.8 | 28.4 | 17.8 | 39.0 | 52.0 | 40.2 | 63.8 |
| Marital Status | | | | | | | | | |
| Never married | . | . | . | . | . | . | . | . | . |
| Married/ living together as a couple | 35.1 | 25.2 | 44.9 | 26.3 | 17.4 | 35.3 | 51.3 | 40.8 | 61.7 |
| Divorced/ widowed/separated | 26.8 | 16.5 | 37.2 | 20.3 | 11.0 | 29.6 | 49.9 | 37.1 | 62.6 |
| Education | | | | | | | | | |
| 0-11 years | 30.5 | 13.7 | 47.2 | 27.5 | 11.3 | 43.7 | 60.3 | 42.2 | 78.4 |
| HS Grad/GED | 31.0 | 17.7 | 44.4 | 22.1 | 10.2 | 34.0 | 42.4 | 28.3 | 56.6 |
| 1 or more years of college | 31.9 | 21.9 | 41.8 | 23.2 | 14.5 | 31.9 | 50.7 | 39.7 | 61.7 |
| Employment | | | | | | | | | |
| Employed for wages | 24.5 | 13.8 | 35.1 | 18.0 | 9.0 | 27.0 | 45.9 | 32.8 | 58.9 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 29.6 | 16.6 | 42.7 | 25.8 | 13.5 | 38.1 | 40.4 | 25.9 | 54.9 |
| \$25,000 – 49,999 | 37.0 | 22.8 | 51.3 | 27.2 | 14.2 | 40.2 | 41.9 | 27.3 | 56.5 |
| \$50,000 or more | 21.2 | 9.3 | 33.1 | 15.5 | 5.5 | 25.6 | 59.1 | 43.7 | 74.5 |

| Preventive Health Behaviors: HIV/AIDS Tests | | | | | | | | | | |
|---|--------------------------------------|--------------------------|------|------|---|------|-------|---|------|------|
| For respondents 64 years and younger . . . | | | | | | | | | | |
| | | Ever been tested for HIV | | | If yes, the test was done in the past 2 years | | | In past 12 months, health professional talked to you about preventing sexually transmitted diseases through condom use. | | |
| | | % | CI | | % | CI | | % | CI | |
| All | | 45.4 | 38.6 | 52.1 | 88.1 | 84.5 | 91.7 | 13.6 | 9.5 | 17.6 |
| Sex | Men | 47.7 | 39.2 | 56.2 | 88.8 | 83.9 | 93.8 | 15.9 | 9.4 | 22.4 |
| | Women | 43.2 | 33.0 | 53.4 | 87.4 | 82.1 | 92.7 | 11.4 | 6.5 | 16.2 |
| Race/ethnicity | NH White | 39.6 | 31.1 | 48.2 | 88.4 | 83.9 | 92.9 | 8.5 | 4.2 | 12.7 |
| | NH Black | 64.5 | 50.9 | 78.1 | 94.9 | 90.2 | 99.6 | 28.1 | 15.0 | 41.1 |
| | Hispanic | 57.8 | 38.6 | 77.0 | 73.0 | 55.2 | 90.8 | 15.8 | 2.9 | 28.7 |
| Race/ethnicity-Sex | NH White men | 42.5 | 32.0 | 52.9 | 89.2 | 83.4 | 95.1 | 9.3 | 2.5 | 16.0 |
| | NH White women | 36.9 | 23.9 | 49.9 | 87.6 | 80.6 | 94.7 | 7.7 | 2.4 | 12.9 |
| | NH Black men | . | . | . | . | . | . | . | . | . |
| | NH Black women | 67.5 | 48.5 | 86.5 | 90.0 | 80.6 | 99.5 | 24.9 | 6.6 | 43.2 |
| | Hispanic men | . | . | . | . | . | . | . | . | . |
| | Hispanic women | . | . | . | . | . | . | . | . | . |
| Age | 18-44 | 49.0 | 39.1 | 58.8 | 88.6 | 84.2 | 93.1 | 15.9 | 10.2 | 21.6 |
| | 45-64 | 39.8 | 31.2 | 48.3 | 86.4 | 80.0 | 92.8 | 9.2 | 3.7 | 14.6 |
| | 65 and older | . | . | . | . | . | . | . | . | . |
| Marital Status | Never married | 45.4 | 26.6 | 64.2 | 92.5 | 86.4 | 98.6 | 24.9 | 11.9 | 37.8 |
| | Married/ living together as a couple | 43.7 | 36.4 | 51.0 | 87.9 | 83.1 | 92.7 | 8.4 | 4.1 | 12.6 |
| | Divorced/ widowed/A80separated | 52.5 | 40.3 | 64.6 | 81.4 | 72.0 | 90.7 | 13.5 | 5.5 | 21.5 |
| Education | 0-11 years | 56.4 | 36.5 | 76.2 | 89.4 | 77.0 | 100.0 | 17.0 | 1.5 | 32.5 |
| | HS Grad/GED | 47.4 | 37.2 | 57.6 | 89.1 | 82.9 | 95.2 | 20.0 | 11.3 | 28.6 |
| | 1 or more years of college | 42.9 | 33.5 | 52.2 | 87.3 | 82.4 | 92.2 | 9.3 | 5.1 | 13.5 |
| Employment | Employed for wages | 48.1 | 41.5 | 54.7 | 87.3 | 83.1 | 91.4 | 13.0 | 8.5 | 17.5 |
| Household Income | \$24,999 or less | 60.8 | 49.2 | 72.4 | 88.9 | 82.0 | 95.8 | 32.8 | 20.9 | 44.7 |
| | \$25,000 – 49,999 | 39.7 | 24.6 | 54.8 | 88.8 | 81.9 | 95.7 | 10.6 | 4.2 | 17.1 |
| | \$50,000 or more | 43.8 | 35.1 | 52.6 | 85.7 | 79.3 | 92.1 | 7.3 | 2.5 | 12.1 |

- (1) People who do not engage in regular moderate physical activity (at least 30 minutes a day and 5 five days a week) or regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (2) People who do not engage in regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (3) People with a Body Mass Index (BMI) between 25 and 30.
- (4) People with a Body Mass Index (BMI) equal to or greater than 30.
- (5) People who consume less than 5 servings of fruits and vegetables a day.
- (6) People who have smoked at least 100 cigarettes in their lifetimes and who also smoked some days or every day in the past month.
- (7) People who have consumed 5+ drinks at one occasion in the past month (binge drinker), or men who have 2+ drinks every day or women who have 1+ drink(s) every day (heavy drinker).

For more information about your County BRFSS data, please contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 Ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Fair or Poor Health Status"


Data from the 2002 County BRFSS Survey

State Prevalence = 16.7%

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "No Health Plan"


Data from the 2002 County BRFSS Survey


State Prevalence = 18.7%

| County Prevalence | |
|---|-------------|
|  | 10.8 - 15.4 |
|  | 15.5 - 17.6 |
|  | 17.7 - 19.8 |
|  | 19.9 - 23.6 |
|  | 23.7 - 42.0 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us











Prevalence of "No Personal Health Care Provider(s)"


Data from the 2002 County BRFSS Survey

State Prevalence = 23.9%

| County Prevalence | |
|---|-------------|
|  | 13.7 - 19.5 |
|  | 19.6 - 22.6 |
|  | 22.7 - 25.0 |
|  | 25.1 - 28.9 |
|  | 29.0 - 44.9 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "No Access to Needed Medical Care in Past 12 Months"


Data from the 2002 County BRFSS Survey

State Prevalence = 8.7%

| County Prevalence | |
|---|-------------|
|  | 3.6 - 6.6 |
|  | 6.7 - 7.6 |
|  | 7.7 - 9.6 |
|  | 9.7 - 10.8 |
|  | 10.9 - 22.4 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "No Leisure Time Physical Activity in Past Month"

Data from the 2002 County BRFSS Survey


State Prevalence = 26.4%

| County Prevalence | |
|---|-------------|
|  | 16.9 - 22.8 |
|  | 22.9 - 25.1 |
|  | 25.2 - 27.6 |
|  | 27.7 - 33.3 |
|  | 33.4 - 45.9 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Consumed Less Than 5 Servings of Fruits and Vegetables a Day"

Data from the 2002 County BRFSS Survey

State Prevalence = 74.3%


County Prevalence

| | |
|--|-------------|
| | 64.9 - 70.9 |
| | 71.0 - 73.0 |
| | 73.1 - 75.4 |
| | 75.5 - 77.3 |
| | 77.4 - 82.6 |


For more information about your County BRFSS data contact:


Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us





Prevalence of "Presently Taking Medicine for Hypertension"


Data from the 2002 County BRFSS Survey

State Prevalence = 76.0%

| |
|-------------|
| 51.0 - 70.0 |
| 70.1 - 73.9 |
| 74.0 - 78.0 |
| 78.1 - 81.4 |
| 81.5 - 88.1 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us










Prevalence of "Ever Had Blood Cholesterol Checked"


Data from the 2002 County BRFSS Survey

State Prevalence = 83.1%

| County Prevalence | |
|---|-------------|
|  | 59.6 - 79.2 |
|  | 79.3 - 81.9 |
|  | 82.0 - 84.1 |
|  | 84.2 - 86.0 |
|  | 86.1 - 90.1 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "Had Blood Cholesterol Checked Within Past 2 Years"


Data from the 2002 County BRFSS Survey


State Prevalence = 91.8%

| County Prevalence | |
|---|-------------|
|  | 83.6 - 89.5 |
|  | 89.6 - 91.0 |
|  | 91.1 - 92.4 |
|  | 92.5 - 93.6 |
|  | 93.7 - 96.1 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "High Blood Cholesterol"


Data from the 2002 County BRFSS Survey

State Prevalence = 35.2%

| County Prevalence | |
|---|-------------|
|  | 26.7 - 30.0 |
|  | 30.1 - 33.8 |
|  | 33.9 - 36.6 |
|  | 36.7 - 39.6 |
|  | 39.7 - 47.9 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "Ever Had Asthma"


Data from the 2002 County BRFSS Survey


State Prevalence = 10.7%

| County Prevalence | |
|---|-------------|
|  | 6.8 - 9.0 |
|  | 9.1 - 9.8 |
|  | 9.9 - 11.4 |
|  | 11.5 - 13.2 |
|  | 13.3 - 22.0 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Have Asthma Now"


Data from the 2002 County BRFSS Survey


State Prevalence = 60.4%

| County Prevalence | |
|-------------------|-------------|
| | 35.7 - 50.6 |
| | 50.7 - 56.3 |
| | 56.4 - 64.4 |
| | 64.5 - 72.2 |
| | 72.3 - 83.1 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us






Prevalence of "Have Diabetes"

Data from the 2002 County BRFSS Survey


State Prevalence = 8.2%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "Dental Visit Within Past Year"


Data from the 2002 County BRFSS Survey


State Prevalence = 70.2%

| County Prevalence | |
|---|-------------|
|  | 50.1 - 62.6 |
|  | 62.7 - 68.7 |
|  | 68.8 - 71.5 |
|  | 71.6 - 74.1 |
|  | 74.2 - 80.3 |

For more information about your County BRFSS data contact:


Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us





Prevalence of "Had Teeth Cleaned Within the Past Year"


Data from the 2002 County BRFSS Survey

State Prevalence = 70.5%

| County Prevalence | |
|-------------------|-------------|
| | 49.5 - 61.0 |
| | 61.1 - 69.1 |
| | 69.2 - 71.8 |
| | 71.9 - 73.7 |
| | 73.8 - 79.4 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "Had Flu Shot During the Past 12 Months"

Data from the 2002 County BRFSS Survey


State Prevalence = 26.2%

| County Prevalence | |
|---|-------------|
|  | 17.4 - 23.0 |
|  | 23.1 - 25.1 |
|  | 25.2 - 27.2 |
|  | 27.3 - 32.4 |
|  | 32.5 - 41.5 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us






Prevalence of "Had Flu Shot at County Health Dept. in Past 12 Months"


Data from the 2002 County BRFSS Survey

State Prevalence = 1.2%




For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us










Prevalence of "Current Cigarette Smoking"


Data from the 2002 County BRFSS Survey

State Prevalence = 22.2%

| County Prevalence | |
|---|-------------|
|  | 16.4 - 18.9 |
|  | 19.0 - 21.0 |
|  | 21.1 - 23.2 |
|  | 23.3 - 27.5 |
|  | 27.6 - 35.5 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us






Prevalence of "Having Stopped Smoking for at Least One Day in Past 12 Months"

Data from the 2002 County BRFSS Survey

State Prevalence = 55.3%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us






Prevalence of "Heavy or Binge Drinking"

Data from the 2002 County BRFSS Survey

State Prevalence = 14.1%



For more information about your County BRFSS data contact:


Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us






Prevalence of "Obesity"

Data from the 2002 County BRFSS Survey
State Prevalence = 22.3%

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us





Prevalence of "Had a Mammogram Within the Past 2 Years" Among Women 40 and Older

Data from the 2002 County BRFSS Survey


State Prevalence = 79.0%

| County Prevalence | |
|-------------------|-------------|
| | 59.8 - 73.3 |
| | 73.4 - 77.4 |
| | 77.5 - 80.5 |
| | 80.6 - 83.2 |
| | 83.3 - 89.5 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Ever Had Pap Smear" Among Adult Women

Data from the 2002 County BRFSS Survey


State Prevalence = 93.5%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Had Last Pap Smear Within Past 2 Years" Among Adult Women


Data from the 2002 County BRFSS Survey


State Prevalence = 82.2%

| County Prevalence | |
|-------------------|-------------|
| | 51.7 - 76.9 |
| | 77.0 - 80.6 |
| | 80.7 - 83.7 |
| | 83.8 - 85.9 |
| | 86.0 - 89.9 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "No Regular Moderate Physical Activity"

Data from the 2002 County BRFSS Survey


State Prevalence = 55.1%

| County Prevalence | |
|---|-------------|
|  | 39.3 - 51.4 |
|  | 51.5 - 53.7 |
|  | 53.8 - 56.4 |
|  | 56.5 - 58.6 |
|  | 58.7 - 65.4 |

For more information about your County BRFSS data contact:


Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us






Prevalence of "Received Advice About Weight from Health Care Professional in Past Year"

Data from the 2002 County BRFSS Survey
State Prevalence = 21.1%

| County Prevalence | |
|-------------------|-------------|
| | 15.2 - 17.2 |
| | 17.3 - 19.9 |
| | 20.0 - 22.3 |
| | 22.4 - 24.3 |
| | 24.4 - 31.0 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










**Prevalence of
"Advised in Past Year
by Health Care Professional
to Eat Fewer High Fat/Cholesterol Foods"**


Data from the 2002 County BRFSS Survey

State Prevalence = 21.0%

| County Prevalence | |
|---|-------------|
|  | 13.4 - 17.3 |
|  | 17.4 - 19.8 |
|  | 19.9 - 22.1 |
|  | 22.2 - 24.2 |
|  | 24.3 - 32.6 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us






Prevalence of "Advised in Past Year by Health Care Professional to Eat More Fruits and Vegetables"

Data from the 2002 County BRFSS Survey


State Prevalence = 27.9%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us





Prevalence of "Advised in Past Year by Health Care Professional to Be More Physically Active"

Data from the 2002 County BRFSS Survey


State Prevalence = 28.0%

| County Prevalence | |
|-------------------|-------------|
| | 18.2 - 24.3 |
| | 24.4 - 26.6 |
| | 26.7 - 29.2 |
| | 29.3 - 33.0 |
| | 33.1 - 40.1 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us






Prevalence of "Ever Had Blood Stool Test" Among Adults 50 and Older


Data from the 2002 County BRFSS Survey


State Prevalence = 44.4%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us






Prevalence of "Had Blood Stool Test Within Past 2 Years" Among Adults 50 and Older


Data from the 2002 County BRFSS Survey

State Prevalence = 33.5%




For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us





For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
 marie_bailey@doh.state.fl.us










Prevalence of "Ever Had HIV Test" Among Adults Under 65


Data from the 2002 County BRFSS Survey


State Prevalence = 47.7%

| County Prevalence | |
|---|-------------|
|  | 37.2 - 42.9 |
|  | 43.0 - 46.0 |
|  | 46.1 - 49.3 |
|  | 49.4 - 52.1 |
|  | 52.2 - 59.7 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us










Prevalence of "Had HIV Test Within Past 2 Years" Among Adults Under 65

Data from the 2002 County BRFSS Survey


State Prevalence = 86.7%

| County Prevalence | |
|---|-------------|
|  | 78.5 - 83.6 |
|  | 83.7 - 85.6 |
|  | 85.7 - 87.7 |
|  | 87.8 - 88.9 |
|  | 89.0 - 93.6 |

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW
Bureau of Epidemiology
Department of Health
4052 Bald Cypress Way, Bin #A-12
Tallahassee, FL 32399-1720
850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us











Prevalence of "Discussed with Health Care Professional STD Prevention Through Condom Use" Among Adults Under 65


Data from the 2002 County BRFSS Survey

State Prevalence = 16.3%

| County Prevalence | |
|---|-------------|
|  | 7.1 - 11.7 |
|  | 11.8 - 14.6 |
|  | 14.7 - 17.8 |
|  | 17.9 - 21.2 |
|  | 21.3 - 28.6 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us











Prevalence of "Sedentary Employment"

Data from the 2002 County BRFSS Survey

State Prevalence = 62.8%

| County Prevalence | |
|---|-------------|
|  | 32.9 - 56.1 |
|  | 56.2 - 61.0 |
|  | 61.1 - 64.6 |
|  | 64.7 - 66.5 |
|  | 66.6 - 70.9 |

For more information about your County BRFSS data contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 ext. 2434
marie_bailey@doh.state.fl.us



Prevalence of Major Behavioral Risk Factors in Florida

A Report from the 2002 County Behavior Risk Factor Surveillance System (BRFSS) Survey

Bureau of Epidemiology Florida Department of Health

The 2002 County BRFSS survey was conducted among adults in Florida from September 2002 through January 2003. Overall, 34551 adults were randomly selected and interviewed for the survey; about 500 adults were surveyed in each county. The purpose of this survey was to obtain county-level estimates of the prevalence of personal health behaviors that contribute to morbidity and mortality. These estimates might differ slightly from estimates obtained through the 2002 Florida State BRFSS because sampling methods of the two surveys were different. Data in this report can be used to make comparisons between counties and the state overall on a variety of health-related issues. These data can also be used to: (1) prioritize health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because the BRFSS is a random survey and all estimates of prevalence are subject to random sample errors, we include 95% confidence intervals (CI) with each prevalence (%) in the tables. Prevalence is excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

| Population Size and Health Status | | | | | | | | | |
|-----------------------------------|--------------------------------------|------------------|------------|-------------------------------|------------|------|--------------------------------|------|------|
| | | Population Size* | | Health Status is Fair or Poor | | | Mostly sitting/standing at job | | |
| | | | | % | CI | | % | CI | |
| | | All | | 100.0% | 15,982,378 | 16.7 | 15.7 | 17.8 | 62.8 |
| Sex | Men | 48.8% | 7,797,715 | 16.1 | 14.4 | 17.9 | 55.8 | 53.3 | 58.3 |
| | Women | 51.2% | 8,184,663 | 17.2 | 16.0 | 18.5 | 70.2 | 67.9 | 72.5 |
| Race/ethnicity | NH White | 65.4% | 10,458,509 | 15.1 | 14.3 | 16.0 | 64.1 | 62.4 | 65.9 |
| | NH Black | 14.2% | 2,264,268 | 18.3 | 15.1 | 21.5 | 61.8 | 55.0 | 68.6 |
| | Hispanic | 16.8% | 2,682,715 | 25.4 | 20.0 | 30.8 | 54.3 | 46.7 | 61.9 |
| Race/ethnicity-Sex | NH White men | 31.9% | 5,092,899 | 14.5 | 13.3 | 15.7 | 58.6 | 56.2 | 61.0 |
| | NH White women | 33.6% | 5,365,610 | 15.7 | 14.5 | 16.9 | 70.5 | 68.0 | 73.0 |
| | NH Black men | 6.8% | 1,084,497 | 13.5 | 9.6 | 17.3 | 49.1 | 39.9 | 58.3 |
| | NH Black women | 7.4% | 1,179,771 | 21.2 | 16.6 | 25.8 | 69.4 | 61.5 | 77.2 |
| | Hispanic men | 8.4% | 1,340,109 | 30.1 | 21.0 | 39.2 | 42.1 | 31.2 | 52.9 |
| | Hispanic women | 8.4% | 1,342,606 | 20.7 | 15.2 | 26.3 | 71.7 | 63.6 | 79.9 |
| Age | 18-44 | 36.9% | 5,899,949 | 9.7 | 8.5 | 10.9 | 60.2 | 57.8 | 62.5 |
| | 45-64 | 22.7% | 3,628,492 | 19.8 | 17.4 | 22.1 | 66.5 | 63.8 | 69.1 |
| | 65 and older | 17.6% | 2,807,597 | 27.6 | 25.6 | 29.7 | 71.5 | 64.3 | 78.6 |
| Marital Status | Never married | 22.5% | 3,076,457 | 13.1 | 9.0 | 17.3 | 60.5 | 55.9 | 65.2 |
| | Married/ living together as a couple | 53.7% | 7,341,958 | 14.7 | 13.6 | 15.8 | 64.6 | 62.4 | 66.8 |
| | Divorced/ widowed/separated | 23.8% | 3,252,217 | 24.3 | 22.6 | 26.1 | 59.8 | 56.2 | 63.4 |
| Education | 0-11 years | 20.1% | 2,219,948 | 42.9 | 37.5 | 48.2 | 43.8 | 37.0 | 50.6 |
| | HS Grad/GED | 28.7% | 3,165,748 | 17.9 | 16.4 | 19.5 | 51.3 | 47.9 | 54.7 |
| | 1 or more years of college | 51.1% | 5,638,949 | 11.4 | 10.4 | 12.4 | 70.1 | 68.1 | 72.0 |
| Employment | Employed for wages | 54.9% | 6,995,047 | 9.0 | 8.0 | 10.1 | 62.8 | 61.1 | 64.6 |
| Household Income | \$24,999 or less | 30.8% | 1,952,500 | 29.9 | 27.0 | 32.9 | 55.1 | 49.9 | 60.3 |
| | \$25,000 – 49,999 | 31.6% | 2,005,008 | 12.9 | 11.5 | 14.2 | 59.1 | 56.0 | 62.2 |
| | \$50,000 or more | 37.6% | 2,383,613 | 6.4 | 5.4 | 7.3 | 70.6 | 68.2 | 72.9 |

*Per Census Bureau calculations, the following demographic categories are limited to specific age groups: Marital Status, >=15 years old; Education, >=25 years old; Employment, >=16 years old.

| Risk Factors: Physical Activity | | | | | | | | | |
|--|-----------------------------------|------|------|--|------|------|--|------|------|
| Related Healthy People 2010 Objective(s) 22-1, 22-2, 22-3 | No leisure time physical activity | | | No regular moderate physical activity ⁽¹⁾ | | | No regular vigorous physical activity ⁽²⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 26.4 | 25.2 | 27.6 | 55.1 | 53.8 | 56.4 | 75.6 | 74.4 | 76.8 |
| Sex | | | | | | | | | |
| Men | 22.8 | 21.0 | 24.7 | 52.6 | 50.7 | 54.6 | 71.1 | 69.3 | 72.8 |
| Women | 29.5 | 27.9 | 31.1 | 57.3 | 55.5 | 59.0 | 79.6 | 77.9 | 81.3 |
| Race/ethnicity | | | | | | | | | |
| NH White | 22.5 | 21.4 | 23.6 | 53.4 | 52.1 | 54.7 | 75.7 | 74.6 | 76.8 |
| NH Black | 31.9 | 27.6 | 36.1 | 55.2 | 49.6 | 60.7 | 72.6 | 66.4 | 78.8 |
| Hispanic | 39.2 | 33.4 | 45.1 | 58.7 | 52.9 | 64.4 | 75.1 | 70.1 | 80.1 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 19.7 | 18.3 | 21.0 | 51.0 | 49.1 | 52.8 | 71.5 | 69.8 | 73.2 |
| NH White women | 25.1 | 23.4 | 26.7 | 55.7 | 53.9 | 57.4 | 79.6 | 78.2 | 81.0 |
| NH Black men | 22.0 | 16.8 | 27.1 | 44.7 | 37.6 | 51.8 | 63.7 | 56.1 | 71.4 |
| NH Black women | 37.7 | 31.6 | 43.9 | 61.4 | 53.4 | 69.3 | 77.9 | 68.8 | 87.0 |
| Hispanic men | 40.9 | 31.3 | 50.4 | 60.9 | 51.9 | 70.0 | 69.4 | 61.1 | 77.7 |
| Hispanic women | 37.6 | 30.7 | 44.5 | 56.4 | 49.1 | 63.6 | 80.8 | 75.1 | 86.6 |
| Age | | | | | | | | | |
| 18-44 | 23.6 | 21.8 | 25.4 | 49.2 | 47.1 | 51.3 | 66.5 | 64.4 | 68.6 |
| 45-64 | 27.4 | 24.9 | 29.9 | 59.1 | 57.0 | 61.3 | 80.8 | 79.2 | 82.4 |
| 65 and older | 30.8 | 28.7 | 32.8 | 62.0 | 59.8 | 64.1 | 87.4 | 85.8 | 89.0 |
| Marital Status | | | | | | | | | |
| Never married | 27.1 | 22.5 | 31.7 | 46.0 | 41.4 | 50.5 | 61.1 | 56.6 | 65.6 |
| Married/ living together as a couple | 23.7 | 22.3 | 25.0 | 55.2 | 53.7 | 56.8 | 76.7 | 75.4 | 78.0 |
| Divorced/ widowed/separated | 32.8 | 30.8 | 34.8 | 61.5 | 59.4 | 63.7 | 83.6 | 82.0 | 85.1 |
| Education | | | | | | | | | |
| 0-11 years | 48.9 | 43.8 | 54.0 | 69.4 | 65.6 | 73.3 | 86.4 | 83.8 | 88.9 |
| HS Grad/GED | 32.4 | 30.4 | 34.5 | 57.2 | 55.0 | 59.4 | 79.5 | 77.7 | 81.4 |
| 1 or more years of college | 19.1 | 17.8 | 20.5 | 51.4 | 49.7 | 53.1 | 71.5 | 69.9 | 73.2 |
| Employment | | | | | | | | | |
| Employed for wages | 21.7 | 20.3 | 23.1 | 52.6 | 50.8 | 54.4 | 70.7 | 68.9 | 72.5 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 37.8 | 34.8 | 40.8 | 60.0 | 56.9 | 63.1 | 80.3 | 77.2 | 83.3 |
| \$25,000 – 49,999 | 25.6 | 23.4 | 27.8 | 54.4 | 52.0 | 56.7 | 75.3 | 73.3 | 77.3 |
| \$50,000 or more | 13.0 | 11.5 | 14.5 | 47.9 | 45.8 | 50.1 | 68.2 | 66.2 | 70.2 |

| Risk Factors: Overweight and Nutrition | | | | | | | | | |
|--|---------------------------|------|------|----------------------|------|------|----------------------------------|------|------|
| Related Healthy People 2010 Objective(s) 19-1, 19-2, 19-5, 19-6 | Overweight ⁽³⁾ | | | Obese ⁽⁴⁾ | | | Less than 5-A-Day ⁽⁵⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 35.1 | 33.9 | 36.3 | 22.3 | 21.3 | 23.3 | 74.3 | 73.1 | 75.4 |
| Sex | | | | | | | | | |
| Men | 43.9 | 42.0 | 45.9 | 21.9 | 20.4 | 23.4 | 78.2 | 76.4 | 80.1 |
| Women | 27.4 | 25.9 | 28.9 | 22.6 | 21.3 | 23.9 | 70.9 | 69.4 | 72.3 |
| Race/ethnicity | | | | | | | | | |
| NH White | 35.0 | 33.8 | 36.2 | 21.4 | 20.4 | 22.3 | 73.3 | 72.2 | 74.4 |
| NH Black | 31.9 | 27.7 | 36.2 | 34.8 | 30.3 | 39.3 | 75.8 | 71.6 | 79.9 |
| Hispanic | 39.4 | 33.7 | 45.0 | 20.8 | 16.3 | 25.2 | 81.5 | 77.2 | 85.7 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 45.0 | 43.2 | 46.8 | 21.7 | 20.3 | 23.2 | 78.5 | 77.1 | 79.9 |
| NH White women | 25.7 | 24.3 | 27.2 | 21.0 | 19.7 | 22.3 | 68.6 | 67.0 | 70.1 |
| NH Black men | 38.4 | 31.5 | 45.4 | 27.2 | 20.4 | 34.0 | 78.1 | 70.6 | 85.5 |
| NH Black women | 28.1 | 22.9 | 33.2 | 39.3 | 33.1 | 45.6 | 74.4 | 69.4 | 79.5 |
| Hispanic men | 45.7 | 36.5 | 54.8 | 23.3 | 16.0 | 30.5 | 86.2 | 80.2 | 92.3 |
| Hispanic women | 33.3 | 26.4 | 40.1 | 18.3 | 13.0 | 23.7 | 76.8 | 71.0 | 82.6 |
| Age | | | | | | | | | |
| 18-44 | 31.2 | 29.3 | 33.0 | 21.0 | 19.4 | 22.5 | 78.7 | 77.2 | 80.3 |
| 45-64 | 38.6 | 36.4 | 40.8 | 27.2 | 25.4 | 29.1 | 73.0 | 70.5 | 75.4 |
| 65 and older | 40.0 | 37.8 | 42.2 | 18.5 | 16.8 | 20.2 | 67.4 | 65.3 | 69.4 |
| Marital Status | | | | | | | | | |
| Never married | 29.1 | 25.7 | 32.6 | 19.4 | 16.8 | 22.1 | 77.5 | 73.3 | 81.7 |
| Married/ living together as a couple | 37.5 | 36.0 | 39.0 | 23.2 | 21.9 | 24.5 | 73.7 | 72.4 | 75.0 |
| Divorced/ widowed/separated | 33.7 | 31.6 | 35.7 | 22.3 | 20.6 | 24.0 | 73.7 | 71.8 | 75.5 |
| Education | | | | | | | | | |
| 0-11 years | 30.6 | 26.4 | 34.7 | 29.2 | 25.2 | 33.1 | 80.6 | 74.8 | 86.3 |
| HS Grad/GED | 34.5 | 32.4 | 36.6 | 24.0 | 22.2 | 25.8 | 77.5 | 75.7 | 79.3 |
| 1 or more years of college | 36.4 | 34.8 | 38.0 | 20.2 | 19.0 | 21.4 | 71.5 | 70.1 | 72.9 |
| Employment | | | | | | | | | |
| Employed for wages | 36.4 | 34.7 | 38.1 | 22.7 | 21.4 | 24.1 | 76.6 | 75.2 | 78.0 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 32.4 | 29.7 | 35.0 | 24.5 | 22.4 | 26.6 | 77.3 | 74.4 | 80.1 |
| \$25,000 – 49,999 | 35.3 | 33.1 | 37.6 | 22.5 | 20.7 | 24.4 | 74.0 | 72.0 | 76.0 |
| \$50,000 or more | 39.6 | 37.5 | 41.7 | 20.8 | 19.1 | 22.6 | 74.4 | 72.6 | 76.2 |

| Risk Factors: Tobacco and Alcohol Use | | | | | | | | | |
|---|-------------------------------|------|------|--|------|------|---|------|------|
| Related Healthy People 2010 Objective(s) 27-1a, 27-5, 26-11c | Current smoker ⁽⁶⁾ | | | Ever quit smoking in the past 12 months | | | Engage in heavy or binge drinking ⁽⁷⁾ | | |
| | % | CI | | % | CI | | % | CI | |
| All | 22.2 | 21.1 | 23.2 | 55.3 | 52.7 | 58.0 | 14.1 | 13.1 | 15.0 |
| Sex | | | | | | | | | |
| Men | 24.5 | 22.8 | 26.1 | 55.0 | 51.1 | 58.9 | 20.9 | 19.3 | 22.4 |
| Women | 20.2 | 18.9 | 21.5 | 55.6 | 52.0 | 59.2 | 8.2 | 7.2 | 9.1 |
| Race/ethnicity | | | | | | | | | |
| NH White | 23.9 | 22.8 | 25.0 | 52.5 | 49.8 | 55.3 | 15.2 | 14.3 | 16.2 |
| NH Black | 14.9 | 12.1 | 17.7 | 66.2 | 57.6 | 74.8 | 7.8 | 5.3 | 10.3 |
| Hispanic | 21.1 | 15.8 | 26.3 | 56.7 | 40.7 | 72.7 | 16.3 | 11.2 | 21.5 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 24.9 | 23.3 | 26.5 | 50.3 | 46.5 | 54.0 | 22.3 | 20.7 | 23.9 |
| NH White women | 23.0 | 21.4 | 24.5 | 54.8 | 50.8 | 58.8 | 8.7 | 7.6 | 9.8 |
| NH Black men | 20.2 | 15.1 | 25.4 | 65.4 | 52.4 | 78.5 | 14.0 | 8.3 | 19.6 |
| NH Black women | 11.7 | 8.7 | 14.8 | 67.0 | 53.9 | 80.0 | 4.2 | 2.2 | 6.2 |
| Hispanic men | 27.5 | 18.3 | 36.7 | 60.0 | 35.9 | 84.1 | 23.3 | 14.3 | 32.3 |
| Hispanic women | 14.8 | 10.1 | 19.6 | 50.8 | 35.2 | 66.4 | 9.4 | 5.0 | 13.8 |
| Age | | | | | | | | | |
| 18-44 | 26.9 | 25.1 | 28.7 | 57.7 | 53.9 | 61.5 | 20.1 | 18.4 | 21.8 |
| 45-64 | 24.1 | 22.2 | 26.0 | 53.0 | 48.6 | 57.4 | 11.4 | 10.1 | 12.6 |
| 65 and older | 10.3 | 9.1 | 11.6 | 50.7 | 44.2 | 57.3 | 5.5 | 4.5 | 6.5 |
| Marital Status | | | | | | | | | |
| Never married | 24.9 | 21.9 | 27.9 | 58.5 | 52.7 | 64.4 | 22.2 | 19.2 | 25.1 |
| Married/ living together as a couple | 19.5 | 18.1 | 20.8 | 54.6 | 50.7 | 58.4 | 12.6 | 11.5 | 13.8 |
| Divorced/ widowed/separated | 26.9 | 24.8 | 29.0 | 55.2 | 50.8 | 59.7 | 11.5 | 10.2 | 12.9 |
| Education | | | | | | | | | |
| 0-11 years | 31.2 | 27.1 | 35.4 | 50.8 | 43.6 | 57.9 | 13.9 | 10.4 | 17.5 |
| HS Grad/GED | 27.2 | 25.1 | 29.3 | 57.5 | 53.0 | 61.9 | 13.6 | 12.0 | 15.2 |
| 1 or more years of college | 17.9 | 16.7 | 19.1 | 55.1 | 51.5 | 58.7 | 14.3 | 13.2 | 15.5 |
| Employment | | | | | | | | | |
| Employed for wages | 25.2 | 23.6 | 26.7 | 54.9 | 51.4 | 58.4 | 18.2 | 16.8 | 19.5 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 28.3 | 25.8 | 30.8 | 61.5 | 56.7 | 66.3 | 13.8 | 11.8 | 15.8 |
| \$25,000 – 49,999 | 23.8 | 21.8 | 25.8 | 57.8 | 53.2 | 62.3 | 13.5 | 12.0 | 15.0 |
| \$50,000 or more | 17.6 | 16.0 | 19.3 | 47.7 | 42.7 | 52.7 | 17.7 | 16.0 | 19.3 |

| Health Care Coverage and Access | | | | | | | | | |
|--|-------------------------|------|------|--|------|------|---|------|------|
| Related Healthy People 2010 Objective(s) 1-1, 1-5 | No health care coverage | | | No personal health care provider(s) | | | Unable to get medical care in past 12 mos. | | |
| | % | CI | | % | CI | | % | CI | |
| All | 18.7 | 17.7 | 19.8 | 23.9 | 22.7 | 25.0 | 8.7 | 7.7 | 9.6 |
| Sex | | | | | | | | | |
| Men | 19.1 | 17.5 | 20.8 | 30.0 | 28.1 | 31.9 | 7.3 | 5.6 | 9.0 |
| Women | 18.4 | 17.1 | 19.7 | 18.6 | 17.3 | 19.9 | 9.8 | 8.8 | 10.9 |
| Race/ethnicity | | | | | | | | | |
| NH White | 13.6 | 12.7 | 14.4 | 20.0 | 18.9 | 21.0 | 6.8 | 6.1 | 7.5 |
| NH Black | 27.5 | 23.0 | 32.0 | 28.4 | 23.9 | 32.9 | 9.6 | 7.3 | 12.0 |
| Hispanic | 40.1 | 34.2 | 46.0 | 38.0 | 32.2 | 43.9 | 17.2 | 12.0 | 22.5 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 13.9 | 12.7 | 15.2 | 25.8 | 24.1 | 27.4 | 5.1 | 4.3 | 5.8 |
| NH White women | 13.2 | 12.1 | 14.3 | 14.6 | 13.5 | 15.7 | 8.4 | 7.3 | 9.5 |
| NH Black men | 30.6 | 22.5 | 38.7 | 37.1 | 29.1 | 45.1 | 5.8 | 3.0 | 8.5 |
| NH Black women | 25.6 | 20.4 | 30.8 | 23.2 | 18.4 | 28.0 | 11.9 | 8.6 | 15.3 |
| Hispanic men | 48.3 | 38.9 | 57.7 | 48.8 | 39.3 | 58.2 | 19.5 | 10.5 | 28.5 |
| Hispanic women | 32.2 | 25.7 | 38.6 | 27.6 | 21.8 | 33.5 | 15.0 | 9.5 | 20.4 |
| Age | | | | | | | | | |
| 18-44 | 27.0 | 25.1 | 28.8 | 34.1 | 32.1 | 36.1 | 10.3 | 9.0 | 11.6 |
| 45-64 | 18.1 | 16.4 | 19.7 | 19.2 | 17.5 | 20.9 | 10.2 | 7.8 | 12.6 |
| 65 and older | 3.0 | 2.1 | 3.9 | 9.3 | 7.9 | 10.7 | 3.5 | 2.7 | 4.3 |
| Marital Status | | | | | | | | | |
| Never married | 31.0 | 27.3 | 34.7 | 37.5 | 33.6 | 41.5 | 10.5 | 6.4 | 14.5 |
| Married/ living together as a couple | 15.0 | 13.7 | 16.2 | 20.5 | 19.1 | 21.9 | 7.4 | 6.4 | 8.4 |
| Divorced/ widowed/separated | 19.0 | 17.1 | 20.8 | 22.1 | 20.2 | 24.1 | 10.2 | 8.9 | 11.5 |
| Education | | | | | | | | | |
| 0-11 years | 31.7 | 27.3 | 36.1 | 34.2 | 29.7 | 38.7 | 17.7 | 11.4 | 23.9 |
| HS Grad/GED | 24.5 | 22.5 | 26.6 | 28.3 | 26.0 | 30.5 | 9.0 | 7.7 | 10.3 |
| 1 or more years of college | 13.3 | 12.2 | 14.4 | 19.6 | 18.3 | 20.9 | 6.9 | 6.0 | 7.7 |
| Employment | | | | | | | | | |
| Employed for wages | 19.5 | 18.1 | 21.0 | 27.0 | 25.4 | 28.6 | 8.1 | 7.0 | 9.2 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 31.6 | 29.0 | 34.2 | 32.1 | 29.4 | 34.7 | 15.7 | 12.8 | 18.5 |
| \$25,000 – 49,999 | 19.0 | 17.0 | 21.0 | 25.4 | 23.1 | 27.8 | 7.7 | 6.4 | 9.0 |
| \$50,000 or more | 5.8 | 4.7 | 6.9 | 15.0 | 13.4 | 16.6 | 3.8 | 2.9 | 4.7 |

| Oral Health | | | | | | | | | |
|--|---------------------------------------|------|------|--|------|------|--|------|------|
| Related Healthy People 2010 Objective(s) 21-10, 21-3 | Visited a dentist within past year | | | No teeth removed | | | Had teeth cleaned within past year | | |
| | % | CI | | % | CI | | % | CI | |
| All | 70.2 | 68.8 | 71.5 | 46.7 | 45.4 | 48.0 | 70.5 | 69.2 | 71.8 |
| Sex | | | | | | | | | |
| Men | 68.2 | 66.2 | 70.1 | 47.7 | 45.8 | 49.7 | 69.3 | 67.5 | 71.1 |
| Women | 71.9 | 70.1 | 73.7 | 45.8 | 44.0 | 47.5 | 71.5 | 69.6 | 73.4 |
| Race/ethnicity | | | | | | | | | |
| NH White | 72.3 | 71.2 | 73.5 | 48.1 | 46.8 | 49.4 | 73.0 | 71.7 | 74.2 |
| NH Black | 62.0 | 56.4 | 67.7 | 34.4 | 29.7 | 39.1 | 60.6 | 54.6 | 66.6 |
| Hispanic | 64.0 | 58.4 | 69.7 | 51.8 | 45.9 | 57.8 | 62.8 | 56.8 | 68.7 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 70.6 | 69.0 | 72.2 | 48.7 | 46.9 | 50.5 | 71.1 | 69.4 | 72.9 |
| NH White women | 73.9 | 72.3 | 75.6 | 47.6 | 45.8 | 49.4 | 74.7 | 72.9 | 76.4 |
| NH Black men | 60.9 | 53.5 | 68.4 | 38.1 | 30.3 | 46.0 | 63.7 | 55.9 | 71.5 |
| NH Black women | 62.7 | 54.8 | 70.6 | 32.2 | 26.5 | 37.9 | 58.9 | 50.7 | 67.0 |
| Hispanic men | 60.7 | 51.5 | 69.9 | 51.8 | 42.3 | 61.3 | 57.7 | 48.0 | 67.4 |
| Hispanic women | 67.3 | 60.5 | 74.1 | 51.9 | 44.6 | 59.1 | 67.6 | 60.8 | 74.4 |
| Age | | | | | | | | | |
| 18-44 | 68.5 | 66.4 | 70.7 | 67.2 | 65.2 | 69.3 | 66.2 | 64.1 | 68.4 |
| 45-64 | 72.0 | 69.5 | 74.5 | 35.1 | 33.0 | 37.1 | 72.9 | 70.8 | 74.9 |
| 65 and older | 70.8 | 68.7 | 72.9 | 18.8 | 17.0 | 20.6 | 77.6 | 75.5 | 79.8 |
| Marital Status | | | | | | | | | |
| Never married | 63.8 | 58.8 | 68.8 | 66.5 | 61.6 | 71.5 | 63.0 | 58.6 | 67.4 |
| Married/ living together as a couple | 74.0 | 72.6 | 75.4 | 46.7 | 45.1 | 48.3 | 74.2 | 72.7 | 75.6 |
| Divorced/ widowed/separated | 64.9 | 62.7 | 67.1 | 31.8 | 29.7 | 33.9 | 66.0 | 63.6 | 68.4 |
| Education | | | | | | | | | |
| 0-11 years | 48.4 | 43.3 | 53.4 | 24.8 | 21.2 | 28.5 | 52.8 | 48.1 | 57.5 |
| HS Grad/GED | 65.4 | 63.3 | 67.6 | 39.0 | 36.7 | 41.3 | 65.3 | 63.0 | 67.6 |
| 1 or more years of college | 76.5 | 74.8 | 78.2 | 54.6 | 52.9 | 56.3 | 75.6 | 73.8 | 77.3 |
| Employment | | | | | | | | | |
| Employed for wages | 71.5 | 69.7 | 73.4 | 55.4 | 53.6 | 57.3 | 70.1 | 68.2 | 71.9 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 53.7 | 50.5 | 56.9 | 35.3 | 32.5 | 38.0 | 54.3 | 51.1 | 57.5 |
| \$25,000 – 49,999 | 71.2 | 69.1 | 73.3 | 46.3 | 43.9 | 48.7 | 70.6 | 68.4 | 72.8 |
| \$50,000 or more | 83.1 | 81.5 | 84.8 | 60.4 | 58.3 | 62.4 | 81.5 | 79.7 | 83.3 |
| Chronic Health Conditions: Hypertension and Weight Control | | | | | | | | | |
| Related Healthy People 2010 Objective(s) 12-9, 12-10 | Had high blood pressure (HBP) | | | Now taking HBP medication, if had HBP | | | Received advice about weight in past year | | |
| | % | CI | | % | CI | | % | CI | |
| All | 27.7 | 26.6 | 28.7 | 76.0 | 74.0 | 78.0 | 21.1 | 20.0 | 22.3 |
| Sex | | | | | | | | | |
| Men | 28.8 | 27.2 | 30.4 | 70.8 | 67.9 | 73.8 | 20.1 | 18.2 | 21.9 |
| Women | 26.7 | 25.3 | 28.1 | 80.8 | 78.1 | 83.4 | 22.0 | 20.6 | 23.4 |
| Race/ethnicity | | | | | | | | | |
| NH White | 28.7 | 27.6 | 29.8 | 78.1 | 76.0 | 80.2 | 19.7 | 18.7 | 20.7 |
| NH Black | 32.2 | 28.0 | 36.4 | 77.1 | 71.8 | 82.3 | 24.3 | 20.4 | 28.3 |
| Hispanic | 20.2 | 15.5 | 24.9 | 56.4 | 42.9 | 69.9 | 26.5 | 21.3 | 31.7 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 30.2 | 28.5 | 31.8 | 73.7 | 70.8 | 76.6 | 19.2 | 17.8 | 20.7 |
| NH White women | 27.4 | 25.8 | 28.9 | 82.4 | 79.4 | 85.5 | 20.2 | 18.8 | 21.6 |
| NH Black men | 32.5 | 26.2 | 38.8 | 68.5 | 58.9 | 78.0 | 17.6 | 11.7 | 23.4 |
| NH Black women | 32.0 | 26.4 | 37.5 | 82.3 | 76.4 | 88.2 | 28.3 | 22.9 | 33.8 |
| Hispanic men | 23.4 | 15.7 | 31.1 | 51.0 | 32.1 | 69.9 | 25.9 | 17.7 | 34.0 |
| Hispanic women | 17.1 | 11.7 | 22.5 | 63.6 | 48.6 | 78.5 | 27.1 | 20.6 | 33.7 |
| Age | | | | | | | | | |
| 18-44 | 11.8 | 10.5 | 13.0 | 40.2 | 34.9 | 45.4 | 16.5 | 15.0 | 18.0 |
| 45-64 | 33.3 | 31.2 | 35.3 | 78.1 | 75.4 | 80.9 | 27.4 | 24.9 | 29.9 |
| 65 and older | 53.1 | 50.9 | 55.4 | 90.5 | 88.6 | 92.4 | 22.5 | 20.6 | 24.4 |
| Marital Status | | | | | | | | | |
| Never married | 14.7 | 12.2 | 17.2 | 51.2 | 42.7 | 59.8 | 18.0 | 13.9 | 22.1 |
| Married/ living together as a couple | 27.5 | 26.2 | 28.9 | 77.5 | 74.8 | 80.1 | 21.8 | 20.5 | 23.2 |
| Divorced/ widowed/separated | 37.4 | 35.3 | 39.5 | 81.0 | 78.2 | 83.7 | 21.5 | 19.7 | 23.2 |
| Education | | | | | | | | | |
| 0-11 years | 39.0 | 34.5 | 43.5 | 71.5 | 65.0 | 78.0 | 25.5 | 19.6 | 31.4 |
| HS Grad/GED | 30.0 | 28.1 | 31.9 | 76.7 | 73.5 | 79.8 | 20.9 | 19.1 | 22.7 |
| 1 or more years of college | 24.5 | 23.2 | 25.9 | 76.8 | 74.0 | 79.5 | 20.4 | 19.1 | 21.7 |
| Employment | | | | | | | | | |
| Employed for wages | 19.5 | 18.2 | 20.8 | 64.0 | 60.3 | 67.7 | 19.5 | 18.2 | 20.9 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 34.0 | 31.4 | 36.6 | 71.0 | 66.7 | 75.4 | 24.0 | 21.1 | 27.0 |
| \$25,000 – 49,999 | 26.1 | 24.3 | 28.0 | 77.1 | 73.8 | 80.3 | 20.3 | 18.5 | 22.0 |
| \$50,000 or more | 21.5 | 19.8 | 23.2 | 73.8 | 70.0 | 77.7 | 20.7 | 18.9 | 22.4 |

| Chronic Health Conditions: High Cholesterol | | | | | | | | | |
|---|------------------------------------|------|------|---|------|------|---------------------------|------|------|
| Related Healthy People 2010 Objective(s) 12-15 | Ever had blood cholesterol checked | | | If yes, cholesterol checked in past 2 years | | | Blood cholesterol is high | | |
| | % | CI | | % | CI | | % | CI | |
| | | | | | | | | | |
| All | 83.1 | 82.0 | 84.1 | 91.8 | 91.1 | 92.4 | 35.2 | 33.9 | 36.6 |
| Sex | | | | | | | | | |
| Men | 81.2 | 79.6 | 82.8 | 91.4 | 90.3 | 92.4 | 36.8 | 34.6 | 39.0 |
| Women | 84.7 | 83.3 | 86.1 | 92.1 | 91.2 | 93.0 | 33.9 | 32.2 | 35.6 |
| Race/ethnicity | | | | | | | | | |
| NH White | 85.9 | 84.9 | 86.9 | 91.0 | 90.2 | 91.7 | 37.7 | 36.4 | 39.0 |
| NH Black | 78.4 | 74.5 | 82.2 | 93.9 | 91.6 | 96.3 | 25.9 | 21.5 | 30.3 |
| Hispanic | 67.4 | 61.6 | 73.2 | 94.8 | 92.0 | 97.7 | 30.5 | 23.9 | 37.1 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 84.5 | 83.2 | 85.9 | 90.8 | 89.7 | 92.0 | 38.1 | 36.2 | 40.0 |
| NH White women | 87.2 | 85.7 | 88.7 | 91.1 | 90.1 | 92.1 | 37.4 | 35.6 | 39.2 |
| NH Black men | 75.5 | 68.3 | 82.7 | 90.2 | 84.7 | 95.7 | 26.7 | 20.1 | 33.3 |
| NH Black women | 80.1 | 75.7 | 84.4 | 96.0 | 94.3 | 97.8 | 25.4 | 19.6 | 31.3 |
| Hispanic men | 59.6 | 50.0 | 69.1 | 97.3 | 95.8 | 98.8 | 37.9 | 26.5 | 49.3 |
| Hispanic women | 75.1 | 69.1 | 81.1 | 92.9 | 88.0 | 97.7 | 24.5 | 16.8 | 32.1 |
| Age | | | | | | | | | |
| 18-44 | 72.2 | 70.2 | 74.1 | 87.6 | 86.2 | 89.0 | 20.2 | 18.4 | 22.0 |
| 45-64 | 90.2 | 88.9 | 91.5 | 92.3 | 91.3 | 93.4 | 42.7 | 40.1 | 45.3 |
| 65 and older | 95.6 | 94.8 | 96.4 | 97.2 | 96.6 | 97.9 | 49.0 | 46.7 | 51.3 |
| Marital Status | | | | | | | | | |
| Never married | 67.3 | 63.2 | 71.3 | 89.3 | 86.8 | 91.7 | 24.7 | 18.9 | 30.5 |
| Married/ living together as a couple | 85.7 | 84.5 | 86.9 | 91.8 | 90.9 | 92.6 | 35.6 | 34.0 | 37.1 |
| Divorced/ widowed/separated | 88.0 | 86.5 | 89.4 | 93.1 | 92.0 | 94.2 | 40.1 | 37.7 | 42.5 |
| Education | | | | | | | | | |
| 0-11 years | 74.2 | 70.2 | 78.3 | 94.2 | 92.2 | 96.1 | 45.0 | 38.4 | 51.6 |
| HS Grad/GED | 78.6 | 76.7 | 80.6 | 92.2 | 90.9 | 93.4 | 38.7 | 36.3 | 41.1 |
| 1 or more years of college | 87.0 | 85.8 | 88.3 | 91.2 | 90.3 | 92.1 | 32.2 | 30.7 | 33.7 |
| Employment | | | | | | | | | |
| Employed for wages | 80.4 | 79.0 | 81.8 | 89.8 | 88.8 | 90.8 | 29.0 | 27.2 | 30.8 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 77.9 | 75.7 | 80.2 | 91.7 | 90.2 | 93.2 | 38.8 | 35.2 | 42.5 |
| \$25,000 – 49,999 | 82.5 | 80.3 | 84.7 | 91.3 | 90.0 | 92.6 | 33.2 | 31.0 | 35.4 |
| \$50,000 or more | 89.5 | 88.2 | 90.9 | 90.7 | 89.4 | 92.0 | 32.9 | 30.7 | 35.0 |

| Chronic Health Conditions: Asthma & Diabetes | | | | | | | | | |
|---|-----------------|------|------|---------------------------|------|------|---------------|------|------|
| Related Healthy People 2010 Objective(s) 5-3 | Ever had asthma | | | If yes, still have asthma | | | Have diabetes | | |
| | % | CI | | % | CI | | % | CI | |
| | | | | | | | | | |
| All | 10.7 | 9.9 | 11.4 | 60.4 | 56.4 | 64.4 | 8.2 | 7.6 | 8.9 |
| Sex | | | | | | | | | |
| Men | 9.6 | 8.4 | 10.7 | 54.8 | 48.6 | 61.1 | 8.9 | 7.9 | 9.8 |
| Women | 11.7 | 10.6 | 12.7 | 64.3 | 59.1 | 69.5 | 7.7 | 6.9 | 8.5 |
| Race/ethnicity | | | | | | | | | |
| NH White | 11.1 | 10.2 | 12.0 | 62.4 | 57.8 | 67.1 | 8.0 | 7.4 | 8.6 |
| NH Black | 10.4 | 7.6 | 13.2 | 49.0 | 34.6 | 63.4 | 10.6 | 8.2 | 13.1 |
| Hispanic | 11.4 | 8.0 | 14.9 | 58.9 | 43.0 | 74.9 | 8.2 | 4.6 | 11.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 9.8 | 8.6 | 11.0 | 56.4 | 49.8 | 62.9 | 8.6 | 7.6 | 9.5 |
| NH White women | 12.3 | 11.0 | 13.6 | 66.8 | 60.2 | 73.4 | 7.5 | 6.7 | 8.3 |
| NH Black men | 9.8 | 4.0 | 15.6 | 26.3 | 11.1 | 41.5 | 9.2 | 5.7 | 12.6 |
| NH Black women | 10.8 | 7.8 | 13.7 | 61.1 | 47.3 | 74.9 | 11.5 | 8.2 | 14.8 |
| Hispanic men | 10.4 | 5.6 | 15.2 | 68.6 | 46.2 | 91.0 | 10.8 | 4.6 | 17.1 |
| Hispanic women | 12.4 | 7.5 | 17.3 | 51.3 | 29.0 | 73.5 | 5.7 | 1.9 | 9.6 |
| Age | | | | | | | | | |
| 18-44 | 11.7 | 10.5 | 12.8 | 55.0 | 49.5 | 60.5 | 2.8 | 2.2 | 3.4 |
| 45-64 | 11.0 | 9.4 | 12.5 | 61.7 | 53.3 | 70.1 | 10.5 | 9.2 | 11.8 |
| 65 and older | 8.3 | 7.2 | 9.5 | 72.1 | 65.8 | 78.3 | 16.5 | 14.9 | 18.1 |
| Marital Status | | | | | | | | | |
| Never married | 12.9 | 10.8 | 15.1 | 52.7 | 44.6 | 60.9 | 3.9 | 2.8 | 5.0 |
| Married/ living together as a couple | 9.5 | 8.6 | 10.4 | 62.9 | 57.9 | 67.9 | 8.2 | 7.4 | 9.1 |
| Divorced/ widowed/separated | 12.1 | 10.3 | 13.9 | 61.4 | 51.8 | 71.0 | 11.2 | 10.0 | 12.5 |
| Education | | | | | | | | | |
| 0-11 years | 11.4 | 9.2 | 13.6 | 71.6 | 62.7 | 80.4 | 13.9 | 11.1 | 16.7 |
| HS Grad/GED | 10.7 | 9.1 | 12.3 | 57.5 | 48.4 | 66.6 | 8.6 | 7.4 | 9.7 |
| 1 or more years of college | 10.6 | 9.7 | 11.5 | 59.8 | 55.3 | 64.3 | 7.0 | 6.3 | 7.8 |
| Employment | | | | | | | | | |
| Employed for wages | 10.2 | 9.1 | 11.3 | 49.5 | 43.9 | 55.2 | 4.7 | 4.0 | 5.4 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 12.5 | 10.6 | 14.3 | 65.3 | 56.5 | 74.1 | 11.5 | 10.0 | 12.9 |
| \$25,000 – 49,999 | 10.8 | 9.4 | 12.2 | 53.4 | 46.2 | 60.5 | 7.5 | 6.4 | 8.7 |
| \$50,000 or more | 9.7 | 8.5 | 10.9 | 57.4 | 51.0 | 63.8 | 4.9 | 4.0 | 5.8 |

| Disease Prevention: Cardiovascular Disease Prevention | | | | | | | | | |
|---|--|------|------|--------------------------------|------|------|---------------------------|------|------|
| | Being advised by a health professional to... | | | | | | | | |
| | Eat fewer high fat or cholesterol foods | | | Eat more fruits and vegetables | | | Be more physically active | | |
| | % | CI | | % | CI | | % | CI | |
| All | 21.0 | 19.9 | 22.1 | 27.9 | 26.7 | 29.1 | 28.0 | 26.7 | 29.2 |
| Sex | | | | | | | | | |
| Men | 20.2 | 18.4 | 22.1 | 26.4 | 24.5 | 28.3 | 26.8 | 24.9 | 28.8 |
| Women | 21.7 | 20.4 | 23.0 | 29.1 | 27.6 | 30.7 | 28.9 | 27.4 | 30.5 |
| Race/ethnicity | | | | | | | | | |
| NH White | 19.3 | 18.4 | 20.3 | 23.1 | 22.1 | 24.1 | 24.3 | 23.2 | 25.4 |
| NH Black | 20.9 | 17.4 | 24.4 | 35.9 | 31.2 | 40.5 | 36.0 | 31.3 | 40.7 |
| Hispanic | 27.6 | 22.3 | 32.9 | 41.5 | 35.7 | 47.3 | 35.9 | 30.3 | 41.5 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 19.1 | 17.6 | 20.5 | 22.6 | 21.1 | 24.2 | 23.8 | 22.2 | 25.4 |
| NH White women | 19.6 | 18.3 | 20.8 | 23.5 | 22.2 | 24.9 | 24.8 | 23.3 | 26.4 |
| NH Black men | 18.3 | 13.4 | 23.3 | 32.4 | 25.5 | 39.4 | 35.4 | 28.0 | 42.8 |
| NH Black women | 22.4 | 17.7 | 27.1 | 37.8 | 31.6 | 44.1 | 36.4 | 30.2 | 42.5 |
| Hispanic men | 27.8 | 19.3 | 36.3 | 42.9 | 33.6 | 52.2 | 37.9 | 28.9 | 46.9 |
| Hispanic women | 27.4 | 21.0 | 33.9 | 40.1 | 33.0 | 47.2 | 33.9 | 27.2 | 40.6 |
| Age | | | | | | | | | |
| 18-44 | 14.6 | 13.3 | 15.9 | 23.2 | 21.5 | 24.8 | 22.9 | 21.3 | 24.6 |
| 45-64 | 28.6 | 26.1 | 31.1 | 33.0 | 30.5 | 35.5 | 36.0 | 33.5 | 38.6 |
| 65 and older | 24.4 | 22.4 | 26.4 | 31.0 | 28.9 | 33.2 | 28.1 | 26.0 | 30.1 |
| Marital Status | | | | | | | | | |
| Never married | 15.8 | 11.8 | 19.9 | 24.0 | 19.9 | 28.2 | 22.9 | 18.7 | 27.0 |
| Married/ living together as a couple | 21.8 | 20.5 | 23.0 | 28.4 | 26.9 | 29.8 | 29.3 | 27.8 | 30.7 |
| Divorced/ widowed/separated | 22.9 | 21.1 | 24.8 | 29.2 | 27.2 | 31.2 | 28.7 | 26.5 | 30.9 |
| Education | | | | | | | | | |
| 0-11 years | 29.3 | 23.5 | 35.1 | 39.9 | 34.4 | 45.4 | 35.2 | 29.5 | 40.8 |
| HS Grad/GED | 21.3 | 19.6 | 23.0 | 29.5 | 27.5 | 31.5 | 29.6 | 27.5 | 31.8 |
| 1 or more years of college | 19.4 | 18.2 | 20.7 | 24.9 | 23.5 | 26.3 | 25.8 | 24.4 | 27.2 |
| Employment | | | | | | | | | |
| Employed for wages | 18.6 | 17.3 | 19.9 | 24.6 | 23.2 | 26.1 | 26.4 | 24.9 | 28.0 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 23.2 | 20.4 | 26.1 | 33.9 | 30.9 | 36.8 | 31.7 | 28.7 | 34.8 |
| \$25,000 – 49,999 | 19.6 | 17.9 | 21.3 | 26.7 | 24.7 | 28.8 | 26.7 | 24.6 | 28.7 |
| \$50,000 or more | 19.7 | 17.9 | 21.4 | 23.4 | 21.6 | 25.2 | 26.5 | 24.6 | 28.5 |

| Preventive Health Behaviors: Annual Flu and One-Time Pneumonia Shots | | | | | | | | | |
|--|---|------|------|--|-----|-----|---------------------------|------|------|
| Related Healthy People 2010 Objective(s) 14-29 | Received flu shot within past 12 months | | | Received flu shot at county health dept. | | | Ever had a pneumonia shot | | |
| | % | CI | | % | CI | | % | CI | |
| | All | 26.2 | 25.2 | 27.2 | 1.2 | 1.0 | 1.3 | 22.7 | 21.8 |
| Sex | | | | | | | | | |
| Men | 26.9 | 25.4 | 28.4 | 1.2 | 0.9 | 1.4 | 23.3 | 21.8 | 24.7 |
| Women | 25.6 | 24.3 | 26.9 | 1.2 | 0.9 | 1.4 | 22.3 | 21.1 | 23.5 |
| Race/ethnicity | | | | | | | | | |
| NH White | 29.9 | 28.8 | 31.0 | 1.3 | 1.1 | 1.5 | 26.3 | 25.3 | 27.3 |
| NH Black | 19.6 | 16.3 | 22.9 | 1.0 | 0.6 | 1.4 | 14.3 | 11.5 | 17.1 |
| Hispanic | 14.2 | 10.7 | 17.6 | 0.8 | 0.2 | 1.5 | 14.9 | 10.2 | 19.5 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 30.1 | 28.5 | 31.7 | 1.2 | 0.9 | 1.5 | 25.8 | 24.3 | 27.4 |
| NH White women | 29.7 | 28.2 | 31.2 | 1.3 | 1.0 | 1.6 | 26.7 | 25.3 | 28.2 |
| NH Black men | 24.0 | 18.4 | 29.5 | 1.0 | 0.4 | 1.6 | 14.4 | 10.3 | 18.5 |
| NH Black women | 17.0 | 13.0 | 21.0 | 1.0 | 0.5 | 1.5 | 14.3 | 10.5 | 18.0 |
| Hispanic men | 13.9 | 8.6 | 19.1 | 0.4 | 0.0 | 0.8 | 19.9 | 11.5 | 28.2 |
| Hispanic women | 14.4 | 9.8 | 19.0 | 1.3 | 0.1 | 2.5 | 10.1 | 6.0 | 14.2 |
| Age | | | | | | | | | |
| 18-44 | 11.9 | 10.8 | 13.0 | 0.6 | 0.4 | 0.9 | 9.6 | 8.4 | 10.7 |
| 45-64 | 24.8 | 23.1 | 26.5 | 1.1 | 0.8 | 1.3 | 16.0 | 14.6 | 17.5 |
| 65 and older | 56.7 | 54.4 | 59.0 | 2.4 | 1.9 | 2.9 | 56.5 | 54.2 | 58.8 |
| Marital Status | | | | | | | | | |
| Never married | 15.4 | 13.1 | 17.6 | 1.0 | 0.5 | 1.4 | 13.8 | 11.4 | 16.3 |
| Married/ living together as a couple | 27.2 | 25.9 | 28.4 | 1.1 | 0.9 | 1.3 | 22.5 | 21.2 | 23.7 |
| Divorced/ widowed/separated | 31.8 | 29.9 | 33.7 | 1.5 | 1.1 | 1.9 | 30.0 | 28.1 | 31.8 |
| Education | | | | | | | | | |
| 0-11 years | 25.1 | 21.8 | 28.5 | 1.9 | 1.0 | 2.8 | 24.8 | 21.3 | 28.4 |
| HS Grad/GED | 26.1 | 24.3 | 27.8 | 1.0 | 0.7 | 1.2 | 24.4 | 22.6 | 26.2 |
| 1 or more years of college | 26.4 | 25.1 | 27.7 | 1.1 | 0.9 | 1.4 | 21.5 | 20.3 | 22.7 |
| Employment | | | | | | | | | |
| Employed for wages | 17.2 | 16.0 | 18.3 | 0.7 | 0.5 | 0.9 | 11.5 | 10.5 | 12.6 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 25.3 | 23.2 | 27.4 | 1.6 | 1.1 | 2.0 | 25.9 | 23.8 | 28.1 |
| \$25,000 – 49,999 | 25.6 | 23.8 | 27.4 | 1.2 | 0.8 | 1.6 | 22.7 | 20.9 | 24.5 |
| \$50,000 or more | 22.7 | 21.1 | 24.3 | 0.6 | 0.4 | 0.8 | 15.9 | 14.3 | 17.4 |

| Preventive Health Behaviors: Mammograms & Pap Tests | | | | | | | | | |
|--|-------------------------------|------|------|-------------------------|------|------|------------------------------------|------|------|
| Related Healthy People 2010 Objective(s) 3-13, 3-11a, 3-11b | Women age 40+ | | | All adult women | | | | | |
| | Had mammogram in past 2 years | | | Ever had Pap smear test | | | Had Pap smear test in past 2 years | | |
| | % | CI | | % | CI | | % | CI | |
| All | 79.0 | 77.5 | 80.5 | 93.5 | 92.5 | 94.6 | 82.2 | 80.7 | 83.7 |
| Sex | | | | | | | | | |
| Men | . | . | . | . | . | . | . | . | . |
| Women | 79.0 | 77.5 | 80.5 | 93.5 | 92.5 | 94.6 | 82.2 | 80.7 | 83.7 |
| Race/ethnicity | | | | | | | | | |
| NH White | 79.7 | 78.3 | 81.2 | 95.6 | 94.8 | 96.4 | 83.0 | 81.3 | 84.6 |
| NH Black | 76.7 | 71.1 | 82.3 | 94.9 | 92.9 | 97.0 | 88.2 | 84.7 | 91.7 |
| Hispanic | 84.6 | 77.9 | 91.4 | 88.8 | 83.2 | 94.3 | 78.3 | 71.7 | 84.9 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | . | . | . | . | . | . | . | . | . |
| NH White women | 79.7 | 78.3 | 81.2 | 95.6 | 94.8 | 96.4 | 83.0 | 81.3 | 84.6 |
| NH Black men | . | . | . | . | . | . | . | . | . |
| NH Black women | 76.7 | 71.1 | 82.3 | 94.9 | 92.9 | 97.0 | 88.2 | 84.8 | 91.7 |
| Hispanic men | . | . | . | . | . | . | . | . | . |
| Hispanic women | 84.6 | 78.1 | 91.2 | 88.8 | 83.3 | 94.3 | 78.3 | 71.7 | 84.9 |
| Age | | | | | | | | | |
| 18-44 | 67.0 | 62.5 | 71.5 | 93.1 | 91.6 | 94.6 | 85.5 | 83.4 | 87.6 |
| 45-64 | 80.4 | 78.3 | 82.4 | 95.5 | 93.6 | 97.3 | 80.6 | 77.8 | 83.4 |
| 65 and older | 82.6 | 80.4 | 84.8 | 92.2 | 89.9 | 94.4 | 73.0 | 69.3 | 76.8 |
| Marital Status | | | | | | | | | |
| Never married | 72.9 | 64.1 | 81.6 | 87.6 | 83.8 | 91.3 | 81.1 | 76.8 | 85.5 |
| Married/ living together as a couple | 81.3 | 79.5 | 83.2 | 95.1 | 93.8 | 96.3 | 85.5 | 83.6 | 87.5 |
| Divorced/ widowed/separated | 76.2 | 73.8 | 78.7 | 94.5 | 92.9 | 96.1 | 75.3 | 72.4 | 78.3 |
| Education | | | | | | | | | |
| 0-11 years | 73.0 | 67.9 | 78.2 | 89.2 | 85.8 | 92.6 | 71.5 | 65.8 | 77.2 |
| HS Grad/GED | 78.8 | 76.4 | 81.2 | 92.1 | 90.1 | 94.1 | 78.6 | 75.9 | 81.3 |
| 1 or more years of college | 80.5 | 78.5 | 82.5 | 95.0 | 93.8 | 96.3 | 85.8 | 83.8 | 87.7 |
| Employment | | | | | | | | | |
| Employed for wages | 78.3 | 76.0 | 80.6 | 94.8 | 93.4 | 96.2 | 85.8 | 83.8 | 87.8 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 74.1 | 71.0 | 77.2 | 92.5 | 90.6 | 94.4 | 75.4 | 71.6 | 79.2 |
| \$25,000 – 49,999 | 77.9 | 75.0 | 80.8 | 94.6 | 92.6 | 96.7 | 83.6 | 80.9 | 86.3 |
| \$50,000 or more | 85.5 | 83.2 | 87.9 | 96.9 | 95.5 | 98.3 | 91.8 | 89.9 | 93.7 |

| Preventive Health Behaviors: Colorectal Cancer Screening | | | | | | | | | |
|--|--|------|------|--------------------------------------|------|------|------------------------|------|------|
| Related Healthy People 2010 Objective(s) 3-12a, 3-12b | For respondents 50 years and older . . . | | | | | | | | |
| | Ever had blood stool test | | | Had blood stool test in past 2 years | | | Ever had sigmoidoscopy | | |
| | % | CI | | % | CI | | % | CI | |
| All | 44.4 | 42.7 | 46.2 | 33.5 | 31.9 | 35.1 | 52.6 | 50.8 | 54.4 |
| Sex | | | | | | | | | |
| Men | 42.0 | 39.3 | 44.7 | 32.3 | 29.8 | 34.7 | 55.2 | 52.1 | 58.2 |
| Women | 46.4 | 44.1 | 48.6 | 34.4 | 32.3 | 36.5 | 50.5 | 48.2 | 52.8 |
| Race/ethnicity | | | | | | | | | |
| NH White | 48.8 | 47.2 | 50.5 | 36.2 | 34.6 | 37.8 | 56.2 | 54.5 | 57.9 |
| NH Black | 35.1 | 28.4 | 41.7 | 28.0 | 21.8 | 34.2 | 44.0 | 37.0 | 51.0 |
| Hispanic | 31.4 | 20.2 | 42.7 | 25.3 | 14.7 | 36.0 | 48.2 | 37.4 | 59.1 |
| Race/ethnicity-Sex | | | | | | | | | |
| NH White men | 45.4 | 43.0 | 47.7 | 34.2 | 32.0 | 36.5 | 59.4 | 57.0 | 61.8 |
| NH White women | 51.7 | 49.4 | 54.0 | 37.8 | 35.6 | 40.1 | 53.5 | 51.1 | 55.8 |
| NH Black men | 33.8 | 23.5 | 44.1 | 27.9 | 18.3 | 37.5 | 41.1 | 30.8 | 51.4 |
| NH Black women | 35.9 | 27.1 | 44.8 | 28.1 | 19.8 | 36.3 | 46.0 | 36.6 | 55.3 |
| Hispanic men | 31.1 | 12.6 | 49.5 | 23.2 | 6.5 | 39.8 | 57.2 | 41.0 | 73.4 |
| Hispanic women | 31.7 | 17.0 | 46.4 | 26.9 | 12.7 | 41.2 | 41.9 | 27.9 | 55.8 |
| Age | | | | | | | | | |
| 18-44 | 22.9 | 21.3 | 24.6 | 22.9 | 21.3 | 24.6 | 22.9 | 21.3 | 24.6 |
| 45-64 | 36.0 | 33.5 | 38.6 | 36.0 | 33.5 | 38.6 | 36.0 | 33.5 | 38.6 |
| 65 and older | 28.1 | 26.0 | 30.1 | 28.1 | 26.0 | 30.1 | 28.1 | 26.0 | 30.1 |
| Marital Status | | | | | | | | | |
| Never married | 31.0 | 16.3 | 45.6 | 24.0 | 10.7 | 37.3 | 36.8 | 20.9 | 52.8 |
| Married/ living together as a couple | 47.1 | 45.0 | 49.1 | 35.9 | 33.9 | 37.8 | 56.0 | 53.9 | 58.1 |
| Divorced/ widowed/separated | 41.4 | 38.7 | 44.0 | 30.3 | 27.9 | 32.7 | 48.6 | 45.7 | 51.4 |
| Education | | | | | | | | | |
| 0-11 years | 34.5 | 28.3 | 40.8 | 26.6 | 21.1 | 32.0 | 44.8 | 37.5 | 52.2 |
| HS Grad/GED | 44.1 | 41.3 | 47.0 | 33.0 | 30.4 | 35.6 | 49.5 | 46.5 | 52.5 |
| 1 or more years of college | 47.1 | 45.0 | 49.2 | 35.5 | 33.4 | 37.6 | 56.3 | 54.1 | 58.4 |
| Employment | | | | | | | | | |
| Employed for wages | 38.1 | 35.1 | 41.0 | 29.5 | 26.7 | 32.4 | 43.5 | 40.4 | 46.5 |
| Household Income | | | | | | | | | |
| \$24,999 or less | 38.7 | 34.9 | 42.5 | 29.2 | 25.8 | 32.6 | 46.6 | 42.4 | 50.8 |
| \$25,000 – 49,999 | 47.2 | 44.3 | 50.1 | 34.9 | 32.2 | 37.6 | 52.4 | 49.3 | 55.5 |
| \$50,000 or more | 45.7 | 42.5 | 48.8 | 35.0 | 31.9 | 38.0 | 57.7 | 54.5 | 60.9 |

| Preventive Health Behaviors: HIV/AIDS Tests | | | | | | | | | | |
|---|--------------------------------------|--------------------------|------|------|---|------|------|---|------|------|
| For respondents 64 years and younger . . . | | | | | | | | | | |
| | | Ever been tested for HIV | | | If yes, the test was done in the past 2 years | | | In past 12 months, health professional talked to you about preventing sexually transmitted diseases through condom use. | | |
| | | % | CI | | % | CI | | % | CI | |
| All | | 47.7 | 46.1 | 49.3 | 86.7 | 85.7 | 87.7 | 16.3 | 14.7 | 17.8 |
| Sex | Men | 46.0 | 43.7 | 48.4 | 88.0 | 86.5 | 89.5 | 14.9 | 12.7 | 17.2 |
| | Women | 49.2 | 47.1 | 51.3 | 85.5 | 84.2 | 86.8 | 17.5 | 15.4 | 19.6 |
| Race/ethnicity | NH White | 44.2 | 42.7 | 45.8 | 85.4 | 84.3 | 86.5 | 10.0 | 8.9 | 11.0 |
| | NH Black | 59.7 | 53.3 | 66.0 | 91.5 | 88.6 | 94.4 | 29.9 | 23.2 | 36.6 |
| | Hispanic | 53.0 | 46.7 | 59.2 | 88.8 | 85.1 | 92.5 | 28.3 | 22.8 | 33.7 |
| Race/ethnicity-Sex | NH White men | 43.7 | 41.5 | 45.9 | 87.0 | 85.4 | 88.6 | 8.6 | 7.3 | 9.9 |
| | NH White women | 44.7 | 42.5 | 46.9 | 83.8 | 82.2 | 85.3 | 11.2 | 9.7 | 12.8 |
| | NH Black men | 56.4 | 47.8 | 65.0 | 91.9 | 85.8 | 98.1 | 22.9 | 15.3 | 30.4 |
| | NH Black women | 61.5 | 52.6 | 70.5 | 91.3 | 88.4 | 94.2 | 34.0 | 24.7 | 43.2 |
| | Hispanic men | 49.1 | 39.5 | 58.8 | 89.2 | 83.5 | 95.0 | 30.6 | 21.9 | 39.4 |
| | Hispanic women | 56.9 | 49.1 | 64.6 | 88.3 | 83.8 | 92.9 | 25.8 | 19.5 | 32.1 |
| Age | 18-44 | 57.3 | 55.1 | 59.5 | 83.8 | 82.3 | 85.2 | 21.3 | 19.2 | 23.3 |
| | 45-64 | 33.2 | 31.1 | 35.3 | 90.7 | 89.5 | 91.8 | 8.8 | 6.4 | 11.2 |
| | 65 and older | . | . | . | . | . | . | . | . | . |
| Marital Status | Never married | 49.6 | 45.0 | 54.2 | 92.0 | 90.4 | 93.6 | 31.4 | 26.3 | 36.5 |
| | Married/ living together as a couple | 46.0 | 44.2 | 47.9 | 85.1 | 83.8 | 86.5 | 11.2 | 9.8 | 12.6 |
| | Divorced/ widowed/A80separated | 51.2 | 48.2 | 54.2 | 85.1 | 83.0 | 87.2 | 15.0 | 13.0 | 17.0 |
| Education | 0-11 years | 44.0 | 37.6 | 50.4 | 90.8 | 88.3 | 93.4 | 28.6 | 20.6 | 36.6 |
| | HS Grad/GED | 47.0 | 44.3 | 49.8 | 88.6 | 86.9 | 90.3 | 18.1 | 16.0 | 20.3 |
| | 1 or more years of college | 48.6 | 46.7 | 50.6 | 85.1 | 83.8 | 86.4 | 13.5 | 11.6 | 15.4 |
| Employment | Employed for wages | 48.9 | 47.1 | 50.8 | 85.7 | 84.5 | 86.9 | 15.1 | 13.3 | 16.8 |
| Household Income | \$24,999 or less | 52.8 | 48.7 | 56.9 | 88.2 | 86.2 | 90.2 | 31.6 | 27.0 | 36.2 |
| | \$25,000 – 49,999 | 49.3 | 46.4 | 52.1 | 85.5 | 83.6 | 87.4 | 14.7 | 12.8 | 16.6 |
| | \$50,000 or more | 45.7 | 43.4 | 48.0 | 83.4 | 81.6 | 85.2 | 7.0 | 5.7 | 8.3 |

- (1) People who do not engage in regular moderate physical activity (at least 30 minutes a day and 5 five days a week) or regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (2) People who do not engage in regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (3) People with a Body Mass Index (BMI) between 25 and 30.
- (4) People with a Body Mass Index (BMI) equal to or greater than 30.
- (5) People who consume less than 5 servings of fruits and vegetables a day.
- (6) People who have smoked at least 100 cigarettes in their lifetimes and who also smoked some days or every day in the past month.
- (7) People who have consumed 5+ drinks at one occasion in the past month (binge drinker), or men who have 2+ drinks every day or women who have 1+ drink(s) every day (heavy drinker).

For more information about your County BRFSS data, please contact:
 Marie A. Bailey, MA, MSW
 Bureau of Epidemiology
 Department of Health
 4052 Bald Cypress Way, Bin #A-12
 Tallahassee, FL 32399-1720
 850-245-4444 Ext. 2434
marie_bailey@doh.state.fl.us

