FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) 2013 DATA





Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

Gilchrist County had approximately 13,427 adult residents in 2013, based on Florida CHARTS, and 364 adults responded to the 2013 county-level BRFSS survey.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

County Highlights

Strengths*

- Low percentage of adults who have ever been told they had kidney disease
- Low percentage of adults who have ever been told they had diabetes
- High percentage of adults who have received a tetanus shot since 2005

Challenges*

- High percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis
- High percentage of adults who have ever been told they had some form of arthritis,
 rheumatoid arthritis, gout, lupus, or fibromyalgia
- High percentage of adults who are overweight or obese
- High percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

| Selected Indicators** | Percentage (%) | Estimated affected adult population |
|---|----------------|-------------------------------------|
| Adults who are current smokers | 22.5 | 3,020 |
| Adults who are obese | 35.6 | 4,777 |
| Adults who are physically inactive or insufficiently active | 63.1 | 8,469 |
| Adults who have ever been told they had diabetes | 5.6 | 749 |

^{*} These selected strengths and challenges are significantly different compared with overall state data.

^{**} These four selected indicators were used in the America's Health Rankings Report (2013 Edition).

2013 Florida BRFSS Data Table of Contents

| Health Status | |
|---------------------------------------|-------------|
| Arthritis | 1 |
| Asthma | 3 |
| Cancer Prevalence | 4 |
| Cardiovascular Disease | 5 |
| Cholesterol Awareness | 7 |
| Chronic Obstructive Pulmonary Disease | 8 |
| Depression | 9 |
| Diabetes | 10 |
| Disability | 14 |
| Hypertension Awareness | 15 |
| Kidney Disease | 16 |
| Overweight & Obesity | 17 |
| Vision Impairment | 19 |
| Health-Related Behaviors | |
| Alcohol Consumption | 20 |
| Tobacco Use & Exposure | 21 |
| Physical Activity & Nutrition | 23 |
| Health-Related Prevention | |
| Cancer Screening/Breast | 26 |
| Cancer Screening/Cervical | 27 |
| Cancer Screening/Colorectal | 28 |
| HIV/AIDS Screening | 29 |
| Immunization | 30 |
| Injury Prevention | 33 |
| Health-Related Quality of Life | 34 |
| Health Care Access & Coverage | 38 |
| Glossary | Appendix I |
| Healthy People 2020 Objectives | Appendix II |

Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 37.0 * | 28.5 - 45.5 | 26.0 | 25.1 - 26.9 |
| SEX | Men | 28.1 | 16.2 - 40.0 | 22.0 | 20.7 - 23.3 |
| | Women | 46.7 * | 36.3 - 57.1 | 29.8 | 28.5 - 31.1 |
| RACE/ETHNICITY | Non-Hisp. White | 36.5 | 27.6 - 45.3 | 32.1 | 31.1 - 33.2 |
| | Non-Hisp. Black | NA | | 18.6 | 16.2 - 21.1 |
| | Hispanic | NA | | 16.9 | 14.5 - 19.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 26.8 | 14.8 - 38.8 | 28.3 | 26.7 - 29.9 |
| | Non-Hisp. White Women | 47.7 | 36.7 - 58.8 | 35.8 | 34.4 - 37.2 |
| | Non-Hisp. Black Men | NA | | 15.9 | 12.3 - 19.6 |
| | Non-Hisp. Black Women | NA | | 21.1 | 17.8 - 24.3 |
| | Hispanic Men | NA | | 11.1 | 8.4 - 13.8 |
| | Hispanic Women | NA | | 22.4 | 18.5 - 26.3 |
| AGE GROUP | 18-44 | 8.7 | 0.0 - 18.5 | 8.6 | 7.5 - 9.7 |
| | 45-64 | 50.6 * | 39.2 - 61.9 | 30.8 | 29.1 - 32.6 |
| | 65 & Older | 66.9 * | 57.4 - 76.5 | 51.1 | 49.3 - 52.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>41.2</th><th>16.0 - 66.4</th><th>30.4</th><th>27.1 - 33.7</th></high> | 41.2 | 16.0 - 66.4 | 30.4 | 27.1 - 33.7 |
| | High School / GED | 37.8 | 23.7 - 51.9 | 27.2 | 25.4 - 29.0 |
| | >High School | 34.5 | 23.2 - 45.9 | 24.2 | 23.1 - 25.3 |
| ANNUAL INCOME | <\$25,000 | 47.2 * | 33.3 - 61.1 | 29.9 | 28.0 - 31.9 |
| | \$25,000-\$49,999 | 31.4 | 14.9 - 48.0 | 26.8 | 24.9 - 28.7 |
| | \$50,000 or More | 23.2 | 10.6 - 35.8 | 21.8 | 20.3 - 23.2 |
| MARITAL STATUS | Married/Couple | 33.1 | 22.7 - 43.5 | 27.2 | 25.9 - 28.4 |
| | Not Married/Couple | 43.2 * | 28.7 - 57.8 | 24.7 | 23.3 - 26.0 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Arthritis

Percentage of adults who are limited in any way in any usual activities because of arthritis

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 23.3 * | 16.1 - 30.5 | 12.8 | 12.1 - 13.5 |
| SEX | Men | 18.6 | 8.1 - 29.1 | 10.2 | 9.2 - 11.1 |
| | Women | 28.8 * | 19.7 - 37.8 | 15.3 | 14.2 - 16.3 |
| RACE/ETHNICITY | Non-Hisp. White | 22.7 | 15.2 - 30.1 | 15.2 | 14.4 - 15.9 |
| | Non-Hisp. Black | NA | | 9.6 | 7.7 - 11.5 |
| | Hispanic | NA | | 9.5 | 7.5 - 11.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 17.6 | 7.1 - 28.2 | 12.7 | 11.5 - 13.8 |
| | Non-Hisp. White Women | 29.0 * | 19.4 - 38.6 | 17.5 | 16.4 - 18.6 |
| | Non-Hisp. Black Men | NA | | 7.6 | 4.9 - 10.3 |
| | Non-Hisp. Black Women | NA | | 11.4 | 8.8 - 13.9 |
| | Hispanic Men | NA | | 5.6 | 3.5 - 7.7 |
| | Hispanic Women | NA | | 13.3 | 10.0 - 16.7 |
| AGE GROUP | 18-44 | 6.6 | 0.0 - 15.9 | 4.3 | 3.5 - 5.1 |
| | 45-64 | 34.5 * | 23.0 - 45.9 | 17.2 | 15.7 - 18.7 |
| | 65 & Older | 37.9 * | 26.7 - 49.1 | 22.7 | 21.2 - 24.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>24.4</th><th>5.3 - 43.4</th><th>16.0</th><th>13.4 - 18.5</th></high> | 24.4 | 5.3 - 43.4 | 16.0 | 13.4 - 18.5 |
| | High School / GED | 22.3 | 11.2 - 33.4 | 13.4 | 12.0 - 14.9 |
| | >High School | 23.7 * | 13.0 - 34.5 | 11.6 | 10.8 - 12.5 |
| ANNUAL INCOME | <\$25,000 | 30.1 | 18.5 - 41.7 | 18.4 | 16.8 - 20.1 |
| | \$25,000-\$49,999 | 22.8 | 7.4 - 38.2 | 12.2 | 10.8 - 13.6 |
| | \$50,000 or More | 8.3 | 0.1 - 16.5 | 9.0 | 8.0 - 10.0 |
| MARITAL STATUS | Married/Couple | 19.6 | 10.7 - 28.6 | 12.7 | 11.7 - 13.6 |
| | Not Married/Couple | 29.3 * | 17.0 - 41.7 | 13.1 | 12.0 - 14.1 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Asthma

Percentage of adults who currently have asthma

| | | 2013 County | | 201 | 3 State | | |
|-----------------------|--|-------------|------------|---------|-------------|--|--|
| | | Measure | 95% CI | Measure | 95% CI | | |
| ALL | Overall | 8.8 | 4.4 - 13.1 | 8.3 | 7.6 - 8.9 | | |
| SEX | Men | 0.6 * | 0.0 - 1.3 | 5.7 | 4.8 - 6.5 | | |
| | Women | 17.7 | 9.4 - 26.0 | 10.7 | 9.7 - 11.7 | | |
| RACE/ETHNICITY | Non-Hisp. White | 8.3 | 3.8 - 12.7 | 8.3 | 7.6 - 9.0 | | |
| | Non-Hisp. Black | NA | | 8.9 | 6.9 - 10.8 | | |
| | Hispanic | NA | | 8.3 | 6.3 - 10.3 | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 0.5 * | 0.0 - 1.1 | 6.1 | 5.0 - 7.2 | | |
| | Non-Hisp. White Women | 17.3 | 8.6 - 26.0 | 10.4 | 9.5 - 11.3 | | |
| | Non-Hisp. Black Men | NA | | 5.7 | 3.3 - 8.0 | | |
| | Non-Hisp. Black Women | NA | | 11.7 | 8.7 - 14.7 | | |
| | Hispanic Men | NA | | 5.2 | 2.9 - 7.4 | | |
| | Hispanic Women | NA | | 11.4 | 8.1 - 14.6 | | |
| AGE GROUP | 18-44 | 8.9 | 0.6 - 17.2 | 8.0 | 7.0 - 8.9 | | |
| | 45-64 | 4.9 | 1.4 - 8.4 | 9.1 | 7.8 - 10.5 | | |
| | 65 & Older | 14.4 | 4.9 - 23.8 | 7.8 | 6.8 - 8.8 | | |
| EDUCATION LEVEL | <high school<="" th=""><th>9.8</th><th>0.0 - 22.7</th><th>12.5</th><th>9.7 - 15.3</th><th></th></high> | 9.8 | 0.0 - 22.7 | 12.5 | 9.7 - 15.3 | | |
| | High School / GED | 6.8 | 2.0 - 11.5 | 7.3 | 6.3 - 8.3 | | |
| | >High School | 10.2 | 2.9 - 17.4 | 7.7 | 7.0 - 8.4 | | |
| ANNUAL INCOME | <\$25,000 | 17.0 | 6.9 - 27.1 | 12.4 | 10.8 - 14.0 | | |
| | \$25,000-\$49,999 | 4.8 | 0.4 - 9.1 | 6.9 | 5.7 - 8.0 | | |
| | \$50,000 or More | 2.3 | 0.0 - 5.9 | 6.0 | 5.1 - 6.9 | | |
| MARITAL STATUS | Married/Couple | 5.2 | 0.2 - 10.2 | 6.7 | 6.0 - 7.5 | | |
| | Not Married/Couple | 14.6 | 6.4 - 22.9 | 10.2 | 9.0 - 11.3 | | |

Percentage of adults who have ever been told they had asthma

| | | 2013 County | | 2013 | State |
|-----------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 18.2 | 11.0 - 25.4 | 13.5 | 12.7 - 14.4 |
| SEX | Men | 3.1 * | 0.7 - 5.5 | 11.5 | 10.3 - 12.6 |
| | Women | 34.7 * | 23.1 - 46.2 | 15.5 | 14.3 - 16.7 |
| RACE/ETHNICITY | Non-Hisp. White | 18.1 | 10.5 - 25.7 | 13.2 | 12.4 - 14.0 |
| | Non-Hisp. Black | NA | | 14.2 | 11.7 - 16.8 |
| | Hispanic | NA | | 14.6 | 12.0 - 17.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 2.9 * | 0.5 - 5.4 | 11.5 | 10.3 - 12.8 |
| | Non-Hisp. White Women | 35.5 * | 23.1 - 47.8 | 14.8 | 13.7 - 15.9 |
| | Non-Hisp. Black Men | NA | | 13.3 | 9.2 - 17.4 |
| | Non-Hisp. Black Women | NA | | 15.1 | 11.9 - 18.3 |
| | Hispanic Men | NA | | 10.8 | 7.8 - 13.8 |
| | Hispanic Women | NA | | 18.1 | 14.1 - 22.2 |
| AGE GROUP | 18-44 | 23.1 | 7.4 - 38.8 | 14.8 | 13.3 - 16.2 |
| | 45-64 | 8.8 | 3.4 - 14.2 | 13.9 | 12.4 - 15.4 |
| | 65 & Older | 23.5 * | 13.4 - 33.7 | 11.0 | 9.9 - 12.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>27.5</th><th>0.3 - 54.6</th><th>16.9</th><th>13.9 - 20.0</th></high> | 27.5 | 0.3 - 54.6 | 16.9 | 13.9 - 20.0 |
| | High School / GED | 14.0 | 6.2 - 21.8 | 13.3 | 11.7 - 14.9 |
| | >High School | 18.2 | 8.8 - 27.5 | 12.8 | 11.9 - 13.7 |
| ANNUAL INCOME | <\$25,000 | 28.5 | 14.0 - 43.0 | 18.5 | 16.6 - 20.4 |
| | \$25,000-\$49,999 | 10.0 | 0.8 - 19.2 | 12.1 | 10.5 - 13.8 |
| | \$50,000 or More | 9.8 | 2.3 - 17.3 | 10.5 | 9.3 - 11.6 |
| MARITAL STATUS | Married/Couple | 10.7 | 4.7 - 16.7 | 11.7 | 10.7 - 12.8 |
| | Not Married/Couple | 28.4 | 13.9 - 42.9 | 15.8 | 14.4 - 17.1 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Cancer Prevalence

Percentage of adults who have ever been told they had skin cancer

| | | 2013 Measure | County 95% CI | 2013 Sta Measure | ate 95% CI |
|-----------------------|--|-----------------|------------------|---------------------|---------------|
| ALL | Overall | 15.1 * | 10.1 - 20.2 | 9.2 8 | 3.7 - 9.7 |
| SEX | Men | 11.5 | 5.5 - 17.5 | 9.5 8 | 3.8 - 10.3 |
| | Women | 19.1 * | 11.3 - 26.8 | 8.9 8 | 3.3 - 9.5 |
| RACE/ETHNICITY | Non-Hisp. White | 15.9 | 10.5 - 21.4 | 14.8 14 | l.1 - 15.5 |
| | Non-Hisp. Black | NA | | 0.4 0 | 0.0 - 0.8 |
| | Hispanic | NA | | 2.2 1 | .4 - 3.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.7 | 5.4 - 18.0 | 15.1 13 | 3.9 - 16.2 |
| | Non-Hisp. White Women | 20.8 | 12.3 - 29.3 | 14.6 13 | 3.6 - 15.5 |
| | Non-Hisp. Black Men | NA | | 0.7 0 |).0 - 1.5 |
| | Non-Hisp. Black Women | NA | | 0.1 0 | 0.0 - 0.2 |
| | Hispanic Men | NA | | 2.8 1 | .5 - 4.1 |
| | Hispanic Women | NA | | 1.6 0 |).8 - 2.5 |
| AGE GROUP | 18-44 | 2.7 | 0.0 - 6.5 | 1.5 1 | .1 - 1.9 |
| | 45-64 | 12.5 | 4.7 - 20.2 | 8.5 7 | 7.6 - 9.4 |
| | 65 & Older | 40.7 * | 29.7 - 51.7 | 24.1 22 | 2.7 - 25.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>16.5</th><th>0.0 - 33.7</th><th>6.4 5</th><th>5.1 - 7.7</th></high> | 16.5 | 0.0 - 33.7 | 6.4 5 | 5.1 - 7.7 |
| | High School / GED | 12.4 | 6.4 - 18.5 | 8.7 7 | 7.9 - 9.6 |
| | >High School | 16.9 | 9.5 - 24.3 | 10.3 9 | 0.6 - 10.9 |
| ANNUAL INCOME | <\$25,000 | 13.5 | 5.4 - 21.5 | 6.7 5 | 5.9 - 7.5 |
| | \$25,000-\$49,999 | 16.3 | 6.0 - 26.7 | 9.8 8 | 3.9 - 10.8 |
| | \$50,000 or More | 9.4 | 2.2 - 16.6 | 10.4 9 | 9.5 - 11.3 |
| MARITAL STATUS | Married/Couple | 14.8 | 8.6 - 21.0 | 10.7 10 |).0 - 11.5 |
| | Not Married/Couple | 16.1 | 7.2 - 25.0 | 7.5 6 | 3.9 - 8.0 |

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

| | | 2013 County | | 2013 | State | |
|-----------------------|---|-------------|------------|---------|-------------|--|
| | | Measure | 95% CI | Measure | 95% CI | |
| ALL | Overall | 7.8 | 2.9 - 12.7 | 7.6 | 7.1 - 8.1 | |
| SEX | Men | 6.5 | 0.0 - 14.2 | 6.7 | 6.0 - 7.3 | |
| | Women | 9.2 | 3.4 - 15.0 | 8.4 | 7.6 - 9.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 7.6 | 2.5 - 12.8 | 10.0 | 9.4 - 10.6 | |
| | Non-Hisp. Black | NA | | 4.3 | 3.2 - 5.5 | |
| | Hispanic | NA | | 4.2 | 2.7 - 5.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.6 | 0.0 - 14.7 | 8.9 | 8.1 - 9.8 | |
| | Non-Hisp. White Women | 8.7 | 2.7 - 14.7 | 10.9 | 10.1 - 11.8 | |
| | Non-Hisp. Black Men | NA | | 3.7 | 2.2 - 5.1 | |
| | Non-Hisp. Black Women | NA | | 4.9 | 3.1 - 6.7 | |
| | Hispanic Men | NA | | 3.6 | 2.1 - 5.1 | |
| | Hispanic Women | NA | | 4.8 | 2.4 - 7.2 | |
| AGE GROUP | 18-44 | 7.3 | 0.0 - 17.1 | 2.6 | 1.9 - 3.3 | |
| | 45-64 | 7.1 | 0.2 - 14.1 | 5.9 | 5.1 - 6.6 | |
| | 65 & Older | 9.7 * | 3.8 - 15.6 | 18.8 | 17.5 - 20.1 | |
| EDUCATION LEVEL | <high school<="" th=""><th>12.3</th><th>0.0 - 26.8</th><th>6.7</th><th>5.1 - 8.3</th><th></th></high> | 12.3 | 0.0 - 26.8 | 6.7 | 5.1 - 8.3 | |
| | High School / GED | 4.9 | 1.3 - 8.5 | 7.3 | 6.3 - 8.3 | |
| | >High School | 8.5 | 0.0 - 17.4 | 7.9 | 7.3 - 8.5 | |
| ANNUAL INCOME | <\$25,000 | 10.7 | 0.1 - 21.2 | 7.0 | 6.0 - 7.9 | |
| | \$25,000-\$49,999 | 7.6 | 0.0 - 15.6 | 8.2 | 7.0 - 9.4 | |
| | \$50,000 or More | 1.9 * | 0.0 - 4.4 | 7.4 | 6.6 - 8.2 | |
| MARITAL STATUS | Married/Couple | 8.2 | 1.2 - 15.3 | 8.6 | 7.8 - 9.4 | |
| | Not Married/Couple | 7.3 | 1.0 - 13.7 | 6.3 | 5.7 - 6.9 | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 6.1 | 3.1 - 9.0 | 5.0 | 4.6 - 5.4 |
| SEX | Men | 6.0 | 1.7 - 10.2 | 6.3 | 5.6 - 7.0 |
| | Women | 6.2 | 2.2 - 10.1 | 3.8 | 3.3 - 4.2 |
| RACE/ETHNICITY | Non-Hisp. White | 6.5 | 3.3 - 9.6 | 6.5 | 5.9 - 7.0 |
| | Non-Hisp. Black | NA | | 4.2 | 2.8 - 5.7 |
| | Hispanic | NA | | 2.5 | 1.6 - 3.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.2 | 1.7 - 10.7 | 8.4 | 7.4 - 9.3 |
| | Non-Hisp. White Women | 6.8 | 2.5 - 11.2 | 4.7 | 4.2 - 5.3 |
| | Non-Hisp. Black Men | NA | | 4.3 | 2.0 - 6.7 |
| | Non-Hisp. Black Women | NA | | 4.2 | 2.3 - 6.1 |
| | Hispanic Men | NA | | 3.2 | 1.6 - 4.8 |
| | Hispanic Women | NA | | 1.9 | 1.0 - 2.7 |
| AGE GROUP | 18-44 | 0.0 | | 0.9 | 0.5 - 1.3 |
| | 45-64 | 5.8 | 0.3 - 11.3 | 5.1 | 4.3 - 6.0 |
| | 65 & Older | 17.3 | 9.2 - 25.4 | 12.3 | 11.3 - 13.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>6.2</th><th>0.0 - 13.4</th><th>6.8</th><th>5.0 - 8.6</th></high> | 6.2 | 0.0 - 13.4 | 6.8 | 5.0 - 8.6 |
| | High School / GED | 4.5 | 0.9 - 8.2 | 4.6 | 4.0 - 5.3 |
| | >High School | 7.4 | 2.3 - 12.4 | 4.8 | 4.3 - 5.3 |
| ANNUAL INCOME | <\$25,000 | 6.6 | 2.1 - 11.2 | 6.8 | 5.8 - 7.8 |
| | \$25,000-\$49,999 | 3.0 | 0.0 - 6.2 | 4.9 | 4.1 - 5.8 |
| | \$50,000 or More | 7.5 | 0.0 - 15.5 | 3.8 | 3.2 - 4.4 |
| MARITAL STATUS | Married/Couple | 6.7 | 2.5 - 10.8 | 5.1 | 4.5 - 5.7 |
| | Not Married/Couple | 5.3 | 1.4 - 9.3 | 5.0 | 4.3 - 5.6 |

Percentage of adults who have ever been told they had a heart attack

| | | 2013 County | | 2013 | State |
|-----------------------|---|-------------|------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 8.7 | 4.0 - 13.3 | 5.6 | 5.1 - 6.1 |
| SEX | Men | 8.7 | 1.7 - 15.8 | 7.3 | 6.4 - 8.2 |
| | Women | 8.6 | 2.7 - 14.5 | 4.1 | 3.5 - 4.6 |
| RACE/ETHNICITY | Non-Hisp. White | 9.2 | 4.2 - 14.2 | 6.6 | 6.1 - 7.2 |
| | Non-Hisp. Black | NA | | 4.2 | 2.8 - 5.5 |
| | Hispanic | NA | | 4.6 | 3.1 - 6.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 9.0 | 1.5 - 16.4 | 9.1 | 8.1 - 10.2 |
| | Non-Hisp. White Women | 9.5 | 3.0 - 16.0 | 4.3 | 3.7 - 4.9 |
| | Non-Hisp. Black Men | NA | | 5.6 | 3.1 - 8.0 |
| | Non-Hisp. Black Women | NA | | 2.9 | 1.7 - 4.1 |
| | Hispanic Men | NA | | 4.7 | 2.4 - 7.1 |
| | Hispanic Women | NA | | 4.5 | 2.5 - 6.5 |
| AGE GROUP | 18-44 | 3.6 | 0.0 - 10.5 | 1.0 | 0.6 - 1.4 |
| | 45-64 | 11.5 | 2.8 - 20.2 | 6.5 | 5.4 - 7.6 |
| | 65 & Older | 13.7 | 6.1 - 21.4 | 12.9 | 11.6 - 14.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>12.7</th><th>0.0 - 27.0</th><th>9.5</th><th>7.2 - 11.9</th></high> | 12.7 | 0.0 - 27.0 | 9.5 | 7.2 - 11.9 |
| | High School / GED | 8.7 | 0.6 - 16.8 | 5.4 | 4.6 - 6.2 |
| | >High School | 7.1 | 1.6 - 12.6 | 4.7 | 4.2 - 5.2 |
| ANNUAL INCOME | <\$25,000 | 7.0 | 2.3 - 11.8 | 8.0 | 6.7 - 9.3 |
| | \$25,000-\$49,999 | 13.2 | 1.1 - 25.3 | 6.5 | 5.4 - 7.5 |
| | \$50,000 or More | 5.4 | 0.0 - 12.9 | 3.3 | 2.7 - 3.8 |
| MARITAL STATUS | Married/Couple | 8.7 | 2.4 - 15.1 | 5.6 | 4.9 - 6.2 |
| | Not Married/Couple | 8.9 | 1.9 - 15.8 | 5.8 | 4.9 - 6.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

| | | | County | | State |
|-----------------------|---|---------|------------|---------|-----------|
| | | Measure | 95% CI | Measure | 95% CI |
| | Overall | 3.2 | 1.0 - 5.4 | 3.7 | 3.3 - 4.1 |
| SEX | Men | 2.0 | 0.0 - 4.7 | 3.7 | 3.1 - 4.2 |
| | Women | 4.5 | 1.0 - 7.9 | 3.7 | 3.2 - 4.2 |
| RACE/ETHNICITY | Non-Hisp. White | 3.4 | 1.1 - 5.8 | 4.3 | 3.8 - 4.7 |
| | Non-Hisp. Black | NA | | 4.6 | 3.1 - 6.1 |
| | Hispanic | NA | | 2.0 | 1.2 - 2.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 2.1 | 0.0 - 4.9 | 4.3 | 3.6 - 4.9 |
| | Non-Hisp. White Women | 4.9 | 1.1 - 8.7 | 4.2 | 3.7 - 4.8 |
| | Non-Hisp. Black Men | NA | | 4.8 | 2.6 - 7.0 |
| | Non-Hisp. Black Women | NA | | 4.4 | 2.4 - 6.4 |
| | Hispanic Men | NA | | 2.0 | 0.9 - 3.1 |
| | Hispanic Women | NA | | 2.0 | 1.0 - 3.0 |
| AGE GROUP | 18-44 | 0.0 | | 1.1 | 0.7 - 1.6 |
| | 45-64 | 3.3 | 0.2 - 6.4 | 4.1 | 3.4 - 4.8 |
| | 65 & Older | 8.8 | 1.4 - 16.1 | 7.8 | 6.9 - 8.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>4.9</th><th>0.0 - 12.5</th><th>5.2</th><th>3.9 - 6.5</th></high> | 4.9 | 0.0 - 12.5 | 5.2 | 3.9 - 6.5 |
| | High School / GED | 1.4 * | 0.0 - 2.9 | 3.7 | 3.0 - 4.3 |
| | >High School | 4.1 | 0.5 - 7.8 | 3.3 | 2.9 - 3.8 |
| ANNUAL INCOME | <\$25,000 | 5.1 | 0.2 - 9.9 | 5.7 | 4.8 - 6.5 |
| | \$25,000-\$49,999 | 2.0 | 0.0 - 4.4 | 4.1 | 3.3 - 4.9 |
| | \$50,000 or More | 3.0 | 0.0 - 7.0 | 1.9 | 1.4 - 2.3 |
| MARITAL STATUS | Married/Couple | 3.2 | 0.4 - 6.1 | 3.3 | 2.8 - 3.8 |
| | Not Married/Couple | 3.2 | 0.0 - 6.7 | 4.2 | 3.6 - 4.7 |

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

| | | 2013 County | | 2013 | State |
|-----------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 12.8 | 7.5 - 18.0 | 10.3 | 9.7 - 10.9 |
| SEX | Men | 11.9 | 4.2 - 19.6 | 11.9 | 10.8 - 12.9 |
| | Women | 13.7 | 6.9 - 20.5 | 8.8 | 8.0 - 9.6 |
| RACE/ETHNICITY | Non-Hisp. White | 13.6 | 8.0 - 19.3 | 12.2 | 11.5 - 12.9 |
| | Non-Hisp. Black | NA | | 10.0 | 7.8 - 12.2 |
| | Hispanic | NA | | 6.8 | 5.0 - 8.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.3 | 4.1 - 20.4 | 14.6 | 13.4 - 15.8 |
| | Non-Hisp. White Women | 15.1 | 7.7 - 22.6 | 9.9 | 9.1 - 10.8 |
| | Non-Hisp. Black Men | NA | | 10.9 | 7.4 - 14.3 |
| | Non-Hisp. Black Women | NA | | 9.3 | 6.5 - 12.1 |
| | Hispanic Men | NA | | 7.0 | 4.4 - 9.6 |
| | Hispanic Women | NA | | 6.5 | 4.3 - 8.7 |
| AGE GROUP | 18-44 | 3.6 | 0.0 - 10.5 | 2.3 | 1.7 - 2.9 |
| | 45-64 | 14.5 | 5.4 - 23.5 | 11.4 | 10.2 - 12.7 |
| | 65 & Older | 26.8 | 16.7 - 36.8 | 23.4 | 21.8 - 25.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>17.1</th><th>0.5 - 33.7</th><th>15.2</th><th>12.6 - 17.9</th></high> | 17.1 | 0.5 - 33.7 | 15.2 | 12.6 - 17.9 |
| | High School / GED | 11.0 | 2.5 - 19.5 | 10.0 | 8.9 - 11.1 |
| | >High School | 12.6 | 6.0 - 19.3 | 9.2 | 8.5 - 10.0 |
| ANNUAL INCOME | <\$25,000 | 12.2 | 5.3 - 19.1 | 14.3 | 12.7 - 15.8 |
| | \$25,000-\$49,999 | 14.7 | 2.4 - 27.0 | 11.4 | 10.0 - 12.7 |
| | \$50,000 or More | 11.2 | 2.1 - 20.3 | 6.6 | 5.7 - 7.4 |
| MARITAL STATUS | Married/Couple | 13.1 | 6.1 - 20.1 | 10.1 | 9.3 - 11.0 |
| | Not Married/Couple | 12.6 | 4.6 - 20.6 | 10.6 | 9.6 - 11.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Cholesterol Awareness

Percentage of adults who have ever been told they had high blood cholesterol

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 40.5 | 31.5 - 49.5 | 33.4 | 32.3 - 34.4 |
| SEX | Men | 33.9 | 20.2 - 47.5 | 33.6 | 32.0 - 35.2 |
| | Women | 47.4 * | 36.9 - 57.8 | 33.2 | 31.7 - 34.6 |
| RACE/ETHNICITY | Non-Hisp. White | 40.4 | 30.9 - 49.9 | 39.0 | 37.8 - 40.1 |
| | Non-Hisp. Black | NA | | 24.5 | 21.6 - 27.4 |
| | Hispanic | NA | | 27.5 | 24.4 - 30.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 32.7 | 18.9 - 46.5 | 39.0 | 37.2 - 40.8 |
| | Non-Hisp. White Women | 48.8 | 37.6 - 59.9 | 39.0 | 37.5 - 40.5 |
| | Non-Hisp. Black Men | NA | | 27.4 | 22.4 - 32.3 |
| | Non-Hisp. Black Women | NA | | 21.8 | 18.6 - 25.1 |
| | Hispanic Men | NA | | 25.6 | 21.3 - 29.9 |
| | Hispanic Women | NA | | 29.3 | 24.8 - 33.7 |
| AGE GROUP | 18-44 | 16.2 | 3.1 - 29.2 | 13.6 | 12.2 - 15.0 |
| | 45-64 | 51.9 | 40.6 - 63.2 | 42.4 | 40.4 - 44.4 |
| | 65 & Older | 66.7 | 57.2 - 76.2 | 55.7 | 53.8 - 57.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>38.6</th><th>13.1 - 64.1</th><th>33.9</th><th>30.0 - 37.8</th></high> | 38.6 | 13.1 - 64.1 | 33.9 | 30.0 - 37.8 |
| | High School / GED | 39.9 | 25.5 - 54.3 | 32.8 | 30.8 - 34.7 |
| | >High School | 41.8 | 29.5 - 54.1 | 33.6 | 32.4 - 34.9 |
| ANNUAL INCOME | <\$25,000 | 34.1 | 22.0 - 46.2 | 32.1 | 30.0 - 34.2 |
| | \$25,000-\$49,999 | 48.6 | 27.9 - 69.4 | 34.5 | 32.2 - 36.7 |
| | \$50,000 or More | 35.3 | 18.3 - 52.3 | 34.0 | 32.2 - 35.7 |
| MARITAL STATUS | Married/Couple | 44.7 | 32.4 - 57.1 | 36.7 | 35.2 - 38.1 |
| | Not Married/Couple | 34.5 | 21.2 - 47.9 | 29.6 | 28.0 - 31.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

| | | 2013 County | | 2013 | 2013 State | |
|-----------------------|--|-------------|-------------|---------|-------------|--|
| | | Measure | 95% CI | Measure | 95% CI | |
| ALL | Overall | 14.4 * | 8.6 - 20.3 | 7.4 | 6.9 - 7.9 | |
| SEX | Men | 6.4 | 0.3 - 12.6 | 6.4 | 5.7 - 7.2 | |
| | Women | 23.3 * | 13.9 - 32.6 | 8.3 | 7.5 - 9.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 14.4 | 8.2 - 20.5 | 9.2 | 8.6 - 9.9 | |
| | Non-Hisp. Black | NA | | 5.1 | 3.5 - 6.7 | |
| | Hispanic | NA | | 4.6 | 3.3 - 5.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.7 | 0.3 - 13.2 | 8.2 | 7.3 - 9.2 | |
| | Non-Hisp. White Women | 23.2 * | 13.3 - 33.2 | 10.2 | 9.3 - 11.1 | |
| | Non-Hisp. Black Men | NA | | 4.6 | 2.1 - 7.2 | |
| | Non-Hisp. Black Women | NA | | 5.5 | 3.6 - 7.4 | |
| | Hispanic Men | NA | | 3.5 | 1.8 - 5.2 | |
| | Hispanic Women | NA | | 5.6 | 3.6 - 7.7 | |
| AGE GROUP | 18-44 | 11.9 | 1.3 - 22.6 | 3.0 | 2.3 - 3.7 | |
| | 45-64 | 12.7 | 4.9 - 20.5 | 8.5 | 7.5 - 9.4 | |
| | 65 & Older | 21.8 | 11.5 - 32.0 | 14.0 | 12.8 - 15.3 | |
| EDUCATION LEVEL | <high school<="" th=""><th>22.5</th><th>3.4 - 41.6</th><th>12.3</th><th>10.1 - 14.5</th><th></th></high> | 22.5 | 3.4 - 41.6 | 12.3 | 10.1 - 14.5 | |
| | High School / GED | 20.0 * | 9.2 - 30.9 | 7.5 | 6.6 - 8.4 | |
| | >High School | 6.4 | 0.4 - 12.4 | 6.0 | 5.4 - 6.6 | |
| ANNUAL INCOME | <\$25,000 | 19.9 | 9.7 - 30.0 | 11.1 | 10.0 - 12.3 | |
| | \$25,000-\$49,999 | 14.6 | 2.4 - 26.9 | 7.4 | 6.3 - 8.5 | |
| | \$50,000 or More | 1.0 * | 0.0 - 2.6 | 3.9 | 3.2 - 4.6 | |
| MARITAL STATUS | Married/Couple | 11.6 | 4.2 - 18.9 | 6.5 | 5.8 - 7.2 | |
| | Not Married/Couple | 17.0 | 7.7 - 26.3 | 8.5 | 7.7 - 9.3 | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Depression

Percentage of adults who have ever been told they had a depressive disorder

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|------------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 29.4 * | 19.9 - 38.9 | 16.8 | 15.9 - 17.6 |
| SEX | Men | 23.2 | 8.4 - 38.0 | 12.1 | 11.0 - 13.1 |
| | Women | 36.2 * | 25.0 - 47.3 | 21.2 | 19.9 - 22.4 |
| RACE/ETHNICITY | Non-Hisp. White | 30.2 * | 20.1 - 40.3 | 18.6 | 17.6 - 19.5 |
| | Non-Hisp. Black | NA | | 14.0 | 11.4 - 16.5 |
| | Hispanic | NA | | 13.8 | 11.6 - 16.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 24.2 | 8.7 - 39.7 | 13.1 | 11.9 - 14.4 |
| | Non-Hisp. White Women | 37.1 * | 25.2 - 49.0 | 23.6 | 22.2 - 25.0 |
| | Non-Hisp. Black Men | NA | | 12.3 | 8.3 - 16.3 |
| | Non-Hisp. Black Women | NA | | 15.5 | 12.2 - 18.7 |
| | Hispanic Men | NA | | 8.5 | 6.2 - 10.9 |
| | Hispanic Women | NA | | 18.8 | 15.2 - 22.4 |
| AGE GROUP | 18-44 | 34.5 | 13.8 - 55.1 | 15.8 | 14.4 - 17.2 |
| | 45-64 | 30.3 | 20.1 - 40.4 | 19.6 | 18.1 - 21.1 |
| | 65 & Older | 20.3 | 11.2 - 29.5 | 14.6 | 13.4 - 15.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>34.1</th><th>7.2 - 60.9</th><th>20.9</th><th>17.9 - 24.0</th></high> | 34.1 | 7.2 - 60.9 | 20.9 | 17.9 - 24.0 |
| | High School / GED | 34.0 * | 17.6 - 50.3 | 15.8 | 14.3 - 17.3 |
| | >High School | 23.4 | 11.5 - 35.4 | 16.3 | 15.3 - 17.3 |
| ANNUAL INCOME | <\$25,000 | 39.6 | 24.9 - 54.3 | 23.8 | 21.9 - 25.6 |
| | \$25,000-\$49,999 | 35.0 | 14.2 - 55.8 | 16.5 | 14.8 - 18.2 |
| | \$50,000 or More | 4.9 * | 1.1 - 8.6 | 11.3 | 10.2 - 12.4 |
| MARITAL STATUS | Married/Couple | 23.5 | 13.8 - 33.1 | 14.0 | 13.0 - 15.0 |
| | Not Married/Couple | 38.9 * | 21.9 - 55.9 | 20.1 | 18.7 - 21.5 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Diabetes

Percentage of adults who have ever been told they had diabetes

| | | 2013 (Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-------------------|------------------|-----------------|-----------------|
| ALL | Overall | 5.6 * | 2.6 - 8.5 | 11.2 | 10.5 - 11.9 |
| SEX | Men | 3.2 * | 1.0 - 5.3 | 12.3 | 11.2 - 13.4 |
| | Women | 8.2 | 2.7 - 13.6 | 10.1 | 9.2 - 11.0 |
| RACE/ETHNICITY | Non-Hisp. White | 5.1 * | 2.2 - 8.1 | 11.4 | 10.7 - 12.2 |
| | Non-Hisp. Black | NA | | 12.3 | 10.0 - 14.6 |
| | Hispanic | NA | | 10.8 | 8.7 - 12.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.2 * | 0.9 - 5.5 | 12.9 | 11.7 - 14.1 |
| | Non-Hisp. White Women | 7.4 | 1.8 - 12.9 | 10.0 | 9.1 - 10.9 |
| | Non-Hisp. Black Men | NA | | 12.8 | 9.0 - 16.6 |
| | Non-Hisp. Black Women | NA | | 11.9 | 9.2 - 14.5 |
| | Hispanic Men | NA | | 11.2 | 8.1 - 14.2 |
| | Hispanic Women | NA | | 10.4 | 7.7 - 13.2 |
| AGE GROUP | 18-44 | 1.2 | 0.0 - 3.7 | 2.6 | 1.9 - 3.2 |
| | 45-64 | 7.3 | 0.4 - 14.3 | 13.5 | 12.1 - 14.9 |
| | 65 & Older | 10.8 * | 6.0 - 15.6 | 23.5 | 21.8 - 25.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>11.6</th><th>0.0 - 25.7</th><th>18.0</th><th>14.9 - 21.1</th></high> | 11.6 | 0.0 - 25.7 | 18.0 | 14.9 - 21.1 |
| | High School / GED | 4.7 * | 1.7 - 7.8 | 11.5 | 10.3 - 12.6 |
| | >High School | 4.0 * | 1.5 - 6.5 | 9.2 | 8.4 - 9.9 |
| ANNUAL INCOME | <\$25,000 | 5.8 * | 2.0 - 9.6 | 14.8 | 13.1 - 16.4 |
| | \$25,000-\$49,999 | 6.4 | 0.0 - 13.9 | 11.9 | 10.4 - 13.4 |
| | \$50,000 or More | 3.2 * | 0.0 - 6.5 | 7.5 | 6.6 - 8.4 |
| MARITAL STATUS | Married/Couple | 3.7 * | 1.1 - 6.3 | 11.8 | 10.8 - 12.8 |
| | Not Married/Couple | 8.7 | 2.3 - 15.1 | 10.6 | 9.5 - 11.6 |

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

| | | 2013 | County | 2013 | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 64.0 | 40.4 - 87.7 | 61.8 | 58.5 - 65.0 |
| SEX | Men | NA | | 56.5 | 51.9 - 61.2 |
| | Women | NA | | 67.4 | 63.0 - 71.9 |
| RACE/ETHNICITY | Non-Hisp. White | 74.1 | 53.8 - 94.5 | 58.9 | 55.3 - 62.5 |
| | Non-Hisp. Black | NA | | 72.1 | 64.0 - 80.1 |
| | Hispanic | NA | | 64.4 | 55.0 - 73.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | NA | | 54.3 | 49.1 - 59.5 |
| | Non-Hisp. White Women | NA | | 64.3 | 59.4 - 69.2 |
| | Non-Hisp. Black Men | NA | | 66.0 | 51.8 - 80.2 |
| | Non-Hisp. Black Women | NA | | 77.7 | 68.8 - 86.7 |
| | Hispanic Men | NA | | 56.0 | 42.1 - 70.0 |
| | Hispanic Women | NA | | 71.5 | 60.0 - 83.0 |
| AGE GROUP | 18-44 | NA | | 57.2 | 43.3 - 71.0 |
| | 45-64 | NA | | 61.8 | 56.6 - 67.1 |
| | 65 & Older | NA | | 62.6 | 58.4 - 66.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>64.3</th><th>55.4 - 73.2</th></high> | NA | | 64.3 | 55.4 - 73.2 |
| | High School / GED | NA | | 65.2 | 60.2 - 70.2 |
| | >High School | NA | | 58.1 | 53.9 - 62.3 |
| ANNUAL INCOME | <\$25,000 | NA | | 65.7 | 60.1 - 71.3 |
| | \$25,000-\$49,999 | NA | | 60.7 | 54.2 - 67.2 |
| | \$50,000 or More | NA | | 55.5 | 49.3 - 61.7 |
| MARITAL STATUS | Married/Couple | NA | | 59.5 | 55.1 - 63.9 |
| | Not Married/Couple | NA | | 65.0 | 60.1 - 69.8 |
| | | | | · · · | 5.5.5 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
|------------------------|---|-----------------|------------------|-----------------|-------------------|
| ALL | Overall | 84.4 | 70.7 - 98.1 | 69.3 | 65.8 - 72.9 |
| SEX | Men | NA | | 70.5 | 66.0 - 75.1 |
| | Women | NA | | 68.0 | 62.6 - 73.5 |
| RACE/ETHNICITY | Non-Hisp. White | 82.5 | 67.2 - 97.9 | 75.6 | 72.2 - 78.9 |
| | Non-Hisp. Black | NA | | 68.6 | 58.9 - 78.3 |
| | Hispanic | NA | | 52.6 | 41.4 - 63.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | NA | | 73.9 | 68.8 - 79.1 |
| | Non-Hisp. White Women | NA | | 77.7 | 73.7 - 81.6 |
| | Non-Hisp. Black Men | NA | | 65.5 | 49.7 - 81.3 |
| | Non-Hisp. Black Women | NA | | 71.6 | 59.8 - 83.4 |
| | Hispanic Men | NA | | 64.5 | 50.5 - 78.4 |
| | Hispanic Women | NA | | 41.2 | 26.9 - 55.5 |
| AGE GROUP | 18-44 | NA | | 52.3 | 38.6 - 65.9 |
| | 45-64 | NA | | 66.2 | 60.4 - 72.1 |
| | 65 & Older | NA | | 75.7 | 71.3 - 80.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>NA</td><td></td><td>55.7</td><td>44.3 - 67.1</td></high> | NA | | 55.7 | 44.3 - 67.1 |
| | High School / GED | NA | | 71.2 | 66.2 - 76.1 |
| | >High School | NA | | 74.8 | 71.1 - 78.6 |
| ANNUAL INCOME | <\$25,000 | NA | | 64.0 | 57.5 - 70.4 |
| | \$25,000-\$49,999 | NA | | 69.1 | 61.5 - 76.7 |
| | \$50,000 or More | NA | | 78.3 | 73.3 - 83.2 |
| MARITAL STATUS | Married/Couple | NA | | 70.3 | 65.4 - 75.3 |
| | Not Married/Couple | NA | | 68.0 | 62.9 - 73.0 |
| centage of adults with | diabetes who had an an | nual foot exa | am | | |
| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
| ALL | Overall | 70.8 | 50.7 - 90.8 | 67.6 | 64.6 - 70.7 |
| | Man | NIA | | 70.0 | 00.0 74.5 |

| | | 2013 | County | 2013 | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 70.8 | 50.7 - 90.8 | 67.6 | 64.6 - 70.7 |
| SEX | Men | NA | | 70.3 | 66.0 - 74.5 |
| | Women | NA | | 64.8 | 60.4 - 69.2 |
| RACE/ETHNICITY | Non-Hisp. White | 69.5 | 47.3 - 91.8 | 68.6 | 65.2 - 71.9 |
| | Non-Hisp. Black | NA | | 81.5 | 74.4 - 88.6 |
| | Hispanic | NA | | 57.9 | 48.2 - 67.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | NA | | 70.4 | 65.4 - 75.4 |
| | Non-Hisp. White Women | NA | | 66.4 | 61.9 - 70.9 |
| | Non-Hisp. Black Men | NA | | 85.4 | 76.4 - 94.4 |
| | Non-Hisp. Black Women | NA | | 77.9 | 67.8 - 88.1 |
| | Hispanic Men | NA | | 66.7 | 54.3 - 79.1 |
| | Hispanic Women | NA | | 49.8 | 35.5 - 64.2 |
| AGE GROUP | 18-44 | NA | | 47.6 | 34.4 - 60.8 |
| | 45-64 | NA | | 65.3 | 60.3 - 70.2 |
| | 65 & Older | NA | | 73.2 | 69.5 - 76.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>66.3</th><th>57.8 - 74.7</th></high> | NA | | 66.3 | 57.8 - 74.7 |
| | High School / GED | NA | | 66.7 | 61.6 - 71.8 |
| | >High School | NA | | 69.1 | 65.2 - 73.0 |
| ANNUAL INCOME | <\$25,000 | NA | | 66.2 | 60.8 - 71.6 |
| | \$25,000-\$49,999 | NA | | 69.5 | 63.5 - 75.5 |
| | \$50,000 or More | NA | | 71.3 | 65.8 - 76.7 |
| MARITAL STATUS | Married/Couple | NA | | 68.8 | 64.8 - 72.8 |
| | Not Married/Couple | NA | | 66.1 | 61.3 - 70.9 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Diabetes

Percentage of adults with diabetes who had an annual eye exam

| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-------------------|
| ALL | Overall | 51.3 | 25.1 - 77.6 | 69.7 | 66.5 - 72.9 |
| SEX | | NA | 25.1 - 77.0 | 71.6 | 67.3 - 75.9 |
| SLX | Women | NA NA | | 67.7 | 63.0 - 72.4 |
| RACE/ETHNICITY | | 46.9 | 19.9 - 74.0 | 71.4 | 68.0 - 74.7 |
| RACE/ETHNICITY | Non-Hisp. Black | 40.9 NA | 19.9 - 74.0 | 77.6 | 70.1 - 85.0 |
| | | | | | |
| | Hispanic | NA NA | | 60.7 | 50.6 - 70.8 |
| SEX BY RACE/ETHNICITY | · | NA | | 71.9 | 67.0 - 76.7 |
| | Non-Hisp. White Women | NA | | 70.8 | 66.3 - 75.4 |
| | Non-Hisp. Black Men | NA | | 82.6 | 73.3 - 91.9 |
| | Non-Hisp. Black Women | NA | | 72.9 | 62.2 - 83.6 |
| | Hispanic Men | NA | | 68.4 | 55.6 - 81.2 |
| | Hispanic Women | NA | | 52.9 | 38.4 - 67.5 |
| AGE GROUP | 18-44 | NA | | 43.7 | 31.1 - 56.3 |
| | 45-64 | NA | | 61.7 | 56.3 - 67.2 |
| | 65 & Older | NA | | 80.9 | 77.5 - 84.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>63.3</th><th>54.1 - 72.6</th></high> | NA | | 63.3 | 54.1 - 72.6 |
| | High School / GED | NA | | 70.7 | 65.9 - 75.5 |
| | >High School | NA | | 72.7 | 68.8 - 76.6 |
| ANNUAL INCOME | <\$25,000 | NA | | 68.5 | 63.3 - 73.7 |
| | \$25,000-\$49,999 | NA | | 65.7 | 58.5 - 73.0 |
| | \$50,000 or More | NA | | 75.9 | 70.1 - 81.6 |
| MARITAL STATUS | Married/Couple | NA | | 69.2 | 64.8 - 73.7 |
| | Not Married/Couple | NA | | 70.4 | 65.9 - 74.9 |

Percentage of adults with diabetes who ever had diabetes self-management education

| | | 2013 | County | 2013 | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 58.1 | 34.3 - 81.9 | 49.6 | 46.2 - 53.0 |
| SEX | Men | NA | | 47.1 | 42.3 - 51.9 |
| | Women | NA | | 52.4 | 47.6 - 57.1 |
| RACE/ETHNICITY | Non-Hisp. White | 54.7 | 27.9 - 81.6 | 53.1 | 49.5 - 56.6 |
| | Non-Hisp. Black | NA | | 53.6 | 43.4 - 63.9 |
| | Hispanic | NA | | 39.4 | 29.8 - 49.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | NA | | 51.1 | 45.9 - 56.3 |
| | Non-Hisp. White Women | NA | | 55.4 | 50.6 - 60.1 |
| | Non-Hisp. Black Men | NA | | 40.2 | 25.4 - 55.0 |
| | Non-Hisp. Black Women | NA | | 66.2 | 56.1 - 76.3 |
| | Hispanic Men | NA | | 39.7 | 26.1 - 53.3 |
| | Hispanic Women | NA | | 39.2 | 25.3 - 53.1 |
| AGE GROUP | 18-44 | NA | | 55.0 | 42.2 - 67.9 |
| | 45-64 | NA | | 52.1 | 46.5 - 57.7 |
| | 65 & Older | NA | | 46.7 | 42.3 - 51.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>34.3</th><th>25.3 - 43.2</th></high> | NA | | 34.3 | 25.3 - 43.2 |
| | High School / GED | NA | | 48.9 | 43.6 - 54.2 |
| | >High School | NA | | 58.5 | 54.3 - 62.6 |
| ANNUAL INCOME | <\$25,000 | NA | | 42.3 | 36.5 - 48.2 |
| | \$25,000-\$49,999 | NA | | 52.1 | 45.3 - 59.0 |
| | \$50,000 or More | NA | | 59.9 | 54.1 - 65.6 |
| MARITAL STATUS | Married/Couple | NA | | 50.7 | 46.2 - 55.2 |
| | Not Married/Couple | NA | | 48.1 | 42.9 - 53.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

| | | | County | 2013 | |
|-----------------------|--|---------|------------|---------|------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 11.2 | 6.3 - 16.2 | 7.1 | 6.6 - 7.7 |
| SEX | Men | 10.8 | 3.4 - 18.3 | 7.4 | 6.5 - 8.3 |
| | Women | 11.7 | 5.2 - 18.2 | 7.0 | 6.3 - 7.6 |
| RACE/ETHNICITY | Non-Hisp. White | 10.9 | 5.8 - 16.1 | 7.9 | 7.3 - 8.5 |
| | Non-Hisp. Black | NA | | 8.3 | 6.2 - 10.5 |
| | Hispanic | NA | | 4.8 | 3.5 - 6.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.3 | 3.5 - 19.2 | 8.4 | 7.4 - 9.4 |
| | Non-Hisp. White Women | 10.5 | 4.0 - 17.0 | 7.4 | 6.7 - 8.1 |
| | Non-Hisp. Black Men | NA | | 8.6 | 4.8 - 12.5 |
| | Non-Hisp. Black Women | NA | | 8.0 | 5.9 - 10.2 |
| | Hispanic Men | NA | | 4.8 | 2.7 - 6.8 |
| | Hispanic Women | NA | | 4.9 | 3.3 - 6.6 |
| AGE GROUP | 18-44 | 4.3 | 0.0 - 11.4 | 4.9 | 3.9 - 5.8 |
| | 45-64 | 14.3 | 5.9 - 22.8 | 7.9 | 7.0 - 8.8 |
| | 65 & Older | 19.2 | 9.5 - 28.9 | 9.6 | 8.7 - 10.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>13.0</th><th>0.0 - 27.1</th><th>5.8</th><th>4.2 - 7.5</th></high> | 13.0 | 0.0 - 27.1 | 5.8 | 4.2 - 7.5 |
| | High School / GED | 15.5 | 5.1 - 25.9 | 7.2 | 6.1 - 8.3 |
| | >High School | 6.8 | 3.2 - 10.3 | 7.6 | 6.9 - 8.2 |
| ANNUAL INCOME | <\$25,000 | 10.9 | 3.7 - 18.2 | 7.6 | 6.4 - 8.9 |
| | \$25,000-\$49,999 | 15.3 | 2.9 - 27.6 | 7.5 | 6.4 - 8.5 |
| | \$50,000 or More | 7.7 | 2.3 - 13.1 | 6.7 | 5.8 - 7.5 |
| MARITAL STATUS | Married/Couple | 15.2 | 7.7 - 22.7 | 7.3 | 6.6 - 8.1 |
| | Not Married/Couple | 5.6 | 0.1 - 11.0 | 7.0 | 6.1 - 7.8 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

| ercentage of adults who | are limited in any way in | any activitie | es because of phys | sical, mental, or er | notional problems |
|-------------------------|--|-----------------|--------------------|----------------------|-------------------|
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 32.3 * | 23.3 - 41.2 | 21.2 | 20.2 - 22.1 |
| SEX | Men | 29.6 | 14.8 - 44.4 | 20.2 | 18.9 - 21.6 |
| | Women | 35.2 * | 25.6 - 44.7 | 22.1 | 20.7 - 23.4 |
| RACE/ETHNICITY | Non-Hisp. White | 31.7 | 22.3 - 41.1 | 23.2 | 22.2 - 24.2 |
| | Non-Hisp. Black | NA | | 17.8 | 15.1 - 20.5 |
| | Hispanic | NA | | 18.6 | 15.8 - 21.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 29.2 | 13.8 - 44.5 | 22.6 | 21.1 - 24.1 |
| | Non-Hisp. White Women | 34.6 | 24.6 - 44.7 | 23.8 | 22.5 - 25.1 |
| | Non-Hisp. Black Men | NA | | 19.1 | 14.7 - 23.4 |
| | Non-Hisp. Black Women | NA | | 16.6 | 13.3 - 19.8 |
| | Hispanic Men | NA | | 15.7 | 12.2 - 19.3 |
| | Hispanic Women | NA | | 21.3 | 17.1 - 25.6 |
| AGE GROUP | 18-44 | 24.6 | 6.3 - 42.8 | 13.5 | 12.1 - 14.9 |
| | 45-64 | 38.0 | 27.0 - 49.0 | 26.0 | 24.2 - 27.8 |
| | 65 & Older | 38.2 | 27.1 - 49.2 | 28.6 | 26.9 - 30.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>39.2</td><td>14.6 - 63.8</td><td>28.7</td><td>25.0 - 32.3</td></high> | 39.2 | 14.6 - 63.8 | 28.7 | 25.0 - 32.3 |
| | High School / GED | 39.6 | 23.2 - 56.1 | 21.8 | 20.1 - 23.6 |
| | >High School | 22.9 | 12.8 - 33.0 | 18.9 | 17.8 - 19.9 |
| ANNUAL INCOME | <\$25,000 | 38.7 | 26.0 - 51.4 | 30.7 | 28.5 - 32.8 |
| | \$25,000-\$49,999 | 39.4 | 18.4 - 60.5 | 20.4 | 18.5 - 22.3 |
| | \$50,000 or More | 7.7 | 2.6 - 12.9 | 12.8 | 11.7 - 14.0 |
| MARITAL STATUS | Married/Couple | 24.4 | 14.6 - 34.2 | 18.7 | 17.5 - 19.9 |
| | Not Married/Couple | 43.1 * | 27.5 - 58.8 | 24.1 | 22.6 - 25.7 |
| ercentage of adults who | use special equipment b | ecause of a | health problem | | |
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 14.8 | 8.9 - 20.6 | 8.8 | 8.2 - 9.3 |
| SEX | Men | 13.3 | 4.1 - 22.5 | 8.3 | 7.5 - 9.1 |
| | Women | 16.4 | 9.6 - 23.2 | 9.2 | 8.4 - 10.0 |
| RACE/ETHNICITY | Non-Hisp. White | 13.9 | 7.9 - 19.8 | 9.8 | 9.2 - 10.4 |
| | Non-Hisp. Black | NA | | 8.6 | 6.9 - 10.2 |
| | Hispanic | NA | | 6.5 | 5.0 - 8.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.8 | 2.7 - 20.9 | 9.2 | 8.3 - 10.1 |
| | Non-Hisp. White Women | 16.2 | 9.1 - 23.4 | 10.3 | 9.5 - 11.2 |
| | Non-Hisp. Black Men | NA | | 7.9 | 5.5 - 10.3 |

| | Women | 16.4 | 9.6 - 23.2 | 9.2 | 8.4 - 10.0 | |
|-----------------------|--|--------|-------------|------|-------------|--|
| RACE/ETHNICITY | Non-Hisp. White | 13.9 | 7.9 - 19.8 | 9.8 | 9.2 - 10.4 | |
| | Non-Hisp. Black | NA | | 8.6 | 6.9 - 10.2 | |
| | Hispanic | NA | | 6.5 | 5.0 - 8.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.8 | 2.7 - 20.9 | 9.2 | 8.3 - 10.1 | |
| | Non-Hisp. White Women | 16.2 | 9.1 - 23.4 | 10.3 | 9.5 - 11.2 | |
| | Non-Hisp. Black Men | NA | | 7.9 | 5.5 - 10.3 | |
| | Non-Hisp. Black Women | NA | | 9.2 | 7.0 - 11.5 | |
| | Hispanic Men | NA | | 6.2 | 4.1 - 8.4 | |
| | Hispanic Women | NA | | 6.8 | 4.7 - 8.9 | |
| AGE GROUP | 18-44 | 8.2 | 0.0 - 17.8 | 3.1 | 2.4 - 3.8 | |
| | 45-64 | 16.4 | 7.7 - 25.1 | 9.5 | 8.4 - 10.5 | |
| | 65 & Older | 24.3 | 13.9 - 34.7 | 18.1 | 16.8 - 19.4 | |
| EDUCATION LEVEL | <high school<="" th=""><th>23.2</th><th>5.5 - 40.9</th><th>13.2</th><th>11.0 - 15.4</th><th></th></high> | 23.2 | 5.5 - 40.9 | 13.2 | 11.0 - 15.4 | |
| | High School / GED | 8.5 | 3.5 - 13.5 | 8.4 | 7.4 - 9.4 | |
| | >High School | 17.0 | 6.8 - 27.3 | 7.8 | 7.2 - 8.5 | |
| ANNUAL INCOME | <\$25,000 | 22.8 | 12.6 - 33.1 | 13.5 | 12.2 - 14.9 | |
| | \$25,000-\$49,999 | 9.4 | 0.0 - 21.2 | 7.9 | 6.9 - 8.8 | |
| | \$50,000 or More | 7.1 | 0.0 - 15.1 | 4.8 | 4.1 - 5.5 | |
| MARITAL STATUS | Married/Couple | 11.0 | 3.5 - 18.4 | 7.7 | 7.0 - 8.5 | |
| | Not Married/Couple | 21.1 * | 11.2 - 31.0 | 10.1 | 9.2 - 11.0 | |
| | | | | | | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Hypertension Awareness

Percentage of adults who have ever been told they had hypertension

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|------------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 40.2 | 31.3 - 49.1 | 34.6 | 33.5 - 35.7 |
| SEX | Men | 39.6 | 25.1 - 54.1 | 37.2 | 35.6 - 38.9 |
| | Women | 40.9 | 31.1 - 50.6 | 32.1 | 30.7 - 33.5 |
| RACE/ETHNICITY | Non-Hisp. White | 39.9 | 30.6 - 49.2 | 38.4 | 37.3 - 39.5 |
| | Non-Hisp. Black | NA | | 33.7 | 30.4 - 37.0 |
| | Hispanic | NA | | 28.3 | 25.0 - 31.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 39.1 | 24.1 - 54.0 | 42.1 | 40.3 - 43.9 |
| | Non-Hisp. White Women | 40.8 | 30.6 - 51.1 | 35.0 | 33.6 - 36.4 |
| | Non-Hisp. Black Men | NA | | 35.1 | 29.6 - 40.6 |
| | Non-Hisp. Black Women | NA | | 32.4 | 28.6 - 36.3 |
| | Hispanic Men | NA | | 28.9 | 24.1 - 33.7 |
| | Hispanic Women | NA | | 27.6 | 23.1 - 32.1 |
| AGE GROUP | 18-44 | 19.7 | 5.1 - 34.3 | 13.8 | 12.4 - 15.2 |
| | 45-64 | 43.9 | 32.7 - 55.1 | 41.1 | 39.1 - 43.2 |
| | 65 & Older | 69.7 | 60.6 - 78.8 | 62.8 | 61.1 - 64.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>26.0</th><th>6.9 - 45.1</th><th>42.3</th><th>38.2 - 46.3</th></high> | 26.0 | 6.9 - 45.1 | 42.3 | 38.2 - 46.3 |
| | High School / GED | 45.7 | 30.1 - 61.4 | 35.8 | 33.8 - 37.9 |
| | >High School | 40.9 | 28.6 - 53.2 | 31.9 | 30.7 - 33.1 |
| ANNUAL INCOME | <\$25,000 | 45.8 | 31.9 - 59.7 | 37.5 | 35.3 - 39.7 |
| | \$25,000-\$49,999 | 42.9 | 23.7 - 62.1 | 36.9 | 34.6 - 39.2 |
| | \$50,000 or More | 25.9 | 12.4 - 39.3 | 30.7 | 29.0 - 32.5 |
| MARITAL STATUS | Married/Couple | 39.1 | 27.6 - 50.6 | 35.8 | 34.4 - 37.3 |
| | Not Married/Couple | 42.4 | 27.9 - 56.8 | 33.5 | 31.8 - 35.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

| | | 2013 County | | 2013 State Measure 95% CI | | |
|-----------------------|---|-------------|-----------|------------------------------|-----------|--|
| | | Measure | 95% CI | Measure | | |
| ALL | Overall | 1.5 * | 0.1 - 2.9 | 3.5 | 3.0 - 3.9 | |
| SEX | Men | 2.3 | 0.0 - 4.9 | 3.3 | 2.7 - 3.8 | |
| | Women | 0.7 * | 0.0 - 1.3 | 3.6 | 3.0 - 4.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 1.6 | 0.1 - 3.1 | 3.5 | 3.0 - 4.0 | |
| | Non-Hisp. Black | NA | | 2.4 | 1.5 - 3.2 | |
| | Hispanic | NA | | 4.2 | 2.7 - 5.7 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 2.4 | 0.0 - 5.1 | 3.7 | 2.9 - 4.5 | |
| | Non-Hisp. White Women | 0.7 * | 0.0 - 1.5 | 3.3 | 2.9 - 3.8 | |
| | Non-Hisp. Black Men | NA | | 2.0 | 0.8 - 3.1 | |
| | Non-Hisp. Black Women | NA | | 2.7 | 1.5 - 3.9 | |
| | Hispanic Men | NA | | 3.1 | 1.8 - 4.4 | |
| | Hispanic Women | NA | | 5.2 | 2.7 - 7.8 | |
| AGE GROUP | 18-44 | 1.4 | 0.0 - 4.1 | 1.9 | 1.2 - 2.6 | |
| | 45-64 | 2.0 | 0.0 - 4.2 | 3.6 | 2.7 - 4.4 | |
| | 65 & Older | 1.1 * | 0.0 - 2.4 | 5.9 | 5.2 - 6.7 | |
| EDUCATION LEVEL | <high school<="" td=""><td>0.0</td><td></td><td>4.6</td><td>3.1 - 6.2</td></high> | 0.0 | | 4.6 | 3.1 - 6.2 | |
| | High School / GED | 1.1 * | 0.0 - 2.6 | 4.0 | 2.9 - 5.0 | |
| | >High School | 2.4 | 0.0 - 5.3 | 2.9 | 2.5 - 3.3 | |
| ANNUAL INCOME | <\$25,000 | 2.5 | 0.0 - 5.6 | 5.0 | 4.0 - 6.0 | |
| | \$25,000-\$49,999 | 1.0 | 0.0 - 2.8 | 3.5 | 2.4 - 4.6 | |
| | \$50,000 or More | 1.1 | 0.0 - 3.2 | 2.1 | 1.6 - 2.5 | |
| MARITAL STATUS | Married/Couple | 1.0 * | 0.0 - 2.3 | 3.4 | 2.8 - 4.0 | |
| | Not Married/Couple | 2.3 | 0.0 - 5.3 | 3.6 | 2.9 - 4.2 | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Overweight & Obesity

| ercentage of adults who | are overweight | | | | |
|-------------------------|---|-----------------|------------------|-----------------|-----------------|
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 45.0 | 34.7 - 55.2 | 36.4 | 35.2 - 37.6 |
| SEX | Men | 50.0 | 33.9 - 66.1 | 42.9 | 41.1 - 44.7 |
| | Women | 38.9 | 28.1 - 49.8 | 30.0 | 28.5 - 31.5 |
| RACE/ETHNICITY | Non-Hisp. White | 45.7 | 34.9 - 56.5 | 35.8 | 34.6 - 36.9 |
| | Non-Hisp. Black | NA | | 36.9 | 33.0 - 40.8 |
| | Hispanic | NA | | 38.6 | 34.9 - 42.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 51.8 | 35.2 - 68.4 | 43.5 | 41.6 - 45.3 |
| | Non-Hisp. White Women | 38.0 | 26.7 - 49.3 | 28.1 | 26.7 - 29.5 |
| | Non-Hisp. Black Men | NA | | 39.7 | 33.6 - 45.8 |
| | Non-Hisp. Black Women | NA | | 34.3 | 29.4 - 39.1 |
| | Hispanic Men | NA | | 44.4 | 39.0 - 49.7 |
| | Hispanic Women | NA | | 32.9 | 28.1 - 37.7 |
| AGE GROUP | 18-44 | 50.9 | 29.2 - 72.6 | 31.5 | 29.5 - 33.6 |
| | 45-64 | 38.4 | 27.1 - 49.8 | 39.4 | 37.3 - 41.5 |
| | 65 & Older | 43.9 | 33.1 - 54.8 | 40.6 | 38.7 - 42.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.2 *</td><td>1.7 - 32.6</td><td>38.4</td><td>34.1 - 42.8</td></high> | 17.2 * | 1.7 - 32.6 | 38.4 | 34.1 - 42.8 |
| | High School / GED | 56.1 * | 40.4 - 71.8 | 35.4 | 33.2 - 37.6 |
| | >High School | 46.2 | 32.9 - 59.6 | 36.5 | 35.1 - 37.9 |
| ANNUAL INCOME | <\$25,000 | 36.5 | 23.4 - 49.6 | 34.8 | 32.4 - 37.2 |
| | \$25,000-\$49,999 | 52.8 | 32.1 - 73.6 | 37.1 | 34.7 - 39.6 |
| | \$50,000 or More | 43.6 | 20.2 - 67.1 | 37.8 | 35.9 - 39.8 |
| MARITAL STATUS | Married/Couple | 47.2 | 33.9 - 60.6 | 39.5 | 37.9 - 41.1 |
| | Not Married/Couple | 40.4 | 24.1 - 56.7 | 32.9 | 31.0 - 34.7 |
| ercentage of adults who | are obese | | | | |
| - | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 35.6 | 25.8 - 45.4 | 26.4 | 25.3 - 27.4 |
| SEX | Men | 34.0 | 19.1 - 48.9 | 27.5 | 25.9 - 29.0 |
| | Women | 37.5 | 25.7 - 49.3 | 25.3 | 23.9 - 26.7 |
| RACE/ETHNICITY | Non-Hisp. White | 35.0 | 24.7 - 45.3 | 25.1 | 24.1 - 26.2 |
| | Non-Hisp. Black | NA | | 34.2 | 30.6 - 37.8 |
| | Hispanic | NA | | 26.4 | 23.4 - 29.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 33.6 | 18.2 - 49.0 | 27.5 | 25.8 - 29.2 |
| | Non-Hisp. White Women | 36.8 * | 24.2 - 49.4 | 22.8 | 21.5 - 24.1 |
| | Non-Hisp. Black Men | NA | | 29.6 | 24.3 - 34.9 |
| | Non-Hisp. Black Women | NA | | 38.6 | 33.7 - 43.4 |
| | Hispanic Men | NA | | 27.9 | 23.5 - 32.4 |
| | Hispanic Women | NA | | 24.9 | 20.8 - 29.0 |
| AGE GROUP | - 1 | 30.6 | 10.0 - 51.1 | 24.2 | 22.4 - 26.0 |
| | 45-64 | 43.3 | 31.7 - 55.0 | 30.3 | 28.5 - 32.2 |
| | 65 & Older | 33.5 | 22.3 - 44.7 | 24.8 | 23.3 - 26.4 |
| EDUCATION LEVEL | | 71.4 * | 51.3 - 91.6 | 29.4 | 25.7 - 33.0 |
| | High School / GED | 27.0 | 14.6 - 39.5 | 28.4 | 26.4 - 30.5 |
| | >High School | 28.6 | 17.2 - 39.9 | 24.5 | 23.3 - 25.7 |
| ANNUAL INCOME | | 37.6 | 22.4 - 52.7 | 29.9 | 27.7 - 32.1 |
| | \$25,000-\$49,999 | 40.7 | 20.1 - 61.3 | 27.7 | 25.5 - 29.8 |
| | A | | | | |

24.9

34.4

38.0

10.6 - 39.1

21.8 - 47.0

22.2 - 53.8

22.9 - 26.3

26.4 - 29.3

23.1 - 26.2

24.6

27.9

MARITAL STATUS Married/Couple

\$50,000 or More

Not Married/Couple

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Overweight & Obesity

| ercentage of adults who | are overweight or obese | | | | |
|--|--|---|---|---|---|
| - | - | 2013 | County | 2013 | State |
| | | Measure | 95% CI | Measure | 95% CI |
| | Overall | 80.6 * | 73.6 - 87.5 | 62.8 | 61.6 - 64.0 |
| SEX | Men | 84.0 * | 73.0 - 95.0 | 70.4 | 68.7 - 72.0 |
| | Women | 76.4 * | 68.7 - 84.1 | 55.3 | 53.6 - 56.9 |
| RACE/ETHNICITY | Non-Hisp. White | 80.7 * | 73.5 - 87.9 | 60.9 | 59.7 - 62.1 |
| | Non-Hisp. Black | NA | | 71.1 | 67.5 - 74.7 |
| | Hispanic | NA | | 64.9 | 61.4 - 68.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 85.4 * | 74.5 - 96.4 | 71.0 | 69.3 - 72.6 |
| | Non-Hisp. White Women | 74.8 * | 66.3 - 83.2 | 50.9 | 49.3 - 52.5 |
| | Non-Hisp. Black Men | NA | | 69.3 | 63.5 - 75.2 |
| | Non-Hisp. Black Women | NA | | 72.8 | 68.6 - 77.1 |
| | Hispanic Men | NA | | 72.3 | 67.5 - 77.1 |
| | Hispanic Women | NA | | 57.8 | 52.6 - 62.9 |
| AGE GROUP | 18-44 | 81.5 * | 67.0 - 95.9 | 55.7 | 53.5 - 57.9 |
| | 45-64 | 81.8 * | 73.4 - 90.2 | 69.7 | 68.0 - 71.5 |
| | 65 & Older | 77.4 * | 68.8 - 86.0 | 65.4 | 63.7 - 67.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>88.6 *</th><th>77.9 - 99.3</th><th>67.8</th><th>63.8 - 71.7</th></high> | 88.6 * | 77.9 - 99.3 | 67.8 | 63.8 - 71.7 |
| | High School / GED | 83.1 * | 74.2 - 92.1 | 63.8 | 61.5 - 66.1 |
| | >High School | 74.8 * | 62.4 - 87.2 | 61.0 | 59.6 - 62.4 |
| ANNUAL INCOME | <\$25,000 | 74.1 | 61.9 - 86.2 | 64.7 | 62.4 - 66.9 |
| | \$25,000-\$49,999 | 93.5 * | 88.9 - 98.2 | 64.8 | 62.4 - 67.2 |
| | \$50,000 or More | 68.5 | 48.8 - 88.2 | 62.4 | 60.5 - 64.4 |
| MARITAL STATUS | Married/Couple | 81.6 * | 71.8 - 91.4 | 67.4 | 65.9 - 68.8 |
| | Not Married/Couple | 78.4 * | 68.6 - 88.2 | 57.5 | 55.6 - 59.5 |
| | | | 00.0 00. <u>-</u> | 01.0 | 00.0 |
| ercentage of adults who | <u>-</u> | | 00.0 00.2 | 07.0 | 00.0 |
| ercentage of adults who | <u>-</u> | | | | |
| ercentage of adults who | <u>-</u> | | County 95% CI | | State 95% CI |
| - | <u>-</u> | 2013 | County | 2013 | State |
| ALL | have a healthy weight | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | have a healthy weight Overall | 2013 Measure 19.1 * | County 95% CI 12.2 - 26.1 | 2013 Measure 35.0 | State 95% CI 33.8 - 36.1 |
| ALL | Overall Men Women | 2013 Measure 19.1 * 16.0 | County 95% CI 12.2 - 26.1 5.0 - 27.0 | 2013 Measure 35.0 28.4 | State 95% CI 33.8 - 36.1 26.7 - 30.1 |
| ALL SEX | Overall Men Women | 2013 Measure 19.1 * 16.0 22.9 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 | 2013 Measure 35.0 28.4 41.4 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 |
| ALL SEX | Overall Men Women Non-Hisp. White | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 | 2013 Measure 35.0 28.4 41.4 36.3 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 |
| ALL SEX | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Women | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Men Non-Hisp. White Men Non-Hisp. Black Men | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Men Non-Hisp. Black Men Non-Hisp. Black Men Non-Hisp. Black Women | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 |
| ALL SEX RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women Hispanic Women | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA NA | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY | Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. White Mon-Hisp. White Men Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA NA NA 18.5 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY AGE GROUP | Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. White Mon-Hisp. White Men Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA NA 18.5 * 18.2 * 21.4 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY AGE GROUP | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older <high school<="" td=""><td>2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA NA 18.5 * 18.2 * 21.4 * 10.3 *</td><td>County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5</td><td>2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0</td><td>State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8</td></high> | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY AGE GROUP | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older <high high="" school="" school<="" th=""><th>2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * 16.8 *</th><th>County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 7.9 - 25.7</th><th>2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 34.4</th><th>State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 32.1 - 36.7</th></high> | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * 16.8 * | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 7.9 - 25.7 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 34.4 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 32.1 - 36.7 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY AGE GROUP EDUCATION LEVEL | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older <high high="" school="" school<="" th=""><th>2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * 16.8 * 25.0</th><th>County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 7.9 - 25.7 12.6 - 37.4</th><th>2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 34.4 36.5</th><th>State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 32.1 - 36.7 35.1 - 37.9</th></high> | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * 16.8 * 25.0 | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 7.9 - 25.7 12.6 - 37.4 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 34.4 36.5 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 32.1 - 36.7 35.1 - 37.9 |
| ALL SEX RACE/ETHNICITY SEX BY RACE/ETHNICITY AGE GROUP EDUCATION LEVEL | Overall Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older <high high="" school="">High School <\$25,000</high> | 2013 Measure 19.1 * 16.0 22.9 * 19.2 * NA NA 14.6 * 25.1 * NA NA NA 18.5 * 18.2 * 21.4 * 10.3 * 16.8 * 25.0 25.3 | County 95% CI 12.2 - 26.1 5.0 - 27.0 15.3 - 30.5 12.0 - 26.4 3.6 - 25.5 16.7 - 33.5 4.1 - 33.0 9.8 - 26.6 12.9 - 29.8 0.1 - 20.5 7.9 - 25.7 12.6 - 37.4 13.2 - 37.4 | 2013 Measure 35.0 28.4 41.4 36.3 27.6 33.8 27.7 44.9 29.5 25.8 27.1 40.3 41.5 28.5 32.5 30.0 34.4 36.5 33.4 | State 95% CI 33.8 - 36.1 26.7 - 30.1 39.8 - 43.1 35.1 - 37.5 24.1 - 31.2 30.2 - 37.3 26.0 - 29.3 43.3 - 46.5 23.7 - 35.3 21.6 - 30.0 22.3 - 31.9 35.1 - 45.4 39.3 - 43.7 26.8 - 30.2 30.8 - 34.1 26.1 - 33.8 32.1 - 36.7 35.1 - 37.9 31.2 - 35.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

21.0 *

11.3 - 30.7

37.7 - 41.5

Not Married/Couple

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

| | | 2013 (Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-------------------|------------------|-----------------|-----------------|
| ALL | Overall | 5.4 | 2.4 - 8.4 | 5.2 | 4.7 - 5.8 |
| SEX | Men | 2.3 | 0.0 - 4.8 | 4.9 | 4.2 - 5.7 |
| | Women | 8.7 | 3.3 - 14.0 | 5.5 | 4.8 - 6.3 |
| RACE/ETHNICITY | Non-Hisp. White | 5.7 | 2.5 - 9.0 | 4.0 | 3.5 - 4.5 |
| | Non-Hisp. Black | NA | | 7.5 | 5.7 - 9.3 |
| | Hispanic | NA | | 7.2 | 5.4 - 8.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 2.3 | 0.0 - 4.9 | 3.7 | 2.9 - 4.5 |
| | Non-Hisp. White Women | 9.5 | 3.6 - 15.4 | 4.3 | 3.7 - 4.8 |
| | Non-Hisp. Black Men | NA | | 7.5 | 4.9 - 10.1 |
| | Non-Hisp. Black Women | NA | | 7.5 | 4.9 - 10.1 |
| | Hispanic Men | NA | | 6.1 | 3.8 - 8.3 |
| | Hispanic Women | NA | | 8.3 | 5.6 - 10.9 |
| AGE GROUP | 18-44 | 1.0 | 0.0 - 3.1 | 3.4 | 2.7 - 4.2 |
| | 45-64 | 10.3 | 3.2 - 17.5 | 7.4 | 6.2 - 8.5 |
| | 65 & Older | 6.0 | 1.1 - 11.0 | 5.6 | 4.8 - 6.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>6.3</th><th>0.0 - 14.9</th><th>11.2</th><th>8.8 - 13.6</th></high> | 6.3 | 0.0 - 14.9 | 11.2 | 8.8 - 13.6 |
| | High School / GED | 5.9 | 0.4 - 11.4 | 5.6 | 4.6 - 6.7 |
| | >High School | 4.6 | 1.3 - 7.8 | 3.4 | 3.0 - 3.9 |
| ANNUAL INCOME | <\$25,000 | 7.9 | 2.4 - 13.4 | 10.1 | 8.6 - 11.5 |
| | \$25,000-\$49,999 | 3.1 | 0.0 - 8.6 | 3.9 | 3.1 - 4.7 |
| | \$50,000 or More | 3.5 | 0.0 - 7.7 | 1.9 | 1.4 - 2.3 |
| MARITAL STATUS | Married/Couple | 4.3 | 0.6 - 7.9 | 3.9 | 3.3 - 4.5 |
| | Not Married/Couple | 7.3 | 1.9 - 12.6 | 6.9 | 5.9 - 7.8 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|------------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 20.2 | 10.5 - 29.9 | 17.6 | 16.6 - 18.6 |
| SEX | Men | 21.5 | 6.5 - 36.5 | 23.4 | 21.7 - 25.1 |
| | Women | 18.7 | 6.9 - 30.5 | 12.2 | 11.2 - 13.3 |
| RACE/ETHNICITY | Non-Hisp. White | 21.0 | 10.7 - 31.3 | 17.6 | 16.6 - 18.5 |
| | Non-Hisp. Black | NA | | 14.0 | 11.1 - 17.0 |
| | Hispanic | NA | | 19.6 | 16.4 - 22.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 22.4 | 6.7 - 38.1 | 21.4 | 19.8 - 23.0 |
| | Non-Hisp. White Women | 19.4 | 6.7 - 32.2 | 14.0 | 12.9 - 15.1 |
| | Non-Hisp. Black Men | NA | | 19.8 | 14.5 - 25.2 |
| | Non-Hisp. Black Women | NA | | 8.8 | 6.4 - 11.3 |
| | Hispanic Men | NA | | 30.1 | 24.8 - 35.3 |
| | Hispanic Women | NA | | 9.7 | 6.2 - 13.1 |
| AGE GROUP | 18-44 | 32.9 | 12.6 - 53.3 | 24.2 | 22.3 - 26.1 |
| | 45-64 | 11.9 | 4.8 - 18.9 | 16.9 | 15.3 - 18.5 |
| | 65 & Older | 7.6 | 0.6 - 14.5 | 7.2 | 6.4 - 8.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>16.7</th><th>0.0 - 45.3</th><th>18.6</th><th>14.7 - 22.4</th></high> | 16.7 | 0.0 - 45.3 | 18.6 | 14.7 - 22.4 |
| | High School / GED | 24.9 | 7.4 - 42.3 | 16.3 | 14.6 - 18.1 |
| | >High School | 17.4 | 6.6 - 28.1 | 18.0 | 16.8 - 19.2 |
| ANNUAL INCOME | <\$25,000 | 23.5 | 7.5 - 39.5 | 16.3 | 14.5 - 18.1 |
| | \$25,000-\$49,999 | 13.1 | 2.0 - 24.3 | 17.9 | 15.7 - 20.1 |
| | \$50,000 or More | 27.0 | 1.1 - 52.9 | 20.3 | 18.6 - 22.0 |
| MARITAL STATUS | Married/Couple | 21.5 | 8.8 - 34.3 | 14.9 | 13.8 - 16.0 |
| | Not Married/Couple | 18.8 | 3.6 - 34.0 | 20.9 | 19.1 - 22.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Tobacco Use & Exposure

Percentage of adults who are current smokers

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 22.5 | 13.4 - 31.6 | 16.8 | 15.9 - 17.7 |
| SEX | Men | 19.9 | 6.6 - 33.2 | 19.5 | 18.0 - 21.0 |
| | Women | 25.4 | 13.6 - 37.2 | 14.4 | 13.3 - 15.4 |
| RACE/ETHNICITY | Non-Hisp. White | 23.4 | 13.8 - 33.1 | 18.6 | 17.6 - 19.5 |
| | Non-Hisp. Black | NA | | 14.4 | 11.7 - 17.1 |
| | Hispanic | NA | | 13.9 | 11.4 - 16.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 20.9 | 7.0 - 34.9 | 19.7 | 18.2 - 21.3 |
| | Non-Hisp. White Women | 26.4 | 13.7 - 39.1 | 17.4 | 16.2 - 18.6 |
| | Non-Hisp. Black Men | NA | | 19.3 | 14.6 - 24.1 |
| | Non-Hisp. Black Women | NA | | 9.9 | 7.3 - 12.4 |
| | Hispanic Men | NA | | 18.8 | 14.6 - 23.0 |
| | Hispanic Women | NA | | 9.3 | 6.4 - 12.1 |
| AGE GROUP | 18-44 | 29.1 | 9.9 - 48.2 | 19.2 | 17.5 - 20.8 |
| | 45-64 | 25.3 | 15.0 - 35.5 | 19.8 | 18.4 - 21.3 |
| | 65 & Older | 6.7 | 0.8 - 12.7 | 8.7 | 7.4 - 9.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>37.9</th><th>8.4 - 67.4</th><th>24.8</th><th>21.4 - 28.3</th></high> | 37.9 | 8.4 - 67.4 | 24.8 | 21.4 - 28.3 |
| | High School / GED | 31.5 | 15.3 - 47.8 | 19.8 | 18.1 - 21.5 |
| | >High School | 8.8 | 2.2 - 15.4 | 13.1 | 12.2 - 14.1 |
| ANNUAL INCOME | <\$25,000 | 30.6 | 16.1 - 45.1 | 22.3 | 20.4 - 24.2 |
| | \$25,000-\$49,999 | 24.4 | 4.3 - 44.5 | 17.7 | 15.9 - 19.5 |
| | \$50,000 or More | 10.1 | 0.2 - 19.9 | 11.8 | 10.5 - 13.1 |
| MARITAL STATUS | Married/Couple | 14.2 | 6.8 - 21.6 | 13.6 | 12.5 - 14.6 |
| | Not Married/Couple | 36.4 | 18.9 - 53.9 | 20.8 | 19.2 - 22.3 |

Percentage of adults who are former smokers (currently quit smoking)

| Measure 95% CI Measure 95% CI ALL Overall 29.2 21.0 - 37.4 28.1 27.1 - 29.2 SEX Men 33.7 19.9 - 47.5 31.6 30.0 - 33.2 Women 24.2 15.8 - 32.6 24.9 23.7 - 26.2 RACE/ETHNICITY Non-Hisp. White 30.1 21.4 - 38.7 35.6 34.5 - 36.7 Non-Hisp. Black NA 14.0 11.7 - 16.3 | L Overall 29.2 21.0 | 37.4 28.1 | |
|--|---|-----------|-------------|
| SEX Men 33.7 19.9 - 47.5 31.6 30.0 - 33.2 Women 24.2 15.8 - 32.6 24.9 23.7 - 26.2 RACE/ETHNICITY Non-Hisp. White 30.1 21.4 - 38.7 35.6 34.5 - 36.7 | | | 27.1 - 29.2 |
| Women 24.2 15.8 - 32.6 24.9 23.7 - 26.2 RACE/ETHNICITY Non-Hisp. White 30.1 21.4 - 38.7 35.6 34.5 - 36.7 | Men 33.7 19.9 | 47.5 31.6 | |
| RACE/ETHNICITY Non-Hisp. White 30.1 21.4 - 38.7 35.6 34.5 - 36.7 | | | 30.0 - 33.2 |
| | Women 24.2 15.8 | 32.6 24.9 | 23.7 - 26.2 |
| Non-Hisp. Black NA 14.0 11.7 - 16.3 | Y Non-Hisp. White 30.1 21.4 | 38.7 35.6 | 34.5 - 36.7 |
| | Non-Hisp. Black NA | 14.0 | 11.7 - 16.3 |
| Hispanic NA 19.3 16.5 - 22.0 | Hispanic NA | 19.3 | 16.5 - 22.0 |
| SEX BY RACE/ETHNICITY Non-Hisp. White Men 33.2 19.0 - 47.4 39.3 37.5 - 41.1 | Y Non-Hisp. White Men 33.2 19.0 | 47.4 39.3 | 37.5 - 41.1 |
| Non-Hisp. White Women 26.4 17.2 - 35.6 32.2 30.7 - 33.6 | Non-Hisp. White Women 26.4 17.2 | 35.6 32.2 | 30.7 - 33.6 |
| Non-Hisp. Black Men NA 17.0 13.4 - 20.7 | Non-Hisp. Black Men NA | 17.0 | 13.4 - 20.7 |
| Non-Hisp. Black Women NA 11.2 8.4 - 14.0 | Non-Hisp. Black Women NA | 11.2 | 8.4 - 14.0 |
| Hispanic Men NA 22.5 18.2 - 26.7 | Hispanic Men NA | 22.5 | 18.2 - 26.7 |
| Hispanic Women NA 16.2 12.5 - 19.8 | Hispanic Women NA | 16.2 | 12.5 - 19.8 |
| AGE GROUP 18-44 18.9 3.7 - 34.1 15.6 14.1 - 17.1 | P 18-44 18.9 3.7 | 34.1 15.6 | 14.1 - 17.1 |
| 45-64 35.2 23.9 - 46.4 30.3 28.5 - 32.2 | 45-64 35.2 23.9 | 46.4 30.3 | 28.5 - 32.2 |
| 65 & Older 40.3 30.1 - 50.5 47.4 45.6 - 49.2 | 65 & Older 40.3 30.1 | 50.5 47.4 | 45.6 - 49.2 |
| EDUCATION LEVEL <high -="" 13.2="" 2.6="" 22.1="" 23.8="" 25.7="" 29.2<="" school="" th=""><th>L <high 13.2="" 2.6<="" school="" th=""><th>23.8 25.7</th><th>22.1 - 29.2</th></high></th></high> | L <high 13.2="" 2.6<="" school="" th=""><th>23.8 25.7</th><th>22.1 - 29.2</th></high> | 23.8 25.7 | 22.1 - 29.2 |
| High School / GED 29.6 16.8 - 42.5 27.7 25.9 - 29.5 | High School / GED 29.6 16.8 | 42.5 27.7 | 25.9 - 29.5 |
| >High School 34.7 22.0 - 47.4 29.1 27.9 - 30.3 | >High School 34.7 22.0 | 47.4 29.1 | 27.9 - 30.3 |
| ANNUAL INCOME <\$25,000 31.8 18.9 - 44.8 23.9 22.1 - 25.7 | E <\$25,000 31.8 18.9 | 44.8 23.9 | 22.1 - 25.7 |
| \$25,000-\$49,999 35.8 17.3 - 54.2 31.9 29.6 - 34.3 | \$25,000-\$49,999 35.8 17.3 | 54.2 31.9 | 29.6 - 34.3 |
| \$50,000 or More 21.0 8.9 - 33.1 30.0 28.4 - 31.7 | \$50,000 or More 21.0 8.9 | 33.1 30.0 | 28.4 - 31.7 |
| MARITAL STATUS Married/Couple 31.2 19.8 - 42.6 32.0 30.6 - 33.3 | Married/Couple 31.2 19.8 | 42.6 32.0 | 30.6 - 33.3 |
| Not Married/Couple 26.9 15.5 - 38.3 23.7 22.3 - 25.2 | Not Married/Couple 26.9 15.5 | 38.3 23.7 | 22.3 - 25.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Tobacco Use & Exposure

Percentage of adults who have never smoked

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 48.3 | 38.3 - 58.2 | 55.0 | 53.8 - 56.2 |
| SEX | Men | 46.4 | 30.1 - 62.7 | 48.9 | 47.1 - 50.8 |
| | Women | 50.4 | 39.6 - 61.1 | 60.7 | 59.2 - 62.2 |
| RACE/ETHNICITY | Non-Hisp. White | 46.5 | 36.0 - 57.0 | 45.8 | 44.6 - 47.1 |
| | Non-Hisp. Black | NA | | 71.6 | 68.3 - 74.9 |
| | Hispanic | NA | | 66.8 | 63.4 - 70.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 45.9 | 28.9 - 62.8 | 40.9 | 39.1 - 42.8 |
| | Non-Hisp. White Women | 47.2 | 36.2 - 58.2 | 50.4 | 48.8 - 52.0 |
| | Non-Hisp. Black Men | NA | | 63.6 | 58.0 - 69.2 |
| | Non-Hisp. Black Women | NA | | 78.9 | 75.2 - 82.6 |
| | Hispanic Men | NA | | 58.7 | 53.5 - 63.9 |
| | Hispanic Women | NA | | 74.6 | 70.2 - 78.9 |
| AGE GROUP | 18-44 | 52.1 | 31.3 - 72.8 | 65.2 | 63.2 - 67.2 |
| | 45-64 | 39.6 | 28.7 - 50.4 | 49.8 | 47.8 - 51.9 |
| | 65 & Older | 53.0 | 42.4 - 63.5 | 43.9 | 42.1 - 45.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>48.9</th><th>18.6 - 79.2</th><th>49.5</th><th>45.3 - 53.7</th></high> | 48.9 | 18.6 - 79.2 | 49.5 | 45.3 - 53.7 |
| | High School / GED | 38.8 | 22.3 - 55.3 | 52.5 | 50.2 - 54.8 |
| | >High School | 56.5 | 43.6 - 69.3 | 57.8 | 56.4 - 59.2 |
| ANNUAL INCOME | <\$25,000 | 37.5 * | 24.1 - 51.0 | 53.8 | 51.4 - 56.1 |
| | \$25,000-\$49,999 | 39.8 | 19.4 - 60.2 | 50.4 | 47.9 - 52.9 |
| | \$50,000 or More | 68.9 | 52.9 - 84.9 | 58.1 | 56.2 - 60.0 |
| MARITAL STATUS | Married/Couple | 54.6 | 42.0 - 67.2 | 54.5 | 52.9 - 56.0 |
| | Not Married/Couple | 36.7 * | 22.4 - 51.0 | 55.5 | 53.6 - 57.4 |

Percentage of adult current smokers who tried to quit smoking at least once in the past year

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | | | | 58.3 - 63.9 |
| | · | 72.9 | 55.8 - 90.0 | 61.1 | |
| SEX | Men | NA | | 60.3 | 56.0 - 64.5 |
| | Women | 72.1 | 49.6 - 94.6 | 62.1 | 58.5 - 65.8 |
| RACE/ETHNICITY | | 72.8 | 55.2 - 90.4 | 57.9 | 55.0 - 60.8 |
| | Non-Hisp. Black | NA | | 71.1 | 61.8 - 80.3 |
| | Hispanic | NA | | 62.6 | 53.1 - 72.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | NA | | 57.9 | 53.4 - 62.4 |
| | Non-Hisp. White Women | 71.9 | 48.1 - 95.7 | 57.9 | 54.1 - 61.7 |
| | Non-Hisp. Black Men | NA | | 64.6 | 51.4 - 77.8 |
| | Non-Hisp. Black Women | NA | | 82.8 | 75.3 - 90.3 |
| | Hispanic Men | NA | | 61.3 | 48.9 - 73.7 |
| | Hispanic Women | NA | | 65.2 | 50.4 - 80.1 |
| AGE GROUP | 18-44 | NA | | 65.8 | 61.4 - 70.3 |
| | 45-64 | 44.8 | 22.2 - 67.3 | 58.2 | 54.3 - 62.2 |
| | 65 & Older | NA | | 52.7 | 44.7 - 60.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>58.6</th><th>50.8 - 66.4</th></high> | NA | | 58.6 | 50.8 - 66.4 |
| | High School / GED | NA | | 61.9 | 57.5 - 66.3 |
| | >High School | NA | | 61.8 | 57.9 - 65.6 |
| ANNUAL INCOME | <\$25,000 | 75.7 | 56.3 - 95.2 | 63.9 | 59.3 - 68.5 |
| | \$25,000-\$49,999 | NA | | 61.8 | 56.6 - 66.9 |
| | \$50,000 or More | NA | | 57.1 | 51.4 - 62.8 |
| MARITAL STATUS | Married/Couple | NA | | 60.9 | 56.9 - 64.9 |
| | Not Married/Couple | 73.9 | 50.7 - 97.2 | 61.2 | 57.3 - 65.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Physical Activity & Nutrition

Percentage of adults who are sedentary

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 43.5 * | 33.0 - 54.1 | 27.7 | 26.6 - 28.9 |
| SEX | Men | 46.9 * | 30.3 - 63.5 | 25.3 | 23.6 - 27.0 |
| | Women | 39.6 | 28.0 - 51.1 | 30.0 | 28.5 - 31.6 |
| RACE/ETHNICITY | Non-Hisp. White | 44.4 * | 33.3 - 55.5 | 25.1 | 24.0 - 26.2 |
| | Non-Hisp. Black | NA | | 30.2 | 26.6 - 33.9 |
| | Hispanic | NA | | 31.6 | 28.1 - 35.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.0 * | 31.9 - 66.0 | 22.9 | 21.3 - 24.4 |
| | Non-Hisp. White Women | 38.7 | 26.4 - 51.0 | 27.2 | 25.7 - 28.6 |
| | Non-Hisp. Black Men | NA | | 26.0 | 20.8 - 31.3 |
| | Non-Hisp. Black Women | NA | | 34.0 | 29.1 - 39.0 |
| | Hispanic Men | NA | | 29.0 | 23.9 - 34.2 |
| | Hispanic Women | NA | | 34.1 | 29.2 - 38.9 |
| AGE GROUP | 18-44 | 54.8 * | 33.9 - 75.7 | 24.1 | 22.1 - 26.0 |
| | 45-64 | 32.9 | 21.4 - 44.4 | 29.5 | 27.5 - 31.4 |
| | 65 & Older | 40.0 | 29.4 - 50.6 | 32.2 | 30.3 - 34.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>52.9</th><th>22.5 - 83.3</th><th>40.5</th><th>36.2 - 44.9</th></high> | 52.9 | 22.5 - 83.3 | 40.5 | 36.2 - 44.9 |
| | High School / GED | 53.8 * | 37.3 - 70.4 | 31.2 | 29.0 - 33.4 |
| | >High School | 31.3 | 18.2 - 44.3 | 22.4 | 21.2 - 23.7 |
| ANNUAL INCOME | <\$25,000 | 51.2 | 36.9 - 65.6 | 37.1 | 34.7 - 39.5 |
| | \$25,000-\$49,999 | 45.3 | 24.1 - 66.6 | 28.8 | 26.5 - 31.2 |
| | \$50,000 or More | 37.8 | 13.6 - 61.9 | 18.1 | 16.5 - 19.6 |
| MARITAL STATUS | Married/Couple | 38.9 | 25.2 - 52.7 | 26.4 | 24.9 - 27.9 |
| | Not Married/Couple | 52.0 * | 36.3 - 67.8 | 29.1 | 27.3 - 30.9 |

Percentage of adults who consumed five or more servings of fruits or vegetables per day

| | | 2013 | County | 2013 | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 14.5 | 7.2 - 21.8 | 18.3 | 17.3 - 19.4 |
| SEX | Men | 7.9 | 0.0 - 16.3 | 16.1 | 14.5 - 17.6 |
| | Women | 22.2 | 10.6 - 33.7 | 20.4 | 19.0 - 21.8 |
| RACE/ETHNICITY | Non-Hisp. White | 13.0 | 5.4 - 20.5 | 16.3 | 15.4 - 17.3 |
| | Non-Hisp. Black | NA | | 22.4 | 18.9 - 26.0 |
| | Hispanic | NA | | 19.8 | 16.8 - 22.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.4 | 0.0 - 14.5 | 14.0 | 12.6 - 15.5 |
| | Non-Hisp. White Women | 21.2 | 8.7 - 33.6 | 18.5 | 17.2 - 19.7 |
| | Non-Hisp. Black Men | NA | | 18.2 | 13.0 - 23.4 |
| | Non-Hisp. Black Women | NA | | 26.3 | 21.5 - 31.0 |
| | Hispanic Men | NA | | 19.0 | 14.5 - 23.5 |
| | Hispanic Women | NA | | 20.6 | 16.5 - 24.7 |
| AGE GROUP | 18-44 | 17.0 | 1.3 - 32.7 | 19.9 | 18.0 - 21.7 |
| | 45-64 | 13.4 | 6.0 - 20.7 | 17.9 | 16.3 - 19.5 |
| | 65 & Older | 11.0 | 4.8 - 17.3 | 16.2 | 14.6 - 17.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>26.4</th><th>0.0 - 56.3</th><th>18.7</th><th>15.1 - 22.3</th></high> | 26.4 | 0.0 - 56.3 | 18.7 | 15.1 - 22.3 |
| | High School / GED | 6.8 * | 2.7 - 11.0 | 14.5 | 12.6 - 16.3 |
| | >High School | 16.6 | 6.4 - 26.9 | 20.4 | 19.1 - 21.6 |
| ANNUAL INCOME | <\$25,000 | 27.7 | 11.6 - 43.8 | 17.7 | 15.6 - 19.8 |
| | \$25,000-\$49,999 | 5.2 * | 0.7 - 9.7 | 19.0 | 16.8 - 21.2 |
| | \$50,000 or More | 8.4 * | 2.9 - 13.9 | 19.7 | 18.1 - 21.3 |
| MARITAL STATUS | Married/Couple | 10.6 | 3.1 - 18.1 | 19.4 | 18.0 - 20.8 |
| | Not Married/Couple | 20.7 | 6.5 - 35.0 | 17.0 | 15.6 - 18.5 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Physical Activity & Nutrition

Percentage of adults who are inactive or insufficiently active

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|------------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 63.1 | 54.0 - 72.2 | 52.9 | 51.6 - 54.3 |
| SEX | Men | 67.7 * | 54.7 - 80.8 | 51.1 | 49.0 - 53.1 |
| | Women | 57.8 | 46.3 - 69.3 | 54.5 | 52.8 - 56.3 |
| RACE/ETHNICITY | Non-Hisp. White | 65.0 * | 55.7 - 74.2 | 48.8 | 47.5 - 50.1 |
| | Non-Hisp. Black | NA | | 56.9 | 52.6 - 61.3 |
| | Hispanic | NA | | 59.3 | 55.2 - 63.4 |
| EX BY RACE/ETHNICITY | Non-Hisp. White Men | 71.3 * | 58.9 - 83.7 | 46.3 | 44.2 - 48.3 |
| | Non-Hisp. White Women | 57.4 | 45.1 - 69.7 | 51.0 | 49.3 - 52.7 |
| | Non-Hisp. Black Men | NA | | 54.2 | 47.1 - 61.2 |
| | Non-Hisp. Black Women | NA | | 59.4 | 54.0 - 64.7 |
| | Hispanic Men | NA | | 59.3 | 53.3 - 65.4 |
| | Hispanic Women | NA | | 59.3 | 53.7 - 64.9 |
| AGE GROUP | 18-44 | 76.7 * | 62.1 - 91.3 | 54.3 | 51.7 - 56.8 |
| | 45-64 | 52.1 | 39.8 - 64.3 | 55.2 | 53.0 - 57.3 |
| | 65 & Older | 54.9 | 43.4 - 66.5 | 47.5 | 45.5 - 49.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>76.9</td><td>58.5 - 95.2</td><td>64.2</td><td>59.9 - 68.6</td></high> | 76.9 | 58.5 - 95.2 | 64.2 | 59.9 - 68.6 |
| | High School / GED | 70.4 | 56.6 - 84.2 | 55.6 | 53.0 - 58.1 |
| | >High School | 52.8 | 39.4 - 66.3 | 48.4 | 46.8 - 50.0 |
| ANNUAL INCOME | <\$25,000 | 63.4 | 49.8 - 77.1 | 61.0 | 58.4 - 63.6 |
| | \$25,000-\$49,999 | 66.9 | 49.7 - 84.2 | 56.2 | 53.5 - 58.9 |
| | \$50,000 or More | 57.3 | 36.5 - 78.1 | 43.5 | 41.3 - 45.7 |
| MARITAL STATUS | Married/Couple | 61.3 | 49.4 - 73.1 | 50.5 | 48.7 - 52.2 |
| | Not Married/Couple | 65.1 | 50.5 - 79.8 | 55.8 | 53.7 - 57.9 |
| ntage of adults who | meet aerobic recommen | dations | | | |
| | | 2013 | County | 2013 | State |

| | | | County | | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 40.0 | 29.9 - 50.0 | 50.2 | 48.9 - 51.5 |
| SEX | Men | 37.1 | 21.4 - 52.7 | 52.0 | 50.0 - 54.0 |
| | Women | 43.4 | 32.0 - 54.8 | 48.6 | 46.9 - 50.4 |
| RACE/ETHNICITY | Non-Hisp. White | 38.4 * | 27.9 - 48.8 | 53.8 | 52.5 - 55.1 |
| | Non-Hisp. Black | NA | | 46.8 | 42.5 - 51.1 |
| | Hispanic | NA | | 45.0 | 41.0 - 49.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 34.0 * | 18.2 - 49.8 | 56.3 | 54.3 - 58.2 |
| | Non-Hisp. White Women | 43.8 | 31.7 - 55.9 | 51.7 | 50.0 - 53.3 |
| | Non-Hisp. Black Men | NA | | 48.8 | 41.9 - 55.6 |
| | Non-Hisp. Black Women | NA | | 45.0 | 39.7 - 50.4 |
| | Hispanic Men | NA | | 45.3 | 39.4 - 51.2 |
| | Hispanic Women | NA | | 44.8 | 39.4 - 50.2 |
| AGE GROUP | 18-44 | 30.0 | 11.1 - 49.0 | 50.7 | 48.2 - 53.1 |
| | 45-64 | 48.8 | 36.7 - 60.9 | 47.6 | 45.4 - 49.7 |
| | 65 & Older | 46.1 | 34.6 - 57.5 | 53.6 | 51.7 - 55.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>40.3</th><th>8.0 - 72.6</th><th>38.8</th><th>34.4 - 43.2</th></high> | 40.3 | 8.0 - 72.6 | 38.8 | 34.4 - 43.2 |
| | High School / GED | 30.7 * | 16.8 - 44.6 | 47.7 | 45.2 - 50.2 |
| | >High School | 47.6 | 34.2 - 61.0 | 54.7 | 53.1 - 56.2 |
| ANNUAL INCOME | <\$25,000 | 37.6 | 24.0 - 51.2 | 42.3 | 39.7 - 44.9 |
| | \$25,000-\$49,999 | 40.9 | 19.4 - 62.3 | 47.8 | 45.1 - 50.4 |
| | \$50,000 or More | 43.6 | 22.8 - 64.4 | 59.2 | 57.1 - 61.3 |
| MARITAL STATUS | Married/Couple | 42.6 | 29.1 - 56.2 | 52.5 | 50.7 - 54.2 |
| | Not Married/Couple | 36.5 | 21.9 - 51.1 | 47.6 | 45.5 - 49.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Physical Activity & Nutrition

Percentage of adults who meet muscle strengthening recommendations

| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-------------------|
| ALL | Overall | 20.2 | 10.6 - 29.8 | 29.6 | 28.4 - 30.7 |
| SEX | Men | 25.1 | 8.5 - 41.6 | 36.0 | 34.1 - 37.8 |
| | Women | 14.7 * | 8.2 - 21.1 | 23.6 | 22.2 - 25.0 |
| RACE/ETHNICITY | Non-Hisp. White | 21.3 | 11.0 - 31.6 | 29.3 | 28.1 - 30.4 |
| | Non-Hisp. Black | NA | | 35.0 | 31.0 - 38.9 |
| | Hispanic | NA | | 28.0 | 24.6 - 31.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 26.5 | 9.2 - 43.8 | 34.1 | 32.2 - 36.0 |
| | Non-Hisp. White Women | 15.2 * | 8.1 - 22.2 | 24.8 | 23.4 - 26.2 |
| | Non-Hisp. Black Men | NA | | 45.0 | 38.7 - 51.4 |
| | Non-Hisp. Black Women | NA | | 25.9 | 21.5 - 30.3 |
| | Hispanic Men | NA | | 37.0 | 31.7 - 42.3 |
| | Hispanic Women | NA | | 19.4 | 15.4 - 23.5 |
| AGE GROUP | 18-44 | 28.4 | 7.2 - 49.7 | 37.4 | 35.2 - 39.5 |
| | 45-64 | 11.7 * | 6.4 - 17.1 | 25.4 | 23.6 - 27.2 |
| | 65 & Older | 19.0 | 10.4 - 27.6 | 21.8 | 20.2 - 23.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>26.5</td><td>0.0 - 60.4</td><td>20.7</td><td>16.8 - 24.6</td></high> | 26.5 | 0.0 - 60.4 | 20.7 | 16.8 - 24.6 |
| | High School / GED | 20.7 | 3.4 - 38.0 | 26.2 | 24.0 - 28.5 |
| | >High School | 17.4 * | 10.3 - 24.5 | 33.8 | 32.3 - 35.2 |
| ANNUAL INCOME | <\$25,000 | 7.0 * | 2.0 - 12.1 | 23.6 | 21.5 - 25.7 |
| | \$25,000-\$49,999 | 30.0 | 6.1 - 53.9 | 27.1 | 24.9 - 29.4 |
| | \$50,000 or More | 17.2 * | 7.3 - 27.0 | 37.3 | 35.2 - 39.3 |
| MARITAL STATUS | Married/Couple | 19.1 | 7.5 - 30.7 | 28.1 | 26.6 - 29.6 |
| | Not Married/Couple | 20.1 | 3.4 - 36.9 | 31.3 | 29.5 - 33.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Cancer Screening/Breast

Percentage of women aged 40 to 74 years who received a mammogram in the past year

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 47.4 | 35.6 - 59.1 | 57.5 | 55.3 - 59.6 |
| SEX | Women | 47.4 | 35.6 - 59.1 | 57.5 | 55.3 - 59.6 |
| RACE/ETHNICITY | Non-Hisp. White | 48.3 | 36.2 - 60.4 | 56.2 | 54.2 - 58.2 |
| | Non-Hisp. Black | NA | | 61.0 | 54.4 - 67.6 |
| | Hispanic | NA | | 61.0 | 54.2 - 67.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 48.3 | 36.2 - 60.4 | 56.2 | 54.2 - 58.2 |
| | Non-Hisp. Black Women | NA | | 61.0 | 54.4 - 67.6 |
| | Hispanic Women | NA | | 61.0 | 54.2 - 67.7 |
| AGE GROUP | 18-44 | NA | | 44.0 | 37.6 - 50.3 |
| | 45-64 | 50.6 | 36.7 - 64.5 | 57.0 | 54.2 - 59.8 |
| | 65 & Older | 61.6 | 42.3 - 80.9 | 67.5 | 64.3 - 70.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>49.3</th><th>40.5 - 58.1</th></high> | NA | | 49.3 | 40.5 - 58.1 |
| | High School / GED | 55.0 | 38.8 - 71.2 | 58.0 | 54.1 - 61.8 |
| | >High School | 46.7 | 29.7 - 63.7 | 59.0 | 56.6 - 61.5 |
| ANNUAL INCOME | <\$25,000 | 27.1 * | 13.7 - 40.4 | 52.4 | 47.8 - 57.0 |
| | \$25,000-\$49,999 | 64.1 | 36.9 - 91.4 | 50.9 | 46.5 - 55.2 |
| | \$50,000 or More | 68.9 | 48.4 - 89.3 | 64.8 | 61.7 - 67.9 |
| MARITAL STATUS | Married/Couple | 68.7 | 55.4 - 81.9 | 59.9 | 57.3 - 62.6 |
| | Not Married/Couple | 25.5 * | 9.2 - 41.8 | 53.6 | 50.1 - 57.2 |

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

| | | 2013 County | | 2013 | State |
|-----------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 58.2 | 47.5 - 68.9 | 56.0 | 54.2 - 57.7 |
| SEX | Women | 58.2 | 47.5 - 68.9 | 56.0 | 54.2 - 57.7 |
| RACE/ETHNICITY | Non-Hisp. White | 59.1 | 48.0 - 70.2 | 57.8 | 56.2 - 59.4 |
| | Non-Hisp. Black | NA | | 59.3 | 54.2 - 64.5 |
| | Hispanic | NA | | 50.2 | 44.7 - 55.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 59.1 | 48.0 - 70.2 | 57.8 | 56.2 - 59.4 |
| | Non-Hisp. Black Women | NA | | 59.3 | 54.2 - 64.5 |
| | Hispanic Women | NA | | 50.2 | 44.7 - 55.6 |
| AGE GROUP | 18-44 | NA | | 50.7 | 47.5 - 54.0 |
| | 45-64 | 55.1 | 41.2 - 69.1 | 60.1 | 57.3 - 62.9 |
| | 65 & Older | 48.7 | 34.1 - 63.3 | 58.1 | 55.7 - 60.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>45.6</th><th>39.2 - 52.0</th></high> | NA | | 45.6 | 39.2 - 52.0 |
| | High School / GED | 40.8 | 26.7 - 55.0 | 51.2 | 47.9 - 54.5 |
| | >High School | 74.3 * | 63.1 - 85.5 | 60.9 | 58.9 - 62.9 |
| ANNUAL INCOME | <\$25,000 | 51.5 | 33.9 - 69.2 | 48.4 | 45.1 - 51.7 |
| | \$25,000-\$49,999 | 64.8 | 45.3 - 84.3 | 52.6 | 49.1 - 56.1 |
| | \$50,000 or More | 84.0 | 68.9 - 99.0 | 67.8 | 65.0 - 70.5 |
| MARITAL STATUS | Married/Couple | 67.9 | 55.2 - 80.6 | 60.6 | 58.3 - 62.8 |
| | Not Married/Couple | 51.4 | 33.9 - 68.8 | 51.4 | 48.8 - 54.0 |
| | | | | | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 50.9 | 35.9 - 65.9 | 51.4 | 49.3 - 53.5 |
| SEX | Women | 50.9 | 35.9 - 65.9 | 51.4 | 49.3 - 53.5 |
| RACE/ETHNICITY | Non-Hisp. White | 47.5 | 31.3 - 63.7 | 49.3 | 47.3 - 51.4 |
| | Non-Hisp. Black | NA | | 56.3 | 50.2 - 62.4 |
| | Hispanic | NA | | 53.5 | 47.5 - 59.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 47.5 | 31.3 - 63.7 | 49.3 | 47.3 - 51.4 |
| | Non-Hisp. Black Women | NA | | 56.3 | 50.2 - 62.4 |
| | Hispanic Women | NA | | 53.5 | 47.5 - 59.4 |
| AGE GROUP | 18-44 | NA | | 56.6 | 53.3 - 59.8 |
| | 45-64 | 46.7 | 30.3 - 63.2 | 52.3 | 49.0 - 55.6 |
| | 65 & Older | 30.1 | 9.9 - 50.2 | 34.3 | 30.9 - 37.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>48.0</th><th>40.6 - 55.5</th></high> | NA | | 48.0 | 40.6 - 55.5 |
| | High School / GED | 24.5 * | 9.1 - 39.9 | 46.3 | 42.1 - 50.4 |
| | >High School | 61.5 | 42.4 - 80.6 | 54.6 | 52.2 - 57.0 |
| ANNUAL INCOME | <\$25,000 | 49.0 | 26.1 - 71.9 | 48.3 | 44.5 - 52.1 |
| | \$25,000-\$49,999 | NA | | 43.7 | 39.4 - 47.9 |
| | \$50,000 or More | NA | | 61.2 | 57.8 - 64.5 |
| MARITAL STATUS | Married/Couple | 50.9 | 31.7 - 70.1 | 55.3 | 52.5 - 58.0 |
| | Not Married/Couple | 53.9 | 32.2 - 75.6 | 47.4 | 44.3 - 50.5 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a stool blood test in the past year

| | | 2013 (Measure | County 95% CI | 2013 Measure | S State 95% CI |
|----------------------------|--|-------------------|------------------|-----------------|-------------------|
| ALL | Overall | 11.3 | 5.5 - 17.2 | 13.9 | 12.8 - 15.0 |
| SEX | Men | 16.3 | 5.1 - 27.6 | 13.0 | 11.5 - 14.5 |
| | Women | 7.4 * | 2.2 - 12.6 | 14.7 | 13.2 - 16.1 |
| RACE/ETHNICITY | Non-Hisp. White | 9.8 | 4.0 - 15.6 | 13.6 | 12.7 - 14.6 |
| | Non-Hisp. Black | NA | | 14.4 | 10.3 - 18.5 |
| | Hispanic | NA | | 13.9 | 9.7 - 18.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 15.8 | 3.9 - 27.7 | 13.4 | 12.0 - 14.8 |
| | Non-Hisp. White Women | 5.2 * | 1.3 - 9.1 | 13.9 | 12.7 - 15.1 |
| | Non-Hisp. Black Men | NA | | 13.9 | 6.8 - 21.0 |
| | Non-Hisp. Black Women | NA | | 14.9 | 10.6 - 19.2 |
| | Hispanic Men | NA | | 10.9 | 5.2 - 16.5 |
| | Hispanic Women | NA | | 16.2 | 10.2 - 22.2 |
| AGE GROUP | 45-64 | 8.2 | 0.6 - 15.8 | 9.3 | 7.9 - 10.6 |
| | 65 & Older | 15.1 | 6.2 - 24.0 | 19.2 | 17.6 - 20.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>14.0</th><th>9.6 - 18.4</th></high> | NA | | 14.0 | 9.6 - 18.4 |
| | High School / GED | 7.9 | 1.0 - 14.8 | 14.4 | 12.6 - 16.2 |
| | >High School | 17.3 | 6.7 - 27.9 | 13.7 | 12.5 - 14.9 |
| ANNUAL INCOME | <\$25,000 | 13.2 | 3.0 - 23.3 | 15.9 | 13.3 - 18.4 |
| | \$25,000-\$49,999 | 5.4 * | 0.2 - 10.5 | 13.4 | 11.6 - 15.3 |
| | \$50,000 or More | 18.3 | 2.2 - 34.4 | 12.9 | 11.3 - 14.6 |
| MARITAL STATUS | Married/Couple | 14.8 | 6.2 - 23.4 | 14.3 | 12.9 - 15.8 |
| Percentage of adults 50 ve | Not Married/Couple | 5.4 * | 0.5 - 10.3 | 13.2 | 11.7 - 14.8 |

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 49.6 | 40.8 - 58.4 | 55.3 | 53.7 - 56.9 |
| SEX | Men | 49.9 | 35.2 - 64.6 | 57.1 | 54.7 - 59.6 |
| | Women | 49.4 | 38.7 - 60.2 | 53.7 | 51.6 - 55.8 |
| RACE/ETHNICITY | Non-Hisp. White | 47.9 | 38.9 - 56.8 | 56.6 | 55.2 - 58.1 |
| | Non-Hisp. Black | NA | | 57.1 | 51.4 - 62.8 |
| | Hispanic | NA | | 50.7 | 44.4 - 57.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 47.5 | 32.7 - 62.3 | 58.6 | 56.3 - 61.0 |
| | Non-Hisp. White Women | 48.1 | 37.0 - 59.2 | 54.9 | 53.1 - 56.8 |
| | Non-Hisp. Black Men | NA | | 61.0 | 52.1 - 69.9 |
| | Non-Hisp. Black Women | NA | | 53.5 | 46.5 - 60.5 |
| | Hispanic Men | NA | | 48.5 | 38.5 - 58.6 |
| | Hispanic Women | NA | | 52.3 | 44.2 - 60.5 |
| AGE GROUP | 45-64 | 39.8 | 27.4 - 52.1 | 46.8 | 44.4 - 49.3 |
| | 65 & Older | 61.6 | 51.0 - 72.2 | 65.1 | 63.3 - 66.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>47.5</th><th>41.4 - 53.7</th></high> | NA | | 47.5 | 41.4 - 53.7 |
| | High School / GED | 51.1 | 36.8 - 65.4 | 53.7 | 51.0 - 56.5 |
| | >High School | 54.3 | 42.5 - 66.2 | 58.4 | 56.6 - 60.2 |
| ANNUAL INCOME | <\$25,000 | 49.4 | 35.7 - 63.1 | 49.0 | 45.7 - 52.4 |
| | \$25,000-\$49,999 | 46.6 | 28.5 - 64.7 | 53.2 | 49.9 - 56.5 |
| | \$50,000 or More | 50.2 | 34.6 - 65.8 | 61.2 | 58.7 - 63.6 |
| MARITAL STATUS | Married/Couple | 53.5 | 42.3 - 64.8 | 58.6 | 56.7 - 60.6 |
| | Not Married/Couple | 42.8 | 28.5 - 57.2 | 50.0 | 47.4 - 52.7 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 44.1 | 33.4 - 54.9 | 42.6 | 41.4 - 43.9 |
| SEX | Men | 49.8 | 33.1 - 66.5 | 41.2 | 39.3 - 43.1 |
| | Women | 37.7 | 25.7 - 49.6 | 43.9 | 42.2 - 45.6 |
| RACE/ETHNICITY | Non-Hisp. White | 42.3 | 30.9 - 53.7 | 34.4 | 33.2 - 35.6 |
| | Non-Hisp. Black | NA | | 65.8 | 62.1 - 69.5 |
| | Hispanic | NA | | 48.7 | 44.9 - 52.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 48.0 | 30.4 - 65.5 | 35.3 | 33.4 - 37.2 |
| | Non-Hisp. White Women | 35.5 | 22.7 - 48.2 | 33.5 | 32.0 - 35.1 |
| | Non-Hisp. Black Men | NA | | 62.0 | 55.9 - 68.0 |
| | Non-Hisp. Black Women | NA | | 69.3 | 64.7 - 73.8 |
| | Hispanic Men | NA | | 44.9 | 39.5 - 50.4 |
| | Hispanic Women | NA | | 52.3 | 47.0 - 57.6 |
| AGE GROUP | 18-44 | 64.0 | 44.7 - 83.3 | 56.9 | 54.7 - 59.2 |
| | 45-64 | 34.4 | 23.5 - 45.3 | 42.7 | 40.6 - 44.8 |
| | 65 & Older | 19.8 | 9.9 - 29.8 | 15.9 | 14.3 - 17.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>56.0</th><th>27.9 - 84.0</th><th>39.4</th><th>35.0 - 43.7</th></high> | 56.0 | 27.9 - 84.0 | 39.4 | 35.0 - 43.7 |
| | High School / GED | 48.5 | 30.7 - 66.3 | 39.8 | 37.4 - 42.3 |
| | >High School | 36.0 | 24.0 - 48.0 | 45.0 | 43.5 - 46.5 |
| ANNUAL INCOME | <\$25,000 | 42.0 | 27.1 - 56.8 | 48.8 | 46.3 - 51.3 |
| | \$25,000-\$49,999 | 46.4 | 24.5 - 68.4 | 40.8 | 38.2 - 43.4 |
| | \$50,000 or More | 46.7 | 23.6 - 69.7 | 41.7 | 39.6 - 43.8 |
| MARITAL STATUS | Married/Couple | 36.8 | 22.2 - 51.3 | 39.9 | 38.2 - 41.6 |
| | Not Married/Couple | 54.0 | 38.3 - 69.6 | 46.1 | 44.1 - 48.1 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Immunization

Percentage of adults who received a flu shot in the past year

| | | | County | | State |
|-----------------------|---|---------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 29.5 | 21.5 - 37.4 | 30.7 | 29.6 - 31.8 |
| SEX | Men | 23.8 | 12.8 - 34.9 | 29.5 | 27.9 - 31.2 |
| | Women | 36.4 | 26.5 - 46.3 | 31.8 | 30.3 - 33.3 |
| RACE/ETHNICITY | Non-Hisp. White | 29.3 | 20.9 - 37.6 | 36.6 | 35.5 - 37.8 |
| | Non-Hisp. Black | NA | | 17.9 | 15.2 - 20.6 |
| | Hispanic | NA | | 26.1 | 22.6 - 29.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 21.9 * | 11.0 - 32.7 | 35.3 | 33.6 - 37.0 |
| | Non-Hisp. White Women | 39.0 | 28.5 - 49.4 | 37.8 | 36.3 - 39.3 |
| | Non-Hisp. Black Men | NA | | 16.6 | 12.7 - 20.5 |
| | Non-Hisp. Black Women | NA | | 19.1 | 15.4 - 22.7 |
| | Hispanic Men | NA | | 25.5 | 20.6 - 30.4 |
| | Hispanic Women | NA | | 26.6 | 21.8 - 31.4 |
| AGE GROUP | 18-44 | 25.6 | 9.7 - 41.5 | 18.6 | 17.0 - 20.3 |
| | 45-64 | 20.7 | 11.5 - 29.9 | 29.5 | 27.6 - 31.4 |
| | 65 & Older | 50.1 | 39.2 - 61.0 | 54.6 | 52.7 - 56.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>20.2</th><th>4.2 - 36.2</th><th>26.5</th><th>22.5 - 30.5</th></high> | 20.2 | 4.2 - 36.2 | 26.5 | 22.5 - 30.5 |
| | High School / GED | 26.2 | 14.6 - 37.7 | 28.8 | 26.7 - 30.8 |
| | >High School | 35.1 | 22.8 - 47.4 | 32.8 | 31.6 - 34.1 |
| ANNUAL INCOME | <\$25,000 | 31.5 | 19.7 - 43.4 | 25.4 | 23.3 - 27.5 |
| | \$25,000-\$49,999 | 28.3 | 11.8 - 44.7 | 31.3 | 29.0 - 33.5 |
| | \$50,000 or More | 26.6 | 11.6 - 41.6 | 34.0 | 32.2 - 35.8 |
| MARITAL STATUS | Married/Couple | 28.0 | 17.8 - 38.3 | 34.2 | 32.7 - 35.7 |
| | Not Married/Couple | 31.8 | 18.8 - 44.8 | 26.7 | 25.1 - 28.4 |

Percentage of adults 65 years of age and older who received a flu shot in the past year

| | | 2013 County | | 2013 | 3 State |
|------------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 50.1 | 39.2 - 61.1 | 54.6 | 52.7 - 56.5 |
| SEX | Men | 50.7 | 33.4 - 68.0 | 54.4 | 51.2 - 57.5 |
| | Women | 49.7 | 35.6 - 63.8 | 54.7 | 52.4 - 57.1 |
| RACE/ETHNICITY | Non-Hisp. White | 52.0 | 40.4 - 63.6 | 58.5 | 56.9 - 60.2 |
| | Non-Hisp. Black | NA | | 34.3 | 26.6 - 41.9 |
| | Hispanic | NA | | 46.6 | 37.1 - 56.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 48.4 | 30.3 - 66.5 | 57.7 | 55.0 - 60.4 |
| | Non-Hisp. White Women | 54.7 | 39.8 - 69.6 | 59.2 | 57.1 - 61.4 |
| | Non-Hisp. Black Men | NA | | 27.5 | 16.3 - 38.7 |
| | Non-Hisp. Black Women | NA | | 39.4 | 29.8 - 49.0 |
| | Hispanic Men | NA | | 53.4 | 37.0 - 69.8 |
| | Hispanic Women | NA | | 41.0 | 30.9 - 51.2 |
| AGE GROUP | 65 & Older | 50.1 | 39.2 - 61.1 | 54.6 | 52.7 - 56.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>49.0</th><th>41.6 - 56.4</th></high> | NA | | 49.0 | 41.6 - 56.4 |
| | High School / GED | 58.9 | 42.6 - 75.2 | 53.3 | 50.3 - 56.3 |
| | >High School | 47.4 | 30.4 - 64.3 | 57.0 | 54.9 - 59.2 |
| ANNUAL INCOME | <\$25,000 | 42.4 | 25.2 - 59.5 | 48.2 | 43.7 - 52.7 |
| | \$25,000-\$49,999 | 64.4 | 45.3 - 83.4 | 56.4 | 53.2 - 59.7 |
| | \$50,000 or More | 44.0 | 24.6 - 63.3 | 59.1 | 56.1 - 62.1 |
| MARITAL STATUS | Married/Couple | 49.7 | 35.5 - 63.9 | 55.6 | 53.0 - 58.2 |
| | Not Married/Couple | 50.5 | 33.7 - 67.3 | 53.2 | 50.4 - 56.0 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Immunization

Percentage of adults who have ever received a pneumococcal vaccination

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 29.8 | 21.7 - 37.8 | 33.1 | 32.0 - 34.3 |
| SEX | Men | 21.3 | 10.5 - 32.1 | 32.9 | 31.1 - 34.7 |
| | Women | 40.5 | 30.7 - 50.4 | 33.3 | 31.8 - 34.8 |
| RACE/ETHNICITY | Non-Hisp. White | 28.4 * | 20.2 - 36.7 | 38.2 | 37.0 - 39.4 |
| | Non-Hisp. Black | NA | | 28.9 | 25.0 - 32.8 |
| | Hispanic | NA | | 24.6 | 21.3 - 28.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 19.2 * | 8.9 - 29.6 | 38.0 | 36.1 - 39.9 |
| | Non-Hisp. White Women | 41.3 | 30.9 - 51.7 | 38.3 | 36.8 - 39.9 |
| | Non-Hisp. Black Men | NA | | 29.7 | 23.0 - 36.4 |
| | Non-Hisp. Black Women | NA | | 28.2 | 23.7 - 32.7 |
| | Hispanic Men | NA | | 24.6 | 19.8 - 29.5 |
| | Hispanic Women | NA | | 24.6 | 20.0 - 29.2 |
| AGE GROUP | 18-44 | 15.6 | 1.9 - 29.4 | 19.7 | 17.7 - 21.7 |
| | 45-64 | 19.6 | 11.0 - 28.2 | 24.4 | 22.6 - 26.2 |
| | 65 & Older | 69.5 | 60.0 - 78.9 | 66.2 | 64.2 - 68.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>31.3</th><th>9.3 - 53.2</th><th>29.6</th><th>25.7 - 33.4</th></high> | 31.3 | 9.3 - 53.2 | 29.6 | 25.7 - 33.4 |
| | High School / GED | 22.3 | 12.3 - 32.3 | 34.0 | 31.8 - 36.3 |
| | >High School | 36.2 | 23.2 - 49.2 | 33.6 | 32.2 - 35.0 |
| ANNUAL INCOME | <\$25,000 | 44.3 | 30.9 - 57.7 | 32.7 | 30.4 - 34.9 |
| | \$25,000-\$49,999 | 18.1 * | 7.9 - 28.3 | 34.5 | 32.1 - 36.8 |
| | \$50,000 or More | 21.9 | 4.8 - 39.1 | 30.0 | 28.1 - 31.9 |
| MARITAL STATUS | Married/Couple | 27.9 | 17.4 - 38.3 | 33.4 | 31.8 - 34.9 |
| | Not Married/Couple | 32.3 | 19.5 - 45.1 | 32.8 | 31.0 - 34.5 |

Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

| | | 2013 County | | | State |
|-----------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| | Overall | 69.5 | 60.0 - 78.9 | 66.2 | 64.2 - 68.1 |
| SEX | Men | 60.5 | 44.8 - 76.2 | 62.7 | 59.4 - 66.1 |
| | Women | 75.2 | 63.0 - 87.3 | 69.0 | 66.6 - 71.3 |
| RACE/ETHNICITY | Non-Hisp. White | 69.2 | 59.0 - 79.3 | 71.0 | 69.4 - 72.6 |
| | Non-Hisp. Black | NA | | 49.1 | 40.3 - 57.9 |
| | Hispanic | NA | | 47.4 | 37.6 - 57.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 59.9 | 43.2 - 76.6 | 67.5 | 64.9 - 70.1 |
| | Non-Hisp. White Women | 75.4 | 62.3 - 88.5 | 73.9 | 72.0 - 75.8 |
| | Non-Hisp. Black Men | NA | | 42.6 | 27.9 - 57.4 |
| | Non-Hisp. Black Women | NA | | 53.8 | 43.8 - 63.8 |
| | Hispanic Men | NA | | 45.1 | 27.9 - 62.2 |
| | Hispanic Women | NA | | 49.4 | 38.3 - 60.5 |
| AGE GROUP | 65 & Older | 69.5 | 60.0 - 78.9 | 66.2 | 64.2 - 68.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th>55.3</th><th>47.5 - 63.1</th></high> | NA | | 55.3 | 47.5 - 63.1 |
| | High School / GED | 64.7 | 49.3 - 80.2 | 68.6 | 65.8 - 71.5 |
| | >High School | 76.6 | 64.8 - 88.4 | 68.2 | 66.0 - 70.4 |
| ANNUAL INCOME | <\$25,000 | 75.8 | 61.4 - 90.2 | 60.6 | 55.8 - 65.3 |
| | \$25,000-\$49,999 | 76.6 | 59.3 - 94.0 | 67.3 | 64.1 - 70.5 |
| | \$50,000 or More | 46.0 * | 26.5 - 65.4 | 69.4 | 66.4 - 72.3 |
| MARITAL STATUS | Married/Couple | 70.1 | 58.0 - 82.1 | 67.0 | 64.4 - 69.6 |
| | Not Married/Couple | 68.9 | 53.5 - 84.3 | 64.9 | 61.8 - 68.0 |
| | | | | | |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Immunization

Percentage of adults who have received a tetanus shot since 2005

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 64.3 * | 55.2 - 73.3 | 51.2 | 49.9 - 52.5 |
| SEX | Men | 74.1 * | 61.7 - 86.6 | 54.9 | 52.9 - 56.9 |
| | Women | 52.8 | 41.5 - 64.0 | 47.7 | 45.9 - 49.4 |
| RACE/ETHNICITY | Non-Hisp. White | 65.3 * | 55.9 - 74.7 | 52.0 | 50.7 - 53.3 |
| | Non-Hisp. Black | NA | | 47.5 | 43.3 - 51.6 |
| | Hispanic | NA | | 42.8 | 38.9 - 46.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 75.2 * | 62.7 - 87.7 | 57.0 | 55.1 - 59.0 |
| | Non-Hisp. White Women | 53.1 | 41.2 - 65.0 | 47.3 | 45.6 - 49.0 |
| | Non-Hisp. Black Men | NA | | 54.8 | 48.5 - 61.2 |
| | Non-Hisp. Black Women | NA | | 41.0 | 35.8 - 46.2 |
| | Hispanic Men | NA | | 42.1 | 36.5 - 47.8 |
| | Hispanic Women | NA | | 43.6 | 38.0 - 49.1 |
| AGE GROUP | 18-44 | 80.1 * | 66.3 - 93.8 | 57.0 | 54.7 - 59.3 |
| | 45-64 | 52.9 | 40.6 - 65.1 | 49.1 | 47.0 - 51.3 |
| | 65 & Older | 51.1 | 39.7 - 62.6 | 43.5 | 41.5 - 45.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>62.5</th><th>36.3 - 88.7</th><th>45.9</th><th>41.3 - 50.6</th></high> | 62.5 | 36.3 - 88.7 | 45.9 | 41.3 - 50.6 |
| | High School / GED | 67.5 * | 53.6 - 81.4 | 49.7 | 47.2 - 52.2 |
| | >High School | 62.0 | 49.2 - 74.8 | 53.5 | 52.0 - 55.1 |
| ANNUAL INCOME | <\$25,000 | 67.1 * | 55.1 - 79.0 | 48.3 | 45.7 - 50.8 |
| | \$25,000-\$49,999 | 61.3 | 41.8 - 80.8 | 49.6 | 47.0 - 52.2 |
| | \$50,000 or More | 63.0 | 43.5 - 82.4 | 55.4 | 53.3 - 57.5 |
| MARITAL STATUS | Married/Couple | 63.3 | 51.2 - 75.4 | 51.1 | 49.4 - 52.8 |
| | Not Married/Couple | 65.3 | 51.4 - 79.2 | 51.1 | 49.0 - 53.1 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 90.8 | 83.2 - 98.4 | 94.2 | 93.5 - 94.9 |
| SEX | Men | 85.5 | 72.1 - 99.0 | 91.9 | 90.7 - 93.1 |
| | Women | 97.0 | 94.0 -100.0 | 96.3 | 95.6 - 97.0 |
| RACE/ETHNICITY | Non-Hisp. White | 90.9 | 82.8 - 99.1 | 94.7 | 94.0 - 95.4 |
| | Non-Hisp. Black | NA | | 91.8 | 89.2 - 94.4 |
| | Hispanic | NA | | 94.1 | 92.2 - 95.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 85.2 | 71.0 - 99.3 | 92.2 | 90.9 - 93.4 |
| | Non-Hisp. White Women | 98.0 | 95.7 -100.0 | 97.1 | 96.5 - 97.7 |
| | Non-Hisp. Black Men | NA | | 89.2 | 84.9 - 93.5 |
| | Non-Hisp. Black Women | NA | | 94.1 | 91.1 - 97.1 |
| | Hispanic Men | NA | | 92.3 | 89.2 - 95.4 |
| | Hispanic Women | NA | | 95.7 | 93.8 - 97.7 |
| AGE GROUP | 18-44 | 81.8 | 64.8 - 98.8 | 91.8 | 90.5 - 93.1 |
| | 45-64 | 98.8 * | 97.2 -100.0 | 95.6 | 94.6 - 96.6 |
| | 65 & Older | 95.5 | 91.4 - 99.5 | 96.4 | 95.7 - 97.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>76.1</th><th>42.2 -100.0</th><th>89.5</th><th>86.7 - 92.2</th></high> | 76.1 | 42.2 -100.0 | 89.5 | 86.7 - 92.2 |
| | High School / GED | 91.4 | 82.2 -100.0 | 94.1 | 92.9 - 95.2 |
| | >High School | 95.8 | 92.1 - 99.6 | 95.4 | 94.7 - 96.2 |
| ANNUAL INCOME | <\$25,000 | 94.4 | 89.5 - 99.3 | 91.7 | 90.1 - 93.3 |
| | \$25,000-\$49,999 | 79.7 | 58.9 -100.0 | 94.6 | 93.4 - 95.8 |
| | \$50,000 or More | 97.6 | 94.8 -100.0 | 96.2 | 95.3 - 97.1 |
| MARITAL STATUS | Married/Couple | 86.7 | 74.6 - 98.7 | 95.8 | 95.1 - 96.5 |
| | Not Married/Couple | 96.9 | 93.5 -100.0 | 92.3 | 91.1 - 93.6 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Health-Related Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 76.7 | 69.4 - 84.0 | 80.5 | 79.5 - 81.4 |
| SEX | Men | 78.2 | 66.4 - 89.9 | 81.6 | 80.2 - 83.0 |
| | Women | 75.3 | 66.7 - 83.9 | 79.4 | 78.1 - 80.8 |
| RACE/ETHNICITY | Non-Hisp. White | 76.4 | 68.6 - 84.1 | 82.3 | 81.4 - 83.2 |
| | Non-Hisp. Black | NA | | 80.3 | 77.3 - 83.2 |
| | Hispanic | NA | | 76.0 | 73.1 - 78.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 77.5 | 65.1 - 89.9 | 82.4 | 80.9 - 83.8 |
| | Non-Hisp. White Women | 75.2 | 66.0 - 84.3 | 82.2 | 81.0 - 83.4 |
| | Non-Hisp. Black Men | NA | | 81.8 | 77.3 - 86.3 |
| | Non-Hisp. Black Women | NA | | 78.8 | 75.1 - 82.6 |
| | Hispanic Men | NA | | 80.5 | 76.7 - 84.2 |
| | Hispanic Women | NA | | 71.7 | 67.4 - 76.1 |
| AGE GROUP | 18-44 | 82.7 | 68.2 - 97.3 | 86.9 | 85.5 - 88.4 |
| | 45-64 | 74.4 | 64.6 - 84.3 | 76.3 | 74.5 - 78.2 |
| | 65 & Older | 70.3 | 59.8 - 80.8 | 74.6 | 72.9 - 76.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>66.1</th><th>43.5 - 88.7</th><th>63.3</th><th>59.5 - 67.2</th></high> | 66.1 | 43.5 - 88.7 | 63.3 | 59.5 - 67.2 |
| | High School / GED | 74.6 | 62.7 - 86.5 | 79.3 | 77.5 - 81.1 |
| | >High School | 83.0 | 73.0 - 93.1 | 85.8 | 84.8 - 86.8 |
| ANNUAL INCOME | <\$25,000 | 65.7 | 52.9 - 78.5 | 66.3 | 64.0 - 68.5 |
| | \$25,000-\$49,999 | 75.2 | 59.7 - 90.8 | 82.2 | 80.3 - 84.2 |
| | \$50,000 or More | 96.8 * | 93.5 -100.0 | 91.9 | 90.9 - 92.9 |
| MARITAL STATUS | Married/Couple | 79.7 | 70.0 - 89.5 | 82.5 | 81.2 - 83.7 |
| | Not Married/Couple | 70.9 | 59.7 - 82.1 | 78.0 | 76.4 - 79.5 |

Percentage of adults who had poor physical health on 14 or more of the past 30 days

| | | 2013 County | | 2013 | State |
|-----------------------|---|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 16.9 | 10.4 - 23.3 | 14.1 | 13.3 - 15.0 |
| SEX | Men | 16.0 | 6.2 - 25.8 | 13.0 | 11.8 - 14.3 |
| | Women | 17.8 | 9.8 - 25.8 | 15.2 | 14.0 - 16.4 |
| RACE/ETHNICITY | Non-Hisp. White | 15.9 | 9.4 - 22.5 | 13.9 | 13.0 - 14.7 |
| | Non-Hisp. Black | NA | | 12.4 | 9.8 - 15.0 |
| | Hispanic | NA | | 15.9 | 13.3 - 18.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.8 | 5.1 - 24.5 | 12.6 | 11.4 - 13.8 |
| | Non-Hisp. White Women | 17.2 | 8.9 - 25.6 | 15.0 | 13.9 - 16.2 |
| | Non-Hisp. Black Men | NA | | 13.5 | 8.9 - 18.1 |
| | Non-Hisp. Black Women | NA | | 11.4 | 8.6 - 14.2 |
| | Hispanic Men | NA | | 12.9 | 9.7 - 16.1 |
| | Hispanic Women | NA | | 18.9 | 14.9 - 22.9 |
| AGE GROUP | 18-44 | 9.6 | 0.0 - 20.1 | 9.7 | 8.5 - 11.0 |
| | 45-64 | 23.8 | 13.6 - 34.0 | 18.3 | 16.6 - 20.0 |
| | 65 & Older | 20.1 | 9.9 - 30.3 | 16.6 | 15.2 - 18.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>31.3</th><th>9.1 - 53.5</th><th>24.7</th><th>21.0 - 28.3</th></high> | 31.3 | 9.1 - 53.5 | 24.7 | 21.0 - 28.3 |
| | High School / GED | 14.7 | 6.0 - 23.3 | 14.6 | 13.1 - 16.1 |
| | >High School | 13.1 | 3.5 - 22.6 | 11.2 | 10.3 - 12.0 |
| ANNUAL INCOME | <\$25,000 | 26.3 | 15.4 - 37.2 | 24.2 | 22.2 - 26.2 |
| | \$25,000-\$49,999 | 17.6 | 2.8 - 32.5 | 13.2 | 11.5 - 15.0 |
| | \$50,000 or More | 4.3 | 0.3 - 8.3 | 6.8 | 5.9 - 7.7 |
| MARITAL STATUS | Married/Couple | 13.7 | 5.7 - 21.8 | 12.9 | 11.9 - 14.0 |
| | Not Married/Couple | 22.1 | 11.2 - 33.0 | 15.5 | 14.2 - 16.8 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

| ercentage of adults who | nad poor mental health | on 14 or moi | re of the past 30 da | lys | |
|-------------------------|---|-----------------|----------------------|-----------------|-----------------|
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 19.5 | 10.8 - 28.2 | 12.7 | 11.9 - 13.6 |
| SEX | Men | 20.4 | 5.8 - 35.0 | 10.9 | 9.7 - 12.2 |
| | Women | 18.4 | 9.5 - 27.4 | 14.4 | 13.2 - 15.6 |
| RACE/ETHNICITY | Non-Hisp. White | 20.1 | 10.8 - 29.4 | 11.9 | 11.1 - 12.8 |
| | Non-Hisp. Black | NA | | 14.7 | 11.7 - 17.6 |
| | Hispanic | NA | | 13.1 | 10.6 - 15.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 21.0 | 5.7 - 36.2 | 9.7 | 8.6 - 10.9 |
| | Non-Hisp. White Women | 19.1 | 9.5 - 28.7 | 14.0 | 12.8 - 15.2 |
| | Non-Hisp. Black Men | NA | | 14.8 | 9.8 - 19.7 |
| | Non-Hisp. Black Women | NA | | 14.6 | 11.0 - 18.1 |
| | Hispanic Men | NA | | 10.7 | 7.2 - 14.3 |
| | Hispanic Women | NA | | 15.5 | 11.7 - 19.2 |
| AGE GROUP | 18-44 | 22.6 | 4.0 - 41.1 | 12.6 | 11.2 - 14.0 |
| | 45-64 | 22.7 | 11.8 - 33.5 | 16.0 | 14.2 - 17.7 |
| | 65 & Older | 10.4 | 3.1 - 17.7 | 8.4 | 7.2 - 9.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.3</td><td>0.4 - 34.2</td><td>19.7</td><td>16.1 - 23.3</td></high> | 17.3 | 0.4 - 34.2 | 19.7 | 16.1 - 23.3 |
| | High School / GED | 22.4 | 5.6 - 39.3 | 13.5 | 12.0 - 15.1 |
| | >High School | 17.6 | 6.9 - 28.3 | 10.4 | 9.5 - 11.3 |
| ANNUAL INCOME | <\$25,000 | 27.5 | 14.4 - 40.6 | 20.1 | 18.2 - 22.0 |
| | \$25,000-\$49,999 | 25.7 | 4.1 - 47.4 | 13.0 | 11.0 - 14.9 |
| | \$50,000 or More | 3.1 | 0.0 - 6.8 | 6.7 | 5.7 - 7.6 |
| MARITAL STATUS | Married/Couple | 13.5 | 5.9 - 21.1 | 10.5 | 9.4 - 11.5 |
| | Not Married/Couple | 29.0 | 11.8 - 46.2 | 15.4 | 13.9 - 16.8 |
| erage number of unheal | thy physical days in the | past 30 days | S | | |
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 5.3 | 3.5 - 7.1 | 4.5 | 4.3 - 4.7 |
| SEX | Men | 4.5 | 1.9 - 7.1 | 4.2 | 3.8 - 4.5 |
| | Women | 6.1 | 3.9 - 8.3 | 4.8 | 4.5 - 5.1 |
| RACE/ETHNICITY | Non-Hisp. White | 5.1 | 3.3 - 6.9 | 4.5 | 4.2 - 4.7 |
| | Non-Hisp. Black | NA | | 4.2 | 3.5 - 4.9 |
| | Hispanic | NA | | 4.8 | 4.2 - 5.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.4 | 1.7 - 7.1 | 4.1 | 3.8 - 4.4 |
| | Non-Hisp. White Women | 6.0 | 3.7 - 8.2 | 4.8 | 4.5 - 5.1 |
| | Non-Hisp Black Women | NΑ | | Δ1 | 34 - 48 |

| SEX | Men | 4.5 | 1.9 - 7.1 | 4.2 | 3.8 - 4.5 |
|-----------------------|---|-----|------------|-----|-----------|
| | Women | 6.1 | 3.9 - 8.3 | 4.8 | 4.5 - 5.1 |
| RACE/ETHNICITY | Non-Hisp. White | 5.1 | 3.3 - 6.9 | 4.5 | 4.2 - 4.7 |
| | Non-Hisp. Black | NA | | 4.2 | 3.5 - 4.9 |
| | Hispanic | NA | | 4.8 | 4.2 - 5.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.4 | 1.7 - 7.1 | 4.1 | 3.8 - 4.4 |
| | Non-Hisp. White Women | 6.0 | 3.7 - 8.2 | 4.8 | 4.5 - 5.1 |
| | Non-Hisp. Black Women | NA | | 4.1 | 3.4 - 4.8 |
| | Hispanic Women | NA | | 5.7 | 4.7 - 6.8 |
| AGE GROUP | 18-44 | 3.3 | 0.2 - 6.4 | 3.4 | 3.0 - 3.7 |
| | 45-64 | 6.6 | 4.1 - 9.1 | 5.6 | 5.2 - 6.0 |
| | 65 & Older | 6.9 | 4.0 - 9.8 | 5.1 | 4.8 - 5.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>9.1</th><th>2.3 - 15.9</th><th>7.4</th><th>6.4 - 8.3</th></high> | 9.1 | 2.3 - 15.9 | 7.4 | 6.4 - 8.3 |
| | High School / GED | 4.4 | 2.4 - 6.4 | 4.7 | 4.3 - 5.1 |
| | >High School | 4.5 | 1.9 - 7.2 | 3.7 | 3.5 - 3.9 |
| ANNUAL INCOME | <\$25,000 | 7.8 | 4.9 - 10.7 | 7.2 | 6.7 - 7.7 |
| | \$25,000-\$49,999 | 5.4 | 1.2 - 9.5 | 4.2 | 3.8 - 4.7 |
| | \$50,000 or More | 1.5 | 0.4 - 2.6 | 2.5 | 2.3 - 2.7 |
| MARITAL STATUS | Married/Couple | 4.3 | 2.1 - 6.5 | 4.2 | 3.9 - 4.4 |
| | Not Married/Couple | 6.9 | 3.9 - 9.8 | 4.9 | 4.6 - 5.2 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

| | | 2013 (Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|-----------------------|-------------------|------------------|-----------------|-----------------|
| ΔΙΙ | Overall | 6.5 | 4.1 - 8.8 | 4.1 | 3.8 - 4.3 |
| | Men | 6.9 | 2.7 - 11.1 | 3.5 | 3.2 - 3.9 |
| SEX. | Women | 6.1 | 3.8 - 8.4 | 4.6 | 4.3 - 4.9 |
| RACE/ETHNICITY | | 6.6 * | 4.0 - 9.2 | 3.8 | 3.6 - 4.0 |
| KACE/ETTIMOTT | Non-Hisp. Black | NA | 4.0 - 0.2 | 4.5 | 3.8 - 5.2 |
| | Hispanic | NA NA | | 4.4 | 3.7 - 5.1 |
| SEX BY RACE/ETHNICITY | | 7.0 | 2.6 - 11.4 | 3.2 | 2.9 - 3.5 |
| SEX BT RACE/ETHNICIT | Non-Hisp. White Women | 6.2 | 3.7 - 8.7 | 4.3 | 4.0 - 4.6 |
| | Non-Hisp. Black Women | NA | 3.7 - 0.7 | 4.5 | 3.8 - 5.3 |
| | | NA NA | | 5.2 | 4.2 - 6.2 |
| AGE GROUP | Hispanic Women | 8.3 | 2.9 - 13.7 | 4.2 | |
| AGE GROUP | | | | | 3.9 - 4.6 |
| | 45-64 | 6.4 | 3.6 - 9.3 | 4.9 | 4.4 - 5.4 |
| | 65 & Older | 3.7 | 1.5 - 5.9 | 2.6 | 2.3 - 2.9 |
| EDUCATION LEVEL | | 7.8 | 3.5 - 12.1 | 6.1 | 5.1 - 7.1 |
| | High School / GED | 6.7 | 1.8 - 11.6 | 4.2 | 3.8 - 4.6 |
| | >High School | 5.7 | 2.7 - 8.8 | 3.5 | 3.2 - 3.7 |
| ANNUAL INCOME | <\$25,000 | 8.4 | 4.9 - 12.0 | 6.0 | 5.5 - 6.5 |
| | \$25,000-\$49,999 | 9.2 | 3.3 - 15.0 | 4.3 | 3.7 - 4.8 |
| | \$50,000 or More | 1.4 | 0.2 - 2.5 | 2.4 | 2.1 - 2.6 |
| MARITAL STATUS | Married/Couple | 4.7 | 2.6 - 6.7 | 3.3 | 3.0 - 3.6 |
| | Not Married/Couple | 9.4 | 4.6 - 14.2 | 5.0 | 4.6 - 5.4 |

Health-Related Quality of Life

Average number of days where poor mental or physical health interferred with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|---|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 7.8 | 5.3 - 10.3 | 5.1 | 4.8 - 5.4 |
| SEX | Men | 8.9 | 4.6 - 13.2 | 5.2 | 4.7 - 5.7 |
| | Women | 6.9 | 4.2 - 9.5 | 5.1 | 4.7 - 5.5 |
| RACE/ETHNICITY | Non-Hisp. White | 7.5 | 5.0 - 10.0 | 5.5 | 5.1 - 5.8 |
| | Non-Hisp. Black | NA | | 3.8 | 3.2 - 4.4 |
| | Hispanic | NA | | 5.1 | 4.2 - 6.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 8.8 | 4.2 - 13.3 | 5.5 | 4.9 - 6.0 |
| | Non-Hisp. White Women | 6.4 | 3.7 - 9.1 | 5.4 | 5.0 - 5.8 |
| | Non-Hisp. Black Women | NA | | 3.9 | 3.1 - 4.8 |
| | Hispanic Women | NA | | 5.2 | 3.9 - 6.4 |
| AGE GROUP | 18-44 | 5.2 | 0.9 - 9.5 | 3.7 | 3.3 - 4.1 |
| | 45-64 | 11.8 * | 8.3 - 15.2 | 6.8 | 6.1 - 7.4 |
| | 65 & Older | 7.9 | 4.5 - 11.3 | 5.7 | 5.2 - 6.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>7.5</th><th>0.7 - 14.4</th><th>7.4</th><th>6.1 - 8.6</th></high> | 7.5 | 0.7 - 14.4 | 7.4 | 6.1 - 8.6 |
| | High School / GED | 8.8 * | 6.1 - 11.5 | 5.3 | 4.8 - 5.8 |
| | >High School | 7.2 | 3.3 - 11.1 | 4.3 | 4.0 - 4.6 |
| ANNUAL INCOME | <\$25,000 | 8.3 | 4.9 - 11.7 | 7.7 | 7.1 - 8.4 |
| | \$25,000-\$49,999 | 8.5 | 3.5 - 13.5 | 3.8 | 3.4 - 4.2 |
| | \$50,000 or More | 5.6 | 1.7 - 9.4 | 3.0 | 2.6 - 3.3 |
| MARITAL STATUS | Married/Couple | 7.6 | 3.9 - 11.3 | 4.8 | 4.4 - 5.2 |
| | Not Married/Couple | 8.2 | 5.0 - 11.4 | 5.5 | 5.0 - 5.9 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

Health Care Access & Coverage

| Percentage of adults with | any type of health care in | nsurance co | verage | | |
|---------------------------|--|-----------------|------------------|-----------------|-------------------|
| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
| ALL | Overall | 80.4 | 72.2 - 88.5 | 77.1 | 76.0 - 78.2 |
| SEX | Men | 78.4 | 64.6 - 92.3 | 74.5 | 72.8 - 76.2 |
| | Women | 82.4 | 74.6 - 90.3 | 79.6 | 78.2 - 81.1 |
| RACE/ETHNICITY | Non-Hisp. White | 81.8 | 73.3 - 90.3 | 85.5 | 84.6 - 86.3 |
| | Non-Hisp. Black | NA | | 69.2 | 65.4 - 73.0 |
| | Hispanic | NA | | 64.0 | 60.6 - 67.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 77.5 | 63.0 - 92.0 | 83.2 | 81.8 - 84.6 |
| | Non-Hisp. White Women | 86.7 | 79.7 - 93.7 | 87.6 | 86.5 - 88.6 |
| | Non-Hisp. Black Men | NA | | 67.8 | 61.9 - 73.7 |
| | Non-Hisp. Black Women | NA | | 70.4 | 65.5 - 75.4 |
| | Hispanic Men | NA | | 59.7 | 54.6 - 64.7 |
| | Hispanic Women | NA | | 68.1 | 63.6 - 72.6 |
| AGE GROUP | 18-44 | 77.3 | 60.0 - 94.7 | 66.5 | 64.4 - 68.5 |
| | 45-64 | 71.7 | 61.3 - 82.1 | 76.4 | 74.6 - 78.3 |
| | 65 & Older | 97.8 | 95.7 - 99.8 | 97.5 | 96.7 - 98.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>77.0</td><td>57.6 - 96.4</td><td>60.1</td><td>56.0 - 64.2</td></high> | 77.0 | 57.6 - 96.4 | 60.1 | 56.0 - 64.2 |
| | High School / GED | 72.5 | 55.6 - 89.5 | 72.1 | 69.9 - 74.2 |
| | >High School | 88.6 | 83.1 - 94.1 | 84.7 | 83.5 - 85.8 |
| ANNUAL INCOME | <\$25,000 | 79.1 * | 69.6 - 88.6 | 61.2 | 58.9 - 63.6 |
| | \$25,000-\$49,999 | 71.6 | 51.0 - 92.3 | 76.0 | 73.5 - 78.4 |
| | \$50,000 or More | 90.1 | 80.5 - 99.8 | 92.6 | 91.5 - 93.8 |
| MARITAL STATUS | Married/Couple | 82.0 | 73.7 - 90.2 | 82.1 | 80.8 - 83.5 |
| | Not Married/Couple | 77.2 | 61.0 - 93.4 | 71.1 | 69.2 - 72.9 |
| Percentage of adults who | have a personal doctor | | | | |
| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
| ALL | Overall | 80.6 | 72.1 - 89.1 | 73.2 | 72.1 - 74.4 |
| SEX | Men | 74.9 | 60.5 - 89.4 | 67.8 | 66.0 - 69.5 |
| | Women | 86.8 | 79.0 - 94.6 | 78.4 | 76.9 - 79.8 |
| RACE/ETHNICITY | Non-Hisp. White | 80.7 | 71.7 - 89.7 | 79.8 | 78.7 - 80.8 |
| | Non-Hisp. Black | NA | | 71.8 | 68.2 - 75.4 |
| | Hispanic | NA | | 59.7 | 56.2 - 63.2 |

| | | 2013 Measure | County 95% CI | 2013 Measure | State 95% CI |
|-----------------------|--|-----------------|------------------|-----------------|-----------------|
| ALL | Overall | 80.6 | 72.1 - 89.1 | 73.2 | 72.1 - 74.4 |
| SEX | Men | 74.9 | 60.5 - 89.4 | 67.8 | 66.0 - 69.5 |
| | Women | 86.8 | 79.0 - 94.6 | 78.4 | 76.9 - 79.8 |
| RACE/ETHNICITY | Non-Hisp. White | 80.7 | 71.7 - 89.7 | 79.8 | 78.7 - 80.8 |
| | Non-Hisp. Black | NA | | 71.8 | 68.2 - 75.4 |
| | Hispanic | NA | | 59.7 | 56.2 - 63.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 73.6 | 58.5 - 88.8 | 75.1 | 73.3 - 76.8 |
| | Non-Hisp. White Women | 88.9 | 81.4 - 96.3 | 84.2 | 83.0 - 85.5 |
| | Non-Hisp. Black Men | NA | | 67.4 | 61.7 - 73.0 |
| | Non-Hisp. Black Women | NA | | 75.7 | 71.1 - 80.4 |
| | Hispanic Men | NA | | 52.1 | 46.9 - 57.4 |
| | Hispanic Women | NA | | 67.0 | 62.3 - 71.6 |
| AGE GROUP | 18-44 | 71.0 | 52.6 - 89.4 | 57.0 | 54.9 - 59.1 |
| | 45-64 | 81.9 | 72.0 - 91.8 | 78.0 | 76.2 - 79.9 |
| | 65 & Older | 95.1 | 91.2 - 99.1 | 95.5 | 94.7 - 96.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>86.8 *</th><th>73.1 -100.0</th><th>59.9</th><th>55.8 - 64.0</th></high> | 86.8 * | 73.1 -100.0 | 59.9 | 55.8 - 64.0 |
| | High School / GED | 74.3 | 57.5 - 91.2 | 71.2 | 69.0 - 73.4 |
| | >High School | 83.7 | 73.6 - 93.8 | 78.0 | 76.8 - 79.3 |
| ANNUAL INCOME | <\$25,000 | 86.4 * | 76.9 - 96.0 | 61.7 | 59.3 - 64.0 |
| | \$25,000-\$49,999 | 75.1 | 55.0 - 95.3 | 73.2 | 70.7 - 75.7 |
| | \$50,000 or More | 79.5 | 63.1 - 96.0 | 85.1 | 83.7 - 86.5 |
| MARITAL STATUS | Married/Couple | 80.5 | 70.9 - 90.1 | 79.1 | 77.7 - 80.5 |
| | Not Married/Couple | 80.1 | 63.9 - 96.3 | 66.5 | 64.6 - 68.3 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. CI=Confidence Interval

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

| | | 2013 Measure | County 95% CI | 2013 Measure | 3 State 95% CI |
|---------------------|---|-----------------|------------------|-----------------|-------------------|
| ALL | Overall | 18.5 | 11.8 - 25.2 | 20.8 | 19.7 - 21.8 |
| SEX | Men | 11.1 | 2.4 - 19.8 | 18.3 | 16.9 - 19.8 |
| | Women | 26.5 | 17.1 - 35.9 | 23.1 | 21.5 - 24.6 |
| RACE/ETHNICITY | Non-Hisp. White | 19.0 | 11.9 - 26.1 | 14.7 | 13.8 - 15.5 |
| | Non-Hisp. Black | NA | | 25.1 | 21.6 - 28.6 |
| | Hispanic | NA | | 30.9 | 27.6 - 34.2 |
| X BY RACE/ETHNICITY | Non-Hisp. White Men | 11.6 | 2.5 - 20.7 | 13.5 | 12.2 - 14.9 |
| | Non-Hisp. White Women | 27.5 * | 17.4 - 37.6 | 15.7 | 14.5 - 16.9 |
| | Non-Hisp. Black Men | NA | | 21.2 | 16.0 - 26.4 |
| | Non-Hisp. Black Women | NA | | 28.5 | 23.9 - 33.2 |
| | Hispanic Men | NA | | 26.4 | 22.2 - 30.6 |
| | Hispanic Women | NA | | 35.2 | 30.4 - 40.1 |
| AGE GROUP | 18-44 | 17.4 | 4.7 - 30.1 | 27.6 | 25.6 - 29.6 |
| | 45-64 | 25.2 | 15.2 - 35.2 | 23.4 | 21.7 - 25.1 |
| | 65 & Older | 11.3 | 2.4 - 20.2 | 4.9 | 4.0 - 5.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>24.4</td><td>4.6 - 44.3</td><td>30.0</td><td>26.3 - 33.7</td></high> | 24.4 | 4.6 - 44.3 | 30.0 | 26.3 - 33.7 |
| | High School / GED | 18.6 | 8.9 - 28.2 | 22.4 | 20.3 - 24.5 |
| | >High School | 16.1 | 5.9 - 26.3 | 17.3 | 16.1 - 18.5 |
| ANNUAL INCOME | <\$25,000 | 26.0 | 14.7 - 37.4 | 35.2 | 32.9 - 37.4 |
| | \$25,000-\$49,999 | 19.6 | 4.7 - 34.6 | 21.3 | 19.1 - 23.5 |
| | \$50,000 or More | 4.6 | 0.0 - 9.5 | 8.9 | 7.5 - 10.3 |
| MARITAL STATUS | Married/Couple | 16.8 | 7.9 - 25.8 | 17.8 | 16.4 - 19.1 |
| | Not Married/Couple | 20.9 | 10.7 - 31.2 | 24.6 | 22.9 - 26.3 |
| ntage of adults who | <mark>had a medical checkup i</mark> | n the past y | ear | | |
| | | 2013 Measure | County 95% CI | 2013 Measure | S State 95% CI |
| ALL | Overall | 67.5 | 57.5 - 77.5 | 70.3 | 69.1 - 71.4 |
| SEX | Men | 66.2 | 50.0 - 82.4 | 65.6 | 63.8 - 67.3 |
| | Maman | 60.0 | F7.0 00.0 | 74.7 | 72.2 76.4 |

| | | 2013 County | | 2013 | S State |
|-----------------------|--|-------------|-------------|---------|-------------|
| | | Measure | 95% CI | Measure | 95% CI |
| ALL | Overall | 67.5 | 57.5 - 77.5 | 70.3 | 69.1 - 71.4 |
| SEX | Men | 66.2 | 50.0 - 82.4 | 65.6 | 63.8 - 67.3 |
| | Women | 68.9 | 57.8 - 80.0 | 74.7 | 73.2 - 76.1 |
| RACE/ETHNICITY | Non-Hisp. White | 66.3 | 55.7 - 76.8 | 73.0 | 71.9 - 74.1 |
| | Non-Hisp. Black | NA | | 72.4 | 68.8 - 75.9 |
| | Hispanic | NA | | 64.7 | 61.2 - 68.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 64.6 | 47.8 - 81.5 | 69.9 | 68.1 - 71.6 |
| | Non-Hisp. White Women | 68.2 | 56.3 - 80.1 | 76.0 | 74.6 - 77.3 |
| | Non-Hisp. Black Men | NA | | 67.4 | 61.8 - 73.1 |
| | Non-Hisp. Black Women | NA | | 76.8 | 72.3 - 81.3 |
| | Hispanic Men | NA | | 56.9 | 51.8 - 62.0 |
| | Hispanic Women | NA | | 72.0 | 67.4 - 76.5 |
| AGE GROUP | 18-44 | 50.4 | 29.6 - 71.1 | 57.7 | 55.6 - 59.7 |
| | 45-64 | 75.3 | 66.1 - 84.5 | 71.6 | 69.7 - 73.5 |
| | 65 & Older | 85.6 | 78.6 - 92.7 | 91.1 | 90.1 - 92.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>66.7</th><th>40.1 - 93.3</th><th>65.1</th><th>61.1 - 69.2</th></high> | 66.7 | 40.1 - 93.3 | 65.1 | 61.1 - 69.2 |
| | High School / GED | 68.4 | 51.6 - 85.3 | 69.9 | 67.8 - 72.1 |
| | >High School | 66.9 | 53.3 - 80.5 | 72.0 | 70.6 - 73.3 |
| ANNUAL INCOME | <\$25,000 | 62.1 | 47.1 - 77.1 | 64.6 | 62.3 - 66.9 |
| | \$25,000-\$49,999 | 76.8 | 60.3 - 93.3 | 67.7 | 65.2 - 70.1 |
| | \$50,000 or More | 60.2 | 36.8 - 83.5 | 76.4 | 74.7 - 78.1 |
| MARITAL STATUS | Married/Couple | 67.0 | 53.5 - 80.4 | 74.6 | 73.2 - 76.0 |
| | Not Married/Couple | 67.2 | 52.1 - 82.2 | 65.0 | 63.2 - 66.9 |

^{*} Indicates that the difference observed between the 2013 county and state measures is statistically significant. Cl=Confidence Interval

GLOSSARY

A1C Medical test that sums up how much glucose has been sticking to the

hemoglobin molucule in the bloostream during the past three to four

months.

Activities of Daily Living

Usual activities, such as self-care, work, or recreation.

Adult Individual aged 18 years or older.

Aerobic Recommendations* Performance of at least 150 minutes of moderate aerobic activity or 75

minutes of vigorous aerobic activity per week in the past 30 days.

Angina Most common symptom of coronary artery disease (CAD); chest pain or

discomfort that occurs if an area of the heart muscle does not get

enough oxygen-rich blood.

Arthritis Joint inflammation; term used in the public health field to describe more

than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity,

and location of symptoms can vary.

Asthma Disease that affects the lungs; causes repeated episodes of wheezing,

breathlessness, chest tightness, and nighttime or early morning

coughing.

Binge Drinking* For women, consumption of 4 or more drinks during a single occasion in

the past 30 days; for men, consumption of 5 or more drinks during a

single occasion in the past 30 days.

Blood Glucose Also called blood sugar; refers to the level of glucose, the main sugar

the body makes from the food we eat, that is found in the bloodstream.

Blood Pressure The force of the blood against the artery walls; two levels of blood

pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs

when the heart rests.

Blood Sugar See Blood Glucose

Body Mass Index (BMI) Body Mass Index (BMI) is a number calculated from a person's height

and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.

Cancer General name for a group of diseases; when cells in a part of the body

begin to grow out of control, forming new, abnormal cells and sometimes

invading (growing into) other tissues.

Cholesterol A substance the body uses to produce hormones, vitamin D, and food-

digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or

angina.

Chronic Bronchitis A long-term condition in which the airways that carry air to the lungs

become inflammed and produce too much mucus, making it difficult to

get air into and out of the lungs.

Chronic Diseases Diseases of long duration and generally slow progression (e.g., heart

disease; stroke; cancer; diabetes); represent the leading causes of

mortality worldwide.

Chronic Obstructive Pulmonary Disease (COPD) Term that refers to a group of diseases that cause airflow blockage and

breathing-related problems, including emphysema and chronic bronchitis.

Coronary Heart Disease (CHD) See Coronary Artery Disease (CAD)

Current Smoker* Combination of everyday smoker and some day smoker.

GLOSSARY

Depressive DisordersMental illnesses characterized by a profound and persistent feeling of

sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a

common accompaniment.

Diabetes General term for diabetes mellitus; disease in which the blood glucose

levels are above normal.

Emphysema Long-term, progressive disease of the lungs that primarily causes

shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive

Pulmonary Disease (COPD)

Everday Smoker* Adults who reported smoking at least 100 cigarettes in their lifetime and

reported smoking everyday now.

Exercise See Physical Activity

Fibromyalgia A musculoskeletal condition causing widespread muscle and joint pain

and fatigue.

Flu Contagious respiratory illness caused by influenza viruses; can cause

mild to severe illness, and at times can lead to death.

Flu Shot Influenza vaccine; an inactivated vaccine (containing killed virus) that is

given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus)

by a spray, mist, or drop in the nose called FluMist™.

Former Smoker Adults who reported smoking at least 100 cigarettes in their lifetime but

reported not smoking now.

Gout A form of arthritis caused by too much uric acid in the blood that causes

pain, stiffness, and swelling of a joint.

Health Behavior An action taken by a person to maintain, attain, or regain good health

and to prevent illness.

Health Care Coverage Example: health insurance, pre-paid plans such as HMO's, government

plans such as Medicare.

Health Care Provider A person who by education, training, certification, or licensure is qualified

to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).

Health Risk Behavior

An action taken by a person that is associated with higher than average

rates of morbidity or mortality (e.g., lack of physical activity; poor

nutrition; tobacco use; excessive alcohol consumption).

Healthy Weight Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is

calculated using self-reported height and weight.

Heart Attack Most commonly caused by coronary artery disease (CAD); occurs when

a section of the heart muscle dies or gets damaged because of reduced

blood supply.

Heavy Drinking* For women, consumption of more than 1 drink per day on average in the

past 30 days; for men, consumption of more than 2 drinks per day on

average in the past 30 days.

High Blood CholesterolCondition where there is too much cholesterol in the blood for an

extended period of time; increases the risk of coronary heart disease,

heart attack, or angina.

High Blood Pressure Condition where the blood circulates through the arteries with too much

force; tires the heart, harms the arteries, and increases the risk of heart

attack, stroke, and kidney problems.

GLOSSARY

Hispanic Adults of Cuban, Mexican, Puerto Rican, South or Central American, or

other Spanish culture or origin, regardless of race; self-reported

demographic variable.

HIV Human immunodeficiency virus (HIV) damages a person's body by

destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).

Hypertension See High Blood Pressure

Hysterectomy An operation to remove the uterus (womb) in women.

Inactive* No leisure-time physical activity, performance of aerobic activity for less

than 10 minutes at a time, or performance of only non-aerobic activities

in the past 30 days.

Influenza See Flu

Insufficiently Active* Performance of less than 150 minutes of moderate aerobic activity or 75

minutes of vigorous aerobic activity per week in the past 30 days.

Kidney Disease Also called renal disease; general term for any damage that reduces the

functioning of the kidney.

Lupus A chronic inflammatory disease resulting from an attack by the body's

own immune system.

Mammography is the process of using low-energy X-rays to examine the

human breast; this test is ordered to detect tumors and differentiate

between benign and malignant disease.

Mental Health A state of well-being in which the individual realizes his or her own

abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.

Muscle Strengthening Recommendations* Performance of muscle-strengthening activities, such as activities using

body weight, weight machines, free weights, or elastic bands, at least

two times per week in the past 30 days.

Never Smoked* Adults who reported smoking less than 100 cigarettes in their lifetime.

Non-Hispanic Black Adults not of Hispanic culture or origins reporting membership in only the

Black race category; self-reported demographic variable.

Non-Hispanic White Adults not of Hispanic culture or origins reporting membership in only the

White race category; self-reported demographic variable.

Non-smoker* Combination of former smoker and never smoked.

Obese Having a body mass index (BMI) that is greater than or equal to 30.0;

BMI is calculated using self-reported height and weight.

Obesity A condition characterized by being obese.

Overweight Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is

calculated using self-reported height and weight.

Pap Test A cervical cancer screening test in which surface cells from the cervix

are examined for cancer or pre-cancer characteristics.

Personal Doctor A health care provider that an adult identifies as their personal health

care provider.

Pneumococcal Vaccination Vaccine given with a needle, usually in the arm, to prevent

pneumoccocal pneumonia.

Pneumonia Infection of the lungs, usually caused by bacteria or viruses, that can

cause mild to severe illness.

GLOSSARY

Poor Mental Health Adults who report that their mental health, which includes stress. depression, and problems with emotions, was not good on 14 or more of the previous 30 days. **Poor Physical Health** Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days. Race/Ethnicity A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable. A general physical exam; does not include exams conducted for a **Routine Checkup** specific injury, illness, or condition. Sedentary* Participating in no leisure-time physical activity in the past 30 days. The condition or character of being male or female; self-reported Sex demographic variable. Sigmoidoscopy/Colonoscopy Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. **Smoking** Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco. Adults who reported smoking at least 100 cigarettes in their lifetime and Some Day Smoking* reported smoking some days now. A test that may use a special kit at home to determine whether the stool **Stool Blood Test** contains blood.

Sometimes called a brain attack; occurs when a clot blocks the blood

supply to the brain or when a blood vessel in the brain bursts.

A bacterial infection that affects the central nervous system and can

result in painful muscle spasms, stiff jaw, and potentially death.

Tetanus vaccine; vaccine given with a needle, usually in the shoulder

muscle; a booster tetanus vaccine should be received every ten years.

Stroke

Tetanus

Tetanus Shot

Healthy People 2020 Objectives

Alcohol Consumption

- SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages
- SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

Asthma

- RD-6. Increase the proportion of persons with current asthma who receive formal patient education
- RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

- C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines
- C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines
- C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

- HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population
- HDS-2. Reduce coronary heart disease deaths
- HDS-3. Reduce stroke deaths

Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

Diabetes

- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily
- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

Healthy People 2020 Objectives

Health Care Access & Coverage

- AHS-1. Increase the proportion of persons with medical insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

Health-Related Quality of Life

- HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health
- HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

HIV/AIDS Screening

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months
- HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

Immunization

- IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza
- IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease
- IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

Overweight & Obesity

- NWS-8. Increase the proportion of adults who are at a healthy weight
- NWS-9. Reduce the proportion of adults who are obese

Physical Activity & Nutrition

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Tobacco Use & Exposure

- TU-1. Reduce tobacco smoking by adults
- TU-4. Increase smoking cessation attempts by adult smokers

Vision Impairment

V-5. Reduce visual impairment

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.



Prepared by:

Alyssa Cohen, MPH Bo (Bonnie) Yu, MAS, MA Junwei Jiang, MPH Dongming Cui, MD, MPH, DrPH

If you have any questions or comments please contact:

Florida Department of Health
Divison of Disease Control and Health Protection
Bureau of Epidemiology
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401 Fax: 850-922-9299 Email: health@flhealth.gov

Web: http://www.floridahealth.gov/statistics-and-data/survey-data/index.html