



Bradford County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Bradford County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	7.7	(4.7-10.6)	4.3	(4.1-4.6)	+		
Smoked cigars on one or more of the past 30 days	7.6	(4.3-11.0)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	9.6	(6.6-12.6)	3.3	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	3.9	(1.9-6.0)	7.2	(6.8-7.5)		+	
Used hookah on one or more of the past 30 days	3.6	(1.6-5.6)	7.1	(6.7-7.5)		+	
Used any form of tobacco on one or more of the past 30 days*	18.6	(14.1-23.0)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	18.2	(13.3-23.1)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	55.5	(46.5-64.6)	69.4	(68.4-70.3)		+	
Thought using hookah is less harmful than smoking cigarettes	31.4	(22.1-40.7)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	65.4	(59.7-71.2)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	48.2	(43.1-53.3)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	17.2	(13.1-21.3)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Bradford County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Bradford County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	45.0	(36.9-53.1)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	58.1	(53.4-62.9)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	6.8	(4.4-9.3)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	29.4	(24.3-34.5)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	73.0	(68.3-77.6)	68.8	(68.2-69.3)			+
Lifetime asthma	18.2	(13.7-22.7)	20.8	(20.3-21.3)			+
Current asthma	12.1	(8.0-16.3)	11.5	(11.1-11.9)			+
Asthma attack in past year	20.2	(10.2-30.3)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	15.3	(11.8-18.8)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	16.5	(12.1-20.9)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	30.8	(26.4-35.2)	22.7	(22.2-23.3)	+		
Exercised to lose weight or to keep from gaining weight during the past 30 days	46.2	(41.5-50.9)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	30.9	(25.6-36.2)	30.7	(30.2-31.3)			+