



Calhoun County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Calhoun County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	7.0	(3.7-10.3)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	6.4	(3.8-9.0)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	6.4	(3.4-9.4)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	8.6	(5.1-12.1)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	1.7	(0.3-3.1)	7.1	(6.7-7.5)		+	
Used any form of tobacco on one or more of the past 30 days*	13.1	(8.5-17.8)	9.2	(8.8-9.6)			+
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	14.9	(10.2-19.6)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	70.5	(62.8-78.3)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	19.7	(11.3-28.2)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	64.4	(57.8-71.0)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	49.1	(43.2-55.1)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	17.7	(13.5-21.9)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Calhoun County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Calhoun County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	71.4	(64.4-78.4)	38.0	(37.1-39.0)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	55.9	(50.2-61.6)	62.4	(61.8-63.0)		+	
Served as an active member of Students Working Against Tobacco (SWAT)	17.9	(13.5-22.3)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	31.0	(25.4-36.7)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	71.0	(66.0-76.0)	68.8	(68.2-69.3)			+
Lifetime asthma	21.5	(17.3-25.6)	20.8	(20.3-21.3)			+
Current asthma	12.4	(9.1-15.8)	11.5	(11.1-11.9)			+
Asthma attack in past year	21.2	(13.0-29.5)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	17.4	(13.0-21.8)	12.2	(11.8-12.7)	+		
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	19.4	(15.4-23.4)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	27.4	(23.3-31.5)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	47.2	(42.0-52.5)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	33.8	(28.2-39.4)	30.7	(30.2-31.3)			+