



Clay County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Clay County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	6.9	(5.0-8.9)	4.3	(4.1-4.6)	+		
Smoked cigars on one or more of the past 30 days	8.0	(5.9-10.1)	5.4	(5.2-5.7)	+		
Used smokeless tobacco on one or more of the past 30 days	6.8	(4.8-8.7)	3.3	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	7.3	(5.5-9.1)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	10.4	(8.1-12.8)	7.1	(6.7-7.5)	+		
Used any form of tobacco on one or more of the past 30 days*	14.5	(11.6-17.4)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	18.4	(15.1-21.7)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	68.2	(63.1-73.4)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	53.7	(48.2-59.2)	52.8	(51.7-54.0)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	66.2	(62.8-69.6)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	45.5	(41.8-49.1)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	10.9	(8.8-13.0)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Clay County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Clay County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	35.5	(30.9-40.1)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	61.7	(58.3-65.1)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	1.7	(0.8-2.5)	2.8	(2.7- 3.0)		+	
Definitely did not think that smokers have more friends	25.1	(22.4-27.7)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	67.4	(64.3-70.4)	68.8	(68.2-69.3)			+
Lifetime asthma	21.5	(18.9-24.1)	20.8	(20.3-21.3)			+
Current asthma	11.6	(9.5-13.6)	11.5	(11.1-11.9)			+
Asthma attack in past year	20.2	(14.7-25.6)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	11.4	(9.5-13.3)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	15.1	(12.6-17.6)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	26.7	(23.8-29.6)	22.7	(22.2-23.3)	+		
Exercised to lose weight or to keep from gaining weight during the past 30 days	45.3	(41.8-48.8)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	31.6	(28.5-34.7)	30.7	(30.2-31.3)			+