



Madison County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Madison County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	10.6	(6.8-14.4)	4.3	(4.1-4.6)	+		
Smoked cigars on one or more of the past 30 days	10.1	(5.9-14.2)	5.4	(5.2-5.7)	+		
Used smokeless tobacco on one or more of the past 30 days	7.4	(5.0-9.8)	3.3	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	6.4	(3.2-9.5)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	3.3	(1.2-5.3)	7.1	(6.7-7.5)		+	
Used any form of tobacco on one or more of the past 30 days*	17.7	(12.0-23.4)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	16.6	(11.2-22.0)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	50.6	(41.4-59.7)	69.4	(68.4-70.3)		+	
Thought using hookah is less harmful than smoking cigarettes	18.0	(10.9-25.2)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	58.5	(52.6-64.5)	67.1	(66.4-67.7)		+	
Exposed to secondhand smoke during the past seven days (in a room or car)	38.6	(32.5-44.7)	37.5	(36.9-38.2)			+
Smoking is allowed in the home	16.0	(12.4-19.6)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Madison County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Madison County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	43.8	(34.6-53.1)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	53.8	(46.7-60.9)	62.4	(61.8-63.0)		+	
Served as an active member of Students Working Against Tobacco (SWAT)	15.1	(11.2-19.1)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	32.6	(25.4-39.9)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	56.1	(49.3-63.0)	68.8	(68.2-69.3)		+	
Lifetime asthma	23.6	(18.1-29.2)	20.8	(20.3-21.3)			+
Current asthma	14.5	(9.9-19.1)	11.5	(11.1-11.9)			+
Asthma attack in past year	23.3	(12.2-34.3)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	19.6	(14.0-25.3)	12.2	(11.8-12.7)	+		
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	12.6	(8.5-16.7)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	27.9	(23.1-32.7)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	40.4	(34.8-45.9)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	27.0	(21.4-32.6)	30.7	(30.2-31.3)			+