



Martin County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Martin County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	4.4	(2.9-5.9)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	7.6	(4.6-10.7)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	4.5	(2.0-7.1)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	6.4	(4.4-8.4)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	6.5	(4.6-8.5)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	11.6	(7.1-16.0)	9.2	(8.8-9.6)			+
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	16.2	(11.4-21.1)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	73.9	(66.9-80.9)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	60.7	(54.2-67.3)	52.8	(51.7-54.0)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	66.4	(62.3-70.5)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	34.9	(31.8-38.1)	37.5	(36.9-38.2)			+
Smoking is allowed in the home	5.6	(3.7-7.5)	8.4	(8.0-8.7)		+	

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Martin County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Martin County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	41.2	(34.7-47.7)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	67.1	(62.9-71.3)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	5.5	(3.4-7.7)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	34.2	(29.8-38.7)	28.2	(27.6-28.8)	+		
Definitely did not think that smoking helps young people "look cool" or "fit in"	67.6	(63.4-71.8)	68.8	(68.2-69.3)			+
Lifetime asthma	21.5	(18.1-24.9)	20.8	(20.3-21.3)			+
Current asthma	11.9	(9.6-14.3)	11.5	(11.1-11.9)			+
Asthma attack in past year	21.0	(14.4-27.5)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	10.0	(6.7-13.2)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	12.5	(9.7-15.2)	15.9	(15.4-16.4)		+	
Physically active for at least 60 minutes per day during the past seven days	25.2	(22.2-28.1)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	42.3	(37.8-46.9)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	29.0	(25.3-32.7)	30.7	(30.2-31.3)			+