



Osceola County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Osceola County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	3.2	(2.2-4.2)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	4.0	(2.7-5.3)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	2.6	(1.6-3.6)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	5.0	(3.5-6.4)	7.2	(6.8-7.5)		+	
Used hookah on one or more of the past 30 days	8.4	(6.7-10.0)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	6.7	(5.1-8.3)	9.2	(8.8-9.6)		+	
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	12.5	(10.5-14.6)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	65.1	(60.5-69.6)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	56.0	(51.2-60.9)	52.8	(51.7-54.0)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	69.3	(66.7-71.9)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	34.0	(30.8-37.3)	37.5	(36.9-38.2)			+
Smoking is allowed in the home	6.3	(4.8-7.9)	8.4	(8.0-8.7)		+	

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Osceola County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Osceola County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	30.6	(26.9-34.2)	38.0	(37.1-39.0)		+	
Parent or guardian has talked about the dangers of tobacco in the past year	62.8	(59.6-66.0)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	2.3	(1.4-3.2)	2.8	(2.7- 3.0)			+
Definitely did not think that smokers have more friends	27.0	(24.5-29.6)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	69.4	(66.7-72.2)	68.8	(68.2-69.3)			+
Lifetime asthma	24.2	(21.7-26.7)	20.8	(20.3-21.3)	+		
Current asthma	14.6	(12.4-16.8)	11.5	(11.1-11.9)	+		
Asthma attack in past year	17.8	(13.7-22.0)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	13.1	(11.2-15.0)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	14.9	(12.8-17.0)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	21.5	(19.2-23.7)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	47.8	(44.9-50.8)	43.7	(43.1-44.4)	+		
Described themselves as slightly or very overweight	33.5	(30.9-36.1)	30.7	(30.2-31.3)			+