



Seminole County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Seminole County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	3.6	(2.3-4.9)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	5.2	(3.7-6.6)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	3.1	(2.0-4.3)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	7.6	(5.8-9.4)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	5.8	(4.3-7.4)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	7.9	(5.7-10.2)	9.2	(8.8-9.6)			+
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	13.2	(10.4-15.9)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	77.9	(73.5-82.3)	69.4	(68.4-70.3)	+		
Thought using hookah is less harmful than smoking cigarettes	61.6	(56.3-66.9)	52.8	(51.7-54.0)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	72.3	(69.1-75.4)	67.1	(66.4-67.7)	+		
Exposed to secondhand smoke during the past seven days (in a room or car)	37.9	(34.8-41.0)	37.5	(36.9-38.2)			+
Smoking is allowed in the home	6.2	(4.6-7.8)	8.4	(8.0-8.7)		+	

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Seminole County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Seminole County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	28.6	(24.3-32.9)	38.0	(37.1-39.0)		+	
Parent or guardian has talked about the dangers of tobacco in the past year	60.9	(58.0-63.9)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	2.1	(1.2-2.9)	2.8	(2.7- 3.0)			+
Definitely did not think that smokers have more friends	30.9	(27.7-34.2)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	72.4	(69.4-75.5)	68.8	(68.2-69.3)	+		
Lifetime asthma	21.5	(19.1-23.9)	20.8	(20.3-21.3)			+
Current asthma	15.2	(13.2-17.2)	11.5	(11.1-11.9)	+		
Asthma attack in past year	25.2	(19.6-30.9)	17.7	(16.7-18.7)	+		
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	7.5	(5.6-9.3)	12.2	(11.8-12.7)		+	
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	15.9	(13.3-18.5)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	22.9	(20.1-25.6)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	40.6	(37.5-43.6)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	26.7	(23.9-29.5)	30.7	(30.2-31.3)		+	