



Hendry County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Hendry County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	4.3	(2.9-5.8)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	8.6	(5.9-11.3)	5.4	(5.2-5.7)	+		
Used smokeless tobacco on one or more of the past 30 days	7.5	(5.0-9.9)	3.3	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	7.4	(4.6-10.3)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	6.2	(3.5-8.8)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	13.1	(9.7-16.5)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	16.6	(12.9-20.3)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	37.3	(30.6-44.0)	69.4	(68.4-70.3)		+	
Thought using hookah is less harmful than smoking cigarettes	26.6	(19.9-33.3)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	57.0	(52.5-61.5)	67.1	(66.4-67.7)		+	
Exposed to secondhand smoke during the past seven days (in a room or car)	31.3	(26.1-36.4)	37.5	(36.9-38.2)		+	
Smoking is allowed in the home	7.4	(5.4-9.5)	8.4	(8.0-8.7)			+

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Hendry County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Hendry County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	37.3	(32.2-42.5)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	55.5	(50.8-60.2)	62.4	(61.8-63.0)		+	
Served as an active member of Students Working Against Tobacco (SWAT)	10.7	(8.3-13.1)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	27.4	(23.3-31.5)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	59.4	(54.0-64.7)	68.8	(68.2-69.3)		+	
Lifetime asthma	20.6	(16.5-24.7)	20.8	(20.3-21.3)			+
Current asthma	10.0	(6.7-13.3)	11.5	(11.1-11.9)			+
Asthma attack in past year	15.2	(8.5-21.9)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	18.2	(14.3-22.1)	12.2	(11.8-12.7)	+		
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	18.2	(14.1-22.2)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	27.5	(23.6-31.3)	22.7	(22.2-23.3)	+		
Exercised to lose weight or to keep from gaining weight during the past 30 days	49.9	(45.3-54.5)	43.7	(43.1-44.4)	+		
Described themselves as slightly or very overweight	36.7	(33.1-40.3)	30.7	(30.2-31.3)	+		