



**State Name:** Florida


**Report Date:** 8/29/2013 4:46:14 PM

**Number of Hospital Respondents:** 126


**Number of Hospitals Assessed:** 209

**Response Rate:** 60.3%

**STATE SCORE AND COMPARATIVE SCORES:**



**DISTRIBUTION OF STATE SCORES FOR EACH VOLUME TYPE:**



**BREAKDOWN OF STATE SCORES FOR EACH VOLUME TYPE:**

Annual Pediatric Volume	# of Hospitals	Avg. Score	Median Score	Min. Score	Max. Score
Low (<1800 patients)	30	70.6	66.8	45	99
Medium (1800-4999 patients)	35	72.2	75.9	36	99
Medium High (5000-9999 patients)	25	80.5	84.4	43	98
High (>=10000 patients)	36	89.8	94.2	61	100
<b>Grand Total</b>	<b>126</b>	<b>78.5</b>	<b>82.2</b>	<b>36</b>	<b>100</b>

*NOTE: Blank indicates fewer than 5 hospitals; score can't be shown.*

## BREAKDOWN OF NATIONAL SCORES FOR EACH VOLUME TYPE:

Annual Pediatric Volume	# of Hospitals	Avg. Score	Median Score	Min. Score	Max. Score
Low (<1800 patients)	1,628	62.0	61.4	22	100
Medium (1800-4999 patients)	1,242	69.8	69.3	27	100
Medium High (5000-9999 patients)	707	73.8	74.8	31	100
High (>=10000 patients)	563	84.3	89.9	35	100
Not Recorded	3				
<b>Grand Total</b>	<b>4,143</b>	<b>69.4</b>	<b>69.0</b>	<b>22</b>	<b>100</b>

*NOTE: Blank indicates fewer than 5 hospitals; score can't be shown.*

## ANALYSIS OF YOUR SCORE:

Below are the average state scores\* for each section of the assessment. The scores are based on the weighted assessment items for each section.

\* The sum of the sectional scores below may vary slightly from actual overall readiness score above due to rounding.

Average Section Scores	State Section Scores	National Section Scores
Guidelines for Administration and Coordination (19 pts)	12.1	10.1
Physicians, Nurses, and Other Health Care Providers Who Staff the ED (10 pts)	6.8	5.3
Guidelines for QI/PI in the ED (7 pts)	3.9	2.9
Guidelines for Improving Pediatric Patient Safety in the ED (14 pts)	12.6	10.8
Guidelines for Policies, Procedures, and Protocols for the ED (17 pts)	12.5	10.5
Guidelines for Equipment, Supplies, and Medications for the Care of Pediatric Patients in the ED (33 pts)	30.6	29.4

## Guidelines for Administration and Coordination of the ED for the Care of Children

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Nurse Coordinator	85	67.5%	59.4%	8.1%
Physician Coordinator	75	59.5%	47.5%	12.0%

## Physicians, Nurses, and Other Health Care Providers Who Staff the ED

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Nurse Competency Evaluations	100	79.4%	66.7%	12.7%
Physician Competency Evaluations	71	56.3%	38.7%	17.7%

## Guidelines QI/PI

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Does your ED have a pediatric patient care-review process?	74	58.7%	45.2%	13.6%
<i>The following results are a breakdown of those who said "Yes" to having a pediatric patient care-review process...</i>				
Collection and analysis of pediatric emergency care data	69	93.2%	88.1%	5.2%
Identification of quality indicators for children	42	56.8%	58.4%	-1.6%
Development of a plan for improvement in pediatric emergency care	67	90.5%	78.9%	11.6%
Re-evaluation of performance using outcomes-based measures	66	89.2%	73.5%	15.6%

## Guidelines for Improving Pediatric Patient Safety in the ED

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Weigh in Kilograms	105	83.3%	67.8%	15.6%
If Weigh in Kilograms, also Record in Kilograms	95	90.5%	75.3%	15.1%
Temperature, heart rate, and respiratory rate recorded	125	99.2%	98.6%	0.6%
Blood pressure monitoring available based on severity of illness	125	99.2%	98.1%	1.1%
Pulse oximetry monitoring available based on severity of illness	126	100.0%	99.7%	0.3%
Written procedure in place for notification of physicians when abnormal vital signs	106	84.1%	70.2%	13.9%
Process in place for the use of pre-calculated drug dosing	117	92.9%	79.0%	13.9%
Process in place that allows for 24/7 access to interpreter services in the ED	124	98.4%	95.5%	2.9%

## Guidelines for Policies, Procedures, and Protocols for the ED

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Triage policy that specifically addresses ill and injured children	92	73.0%	57.7%	15.3%
Policy for pediatric patient assessment and reassessment	109	86.5%	73.5%	13.0%
Policy for immunization assessment and management of the under-immunized child	82	65.1%	51.7%	13.4%
Policy for child maltreatment	112	88.9%	89.6%	-0.8%
Policy for death of the child in the ED	84	66.7%	58.1%	8.5%
Policy for reduced-dose radiation for CT and x-ray imaging based on pediatric age or weight	80	63.5%	52.6%	10.8%
Policy for promoting family-centered care	103	81.7%	59.7%	22.1%
Hospital disaster plan addresses issues specific to the care of children	67	53.2%	46.9%	6.3%
Inter-facility transfer guidelines	109	86.5%	70.7%	15.8%

## Guidelines for Equipment, Supplies, and Medications for the Care of Pediatric Patients in the ED

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Is the ED staff trained on the location of all pediatric equipment and medications?	126	100.0%	99.5%	0.5%
Is there a daily method used to verify the proper location and function of pediatric equipment and supplies?	119	94.4%	83.1%	11.3%
Is a medication chart, length-based tape, medical software, or other system readily available to ensure proper sizing of resuscitation equipment and proper dosing of medications?	126	100.0%	99.5%	0.5%
Neonatal blood pressure cuff	118	93.7%	92.0%	1.6%
Child blood pressure cuff	126	100.0%	99.9%	0.1%
Defibrillator with pediatric and adult capabilities including pads/paddles	126	100.0%	99.7%	0.3%
Pulse oximeter with pediatric and adult probes	126	100.0%	99.7%	0.3%
Continuous end-tidal CO2 monitoring device	104	82.5%	81.7%	0.8%
22 gauge catheter-over-the-needle	126	100.0%	99.7%	0.3%
24 gauge catheter-over-the-needle	126	100.0%	99.5%	0.5%
Pediatric intra-osseus needles	123	97.6%	97.6%	0.0%

## Guidelines for Equipment, Supplies, and Medications for the Care of Pediatric Patients in the ED *cont.*

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
IV administration sets with calibrated chambers and extension tubing and/or infusion devices with ability to regulate rate and volume of infusate	120	95.2%	95.3%	-0.1%
Umbilical vein catheters (3.5F or 5.0F)	82	65.1%	62.4%	2.7%
Central venous catheters (any two sizes in range, 4F-7F)	95	75.4%	62.6%	12.8%
Endotracheal tubes: cuffed or uncuffed 2.5 mm	121	96.0%	94.3%	1.7%
Endotracheal tubes: cuffed or uncuffed 3.0 mm	122	96.8%	97.0%	-0.2%
Endotracheal tubes: cuffed or uncuffed 3.5 mm	123	97.6%	98.4%	-0.8%
Endotracheal tubes: cuffed or uncuffed 4.0 mm	126	100.0%	99.4%	0.6%
Endotracheal tubes: cuffed or uncuffed 4.5 mm	125	99.2%	98.6%	0.6%
Endotracheal tubes: cuffed or uncuffed 5.0 mm	124	98.4%	99.4%	-1.0%
Endotracheal tubes: cuffed or uncuffed 5.5 mm	125	99.2%	98.1%	1.1%
Endotracheal tubes: cuffed or uncuffed 6.0 mm	125	99.2%	99.2%	0.1%
Laryngoscope blades: straight, size 00	109	86.5%	77.5%	9.1%
Laryngoscope blades: straight, size 0	123	97.6%	94.1%	3.5%
Laryngoscope blades: straight, size 1	125	99.2%	98.2%	1.0%
Laryngoscope blades: straight, size 2	126	100.0%	96.8%	3.2%

## Guidelines for Equipment, Supplies, and Medications for the Care of Pediatric Patients in the ED *cont.*

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Laryngoscope blades: curved, size 2	126	100.0%	96.5%	3.5%
Pediatric-sized Magill forceps	114	90.5%	82.5%	8.0%
Nasopharyngeal airways: infant-sized	113	89.7%	82.9%	6.8%
Nasopharyngeal airways: child-sized	117	92.9%	87.8%	5.1%
Oropharyngeal airways: size 0 (50mm)	116	92.1%	92.6%	-0.5%
Oropharyngeal airways: size 1 (60mm)	121	96.0%	96.6%	-0.6%
Oropharyngeal airways: size 2 (70mm)	120	95.2%	95.7%	-0.4%
Oropharyngeal airways: size 3 (80mm)	120	95.2%	96.8%	-1.6%
Stylets for pediatric/infant-sized endotracheal tubes	126	100.0%	97.4%	2.6%
Tracheostomy tubes: size 3.0 mm	99	78.6%	68.2%	10.4%
Tracheostomy tubes: size 3.5 mm	97	77.0%	68.0%	9.0%
Tracheostomy tubes: size 4.0 mm	107	84.9%	75.1%	9.8%
Bag-mask device, self inflating: infant, 450 ml	125	99.2%	96.8%	2.4%
Masks to fit bag-mask device adaptor: neonatal	120	95.2%	92.4%	2.8%
Masks to fit bag-mask device adaptor: infant	123	97.6%	98.5%	-0.9%
Masks to fit bag-mask device adaptor: child	124	98.4%	99.0%	-0.6%
Clear oxygen masks: standard infant	121	96.0%	93.4%	2.6%
Clear oxygen masks: standard child	123	97.6%	98.1%	-0.5%
Non-rebreather masks: infant-sized	118	93.7%	84.1%	9.6%
Non-rebreather masks: child-sized	125	99.2%	93.8%	5.4%



## Guidelines for Equipment, Supplies, and Medications for the Care of Pediatric Patients in the ED *cont.*

### Scored Items

	Yes (N)	% Yes	% National Yes	Difference
Nasal cannulas: infant	119	94.4%	91.0%	3.5%
Nasal cannulas: child	122	96.8%	95.9%	0.9%
Laryngeal mask airways: size 1	88	69.8%	57.2%	12.6%
Laryngeal mask airways: size: 1.5	87	69.0%	55.1%	13.9%
Laryngeal mask airways: size: 2	87	69.0%	60.9%	8.1%
Laryngeal mask airways: size: 2.5	90	71.4%	58.6%	12.9%
Laryngeal mask airways: size: 3	94	74.6%	66.4%	8.2%
Suction catheters: at least one in range 6-8F	123	97.6%	98.5%	-0.9%
Suction catheters: at least one in range 10-12F	125	99.2%	99.2%	0.0%
Supplies/kit for pediatric patients with difficult airways (supraglottic airways of all sizes, needle cricothyrotomy supplies, surgical cricothyrotomy kit)	107	84.9%	75.4%	9.5%