

Lake County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lake County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	9.1	(6.9 - 11.3)	6.1	(5.8 - 6.4)	+		
Smoked cigars on one or more of the past 30 days	8.5	(6.6 - 10.4)	6.9	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	4.8	(3.4 - 6.2)	3.5	(3.2 - 3.7)			+
Used any form of tobacco on one or more of the past 30 days	14.5	(11.8 - 17.1)	11.2	(10.8 - 11.7)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	64.7	(61.5 - 67.9)	65.7	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	52.9	(49.8 - 56.1)	44.1	(43.4 - 44.7)	+		
Smoking is allowed in the home	12.0	(10.2 - 13.8)	9.4	(9.0 - 9.8)	+		
Taught about tobacco use in any classes this year	38.1	(34.3 - 42.0)	43.2	(42.3 - 44.1)		+	
Parent or guardian has talked about the dangers of tobacco in the past year	56.1	(52.7 - 59.5)	57.4	(56.8 - 58.0)			+
Served as an active member of SWAT	2.4	(1.5 - 3.3)	3.9	(3.7 - 4.1)		+	
<u>Definitely did not think</u> that smokers have more friends	31.8	(28.8 - 34.8)	32.0	(31.5 - 32.6)			+
<u>Definitely did not think</u> that smoking helps young people "look cool" or "fit in"	74.2	(71.7 - 76.7)	72.9	(72.4 - 73.4)			+

Lake County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lake County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	19.1	(16.9 - 21.3)	20.5	(20.1 - 21.0)			+
Current asthma, among all individuals	10.9	(9.1 - 12.8)	11.3	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	17.1	(11.8 - 22.3)	16.9	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	14.2	(12.0 - 16.5)	11.1	(10.7 - 11.5)	+		
Overweight (i.e., at or above the 85 th percentile but below the 95th percentile for body mass index, by age and sex)	14.8	(12.7 - 16.9)	15.4	(15.0 - 15.9)			+
Sufficient vigorous activity	64.5	(61.4 - 67.5)	66.5	(65.9 - 67.1)			+
Sufficient moderate activity	24.4	(21.8 - 27.0)	25.3	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	47.9	(45.2 - 50.7)	43.5	(42.9 - 44.1)	+		
Described themselves as slightly or very overweight	32.5	(29.6 - 35.5)	30.0	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	10.1	(8.2 - 11.9)	10.9	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	21.0	(18.3 - 23.6)	20.2	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	6.8	(5.4 - 8.2)	6.9	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	12.2	(10.4 - 14.1)	12.4	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	24.5	(22.0 - 26.9)	22.0	(21.5 - 22.5)			+