



# **Florida Behavioral Risk Factor Surveillance System (BRFSS) 2014 Data Book**

---

Published in October 2015

**Rick Scott**  
Governor

**John H. Armstrong, MD, FACS**  
Surgeon General and Secretary

# Introduction

The Florida Department of Health is pleased to release the 2014 Florida Behavioral Risk Factor Surveillance System (BRFSS) State Data. The Florida BRFSS has been collecting and reporting health behavior data since 1986. The 2014 BRFSS Survey interviewed 9,821 Florida adults aged 18 years or older.

This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults. These data can be used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status.

Since BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs overlap between subpopulations (e.g., males compared to females), there is no statistically significant difference in the prevalence rates. However, if the CIs do not overlap, there is a statistically significant difference. For example, if the CI for men is 21.4% - 24.5% and the CI for women is 29.4% - 32.5%, then there is a statistically higher prevalence of women having that particular indicator compared to men as the two CIs do not overlap.

The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or “weighted,” by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent’s probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2014 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Chronic Disease Prevention at (850) 245-4330.

## 2014 Florida BRFSS Data Table of Contents

---

Health Status	
Arthritis .....	1
Asthma .....	2
Cancer Prevalence .....	3
Cardiovascular Disease .....	4
Chronic Obstructive Pulmonary Disease .....	6
Depression .....	7
Diabetes .....	8
Disability .....	12
Hypertension Awareness .....	13
Kidney Disease .....	14
Overweight & Obesity .....	15
Vision Impairment .....	17
Health-Related Behaviors	
Alcohol Consumption .....	18
Tobacco Use & Exposure .....	19
Physical Activity .....	22
Health-Related Prevention	
Cancer Screening/Breast .....	23
Cancer Screening/Cervical .....	25
Cancer Screening/Colorectal .....	26
Cancer Screening/Prostate .....	28
HIV/AIDS Screening .....	29
Immunization .....	30
Injury Prevention .....	33
Intimate Partner Violence .....	35
Health-Related Quality of Life .....	36
Health Care	
Health Care Access & Coverage .....	40
Oral Health .....	42
Reactions to Race .....	43
Glossary .....	Appendix I
Healthy People 2020 Objectives .....	Appendix II

2014 Florida BRFSS Data

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		Measure	95% CI
<b>ALL</b>	Overall	27.0	25.9 - 28.1
<b>SEX</b>	Men	22.9	21.3 - 24.4
	Women	30.8	29.3 - 32.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.3	31.9 - 34.7
	Non-Hisp. Black	19.8	16.9 - 22.7
	Hispanic	16.9	14.4 - 19.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	29.0	26.9 - 31.1
	Non-Hisp. White Women	37.2	35.4 - 39.1
	Non-Hisp. Black Men	16.3	12.3 - 20.3
	Non-Hisp. Black Women	22.6	18.4 - 26.7
	Hispanic Men	13.2	9.8 - 16.5
	Hispanic Women	20.4	16.9 - 24.0
<b>AGE GROUP</b>	18-44	7.9	6.6 - 9.2
	45-64	33.0	31.0 - 35.0
	65 & Older	52.6	50.6 - 54.6
<b>EDUCATION LEVEL</b>	<High School	33.2	29.0 - 37.4
	High School / GED	26.7	24.7 - 28.8
	>High School	25.7	24.4 - 27.0
<b>ANNUAL INCOME</b>	<\$25,000	30.5	28.2 - 32.8
	\$25,000-\$49,999	29.8	27.3 - 32.2
	\$50,000 or More	23.0	21.4 - 24.7
<b>MARITAL STATUS</b>	Married/Couple	27.7	26.2 - 29.2
	Not Married/Couple	26.4	24.7 - 28.0

2014 Florida BRFSS Data

**Asthma**

**Percentage of adults who currently have asthma**

		Measure	95% CI
<b>ALL</b>	Overall	8.0	7.3 - 8.8
<b>SEX</b>	Men	5.3	4.4 - 6.3
	Women	10.6	9.4 - 11.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.4	7.6 - 9.3
	Non-Hisp. Black	7.3	5.0 - 9.6
	Hispanic	6.6	5.0 - 8.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.8	4.6 - 6.9
	Non-Hisp. White Women	11.0	9.7 - 12.2
	Non-Hisp. Black Men	5.5	2.4 - 8.7
	Non-Hisp. Black Women	8.7	5.4 - 12.0
	Hispanic Men	3.4	1.5 - 5.3
	Hispanic Women	9.8	7.0 - 12.5
<b>AGE GROUP</b>	18-44	7.7	6.3 - 9.0
	45-64	9.7	8.4 - 11.1
	65 & Older	6.5	5.6 - 7.4
<b>EDUCATION LEVEL</b>	<High School	11.1	8.2 - 14.0
	High School / GED	7.7	6.3 - 9.0
	>High School	7.4	6.5 - 8.2
<b>ANNUAL INCOME</b>	<\$25,000	12.1	10.3 - 13.9
	\$25,000-\$49,999	7.2	5.7 - 8.8
	\$50,000 or More	6.0	5.0 - 7.0
<b>MARITAL STATUS</b>	Married/Couple	6.8	5.9 - 7.7
	Not Married/Couple	9.2	8.0 - 10.4

**Percentage of adults who have ever been told they had asthma**

		Measure	95% CI
<b>ALL</b>	Overall	12.2	11.2 - 13.1
<b>SEX</b>	Men	9.6	8.3 - 10.9
	Women	14.5	13.2 - 15.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.2	11.1 - 13.2
	Non-Hisp. Black	11.0	8.2 - 13.7
	Hispanic	12.0	9.8 - 14.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.6	8.0 - 11.1
	Non-Hisp. White Women	14.6	13.2 - 16.0
	Non-Hisp. Black Men	10.6	6.3 - 15.0
	Non-Hisp. Black Women	11.2	7.7 - 14.8
	Hispanic Men	8.4	5.6 - 11.3
	Hispanic Women	15.5	12.2 - 18.7
<b>AGE GROUP</b>	18-44	12.9	11.2 - 14.6
	45-64	12.9	11.4 - 14.4
	65 & Older	10.0	8.9 - 11.1
<b>EDUCATION LEVEL</b>	<High School	14.7	11.4 - 17.9
	High School / GED	11.8	10.1 - 13.5
	>High School	11.6	10.6 - 12.7
<b>ANNUAL INCOME</b>	<\$25,000	16.3	14.3 - 18.4
	\$25,000-\$49,999	11.2	9.3 - 13.1
	\$50,000 or More	9.6	8.3 - 10.9
<b>MARITAL STATUS</b>	Married/Couple	10.4	9.3 - 11.5
	Not Married/Couple	13.9	12.4 - 15.3

CI=Confidence Interval

2014 Florida BRFSS Data

Cancer Prevalence

Percentage of adults who have ever been told they had skin cancer

		Measure	95% CI
<b>ALL</b>	Overall	8.8	8.3 - 9.4
<b>SEX</b>	Men	9.1	8.2 - 10.0
	Women	8.6	7.9 - 9.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.3	13.4 - 15.2
	Non-Hisp. Black	0.6	0.0 - 1.4
	Hispanic	1.5	0.8 - 2.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.8	13.4 - 16.2
	Non-Hisp. White Women	13.8	12.6 - 14.9
	Non-Hisp. Black Men	0.5	0.0 - 1.1
	Non-Hisp. Black Women	0.7	0.0 - 2.1
	Hispanic Men	1.1	0.4 - 1.8
	Hispanic Women	2.0	0.8 - 3.2
<b>AGE GROUP</b>	18-44	1.1	0.6 - 1.6
	45-64	8.1	7.1 - 9.1
	65 & Older	23.8	22.2 - 25.3
<b>EDUCATION LEVEL</b>	<High School	5.9	4.2 - 7.7
	High School / GED	8.2	7.2 - 9.2
	>High School	10.1	9.3 - 10.8
<b>ANNUAL INCOME</b>	<\$25,000	6.1	5.1 - 7.1
	\$25,000-\$49,999	9.6	8.3 - 10.8
	\$50,000 or More	10.2	9.2 - 11.1
<b>MARITAL STATUS</b>	Married/Couple	10.2	9.3 - 11.0
	Not Married/Couple	7.5	6.7 - 8.3

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		Measure	95% CI
<b>ALL</b>	Overall	7.2	6.7 - 7.7
<b>SEX</b>	Men	5.7	5.1 - 6.4
	Women	8.6	7.7 - 9.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.6	8.8 - 10.3
	Non-Hisp. Black	3.8	2.6 - 5.1
	Hispanic	3.8	2.7 - 5.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.1	7.1 - 9.1
	Non-Hisp. White Women	11.0	9.9 - 12.0
	Non-Hisp. Black Men	2.3	1.0 - 3.6
	Non-Hisp. Black Women	5.1	3.1 - 7.1
	Hispanic Men	2.6	1.3 - 3.8
	Hispanic Women	5.1	3.2 - 6.9
<b>AGE GROUP</b>	18-44	1.4	0.9 - 1.9
	45-64	6.9	5.8 - 7.9
	65 & Older	17.8	16.5 - 19.2
<b>EDUCATION LEVEL</b>	<High School	7.2	5.2 - 9.2
	High School / GED	6.5	5.6 - 7.5
	>High School	7.6	6.9 - 8.3
<b>ANNUAL INCOME</b>	<\$25,000	7.8	6.6 - 8.9
	\$25,000-\$49,999	8.0	6.9 - 9.1
	\$50,000 or More	6.2	5.5 - 7.0
<b>MARITAL STATUS</b>	Married/Couple	7.4	6.7 - 8.1
	Not Married/Couple	6.9	6.2 - 7.7

CI=Confidence Interval

2014 Florida BRFSS Data

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

		Measure	95% CI
<b>ALL</b>	Overall	5.4	4.8 - 5.9
<b>SEX</b>	Men	6.5	5.6 - 7.3
	Women	4.4	3.7 - 5.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.0	6.3 - 7.7
	Non-Hisp. Black	3.4	2.2 - 4.7
	Hispanic	2.9	1.7 - 4.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.8	7.6 - 10.1
	Non-Hisp. White Women	5.2	4.4 - 6.0
	Non-Hisp. Black Men	3.9	1.6 - 6.2
	Non-Hisp. Black Women	3.1	1.6 - 4.5
	Hispanic Men	2.4	1.3 - 3.5
	Hispanic Women	3.4	1.4 - 5.4
<b>AGE GROUP</b>	18-44	1.3	0.6 - 1.9
	45-64	5.3	4.4 - 6.3
	65 & Older	12.7	11.5 - 14.0
<b>EDUCATION LEVEL</b>	<High School	9.0	6.5 - 11.5
	High School / GED	5.3	4.4 - 6.2
	>High School	4.5	4.0 - 5.0
<b>ANNUAL INCOME</b>	<\$25,000	6.9	5.6 - 8.1
	\$25,000-\$49,999	5.9	4.8 - 7.0
	\$50,000 or More	3.9	3.2 - 4.6
<b>MARITAL STATUS</b>	Married/Couple	5.8	5.0 - 6.5
	Not Married/Couple	5.0	4.2 - 5.8

Percentage of adults who have ever been told they had a heart attack

		Measure	95% CI
<b>ALL</b>	Overall	5.3	4.8 - 5.8
<b>SEX</b>	Men	6.5	5.7 - 7.4
	Women	4.1	3.5 - 4.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.1	5.4 - 6.7
	Non-Hisp. Black	3.5	2.1 - 4.8
	Hispanic	4.3	3.0 - 5.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.0	6.8 - 9.2
	Non-Hisp. White Women	4.3	3.6 - 5.0
	Non-Hisp. Black Men	4.6	2.1 - 7.1
	Non-Hisp. Black Women	2.5	1.2 - 3.9
	Hispanic Men	3.2	1.9 - 4.4
	Hispanic Women	5.4	3.2 - 7.7
<b>AGE GROUP</b>	18-44	0.9	0.4 - 1.5
	45-64	6.2	5.0 - 7.3
	65 & Older	11.9	10.6 - 13.2
<b>EDUCATION LEVEL</b>	<High School	9.9	7.4 - 12.4
	High School / GED	5.3	4.4 - 6.2
	>High School	4.2	3.6 - 4.7
<b>ANNUAL INCOME</b>	<\$25,000	8.3	6.9 - 9.7
	\$25,000-\$49,999	5.5	4.5 - 6.5
	\$50,000 or More	3.1	2.5 - 3.7
<b>MARITAL STATUS</b>	Married/Couple	5.3	4.6 - 6.0
	Not Married/Couple	5.4	4.6 - 6.2

CI=Confidence Interval

2014 Florida BRFSS Data

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

		Measure	95% CI
<b>ALL</b>	Overall	3.4	3.0 - 3.9
<b>SEX</b>	Men	3.6	2.9 - 4.3
	Women	3.3	2.7 - 3.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	3.2 - 4.3
	Non-Hisp. Black	3.6	2.2 - 5.1
	Hispanic	2.6	1.5 - 3.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.2	3.3 - 5.1
	Non-Hisp. White Women	3.4	2.8 - 4.0
	Non-Hisp. Black Men	4.8	2.0 - 7.6
	Non-Hisp. Black Women	2.7	1.4 - 4.0
	Hispanic Men	1.8	0.4 - 3.1
	Hispanic Women	3.4	1.6 - 5.1
<b>AGE GROUP</b>	18-44	1.3	0.7 - 1.9
	45-64	3.7	2.9 - 4.6
	65 & Older	6.8	5.8 - 7.7
<b>EDUCATION LEVEL</b>	<High School	6.3	4.2 - 8.3
	High School / GED	3.0	2.3 - 3.7
	>High School	2.9	2.5 - 3.4
<b>ANNUAL INCOME</b>	<\$25,000	5.5	4.3 - 6.7
	\$25,000-\$49,999	3.7	2.8 - 4.6
	\$50,000 or More	1.7	1.3 - 2.1
<b>MARITAL STATUS</b>	Married/Couple	3.0	2.4 - 3.5
	Not Married/Couple	4.0	3.3 - 4.7

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		Measure	95% CI
<b>ALL</b>	Overall	10.0	9.3 - 10.8
<b>SEX</b>	Men	11.4	10.3 - 12.6
	Women	8.8	7.8 - 9.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.8	10.9 - 12.7
	Non-Hisp. Black	7.6	5.6 - 9.6
	Hispanic	7.4	5.6 - 9.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.2	12.7 - 15.8
	Non-Hisp. White Women	9.5	8.4 - 10.5
	Non-Hisp. Black Men	9.5	5.8 - 13.2
	Non-Hisp. Black Women	6.1	4.1 - 8.2
	Hispanic Men	5.4	3.5 - 7.3
	Hispanic Women	9.3	6.5 - 12.2
<b>AGE GROUP</b>	18-44	2.9	2.0 - 3.8
	45-64	10.7	9.4 - 12.1
	65 & Older	21.8	20.3 - 23.4
<b>EDUCATION LEVEL</b>	<High School	17.8	14.4 - 21.1
	High School / GED	9.6	8.4 - 10.9
	>High School	8.4	7.6 - 9.1
<b>ANNUAL INCOME</b>	<\$25,000	14.3	12.5 - 16.1
	\$25,000-\$49,999	10.8	9.3 - 12.3
	\$50,000 or More	6.3	5.5 - 7.1
<b>MARITAL STATUS</b>	Married/Couple	9.8	8.8 - 10.8
	Not Married/Couple	10.5	9.4 - 11.6

CI=Confidence Interval



2014 Florida BRFSS Data

**Chronic Obstructive Pulmonary Disease**

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		Measure	95% CI
<b>ALL</b>	Overall	7.6	7.0 - 8.3
<b>SEX</b>	Men	6.4	5.5 - 7.3
	Women	8.8	7.8 - 9.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.7	8.8 - 10.6
	Non-Hisp. Black	5.0	3.2 - 6.8
	Hispanic	3.7	2.5 - 4.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.0	6.8 - 9.2
	Non-Hisp. White Women	11.3	10.0 - 12.5
	Non-Hisp. Black Men	3.6	1.6 - 5.6
	Non-Hisp. Black Women	6.1	3.3 - 8.9
	Hispanic Men	3.1	1.5 - 4.6
	Hispanic Women	4.3	2.5 - 6.2
<b>AGE GROUP</b>	18-44	3.6	2.6 - 4.5
	45-64	9.3	8.0 - 10.5
	65 & Older	12.9	11.6 - 14.2
<b>EDUCATION LEVEL</b>	<High School	13.2	10.3 - 16.0
	High School / GED	8.3	7.1 - 9.5
	>High School	5.8	5.1 - 6.4
<b>ANNUAL INCOME</b>	<\$25,000	11.5	10.0 - 13.1
	\$25,000-\$49,999	8.3	6.9 - 9.6
	\$50,000 or More	3.7	3.0 - 4.5
<b>MARITAL STATUS</b>	Married/Couple	6.5	5.7 - 7.3
	Not Married/Couple	8.8	7.7 - 9.9

2014 Florida BRFSS Data

Depression

Percentage of adults who have ever been told they had a depressive disorder

		Measure	95% CI
<b>ALL</b>	Overall	16.2	15.2 - 17.2
<b>SEX</b>	Men	11.8	10.5 - 13.1
	Women	20.3	18.8 - 21.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	17.7	16.5 - 18.9
	Non-Hisp. Black	10.6	8.2 - 13.1
	Hispanic	15.4	13.0 - 17.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.5	10.9 - 14.2
	Non-Hisp. White Women	22.5	20.8 - 24.3
	Non-Hisp. Black Men	9.0	5.7 - 12.4
	Non-Hisp. Black Women	11.9	8.4 - 15.5
	Hispanic Men	10.1	7.1 - 13.0
	Hispanic Women	20.5	16.8 - 24.2
<b>AGE GROUP</b>	18-44	14.1	12.4 - 15.8
	45-64	20.5	18.7 - 22.2
	65 & Older	14.5	13.0 - 15.9
<b>EDUCATION LEVEL</b>	<High School	21.8	18.1 - 25.5
	High School / GED	16.5	14.7 - 18.3
	>High School	14.8	13.6 - 15.9
<b>ANNUAL INCOME</b>	<\$25,000	24.3	22.1 - 26.5
	\$25,000-\$49,999	16.3	14.2 - 18.5
	\$50,000 or More	10.2	9.0 - 11.4
<b>MARITAL STATUS</b>	Married/Couple	13.5	12.3 - 14.7
	Not Married/Couple	19.1	17.5 - 20.7

2014 Florida BRFSS Data

Diabetes

Percentage of adults who have ever been told they had diabetes

		Measure	95% CI
<b>ALL</b>	Overall	11.2	10.4 - 12.0
<b>SEX</b>	Men	10.8	9.7 - 12.0
	Women	11.5	10.5 - 12.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.8	9.9 - 11.7
	Non-Hisp. Black	14.1	11.4 - 16.8
	Hispanic	11.3	9.3 - 13.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.8	9.5 - 12.1
	Non-Hisp. White Women	10.8	9.6 - 11.9
	Non-Hisp. Black Men	10.0	6.9 - 13.1
	Non-Hisp. Black Women	17.4	13.3 - 21.5
	Hispanic Men	12.4	9.2 - 15.6
	Hispanic Women	10.2	7.7 - 12.7
<b>AGE GROUP</b>	18-44	2.9	2.1 - 3.7
	45-64	14.1	12.5 - 15.6
	65 & Older	22.1	20.4 - 23.9
<b>EDUCATION LEVEL</b>	<High School	18.3	15.0 - 21.6
	High School / GED	10.9	9.6 - 12.3
	>High School	9.5	8.6 - 10.3
<b>ANNUAL INCOME</b>	<\$25,000	15.4	13.6 - 17.2
	\$25,000-\$49,999	10.7	9.1 - 12.3
	\$50,000 or More	7.9	6.8 - 8.9
<b>MARITAL STATUS</b>	Married/Couple	11.6	10.5 - 12.7
	Not Married/Couple	10.8	9.6 - 11.9

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		Measure	95% CI
<b>ALL</b>	Overall	64.6	61.0 - 68.2
<b>SEX</b>	Men	59.5	53.9 - 65.0
	Women	69.2	64.6 - 73.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.9	58.8 - 67.1
	Non-Hisp. Black	76.4	68.5 - 84.3
	Hispanic	59.2	49.5 - 68.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	59.2	52.9 - 65.5
	Non-Hisp. White Women	66.5	61.2 - 71.9
	Non-Hisp. Black Men	70.5	56.6 - 84.3
	Non-Hisp. Black Women	79.2	69.7 - 88.7
	Hispanic Men	52.7	38.6 - 66.8
	Hispanic Women	66.8	53.8 - 79.7
<b>AGE GROUP</b>	18-44	84.8	75.6 - 93.9
	45-64	57.1	50.9 - 63.2
	65 & Older	66.2	61.9 - 70.4
<b>EDUCATION LEVEL</b>	<High School	63.8	54.1 - 73.5
	High School / GED	70.1	64.4 - 75.8
	>High School	60.3	55.7 - 64.9
<b>ANNUAL INCOME</b>	<\$25,000	68.3	62.4 - 74.2
	\$25,000-\$49,999	60.0	52.4 - 67.7
	\$50,000 or More	60.4	53.8 - 67.0
<b>MARITAL STATUS</b>	Married/Couple	63.9	59.0 - 68.7
	Not Married/Couple	65.4	60.2 - 70.7

CI=Confidence Interval

2014 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		Measure	95% CI
<b>ALL</b>	Overall	74.6	71.0 - 78.1
<b>SEX</b>	Men	71.9	66.3 - 77.4
	Women	77.1	72.5 - 81.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	78.2	74.5 - 81.9
	Non-Hisp. Black	81.3	73.0 - 89.5
	Hispanic	59.0	48.4 - 69.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	77.3	71.7 - 82.9
	Non-Hisp. White Women	79.1	74.1 - 84.0
	Non-Hisp. Black Men	73.8	58.4 - 89.1
	Non-Hisp. Black Women	84.7	75.2 - 94.1
	Hispanic Men	57.0	42.0 - 72.0
	Hispanic Women	61.6	47.5 - 75.8
<b>AGE GROUP</b>	18-44	68.1	54.1 - 82.1
	45-64	72.5	66.5 - 78.5
	65 & Older	77.8	73.6 - 82.0
<b>EDUCATION LEVEL</b>	<High School	64.8	54.4 - 75.1
	High School / GED	73.7	67.4 - 79.9
	>High School	79.0	74.9 - 83.2
<b>ANNUAL INCOME</b>	<\$25,000	71.7	65.4 - 78.0
	\$25,000-\$49,999	70.8	63.1 - 78.5
	\$50,000 or More	82.3	76.5 - 88.1
<b>MARITAL STATUS</b>	Married/Couple	76.2	71.6 - 80.8
	Not Married/Couple	72.6	67.0 - 78.1

Percentage of adults with diabetes who had an annual foot exam

		Measure	95% CI
<b>ALL</b>	Overall	67.1	63.3 - 70.8
<b>SEX</b>	Men	66.7	61.1 - 72.4
	Women	67.4	62.4 - 72.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	70.9	66.8 - 74.9
	Non-Hisp. Black	75.9	65.6 - 86.1
	Hispanic	52.5	42.5 - 62.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	71.8	65.5 - 78.1
	Non-Hisp. White Women	70.0	64.9 - 75.1
	Non-Hisp. Black Men	72.3	56.6 - 88.0
	Non-Hisp. Black Women	77.6	64.4 - 90.7
	Hispanic Men	51.4	37.4 - 65.3
	Hispanic Women	54.0	40.0 - 67.9
<b>AGE GROUP</b>	18-44	63.9	49.3 - 78.6
	45-64	61.3	55.0 - 67.5
	65 & Older	72.8	68.4 - 77.3
<b>EDUCATION LEVEL</b>	<High School	54.7	44.6 - 64.9
	High School / GED	67.5	61.0 - 73.9
	>High School	73.7	69.6 - 77.9
<b>ANNUAL INCOME</b>	<\$25,000	60.9	54.5 - 67.4
	\$25,000-\$49,999	68.8	61.3 - 76.3
	\$50,000 or More	80.7	75.3 - 86.0
<b>MARITAL STATUS</b>	Married/Couple	69.0	64.1 - 73.9
	Not Married/Couple	65.3	59.4 - 71.1

CI=Confidence Interval

2014 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		Measure	95% CI
<b>ALL</b>	Overall	70.4	66.8 - 73.9
<b>SEX</b>	Men	70.1	64.9 - 75.3
	Women	70.6	65.8 - 75.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.1	68.2 - 76.0
	Non-Hisp. Black	75.9	66.0 - 85.7
	Hispanic	63.8	54.5 - 73.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	73.0	67.5 - 78.6
	Non-Hisp. White Women	71.3	65.8 - 76.7
	Non-Hisp. Black Men	73.1	57.8 - 88.3
	Non-Hisp. Black Women	77.1	64.5 - 89.7
	Hispanic Men	65.0	51.7 - 78.4
	Hispanic Women	62.3	49.5 - 75.1
<b>AGE GROUP</b>	18-44	50.6	35.6 - 65.6
	45-64	61.3	55.3 - 67.4
	65 & Older	82.8	79.6 - 86.0
<b>EDUCATION LEVEL</b>	<High School	69.2	60.4 - 78.1
	High School / GED	70.2	64.0 - 76.4
	>High School	72.3	68.0 - 76.7
<b>ANNUAL INCOME</b>	<\$25,000	70.3	64.6 - 76.1
	\$25,000-\$49,999	70.0	62.6 - 77.5
	\$50,000 or More	76.7	70.9 - 82.5
<b>MARITAL STATUS</b>	Married/Couple	73.1	68.6 - 77.7
	Not Married/Couple	67.2	61.6 - 72.8

Percentage of adults with diabetes who ever had diabetes self-management education

		Measure	95% CI
<b>ALL</b>	Overall	49.7	45.9 - 53.5
<b>SEX</b>	Men	53.1	47.4 - 58.7
	Women	46.7	41.6 - 51.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	52.3	48.0 - 56.6
	Non-Hisp. Black	56.2	45.9 - 66.6
	Hispanic	40.2	30.9 - 49.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	55.0	48.7 - 61.3
	Non-Hisp. White Women	49.6	43.8 - 55.4
	Non-Hisp. Black Men	53.4	37.0 - 69.8
	Non-Hisp. Black Women	57.5	44.4 - 70.5
	Hispanic Men	48.8	35.0 - 62.7
	Hispanic Women	29.8	18.4 - 41.2
<b>AGE GROUP</b>	18-44	64.5	50.9 - 78.1
	45-64	49.2	43.0 - 55.3
	65 & Older	46.4	41.6 - 51.1
<b>EDUCATION LEVEL</b>	<High School	34.6	25.6 - 43.6
	High School / GED	49.4	42.9 - 56.0
	>High School	57.3	52.7 - 61.9
<b>ANNUAL INCOME</b>	<\$25,000	44.5	38.2 - 50.9
	\$25,000-\$49,999	49.8	42.1 - 57.6
	\$50,000 or More	63.0	56.5 - 69.5
<b>MARITAL STATUS</b>	Married/Couple	52.4	47.3 - 57.5
	Not Married/Couple	46.7	41.1 - 52.3

CI=Confidence Interval

2014 Florida BRFSS Data

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

		Measure	95% CI
<b>ALL</b>	Overall	8.3	7.6 - 9.0
<b>SEX</b>	Men	8.4	7.3 - 9.5
	Women	8.2	7.2 - 9.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.6	7.7 - 9.4
	Non-Hisp. Black	9.8	7.4 - 12.2
	Hispanic	6.8	5.1 - 8.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.1	7.8 - 10.4
	Non-Hisp. White Women	8.1	7.0 - 9.1
	Non-Hisp. Black Men	10.6	6.7 - 14.5
	Non-Hisp. Black Women	9.2	6.2 - 12.2
	Hispanic Men	5.3	3.2 - 7.5
	Hispanic Women	8.2	5.6 - 10.8
<b>AGE GROUP</b>	18-44	4.0	3.0 - 5.1
	45-64	11.1	9.7 - 12.6
	65 & Older	11.5	10.3 - 12.8
<b>EDUCATION LEVEL</b>	<High School	8.8	6.1 - 11.5
	High School / GED	8.4	7.1 - 9.7
	>High School	8.2	7.3 - 9.0
<b>ANNUAL INCOME</b>	<\$25,000	9.0	7.5 - 10.5
	\$25,000-\$49,999	8.4	6.8 - 9.9
	\$50,000 or More	8.0	6.9 - 9.1
<b>MARITAL STATUS</b>	Married/Couple	8.9	7.9 - 9.9
	Not Married/Couple	7.6	6.6 - 8.7

2014 Florida BRFSS Data

**Disability**

**Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems**

		Measure	95% CI
<b>ALL</b>	Overall	22.4	21.3 - 23.5
<b>SEX</b>	Men	21.9	20.2 - 23.6
	Women	22.8	21.4 - 24.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	26.4	25.0 - 27.8
	Non-Hisp. Black	17.0	13.8 - 20.1
	Hispanic	15.3	12.8 - 17.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.9	23.7 - 28.1
	Non-Hisp. White Women	26.9	25.1 - 28.7
	Non-Hisp. Black Men	17.6	12.5 - 22.8
	Non-Hisp. Black Women	16.4	12.5 - 20.3
	Hispanic Men	13.7	10.3 - 17.1
	Hispanic Women	16.7	13.2 - 20.3
<b>AGE GROUP</b>	18-44	13.7	11.9 - 15.6
	45-64	28.1	26.1 - 30.1
	65 & Older	29.7	27.9 - 31.5
<b>EDUCATION LEVEL</b>	<High School	31.3	27.0 - 35.6
	High School / GED	22.3	20.2 - 24.3
	>High School	20.1	18.9 - 21.4
<b>ANNUAL INCOME</b>	<\$25,000	31.9	29.5 - 34.4
	\$25,000-\$49,999	22.3	20.0 - 24.6
	\$50,000 or More	14.0	12.6 - 15.3
<b>MARITAL STATUS</b>	Married/Couple	19.6	18.2 - 21.0
	Not Married/Couple	25.4	23.6 - 27.1

**Percentage of adults who use special equipment because of a health problem**

		Measure	95% CI
<b>ALL</b>	Overall	9.2	8.5 - 9.9
<b>SEX</b>	Men	8.6	7.6 - 9.7
	Women	9.8	8.8 - 10.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.5	9.6 - 11.4
	Non-Hisp. Black	9.0	6.7 - 11.2
	Hispanic	5.5	4.0 - 7.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.5	9.0 - 11.9
	Non-Hisp. White Women	10.6	9.5 - 11.6
	Non-Hisp. Black Men	9.0	5.6 - 12.4
	Non-Hisp. Black Women	9.0	6.0 - 11.9
	Hispanic Men	3.3	1.8 - 4.8
	Hispanic Women	7.6	5.0 - 10.1
<b>AGE GROUP</b>	18-44	3.5	2.4 - 4.5
	45-64	10.1	8.8 - 11.4
	65 & Older	18.1	16.6 - 19.6
<b>EDUCATION LEVEL</b>	<High School	16.0	12.7 - 19.3
	High School / GED	9.5	8.3 - 10.8
	>High School	7.3	6.6 - 8.0
<b>ANNUAL INCOME</b>	<\$25,000	13.8	12.2 - 15.5
	\$25,000-\$49,999	9.2	7.8 - 10.6
	\$50,000 or More	4.8	3.9 - 5.6
<b>MARITAL STATUS</b>	Married/Couple	8.0	7.1 - 9.0
	Not Married/Couple	10.5	9.4 - 11.6

CI=Confidence Interval

2014 Florida BRFSS Data

Hypertension Awareness

Percentage of adults who have ever been told they had hypertension

		Measure	95% CI
<b>ALL</b>	Overall	40.0	37.9 - 42.1
<b>SEX</b>	Men	41.6	38.2 - 45.0
	Women	38.6	35.9 - 41.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	40.8	38.4 - 43.2
	Non-Hisp. Black	46.7	39.8 - 53.6
	Hispanic	34.2	28.8 - 39.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.7	39.7 - 47.7
	Non-Hisp. White Women	38.5	35.6 - 41.4
	Non-Hisp. Black Men	49.4	38.0 - 60.8
	Non-Hisp. Black Women	45.0	36.3 - 53.7
	Hispanic Men	34.8	26.7 - 42.8
	Hispanic Women	33.5	26.4 - 40.6
<b>AGE GROUP</b>	18-44	18.1	14.6 - 21.7
	45-64	44.7	41.3 - 48.1
	65 & Older	63.6	60.7 - 66.5
<b>EDUCATION LEVEL</b>	<High School	52.2	44.3 - 60.2
	High School / GED	42.8	38.8 - 46.8
	>High School	35.6	33.2 - 38.0
<b>ANNUAL INCOME</b>	<\$25,000	46.0	41.7 - 50.3
	\$25,000-\$49,999	41.7	37.4 - 46.1
	\$50,000 or More	35.3	32.0 - 38.6
<b>MARITAL STATUS</b>	Married/Couple	40.8	38.1 - 43.6
	Not Married/Couple	38.7	35.5 - 41.9



2014 Florida BRFSS Data

**Kidney Disease**

**Percentage of adults who have ever been told they had kidney disease**

		<b>Measure</b>	<b>95% CI</b>
<b>ALL</b>	Overall	3.8	3.3 - 4.3
<b>SEX</b>	Men	3.2	2.6 - 3.8
	Women	4.4	3.7 - 5.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	3.3 - 4.4
	Non-Hisp. Black	4.4	2.8 - 5.9
	Hispanic	3.5	2.3 - 4.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.2	2.5 - 4.0
	Non-Hisp. White Women	4.4	3.6 - 5.2
	Non-Hisp. Black Men	3.8	1.9 - 5.8
	Non-Hisp. Black Women	4.8	2.5 - 7.1
	Hispanic Men	2.4	1.2 - 3.6
	Hispanic Women	4.5	2.5 - 6.6
<b>AGE GROUP</b>	18-44	1.9	1.2 - 2.6
	45-64	4.0	3.1 - 4.9
	65 & Older	7.0	6.0 - 8.0
<b>EDUCATION LEVEL</b>	<High School	5.8	3.8 - 7.7
	High School / GED	3.3	2.5 - 4.1
	>High School	3.6	3.0 - 4.2
<b>ANNUAL INCOME</b>	<\$25,000	6.0	4.7 - 7.2
	\$25,000-\$49,999	3.8	2.9 - 4.8
	\$50,000 or More	2.5	1.9 - 3.1
<b>MARITAL STATUS</b>	Married/Couple	3.9	3.2 - 4.6
	Not Married/Couple	3.7	3.0 - 4.3

2014 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight

		Measure	95% CI
<b>ALL</b>	Overall	36.0	34.6 - 37.3
<b>SEX</b>	Men	42.6	40.5 - 44.7
	Women	29.5	27.8 - 31.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	36.2	34.7 - 37.8
	Non-Hisp. Black	34.0	29.8 - 38.2
	Hispanic	36.8	33.3 - 40.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.4	40.9 - 45.9
	Non-Hisp. White Women	29.1	27.2 - 30.9
	Non-Hisp. Black Men	36.8	30.1 - 43.5
	Non-Hisp. Black Women	31.6	26.4 - 36.9
	Hispanic Men	43.2	37.8 - 48.7
	Hispanic Women	30.3	25.9 - 34.6
<b>AGE GROUP</b>	18-44	30.7	28.2 - 33.2
	45-64	39.7	37.5 - 41.9
	65 & Older	39.6	37.6 - 41.6
<b>EDUCATION LEVEL</b>	<High School	34.2	29.5 - 38.9
	High School / GED	35.4	32.8 - 38.0
	>High School	36.9	35.2 - 38.5
<b>ANNUAL INCOME</b>	<\$25,000	33.5	30.9 - 36.1
	\$25,000-\$49,999	36.8	34.0 - 39.7
	\$50,000 or More	38.4	36.2 - 40.6
<b>MARITAL STATUS</b>	Married/Couple	38.6	36.8 - 40.4
	Not Married/Couple	33.2	31.1 - 35.2

Percentage of adults who are obese

		Measure	95% CI
<b>ALL</b>	Overall	26.2	25.0 - 27.5
<b>SEX</b>	Men	25.8	23.9 - 27.7
	Women	26.6	25.0 - 28.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	24.4	23.0 - 25.8
	Non-Hisp. Black	36.2	31.9 - 40.6
	Hispanic	27.2	24.0 - 30.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.9	23.7 - 28.1
	Non-Hisp. White Women	23.0	21.2 - 24.7
	Non-Hisp. Black Men	30.6	24.4 - 36.8
	Non-Hisp. Black Women	41.1	35.3 - 46.9
	Hispanic Men	25.9	21.1 - 30.8
	Hispanic Women	28.5	24.2 - 32.9
<b>AGE GROUP</b>	18-44	24.4	22.1 - 26.7
	45-64	30.9	28.8 - 32.9
	65 & Older	23.3	21.5 - 25.0
<b>EDUCATION LEVEL</b>	<High School	29.5	25.1 - 33.9
	High School / GED	27.4	25.0 - 29.8
	>High School	24.6	23.2 - 26.1
<b>ANNUAL INCOME</b>	<\$25,000	30.5	28.0 - 33.1
	\$25,000-\$49,999	28.0	25.3 - 30.6
	\$50,000 or More	24.1	22.2 - 26.0
<b>MARITAL STATUS</b>	Married/Couple	27.8	26.0 - 29.5
	Not Married/Couple	24.5	22.7 - 26.4

CI=Confidence Interval

2014 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight or obese

		Measure	95% CI
<b>ALL</b>	Overall	62.2	60.8 - 63.6
<b>SEX</b>	Men	68.4	66.3 - 70.5
	Women	56.1	54.3 - 57.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	60.6	59.0 - 62.3
	Non-Hisp. Black	70.3	66.1 - 74.5
	Hispanic	64.0	60.5 - 67.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	69.3	66.9 - 71.8
	Non-Hisp. White Women	52.0	50.0 - 54.1
	Non-Hisp. Black Men	67.4	60.6 - 74.2
	Non-Hisp. Black Women	72.7	67.6 - 77.8
	Hispanic Men	69.2	64.0 - 74.3
	Hispanic Women	58.8	54.0 - 63.7
<b>AGE GROUP</b>	18-44	55.1	52.5 - 57.8
	45-64	70.6	68.6 - 72.5
	65 & Older	62.9	60.9 - 64.8
<b>EDUCATION LEVEL</b>	<High School	63.8	58.9 - 68.6
	High School / GED	62.8	60.2 - 65.4
	>High School	61.5	59.9 - 63.2
<b>ANNUAL INCOME</b>	<\$25,000	64.0	61.4 - 66.7
	\$25,000-\$49,999	64.8	61.9 - 67.7
	\$50,000 or More	62.5	60.3 - 64.7
<b>MARITAL STATUS</b>	Married/Couple	66.4	64.7 - 68.1
	Not Married/Couple	57.7	55.5 - 59.9

Percentage of adults who have a healthy weight

		Measure	95% CI
<b>ALL</b>	Overall	35.7	34.4 - 37.1
<b>SEX</b>	Men	30.2	28.1 - 32.2
	Women	41.2	39.4 - 43.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.2	35.6 - 38.8
	Non-Hisp. Black	29.1	24.9 - 33.3
	Hispanic	33.9	30.4 - 37.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	29.4	27.0 - 31.8
	Non-Hisp. White Women	45.0	42.9 - 47.0
	Non-Hisp. Black Men	32.0	25.2 - 38.8
	Non-Hisp. Black Women	26.6	21.6 - 31.7
	Hispanic Men	29.0	23.9 - 34.0
	Hispanic Women	38.8	34.1 - 43.6
<b>AGE GROUP</b>	18-44	42.1	39.5 - 44.8
	45-64	27.9	26.0 - 29.8
	65 & Older	35.5	33.6 - 37.5
<b>EDUCATION LEVEL</b>	<High School	34.4	29.6 - 39.2
	High School / GED	34.5	31.9 - 37.1
	>High School	36.7	35.1 - 38.4
<b>ANNUAL INCOME</b>	<\$25,000	33.0	30.3 - 35.6
	\$25,000-\$49,999	33.2	30.4 - 36.0
	\$50,000 or More	36.4	34.2 - 38.6
<b>MARITAL STATUS</b>	Married/Couple	32.3	30.6 - 34.0
	Not Married/Couple	39.5	37.3 - 41.6

CI=Confidence Interval

2014 Florida BRFSS Data

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		Measure	95% CI
<b>ALL</b>	Overall	6.0	5.3 - 6.7
<b>SEX</b>	Men	5.6	4.5 - 6.6
	Women	6.5	5.5 - 7.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.0	4.3 - 5.8
	Non-Hisp. Black	7.2	4.9 - 9.4
	Hispanic	7.5	5.6 - 9.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.9	3.7 - 6.1
	Non-Hisp. White Women	5.2	4.3 - 6.1
	Non-Hisp. Black Men	8.2	4.5 - 12.0
	Non-Hisp. Black Women	6.3	3.6 - 9.0
	Hispanic Men	6.0	3.4 - 8.5
	Hispanic Women	8.9	6.2 - 11.7
<b>AGE GROUP</b>	18-44	4.0	2.9 - 5.1
	45-64	8.5	7.1 - 9.9
	65 & Older	6.3	5.2 - 7.3
<b>EDUCATION LEVEL</b>	<High School	15.3	11.9 - 18.8
	High School / GED	6.1	4.9 - 7.3
	>High School	3.7	3.1 - 4.3
<b>ANNUAL INCOME</b>	<\$25,000	10.9	9.2 - 12.6
	\$25,000-\$49,999	5.7	4.2 - 7.1
	\$50,000 or More	2.2	1.4 - 2.9
<b>MARITAL STATUS</b>	Married/Couple	4.5	3.7 - 5.3
	Not Married/Couple	7.7	6.5 - 8.9

2014 Florida BRFSS Data

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Measure	95% CI
<b>ALL</b>	Overall	17.0	15.9 - 18.1
<b>SEX</b>	Men	21.1	19.1 - 23.0
	Women	13.3	12.1 - 14.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.0	17.6 - 20.4
	Non-Hisp. Black	10.1	7.2 - 13.1
	Hispanic	16.4	13.6 - 19.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.5	20.1 - 24.9
	Non-Hisp. White Women	15.8	14.3 - 17.4
	Non-Hisp. Black Men	15.6	10.1 - 21.2
	Non-Hisp. Black Women	6.2	3.3 - 9.0
	Hispanic Men	22.0	17.2 - 26.8
	Hispanic Women	11.0	8.1 - 13.9
<b>AGE GROUP</b>	18-44	22.9	20.7 - 25.2
	45-64	15.8	14.1 - 17.5
	65 & Older	8.9	7.8 - 10.1
<b>EDUCATION LEVEL</b>	<High School	12.6	9.1 - 16.1
	High School / GED	17.1	14.9 - 19.3
	>High School	18.1	16.7 - 19.5
<b>ANNUAL INCOME</b>	<\$25,000	13.9	11.9 - 15.9
	\$25,000-\$49,999	16.6	14.2 - 19.0
	\$50,000 or More	21.7	19.7 - 23.7
<b>MARITAL STATUS</b>	Married/Couple	15.8	14.3 - 17.2
	Not Married/Couple	18.4	16.6 - 20.2

2014 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who are current smokers**

		Measure	95% CI
<b>ALL</b>	Overall	17.6	16.5 - 18.8
<b>SEX</b>	Men	20.0	18.1 - 21.8
	Women	15.5	14.1 - 16.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.9	17.5 - 20.3
	Non-Hisp. Black	15.1	11.8 - 18.4
	Hispanic	15.3	12.5 - 18.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	20.1	17.9 - 22.4
	Non-Hisp. White Women	17.8	16.1 - 19.5
	Non-Hisp. Black Men	19.3	13.7 - 25.0
	Non-Hisp. Black Women	11.7	7.9 - 15.5
	Hispanic Men	18.9	14.3 - 23.5
	Hispanic Women	11.9	8.5 - 15.2
<b>AGE GROUP</b>	18-44	21.3	19.1 - 23.6
	45-64	20.7	18.8 - 22.6
	65 & Older	7.5	6.5 - 8.6
<b>EDUCATION LEVEL</b>	<High School	31.1	26.5 - 35.7
	High School / GED	22.5	20.2 - 24.8
	>High School	11.6	10.5 - 12.7
<b>ANNUAL INCOME</b>	<\$25,000	24.1	21.6 - 26.5
	\$25,000-\$49,999	18.8	16.3 - 21.2
	\$50,000 or More	12.7	11.1 - 14.4
<b>MARITAL STATUS</b>	Married/Couple	13.9	12.5 - 15.3
	Not Married/Couple	21.6	19.7 - 23.5

**Percentage of adults who are former smokers (currently quit smoking)**

		Measure	95% CI
<b>ALL</b>	Overall	27.8	26.6 - 29.0
<b>SEX</b>	Men	31.1	29.2 - 33.0
	Women	24.7	23.3 - 26.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	34.5	33.0 - 36.0
	Non-Hisp. Black	12.3	9.5 - 15.2
	Hispanic	21.8	18.8 - 24.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	37.0	34.6 - 39.4
	Non-Hisp. White Women	32.1	30.3 - 33.9
	Non-Hisp. Black Men	16.7	11.3 - 22.1
	Non-Hisp. Black Women	8.8	6.2 - 11.5
	Hispanic Men	27.3	22.5 - 32.1
	Hispanic Women	16.5	13.2 - 19.9
<b>AGE GROUP</b>	18-44	15.1	13.2 - 16.9
	45-64	30.2	28.2 - 32.2
	65 & Older	46.4	44.4 - 48.4
<b>EDUCATION LEVEL</b>	<High School	26.8	22.6 - 31.0
	High School / GED	28.2	25.9 - 30.5
	>High School	28.0	26.6 - 29.3
<b>ANNUAL INCOME</b>	<\$25,000	26.4	24.0 - 28.7
	\$25,000-\$49,999	28.0	25.6 - 30.5
	\$50,000 or More	30.1	28.2 - 32.1
<b>MARITAL STATUS</b>	Married/Couple	31.8	30.1 - 33.5
	Not Married/Couple	23.4	21.8 - 25.1

CI=Confidence Interval

2014 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who have never smoked**

		Measure	95% CI
<b>ALL</b>	Overall	54.6	53.1 - 56.0
<b>SEX</b>	Men	48.9	46.7 - 51.1
	Women	59.8	58.0 - 61.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	46.6	45.0 - 48.2
	Non-Hisp. Black	72.6	68.6 - 76.6
	Hispanic	62.9	59.4 - 66.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	42.8	40.2 - 45.4
	Non-Hisp. White Women	50.1	48.1 - 52.1
	Non-Hisp. Black Men	63.9	57.1 - 70.8
	Non-Hisp. Black Women	79.4	75.0 - 83.9
	Hispanic Men	53.8	48.3 - 59.3
	Hispanic Women	71.6	67.3 - 75.9
<b>AGE GROUP</b>	18-44	63.6	61.0 - 66.2
	45-64	49.1	46.9 - 51.3
	65 & Older	46.1	44.0 - 48.1
<b>EDUCATION LEVEL</b>	<High School	42.1	37.2 - 47.0
	High School / GED	49.3	46.6 - 52.0
	>High School	60.4	58.8 - 62.0
<b>ANNUAL INCOME</b>	<\$25,000	49.6	46.8 - 52.4
	\$25,000-\$49,999	53.2	50.3 - 56.2
	\$50,000 or More	57.1	54.9 - 59.4
<b>MARITAL STATUS</b>	Married/Couple	54.3	52.4 - 56.1
	Not Married/Couple	55.0	52.8 - 57.1

**Percentage of adult current smokers who tried to quit smoking at least once in the past year**

		Measure	95% CI
<b>ALL</b>	Overall	66.4	63.0 - 69.7
<b>SEX</b>	Men	64.3	59.3 - 69.3
	Women	68.8	64.4 - 73.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.9	58.8 - 66.9
	Non-Hisp. Black	78.8	69.8 - 87.8
	Hispanic	70.0	60.9 - 79.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	59.9	53.7 - 66.2
	Non-Hisp. White Women	66.0	61.0 - 71.0
	Non-Hisp. Black Men	74.3	60.8 - 87.7
	Non-Hisp. Black Women	84.8	74.1 - 95.5
	Hispanic Men	72.6	60.7 - 84.5
	Hispanic Women	66.1	52.2 - 80.1
<b>AGE GROUP</b>	18-44	75.9	71.1 - 80.8
	45-64	58.5	53.3 - 63.6
	65 & Older	51.6	44.3 - 58.9
<b>EDUCATION LEVEL</b>	<High School	71.6	63.9 - 79.2
	High School / GED	64.6	59.0 - 70.1
	>High School	64.7	59.8 - 69.5
<b>ANNUAL INCOME</b>	<\$25,000	69.6	64.2 - 75.0
	\$25,000-\$49,999	65.4	58.6 - 72.2
	\$50,000 or More	62.0	55.3 - 68.7
<b>MARITAL STATUS</b>	Married/Couple	69.3	64.6 - 74.0
	Not Married/Couple	63.6	58.8 - 68.4

CI=Confidence Interval

2014 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adults who currently use e-cigarettes

		Measure	95% CI
<b>ALL</b>	Overall	6.2	5.0 - 7.4
<b>SEX</b>	Men	6.7	4.8 - 8.5
	Women	5.8	4.4 - 7.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.0	5.5 - 8.4
	Non-Hisp. Black	2.5	0.6 - 4.3
	Hispanic	6.1	3.2 - 9.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.5	4.2 - 8.8
	Non-Hisp. White Women	7.4	5.5 - 9.2
	Non-Hisp. Black Men	4.3	0.2 - 8.4
	Non-Hisp. Black Women	1.2	0.0 - 2.4
	Hispanic Men	8.4	3.6 - 13.3
	Hispanic Women	3.3	0.7 - 5.9
<b>AGE GROUP</b>	18-44	6.6	4.4 - 8.8
	45-64	8.6	6.3 - 10.8
	65 & Older	2.8	1.7 - 3.8
<b>EDUCATION LEVEL</b>	<High School	6.5	2.2 - 10.8
	High School / GED	7.1	4.9 - 9.2
	>High School	5.5	4.2 - 6.9
<b>ANNUAL INCOME</b>	<\$25,000	7.2	5.0 - 9.4
	\$25,000-\$49,999	5.5	3.4 - 7.7
	\$50,000 or More	6.8	4.7 - 8.8
<b>MARITAL STATUS</b>	Married/Couple	6.0	4.5 - 7.5
	Not Married/Couple	6.1	4.4 - 7.8



2014 Florida BRFSS Data

Physical Activity

Percentage of adults who are sedentary

		Measure	95% CI
<b>ALL</b>	Overall	23.7	22.5 - 24.9
<b>SEX</b>	Men	20.6	18.9 - 22.3
	Women	26.6	25.0 - 28.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	21.8	20.5 - 23.0
	Non-Hisp. Black	25.0	21.3 - 28.7
	Hispanic	28.0	24.9 - 31.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	19.9	17.9 - 21.9
	Non-Hisp. White Women	23.6	21.9 - 25.2
	Non-Hisp. Black Men	20.9	15.7 - 26.1
	Non-Hisp. Black Women	28.3	23.2 - 33.3
	Hispanic Men	23.0	18.5 - 27.6
	Hispanic Women	32.8	28.5 - 37.1
<b>AGE GROUP</b>	18-44	18.9	16.9 - 21.0
	45-64	25.7	23.8 - 27.7
	65 & Older	29.7	27.9 - 31.5
<b>EDUCATION LEVEL</b>	<High School	38.7	34.1 - 43.2
	High School / GED	29.0	26.7 - 31.3
	>High School	16.6	15.4 - 17.8
<b>ANNUAL INCOME</b>	<\$25,000	35.7	33.1 - 38.3
	\$25,000-\$49,999	24.2	21.7 - 26.6
	\$50,000 or More	12.2	10.8 - 13.5
<b>MARITAL STATUS</b>	Married/Couple	21.5	20.0 - 23.1
	Not Married/Couple	25.9	24.1 - 27.7

2014 Florida BRFSS Data

Cancer Screening/Breast

Percentage of women 18 years of age and older who received a clinical breast exam in the past year

		Measure	95% CI
<b>ALL</b>	Overall	54.3	52.5 - 56.2
<b>SEX</b>	Women	54.3	52.5 - 56.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	55.7	53.6 - 57.7
	Non-Hisp. Black	56.9	50.9 - 62.9
	Hispanic	49.6	44.7 - 54.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	55.7	53.6 - 57.7
	Non-Hisp. Black Women	56.9	50.9 - 62.9
	Hispanic Women	49.6	44.7 - 54.4
<b>AGE GROUP</b>	18-44	51.7	48.2 - 55.3
	45-64	57.8	54.9 - 60.7
	65 & Older	53.6	51.0 - 56.1
<b>EDUCATION LEVEL</b>	<High School	45.5	38.8 - 52.2
	High School / GED	49.4	45.9 - 52.9
	>High School	59.0	56.8 - 61.2
<b>ANNUAL INCOME</b>	<\$25,000	44.7	41.1 - 48.2
	\$25,000-\$49,999	55.6	51.8 - 59.4
	\$50,000 or More	65.8	62.8 - 68.7
<b>MARITAL STATUS</b>	Married/Couple	60.1	57.6 - 62.6
	Not Married/Couple	48.2	45.5 - 51.0

Percentage of women aged 50 to 64 who received a clinical breast exam in the past year

		Measure	95% CI
<b>ALL</b>	Overall	57.1	53.9 - 60.2
<b>SEX</b>	Women	57.1	53.9 - 60.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	58.5	55.0 - 61.9
	Non-Hisp. Black	63.3	53.9 - 72.7
	Hispanic	49.0	39.2 - 58.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	58.5	55.0 - 61.9
	Non-Hisp. Black Women	63.3	53.9 - 72.7
	Hispanic Women	49.0	39.2 - 58.7
<b>AGE GROUP</b>	50-64	57.1	53.9 - 60.2
<b>EDUCATION LEVEL</b>	<High School	48.6	36.7 - 60.6
	High School / GED	51.1	45.0 - 57.2
	>High School	61.8	58.2 - 65.5
<b>ANNUAL INCOME</b>	<\$25,000	41.4	35.1 - 47.6
	\$25,000-\$49,999	59.2	52.8 - 65.6
	\$50,000 or More	69.4	65.0 - 73.9
<b>MARITAL STATUS</b>	Married/Couple	59.9	55.9 - 64.0
	Not Married/Couple	53.5	48.4 - 58.5

2014 Florida BRFSS Data

Cancer Screening/Breast

Percentage of women aged 40 to 74 who received a mammogram in the past year

		Measure	95% CI
<b>ALL</b>	Overall	58.2	55.9 - 60.4
<b>SEX</b>	Women	58.2	55.9 - 60.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	58.3	55.9 - 60.7
	Non-Hisp. Black	61.4	54.0 - 68.7
	Hispanic	56.3	49.6 - 63.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	58.3	55.9 - 60.7
	Non-Hisp. Black Women	61.4	54.0 - 68.7
	Hispanic Women	56.3	49.6 - 63.0
<b>AGE GROUP</b>	40-44	47.6	40.0 - 55.3
	45-64	56.3	53.5 - 59.2
	65-74	69.0	65.9 - 72.1
<b>EDUCATION LEVEL</b>	<High School	55.5	47.2 - 63.9
	High School / GED	57.2	52.9 - 61.5
	>High School	59.5	56.9 - 62.2
<b>ANNUAL INCOME</b>	<\$25,000	51.3	46.7 - 56.0
	\$25,000-\$49,999	59.6	54.9 - 64.2
	\$50,000 or More	62.2	58.7 - 65.6
<b>MARITAL STATUS</b>	Married/Couple	61.1	58.3 - 64.0
	Not Married/Couple	53.7	50.1 - 57.3

Percentage of women aged 50 to 64 who received a mammogram in the past two years

		Measure	95% CI
<b>ALL</b>	Overall	75.5	72.7 - 78.2
<b>SEX</b>	Women	75.5	72.7 - 78.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.3	72.2 - 78.4
	Non-Hisp. Black	84.7	78.0 - 91.5
	Hispanic	69.9	60.9 - 78.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	75.3	72.2 - 78.4
	Non-Hisp. Black Women	84.7	78.0 - 91.5
	Hispanic Women	69.9	60.9 - 78.8
<b>AGE GROUP</b>	50-64	75.5	72.7 - 78.2
<b>EDUCATION LEVEL</b>	<High School	71.1	60.5 - 81.7
	High School / GED	68.1	62.2 - 74.1
	>High School	80.1	77.2 - 83.1
<b>ANNUAL INCOME</b>	<\$25,000	63.2	56.9 - 69.5
	\$25,000-\$49,999	75.1	69.6 - 80.7
	\$50,000 or More	87.0	83.9 - 90.1
<b>MARITAL STATUS</b>	Married/Couple	79.0	75.7 - 82.3
	Not Married/Couple	70.4	65.6 - 75.2

2014 Florida BRFSS Data

Cancer Screening/Cervical

Percentage of women aged 21 to 65 who received a Pap test in the past three years

		Measure	95% CI
<b>ALL</b>	Overall	79.7	77.5 - 81.8
<b>SEX</b>	Women	79.7	77.5 - 81.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	81.1	78.6 - 83.6
	Non-Hisp. Black	79.5	72.9 - 86.2
	Hispanic	78.7	74.0 - 83.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	81.1	78.6 - 83.6
	Non-Hisp. Black Women	79.5	72.9 - 86.2
	Hispanic Women	78.7	74.0 - 83.4
<b>AGE GROUP</b>	21-44	80.9	77.9 - 84.0
	45-64	77.6	74.7 - 80.5
	65	86.9	79.7 - 94.1
<b>EDUCATION LEVEL</b>	<High School	66.2	56.6 - 75.7
	High School / GED	76.2	71.7 - 80.7
	>High School	83.3	81.1 - 85.6
<b>ANNUAL INCOME</b>	<\$25,000	70.2	65.6 - 74.8
	\$25,000-\$49,999	80.6	76.3 - 84.9
	\$50,000 or More	88.2	85.6 - 90.8
<b>MARITAL STATUS</b>	Married/Couple	84.6	82.2 - 87.1
	Not Married/Couple	72.7	69.0 - 76.4

Percentage of women aged 50 to 64 who received a Pap test in the past three years

		Measure	95% CI
<b>ALL</b>	Overall	76.4	73.0 - 79.7
<b>SEX</b>	Women	76.4	73.0 - 79.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	77.8	74.3 - 81.3
	Non-Hisp. Black	83.8	73.8 - 93.8
	Hispanic	69.0	58.3 - 79.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	77.8	74.3 - 81.3
	Non-Hisp. Black Women	83.8	73.8 - 93.8
	Hispanic Women	69.0	58.3 - 79.6
<b>AGE GROUP</b>	50-64	76.4	73.0 - 79.7
<b>EDUCATION LEVEL</b>	<High School	52.8	38.1 - 67.5
	High School / GED	72.3	65.5 - 79.2
	>High School	82.1	78.6 - 85.6
<b>ANNUAL INCOME</b>	<\$25,000	59.2	51.2 - 67.1
	\$25,000-\$49,999	78.5	72.1 - 84.9
	\$50,000 or More	85.9	82.1 - 89.8
<b>MARITAL STATUS</b>	Married/Couple	80.9	77.1 - 84.8
	Not Married/Couple	69.9	64.0 - 75.7

2014 Florida BRFSS Data

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a stool blood test in the past year

		Measure	95% CI
<b>ALL</b>	Overall	14.0	12.9 - 15.1
<b>SEX</b>	Men	14.1	12.4 - 15.9
	Women	13.8	12.4 - 15.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.0	12.8 - 15.1
	Non-Hisp. Black	16.6	12.2 - 20.9
	Hispanic	14.1	10.2 - 18.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.3	13.3 - 17.2
	Non-Hisp. White Women	12.8	11.4 - 14.2
	Non-Hisp. Black Men	14.1	8.4 - 19.8
	Non-Hisp. Black Women	18.4	12.2 - 24.7
	Hispanic Men	11.8	6.2 - 17.5
	Hispanic Women	16.5	10.9 - 22.0
<b>AGE GROUP</b>	50-64	9.6	8.2 - 11.1
	65 & Older	18.8	17.1 - 20.5
<b>EDUCATION LEVEL</b>	<High School	15.5	11.1 - 19.9
	High School / GED	12.6	10.8 - 14.5
	>High School	14.3	13.0 - 15.6
<b>ANNUAL INCOME</b>	<\$25,000	16.1	13.6 - 18.6
	\$25,000-\$49,999	15.4	13.2 - 17.6
	\$50,000 or More	11.2	9.7 - 12.8
<b>MARITAL STATUS</b>	Married/Couple	13.3	11.9 - 14.7
	Not Married/Couple	15.1	13.2 - 17.0

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		Measure	95% CI
<b>ALL</b>	Overall	54.6	53.0 - 56.2
<b>SEX</b>	Men	53.8	51.2 - 56.4
	Women	55.3	53.2 - 57.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	56.1	54.4 - 57.8
	Non-Hisp. Black	58.1	52.2 - 64.1
	Hispanic	48.6	43.0 - 54.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	56.6	53.8 - 59.4
	Non-Hisp. White Women	55.6	53.5 - 57.7
	Non-Hisp. Black Men	54.3	44.9 - 63.6
	Non-Hisp. Black Women	61.0	53.3 - 68.7
	Hispanic Men	46.8	38.2 - 55.3
	Hispanic Women	50.4	43.2 - 57.6
<b>AGE GROUP</b>	50-64	45.7	43.3 - 48.1
	65 & Older	64.5	62.5 - 66.4
<b>EDUCATION LEVEL</b>	<High School	48.9	43.0 - 54.8
	High School / GED	52.3	49.3 - 55.3
	>High School	57.3	55.4 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	48.3	44.9 - 51.7
	\$25,000-\$49,999	54.0	50.9 - 57.2
	\$50,000 or More	60.0	57.4 - 62.6
<b>MARITAL STATUS</b>	Married/Couple	57.1	55.0 - 59.2
	Not Married/Couple	51.1	48.5 - 53.6

CI=Confidence Interval

2014 Florida BRFSS Data

**Cancer Screening/Colorectal**

Percentage of adults aged 50 to 75 who received colorectal screening based on the most recent guidelines: stool blood test in past year; sigmoidoscopy in past five years and stool blood test in past three years; or colonoscopy in past ten years

		Measure	95% CI
<b>ALL</b>	Overall	65.7	63.8 - 67.5
<b>SEX</b>	Men	63.0	60.1 - 66.0
	Women	68.0	65.7 - 70.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	69.2	67.2 - 71.2
	Non-Hisp. Black	67.0	60.8 - 73.2
	Hispanic	54.4	48.2 - 60.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	67.6	64.4 - 70.8
	Non-Hisp. White Women	70.6	68.3 - 73.0
	Non-Hisp. Black Men	61.4	51.3 - 71.4
	Non-Hisp. Black Women	71.1	63.5 - 78.6
	Hispanic Men	52.2	42.8 - 61.6
	Hispanic Women	56.6	48.5 - 64.6
<b>AGE GROUP</b>	50-64	56.8	54.3 - 59.2
	65-75	82.5	80.4 - 84.6
<b>EDUCATION LEVEL</b>	<High School	54.1	47.0 - 61.2
	High School / GED	62.1	58.6 - 65.7
	>High School	70.2	68.1 - 72.3
<b>ANNUAL INCOME</b>	<\$25,000	56.7	52.7 - 60.8
	\$25,000-\$49,999	67.1	63.4 - 70.8
	\$50,000 or More	71.3	68.5 - 74.1
<b>MARITAL STATUS</b>	Married/Couple	67.8	65.5 - 70.1
	Not Married/Couple	62.4	59.2 - 65.5

2014 Florida BRFSS Data

**Cancer Screening/Prostate**

**Percentage of men 50 years of age and older who received a PSA test in the past two years**

		Measure	95% CI
<b>ALL</b>	Overall	57.0	54.4 - 59.6
<b>SEX</b>	Men	57.0	54.4 - 59.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	61.5	58.7 - 64.2
	Non-Hisp. Black	53.2	43.9 - 62.5
	Hispanic	42.4	34.1 - 50.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.5	58.7 - 64.2
	Non-Hisp. Black Men	53.2	43.9 - 62.5
	Hispanic Men	42.4	34.1 - 50.7
<b>AGE GROUP</b>	50-64	47.1	43.3 - 50.9
	65 & Older	68.5	65.1 - 71.9
<b>EDUCATION LEVEL</b>	<High School	39.6	31.0 - 48.2
	High School / GED	55.5	50.4 - 60.6
	>High School	62.7	59.8 - 65.6
<b>ANNUAL INCOME</b>	<\$25,000	43.8	38.2 - 49.3
	\$25,000-\$49,999	61.0	55.9 - 66.2
	\$50,000 or More	64.7	60.9 - 68.4
<b>MARITAL STATUS</b>	Married/Couple	61.7	58.6 - 64.7
	Not Married/Couple	48.4	43.6 - 53.2

**Percentage of men 50 years of age and older who have ever had a PSA test**

		Measure	95% CI
<b>ALL</b>	Overall	70.2	67.6 - 72.8
<b>SEX</b>	Men	70.2	67.6 - 72.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.2	72.7 - 77.8
	Non-Hisp. Black	70.4	61.0 - 79.7
	Hispanic	52.2	43.6 - 60.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	75.2	72.7 - 77.8
	Non-Hisp. Black Men	70.4	61.0 - 79.7
	Hispanic Men	52.2	43.6 - 60.8
<b>AGE GROUP</b>	50-64	60.5	56.7 - 64.3
	65 & Older	81.4	78.2 - 84.7
<b>EDUCATION LEVEL</b>	<High School	46.6	37.7 - 55.4
	High School / GED	69.3	64.5 - 74.0
	>High School	77.4	74.8 - 80.0
<b>ANNUAL INCOME</b>	<\$25,000	56.7	50.9 - 62.4
	\$25,000-\$49,999	74.2	69.4 - 79.0
	\$50,000 or More	78.3	74.8 - 81.7
<b>MARITAL STATUS</b>	Married/Couple	74.1	71.2 - 77.1
	Not Married/Couple	63.2	58.4 - 68.0

2014 Florida BRFSS Data

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

		Measure	95% CI
<b>ALL</b>	Overall	43.1	41.6 - 44.5
<b>SEX</b>	Men	42.4	40.1 - 44.7
	Women	43.7	41.8 - 45.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	34.7	33.0 - 36.3
	Non-Hisp. Black	66.2	61.8 - 70.7
	Hispanic	50.9	47.2 - 54.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	35.6	33.0 - 38.2
	Non-Hisp. White Women	33.9	31.8 - 35.9
	Non-Hisp. Black Men	62.7	55.4 - 70.0
	Non-Hisp. Black Women	69.0	63.6 - 74.3
	Hispanic Men	48.6	42.9 - 54.2
	Hispanic Women	53.1	48.2 - 58.0
<b>AGE GROUP</b>	18-44	57.6	54.9 - 60.3
	45-64	43.8	41.5 - 46.0
	65 & Older	17.1	15.4 - 18.9
<b>EDUCATION LEVEL</b>	<High School	43.7	38.6 - 48.8
	High School / GED	41.4	38.6 - 44.2
	>High School	43.9	42.2 - 45.6
<b>ANNUAL INCOME</b>	<\$25,000	48.8	45.9 - 51.6
	\$25,000-\$49,999	42.1	39.0 - 45.1
	\$50,000 or More	42.1	39.8 - 44.4
<b>MARITAL STATUS</b>	Married/Couple	40.6	38.7 - 42.5
	Not Married/Couple	45.4	43.2 - 47.7



2014 Florida BRFSS Data

Immunization

Percentage of adults who received a flu shot in the past year

		Measure	95% CI
<b>ALL</b>	Overall	31.7	30.5 - 32.9
<b>SEX</b>	Men	30.1	28.2 - 32.0
	Women	33.2	31.6 - 34.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.7	36.2 - 39.2
	Non-Hisp. Black	21.5	18.0 - 24.9
	Hispanic	23.2	20.3 - 26.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	35.8	33.4 - 38.2
	Non-Hisp. White Women	39.5	37.5 - 41.4
	Non-Hisp. Black Men	17.0	12.0 - 21.9
	Non-Hisp. Black Women	24.9	20.2 - 29.7
	Hispanic Men	23.7	19.1 - 28.3
	Hispanic Women	22.8	19.0 - 26.7
<b>AGE GROUP</b>	18-44	20.9	18.8 - 23.0
	45-64	29.7	27.7 - 31.6
	65 & Older	53.1	51.0 - 55.1
<b>EDUCATION LEVEL</b>	<High School	28.0	23.8 - 32.2
	High School / GED	27.0	24.8 - 29.2
	>High School	35.2	33.7 - 36.7
<b>ANNUAL INCOME</b>	<\$25,000	26.7	24.4 - 29.1
	\$25,000-\$49,999	32.7	30.1 - 35.3
	\$50,000 or More	34.8	32.8 - 36.8
<b>MARITAL STATUS</b>	Married/Couple	34.5	32.8 - 36.1
	Not Married/Couple	28.8	26.9 - 30.6

Percentage of adults 65 years of age and older who received a flu shot in the past year

		Measure	95% CI
<b>ALL</b>	Overall	53.1	51.0 - 55.1
<b>SEX</b>	Men	52.3	48.9 - 55.7
	Women	53.7	51.2 - 56.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	55.9	53.9 - 58.0
	Non-Hisp. Black	44.5	35.2 - 53.7
	Hispanic	44.2	35.6 - 52.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	55.1	51.8 - 58.4
	Non-Hisp. White Women	56.6	54.0 - 59.1
	Non-Hisp. Black Men	34.1	22.1 - 46.0
	Non-Hisp. Black Women	53.9	40.9 - 66.9
	Hispanic Men	50.2	35.9 - 64.6
	Hispanic Women	38.4	29.2 - 47.7
<b>AGE GROUP</b>	65 & Older	53.1	51.0 - 55.1
<b>EDUCATION LEVEL</b>	<High School	45.4	37.9 - 52.9
	High School / GED	51.3	47.8 - 54.9
	>High School	56.6	54.3 - 59.0
<b>ANNUAL INCOME</b>	<\$25,000	48.0	43.5 - 52.4
	\$25,000-\$49,999	53.5	49.7 - 57.4
	\$50,000 or More	57.6	54.3 - 60.9
<b>MARITAL STATUS</b>	Married/Couple	54.9	52.1 - 57.7
	Not Married/Couple	51.0	47.9 - 54.1

CI=Confidence Interval

2014 Florida BRFSS Data

Immunization

Percentage of adults who have ever received a pneumococcal vaccination

		Measure	95% CI
<b>ALL</b>	Overall	32.7	31.5 - 34.0
<b>SEX</b>	Men	32.9	30.8 - 35.0
	Women	32.6	31.0 - 34.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.1	36.6 - 39.7
	Non-Hisp. Black	24.4	20.5 - 28.3
	Hispanic	23.9	20.6 - 27.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	36.8	34.3 - 39.2
	Non-Hisp. White Women	39.3	37.4 - 41.2
	Non-Hisp. Black Men	26.5	19.8 - 33.1
	Non-Hisp. Black Women	22.8	18.1 - 27.4
	Hispanic Men	27.0	21.7 - 32.3
	Hispanic Women	21.0	17.0 - 25.0
<b>AGE GROUP</b>	18-44	18.1	15.8 - 20.4
	45-64	23.8	21.9 - 25.7
	65 & Older	66.9	64.8 - 69.0
<b>EDUCATION LEVEL</b>	<High School	32.3	27.7 - 36.9
	High School / GED	32.3	29.9 - 34.7
	>High School	33.0	31.5 - 34.6
<b>ANNUAL INCOME</b>	<\$25,000	32.7	30.1 - 35.3
	\$25,000-\$49,999	35.8	33.0 - 38.6
	\$50,000 or More	29.1	27.2 - 31.1
<b>MARITAL STATUS</b>	Married/Couple	33.5	31.7 - 35.2
	Not Married/Couple	32.1	30.1 - 34.1

Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		Measure	95% CI
<b>ALL</b>	Overall	66.9	64.8 - 69.0
<b>SEX</b>	Men	64.0	60.6 - 67.5
	Women	69.2	66.7 - 71.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	73.2	71.3 - 75.0
	Non-Hisp. Black	51.4	41.9 - 60.8
	Hispanic	38.9	30.6 - 47.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	72.0	68.9 - 75.0
	Non-Hisp. White Women	74.1	71.8 - 76.4
	Non-Hisp. Black Men	43.2	30.2 - 56.2
	Non-Hisp. Black Women	58.6	44.9 - 72.2
	Hispanic Men	32.2	19.2 - 45.2
	Hispanic Women	45.0	35.0 - 55.1
<b>AGE GROUP</b>	65 & Older	66.9	64.8 - 69.0
<b>EDUCATION LEVEL</b>	<High School	51.4	43.8 - 59.0
	High School / GED	67.9	64.4 - 71.4
	>High School	71.2	69.0 - 73.4
<b>ANNUAL INCOME</b>	<\$25,000	59.2	54.6 - 63.8
	\$25,000-\$49,999	69.3	65.5 - 73.1
	\$50,000 or More	71.4	68.4 - 74.5
<b>MARITAL STATUS</b>	Married/Couple	68.0	65.3 - 70.8
	Not Married/Couple	65.7	62.5 - 68.9

CI=Confidence Interval

2014 Florida BRFSS Data

Immunization

Percentage of adults 60 years of age and older who have ever received the shingles (zoster) vaccine

		Measure	95% CI
<b>ALL</b>	Overall	28.5	26.9 - 30.0
<b>SEX</b>	Men	28.3	25.8 - 30.7
	Women	28.6	26.7 - 30.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.6	31.9 - 35.3
	Non-Hisp. Black	16.7	11.2 - 22.2
	Hispanic	8.8	5.0 - 12.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.6	29.9 - 35.4
	Non-Hisp. White Women	34.4	32.2 - 36.6
	Non-Hisp. Black Men	22.8	13.4 - 32.2
	Non-Hisp. Black Women	11.7	5.6 - 17.7
	Hispanic Men	10.7	3.9 - 17.5
	Hispanic Women	7.1	3.5 - 10.6
<b>AGE GROUP</b>	60-64	19.3	16.5 - 22.2
	65 & Older	31.7	29.9 - 33.5
<b>EDUCATION LEVEL</b>	<High School	16.5	11.8 - 21.2
	High School / GED	24.3	21.6 - 27.0
	>High School	34.4	32.4 - 36.3
<b>ANNUAL INCOME</b>	<\$25,000	15.5	12.9 - 18.0
	\$25,000-\$49,999	30.5	27.3 - 33.7
	\$50,000 or More	40.4	37.6 - 43.2
<b>MARITAL STATUS</b>	Married/Couple	31.8	29.6 - 33.9
	Not Married/Couple	24.1	21.9 - 26.3

2014 Florida BRFSS Data

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		Measure	95% CI
<b>ALL</b>	Overall	1.7	1.3 - 2.1
<b>SEX</b>	Men	3.0	2.2 - 3.8
	Women	0.6	0.3 - 0.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	1.7	1.2 - 2.2
	Non-Hisp. Black	1.4	0.3 - 2.5
	Hispanic	1.5	0.6 - 2.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.7	1.8 - 3.6
	Non-Hisp. White Women	0.7	0.3 - 1.1
	Non-Hisp. Black Men	3.2	0.8 - 5.7
	Non-Hisp. Black Women	0.0	
	Hispanic Men	2.6	0.8 - 4.4
	Hispanic Women	0.5	0.0 - 1.1
<b>AGE GROUP</b>	18-44	2.8	1.9 - 3.7
	45-64	1.0	0.6 - 1.4
	65 & Older	0.8	0.4 - 1.1
<b>EDUCATION LEVEL</b>	<High School	0.6	0.0 - 1.6
	High School / GED	1.8	0.9 - 2.6
	>High School	2.0	1.4 - 2.5
<b>ANNUAL INCOME</b>	<\$25,000	1.4	0.6 - 2.2
	\$25,000-\$49,999	1.6	1.0 - 2.3
	\$50,000 or More	2.1	1.3 - 2.8
<b>MARITAL STATUS</b>	Married/Couple	1.2	0.8 - 1.7
	Not Married/Couple	2.2	1.5 - 2.8

Percentage of adults 45 years of age and older who had a fall-related injury in the past 12 months

		Measure	95% CI
<b>ALL</b>	Overall	11.9	10.9 - 12.9
<b>SEX</b>	Men	8.8	7.4 - 10.2
	Women	14.7	13.2 - 16.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.4	11.3 - 13.5
	Non-Hisp. Black	9.9	6.5 - 13.2
	Hispanic	10.9	7.7 - 14.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.2	7.6 - 10.8
	Non-Hisp. White Women	15.2	13.6 - 16.7
	Non-Hisp. Black Men	10.2	4.6 - 15.8
	Non-Hisp. Black Women	9.6	5.5 - 13.7
	Hispanic Men	5.6	2.1 - 9.1
	Hispanic Women	16.3	10.9 - 21.6
<b>AGE GROUP</b>	45-64	13.0	11.5 - 14.5
	65 & Older	10.4	9.2 - 11.6
<b>EDUCATION LEVEL</b>	<High School	17.5	13.3 - 21.7
	High School / GED	11.3	9.5 - 13.1
	>High School	10.7	9.6 - 11.8
<b>ANNUAL INCOME</b>	<\$25,000	17.4	15.0 - 19.9
	\$25,000-\$49,999	10.9	9.1 - 12.7
	\$50,000 or More	7.8	6.6 - 9.1
<b>MARITAL STATUS</b>	Married/Couple	10.5	9.2 - 11.8
	Not Married/Couple	13.9	12.2 - 15.5

CI=Confidence Interval

2014 Florida BRFSS Data

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		Measure	95% CI
<b>ALL</b>	Overall	93.7	92.9 - 94.5
<b>SEX</b>	Men	91.4	90.0 - 92.8
	Women	95.8	94.9 - 96.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	95.0	94.2 - 95.9
	Non-Hisp. Black	89.7	86.5 - 93.0
	Hispanic	93.4	91.5 - 95.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	93.2	91.6 - 94.7
	Non-Hisp. White Women	96.7	95.9 - 97.6
	Non-Hisp. Black Men	83.7	77.8 - 89.7
	Non-Hisp. Black Women	94.3	91.0 - 97.5
	Hispanic Men	91.7	88.5 - 94.9
	Hispanic Women	95.0	92.8 - 97.3
<b>AGE GROUP</b>	18-44	91.4	89.8 - 93.1
	45-64	95.4	94.4 - 96.5
	65 & Older	95.2	94.0 - 96.4
<b>EDUCATION LEVEL</b>	<High School	87.9	84.4 - 91.5
	High School / GED	92.0	90.4 - 93.7
	>High School	96.1	95.3 - 96.8
<b>ANNUAL INCOME</b>	<\$25,000	91.9	90.2 - 93.6
	\$25,000-\$49,999	93.9	92.3 - 95.4
	\$50,000 or More	95.5	94.4 - 96.6
<b>MARITAL STATUS</b>	Married/Couple	95.7	94.9 - 96.6
	Not Married/Couple	91.6	90.2 - 93.1

2014 Florida BRFSS Data

**Intimate Partner Violence**

**Percentage of adults who have been threatened with or who experienced physical violence by an intimate partner**

		<b>Measure</b>	<b>95% CI</b>
<b>ALL</b>	Overall	17.7	16.0 - 19.4
<b>SEX</b>	Men	13.0	10.6 - 15.4
	Women	21.7	19.3 - 24.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.1	16.1 - 20.0
	Non-Hisp. Black	23.2	16.9 - 29.6
	Hispanic	12.6	8.9 - 16.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.3	9.4 - 15.1
	Non-Hisp. White Women	23.3	20.6 - 25.9
	Non-Hisp. Black Men	20.5	10.4 - 30.6
	Non-Hisp. Black Women	25.3	17.2 - 33.4
	Hispanic Men	9.4	4.9 - 13.8
	Hispanic Women	15.1	9.6 - 20.6
<b>AGE GROUP</b>	18-44	19.8	16.5 - 23.2
	45-64	20.9	18.2 - 23.6
	65 & Older	9.5	7.8 - 11.2
<b>EDUCATION LEVEL</b>	<High School	20.7	14.6 - 26.8
	High School / GED	15.3	12.4 - 18.2
	>High School	18.0	16.0 - 20.0
<b>ANNUAL INCOME</b>	<\$25,000	20.3	16.9 - 23.8
	\$25,000-\$49,999	19.4	15.7 - 23.1
	\$50,000 or More	15.9	13.3 - 18.6
<b>MARITAL STATUS</b>	Married/Couple	14.2	12.0 - 16.3
	Not Married/Couple	21.8	19.1 - 24.5

2014 Florida BRFSS Data

Health-Related Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

		Measure	95% CI
<b>ALL</b>	Overall	80.7	79.6 - 81.8
<b>SEX</b>	Men	82.4	80.7 - 84.0
	Women	79.2	77.7 - 80.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	83.3	82.2 - 84.5
	Non-Hisp. Black	79.2	75.7 - 82.6
	Hispanic	75.4	72.4 - 78.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	84.0	82.2 - 85.7
	Non-Hisp. White Women	82.7	81.3 - 84.2
	Non-Hisp. Black Men	81.5	76.6 - 86.4
	Non-Hisp. Black Women	77.3	72.6 - 82.0
	Hispanic Men	79.5	75.2 - 83.8
	Hispanic Women	71.4	67.3 - 75.6
<b>AGE GROUP</b>	18-44	87.9	86.2 - 89.7
	45-64	75.7	73.7 - 77.7
	65 & Older	74.6	72.8 - 76.5
<b>EDUCATION LEVEL</b>	<High School	58.6	53.9 - 63.2
	High School / GED	79.2	77.2 - 81.2
	>High School	87.5	86.5 - 88.5
<b>ANNUAL INCOME</b>	<\$25,000	65.6	63.1 - 68.2
	\$25,000-\$49,999	83.3	81.2 - 85.4
	\$50,000 or More	92.4	91.2 - 93.5
<b>MARITAL STATUS</b>	Married/Couple	83.6	82.2 - 84.9
	Not Married/Couple	77.6	75.9 - 79.4

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	12.7	11.8 - 13.6
<b>SEX</b>	Men	11.9	10.5 - 13.2
	Women	13.5	12.2 - 14.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.6	11.6 - 13.6
	Non-Hisp. Black	10.4	7.9 - 12.8
	Hispanic	14.1	11.7 - 16.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.4	9.9 - 12.9
	Non-Hisp. White Women	13.7	12.4 - 15.1
	Non-Hisp. Black Men	10.4	6.8 - 14.1
	Non-Hisp. Black Women	10.3	7.0 - 13.6
	Hispanic Men	13.7	9.9 - 17.4
	Hispanic Women	14.6	11.3 - 17.8
<b>AGE GROUP</b>	18-44	7.1	5.8 - 8.4
	45-64	17.9	16.2 - 19.7
	65 & Older	15.6	14.1 - 17.1
<b>EDUCATION LEVEL</b>	<High School	23.0	19.0 - 26.9
	High School / GED	13.2	11.5 - 14.9
	>High School	9.9	9.0 - 10.8
<b>ANNUAL INCOME</b>	<\$25,000	20.9	18.7 - 23.0
	\$25,000-\$49,999	11.8	10.0 - 13.6
	\$50,000 or More	6.3	5.3 - 7.3
<b>MARITAL STATUS</b>	Married/Couple	12.4	11.2 - 13.6
	Not Married/Couple	12.9	11.6 - 14.2

CI=Confidence Interval

2014 Florida BRFSS Data

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	12.3	11.3 - 13.2
<b>SEX</b>	Men	10.2	8.9 - 11.6
	Women	14.1	12.8 - 15.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.6	10.6 - 12.7
	Non-Hisp. Black	13.6	10.7 - 16.6
	Hispanic	11.9	9.5 - 14.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.0	7.5 - 10.5
	Non-Hisp. White Women	14.1	12.6 - 15.6
	Non-Hisp. Black Men	11.6	7.6 - 15.5
	Non-Hisp. Black Women	15.2	11.0 - 19.5
	Hispanic Men	10.8	7.1 - 14.5
	Hispanic Women	12.9	9.7 - 16.0
<b>AGE GROUP</b>	18-44	12.6	10.9 - 14.3
	45-64	15.5	13.9 - 17.1
	65 & Older	7.3	6.3 - 8.4
<b>EDUCATION LEVEL</b>	<High School	20.7	16.7 - 24.7
	High School / GED	12.8	11.1 - 14.5
	>High School	9.8	8.8 - 10.7
<b>ANNUAL INCOME</b>	<\$25,000	20.5	18.3 - 22.7
	\$25,000-\$49,999	11.5	9.6 - 13.4
	\$50,000 or More	6.6	5.4 - 7.8
<b>MARITAL STATUS</b>	Married/Couple	9.6	8.5 - 10.7
	Not Married/Couple	15.3	13.7 - 16.9

Average number of unhealthy physical days in the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	4.1	3.9 - 4.4
<b>SEX</b>	Men	3.8	3.5 - 4.2
	Women	4.4	4.1 - 4.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.2	3.9 - 4.4
	Non-Hisp. Black	3.6	3.0 - 4.2
	Hispanic	4.4	3.8 - 5.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.8	3.4 - 4.2
	Non-Hisp. White Women	4.5	4.2 - 4.9
	Non-Hisp. Black Men	3.4	2.5 - 4.2
	Non-Hisp. Black Women	3.8	2.9 - 4.7
	Hispanic Men	4.2	3.3 - 5.1
	Hispanic Women	4.5	3.8 - 5.3
<b>AGE GROUP</b>	18-44	2.7	2.4 - 3.1
	45-64	5.4	5.0 - 5.8
	65 & Older	4.9	4.5 - 5.3
<b>EDUCATION LEVEL</b>	<High School	6.9	6.0 - 7.9
	High School / GED	4.3	3.9 - 4.7
	>High School	3.4	3.2 - 3.6
<b>ANNUAL INCOME</b>	<\$25,000	6.5	5.9 - 7.0
	\$25,000-\$49,999	4.0	3.5 - 4.4
	\$50,000 or More	2.3	2.1 - 2.6
<b>MARITAL STATUS</b>	Married/Couple	3.9	3.6 - 4.2
	Not Married/Couple	4.4	4.1 - 4.7

CI=Confidence Interval



2014 Florida BRFSS Data

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

		Measure	95% CI
<b>ALL</b>	Overall	5.4	5.0 - 5.7
<b>SEX</b>	Men	5.4	4.8 - 5.9
	Women	5.3	4.9 - 5.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.7	5.3 - 6.2
	Non-Hisp. Black	4.8	3.9 - 5.7
	Hispanic	4.7	3.9 - 5.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.8	5.0 - 6.5
	Non-Hisp. White Women	5.7	5.2 - 6.2
	Non-Hisp. Black Men	5.2	3.6 - 6.7
	Non-Hisp. Black Women	4.6	3.5 - 5.7
	Hispanic Men	4.8	3.6 - 6.0
	Hispanic Women	4.7	3.6 - 5.7
<b>AGE GROUP</b>	18-44	3.6	3.1 - 4.1
	45-64	7.6	7.0 - 8.3
	65 & Older	5.5	5.0 - 6.1
<b>EDUCATION LEVEL</b>	<High School	8.1	6.8 - 9.3
	High School / GED	5.2	4.6 - 5.9
	>High School	4.5	4.1 - 4.9
<b>ANNUAL INCOME</b>	<\$25,000	7.7	6.9 - 8.4
	\$25,000-\$49,999	4.3	3.7 - 4.9
	\$50,000 or More	3.4	3.0 - 3.9
<b>MARITAL STATUS</b>	Married/Couple	4.9	4.4 - 5.3
	Not Married/Couple	5.8	5.3 - 6.3

2014 Florida BRFSS Data

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	3.8	3.5 - 4.0
<b>SEX</b>	Men	3.2	2.8 - 3.5
	Women	4.3	4.0 - 4.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.7	3.4 - 3.9
	Non-Hisp. Black	4.0	3.3 - 4.7
	Hispanic	3.6	3.1 - 4.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.9	2.5 - 3.3
	Non-Hisp. White Women	4.4	4.0 - 4.7
	Non-Hisp. Black Men	3.4	2.5 - 4.4
	Non-Hisp. Black Women	4.4	3.4 - 5.4
	Hispanic Men	3.1	2.3 - 3.9
	Hispanic Women	4.1	3.3 - 4.9
<b>AGE GROUP</b>	18-44	4.0	3.6 - 4.4
	45-64	4.6	4.2 - 5.0
	65 & Older	2.3	2.1 - 2.6
<b>EDUCATION LEVEL</b>	<High School	5.9	4.9 - 6.8
	High School / GED	4.0	3.5 - 4.4
	>High School	3.1	2.9 - 3.4
<b>ANNUAL INCOME</b>	<\$25,000	5.9	5.4 - 6.5
	\$25,000-\$49,999	3.7	3.2 - 4.2
	\$50,000 or More	2.2	2.0 - 2.5
<b>MARITAL STATUS</b>	Married/Couple	2.9	2.7 - 3.2
	Not Married/Couple	4.7	4.3 - 5.1

2014 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		Measure	95% CI
<b>ALL</b>	Overall	82.4	81.2 - 83.6
<b>SEX</b>	Men	80.0	78.1 - 82.0
	Women	84.5	83.1 - 86.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	87.4	86.1 - 88.7
	Non-Hisp. Black	79.0	75.3 - 82.8
	Hispanic	71.3	68.0 - 74.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	85.5	83.3 - 87.6
	Non-Hisp. White Women	89.2	87.7 - 90.7
	Non-Hisp. Black Men	76.9	70.7 - 83.0
	Non-Hisp. Black Women	80.8	76.1 - 85.4
	Hispanic Men	67.4	62.3 - 72.6
	Hispanic Women	74.9	70.8 - 79.0
<b>AGE GROUP</b>	18-44	73.6	71.2 - 76.0
	45-64	81.8	80.0 - 83.6
	65 & Older	98.1	97.5 - 98.6
<b>EDUCATION LEVEL</b>	<High School	68.4	63.8 - 72.9
	High School / GED	78.2	75.8 - 80.5
	>High School	88.6	87.4 - 89.8
<b>ANNUAL INCOME</b>	<\$25,000	69.6	67.0 - 72.3
	\$25,000-\$49,999	82.4	79.8 - 84.9
	\$50,000 or More	93.7	92.4 - 95.1
<b>MARITAL STATUS</b>	Married/Couple	87.5	86.0 - 88.9
	Not Married/Couple	76.8	74.8 - 78.8

Percentage of adults who have a personal doctor

		Measure	95% CI
<b>ALL</b>	Overall	75.8	74.5 - 77.1
<b>SEX</b>	Men	71.1	69.0 - 73.2
	Women	80.2	78.7 - 81.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	81.5	80.0 - 82.9
	Non-Hisp. Black	77.7	73.8 - 81.6
	Hispanic	61.7	58.2 - 65.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	77.1	74.7 - 79.5
	Non-Hisp. White Women	85.5	83.9 - 87.1
	Non-Hisp. Black Men	74.1	67.5 - 80.6
	Non-Hisp. Black Women	80.6	75.9 - 85.2
	Hispanic Men	56.0	50.5 - 61.4
	Hispanic Women	67.2	62.8 - 71.6
<b>AGE GROUP</b>	18-44	59.3	56.8 - 61.9
	45-64	82.6	80.9 - 84.3
	65 & Older	94.9	93.9 - 95.9
<b>EDUCATION LEVEL</b>	<High School	64.0	59.2 - 68.9
	High School / GED	72.6	70.1 - 75.2
	>High School	80.9	79.5 - 82.3
<b>ANNUAL INCOME</b>	<\$25,000	65.4	62.7 - 68.1
	\$25,000-\$49,999	77.4	74.7 - 80.1
	\$50,000 or More	84.6	82.7 - 86.4
<b>MARITAL STATUS</b>	Married/Couple	81.3	79.7 - 82.9
	Not Married/Couple	69.9	67.8 - 72.0

CI=Confidence Interval

2014 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		Measure	95% CI
<b>ALL</b>	Overall	17.6	16.5 - 18.8
<b>SEX</b>	Men	13.8	12.2 - 15.4
	Women	21.2	19.6 - 22.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.5	12.3 - 14.7
	Non-Hisp. Black	20.5	16.8 - 24.2
	Hispanic	25.5	22.5 - 28.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.0	9.3 - 12.7
	Non-Hisp. White Women	15.8	14.1 - 17.4
	Non-Hisp. Black Men	15.7	10.6 - 20.8
	Non-Hisp. Black Women	24.3	19.1 - 29.6
	Hispanic Men	19.6	15.3 - 23.8
	Hispanic Women	31.2	26.9 - 35.5
<b>AGE GROUP</b>	18-44	23.3	21.1 - 25.5
	45-64	20.2	18.4 - 22.0
	65 & Older	4.5	3.6 - 5.4
<b>EDUCATION LEVEL</b>	<High School	25.2	21.0 - 29.4
	High School / GED	19.0	16.8 - 21.1
	>High School	14.5	13.2 - 15.7
<b>ANNUAL INCOME</b>	<\$25,000	30.2	27.7 - 32.8
	\$25,000-\$49,999	17.6	15.3 - 20.0
	\$50,000 or More	6.6	5.4 - 7.7
<b>MARITAL STATUS</b>	Married/Couple	14.8	13.4 - 16.3
	Not Married/Couple	20.4	18.6 - 22.2

Percentage of adults who had a medical checkup in the past year

		Measure	95% CI
<b>ALL</b>	Overall	72.9	71.7 - 74.2
<b>SEX</b>	Men	69.1	67.0 - 71.1
	Women	76.6	75.0 - 78.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	73.6	72.1 - 75.2
	Non-Hisp. Black	79.6	76.2 - 83.1
	Hispanic	68.9	65.6 - 72.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	70.2	67.7 - 72.7
	Non-Hisp. White Women	76.9	75.0 - 78.7
	Non-Hisp. Black Men	75.3	69.8 - 80.8
	Non-Hisp. Black Women	83.1	78.6 - 87.6
	Hispanic Men	64.3	59.1 - 69.5
	Hispanic Women	73.3	69.3 - 77.2
<b>AGE GROUP</b>	18-44	61.7	59.2 - 64.2
	45-64	74.1	72.2 - 76.0
	65 & Older	90.9	89.7 - 92.0
<b>EDUCATION LEVEL</b>	<High School	70.0	65.5 - 74.5
	High School / GED	71.8	69.3 - 74.3
	>High School	74.4	72.8 - 75.9
<b>ANNUAL INCOME</b>	<\$25,000	66.8	64.1 - 69.4
	\$25,000-\$49,999	74.5	71.8 - 77.2
	\$50,000 or More	76.4	74.4 - 78.4
<b>MARITAL STATUS</b>	Married/Couple	75.9	74.3 - 77.5
	Not Married/Couple	69.7	67.7 - 71.8

CI=Confidence Interval

2014 Florida BRFSS Data

Oral Health

Percentage of adults who have seen a dentist in the past year

		Measure	95% CI
<b>ALL</b>	Overall	61.9	60.6 - 63.3
<b>SEX</b>	Men	60.9	58.7 - 63.0
	Women	63.0	61.2 - 64.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	65.7	64.1 - 67.2
	Non-Hisp. Black	56.0	51.7 - 60.3
	Hispanic	55.8	52.3 - 59.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	64.1	61.6 - 66.5
	Non-Hisp. White Women	67.2	65.3 - 69.1
	Non-Hisp. Black Men	55.4	48.7 - 62.2
	Non-Hisp. Black Women	56.4	50.8 - 62.0
	Hispanic Men	56.9	51.6 - 62.2
	Hispanic Women	54.7	50.1 - 59.2
<b>AGE GROUP</b>	18-44	59.3	56.8 - 61.9
	45-64	62.1	60.0 - 64.2
	65 & Older	66.1	64.1 - 68.0
<b>EDUCATION LEVEL</b>	<High School	42.5	37.7 - 47.3
	High School / GED	54.3	51.7 - 56.9
	>High School	71.4	69.9 - 72.9
<b>ANNUAL INCOME</b>	<\$25,000	42.3	39.6 - 44.9
	\$25,000-\$49,999	62.0	59.1 - 64.8
	\$50,000 or More	78.5	76.7 - 80.4
<b>MARITAL STATUS</b>	Married/Couple	66.4	64.6 - 68.2
	Not Married/Couple	57.1	55.0 - 59.3

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		Measure	95% CI
<b>ALL</b>	Overall	50.4	49.1 - 51.8
<b>SEX</b>	Men	49.8	47.6 - 52.0
	Women	51.0	49.3 - 52.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	50.6	49.0 - 52.2
	Non-Hisp. Black	58.5	54.2 - 62.8
	Hispanic	47.2	43.7 - 50.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	51.3	48.8 - 53.9
	Non-Hisp. White Women	49.9	47.9 - 51.9
	Non-Hisp. Black Men	55.1	48.3 - 62.0
	Non-Hisp. Black Women	61.2	55.7 - 66.6
	Hispanic Men	45.6	40.2 - 50.9
	Hispanic Women	48.8	44.3 - 53.4
<b>AGE GROUP</b>	18-44	30.7	28.3 - 33.2
	45-64	59.8	57.8 - 61.9
	65 & Older	73.4	71.7 - 75.1
<b>EDUCATION LEVEL</b>	<High School	68.9	64.2 - 73.7
	High School / GED	56.7	54.0 - 59.4
	>High School	42.3	40.7 - 43.9
<b>ANNUAL INCOME</b>	<\$25,000	61.5	58.8 - 64.2
	\$25,000-\$49,999	53.0	50.1 - 56.0
	\$50,000 or More	39.6	37.4 - 41.7
<b>MARITAL STATUS</b>	Married/Couple	51.0	49.2 - 52.9
	Not Married/Couple	49.7	47.6 - 51.9

CI=Confidence Interval

2014 Florida BRFSS Data

Reactions to Race

Percentage of adults who feel their experiences when seeking health care were worse than people of other races in the past 12 months

		Measure	95% CI
<b>ALL</b>	Overall	9.6	8.0 - 11.1
<b>SEX</b>	Men	9.8	7.4 - 12.2
	Women	9.3	7.2 - 11.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.3	5.6 - 8.9
	Non-Hisp. Black	11.8	7.0 - 16.6
	Hispanic	12.1	8.1 - 16.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	7.3	4.8 - 9.9
	Non-Hisp. White Women	7.2	5.0 - 9.4
	Non-Hisp. Black Men	15.4	7.2 - 23.6
	Non-Hisp. Black Women	9.1	3.4 - 14.9
	Hispanic Men	10.9	5.3 - 16.5
	Hispanic Women	13.1	7.5 - 18.7
<b>AGE GROUP</b>	18-44	12.7	9.6 - 15.7
	45-64	8.1	6.1 - 10.1
	65 & Older	4.9	2.8 - 7.0
<b>EDUCATION LEVEL</b>	<High School	13.1	7.0 - 19.1
	High School / GED	10.1	7.2 - 13.0
	>High School	8.1	6.4 - 9.8
<b>ANNUAL INCOME</b>	<\$25,000	13.1	9.5 - 16.6
	\$25,000-\$49,999	6.6	3.8 - 9.4
	\$50,000 or More	7.6	5.5 - 9.7
<b>MARITAL STATUS</b>	Married/Couple	8.2	6.1 - 10.2
	Not Married/Couple	10.6	8.3 - 13.0

## 2014 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>A1C</b>	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
<b>Activities of Daily Living</b>	Usual activities, such as self-care, work, or recreation.
<b>Adult</b>	Individual aged 18 years or older.
<b>Angina</b>	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
<b>Arthritis</b>	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
<b>Asthma</b>	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
<b>Binge Drinking*</b>	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
<b>Blood Glucose</b>	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
<b>Blood Pressure</b>	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
<b>Blood Sugar</b>	See Blood Glucose
<b>Body Mass Index (BMI)</b>	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
<b>Cancer</b>	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
<b>Chronic Bronchitis</b>	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
<b>Chronic Diseases</b>	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
<b>Coronary Artery Disease (CAD)</b>	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
<b>Coronary Heart Disease (CHD)</b>	See Coronary Artery Disease (CAD)
<b>Current Smoker*</b>	Combination of everyday smoker and some day smoker.
<b>Depressive Disorders</b>	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
<b>Diabetes</b>	General term for diabetes mellitus; disease in which blood glucose levels are above normal.

\*This term is defined using BRFSS standards.

## 2014 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>E-Cigarettes</b>	An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors, without producing secondhand smoke.
<b>Emphysema</b>	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
<b>Everyday Smoker*</b>	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking everyday now.
<b>Fibromyalgia</b>	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
<b>Flu</b>	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
<b>Flu Shot</b>	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose.
<b>Former Smoker</b>	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
<b>Gout</b>	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
<b>Health Behavior</b>	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
<b>Health Care Coverage</b>	Health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
<b>Health Care Provider</b>	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
<b>Health Risk Behavior</b>	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
<b>Healthy Weight</b>	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
<b>Heart Attack</b>	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
<b>Heavy Drinking*</b>	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
<b>High Blood Pressure</b>	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.
<b>Hispanic</b>	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
<b>HIV</b>	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
<b>Hypertension</b>	See High Blood Pressure
<b>Influenza</b>	See Flu

\*This term is defined using BRFSS standards.



## 2014 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Kidney Disease</b>	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
<b>Lupus</b>	A chronic inflammatory disease resulting from an attack by the body's own immune system.
<b>Mammogram</b>	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
<b>Mental Health</b>	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
<b>Never Smoked*</b>	Adults who reported smoking less than 100 cigarettes in their lifetime.
<b>Non-Hispanic Black</b>	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.
<b>Non-Hispanic White</b>	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
<b>Non-Smoker*</b>	Combination of former smoker and never smoked.
<b>Obese</b>	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
<b>Obesity</b>	A condition characterized by being obese.
<b>Overweight</b>	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
<b>Pap Test</b>	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
<b>Personal Doctor</b>	A health care provider that an adult identifies as their personal health care provider.
<b>Pneumococcal Vaccination</b>	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
<b>Pneumonia</b>	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>Pre-Diabetes</b>	A condition in which an individual's blood sugar is high, but not high enough to be diagnosed as diabetes.
<b>PSA Test</b>	A prostate cancer screening test looking for increased levels of prostate-specific antigen (PSA) in the blood.
<b>Race/Ethnicity</b>	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
<b>Routine Checkup</b>	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
<b>Sedentary*</b>	Participating in no leisure-time physical activity in the past 30 days.
<b>Sex</b>	The condition or character of being male or female; self-reported demographic variable.
<b>Shingles</b>	Shingles is an infection that causes a painful rash on the skin. It is caused by the same virus that causes chickenpox.

\*This term is defined using BRFSS standards.

## 2014 Florida Behavioral Risk Factor Surveillance System Data

---

### GLOSSARY

---

<b>Shingles/Zoster Vaccine</b>	A vaccine used to reduce the risk of getting shingles, a painful skin rash caused by the same virus that causes chickenpox.
<b>Sigmoidoscopy/Colonoscopy</b>	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
<b>Smoking</b>	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
<b>Some Day Smoking*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
<b>Stool Blood Test</b>	A test that may use a special kit at home to determine whether the stool contains blood.
<b>Stroke</b>	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.

\*This term is defined using BRFSS standards.

# 2014 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

### Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

### Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5.1. Reduce the proportion of adults with hypertension

### Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

### Diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

### Health Care Access and Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6.2. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care

### Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

### HIV/AIDS Screening

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

### Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

## 2014 Florida Behavioral Risk Factor Surveillance System Data

### Healthy People 2020 Objectives

#### Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated annually against seasonal influenza

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

IID-14. Increase the percentage of adults who are vaccinated against zoster (shingles)

#### Injury Prevention

IVP-15. Increase use of safety belts

#### Kidney Disease

CKD-1. Reduce the proportion of the U.S. population with chronic kidney disease

#### Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who use the oral health care system in the past year

#### Overweight and Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

#### Physical Activity

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

#### Tobacco Use and Exposure

TU-1.1. Reduce cigarette smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

#### Vision Impairment

V-5. Reduce visual impairment

***The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.***



Prepared by:

Alyssa Cohen, MPH  
Bo (Bonnie) Yu, MAS, MA  
Junwei Jiang, MPH  
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments  
please contact:

Florida Department of Health  
Division of Community Health Promotion  
Bureau of Chronic Disease Prevention  
4052 Bald Cypress Way, Bin A-18  
Tallahassee, Florida 32399-1744

Phone: 850-245-4330

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>