# Temperature Log for Refrigerator (Fahrenheit) Day 1 – 15

•	Completing this temperature log: Check the temperature in the refrigerator
	compartment of your vaccine storage unit at least twice each working day. Place an
	"X" in the box that corresponds with the temperature, the time of the temperature
	reading, and your initials. Save each month's completed form for 3 years, unless
	state or local jurisdictions require a longer time period.

 Temperatures warmer than 46°F or colder than 36°F are outside the acceptable temperature range. You must take action!

### ► Take Action!

If temperature is **too warm** (above 46°F) or **too cold** (below 36°F):

- 1. **Store the vaccine** under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record."

VFC Customer Service Representative

Immunization Section Area Field Staff Office

		1																												
	f Initials	ļ		ļ				ļ		ļ								<u> </u>												
,	of Month		1		2		3	<u> </u>	4		5	6	5		7	8	3	9	9	1	0	1	1	1	2	1	3	1	14	1
Roon	m Temp	ļ		ļ				ļ																						
Exac	ct Time																													
		am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am
(since	lax Temp previous ading)	and the second se							****		*****		*****				*****			a a second a		and the second second								
	any unacc ake actior																													
	Danger	l Ter	nner	atur	es al	hove	A6º	Fare	a too	wa	rm!\	Nrito :	anv u	nacce	ntahle	a tomi	nerati	ure or	n the l	ines a	hove	* and	call y	our le	ncal V	FC Pr	oaran	n imm	nediat	مايرا
	Danger	! Ter	nper	atur	es al	bove	e 46°	F are	e too	wa	rm! \	Nrite a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	bove	* and	call y	our lo	ocal V	FC Pr	ogran	n imm	nediat	ely!
-	46°	! Ter	nper	atur	es al	bove	e 46°	F are	e too	wa	rm!\	Nrite a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	bove <sup>®</sup>	* and	call y	our lo	ocal V	FC Pro	ogran	n imm	nediat	ely!
-	46° 45°	! Ter	nper	atur	es al	bove	e 46°	F are	e too	wa	<b>rm!</b> \	Nrite a	any u	nacce	ptable	e tem	perati	ure or	n the l	ines a	above <sup>®</sup>	* and	call y	our lo	ocal V	FC Pro	ogran	n imm	nediat	ely!
-	46° 45° 44°	! Ter	nper	atur	es al	bove	e 46°	F are	e too	wa	rm!\	Write a	any u	nacce	ptable	e temp	perat	ure or	n the l	ines a	above	* and	call y	our lo	ocal V	FC Pro	ogran	n imm	nediat	ely!
	46° 45° 44° 43°	! Ter	nper	atur	es al	bove	e 46°	F are	e too	wa	rm! \	Write a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	ibove	* and	call y	our lo	ocal V	FC Pro	ogran	n imm	nediat	ely!
	46° 45° 44° 43° 42°	! Ter	nper	atur	es al	bove	2 46°	F are	e too	) wa	rm!\	Write a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	ibove	* and	call y	our lo	ocal V	FC Pre	ogran		nediato	ely!
lemperatures	46° 45° 44° 43° 42° 41°	! Ter	nper	atur	es al	bove	2 46°	F are	e too	wa	rm!\ 	Write a	any u	nacce	ptable	e temp	perati	ure or	n the I	ines a	bove	* and	call y	our lo	ocal V	FC Pro	ogran		nediato	ely!
emperatures	46° 45° 44° 43° 42° 41° ▶ 40°	! Ter	nper	atur	es al	bove	2 46°	F are	e too	wa	rm!\	Vrite a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	bove	* and	call y	our lo	ocal V	FC Pro	ogran		nediato	ely!
0 0 0	46° 45° 44° 43° 42° 41° ↓ 40° 39°	! Ter	nper	atur	es al		2 46°			wa	rm!\ 	Vrite a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	bove	* and	call y		ocal V	FC Pro	ogran			ely!
00 Temperatures	46° 45° 44° 43° 42° 41° 40° 39° 38°	! Ter	nper	atur	es al		2 46°	F are		wa	rm!\ 	Vrite a	any u	nacce	ptable	e temp	perati	ure or	n the l	ines a	bove 	* and	call y		ocal V	FC Pro	ogran			ely!
Acceptable	46° 45° 44° 43° 42° 41° ↓ 40° 39°	! Ter	nper	atur	es al		2 46°	F are		wa	rm!\ 	Write a	any u	nacce	ptable		perati	ure or	n the l	ines a	above	* and	call y		ocal V	FC Pro	ogran			ely!



Ai

Florida Vaccines for Children Program 4052 Bald Cypress Way, Bin A-11 Tallahassee, FL 32399



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials
			•				

# Temperature Log for Refrigerator (Fahrenheit) Day 16 – 31

- **Completing this temperature log:** Check the temperature in the refrigerator compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than 46°F or colder than 36°F are outside the acceptable temperature range. You must take action!

### ► Take Action!

If temperature is **too warm** (above 46°F) or **too cold** (below 36°F):

- 1. **Store the vaccine** under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record."

VFC Customer Service Representative

Immunization Section Area Field Staff Office

Day of Month       16       17       18       19       20       21       22       23       24       25       26       27       28       29       30       1         Room Temp       Image: Strate Stra	Staff Initials																															
Exact Time       Image: Constraint of the co	Day of Month	1	16	1	17	1	8	1	9	2	20	2	1	2	2	23	3	2	4	2!	5	2	6	2	7	2	8	2	9	3	30	3
am       pm       am       pm <th< th=""><th>Room Temp</th><th></th><th></th><th>İ</th><th></th><th>İ</th><th></th><th></th><th></th><th>İ</th><th></th><th>İ</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>İ</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>İ</th><th></th><th></th><th></th><th>İ</th></th<>	Room Temp			İ		İ				İ		İ								İ								İ				İ
Min/Max Temp (since previous reading) *Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action! Danger! Temperatures above 46°F are too warm! Write any unacceptable temperature on the lines above* and call your VFC Program immediately! 46° 45° 44° 43° 43° 43° 43° 40° 40° 40° 40° 40° 40° 40° 40	Exact Time			İ						ĺ																		Ì				ĺ
(since previous reading) *Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!		am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am
Then take action!         Danger! Temperatures above 46°F are too warm! Write any unacceptable temperature on the lines above* and call your VFC Program immediately!         46°       46°       45°       6	(since previou						****																									
45°       40°       6 <th></th> <th>Dang</th> <th>jer!</th> <th>Temj</th> <th>perat</th> <th>tures</th> <th>abo</th> <th>ve 4</th> <th>l6°F</th> <th>are t</th> <th>:00 V</th> <th>varm</th> <th><b>!</b> Wri</th> <th>ite an</th> <th>y un<u>a</u></th> <th>ccepta</th> <th>ble <u>t</u>e</th> <th>emper</th> <th>rature</th> <th>e on th</th> <th>e line</th> <th>es abo</th> <th>ve*_a</th> <th>ind ca</th> <th>ll you</th> <th>r VFC</th> <th>Prog</th> <th>ram ir</th> <th>nmed</th> <th>iately</th> <th>/!</th> <th></th>		Dang	jer!	Temj	perat	tures	abo	ve 4	l6°F	are t	:00 V	varm	<b>!</b> Wri	ite an	y un <u>a</u>	ccepta	ble <u>t</u> e	emper	rature	e on th	e line	es abo	ve*_a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
44°	400	Dang	jer!	Temp	perat	tures	abo	ve 4	l6°F	are t	:00 V	varm	l Wri	ite an	y una	ccepta	ble te	emper	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
$r 40^{\circ} 40^{\circ}$	46°	Dang	jer!	Temp	perat	ures	abo	ve 4	6°F	are t	:00 V	varm	l Wri	ite an	y una	ccepta	ble te	emper	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	-
$r 40^{\circ} 40^{\circ}$	45°	Dang	jer!	Temp	perat	ures	abo	ve 4	6°F	are t	:00 V	varm	! Wri	ite an	y una	ccepta	able te	empei	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
$r 40^{\circ} 40^{\circ}$	45°	Dang	jer!	Temp	perat	ures	abo	ve 4	6°F	are t	:00 V	varm	l Wri	ite an	y una	ccepta	able te	empei	rature	on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
$41^{\circ} 40^{\circ} 40^{\circ} $	45°	Dang	jer! `	Temį	perat	ures	abo	ve 4	l6°F	are t	:00 V	varm	l Wri	ite any	y una	ccepta	ible te	emper	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
$r 40^{\circ}$	45°	Dang	jer! '	Temț   	perat	tures	abo	ve 4	l6°F	are t	:00 V	varm	l Wri	ite any	y una	ccepta	ble te	emper	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
	45° 44° 43° 42°	Dang	jer! <sup>*</sup>	Temp	perat	ures	abo	ve 4	l6°F	are t	00 V	varm	Net Second	ite any	y una	ccepta	able te	emper	rature	e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	γ! 	
	45° 44° 43° 42° 41°	Dang	jer! '	Temp	perat	iures	abo	ve 4	l6°F	are t	00 V	varm	Vri	ite an	y una	ccepta	able te	emper	rature	e on th	e line	es abo	ve* a	nd ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
	45° 44° 43° 42° 41° r 40° 40°	Dang	jer! `	Temp		tures	abo	ve 4	IG°F	are t		varm	Vri	ite an	y una	ccepta	able to	emper		e on th	e line	es abo	ve* a	ind ca	ll you	r VFC	Prog	ram ir	nmed	iately	/!	
	45° 44° 43° 42° 41° r 40° 40°	Dang	Jer! `			iures	abo	ve 4	l6°F	are t		varm	Vri	ite any	y una	ccepta	able te	emper		e on th	e line	es abo	ve* a	nd ca	ll you	r VFC	Prog	ram ir	nmed	iately		

Danger! Temperatures below 36°F are too cold! Write any unacceptable temperature on the lines above\* and call your VFC Program immediately!



36°

Florida Vaccines for Children Program 4052 Bald Cypress Way, Bin A-11 Tallahassee, FL 32399



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials
			•				

## **Temperature Log for Freezer (Fahrenheit)**

- **Completing this temperature log:** Check the temperature in the freezer compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than 5°F are outside the acceptable temperature range. You must take action!

### ► Take Action!

If temperature is too warm (above 5°F) :

- 1. Store the vaccine under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record."

VFC Customer Service Representative

Immunization Section Area Field Staff Office

														L									L							
Staff Initials																														
Day of Month		1		2		3	4	4	!	5		6		7	8	8	9	9	1	0	1	1	1	2	1	3	1	4	1	15
Room Temp																														
Exact Time																														
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)	a a second a second a second a second a second a second a second a second a second a second a second a second a																			*****						****			and the second second	

\*Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!

5°         6	es	5°																	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	tur	4°		ĺ			Ť	 			Ì			ľ				ľ	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	era	3°					T						ĺ						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	dme	2°					İ						ĺ	ĺ				ĺ	
	Ĕ	1°		ĺ			Ī				Ì		ĺ	ĺ				ľ	
	for 0°	• 0°											ĺ			Í –			
-2°       -		-1°					T				Ì		ĺ	Ĩ					
-3°         I	<u> </u>	-2°		ĺ			Ť		İ		ĺ		ĺ	ľ		Í			
-4°         -4°         -5°F to         -5°F t	tab	-3°		ĺ									ĺ			i –			
5°F to	.de)	-4°					Ì						ĺ						
	Ace	-5°F to		ĺ			Ť	 					ĺ	, in the second s		ĺ			

† Some frozen vaccines must not be stored colder than -58°F. Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.



Vaccines for Children Protecting All of Florida's Children. Florida Vaccines for Children Program 4052 Bald Cypress Way, Bin A-11 Tallahassee, FL 32399



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials
			•				

## **Temperature Log for Freezer (Fahrenheit)**

- **Completing this temperature log:** Check the temperature in the freezer compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than 5°F are outside the acceptable temperature range. You must take action!

#### ► Take Action!

If temperature is too warm (above 5°F):

- 1. Store the vaccine under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record."

VFC Customer Service Representative Immunization Section Area Field Staff Office

_																																
Staff Initials																																
Day of Month	1	6	1	7	1	8	1	9	2	0	2		2	2	2	3	2	.4	2	25	2	6	2	27	2	8	2	9	3	0	31	
Room Temp																																
Exact Time																																
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)																																_

\*Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!

		Dar	ıger	! Te	mp	erat	ures	abo	ve 5	°F aı	re to	o wa	arm!	Write	e any	unaco	eptak	ole ter	npera	iture d	on the	lines	abov	e* an	d call	your	VFC I	Progra	am im	media	ately!		
es	5°																																
tur	4°																																
era	3°																																
Temp	2°																															ĺ	
Le	1°																																
Aim for (	)° 0°																																
· · · ·	-1°																																
ه	-2°																																
tab	-3°																																
cceptable	-4°																																
Acc	-5°F to -30°F ar colder	nd																															

<sup>+</sup> Some frozen vaccines must not be stored colder than -58°F. Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.



Florida Vaccines for Children Program 4052 Bald Cypress Way, Bin A-11 Tallahassee, FL 32399



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials
			•				