

EPIDEMIOLOGICAL PROFILE
Target Area
EMA Jax
CLAY, DUVAL, NASSAU AND SAINT JOHNS COUNTIES

Mid-Year Population Estimates

2012

Sex	Total Pop	
Males	646,996	49%
Females	683,543	51%
Total	1,330,539	100%

Age Groups	Total Pop	
0 - 12	224,202	17%
13 - 19	124,335	9%
20 - 24	91,639	7%
25 - 29	92,360	7%
30 - 39	172,973	13%
40 - 49	185,259	14%
50 - 59	188,262	14%
60+	251,509	19%
Total	1,330,539	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	866,439	65%
Black, non-Hispanic	285,689	21%
Hispanic	99,146	7%
Other*	79,265	6%
Total	1,330,539	100%

2013

Sex	Total Pop	
Males	654,354	48.6%
Females	690,989	51.4%
Total	1,345,343	100.0%

Age Groups	Total Pop	
0 - 12	226,006	17%
13 - 19	124,455	9%
20 - 24	92,738	7%
25 - 29	92,938	7%
30 - 39	174,651	13%
40 - 49	182,647	14%
50 - 59	191,421	14%
60+	260,487	19%
Total	1,345,343	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	873,220	65%
Black, non-Hispanic	289,542	22%
Hispanic	102,093	8%
Other*	80,488	6%
Total	1,345,343	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups
FLORIDA Department of Health, HIV/AIDS Section

Created: 11/13/13
Revision: 07/17/14



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Jax population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012				2013			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	153	68.0%	23.6	0 - 12	1	0.4%	0.4
Female	72	32.0%	10.5	13 - 19	4	1.8%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	23	10.2%	25.1
Total	225	100.0%	16.9	25 - 29	26	11.6%	28.2
				30 - 39	68	30.2%	39.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	57	25.3%	30.8
White, Non-Hispanic	35	15.6%	4.0	50 - 59	35	15.6%	18.6
Black, Non-Hispanic	165	73.3%	57.8	60+	11	4.9%	4.4
Hispanic	15	6.7%	15.1	Total	225	100.0%	16.9
Asian/Pacific Islander	1	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	9	4.0%	N/A				
Total	225	100.0%	16.9				
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	154	68.1%	23.5	0 - 12	0	0.0%	0.0
Female	72	31.9%	10.4	13 - 19	4	1.8%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	16	7.1%	17.3
Total	226	100.0%	16.8	25 - 29	28	12.4%	30.1
				30 - 39	57	25.2%	32.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	66	29.2%	36.1
White, Non-Hispanic	59	26.1%	6.8	50 - 59	36	15.9%	18.8
Black, Non-Hispanic	148	65.5%	51.1	60+	19	8.4%	7.3
Hispanic	14	6.2%	13.7	Total	226	100.0%	16.8
Asian/Pacific Islander	4	1.8%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	0.4%	N/A				
Total	226	100.0%	16.8				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Jax population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	265	71.8%	41.0	0 - 12	2	0.5%	0.9
Female	104	28.2%	15.2	13 - 19	17	4.6%	13.7
Other/Unknown	0	0.0%	N/A	20 - 24	63	17.1%	68.7
Total	369	100.0%	27.7	25 - 29	59	16.0%	63.9
				30 - 39	85	23.0%	49.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	85	23.0%	45.9
White, Non-Hispanic	93	25.2%	10.7	50 - 59	45	12.2%	23.9
Black, Non-Hispanic	240	65.0%	84.0	60+	13	3.5%	5.2
Hispanic	25	6.8%	25.2	Total	369	100.0%	27.7
Asian/Pacific Islander	4	1.1%	N/A				
Amer. Indian/Alaskan	1	0.3%	N/A				
Other/Unknown	6	1.6%	N/A				
Total	369	100.0%	27.7				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	273	71.1%	41.7	0 - 12	1	0.3%	0.4
Female	111	28.9%	16.1	13 - 19	22	5.7%	17.7
Other/Unknown	0	0.0%	N/A	20 - 24	65	16.9%	70.1
Total	384	100.0%	28.5	25 - 29	60	15.6%	64.6
				30 - 39	80	20.8%	45.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	84	21.9%	46.0
White, Non-Hispanic	110	28.6%	12.6	50 - 59	51	13.3%	26.6
Black, Non-Hispanic	241	62.8%	83.2	60+	21	5.5%	8.1
Hispanic	24	6.3%	23.5	Total	384	100.0%	28.5
Asian/Pacific Islander	5	1.3%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	4	1.0%	N/A				
Total	384	100.0%	28.5				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			40	90.9%	6.2		0 - 12	0	0.0%	0.0	
	Female			4	9.1%	0.6		13 - 19	2	4.5%	1.6	
	Other/Unknown			0	0.0%	N/A		20 - 24	15	34.1%	16.4	
	Total			44	100.0%	3.3		25 - 29	11	25.0%	11.9	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	7	15.9%	4.0	
	White, Non-Hispanic			9	20.5%	1.0		40 - 49	5	11.4%	2.7	
	Black, Non-Hispanic			32	72.7%	11.2		50 - 59	3	6.8%	1.6	
	Hispanic			2	4.5%	2.0		60+	1	2.3%	0.4	
	Asian/Pacific Islander			0	0.0%	N/A		Other/Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	44	100.0%	3.3	
	Other/Unknown			1	2.3%	N/A						
	Total			44	100.0%	3.3						
2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			37	88.1%	5.7		0 - 12	0	0.0%	0.0	
	Female			5	11.9%	0.7		13 - 19	1	2.4%	0.8	
	Other/Unknown			0	0.0%	N/A		20 - 24	15	35.7%	16.2	
	Total			42	100.0%	3.1		25 - 29	7	16.7%	7.5	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	4	9.5%	2.3	
	White, Non-Hispanic			8	19.0%	0.9		40 - 49	11	26.2%	6.0	
	Black, Non-Hispanic			26	61.9%	9.0		50 - 59	4	9.5%	2.1	
	Hispanic			4	9.5%	3.9		60+	0	0.0%	0.0	
	Asian/Pacific Islander			1	2.4%	N/A		Other/Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	42	100.0%	3.1	
	Other/Unknown			3	7.1%	N/A						
	Total			42	100.0%	3.1						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	962	50.1%	148.7	0 - 12	0	0.0%	0.0
Female	958	49.9%	140.2	13 - 19	396	20.6%	318.5
Other/Unknown	0	0.0%	N/A	20 - 24	677	35.3%	738.8
Total	1,920	100.0%	144.3	25 - 29	380	19.8%	411.4
				30 - 39	302	15.7%	174.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	116	6.0%	62.6
White, Non-Hispanic	317	16.5%	36.6	50 - 59	43	2.2%	22.8
Black, Non-Hispanic	1,427	74.3%	499.5	60+	6	0.3%	2.4
Hispanic	49	2.6%	49.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	9	0.5%	N/A	Total	1,920	100.0%	144.3
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	117	6.1%	N/A				
Total	1,920	100.0%	144.3				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,211	51.9%	185.1	0-12	0	0.0%	0.0
Female	1,122	48.1%	162.4	13 - 19	358	15.3%	287.7
Other/Unknown	2	0.1%	N/A	20 - 24	819	35.1%	883.1
Total	2,335	100.0%	173.6	25 - 29	476	20.4%	512.2
				30 - 39	423	18.1%	242.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	177	7.6%	96.9
White, Non-Hispanic	397	17.0%	45.5	50 - 59	64	2.7%	33.4
Black, Non-Hispanic	1,581	67.7%	546.0	60+	18	0.8%	6.9
Hispanic	41	1.8%	40.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	16	0.7%	N/A	Total	2,335	100.0%	173.6
Amer. Indian/Alaskan	3	0.1%	N/A				
Other/Unknown	297	12.7%	N/A				
Total	2,335	100.0%	173.6				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,969	29.6%	304.3	0 - 12	0	0.0%	0.0
Female	4,678	70.4%	684.4	13 - 19	1,914	28.8%	1539.4
Other/Unknown	0	0.0%	N/A	20 - 24	2,693	40.5%	2938.7
Total	6,647	100.0%	499.6	25 - 29	1,127	17.0%	1220.2
				30 - 39	680	10.2%	393.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	171	2.6%	92.3
White, Non-Hispanic	1,596	24.0%	184.2	50 - 59	47	0.7%	25.0
Black, Non-Hispanic	3,571	53.7%	1250.0	60+	15	0.2%	6.0
Hispanic	203	3.1%	204.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	67	1.0%	N/A	Total	6,647	100.0%	499.6
Amer. Indian/Alaskan	9	0.1%	N/A				
Other/Unknown	1,201	18.1%	N/A				
Total	6,647	100.0%	499.6				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,972	27.8%	301.4	0-12	0	0.0%	0.0
Female	5,099	71.9%	737.9	13 - 19	1,788	25.2%	1436.7
Other/Unknown	18	0.3%	N/A	20 - 24	2,894	40.8%	3120.6
Total	7,089	100.0%	526.9	25 - 29	1,294	18.3%	1392.3
				30 - 39	816	11.5%	467.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	213	3.0%	116.6
White, Non-Hispanic	1,638	23.1%	187.6	50 - 59	75	1.1%	39.2
Black, Non-Hispanic	3,629	51.2%	1253.4	60+	9	0.1%	3.5
Hispanic	206	2.9%	201.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	62	0.9%	N/A	Total	7,089	100.0%	526.9
Amer. Indian/Alaskan	7	0.1%	N/A				
Other/Unknown	1,547	21.8%	N/A				
Total	7,089	100.0%	526.9				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	64	66.0%	9.9	0 - 12	3	3.1%	1.3
Female	33	34.0%	4.8	13 - 19	3	3.1%	1.3
Other/Unknown	0	0.0%	N/A	20 - 24	5	5.2%	2.2
Total	97	100.0%	7.3	25 - 29	5	5.2%	2.2
				30 - 39	14	14.4%	6.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	20	20.6%	8.9
White, Non-Hispanic	23	23.7%	2.7	50 - 59	28	28.9%	12.5
Black, Non-Hispanic	53	54.6%	18.6	60+	19	19.6%	8.5
Hispanic	4	4.1%	4.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	10	10.3%	N/A	Total	97	100.0%	7.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	7	7.2%	N/A				
Total	97	100.0%	7.3				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	38	62.3%	5.8	0 - 12	2	3.3%	0.9
Female	23	37.7%	3.3	13 - 19	3	4.9%	2.4
Other/Unknown	0	0.0%	N/A	20 - 24	3	4.9%	3.2
Total	61	100.0%	4.5	25 - 29	4	6.6%	4.3
				30 - 39	10	16.4%	5.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	15	24.6%	8.2
White, Non-Hispanic	21	34.4%	2.4	50 - 59	13	21.3%	6.8
Black, Non-Hispanic	26	42.6%	9.0	60+	11	18.0%	4.2
Hispanic	1	1.6%	1.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	13	21.3%	N/A	Total	61	100.0%	4.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	61	100.0%	4.5				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			3	60.0%	0.5		0 - 12	1	20.0%	0.4	
	Female			2	40.0%	0.3		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	1	20.0%	1.1	
	Total			5	100.0%	0.4		25 - 29	0	0.0%	0.0	
								30 - 39	0	0.0%	0.0	
								40 - 49	1	20.0%	0.5	
								50 - 59	1	20.0%	0.5	
								60+	1	20.0%	0.4	
								Unknown	0	0.0%	N/A	
								Total	5	100.0%	0.4	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			4	80.0%	0.5						
	Black, Non-Hispanic			1	20.0%	0.4						
	Hispanic			0	0.0%	0.0						
	Asian/Pacific Islander			0	0.0%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			0	0.0%	N/A						
	Total			5	100.0%	0.4						
2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			2	25.0%	0.3		0 - 12	0	0.0%	0.0	
	Female			6	75.0%	0.9		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	1	12.5%	1.1	
	Total			8	100.0%	0.6		25 - 29	0	0.0%	0.0	
								30 - 39	2	25.0%	1.1	
								40 - 49	2	25.0%	1.1	
								50 - 59	0	0.0%	0.0	
								60+	3	37.5%	1.2	
								Unknown	0	0.0%	N/A	
								Total	8	100.0%	0.6	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			6	75.0%	0.7						
	Black, Non-Hispanic			0	0.0%	0.0						
	Hispanic			0	0.0%	0.0						
	Asian/Pacific Islander			1	12.5%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			1	12.5%	N/A						
	Total			8	100.0%	0.6						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			6	60.0%	0.9		0 - 12	0	0.0%	0.0	
	Female			4	40.0%	0.6		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			10	100.0%	0.8		25 - 29	0	0.0%	0.0	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	2	20.0%	1.2	
	White, Non-Hispanic			8	80.0%	0.9		40 - 49	6	60.0%	3.2	
	Black, Non-Hispanic			2	20.0%	0.7		50 - 59	0	0.0%	0.0	
	Hispanic			0	0.0%	0.0		60+	2	20.0%	0.8	
	Asian/Pacific Islander			0	0.0%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	10	100.0%	0.8	
	Other/Unknown			0	0.0%	N/A						
	Total			10	100.0%	0.8						
2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			10	62.5%	1.5		0 - 12	0	0.0%	0.0	
	Female			6	37.5%	0.9		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			16	100.0%	1.2		25 - 29	1	6.3%	1.1	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	6	37.5%	3.4	
	White, Non-Hispanic			12	75.0%	1.4		40 - 49	5	31.3%	2.7	
	Black, Non-Hispanic			3	18.8%	1.0		50 - 59	2	12.5%	1.0	
	Hispanic			0	0.0%	0.0		60+	2	12.5%	0.8	
	Asian/Pacific Islander			0	0.0%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	16	100.0%	1.2	
	Other/Unknown			1	6.3%	N/A						
	Total			16	100.0%	1.2						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	879	57.3%	135.9	0 - 12	9	0.6%	4.0
Female	648	42.3%	94.8	13 - 19	13	0.8%	10.5
Other/Unknown	6	0.4%	N/A	20 - 24	62	4.0%	67.7
Total	1,533	100.0%	115.2	25 - 29	90	5.9%	97.4
				30 - 39	146	9.5%	84.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	275	17.9%	148.4
White, Non-Hispanic	417	27.2%	48.1	50 - 59	602	39.3%	319.8
Black, Non-Hispanic	88	5.7%	30.8	60+	336	21.9%	133.6
Hispanic	22	1.4%	22.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	0.1%	N/A	Total	1,533	100.0%	115.2
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,004	65.5%	N/A				
Total	1,533	100.0%	115.2				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	911	56.9%	139.2	0 - 12	3	0.2%	1.3
Female	686	42.8%	99.3	13 - 19	19	1.2%	15.3
Other/Unknown	4	0.2%	N/A	20 - 24	80	5.0%	86.3
Total	1,601	100.0%	119.0	25 - 29	112	7.0%	120.5
				30 - 39	209	13.1%	119.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	247	15.4%	135.2
White, Non-Hispanic	430	26.9%	49.2	50 - 59	553	34.5%	288.9
Black, Non-Hispanic	84	5.2%	29.0	60+	378	23.6%	145.1
Hispanic	21	1.3%	20.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	0.3%	N/A	Total	1,601	100.0%	119.0
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,060	66.2%	N/A				
Total	1,601	100.0%	119.0				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
EMA Jax**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	59	4	6.8	Male	12,578	260	2.1
Male Sex With Male	1,629	150	9.2	Female	15,024	65	0.4
Injecting Drug User	950	9	0.9	Unknown	389	7	1.8
Sex Partner at Risk	1,750	43	2.5	Total	27,991	332	1.2
Child of Woman with HIV/AIDS	75	1	1.3	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	6,709	34	0.5	White	6,854	65	0.9
Sex for Drugs or Money	548	8	1.5	Black	18,162	239	1.3
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	1,797	15	0.8
Victim of Sexual Assault	843	7	0.8	Asian	258	1	0.4
Health Care Exposure	0	0	#DIV/0!	Am. Native	53	1	1.9
Heterosexual	14,409	62	0.4	Other	299	4	1.3
No Acknowledged Risk	264	2	0.8	Unknown	568	7	1.2
Unknown	755	12	1.6	Total	27,991	332	1.2
Total	27,991	332	1.2	Total	27,991	332	1.2

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	42	4	9.5	Male	13,324	219	1.6
Male Sex With Male	1,915	141	7.4	Female	16,203	82	0.5
Injecting Drug User	910	3	0.3	Unknown	341	7	2.1
Sex Partner at Risk	1,466	56	3.8	Total	29,868	308	1.0
Child of Woman with HIV/AIDS	45	0	0.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	6,647	26	0.4	White	6,417	49	0.8
Sex for Drugs or Money	348	1	0.3	Black	20,276	233	1.1
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	2,000	14	0.7
Victim of Sexual Assault	323	1	#DIV/0!	Asian	264	4	1.5
Health Care Exposure	0	0	0.0	Am. Native	72	0	0.0
Heterosexual	16,678	65	0.4	Other	290	4	1.4
No Acknowledged Risk	342	1	0.3	Unknown	549	4	0.7
Unknown	1,152	10	0.9	Total	29,868	308	1.0
Total	29,868	308	1.0	Total	29,868	308	1.0

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

EMA Jax

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Race/Ethnicity	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White, not Hispanic	35	16%	59	26%	68.6%	93	25%	110	29%	18.3%	25	21%	33	28%	32.0%
Black, not Hispanic	165	73%	148	65%	-10.3%	240	65%	241	63%	0.4%	88	73%	78	67%	-11.4%
Hispanic	15	7%	14	6%	-6.7%	25	7%	24	6%	-4.0%	4	3%	3	3%	-25.0%
Asian/Pacific Islander	1	0%	4	2%	300.0%	4	1%	5	1%	25.0%	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	1	0%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!
Not Specified/Other	9	4%	1	0%	-88.9%	6	2%	4	1%	-33.3%	4	3%	3	3%	-25.0%
Total:	225	100%	226	100%	0.4%	369	100%	384	100%	4.1%	121	100%	117	100%	-3.3%
Gender	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Male	153	68.0%	154	68.1%	0.7%	265	71.8%	273	71.1%	3.0%	78	64.5%	72	61.5%	-7.7%
Female	72	32.0%	72	31.9%	0.0%	104	28.2%	111	28.9%	6.7%	43	35.5%	45	38.5%	4.7%
Total:	225	100.0%	226	100.0%	0.4%	369	100.0%	384	100.0%	4.1%	121	100.0%	117	100.0%	-3.3%
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	0.3%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	1	0.4%	0	0.0%	-100.0%	2	0.5%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	4	1.8%	4	1.8%	0.0%	17	4.6%	22	5.7%	29.4%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	23	10.2%	16	7.1%	-30.4%	63	17.1%	65	16.9%	3.2%	2	1.7%	1	0.9%	-50.0%
25-29 years	26	11.6%	28	12.4%	7.7%	59	16.0%	60	15.6%	1.7%	1	0.8%	7	6.0%	600.0%
30-39 years	68	30.2%	57	25.2%	-16.2%	85	23.0%	80	20.8%	-5.9%	24	19.8%	14	12.0%	-41.7%
40-44 years	32	14.2%	36	15.9%	12.5%	43	11.7%	41	10.7%	-4.7%	13	10.7%	10	8.5%	-23.1%
45-49 years	25	11.1%	30	13.3%	20.0%	42	11.4%	43	11.2%	2.4%	15	12.4%	17	14.5%	13.3%
50-59 years	35	15.6%	36	15.9%	2.9%	45	12.2%	51	13.3%	13.3%	44	36.4%	45	38.5%	2.3%
60+ years	11	4.9%	19	8.4%	72.7%	13	3.5%	21	5.5%	61.5%	22	18.2%	23	19.7%	4.5%
Total:	225	100.0%	226	100.0%	0.4%	369	100.0%	384	100.0%	4.1%	121	100.0%	117	100.0%	-3.3%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	95	62.5%	96	62.3%	1.1%	181	68.8%	214	78.4%	18.2%	43	55.1%	34	47.2%	-20.9%
IDU	12	7.9%	8	5.2%	-33.3%	7	2.7%	4	1.5%	-42.9%	11	14.1%	13	18.1%	18.2%
MSM/IDU	3	2.0%	4	2.6%	33.3%	4	1.5%	8	2.9%	100.0%	5	6.4%	7	9.7%	40.0%
Heterosexual	42	27.6%	45	29.2%	7.1%	71	27.0%	46	16.8%	-35.2%	17	21.8%	18	25.0%	5.9%
Other	0	0.0%	1	0.6%	#DIV/0!	0	0.0%	1	0.4%	#DIV/0!	2	2.6%	0	0.0%	-100.0%
Total:	152	100.0%	154	100.0%	1.3%	263	100.0%	273	100.0%	3.8%	78	100.0%	72	100.0%	-7.7%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	8	11.1%	3	4.2%	-62.5%	9	8.7%	7	6.4%	-22.2%	8	18.6%	7	15.6%	-12.5%
Heterosexual	62	86.1%	68	94.4%	9.7%	94	90.4%	101	91.8%	7.4%	33	76.7%	38	84.4%	15.2%
Other	2	2.8%	1	1.4%	-50.0%	1	1.0%	2	1.8%	100.0%	2	4.7%	0	0.0%	-100.0%
Total:	72	100.0%	72	100.0%	0.0%	104	100.0%	110	100.0%	5.8%	43	100.0%	45	100.0%	4.7%
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	1	100%	0	#DIV/0!	-100.0%	2	100%	1	100%	-50.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	0%	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	1	100%	0	#DIV/0!	-100.0%	2	100%	1	100%	-50.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	21	N/A	46	N/A	119.0%	65	N/A	82	N/A	26.2%	15	N/A	17	N/A	13.3%
Black MSM*	68	N/A	47	N/A	-30.9%	96	N/A	117	N/A	21.9%	29	N/A	22	N/A	-24.1%
Hispanic MSM*	8	N/A	4	N/A	-50.0%	18	N/A	16	N/A	-11.1%	3	N/A	1	N/A	-66.7%
white Male IDU**	3	N/A	5	N/A	66.7%	3	N/A	5	N/A	66.7%	4	N/A	6	N/A	50.0%
Black Male IDU**	7	N/A	5	N/A	-28.6%	5	N/A	5	N/A	0.0%	12	N/A	12	N/A	0.0%
Hispanic Male IDU**	5	N/A	0	N/A	-100.0%	1	N/A	1	N/A	0.0%	0	N/A	2	N/A	#DIV/0!
white Female IDU**	2	N/A	1	N/A	-50.0%	4	N/A	4	N/A	0.0%	2	N/A	6	N/A	200.0%
Black Female IDU**	4	N/A	2	N/A	-50.0%	4	N/A	3	N/A	-25.0%	6	N/A	1	N/A	-83.3%
Hispanic Female IDU**	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	1	N/A	0	N/A	-100.0%	0	N/A	2	N/A	#DIV/0!	1	N/A	1	N/A	0.0%
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	2	N/A	2	N/A	0.0%	8	N/A	9	N/A	12.5%	1	N/A	0	N/A	-100.0%
Black Male Youth (ages 13-24)	16	N/A	15	N/A	-6.3%	53	N/A	61	N/A	15.1%	0	N/A	0	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	1	N/A	1	N/A	0.0%	6	N/A	4	N/A	-33.3%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	5	N/A	1	N/A	-80.0%	10	N/A	9	N/A	-10.0%	1	N/A	1	N/A	0.0%
Hispanic Female Youth (ages 13-24)	1	N/A	1	N/A	0.0%	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	4	N/A	3	N/A	-25.0%	12	N/A	13	N/A	8.3%	0	N/A	3	N/A	#DIV/0!
Black WCBA* (ages 15-44)	36	N/A	33	N/A	-8.3%	50	N/A	44	N/A	-12.0%	11	N/A	15	N/A	36.4%
Hispanic WCBA* (ages 15-44)	1	N/A	6	N/A	500.0%	3	N/A	5	N/A	66.7%	0	N/A	0	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	1	N/A	0	N/A	-100.0%	2	N/A	1	N/A	-50.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), EMA Jax.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	1,061	29.3%	687	26.0%	1,748	27.9%
Black, not Hispanic	2,253	62.3%	1,771	67.0%	4,024	64.3%
Hispanic	180	5.0%	113	4.3%	293	4.7%
Asian/Pacific Islander	27	0.7%	17	0.6%	44	0.7%
American Indian/Alaskan Native	3	0.1%	1	0.0%	4	0.1%
Not Specified/Other	91	2.5%	53	2.0%	144	2.3%
Total:	3,615	100.0%	2,642	100.0%	6,257	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	2,395	66.3%	1,630	61.7%	4,025	64.3%
Female	1,220	33.7%	1,012	38.3%	2,232	35.7%
Total:	3,615	100.0%	2,642	100.0%	6,257	100.0%
Current Age on 12/31/2013 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	1	0.0%	1	0.0%
3-12 years	4	0.1%	17	0.6%	21	0.3%
13-19 years	17	0.5%	38	1.4%	55	0.9%
20-24 years	107	3.0%	180	6.8%	287	4.6%
25-29 years	181	5.0%	328	12.4%	509	8.1%
30-39 years	614	17.0%	696	26.3%	1,310	20.9%
40-44 years	485	13.4%	333	12.6%	818	13.1%
45-49 years	645	17.8%	350	13.2%	995	15.9%
50-59 years	1,119	31.0%	525	19.9%	1,644	26.3%
60+ years	443	12.3%	174	6.6%	617	9.9%
Total:	3,615	100.0%	2,642	100.0%	6,257	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	1,441	60.2%	1,113	68.6%	2,554	63.6%
IDU	222	9.3%	77	4.7%	299	7.4%
MSM/IDU	182	7.6%	66	4.1%	248	6.2%
Heterosexual	516	21.6%	359	22.1%	875	21.8%
Other	31	1.3%	7	0.4%	38	0.9%
Total:	2,392	100.0%	1,622	100.0%	4,014	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	189	15.5%	113	11.3%	302	13.6%
Heterosexual	997	81.8%	875	87.3%	1,872	84.3%
Other	33	2.7%	14	1.4%	47	2.1%
Total:	1,219	100.0%	1,002	100.0%	2,221	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	4	100.0%	18	100.0%	22	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
Total:	4	100.0%	18	100.0%	22	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	739	N/A	435	N/A	1,174	N/A
Black MSM	753	N/A	649	N/A	1,402	N/A
Hispanic MSM	77	N/A	58	N/A	135	N/A
white Male IDU	135	N/A	43	N/A	178	N/A
Black Male IDU	230	N/A	88	N/A	318	N/A
Hispanic Male IDU	28	N/A	8	N/A	36	N/A
white Female IDU	62	N/A	55	N/A	117	N/A
Black Female IDU	111	N/A	53	N/A	164	N/A
Hispanic Female IDU	7	N/A	1	N/A	8	N/A
white Male Homeless	6	N/A	5	N/A	11	N/A
Black Male Homeless	10	N/A	18	N/A	28	N/A
Hispanic Male Homeless	0	N/A	1	N/A	1	N/A
white Female Homeless	1	N/A	2	N/A	3	N/A
Black Female Homeless	0	N/A	2	N/A	2	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	6	N/A	0	N/A	6	N/A
Female Haitian Born	5	N/A	4	N/A	9	N/A
white Male Youth (current ages 13-24)	11	N/A	20	N/A	31	N/A
Black Male Youth (current ages 13-24)	71	N/A	125	N/A	196	N/A
Hispanic Male Youth (current ages 13-24)	2	N/A	8	N/A	10	N/A
white Female Youth (current ages 13-24)	1	N/A	9	N/A	10	N/A
Black Female Youth (current ages 13-24)	35	N/A	45	N/A	80	N/A
Hispanic Female Youth (current ages 13-24)	2	N/A	4	N/A	6	N/A
White WCBA* (current ages 15-44)	74	N/A	109	N/A	183	N/A
Black WCBA* (current ages 15-44)	423	N/A	476	N/A	899	N/A
Hispanic WCBA* (current ages 15-44)	28	N/A	23	N/A	51	N/A
White Ped Cases (current ages 0-12)	1	N/A	1	N/A	2	N/A
Black Ped Cases (current ages 0-12)	3	N/A	16	N/A	19	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	3	N/A	5	N/A	8	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers EMA Jax

Documented Co-morbidity cases in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 6,426				
AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013	7	108.9	11.5%	eHARS	Data through 2013 (data as of 06/30/2014)
Infectious Syphilis reported in 2013 among HIV/AIDS patients	14	217.9	33.3%	PRISM	Data through 2013 (data as of 04/2014)
Gonorrhea reported in 2013 among HIV/AIDS patients	125	1945.2	5.4%	PRISM	Data through 2013 (data as of 04/2014)
Chlamydia reported in 2013 among HIV/AIDS patients	117	1820.7	1.7%	PRISM	Data through 2013 (data as of 04/2014)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	526	8185.5	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2013 (data as of 06/30/2014)

Other Factors / Surrogate Markers Documented in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	6	93.4	eHARS (address variable)	Data through 2013 (data as of 06/30/2014)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	536	8,341.1	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	75	1,167.1	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	1,686	26,237.2	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	619	9,632.7	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2013	2,726	86	3.2%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	2,803	65	2.3%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	2,787	85	3.0%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Jax EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013		
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
White, not Hispanic	1,073	698	1,771	27.6%	687	25.8%	64%	36%	386	393	26.4%	56%	44%	305	1,080	26.0%	61%	39%	691
Black, not Hispanic	2,347	1,779	4,126	64.2%	1,768	66.5%	75%	25%	579	971	65.2%	55%	45%	808	2,739	66.0%	66%	34%	1,387
Hispanic	207	127	334	5.2%	117	4.4%	57%	43%	90	76	5.1%	60%	40%	51	193	4.7%	58%	42%	141
Asian/Pacific Islander	27	13	40	0.6%	17	0.6%	63%	37%	10	8	0.5%	62%	38%	5	25	0.6%	63%	38%	15
American Indian/Alaskan Native	2	1	3	0.0%	2	0.1%	100%	0%	0	1	0.1%	100%	0%	0	3	0.1%	100%	0%	0
Not Specified/Other	93	59	152	2.4%	67	2.5%	72%	28%	26	40	2.7%	68%	32%	19	107	2.6%	70%	30%	45
Total:	3,749	2,677	6,426	100.0%	2,658	100.0%	71%	29%	1,091	1,489	100.0%	56%	44%	1,188	4,147	100.0%	65%	35%	2,279
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Male	2,468	1,673	4,141	64.4%	1,711	64.4%	69%	31%	757	907	60.9%	54%	46%	766	2,618	63.1%	63%	37%	1,523
Female	1,281	1,004	2,285	35.6%	947	35.6%	74%	26%	334	582	39.1%	58%	42%	422	1,529	36.9%	67%	33%	756
Total:	3,749	2,677	6,426	100.0%	2,658	100.0%	71%	29%	1,091	1,489	100.0%	56%	44%	1,188	4,147	100.0%	65%	35%	2,279
Current Age on 12/31/2013 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
0- 2 years	0	1	1	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.1%	100%	0%	0	1	0.0%	100%	0%	0
3-12 years	3	16	19	0.3%	3	0.1%	100%	0%	0	16	1.1%	100%	0%	0	19	0.5%	100%	0%	0
13-19 years	17	40	57	0.9%	15	0.6%	88%	12%	2	31	2.1%	78%	23%	9	46	1.1%	81%	19%	11
20-24 years	107	185	292	4.5%	75	2.8%	70%	30%	32	115	7.7%	62%	38%	70	190	4.6%	65%	35%	102
25-29 years	185	344	529	8.2%	145	5.5%	78%	22%	40	189	12.7%	55%	45%	155	334	8.1%	63%	37%	195
30-39 years	655	689	1,344	20.9%	470	17.7%	72%	28%	185	358	24.0%	52%	48%	331	828	20.0%	62%	38%	516
40-44 years	498	347	845	13.1%	359	13.5%	72%	28%	139	182	12.2%	52%	48%	165	541	13.0%	64%	36%	304
45-49 years	637	340	977	15.2%	430	16.2%	68%	32%	207	172	11.6%	51%	49%	168	602	14.5%	62%	38%	375
50-59 years	1,178	536	1,714	26.7%	848	31.9%	72%	28%	330	313	21.0%	58%	42%	223	1,161	28.0%	68%	32%	553
60+ years	469	179	648	10.1%	313	11.8%	67%	33%	156	112	7.5%	63%	37%	67	425	10.2%	66%	34%	223
Total:	3,749	2,677	6,426	100.0%	2,658	100.0%	71%	29%	1,091	1,489	100.0%	56%	44%	1,188	4,147	100.0%	65%	35%	2,279

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013		
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2013.		Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.		Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2013		Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
MSM	1,495	1,162	2,657	41.3%	1,012	38.1%	68%	32%	483	639	42.9%	55%	45%	523	1,651	39.8%	62%	38%	1,006
IDU	223	76	299	4.7%	161	6.1%	72%	28%	62	48	3.2%	63%	37%	28	209	5.0%	70%	30%	90
MSM/IDU	191	61	252	3.9%	130	4.9%	68%	32%	61	41	2.8%	67%	33%	20	171	4.1%	68%	32%	81
Heterosexual	525	354	879	13.7%	384	14.4%	73%	27%	141	163	10.9%	46%	54%	191	547	13.2%	62%	38%	332
Other	32	12	44	0.7%	22	0.8%	69%	31%	10	8	0.5%	67%	33%	4	30	0.7%	68%	32%	14
Total:	2,466	1,665	4,131	64.3%	1,709	64.3%	69%	31%	757	899	60.4%	54%	46%	766	2,608	62.9%	63%	37%	1,523
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
IDU	205	106	311	4.8%	150	5.6%	73%	27%	55	67	4.5%	63%	37%	39	217	5.2%	70%	30%	94
Heterosexual	1,039	874	1,913	29.8%	776	29.2%	75%	25%	263	495	33.2%	57%	43%	379	1,271	30.6%	66%	34%	642
Other	36	15	51	0.8%	20	0.8%	56%	44%	16	11	0.7%	73%	27%	4	31	0.7%	61%	39%	20
Total:	1,280	995	2,275	35.4%	946	35.6%	74%	26%	334	573	38.5%	58%	42%	422	1,519	36.6%	67%	33%	756
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Mother with/at risk for HIV infection	3	17	20	0.3%	3	0.1%	100%	0%	0	17	1.1%	100%	0%	0	20	0.5%	100%	0%	0
Risk not diagnosed/Other	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0
Total:	3	17	20	0.3%	3	0.1%	100%	0%	0	17	1.1%	100%	0%	0	20	0.5%	100%	0%	0

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.			PLWH receiving primary medical services in a 12-month period.			PLWHA receiving primary medical services in a 12-month period.								
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2013.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2013								
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWH	% of Total	Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHA	% of Total	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
Special Populations																			
White MSM	749	462	1,211	N/A	481	N/A	64%	36%	268	268	N/A	58%	42%	194	749	0	62%	38%	462
Black MSM	795	654	1,449	N/A	576	N/A	72%	28%	219	340	N/A	52%	48%	314	916	0	63%	37%	533
Hispanic MSM	87	69	156	N/A	48	N/A	55%	45%	39	46	N/A	67%	33%	23	94	0	60%	40%	62
White Male IDU	132	43	175	N/A	89	N/A	67%	33%	43	29	N/A	67%	33%	14	118	0	67%	33%	57
Black Male IDU	237	81	318	N/A	175	N/A	74%	26%	62	49	N/A	60%	40%	32	224	0	70%	30%	94
Hispanic Male IDU	33	10	43	N/A	17	N/A	52%	48%	16	7	N/A	70%	30%	3	24	0	56%	44%	19
White Female IDU	65	46	111	N/A	42	N/A	65%	35%	23	31	N/A	67%	33%	15	73	0	66%	34%	38
Black Female IDU	121	54	175	N/A	95	N/A	79%	21%	26	32	N/A	59%	41%	22	127	0	73%	27%	48
Hispanic Female IDU	12	2	14	N/A	7	N/A	58%	42%	5	1	N/A	50%	50%	1	8	0	57%	43%	6
White Male Homeless	2	5	7	N/A	0	N/A	0%	100%	2	0	N/A	0%	100%	5	0	0	0%	100%	7
Black Male Homeless	3	8	11	N/A	0	N/A	0%	100%	3	0	N/A	0%	100%	8	0	0	0%	100%	11
Hispanic Male Homeless	0	1	1	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	0%	100%	1	0	0	0%	100%	1
White Female Homeless	1	0	1	N/A	0	N/A	0%	100%	1	0	N/A	#DIV/0!	#DIV/0!	0	0	0	0%	100%	1
Black Female Homeless	0	2	2	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	0%	100%	2	0	0	0%	100%	2
Hispanic Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0
Male Haitian Born	7	1	8	N/A	5	N/A	71%	29%	2	1	N/A	100%	0%	0	6	0	75%	25%	2
Female Haitian Born	6	6	12	N/A	5	N/A	83%	17%	1	4	N/A	67%	33%	2	9	0	75%	25%	3
White Male Youth (current ages 13-24)	11	23	34	N/A	8	N/A	73%	27%	3	14	N/A	61%	39%	9	22	0	65%	35%	12
Black Male Youth (current ages 13-24)	70	127	197	N/A	55	N/A	79%	21%	15	82	N/A	65%	35%	45	137	0	70%	30%	60
Hispanic Male Youth (current ages 13-24)	3	11	14	N/A	2	N/A	67%	33%	1	9	N/A	82%	18%	2	11	0	79%	21%	3
White Female Youth (current ages 13-24)	2	7	9	N/A	2	N/A	100%	0%	0	4	N/A	57%	43%	3	6	0	67%	33%	3
Black Female Youth (current ages 13-24)	36	45	81	N/A	21	N/A	58%	42%	15	29	N/A	64%	36%	16	50	0	62%	38%	31
Hispanic Female Youth (current ages 13-24)	1	5	6	N/A	1	N/A	100%	0%	0	3	N/A	60%	40%	2	4	0	67%	33%	2
White WCBA* (current ages 15-44)	77	96	173	N/A	50	N/A	65%	35%	27	57	N/A	59%	41%	39	107	0	62%	38%	66
Black WCBA* (current ages 15-44)	443	488	931	N/A	323	N/A	73%	27%	120	269	N/A	55%	45%	219	592	0	64%	36%	339
Hispanic WCBA* (current ages 15-44)	31	22	53	N/A	23	N/A	74%	26%	8	10	N/A	45%	55%	12	33	0	62%	38%	20
White Ped Cases (current current ages 0-12)	1	1	2	N/A	1	N/A	100%	0%	0	1	N/A	100%	0%	0	2	0	100%	0%	0
Black Ped Cases (current ages 0-12)	2	15	17	N/A	2	N/A	100%	0%	0	15	N/A	100%	0%	0	17	0	100%	0%	0
Hispanic Ped Cases (current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0
DOC Cases	94	52	146	N/A	81	N/A	86%	14%	13	41	N/A	79%	21%	11	122	0	84%	16%	24

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

**JACKSONVILLE EMA
Unmet Need Framework Table, 2013**

Column 1	Column 2	Column 3	Column 4	Column 5
Population Sizes		Value		Data Source(s)
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2013 - 12/31/2013	3,749		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2013 - 12/31/2013	2,677		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row C.	Total number of HIV+, for the period of 01/01/2013 - 12/31/2013	6,426		
Care Patterns		Value	Percent	Data Source(s)
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,658	71%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	1,489	56%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	4,147	65%	
Calculated Results		Value	Percent	Calculation
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	1,091	29%	Value: Value A - Value D. Percent: Value G/Value A.
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	1,188	44%	Value: Value B - Value E. Percent: Value H/Value B.
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	2,279	35%	Value: Value G + Value H. Percent: Value I/Value C

HIV/AIDS EPIDEMIOLOGY page 1

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Jax EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	142	21%	243	23%	1,073	29%	698	26%	1,771	28%
Black, not Hispanic	480	69%	708	67%	2,347	63%	1,779	66%	4,126	64%
Hispanic	40	6%	62	6%	207	6%	127	5%	334	5%
Asian/Pacific Islander	11	2%	17	2%	27	1%	13	0%	40	1%
American Indian/Alaskan Native	0	0%	1	0%	2	0%	1	0%	3	0%
Not Specified/Other	19	3%	19	2%	93	2%	59	2%	152	2%
Total:	692	100%	1,050	100%	3,749	100%	2,677	100%	6,426	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	467	67%	743	71%	2,468	66%	1,673	62%	4,141	64%
Female	225	33%	307	29%	1,281	34%	1,004	38%	2,285	36%
Total:	692	100%	1,050	100%	3,749	100%	2,677	100%	6,426	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	1	0%	4	0%	0	0%	1	0%	1	0%
13-19 years	15	2%	58	6%	3	0%	16	7%	19	5%
20-44 years	426	62%	692	66%	17	0%	40	17%	57	15%
45+ years	250	36%	296	28%	107	3%	185	76%	292	79%
Total:	692	100%	1,050	100%	127	100%	242	100%	369	100%

HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Jax EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	292	42%	521	50%	1,495	40%	1,162	44%	2,657	41%
IDU	41	6%	35	3%	428	11%	182	7%	610	10%
MSM/IDU	10	1%	12	1%	191	5%	61	2%	252	4%
Heterosexual	343	50%	473	45%	1,564	42%	1,228	46%	2,792	44%
Other	5	1%	5	0%	68	2%	27	1%	95	1%
Total:	691	100%	1,046	100%	3,746	100%	2,660	100%	6,406	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	1	100%	4	100%	3	100%	17	100%	20	100%
Risk not Diagnosed/Other	0	0%	0	0%	0	0%	0	0%	0	0%
Total:	1	100%	4	100%	3	100%	17	100%	20	100%

JAX EMA
Unmet Need Framework Table, 2011

JAX EMA
Unmet Need Framework Table, 2012

JAX EMA
Unmet Need Framework Table, 2013

Population Sizes			Value	Population Sizes			Value	Population Sizes			Value						
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011		3,603	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012		3,742	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013		3,749						
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011		2,708	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012		2,679	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013		2,677						
Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011		6,311	Row C.	Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012		6,421	Row C.	Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013		6,426						
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent			
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,747		76%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,753		74%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,658		71%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,606		59%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,450		54%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,489		56%
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,353		69%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,203		65%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,147		65%
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent			
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		856		24%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		989		26%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		1,091		29%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		1,102		41%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		1,229		46%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		1,188		44%
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		1,958		31%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		2,218		35%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		2,279		35%

The Continuum of HIV Care — JACKSONVILLE EMA, 2013

		Bar Graph Data	
HIV Infected	HIV DX + 15.8% estimated unaware	7,632	100%
HIV Diagnosed*	DX, and living in Area through end of year (from Framework Table)	6,426	84%
Linked to Care	Alive and ever had a viral load or CD4 in eHARS	5,830	91%
In care this year	In care with either a viral load and/or CD4 in eHARS, &/or matched with careware and/or Medicaid (from Framework table)	4,147	65%
On ART	Estimated 90.6% of In care per statewide MMP estimates	3,757	58%
Suppressed VL (<200 copies /mL)	Estimated 78.0% on ART with a suppressed viral load this year per statewide MMP estimates	2,931	46%

*the HIV Diagnosis Bar serves as the Denominator for the remaining bars