

EPIDEMIOLOGICAL PROFILE
Target Area
EMA Ft. Lauderdale, Partnership 10
Broward County

Mid-Year Population Estimates

2012

Sex	Total Pop	
Males	851,499	49%
Females	903,257	51%
Total	1,754,756	100%

Age Groups	Total Pop	
0 - 12	273,711	16%
13 - 19	155,677	9%
20 - 24	110,787	6%
25 - 29	112,783	6%
30 - 39	226,861	13%
40 - 49	258,509	15%
50 - 59	253,144	14%
60+	363,284	21%
Total	1,754,756	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	739,365	42%
Black, non-Hispanic	462,636	26%
Hispanic	461,669	26%
Other*	91,086	5%
Total	1,754,756	100%

2013

Sex	Total Pop	
Males	853,819	48.5%
Females	905,112	51.5%
Total	1,758,931	100.0%

Age Groups	Total Pop	
0 - 12	272,895	16%
13 - 19	153,974	9%
20 - 24	113,382	6%
25 - 29	112,452	6%
30 - 39	225,113	13%
40 - 49	251,473	14%
50 - 59	256,815	15%
60+	372,827	21%
Total	1,758,931	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	735,892	42%
Black, non-Hispanic	465,538	26%
Hispanic	465,843	26%
Other*	91,658	5%
Total	1,758,931	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS Section

Created: 11/28/13
Revision: 08/27/14



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 10 (Broward) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	241	68.7%	28.3	0 - 12	0	0.0%	0.0
Female	110	31.3%	12.2	13 - 19	2	0.6%	1.3
Other/Unknown	0	0.0%	N/A	20 - 24	17	4.8%	15.3
Total	351	100.0%	20.0	25 - 29	27	7.7%	23.9
				30 - 39	89	25.4%	39.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	114	32.5%	44.1
White, Non-Hispanic	72	20.5%	9.7	50 - 59	68	19.4%	26.9
Black, Non-Hispanic	220	62.7%	47.6	60+	34	9.7%	9.4
Hispanic	53	15.1%	11.5	Total	351	100.0%	20.0
Asian/Pacific Islander	1	0.3%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	5	1.4%	N/A				
Total	351	100.0%	20.0				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	355	71.3%	41.6	0 - 12	0	0.0%	0.0
Female	143	28.7%	15.8	13 - 19	5	1.0%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	20	4.0%	17.6
Total	498	100.0%	28.3	25 - 29	46	9.2%	40.9
				30 - 39	125	25.1%	55.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	149	29.9%	59.3
White, Non-Hispanic	131	26.3%	17.8	50 - 59	116	23.3%	45.2
Black, Non-Hispanic	288	57.8%	61.9	60+	37	7.4%	9.9
Hispanic	70	14.1%	15.0	Total	498	100.0%	28.3
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	9	1.8%	N/A				
Total	498	100.0%	28.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 10 (Broward) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	520	77.4%	61.1	0 - 12	3	0.4%	1.1
Female	152	22.6%	16.8	13 - 19	29	4.3%	18.6
Other/Unknown	0	0.0%	N/A	20 - 24	71	10.6%	64.1
Total	672	100.0%	38.3	25 - 29	92	13.7%	81.6
				30 - 39	144	21.4%	63.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	174	25.9%	67.3
White, Non-Hispanic	216	32.1%	29.2	50 - 59	108	16.1%	42.7
Black, Non-Hispanic	328	48.8%	70.9	60+	51	7.6%	14.0
Hispanic	118	17.6%	25.6	Total	672	100.0%	38.3
Asian/Pacific Islander	8	1.2%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	0.3%	N/A				
Total	672	100.0%	38.3				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	827	79.2%	96.9	0 - 12	1	0.1%	0.4
Female	217	20.8%	24.0	13 - 19	40	3.8%	26.0
Other/Unknown	0	0.0%	N/A	20 - 24	88	8.4%	77.6
Total	1,044	100.0%	59.4	25 - 29	131	12.5%	116.5
				30 - 39	253	24.2%	112.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	284	27.2%	112.9
White, Non-Hispanic	356	34.1%	48.4	50 - 59	177	17.0%	68.9
Black, Non-Hispanic	477	45.7%	102.5	60+	70	6.7%	18.8
Hispanic	201	19.3%	43.1	Total	1,044	100.0%	59.4
Asian/Pacific Islander	4	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	6	0.6%	N/A				
Total	1,044	100.0%	59.4				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

2012									
Gender				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
Male	257	90.5%	30.2	0 - 12	0	0.0%	0.0		
Female	27	9.5%	3.0	13 - 19	22	7.7%	14.1		
Other/Unknown	0	0.0%	N/A	20 - 24	41	14.4%	37.0		
Total	284	100.0%	16.2	25 - 29	41	14.4%	36.4		
Race/Ethnicity				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
White, Non-Hispanic	111	39.1%	15.0	30 - 39	62	21.8%	27.3		
Black, Non-Hispanic	107	37.7%	23.1	40 - 49	68	23.9%	26.3		
Hispanic	54	19.0%	11.7	50 - 59	42	14.8%	16.6		
Asian/Pacific Islander	2	0.7%	N/A	60+	8	2.8%	2.2		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	10	3.5%	N/A	Total	284	100.0%	16.2		
Total	284	100.0%	16.2						
2013									
Gender				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
Male	241	92.0%	28.2	0 - 12	0	0.0%	0.0		
Female	21	8.0%	2.3	13 - 19	5	1.9%	3.2		
Other/Unknown	0	0.0%	N/A	20 - 24	43	16.4%	37.9		
Total	262	100.0%	14.9	25 - 29	40	15.3%	35.6		
Race/Ethnicity				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
White, Non-Hispanic	112	42.7%	15.2	30 - 39	62	23.7%	27.5		
Black, Non-Hispanic	84	32.1%	18.0	40 - 49	72	27.5%	28.6		
Hispanic	36	13.7%	7.7	50 - 59	29	11.1%	11.3		
Asian/Pacific Islander	3	1.1%	N/A	60+	11	4.2%	3.0		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	27	10.3%	N/A	Total	262	100.0%	14.9		
Total	262	100.0%	14.9						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	38	58.5%	4.5	0 - 12	2	3.1%	0.7
Female	27	41.5%	3.0	13 - 19	3	4.6%	1.1
Other/Unknown	0	0.0%	N/A	20 - 24	5	7.7%	1.8
Total	65	100.0%	3.7	25 - 29	2	3.1%	0.7
				30 - 39	9	13.8%	3.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	11	16.9%	4.0
White, Non-Hispanic	11	16.9%	1.5	50 - 59	9	13.8%	3.3
Black, Non-Hispanic	33	50.8%	7.1	60+	24	36.9%	8.8
Hispanic	17	26.2%	3.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	4	6.2%	N/A	Total	65	100.0%	3.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	65	100.0%	3.7				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	41	54.7%	4.8	0 - 12	1	1.3%	0.4
Female	34	45.3%	3.8	13 - 19	3	4.0%	1.9
Other/Unknown	0	0.0%	N/A	20 - 24	6	8.0%	5.3
Total	75	100.0%	4.3	25 - 29	12	16.0%	10.7
				30 - 39	11	14.7%	4.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	14	18.7%	5.6
White, Non-Hispanic	1	1.3%	0.1	50 - 59	13	17.3%	5.1
Black, Non-Hispanic	37	49.3%	7.9	60+	15	20.0%	4.0
Hispanic	25	33.3%	5.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	12	16.0%	N/A	Total	75	100.0%	4.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	75	100.0%	4.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1	16.7%	0.1	0 - 12	0	0.0%	0.0
Female	5	83.3%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	16.7%	0.9
Total	6	100.0%	0.3	25 - 29	1	16.7%	0.9
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	16.7%	0.4
White, Non-Hispanic	3	50.0%	0.4	50 - 59	3	50.0%	1.2
Black, Non-Hispanic	0	0.0%	0.0	60+	0	0.0%	0.0
Hispanic	3	50.0%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	6	100.0%	0.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	6	100.0%	0.3				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	42.9%	0.4	0 - 12	2	28.6%	0.7
Female	4	57.1%	0.4	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	7	100.0%	0.4	25 - 29	0	0.0%	0.0
				30 - 39	2	28.6%	0.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	42.9%	1.2
White, Non-Hispanic	2	28.6%	0.3	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	0	0.0%	0.0
Hispanic	4	57.1%	0.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	7	100.0%	0.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	14.3%	N/A				
Total	7	100.0%	0.4				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

2012												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			7	43.8%	0.8		0 - 12	0	0.0%	0.0	
	Female			9	56.3%	1.0		13 - 19	1	6.3%	0.6	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			16	100.0%	0.9		25 - 29	1	6.3%	0.9	
								30 - 39	6	37.5%	2.6	
								40 - 49	3	18.8%	1.2	
								50 - 59	1	6.3%	0.4	
								60+	4	25.0%	1.1	
								Unknown	0	0.0%	N/A	
								Total	16	100.0%	0.9	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			8	50.0%	1.1						
	Black, Non-Hispanic			6	37.5%	1.3						
	Hispanic			0	0.0%	0.0						
	Asian/Pacific Islander			0	0.0%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			2	12.5%	N/A						
	Total			16	100.0%	0.9						
2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			9	56.3%	1.1		0 - 12	0	0.0%	0.0	
	Female			7	43.8%	0.8		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	1	6.3%	0.9	
	Total			16	100.0%	0.9		25 - 29	2	12.5%	1.8	
								30 - 39	3	18.8%	1.3	
								40 - 49	3	18.8%	1.2	
								50 - 59	4	25.0%	1.6	
								60+	3	18.8%	0.8	
								Unknown	0	0.0%	N/A	
								Total	16	100.0%	0.9	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			8	50.0%	1.1						
	Black, Non-Hispanic			6	37.5%	1.3						
	Hispanic			2	12.5%	0.4						
	Asian/Pacific Islander			0	0.0%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			0	0.0%	N/A						
	Total			16	100.0%	0.9						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	873	57.5%	102.5	0 - 12	1	0.1%	0.4
Female	640	42.2%	70.9	13 - 19	15	1.0%	9.6
Other/Unknown	4	0.3%	N/A	20 - 24	121	8.0%	109.2
Total	1,517	100.0%	86.5	25 - 29	88	5.8%	78.0
				30 - 39	122	8.0%	53.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	225	14.8%	87.0
White, Non-Hispanic	73	4.8%	9.9	50 - 59	522	34.4%	206.2
Black, Non-Hispanic	40	2.6%	8.6	60+	423	27.9%	116.4
Hispanic	3	0.2%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	26	1.7%	N/A	Total	1,517	100.0%	86.5
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,374	90.6%	N/A				
Total	1,517	100.0%	86.5				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,033	58.7%	121.0	0 - 12	1	0.1%	0.4
Female	722	41.0%	79.8	13 - 19	21	1.2%	13.6
Other/Unknown	6	0.3%	N/A	20 - 24	152	8.6%	134.1
Total	1,761	100.0%	100.1	25 - 29	143	8.1%	127.2
				30 - 39	174	9.9%	77.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	228	12.9%	90.7
White, Non-Hispanic	188	10.7%	25.5	50 - 59	564	32.0%	219.6
Black, Non-Hispanic	30	1.7%	6.4	60+	478	27.1%	128.2
Hispanic	17	1.0%	3.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	9	0.5%	N/A	Total	1,761	100.0%	100.1
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1,517	86.1%	N/A				
Total	1,761	100.0%	100.1				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Partnership 10 (Broward)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	417	14	3.4	Male	32,292	365	1.1
Male Sex With Male	8,896	226	2.5	Female	28,178	118	0.4
Injecting Drug User	2,791	11	0.4	Unknown	504	10	2.0
Sex Partner at Risk	4,302	52	1.2	Total	60,974	493	0.8
Child of Woman with HIV/AIDS	111	3	2.7	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	7,572	41	0.5	White	14,549	101	0.7
Sex for Drugs or Money	411	4	1.0	Black	32,455	294	0.9
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	11,815	84	0.7
Victim of Sexual Assault	1,455	2	0.1	Asian	695	7	1.0
Health Care Exposure	0	0	#DIV/0!	Am. Native	108	2	1.9
Heterosexual	32,937	109	0.3	Other	445	1	0.2
No Acknowledged Risk	413	2	0.5	Unknown	907	4	0.4
Unknown	1,669	29	1.7	Total	60,974	493	0.8
Total	60,974	493	0.8	Total	60,974	493	0.8

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	4,479	27	0.6	Male	37,388	458	1.2
Male Sex With Male	8,382	320	3.8	Female	32,835	144	0.4
Injecting Drug User	5,435	15	0.3	Unknown	553	7	1.3
Sex Partner at Risk	2,374	50	2.1	Total	70,776	609	0.9
Child of Woman with HIV/AIDS	27	0	0.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	8,697	50	0.6	White	17,259	145	0.8
Sex for Drugs or Money	504	5	1.0	Black	37,503	332	0.9
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	13,253	119	0.9
Victim of Sexual Assault	160	1	#DIV/0!	Asian	1,006	6	0.6
Health Care Exposure	0	0	0.0	Am. Native	201	0	0.0
Heterosexual	36,408	116	0.3	Other	432	4	0.9
No Acknowledged Risk	653	2	0.3	Unknown	1,122	3	0.3
Unknown	3,657	23	0.6	Total	70,776	609	0.9
Total	70,776	609	0.9	Total	70,776	609	0.9

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 10 (Broward)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Race/Ethnicity															
White, not Hispanic	72	21%	131	26%	81.9%	216	32%	356	34%	64.8%	76	28%	56	27%	-26.3%
Black, not Hispanic	220	63%	288	58%	30.9%	328	49%	477	46%	45.4%	159	60%	125	61%	-21.4%
Hispanic	53	15%	70	14%	32.1%	118	18%	201	19%	70.3%	28	10%	14	7%	-50.0%
Asian/Pacific Islander	1	0%	0	0%	-100.0%	8	1%	4	0%	-50.0%	1	0%	0	0%	-100.0%
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	1	0%	#DIV/0!
Not Specified/Other	5	1%	9	2%	80.0%	2	0%	6	1%	200.0%	3	1%	9	4%	200.0%
Total:	351	100%	498	100%	41.9%	672	100%	1,044	100%	55.4%	267	100%	205	100%	-23.2%
Gender															
Male	241	68.7%	355	71.3%	47.3%	520	77.4%	827	79.2%	59.0%	175	65.5%	132	64.4%	-24.6%
Female	110	31.3%	143	28.7%	30.0%	152	22.6%	217	20.8%	42.8%	92	34.5%	73	35.6%	-20.7%
Total:	351	100.0%	498	100.0%	41.9%	672	100.0%	1,044	100.0%	55.4%	267	100.0%	205	100.0%	-23.2%
Age at Diagnosis (Years)															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	1	0.1%	1	0.1%	0.0%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	2	0.3%	0	0.0%	-100.0%	1	0.4%	0	0.0%	-100.0%
13-19 years	2	0.6%	5	1.0%	150.0%	29	4.3%	40	3.8%	37.9%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	17	4.8%	20	4.0%	17.6%	71	10.6%	88	8.4%	23.9%	1	0.4%	2	1.0%	100.0%
25-29 years	27	7.7%	46	9.2%	70.4%	92	13.7%	131	12.5%	42.4%	10	3.7%	3	1.5%	-70.0%
30-39 years	89	25.4%	125	25.1%	40.4%	144	21.4%	253	24.2%	75.7%	28	10.5%	17	8.3%	-39.3%
40-44 years	56	16.0%	76	15.3%	35.7%	70	10.4%	151	14.5%	115.7%	31	11.6%	13	6.3%	-58.1%
45-49 years	58	16.5%	73	14.7%	25.9%	104	15.5%	133	12.7%	27.9%	38	14.2%	33	16.1%	-13.2%
50-59 years	68	19.4%	116	23.3%	70.6%	108	16.1%	177	17.0%	63.9%	85	31.8%	84	41.0%	-1.2%
60+ years	34	9.7%	37	7.4%	8.8%	51	7.6%	70	6.7%	37.3%	73	27.3%	53	25.9%	-27.4%
Total:	351	100.0%	498	100.0%	41.9%	672	100.0%	1,044	100.0%	55.4%	267	100.0%	205	100.0%	-23.2%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	144	59.8%	228	64.2%	58.3%	382	73.6%	666	80.5%	74.3%	91	52.0%	53	40.2%	-41.8%
IDU	19	7.9%	18	5.1%	-5.3%	19	3.7%	20	2.4%	5.3%	19	10.9%	21	15.9%	10.5%
MSM/IDU	10	4.1%	11	3.1%	10.0%	5	1.0%	16	1.9%	220.0%	13	7.4%	15	11.4%	15.4%
Heterosexual	68	28.2%	98	27.6%	44.1%	112	21.6%	125	15.1%	11.6%	50	28.6%	43	32.6%	-14.0%
Other	0	0.0%	0	0.0%	#DIV/0!	1	0.2%	0	0.0%	-100.0%	2	1.1%	0	0.0%	-100.0%
Total:	241	100.0%	355	100.0%	47.3%	519	100.0%	827	100.0%	59.3%	175	100.0%	132	100.0%	-24.6%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	7	6.4%	10	7.0%	42.9%	11	7.3%	8	3.7%	-27.3%	15	16.5%	12	16.4%	-20.0%
Heterosexual	102	92.7%	131	91.6%	28.4%	139	92.7%	206	95.4%	48.2%	76	83.5%	60	82.2%	-21.1%
Other	1	0.9%	2	1.4%	100.0%	0	0.0%	2	0.9%	#DIV/0!	0	0.0%	1	1.4%	#DIV/0!
Total:	110	100.0%	143	100.0%	30.0%	150	100.0%	216	100.0%	44.0%	91	100.0%	73	100.0%	-19.8%
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	3	100%	1	100%	-66.7%	1	100%	0	#DIV/0!	-100.0%
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	3	100%	1	100%	-66.7%	1	100%	0	#DIV/0!	-100.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2014.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	58	N/A	110	N/A	89.7%	189	N/A	323	N/A	70.9%	63	N/A	41	N/A	-34.9%
Black MSM*	59	N/A	78	N/A	32.2%	104	N/A	195	N/A	87.5%	24	N/A	22	N/A	-8.3%
Hispanic MSM*	33	N/A	45	N/A	36.4%	83	N/A	155	N/A	86.7%	15	N/A	4	N/A	-73.3%
white Male IDU**	2	N/A	6	N/A	200.0%	5	N/A	11	N/A	120.0%	8	N/A	12	N/A	50.0%
Black Male IDU**	17	N/A	18	N/A	5.9%	15	N/A	16	N/A	6.7%	16	N/A	20	N/A	25.0%
Hispanic Male IDU**	7	N/A	5	N/A	-28.6%	4	N/A	8	N/A	100.0%	7	N/A	3	N/A	-57.1%
white Female IDU**	3	N/A	2	N/A	-33.3%	4	N/A	1	N/A	-75.0%	2	N/A	4	N/A	100.0%
Black Female IDU**	3	N/A	7	N/A	133.3%	6	N/A	6	N/A	0.0%	11	N/A	7	N/A	-36.4%
Hispanic Female IDU**	1	N/A	1	N/A	0.0%	0	N/A	1	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%
white Male Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	3	N/A	200.0%	1	N/A	0	N/A	-100.0%
Black Male Homeless	0	N/A	2	N/A	#DIV/0!	2	N/A	4	N/A	100.0%	2	N/A	0	N/A	-100.0%
Hispanic Male Homeless	1	N/A	0	N/A	-100.0%	2	N/A	1	N/A	-50.0%	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	15	N/A	30	N/A	100.0%	33	N/A	36	N/A	9.1%	12	N/A	12	N/A	0.0%
Female Haitian Born	26	N/A	25	N/A	-3.8%	29	N/A	31	N/A	6.9%	16	N/A	8	N/A	-50.0%
white Male Youth (ages 13-24)	1	N/A	1	N/A	0.0%	22	N/A	17	N/A	-22.7%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	6	N/A	15	N/A	150.0%	32	N/A	59	N/A	84.4%	1	N/A	0	N/A	-100.0%
Hispanic Male Youth (ages 13-24)	6	N/A	3	N/A	-50.0%	25	N/A	24	N/A	-4.0%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	6	N/A	4	N/A	-33.3%	16	N/A	22	N/A	37.5%	0	N/A	2	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	4	N/A	4	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	6	N/A	5	N/A	-16.7%	7	N/A	9	N/A	28.6%	1	N/A	1	N/A	0.0%
Black WCBA* (ages 15-44)	58	N/A	75	N/A	29.3%	73	N/A	114	N/A	56.2%	36	N/A	13	N/A	-63.9%
Hispanic WCBA* (ages 15-44)	4	N/A	4	N/A	0.0%	13	N/A	17	N/A	30.8%	3	N/A	2	N/A	-33.3%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	1	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	2	N/A	1	N/A	-50.0%	1	N/A	13	N/A	1200.0%
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!
DOC cases	1	N/A	0	N/A	-100.0%	0	N/A	1	N/A	#DIV/0!	2	N/A	2	N/A	0.0%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 10 (Broward).

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	2,873	31.1%	2,983	37.2%	5,856	34.0%
Black, not Hispanic	4,948	53.6%	3,573	44.6%	8,521	49.4%
Hispanic	1,184	12.8%	1,292	16.1%	2,476	14.4%
Asian/Pacific Islander	34	0.4%	56	0.7%	90	0.5%
American Indian/Alaskan Native	4	0.0%	9	0.1%	13	0.1%
Not Specified/Other	193	2.1%	99	1.2%	292	1.7%
Total:	9,236	100.0%	8,012	100.0%	17,248	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	6,478	70.1%	5,797	72.4%	12,275	71.2%
Female	2,758	29.9%	2,215	27.6%	4,973	28.8%
Total:	9,236	100.0%	8,012	100.0%	17,248	100.0%
Current Age on 12/31/2013 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	2	0.0%	2	0.0%
3-12 years	2	0.0%	30	0.4%	32	0.2%
13-19 years	43	0.5%	73	0.9%	116	0.7%
20-24 years	145	1.6%	291	3.6%	436	2.5%
25-29 years	225	2.4%	535	6.7%	760	4.4%
30-39 years	1,079	11.7%	1,569	19.6%	2,648	15.4%
40-44 years	1,141	12.4%	1,013	12.6%	2,154	12.5%
45-49 years	1,715	18.6%	1,386	17.3%	3,101	18.0%
50-59 years	3,419	37.0%	2,225	27.8%	5,644	32.7%
60+ years	1,467	15.9%	888	11.1%	2,355	13.7%
Total:	9,236	100.0%	8,012	100.0%	17,248	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	3,987	61.5%	4,481	77.5%	8,468	69.1%
IDU	489	7.5%	204	3.5%	693	5.7%
MSM/IDU	281	4.3%	193	3.3%	474	3.9%
Heterosexual	1,644	25.4%	872	15.1%	2,516	20.5%
Other	77	1.2%	33	0.6%	110	0.9%
Total:	6,478	100.0%	5,783	100.0%	12,261	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	348	12.6%	200	9.1%	548	11.1%
Heterosexual	2,318	84.1%	1,960	89.2%	4,278	86.4%
Other	90	3.3%	37	1.7%	127	2.6%
Total:	2,756	100.0%	2,197	100.0%	4,953	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	2	100.0%	32	100.0%	34	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
Total:	2	100.0%	32	100.0%	34	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2014		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2014	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	2,392	N/A	2,626	N/A	5,018	N/A
Black MSM	985	N/A	968	N/A	1,953	N/A
Hispanic MSM	763	N/A	984	N/A	1,747	N/A
white Male IDU	218	N/A	142	N/A	360	N/A
Black Male IDU	413	N/A	184	N/A	597	N/A
Hispanic Male IDU	121	N/A	66	N/A	187	N/A
white Female IDU	99	N/A	59	N/A	158	N/A
Black Female IDU	210	N/A	125	N/A	335	N/A
Hispanic Female IDU	21	N/A	13	N/A	34	N/A
white Male Homeless	15	N/A	21	N/A	36	N/A
Black Male Homeless	29	N/A	32	N/A	61	N/A
Hispanic Male Homeless	4	N/A	4	N/A	8	N/A
white Female Homeless	3	N/A	3	N/A	6	N/A
Black Female Homeless	8	N/A	16	N/A	24	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	657	N/A	249	N/A	906	N/A
Female Haitian Born	486	N/A	325	N/A	811	N/A
white Male Youth (current ages 13-24)	4	N/A	44	N/A	48	N/A
Black Male Youth (current ages 13-24)	92	N/A	152	N/A	244	N/A
Hispanic Male Youth (current ages 13-24)	11	N/A	48	N/A	59	N/A
white Female Youth (current ages 13-24)	4	N/A	5	N/A	9	N/A
Black Female Youth (current ages 13-24)	69	N/A	101	N/A	170	N/A
Hispanic Female Youth (current ages 13-24)	5	N/A	8	N/A	13	N/A
White WCBA* (current ages 15-44)	73	N/A	90	N/A	163	N/A
Black WCBA* (current ages 15-44)	897	N/A	924	N/A	1,821	N/A
Hispanic WCBA* (current ages 15-44)	60	N/A	102	N/A	162	N/A
White Ped Cases (current ages 0-12)	0	N/A	2	N/A	2	N/A
Black Ped Cases (current ages 0-12)	2	N/A	26	N/A	28	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	3	N/A	3	N/A
DOC Cases	70	N/A	68	N/A	138	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers

Partnership 10 (Broward) Ft. Lauderdale EMA

Documented Co-morbidity cases in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 18,397				
AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013	2	10.9	2.7%	eHARS	Data through 2013 (data as of 06/30/2014)
Infectious Syphilis reported in 2013 among HIV/AIDS patients	134	728.4	51.1%	PRISM	Data through 2013 (data as of 04/2014)
Gonorrhea reported in 2013 among HIV/AIDS patients	297	1614.4	12.6%	PRISM	Data through 2013 (data as of 04/2014)
Chlamydia reported in 2013 among HIV/AIDS patients	259	1407.8	3.2%	PRISM	Data through 2013 (data as of 04/2014)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	1449	7876.3	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2013 (data as of 06/30/2014)

Other Factors / Surrogate Markers Documented in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	36	195.7	eHARS (address variable)	Data through 2013 (data as of 06/30/2014)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	2,352	12,784.7	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	923	5,017.1	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	4,959	26,955.5	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	1,213	6,593.5	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2013	1,848	16	0.9%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	1,879	100	5.3%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 04/2014
Offenders who returned to the Area in 2011	2,310	129	5.6%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Ft. Lauderdale EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013		
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
Race/Ethnicity																			
White, not Hispanic	3,238	3,116	6,354	34.5%	1,886	32.1%	58%	42%	1,352	1,531	41.3%	49%	51%	1,585	3,417	35.6%	54%	46%	
Black, not Hispanic	5,136	3,652	8,788	47.8%	3,050	51.8%	59%	41%	2,086	1,457	39.3%	40%	60%	2,195	4,507	47.0%	51%	49%	
Hispanic	1,411	1,414	2,825	15.4%	782	13.3%	55%	45%	629	640	17.3%	45%	55%	774	1,422	14.8%	50%	50%	
Asian/Pacific Islander	43	59	102	0.6%	24	0.4%	56%	44%	19	22	0.6%	37%	63%	37	46	0.5%	45%	55%	
American Indian/Alaskan Native	4	9	13	0.1%	2	0.0%	50%	50%	2	2	0.1%	22%	78%	7	4	0.0%	31%	69%	
Not Specified/Other	203	112	315	1.7%	139	2.4%	68%	32%	64	56	1.5%	50%	50%	56	195	2.0%	62%	38%	
Total:	10,035	8,362	18,397	100.0%	5,883	100.0%	59%	41%	4,152	3,708	100.0%	44%	56%	4,654	9,591	100.0%	52%	48%	
Gender																			
Male	7,199	6,094	13,293	72.3%	4,169	70.9%	58%	42%	3,030	2,761	74.5%	45%	55%	3,333	6,930	72.3%	52%	48%	
Female	2,836	2,268	5,104	27.7%	1,714	29.1%	60%	40%	1,122	947	25.5%	42%	58%	1,321	2,661	27.7%	52%	48%	
Total:	10,035	8,362	18,397	100.0%	5,883	100.0%	59%	41%	4,152	3,708	100.0%	44%	56%	4,654	9,591	100.0%	52%	48%	
Current Age on 12/31/2013 (Years)																			
0- 2 years	0	2	2	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.0%	50%	50%	1	1	0.0%	50%	50%	
3-12 years	4	26	30	0.2%	2	0.0%	50%	50%	2	20	0.5%	77%	23%	6	22	0.2%	73%	27%	
13-19 years	46	72	118	0.6%	38	0.6%	83%	17%	8	48	1.3%	67%	33%	24	86	0.9%	73%	27%	
20-24 years	159	304	463	2.5%	116	2.0%	73%	27%	43	166	4.5%	55%	45%	138	282	2.9%	61%	39%	
25-29 years	264	563	827	4.5%	188	3.2%	71%	29%	76	268	7.2%	48%	52%	295	456	4.8%	55%	45%	
30-39 years	1,193	1,658	2,851	15.5%	708	12.0%	59%	41%	485	687	18.5%	41%	59%	971	1,395	14.5%	49%	51%	
40-44 years	1,214	1,067	2,281	12.4%	738	12.5%	61%	39%	476	433	11.7%	41%	59%	634	1,171	12.2%	51%	49%	
45-49 years	1,869	1,448	3,317	18.0%	1,068	18.2%	57%	43%	801	611	16.5%	42%	58%	837	1,679	17.5%	51%	49%	
50-59 years	3,672	2,281	5,953	32.4%	2,134	36.3%	58%	42%	1,538	1,029	27.8%	45%	55%	1,252	3,163	33.0%	53%	47%	
60+ years	1,614	941	2,555	13.9%	891	15.1%	55%	45%	723	445	12.0%	47%	53%	496	1,336	13.9%	52%	48%	
Total:	10,035	8,362	18,397	100.0%	5,883	100.0%	59%	41%	4,152	3,708	100.0%	44%	56%	4,654	9,591	100.0%	52%	48%	

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013	
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2013.		Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.		Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2013		Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
	Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care
MSM	4,589	4,785	9,374	51.0%	2,658	45.2%	58%	42%	1,931	2,242	60.5%	47%	53%	2,543	4,900	51.1%	52%	48%
IDU	496	193	689	3.7%	259	4.4%	52%	48%	237	74	2.0%	38%	62%	119	333	3.5%	48%	52%
MSM/IDU	370	209	579	3.1%	231	3.9%	62%	38%	139	100	2.7%	48%	52%	109	331	3.5%	57%	43%
Heterosexual	1,664	863	2,527	13.7%	960	16.3%	58%	42%	704	315	8.5%	37%	63%	548	1,275	13.3%	50%	50%
Other	80	31	111	0.6%	61	1.0%	76%	24%	19	20	0.5%	65%	35%	11	81	0.8%	73%	27%
Total:	7,199	6,081	13,280	72.2%	4,169	70.9%	58%	42%	3,030	2,751	74.2%	45%	55%	3,330	6,920	72.2%	52%	48%
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
IDU	347	203	550	3.0%	181	3.1%	52%	48%	166	82	2.2%	40%	60%	121	263	2.7%	48%	52%
Heterosexual	2,391	2,009	4,400	23.9%	1,460	24.8%	61%	39%	931	824	22.2%	41%	59%	1,185	2,284	23.8%	52%	48%
Other	94	41	135	0.7%	71	1.2%	76%	24%	23	30	0.8%	73%	27%	11	101	1.1%	75%	25%
Total:	2,832	2,253	5,085	27.6%	1,712	29.1%	60%	40%	1,120	936	25.2%	42%	58%	1,317	2,648	27.6%	52%	48%
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
Mother with/at risk for HIV infection	4	28	32	0.2%	2	0.0%	50%	50%	2	21	0.6%	75%	25%	7	23	0.2%	72%	28%
Risk not diagnosed/Other	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!
Total:	4	28	32	0.2%	2	0.0%	50%	50%	2	21	0.6%	75%	25%	0	23	0.2%	72%	28%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.			PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.			Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.			Percent of PLWHA IN care and NOT IN care in CY 2013															
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2013.			Percent of PLWA in care over number PLWA.			Percent of PLWA NOT in care over number PLWA.			Number of PLWA NOT in care (PLWA minus PLWA in care).			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.			Percent of PLWH in care over number PLWA.			Percent of PLWH NOT in care over number PLWA.			Number of PLWH NOT in care (PLWH minus PLWH in care).			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2013			Percent of PLWHA in care over number PLWA.		Percent of PLWHA NOT in care over number PLWA.	
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care												
Special Populations																																			
White Heterosexual (BROWARD ONLY)	267	247	514	N/A	154	N/A	58%	42%	113	106	N/A	43%	57%	141	260	0	51%	49%																	
Hispanic Heterosexual (BROWARD ONLY)	3,354	2,310	5,664	N/A	2,029	N/A	60%	40%	1,325	899	N/A	39%	61%	1,411	2,928	0	52%	48%																	
Black Heterosexual (BROWARD ONLY)	355	255	610	N/A	187	N/A	53%	47%	168	111	N/A	44%	56%	144	298	0	49%	51%																	
Black Heterosexual Males (BROWARD ONLY)	1,377	695	2,072	N/A	807	N/A	59%	41%	570	251	N/A	36%	64%	444	1,058	0	51%	49%																	
Black Heterosexual Females (BROWARD ONLY)	1,977	1,615	3,592	N/A	1,222	N/A	62%	38%	755	648	N/A	40%	60%	967	1,870	0	52%	48%																	
White MSM	2,772	2,769	5,541	N/A	1,633	N/A	59%	41%	1,139	1,378	N/A	50%	50%	1,391	3,011	0	54%	46%																	
Black MSM	1,103	1,018	2,121	N/A	630	N/A	57%	43%	473	414	N/A	41%	59%	604	1,044	0	49%	51%																	
Hispanic MSM	935	1,095	2,030	N/A	529	N/A	57%	43%	406	499	N/A	46%	54%	596	1,028	0	51%	49%																	
White Male IDU	268	140	408	N/A	161	N/A	60%	40%	107	72	N/A	51%	49%	68	233	0	57%	43%																	
Black Male IDU	432	180	612	N/A	229	N/A	53%	47%	203	69	N/A	38%	62%	111	298	0	49%	51%																	
Hispanic Male IDU	148	75	223	N/A	88	N/A	59%	41%	60	28	N/A	37%	63%	47	116	0	52%	48%																	
White Female IDU	96	52	148	N/A	42	N/A	44%	56%	54	23	N/A	44%	56%	29	65	0	44%	56%																	
Black Female IDU	213	128	341	N/A	117	N/A	55%	45%	96	49	N/A	38%	62%	79	166	0	49%	51%																	
Hispanic Female IDU	24	18	42	N/A	11	N/A	46%	54%	13	7	N/A	39%	61%	11	18	0	43%	57%																	
White Male Homeless	10	14	24	N/A	0	N/A	0%	100%	10	0	N/A	0%	100%	14	0	0	0%	100%																	
Black Male Homeless	17	19	36	N/A	4	N/A	24%	76%	13	0	N/A	0%	100%	19	4	0	11%	89%																	
Hispanic Male Homeless	1	4	5	N/A	0	N/A	0%	100%	1	0	N/A	0%	100%	4	0	0	0%	100%																	
White Female Homeless	2	0	2	N/A	1	N/A	50%	50%	1	0	N/A	#DIV/0!	#DIV/0!	0	1	0	50%	50%																	
Black Female Homeless	6	10	16	N/A	1	N/A	17%	83%	5	1	N/A	10%	90%	9	2	0	13%	88%																	
Hispanic Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!																	
Male Haitian Born	677	258	935	N/A	328	N/A	48%	52%	349	90	N/A	35%	65%	168	418	0	45%	55%																	
Female Haitian Born	492	339	831	N/A	293	N/A	60%	40%	199	151	N/A	45%	55%	188	444	0	53%	47%																	
White Male Youth (current ages 13-24)	8	44	52	N/A	6	N/A	75%	25%	2	22	N/A	50%	50%	22	28	0	54%	46%																	
Black Male Youth (current ages 13-24)	105	152	257	N/A	77	N/A	73%	27%	28	82	N/A	54%	46%	70	159	0	62%	38%																	
Hispanic Male Youth (current ages 13-24)	11	54	65	N/A	8	N/A	73%	27%	3	30	N/A	56%	44%	24	38	0	58%	42%																	
White Female Youth (current ages 13-24)	4	8	12	N/A	3	N/A	75%	25%	1	8	N/A	100%	0%	0	11	0	92%	8%																	
Black Female Youth (current ages 13-24)	68	100	168	N/A	54	N/A	79%	21%	14	59	N/A	59%	41%	41	113	0	67%	33%																	
Hispanic Female Youth (current ages 13-24)	6	10	16	N/A	3	N/A	50%	50%	3	6	N/A	60%	40%	4	9	0	56%	44%																	
White WCBA* (current ages 15-44)	70	86	156	N/A	46	N/A	66%	34%	24	41	N/A	48%	52%	45	87	0	56%	44%																	
Black WCBA* (current ages 15-44)	925	955	1,880	N/A	599	N/A	65%	35%	326	375	N/A	39%	61%	580	974	0	52%	48%																	
Hispanic WCBA* (current ages 15-44)	69	108	177	N/A	38	N/A	55%	45%	31	49	N/A	45%	55%	59	87	0	49%	51%																	
White Ped Cases (current ages 0-12)	0	2	2	N/A	0	N/A	#DIV/0!	#DIV/0!	0	2	N/A	100%	0%	0	2	0	100%	0%																	
Black Ped Cases (current ages 0-12)	3	23	26	N/A	2	N/A	67%	33%	1	16	N/A	70%	30%	7	18	0	69%	31%																	
Hispanic Ped Cases (current ages 0-12)	1	2	3	N/A	0	N/A	0%	100%	1	2	N/A	100%	0%	0	2	0	67%	33%																	
DOC Cases	201	97	298	N/A	131	N/A	65%	35%	70	56	N/A	58%	42%	41	187	0	63%	37%																	

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE

“Section 2617 (B)(2) states that the application for Title II funds shall contain a population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculation

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	# NOT IN care in Number of PLWHA <i>NOT</i> in care (PLWHA minus PLWHA in care).
Race/Ethnicity	# NOT in care
White, not Hispanic	2,937
Black, not Hispanic	4,281
Hispanic	1,403
Asian/Pacific Islander	56
American Indian/Alaskan Native	9
Not Specified/Other	120
Total:	8,806
Gender	# NOT in care
Male	6,363
Female	2,443
Total:	8,806
Current Age on 12/31/2013 (Years)	# NOT in care
0- 2 years	1
3-12 years	8
13-19 years	32
20-24 years	181
25-29 years	371
30-39 years	1,456
40-44 years	1,110
45-49 years	1,638
50-59 years	2,790
60+ years	1,219
Total:	8,806

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	NOT IN care in
	Number of PLWHA <i>NOT</i> in care (PLWHA minus PLWHA in care).
Male Adult/Adolescent AIDS Exposure Category	# <i>NOT</i> in care
MSM	4,474
IDU	356
MSM/IDU	248
Heterosexual	1,252
Other	30
Total:	6,360
Female Adult/Adolescent AIDS Exposure Category	# <i>NOT</i> in care
IDU	287
Heterosexual	2,116
Other	34
Total:	2,437
Pediatric AIDS Exposure Categories (current ages 0-12)	# <i>NOT</i> in care
Mother with/at risk for HIV infection	9
Risk not diagnosed/Other	0
Total:	9

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	NOT IN care in
	Number of PLWHA <u>NOT</u> in care (PLWHA minus PLWHA in care).
Special Populations	# NOT in care
White Heterosexual (BROWARD ONLY)	254
Hispanic Heterosexual (BROWARD ONLY)	2,736
Black Heterosexual (BROWARD ONLY)	312
Black Heterosexual Males (BROWARD ONLY)	1,014
Black Heterosexual Females (BROWARD ONLY)	1,722
White MSM	2,530
Black MSM	1,077
Hispanic MSM	1,002
White Male IDU	175
Black Male IDU	314
Hispanic Male IDU	107
White Female IDU	83
Black Female IDU	175
Hispanic Female IDU	24
White Male Homeless	24
Black Male Homeless	32
Hispanic Male Homeless	5
White Female Homeless	1
Black Female Homeless	14
Hispanic Female Homeless	0
Male Haitian Born	517
Female Haitian Born	387
White Male Youth (current ages 13-24)	24
Black Male Youth (current ages 13-24)	98
Hispanic Male Youth (current ages 13-24)	27
White Female Youth (current ages 13-24)	1
Black Female Youth (current ages 13-24)	55
Hispanic Female Youth (current ages 13-24)	7
White WCBA* (current ages 15-44)	69
Black WCBA* (current ages 15-44)	906
Hispanic WCBA* (current ages 15-44)	90
White Ped Cases (current current ages 0-12)	0
Black Ped Cases (current ages 0-12)	8
Hispanic Ped Cases (current ages 0-12)	1
DOC Cases	111

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

**FT. LAUDERDALE EMA
Unmet Need Framework Table, 2013**

Column 1	Column 2	Column 3	Column 4	Column 5
Population Sizes		Value		Data Source(s)
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2013 - 12/31/2013	10,035		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2013 - 12/31/2013	8,362		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row C.	Total number of HIV+, for the period of 01/01/2013 - 12/31/2013	18,397		
Care Patterns		Value	Percent	Data Source(s)
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	5,883	59%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	3,708	44%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	9,591	52%	
Calculated Results		Value	Percent	Calculation
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	4,152	41%	Value: Value A - Value D. Percent: Value G/Value A.
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	4,654	56%	Value: Value B - Value E. Percent: Value H/Value B.
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	8,806	48%	Value: Value G + Value H. Percent: Value I/Value C

HIV/AIDS EPIDEMIOLOGY page 1

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Ft. Lauderdale EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	304	22%	749	32%	3,238	32%	3,116	37%	6,354	35%
Black, not Hispanic	849	61%	1,118	47%	5,136	51%	3,652	44%	8,788	48%
Hispanic	199	14%	452	19%	1,411	14%	1,414	17%	2,825	15%
Asian/Pacific Islander	5	0%	21	1%	43	0%	59	1%	102	1%
American Indian/Alaskan Native	1	0%	0	0%	4	0%	9	0%	13	0%
Not Specified/Other	29	2%	19	1%	203	2%	112	1%	315	2%
Total:	1,387	100%	2,359	100%	10,035	100%	8,362	100%	18,397	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	934	67%	1,828	77%	7,199	72%	6,094	73%	13,293	72%
Female	453	33%	531	23%	2,836	28%	2,268	27%	5,104	28%
Total:	1,387	100%	2,359	100%	10,035	100%	8,362	100%	18,397	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	0	0%	4	0%	4	0%	28	0%	32	0%
13-19 years	21	2%	83	4%	46	0%	72	1%	118	1%
20-44 years	708	51%	1,377	58%	2,830	28%	3,592	43%	6,422	35%
45+ years	658	47%	895	38%	7,155	71%	4,670	56%	11,825	64%
Total:	1,387	100%	2,359	100%	10,035	100%	8,362	100%	18,397	100%

HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Ft. Lauderdale EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	550	40%	1,382	59%	4,589	46%	4,785	57%	9,374	51%
IDU	105	8%	103	4%	843	8%	396	5%	1,239	7%
MSM/IDU	35	3%	33	1%	370	4%	209	3%	579	3%
Heterosexual	686	49%	828	35%	4,055	40%	2,872	34%	6,927	38%
Other	11	1%	9	0%	174	2%	72	1%	246	1%
Total:	1,387	100%	2,355	100%	10,031	100%	8,334	100%	18,365	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	4	100%	4	100%	28	100%	32	100%
Risk not Diagnosed/Other	0	#DIV/0!	0	0%	0	0%	0	0%	0	0%
Total:	0	#DIV/0!	4	100%	4	100%	28	100%	32	100%

FT. LAUDERDALE EMA
Unmet Need Framework Table, 2011

FT. LAUDERDALE EMA
Unmet Need Framework Table, 2012

FT. LAUDERDALE EMA
Unmet Need Framework Table, 2013

Population Sizes		Value		Population Sizes		Value		Population Sizes		Value	
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011	9,327		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	9,671		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	10,035	
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011	8,062		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	8,359		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	8,362	
Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011	17,389		Row C.	Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	18,030		Row C.	Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	18,397	
Care Patterns		Value	Percent	Care Patterns		Value	Percent	Care Patterns		Value	Percent
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	6,206	67%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	6,420	66%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	5,883	59%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,869	48%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,301	51%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,708	44%
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	10,075	58%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	10,721	59%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	9,591	52%
Calculated Results		Value	Percent	Calculated Results		Value	Percent	Calculated Results		Value	Percent
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	3,121	33%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	3,251	34%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	4,152	41%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	4,193	52%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	4,058	49%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	4,654	56%
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	7,314	42%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	7,309	41%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	8,806	48%

The Continuum of HIV Care — FT. LAUDERDALE EMA, 2013

HIV Infected	HIV DX + 15.8% estimated unaware	21,849	100%
HIV Diagnosed*	DX, and living in Area through end of year (from Framework Table)	18,397	84%
Linked to Care	Alive and ever had a viral load or CD4 in eHARS	15,923	87%
In care this year	In care with either a viral load and/or CD4 in eHARS, &/or matched with careware and/or Medicaid (from Framework table)	9,591	52%
On ART	Estimated 90.6% of In care per statewide MMP estimates	8,689	47%
Suppressed VL (<200 copies /mL)	Estimated 78.0% on ART with a suppressed viral load this year per statewide MMP estimates	6,778	37%

*the HIV Diagnosis Bar serves as the Denominator for the remaining bars

Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of The Continuum of HIV Care - Ft. Lauderdale EMA, 2013

	HIV Infected		HIV Diagnosed		calculated from ehars Linked to Care			In Care This Year			On ART*			Suppressed VL (<200 copies/mL) on ART*		
State	21,849	100%	18,397	84%	15,779	86%	86%	9,591	52%	61%	8,689	47%	91%	6,143	33%	71%
By Sex																
Males	15,787	100%	13,293	84%	11,379	86%	86%	6,930	52%	61%	5,440	41%	79%	4,374	33%	80%
Females	6,062	100%	5,104	84%	4,397	86%	86%	2,661	52%	61%	2,355	46%	89%	1,677	33%	71%
By Race/Ethnicity																
White	7,546	100%	6,354	84%	5,734	90%	90%	3,417	54%	60%	3,181	50%	93%	2,774	44%	87%
Black	10,437	100%	8,788	84%	7,374	84%	84%	4,507	51%	61%	4,146	47%	92%	2,940	33%	71%
Hispanic	3,355	100%	2,825	84%	2,350	83%	83%	1,422	50%	61%	1,203	43%	85%	889	31%	74%
By Current Age Group																
13-24 yrs of age	690	100%	581	84%	477	82%	82%	368	63%	77%	368	63%	100%	248	43%	67%
25-49 yrs of age	11,017	100%	9,276	84%	7,797	84%	84%	4,701	51%	60%	4,269	46%	91%	3,197	34%	75%
50+ yrs of age	10,105	100%	8,508	84%	7,489	88%	88%	4,499	53%	60%	4,054	48%	90%	3,304	39%	82%
By Transmission Category**																
IDU	2,159	100%	1,818	84%	1,613	89%	89%	927	51%	57%	840	46%	91%	594	33%	71%
MSM	11,821	100%	9,953	84%	8,554	86%	86%	5,231	53%	61%	4,792	48%	92%	4,135	42%	86%
White MSM	6,581	100%	5,541	84%	5,011	90%	90%	3,011	54%	60%	2,794	50%	93%	2,523	46%	90%
Black MSM	2,519	100%	2,121	84%	1,746	82%	82%	1,044	49%	60%	1,044	49%	100%	887	42%	85%
Hispanic MSM	2,411	100%	2,030	84%	1,657	82%	82%	1,028	51%	62%	835	41%	81%	621	31%	74%
Heterosexual	8,227	100%	6,927	84%	5,865	85%	85%	3,559	51%	61%	3,203	46%	90%	2,271	33%	71%
Heterosexual Males	3,001	100%	2,527	84%	2,106	83%	83%	1,275	50%	61%	1,153	46%	90%	810	32%	70%
Heterosexual Females	5,226	100%	4,400	84%	3,758	85%	85%	2,284	52%	61%	2,046	47%	90%	1,461	33%	71%
White Heterosexual	610	100%	514	84%	459	89%	89%	260	51%	57%	251	49%	97%	187	36%	74%
Hispanic Heterosexual	6,727	100%	5,664	84%	4,803	85%	85%	2,928	52%	61%	2,544	45%	87%	1,891	33%	74%
Black Heterosexual	724	100%	610	84%	511	84%	84%	298	49%	58%	268	44%	90%	183	30%	68%
Black Heterosexual Males	2,461	100%	2,072	84%	1,703	82%	82%	1,058	51%	62%	950	46%	90%	672	32%	71%
Black Heterosexual Females	4,266	100%	3,592	84%	3,043	85%	85%	1,870	52%	61%	1,683	47%	90%	1,119	31%	67%

HIV Infected HIV DX + 15.8% estimated unaware (thus 84.2% are aware they are infected)
HIV Diagnosed DX, and living in FL through end of the calendar year
Linked to Care Living in Florida and ever in care (ever had a CD4 or Viral load (VL) test in the electronic HIV/AIDS Reporting System (eHARS))
In care this year Calculated via Unmet Need (based on HRSA unmet need calculation)
On ART* Estimated 90.6% of In care this year in Florida per 2011 Medical Monitoring Project (MMP) data
Suppressed VL (<200 copies /mL)* Estimated 78.0% on ART & a suppressed VL (<200 copies /mL) this year in Florida per 2011 MMP data

* Note: MMP is weighted data and cannot be subsetted to other geographical data, therefore the state estimates are applied to the local areas.

**Note: MSM=MSM and MSM/IDU cases, IDU=IDU and MSM/IDU cases, Therefore these two groups are NOT mutually exclusive