

EPIDEMIOLOGICAL PROFILE
Target Area
Partnership 11b (Monroe Co.)

Mid-Year Population Estimates

2012

Sex

	Total Pop	
Males	38,337	53%
Females	33,930	47%
Total	72,267	100%

Age Groups

	Total Pop	
0 - 12	7,839	11%
13 - 19	4,298	6%
20 - 24	3,750	5%
25 - 29	4,420	6%
30 - 39	8,823	12%
40 - 49	10,597	15%
50 - 59	12,907	18%
60+	19,633	27%
Total	72,267	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	50,330	70%
Black, non-Hispanic	4,112	6%
Hispanic	15,713	22%
Other*	2,112	3%
Total	72,267	100%

2013

Sex

	Total Pop	
Males	38,197	53.0%
Females	33,893	47.0%
Total	72,090	100.0%

Age Groups

	Total Pop	
0 - 12	7,849	11%
13 - 19	4,231	6%
20 - 24	3,748	5%
25 - 29	4,310	6%
30 - 39	8,858	12%
40 - 49	10,223	14%
50 - 59	12,737	18%
60+	20,134	28%
Total	72,090	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	50,000	69%
Black, non-Hispanic	4,129	6%
Hispanic	15,840	22%
Other*	2,121	3%
Total	72,090	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS Section

Created: 11/18/13
Revision: 08/21/14



HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11b (Monroe) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	18	90.0%	47.0	0 - 12	0	0.0%	0.0
Female	2	10.0%	5.9	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	5.0%	26.7
Total	20	100.0%	27.7	25 - 29	4	20.0%	90.5
				30 - 39	4	20.0%	45.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	5	25.0%	47.2
White, Non-Hispanic	14	70.0%	27.8	50 - 59	3	15.0%	23.2
Black, Non-Hispanic	4	20.0%	97.3	60+	3	15.0%	15.3
Hispanic	2	10.0%	12.7	Total	20	100.0%	27.7
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	20	100.0%	27.7				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	23	92.0%	60.2	0 - 12	0	0.0%	0.0
Female	2	8.0%	5.9	13 - 19	1	4.0%	23.6
Other/Unknown	0	0.0%	N/A	20 - 24	3	12.0%	80.0
Total	25	100.0%	34.7	25 - 29	3	12.0%	69.6
				30 - 39	5	20.0%	56.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	9	36.0%	88.0
White, Non-Hispanic	14	56.0%	28.0	50 - 59	2	8.0%	15.7
Black, Non-Hispanic	7	28.0%	169.5	60+	2	8.0%	9.9
Hispanic	4	16.0%	25.3	Total	25	100.0%	34.7
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	25	100.0%	34.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			4	80.0%	10.4		0 - 12	0	0.0%	0.0	
	Female			1	20.0%	2.9		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	2	40.0%	53.3	
	Total			5	100.0%	6.9		25 - 29	1	20.0%	22.6	
								30 - 39	1	20.0%	11.3	
								40 - 49	0	0.0%	0.0	
								50 - 59	1	20.0%	7.7	
								60+	0	0.0%	0.0	
								Other/Unknown	0	0.0%	N/A	
								Total	5	100.0%	6.9	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			3	60.0%	6.0						
	Black, Non-Hispanic			1	20.0%	24.3						
	Hispanic			0	0.0%	0.0						
	Asian/Pacific Islander			0	0.0%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			1	20.0%	N/A						
	Total			5	100.0%	6.9						
2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			17	100.0%	44.5		0 - 12	0	0.0%	0.0	
	Female			0	0.0%	0.0		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			17	100.0%	23.6		25 - 29	1	5.9%	23.2	
								30 - 39	4	23.5%	45.2	
								40 - 49	8	47.1%	78.3	
								50 - 59	1	5.9%	7.9	
								60+	3	17.6%	14.9	
								Other/Unknown	0	0.0%	N/A	
								Total	17	100.0%	23.6	
Race/Ethnicity				Cases	% Total	Rate						
	White, Non-Hispanic			13	76.5%	26.0						
	Black, Non-Hispanic			2	11.8%	48.4						
	Hispanic			2	11.8%	12.6						
	Asian/Pacific Islander			0	0.0%	N/A						
	Amer. Indian/Alaskan			0	0.0%	N/A						
	Other/Unknown			0	0.0%	N/A						
	Total			17	100.0%	23.6						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	7	46.7%	18.3	0 - 12	0	0.0%	0.0
Female	8	53.3%	23.6	13 - 19	4	26.7%	93.1
Other/Unknown	0	0.0%	N/A	20 - 24	3	20.0%	80.0
Total	15	100.0%	20.8	25 - 29	4	26.7%	90.5
				30 - 39	4	26.7%	45.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	0.0%	0.0
White, Non-Hispanic	8	53.3%	15.9	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	2	13.3%	48.6	60+	0	0.0%	0.0
Hispanic	4	26.7%	25.5	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	15	100.0%	20.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	6.7%	N/A				
Total	15	100.0%	20.8				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	30	75.0%	78.5	0-12	0	0.0%	0.0
Female	10	25.0%	29.5	13 - 19	5	12.5%	118.2
Other/Unknown	0	0.0%	N/A	20 - 24	8	20.0%	213.4
Total	40	100.0%	55.5	25 - 29	8	20.0%	185.6
				30 - 39	10	25.0%	112.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	5	12.5%	48.9
White, Non-Hispanic	24	60.0%	48.0	50 - 59	4	10.0%	31.4
Black, Non-Hispanic	8	20.0%	193.8	60+	0	0.0%	0.0
Hispanic	5	12.5%	31.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	40	100.0%	55.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	7.5%	N/A				
Total	40	100.0%	55.5				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	31	24.4%	80.9	0 - 12	0	0.0%	0.0
Female	96	75.6%	282.9	13 - 19	41	32.3%	953.9
Other/Unknown	0	0.0%	N/A	20 - 24	53	41.7%	1413.3
Total	127	100.0%	175.7	25 - 29	17	13.4%	384.6
				30 - 39	13	10.2%	147.3
				40 - 49	1	0.8%	9.4
				50 - 59	1	0.8%	7.7
				60+	1	0.8%	5.1
				Unknown	0	0.0%	N/A
				Total	127	100.0%	175.7
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	45	35.4%	89.4				
Black, Non-Hispanic	20	15.7%	486.4				
Hispanic	19	15.0%	120.9				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	43	33.9%	N/A				
Total	127	100.0%	175.7				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	44	29.5%	115.2	0-12	0	0.0%	0.0
Female	105	70.5%	309.8	13 - 19	28	18.8%	661.8
Other/Unknown	0	0.0%	N/A	20 - 24	59	39.6%	1574.2
Total	149	100.0%	206.7	25 - 29	33	22.1%	765.7
				30 - 39	19	12.8%	214.5
				40 - 49	7	4.7%	68.5
				50 - 59	1	0.7%	7.9
				60+	2	1.3%	9.9
				Unknown	0	0.0%	N/A
				Total	149	100.0%	206.7
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	49	32.9%	98.0				
Black, Non-Hispanic	29	19.5%	702.3				
Hispanic	45	30.2%	284.1				
Asian/Pacific Islander	3	2.0%	N/A				
Amer. Indian/Alaskan	1	0.7%	N/A				
Other/Unknown	22	14.8%	N/A				
Total	149	100.0%	206.7				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	100.0%	7.8	0 - 12	0	0.0%	0.0
Female	0	0.0%	0.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	3	100.0%	4.2	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	33.3%	12.8
White, Non-Hispanic	2	66.7%	4.0	50 - 59	2	66.7%	25.5
Black, Non-Hispanic	1	33.3%	24.3	60+	0	0.0%	0.0
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	3	100.0%	4.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	3	100.0%	4.2				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	0	#DIV/0!	0.0	0 - 12	0	#DIV/0!	0.0
Female	0	#DIV/0!	0.0	13 - 19	0	#DIV/0!	0.0
Other/Unknown	0	#DIV/0!	N/A	20 - 24	0	#DIV/0!	0.0
Total	0	#DIV/0!	0.0	25 - 29	0	#DIV/0!	0.0
				30 - 39	0	#DIV/0!	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	#DIV/0!	0.0
White, Non-Hispanic	0	#DIV/0!	0.0	50 - 59	0	#DIV/0!	0.0
Black, Non-Hispanic	0	#DIV/0!	0.0	60+	0	#DIV/0!	0.0
Hispanic	0	#DIV/0!	0.0	Unknown	0	#DIV/0!	N/A
Asian/Pacific Islander	0	#DIV/0!	N/A	Total	0	#DIV/0!	0.0
Amer. Indian/Alaskan	0	#DIV/0!	N/A				
Unknown	0	#DIV/0!	N/A				
Total	0	#DIV/0!	0.0				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1	50.0%	2.6	0 - 12	0	0.0%	0.0
Female	1	50.0%	2.9	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	2	100.0%	2.8	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	100.0%	18.9
White, Non-Hispanic	2	100.0%	4.0	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	0	0.0%	0.0
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	2	100.0%	2.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	2	100.0%	2.8				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male		#DIV/0!	0.0	0 - 12	0	#DIV/0!	0.0
Female		#DIV/0!	0.0	13 - 19	0	#DIV/0!	0.0
Other/Unknown		#DIV/0!	N/A	20 - 24	0	#DIV/0!	0.0
Total	0	#DIV/0!	0.0	25 - 29	0	#DIV/0!	0.0
				30 - 39	0	#DIV/0!	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	#DIV/0!	0.0
White, Non-Hispanic		#DIV/0!	0.0	50 - 59	0	#DIV/0!	0.0
Black, Non-Hispanic		#DIV/0!	0.0	60+	0	#DIV/0!	0.0
Hispanic		#DIV/0!	0.0	Unknown	0	#DIV/0!	N/A
Asian/Pacific Islander		#DIV/0!	N/A	Total	0	#DIV/0!	0.0
Amer. Indian/Alaskan		#DIV/0!	N/A				
Other/Unknown		#DIV/0!	N/A				
Total	0	#DIV/0!	0.0				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11b (Monroe)

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	64	61.5%	166.9	0 - 12	0	0.0%	0.0
Female	40	38.5%	117.9	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	8	7.7%	213.3
Total	104	100.0%	143.9	25 - 29	6	5.8%	135.7
				30 - 39	7	6.7%	79.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	10	9.6%	94.4
White, Non-Hispanic	32	30.8%	63.6	50 - 59	44	42.3%	340.9
Black, Non-Hispanic	4	3.8%	97.3	60+	29	27.9%	147.7
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	1.0%	N/A	Total	104	100.0%	143.9
Amer. Indian/Alaskan	1	1.0%	N/A				
Other/Unknown	66	63.5%	N/A				
Total	104	100.0%	143.9				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	41	48.2%	107.3	0 - 12	0	0.0%	0.0
Female	44	51.8%	129.8	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	4	4.7%	106.7
Total	85	100.0%	117.9	25 - 29	5	5.9%	116.0
				30 - 39	3	3.5%	33.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	8	9.4%	78.3
White, Non-Hispanic	23	27.1%	46.0	50 - 59	39	45.9%	306.2
Black, Non-Hispanic	2	2.4%	48.4	60+	26	30.6%	129.1
Hispanic	2	2.4%	12.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	85	100.0%	117.9
Amer. Indian/Alaskan	1	1.2%	N/A				
Other/Unknown	57	67.1%	N/A				
Total	85	100.0%	117.9				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Partnership 11b (Monroe)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	11	0	0.0	Male	769	9	1.2
Male Sex With Male	199	6	3.0	Female	795	2	0.3
Injecting Drug User	125	0	0.0	Unknown	10	0	0.0
Sex Partner at Risk	210	1	0.5	Total	1,574	11	0.7
Child of Woman with HIV/AIDS	4	0	0.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	179	2	1.1	White	944	8	0.8
Sex for Drugs or Money	19	0	0.0	Black	210	2	1.0
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	378	1	0.3
Victim of Sexual Assault	65	0	0.0	Asian	13	0	0.0
Health Care Exposure	0	0	#DIV/0!	Am. Native	3	0	0.0
Heterosexual	729	1	0.1	Other	12	0	0.0
No Acknowledged Risk	4	0	0.0	Unknown	14	0	0.0
Unknown	29	1	3.4	Total	1,574	11	0.7
Total	1,574	11	0.7	Total	1,574	11	0.7

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	10	1	10.0	Male	716	8	1.1
Male Sex With Male	251	6	2.4	Female	1,000	1	0.1
Injecting Drug User	91	0	0.0	Unknown	16	0	0.0
Sex Partner at Risk	186	1	0.5	Total	1,732	9	0.5
Child of Woman with HIV/AIDS	0	0	#DIV/0!	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	193	1	0.5	White	953	4	0.4
Sex for Drugs or Money	22	0	0.0	Black	230	4	1.7
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	503	1	0.2
Victim of Sexual Assault	16	0	#DIV/0!	Asian	13	0	0.0
Health Care Exposure	0	0	0.0	Am. Native	6	0	0.0
Heterosexual	909	0	0.0	Other	7	0	0.0
No Acknowledged Risk	11	0	0.0	Unknown	20	0	0.0
Unknown	43	0	0.0	Total	1,732	9	0.5
Total	1,732	9	0.5	Total	1,732	9	0.5

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 11b (Monroe)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14.				
Race/Ethnicity	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White, not Hispanic	12	60%	7	64%	-41.7%	14	70%	14	56%	0.0%	10	83%	6	86%	-40.0%
Black, not Hispanic	5	25%	2	18%	-60.0%	4	20%	7	28%	75.0%	1	8%	0	0%	-100.0%
Hispanic	3	15%	2	18%	-33.3%	2	10%	4	16%	100.0%	1	8%	1	14%	0.0%
Asian/Pacific Islander	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Total:	20	100%	11	100%	-45.0%	20	100%	25	100%	25.0%	12	100%	7	100%	-41.7%
Gender	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Male	17	85.0%	10	90.9%	-41.2%	18	90.0%	23	92.0%	27.8%	12	100.0%	6	85.7%	-50.0%
Female	3	15.0%	1	9.1%	-66.7%	2	10.0%	2	8.0%	0.0%	0	0.0%	1	14.3%	#DIV/0!
Total:	20	100.0%	11	100.0%	-45.0%	20	100.0%	25	100.0%	25.0%	12	100.0%	7	100.0%	-41.7%
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
13-19 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	4.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
20-24 years	0	0.0%	1	9.1%	#DIV/0!	1	5.0%	3	12.0%	200.0%	0	0.0%	0	0.0%	#DIV/0!
25-29 years	1	5.0%	1	9.1%	0.0%	4	20.0%	3	12.0%	-25.0%	1	8.3%	0	0.0%	-100.0%
30-39 years	4	20.0%	0	0.0%	-100.0%	4	20.0%	5	20.0%	25.0%	0	0.0%	1	14.3%	#DIV/0!
40-44 years	2	10.0%	4	36.4%	100.0%	0	0.0%	4	16.0%	#DIV/0!	1	8.3%	0	0.0%	-100.0%
45-49 years	6	30.0%	3	27.3%	-50.0%	5	25.0%	5	20.0%	0.0%	3	25.0%	2	28.6%	-33.3%
50-59 years	5	25.0%	2	18.2%	-60.0%	3	15.0%	2	8.0%	-33.3%	5	41.7%	4	57.1%	-20.0%
60+ years	2	10.0%	0	0.0%	-100.0%	3	15.0%	2	8.0%	-33.3%	2	16.7%	0	0.0%	-100.0%
Total:	20	100.0%	11	100.0%	-45.0%	20	100.0%	25	100.0%	25.0%	12	100.0%	7	100.0%	-41.7%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14.				
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	14	82.4%	8	80.0%	-42.9%	15	83.3%	17	77.3%	13.3%	11	91.7%	5	83.3%	-54.5%
IDU	1	5.9%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	16.7%	#DIV/0!
MSM/IDU	0	0.0%	0	0.0%	#DIV/0!	1	5.6%	2	9.1%	100.0%	0	0.0%	0	0.0%	#DIV/0!
Heterosexual	2	11.8%	2	20.0%	0.0%	2	11.1%	3	13.6%	50.0%	1	8.3%	0	0.0%	-100.0%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
Total:	17	100.0%	10	100.0%	-41.2%	18	100.0%	22	100.0%	22.2%	12	100.0%	6	100.0%	-50.0%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	0	0.0%	0	0.0%	#DIV/0!	1	50.0%	0	0.0%	-100.0%	0	#DIV/0!	0	0.0%	#DIV/0!
Heterosexual	3	100.0%	1	100.0%	-66.7%	1	50.0%	2	100.0%	100.0%	0	#DIV/0!	1	100.0%	#DIV/0!
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total:	3	100.0%	1	100.0%	-66.7%	2	100.0%	2	100.0%	0.0%	0	#DIV/0!	1	100.0%	#DIV/0!
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	11	N/A	7	N/A	-36.4%	13	N/A	14	N/A	7.7%	10	N/A	5	N/A	-50.0%
Black MSM*	1	N/A	0	N/A	-100.0%	1	N/A	3	N/A	200.0%	0	N/A	0	N/A	#DIV/0!
Hispanic MSM*	2	N/A	1	N/A	-50.0%	2	N/A	3	N/A	50.0%	1	N/A	0	N/A	-100.0%
white Male IDU**	1	N/A	0	N/A	-100.0%	0	N/A	2	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!
Black Male IDU**	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Male IDU**	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Female IDU**	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Female IDU**	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female IDU**	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	1	N/A	1	N/A	0.0%	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	3	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black WCBA* (ages 15-44)	1	N/A	0	N/A	-100.0%	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic WCBA* (ages 15-44)	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 11b (Monroe)

Documented Co-morbidity cases in 2013	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Proportional Rate of this Co-morbidity among the population of this Disease in this Area
	N= 686				
AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013	0	0.0	eHARS	Data through 2013 (data as of 06/30/14)	#DIV/0!
Infectious Syphilis reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	9	1312.0	PRISM	Data through 2013 (data as of 03/2013)	180.0%
Gonorrhea reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	4	583.1	PRISM	Data through 2013 (data as of 03/2013)	10.0%
Chlamydia reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	3	437.3	PRISM	Data through 2013 (data as of 03/2013)	2.0%
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	70	10204.1	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2013 (data as of 06/30/14)	N/A

Other Factors / Surrogate Markers Documented in 2013	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	8	1,166.2	eHARS (address variable)	Data through 2013 (data as of 06/30/14)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	53	7,725.9	eHARS (local use variable)	Data through 2013 (data as of 06/30/14)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	8	1,166.2	eHARS (local use variable)	Data through 2013 (data as of 06/30/14)	
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	556	81,049.6	(PLWHA data)	Data through 2013 (data as of 06/30/14)	
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	79	11,516.0	(PLWHA data)	Data through 2013 (data as of 06/30/14)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2013	150	2	1.3%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	106	1	0.9%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	121	5	4.1%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 11b (Monroe).

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	348	72.7%	153	73.9%	501	73.0%
Black, not Hispanic	54	11.3%	28	13.5%	82	12.0%
Hispanic	66	13.8%	23	11.1%	89	13.0%
Asian/Pacific Islander	3	0.6%	1	0.5%	4	0.6%
American Indian/Alaskan Native	0	0.0%	0	0.0%	0	0.0%
Not Specified/Other	8	1.7%	2	1.0%	10	1.5%
Total:	479	100.0%	207	100.0%	686	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	432	90.2%	181	87.4%	613	89.4%
Female	47	9.8%	26	12.6%	73	10.6%
Total:	479	100.0%	207	100.0%	686	100.0%
Current Age on 12/31/2013 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	0	0.0%	0	0.0%
3-12 years	0	0.0%	0	0.0%	0	0.0%
13-19 years	0	0.0%	1	0.5%	1	0.1%
20-24 years	2	0.4%	5	2.4%	7	1.0%
25-29 years	3	0.6%	11	5.3%	14	2.0%
30-39 years	29	6.1%	29	14.0%	58	8.5%
40-44 years	49	10.2%	31	15.0%	80	11.7%
45-49 years	86	18.0%	39	18.8%	125	18.2%
50-59 years	207	43.2%	67	32.4%	274	39.9%
60+ years	103	21.5%	24	11.6%	127	18.5%
Total:	479	100.0%	207	100.0%	686	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	354	81.9%	156	86.2%	510	83.2%
IDU	16	3.7%	3	1.7%	19	3.1%
MSM/IDU	35	8.1%	11	6.1%	46	7.5%
Heterosexual	26	6.0%	11	6.1%	37	6.0%
Other	1	0.2%	0	0.0%	1	0.2%
Total:	432	100.0%	181	100.0%	613	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	9	19.1%	5	19.2%	14	19.2%
Heterosexual	38	80.9%	20	76.9%	58	79.5%
Other	0	0.0%	1	3.8%	1	1.4%
Total:	47	100.0%	26	100.0%	73	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	314	N/A	135	N/A	449	N/A
Black MSM	18	N/A	10	N/A	28	N/A
Hispanic MSM	50	N/A	19	N/A	69	N/A
white Male IDU	39	N/A	9	N/A	48	N/A
Black Male IDU	5	N/A	1	N/A	6	N/A
Hispanic Male IDU	4	N/A	1	N/A	5	N/A
white Female IDU	6	N/A	3	N/A	9	N/A
Black Female IDU	1	N/A	2	N/A	3	N/A
Hispanic Female IDU	1	N/A	0	N/A	1	N/A
white Male Homeless	3	N/A	1	N/A	4	N/A
Black Male Homeless	2	N/A	1	N/A	3	N/A
Hispanic Male Homeless	0	N/A	1	N/A	1	N/A
white Female Homeless	0	N/A	0	N/A	0	N/A
Black Female Homeless	0	N/A	0	N/A	0	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	10	N/A	5	N/A	15	N/A
Female Haitian Born	5	N/A	1	N/A	6	N/A
white Male Youth (current ages 13-24)	1	N/A	1	N/A	2	N/A
Black Male Youth (current ages 13-24)	0	N/A	0	N/A	0	N/A
Hispanic Male Youth (current ages 13-24)	1	N/A	1	N/A	2	N/A
white Female Youth (current ages 13-24)	0	N/A	1	N/A	1	N/A
Black Female Youth (current ages 13-24)	0	N/A	3	N/A	3	N/A
Hispanic Female Youth (current ages 13-24)	0	N/A	0	N/A	0	N/A
White WCBA* (current ages 15-44)	0	N/A	4	N/A	4	N/A
Black WCBA* (current ages 15-44)	10	N/A	10	N/A	20	N/A
Hispanic WCBA* (current ages 15-44)	1	N/A	1	N/A	2	N/A
White Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
Black Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	1	N/A	1	N/A	2	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU