

EPIDEMIOLOGICAL PROFILE
Target Area
Partnership 12
Flagler and Volusia Counties

Mid-Year Population Estimates

2012

| Sex | Total Pop | |
|------------|------------------|---------|
| | Males | 289,652 |
| Females | 305,432 | 51% |
| Total | 595,084 | 100% |

| Age Groups | Total Pop | |
|-------------------|------------------|--------|
| | 0 - 12 | 78,814 |
| 13 - 19 | 48,119 | 8% |
| 20 - 24 | 34,873 | 6% |
| 25 - 29 | 32,001 | 5% |
| 30 - 39 | 61,630 | 10% |
| 40 - 49 | 73,952 | 12% |
| 50 - 59 | 88,921 | 15% |
| 60+ | 176,774 | 30% |
| Total | 595,084 | 100% |

| Race/Ethnicity | Total Pop | |
|-----------------------|---------------------|---------|
| | White, non-Hispanic | 446,392 |
| Black, non-Hispanic | 62,042 | 10% |
| Hispanic | 66,174 | 11% |
| Other* | 20,476 | 3% |
| Total | 595,084 | 100% |

2013

| Sex | Total Pop | |
|------------|------------------|---------|
| | Males | 292,189 |
| Females | 308,117 | 51.3% |
| Total | 600,306 | 100.0% |

| Age Groups | Total Pop | |
|-------------------|------------------|--------|
| | 0 - 12 | 79,404 |
| 13 - 19 | 47,622 | 8% |
| 20 - 24 | 35,099 | 6% |
| 25 - 29 | 32,964 | 5% |
| 30 - 39 | 62,030 | 10% |
| 40 - 49 | 72,600 | 12% |
| 50 - 59 | 90,402 | 15% |
| 60+ | 180,185 | 30% |
| Total | 600,306 | 100% |

| Race/Ethnicity | Total Pop | |
|-----------------------|---------------------|---------|
| | White, non-Hispanic | 448,933 |
| Black, non-Hispanic | 62,971 | 10% |
| Hispanic | 67,611 | 11% |
| Other* | 20,791 | 3% |
| Total | 600,306 | 100% |

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS Section

| |
|--------------------|
| Created: 11/18/13 |
| Revision: 08/21/14 |



Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | | | | | | |
|------------------------|--|--|--|--------------|----------------|-------------|-------------------|--|--|--------------|----------------|-------------|
| Gender | | | | Cases | % Total | Rate | Age Groups | | | Cases | % Total | Rate |
| Male | | | | 10 | 90.9% | 3.5 | 0 - 12 | | | 0 | 0.0% | 0.0 |
| Female | | | | 1 | 9.1% | 0.3 | 13 - 19 | | | 0 | 0.0% | 0.0 |
| Other/Unknown | | | | 0 | 0.0% | N/A | 20 - 24 | | | 7 | 63.6% | 20.1 |
| Total | | | | 11 | 100.0% | 1.8 | 25 - 29 | | | 0 | 0.0% | 0.0 |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | | | 1 | 9.1% | 1.6 |
| White, Non-Hispanic | | | | 4 | 36.4% | 0.9 | 40 - 49 | | | 1 | 9.1% | 1.4 |
| Black, Non-Hispanic | | | | 6 | 54.5% | 9.7 | 50 - 59 | | | 1 | 9.1% | 1.1 |
| Hispanic | | | | 1 | 9.1% | 1.5 | 60+ | | | 1 | 9.1% | 0.6 |
| Asian/Pacific Islander | | | | 0 | 0.0% | N/A | Other/Unknown | | | 0 | 0.0% | N/A |
| Amer. Indian/Alaskan | | | | 0 | 0.0% | N/A | Total | | | 11 | 100.0% | 1.8 |
| Other/Unknown | | | | 0 | 0.0% | N/A | | | | | | |
| Total | | | | 11 | 100.0% | 1.8 | | | | | | |
| 2013 | | | | | | | | | | | | |
| Gender | | | | Cases | % Total | Rate | Age Groups | | | Cases | % Total | Rate |
| Male | | | | 23 | 79.3% | 7.9 | 0 - 12 | | | 0 | 0.0% | 0.0 |
| Female | | | | 6 | 20.7% | 1.9 | 13 - 19 | | | 2 | 6.9% | 4.2 |
| Other/Unknown | | | | 0 | 0.0% | N/A | 20 - 24 | | | 7 | 24.1% | 19.9 |
| Total | | | | 29 | 100.0% | 4.8 | 25 - 29 | | | 6 | 20.7% | 18.2 |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | | | 5 | 17.2% | 8.1 |
| White, Non-Hispanic | | | | 13 | 44.8% | 2.9 | 40 - 49 | | | 5 | 17.2% | 6.9 |
| Black, Non-Hispanic | | | | 7 | 24.1% | 11.1 | 50 - 59 | | | 2 | 6.9% | 2.2 |
| Hispanic | | | | 3 | 10.3% | 4.4 | 60+ | | | 2 | 6.9% | 1.1 |
| Asian/Pacific Islander | | | | 0 | 0.0% | N/A | Other/Unknown | | | 0 | 0.0% | N/A |
| Amer. Indian/Alaskan | | | | 1 | 3.4% | N/A | Total | | | 29 | 100.0% | 4.8 |
| Other/Unknown | | | | 5 | 17.2% | N/A | | | | | | |
| Total | | | | 29 | 100.0% | 4.8 | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 481 | 24.7% | 166.1 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 1,469 | 75.3% | 481.0 | 13 - 19 | 665 | 34.1% | 1382.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 784 | 40.2% | 2248.2 |
| Total | 1,950 | 100.0% | 327.7 | 25 - 29 | 303 | 15.5% | 946.8 |
| | | | | 30 - 39 | 158 | 8.1% | 256.4 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 32 | 1.6% | 43.3 |
| White, Non-Hispanic | 611 | 31.3% | 136.9 | 50 - 59 | 5 | 0.3% | 5.6 |
| Black, Non-Hispanic | 645 | 33.1% | 1039.6 | 60+ | 3 | 0.2% | 1.7 |
| Hispanic | 48 | 2.5% | 72.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 8 | 0.4% | N/A | Total | 1,950 | 100.0% | 327.7 |
| Amer. Indian/Alaskan | 3 | 0.2% | N/A | | | | |
| Other/Unknown | 635 | 32.6% | N/A | | | | |
| Total | 1,950 | 100.0% | 327.7 | | | | |

| 2013 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 428 | 25.0% | 146.5 | 0-12 | 0 | 0.0% | 0.0 |
| Female | 1,281 | 75.0% | 415.8 | 13 - 19 | 509 | 29.8% | 1068.8 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 692 | 40.5% | 1971.6 |
| Total | 1,709 | 100.0% | 284.7 | 25 - 29 | 265 | 15.5% | 803.9 |
| | | | | 30 - 39 | 182 | 10.6% | 293.4 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 44 | 2.6% | 60.6 |
| White, Non-Hispanic | 541 | 31.7% | 120.5 | 50 - 59 | 10 | 0.6% | 11.1 |
| Black, Non-Hispanic | 502 | 29.4% | 797.2 | 60+ | 7 | 0.4% | 3.9 |
| Hispanic | 59 | 3.5% | 87.3 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 9 | 0.5% | N/A | Total | 1,709 | 100.0% | 284.7 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 598 | 35.0% | N/A | | | | |
| Total | 1,709 | 100.0% | 284.7 | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 8 | 80.0% | 2.8 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 2 | 20.0% | 0.7 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 |
| Total | 10 | 100.0% | 1.7 | 25 - 29 | 1 | 10.0% | 1.3 |
| | | | | 30 - 39 | 0 | 0.0% | 0.0 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 1 | 10.0% | 1.3 |
| White, Non-Hispanic | 6 | 60.0% | 1.3 | 50 - 59 | 5 | 50.0% | 6.3 |
| Black, Non-Hispanic | 1 | 10.0% | 1.6 | 60+ | 3 | 30.0% | 3.8 |
| Hispanic | 3 | 30.0% | 4.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 10 | 100.0% | 1.7 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Unknown | 0 | 0.0% | N/A | | | | |
| Total | 10 | 100.0% | 1.7 | | | | |

| 2013 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 11 | 78.6% | 3.8 | 0 - 12 | 1 | 7.1% | 1.3 |
| Female | 3 | 21.4% | 1.0 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 |
| Total | 14 | 100.0% | 2.3 | 25 - 29 | 1 | 7.1% | 3.0 |
| | | | | 30 - 39 | 1 | 7.1% | 1.6 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 0 | 0.0% | 0.0 |
| White, Non-Hispanic | 6 | 42.9% | 1.3 | 50 - 59 | 5 | 35.7% | 5.5 |
| Black, Non-Hispanic | 2 | 14.3% | 3.2 | 60+ | 6 | 42.9% | 3.3 |
| Hispanic | 1 | 7.1% | 1.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 5 | 35.7% | N/A | Total | 14 | 100.0% | 2.3 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Unknown | 0 | 0.0% | N/A | | | | |
| Total | 14 | 100.0% | 2.3 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1 | 33.3% | 0.3 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 2 | 66.7% | 0.7 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 33.3% | 2.9 |
| Total | 3 | 100.0% | 0.5 | 25 - 29 | 0 | 0.0% | 0.0 |
| | | | | 30 - 39 | 0 | 0.0% | 0.0 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 0 | 0.0% | 0.0 |
| White, Non-Hispanic | 2 | 66.7% | 0.4 | 50 - 59 | 0 | 0.0% | 0.0 |
| Black, Non-Hispanic | 0 | 0.0% | 0.0 | 60+ | 2 | 66.7% | 1.1 |
| Hispanic | 1 | 33.3% | 1.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 3 | 100.0% | 0.5 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 3 | 100.0% | 0.5 | | | | |
| | | | | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1 | 100.0% | 0.3 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 0 | 0.0% | 0.0 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 |
| Total | 1 | 100.0% | 0.2 | 25 - 29 | 0 | 0.0% | 0.0 |
| | | | | 30 - 39 | 0 | 0.0% | 0.0 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 0 | 0.0% | 0.0 |
| White, Non-Hispanic | 1 | 100.0% | 0.2 | 50 - 59 | 1 | 100.0% | 1.1 |
| Black, Non-Hispanic | 0 | 0.0% | 0.0 | 60+ | 0 | 0.0% | 0.0 |
| Hispanic | 0 | 0.0% | 0.0 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 1 | 100.0% | 0.2 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 1 | 100.0% | 0.2 | | | | |
| | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 6 | 54.5% | 2.1 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 5 | 45.5% | 1.6 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 9.1% | 2.9 |
| Total | 11 | 100.0% | 1.8 | 25 - 29 | 0 | 0.0% | 0.0 |
| | | | | 30 - 39 | 3 | 27.3% | 4.9 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 2 | 18.2% | 2.7 |
| White, Non-Hispanic | 7 | 63.6% | 1.6 | 50 - 59 | 4 | 36.4% | 4.5 |
| Black, Non-Hispanic | 1 | 9.1% | 1.6 | 60+ | 1 | 9.1% | 0.6 |
| Hispanic | 2 | 18.2% | 3.0 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 11 | 100.0% | 1.8 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 1 | 9.1% | N/A | | | | |
| Total | 11 | 100.0% | 1.8 | | | | |
| | | | | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 4 | 57.1% | 1.4 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 3 | 42.9% | 1.0 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 |
| Total | 7 | 100.0% | 1.2 | 25 - 29 | 1 | 14.3% | 3.0 |
| | | | | 30 - 39 | 5 | 71.4% | 8.1 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 0 | 0.0% | 0.0 |
| White, Non-Hispanic | 5 | 71.4% | 1.1 | 50 - 59 | 1 | 14.3% | 1.1 |
| Black, Non-Hispanic | 0 | 0.0% | 0.0 | 60+ | 0 | 0.0% | 0.0 |
| Hispanic | 1 | 14.3% | 1.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 7 | 100.0% | 1.2 |
| Amer. Indian/Alaskan | 1 | 14.3% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 7 | 100.0% | 1.2 | | | | |
| | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 12

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 390 | 54.2% | 134.6 | 0 - 12 | 3 | 0.4% | 3.8 |
| Female | 329 | 45.8% | 107.7 | 13 - 19 | 9 | 1.3% | 18.7 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 91 | 12.7% | 260.9 |
| Total | 719 | 100.0% | 120.8 | 25 - 29 | 72 | 10.0% | 225.0 |
| | | | | 30 - 39 | 67 | 9.3% | 108.7 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 96 | 13.4% | 129.8 |
| White, Non-Hispanic | 210 | 29.2% | 47.0 | 50 - 59 | 259 | 36.0% | 291.3 |
| Black, Non-Hispanic | 9 | 1.3% | 14.5 | 60+ | 122 | 17.0% | 69.0 |
| Hispanic | 4 | 0.6% | 6.0 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 719 | 100.0% | 120.8 |
| Amer. Indian/Alaskan | 12 | 1.7% | N/A | | | | |
| Other/Unknown | 484 | 67.3% | N/A | | | | |
| Total | 719 | 100.0% | 120.8 | | | | |
| | | | | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 376 | 51.5% | 128.7 | 0 - 12 | 2 | 0.3% | 2.5 |
| Female | 354 | 48.5% | 114.9 | 13 - 19 | 15 | 2.1% | 31.5 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 53 | 7.3% | 151.0 |
| Total | 730 | 100.0% | 121.6 | 25 - 29 | 75 | 10.3% | 227.5 |
| | | | | 30 - 39 | 105 | 14.4% | 169.3 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 104 | 14.2% | 143.3 |
| White, Non-Hispanic | 234 | 32.1% | 52.1 | 50 - 59 | 240 | 32.9% | 265.5 |
| Black, Non-Hispanic | 14 | 1.9% | 22.2 | 60+ | 136 | 18.6% | 75.5 |
| Hispanic | 10 | 1.4% | 14.8 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 730 | 100.0% | 121.6 |
| Amer. Indian/Alaskan | 22 | 3.0% | N/A | | | | |
| Other/Unknown | 450 | 61.6% | N/A | | | | |
| Total | 730 | 100.0% | 121.6 | | | | |
| | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV COUNSELING AND TESTING DATA
Partnership 12

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

| 2012 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 37 | 1 | 2.7 | Male | 2,659 | 21 | 0.8 |
| Male Sex With Male | 458 | 19 | 4.1 | Female | 4,584 | 6 | 0.1 |
| Injecting Drug User | 551 | 0 | 0.0 | Unknown | 92 | 2 | 2.2 |
| Sex Partner at Risk | 598 | 7 | 1.2 | Total | 7,335 | 29 | 0.4 |
| Child of Woman with HIV/AIDS | 32 | 0 | 0.0 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 1,342 | 0 | 0.0 | White | 3,475 | 9 | 0.3 |
| Sex for Drugs or Money | 112 | 0 | 0.0 | Black | 2,888 | 16 | 0.6 |
| Hemophilia/Blood Recipient | 0 | 0 | #DIV/0! | Hispanic | 626 | 2 | 0.3 |
| Victim of Sexual Assault | 346 | 0 | 0.0 | Asian | 48 | 1 | 2.1 |
| Health Care Exposure | 0 | 0 | #DIV/0! | Am. Native | 15 | 0 | 0.0 |
| Heterosexual | 3,619 | 2 | 0.1 | Other | 132 | 0 | 0.0 |
| No Acknowledged Risk | 64 | 0 | 0.0 | Unknown | 151 | 1 | 0.7 |
| Unknown | 176 | 0 | 0.0 | Total | 7,335 | 29 | 0.4 |
| Total | 7,335 | 29 | 0.4 | Total | 7,335 | 29 | 0.4 |

| 2013 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 36 | 5 | 13.9 | Male | 2,674 | 36 | 1.3 |
| Male Sex With Male | 467 | 19 | 4.1 | Female | 4,072 | 16 | 0.4 |
| Injecting Drug User | 522 | 7 | 1.3 | Unknown | 97 | 1 | 1.0 |
| Sex Partner at Risk | 380 | 5 | 1.3 | Total | 6,843 | 53 | 0.8 |
| Child of Woman with HIV/AIDS | 9 | 0 | 0.0 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 1,173 | 4 | 0.3 | White | 3,129 | 14 | 0.4 |
| Sex for Drugs or Money | 84 | 1 | 1.2 | Black | 2,759 | 29 | 1.1 |
| Hemophilia/Blood Recipient | 0 | 0 | 0.0 | Hispanic | 616 | 5 | 0.8 |
| Victim of Sexual Assault | 80 | 0 | #DIV/0! | Asian | 44 | 0 | 0.0 |
| Health Care Exposure | 0 | 0 | 0.0 | Am. Native | 23 | 0 | 0.0 |
| Heterosexual | 3,689 | 11 | 0.3 | Other | 144 | 3 | 2.1 |
| No Acknowledged Risk | 68 | 0 | 0.0 | Unknown | 128 | 2 | 1.6 |
| Unknown | 335 | 1 | 0.3 | Total | 6,843 | 53 | 0.8 |
| Total | 6,843 | 53 | 0.8 | Total | 6,843 | 53 | 0.8 |

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 12

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|---------------|-----------|---------------|--------------|--|---------------|------------|---------------|--------------|---|---------------|-----------|---------------|---------------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14. | | | | |
| Race/Ethnicity | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| White, not Hispanic | 18 | 35% | 31 | 46% | 72.2% | 31 | 44% | 52 | 46% | 67.7% | 17 | 55% | 12 | 52% | -29.4% |
| Black, not Hispanic | 26 | 51% | 24 | 35% | -7.7% | 29 | 41% | 39 | 35% | 34.5% | 11 | 35% | 7 | 30% | -36.4% |
| Hispanic | 6 | 12% | 12 | 18% | 100.0% | 8 | 11% | 19 | 17% | 137.5% | 3 | 10% | 3 | 13% | 0.0% |
| Asian/Pacific Islander | 0 | 0% | 0 | 0% | #DIV/0! | 2 | 3% | 1 | 1% | -50.0% | 0 | 0% | 0 | 0% | #DIV/0! |
| American Indian/Alaskan Native | 0 | 0% | 0 | 0% | #DIV/0! | 0 | 0% | 0 | 0% | #DIV/0! | 0 | 0% | 0 | 0% | #DIV/0! |
| Not Specified/Other | 1 | 2% | 1 | 1% | 0.0% | 0 | 0% | 1 | 1% | #DIV/0! | 0 | 0% | 1 | 4% | #DIV/0! |
| Total: | 51 | 100% | 68 | 100% | 33.3% | 70 | 100% | 112 | 100% | 60.0% | 31 | 100% | 23 | 100% | -25.8% |
| Gender | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| Male | 35 | 68.6% | 42 | 61.8% | 20.0% | 60 | 85.7% | 83 | 74.1% | 38.3% | 19 | 61.3% | 16 | 69.6% | -15.8% |
| Female | 16 | 31.4% | 26 | 38.2% | 62.5% | 10 | 14.3% | 29 | 25.9% | 190.0% | 12 | 38.7% | 7 | 30.4% | -41.7% |
| Total: | 51 | 100.0% | 68 | 100.0% | 33.3% | 70 | 100.0% | 112 | 100.0% | 60.0% | 31 | 100.0% | 23 | 100.0% | -25.8% |
| Age at Diagnosis (Years) | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| 0- 2 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| 3-12 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 1 | 0.9% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| 13-19 years | 2 | 3.9% | 0 | 0.0% | -100.0% | 2 | 2.9% | 3 | 2.7% | 50.0% | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| 20-24 years | 1 | 2.0% | 2 | 2.9% | 100.0% | 11 | 15.7% | 15 | 13.4% | 36.4% | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| 25-29 years | 5 | 9.8% | 7 | 10.3% | 40.0% | 6 | 8.6% | 13 | 11.6% | 116.7% | 0 | 0.0% | 1 | 4.3% | #DIV/0! |
| 30-39 years | 14 | 27.5% | 16 | 23.5% | 14.3% | 17 | 24.3% | 20 | 17.9% | 17.6% | 6 | 19.4% | 3 | 13.0% | -50.0% |
| 40-44 years | 7 | 13.7% | 11 | 16.2% | 57.1% | 5 | 7.1% | 10 | 8.9% | 100.0% | 0 | 0.0% | 1 | 4.3% | #DIV/0! |
| 45-49 years | 7 | 13.7% | 12 | 17.6% | 71.4% | 10 | 14.3% | 15 | 13.4% | 50.0% | 7 | 22.6% | 6 | 26.1% | -14.3% |
| 50-59 years | 11 | 21.6% | 16 | 23.5% | 45.5% | 16 | 22.9% | 25 | 22.3% | 56.3% | 8 | 25.8% | 8 | 34.8% | 0.0% |
| 60+ years | 4 | 7.8% | 4 | 5.9% | 0.0% | 3 | 4.3% | 10 | 8.9% | 233.3% | 10 | 32.3% | 4 | 17.4% | -60.0% |
| Total: | 51 | 100.0% | 68 | 100.0% | 33.3% | 70 | 100.0% | 112 | 100.0% | 60.0% | 31 | 100.0% | 23 | 100.0% | -25.8% |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14. | | | | |
| Male Adult/Adolescent AIDS Exposure Category | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| MSM | 25 | 71.4% | 35 | 83.3% | 40.0% | 49 | 81.7% | 65 | 79.3% | 32.7% | 14 | 73.7% | 11 | 68.8% | -21.4% |
| IDU | 2 | 5.7% | 1 | 2.4% | -50.0% | 0 | 0.0% | 9 | 11.0% | #DIV/0! | 0 | 0.0% | 2 | 12.5% | #DIV/0! |
| MSM/IDU | 6 | 17.1% | 4 | 9.5% | -33.3% | 8 | 13.3% | 5 | 6.1% | -37.5% | 4 | 21.1% | 2 | 12.5% | -50.0% |
| Heterosexual | 1 | 2.9% | 2 | 4.8% | 100.0% | 2 | 3.3% | 3 | 3.7% | 50.0% | 1 | 5.3% | 1 | 6.3% | 0.0% |
| Other | 1 | 2.9% | 0 | 0.0% | -100.0% | 1 | 1.7% | 0 | 0.0% | -100.0% | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| Total: | 35 | 100.0% | 42 | 100.0% | 20.0% | 60 | 100.0% | 82 | 100.0% | 36.7% | 19 | 100.0% | 16 | 100.0% | -15.8% |
| Female Adult/Adolescent AIDS Exposure Category | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| IDU | 7 | 43.8% | 6 | 23.1% | -14.3% | 3 | 30.0% | 6 | 20.7% | 100.0% | 4 | 33.3% | 3 | 42.9% | -25.0% |
| Heterosexual | 9 | 56.3% | 20 | 76.9% | 122.2% | 7 | 70.0% | 23 | 79.3% | 228.6% | 8 | 66.7% | 4 | 57.1% | -50.0% |
| Other | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| Total: | 16 | 100.0% | 26 | 100.0% | 62.5% | 10 | 100.0% | 29 | 100.0% | 190.0% | 12 | 100.0% | 7 | 100.0% | -41.7% |
| Pediatric AIDS Exposure Categories (ages 0-12) | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| Mother with/at risk for HIV infection | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Risk not reported/Other | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Total: | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/14. | | | | |
| Special Populations | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| White MSM* | 11 | N/A | 18 | N/A | 63.6% | 25 | N/A | 38 | N/A | 52.0% | 14 | N/A | 8 | N/A | -42.9% |
| Black MSM* | 15 | N/A | 13 | N/A | -13.3% | 23 | N/A | 17 | N/A | -26.1% | 3 | N/A | 3 | N/A | 0.0% |
| Hispanic MSM* | 5 | N/A | 8 | N/A | 60.0% | 8 | N/A | 13 | N/A | 62.5% | 1 | N/A | 2 | N/A | 100.0% |
| white Male IDU** | 3 | N/A | 0 | N/A | -100.0% | 5 | N/A | 3 | N/A | -40.0% | 2 | N/A | 1 | N/A | -50.0% |
| Black Male IDU** | 3 | N/A | 2 | N/A | -33.3% | 2 | N/A | 6 | N/A | 200.0% | 1 | N/A | 0 | N/A | -100.0% |
| Hispanic Male IDU** | 1 | N/A | 3 | N/A | 200.0% | 1 | N/A | 5 | N/A | 400.0% | 1 | N/A | 2 | N/A | 100.0% |
| white Female IDU** | 4 | N/A | 5 | N/A | 25.0% | 2 | N/A | 6 | N/A | 200.0% | 1 | N/A | 2 | N/A | 100.0% |
| Black Female IDU** | 2 | N/A | 1 | N/A | -50.0% | 1 | N/A | 0 | N/A | -100.0% | 2 | N/A | 1 | N/A | -50.0% |
| Hispanic Female IDU** | 1 | N/A | 0 | N/A | -100.0% | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 0 | N/A | -100.0% |
| white Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 0 | N/A | -100.0% |
| Black Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Hispanic Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| white Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Hispanic Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Male Haitian Born | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Female Haitian Born | 0 | N/A | 1 | N/A | #DIV/0! | 0 | N/A | 2 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| white Male Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 2 | N/A | 5 | N/A | 150.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Male Youth (ages 13-24) | 3 | N/A | 1 | N/A | -66.7% | 9 | N/A | 7 | N/A | -22.2% | 0 | N/A | 0 | N/A | #DIV/0! |
| Hispanic Male Youth (ages 13-24) | 0 | N/A | 1 | N/A | #DIV/0! | 1 | N/A | 4 | N/A | 300.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| white Female Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 0 | N/A | -100.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Female Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 2 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Hispanic Female Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| White WCBA* (ages 15-44) | 4 | N/A | 9 | N/A | 125.0% | 3 | N/A | 11 | N/A | 266.7% | 1 | N/A | 1 | N/A | 0.0% |
| Black WCBA* (ages 15-44) | 4 | N/A | 5 | N/A | 25.0% | 2 | N/A | 5 | N/A | 150.0% | 3 | N/A | 2 | N/A | -33.3% |
| Hispanic WCBA* (ages 15-44) | 0 | N/A | 2 | N/A | #DIV/0! | 0 | N/A | 1 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| White Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 1 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Hispanic Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| DOC cases | 0 | N/A | 3 | N/A | #DIV/0! | 0 | N/A | 2 | N/A | #DIV/0! | 1 | N/A | 1 | N/A | 0.0% |

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 12

| Documented Co-morbidity cases in 2013 | Prevalence of the HIV/AIDS Population in this Area | Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area | Data Source | Date of Data | Proportional Rate of this Co-morbidity among the population of this Disease in this Area |
|--|--|--|---|---|--|
| | N= 1,517 | | | | |
| AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013 | 0 | 0.0 | eHARS | Data through 2013 (data as of 06/30/14) | 0.0% |
| Infectious Syphilis reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only) | 6 | 395.5 | PRISM | Data through 2013 (data as of 03/2013) | 20.7% |
| Gonorrhea reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only) | 4 | 263.7 | PRISM | Data through 2013 (data as of 03/2013) | 0.7% |
| Chlamydia reported in 2013 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only) | 10 | 659.2 | PRISM | Data through 2013 (data as of 03/2013) | 0.6% |
| Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN) | 172 | 11338.2 | eHARS (local use variable) and/or matched with reported cases in the Hepatitis database | Data through 2013 (data as of 06/30/14) | N/A |

| Other Factors / Surrogate Markers Documented in 2013 | Prevalence of the HIV/AIDS Population in this Area | Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area | Data Source | Date of Data | |
|--|--|--|----------------------------|--|-----------------------------|
| Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS) | 4 | 263.7 | eHARS (address variable) | Data through 2013 (data as of 06/30/14) | |
| Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS) | 281 | 18,523.4 | eHARS (local use variable) | Data through 2013 (data as of 06/30/14) | |
| Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS) | 18 | 1,186.6 | eHARS (local use variable) | Data through 2013 (data as of 06/30/14) | |
| MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk) | 819 | 53,988.1 | (PLWHA data) | Data through 2013 (data as of 06/30/14) | |
| IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk) | 290 | 19,116.7 | (PLWHA data) | Data through 2013 (data as of 06/30/14) | |
| Release of FL Department of Corrections Cases into the Local Area | Total Offenders Released | HIV-infected Offenders Released | | Data Source | Date of Data |
| | | Number | % HIV+ | | |
| Offenders who returned to the Area in 2013 | 1,003 | 27 | 2.7% | Dept. of Corrections Offender-based Information System | CY 2013, data as of 02/2014 |
| Offenders who returned to the Area in 2012 | 936 | 8 | 0.9% | Dept. of Corrections Offender-based Information System | CY 2012, data as of 03/2013 |
| Offenders who returned to the Area in 2011 | 1,006 | 17 | 1.7% | Dept. of Corrections Offender-based Information System | CY 2011, data as of 03/2012 |

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 12.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14 | |
|---|--|-------------------|--|-------------------|--|-------------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Race/Ethnicity | # number | % of Total | # number | % of Total | # number | % of Total |
| White, not Hispanic | 428 | 48.5% | 276 | 43.5% | 704 | 46.4% |
| Black, not Hispanic | 344 | 39.0% | 265 | 41.7% | 609 | 40.1% |
| Hispanic | 97 | 11.0% | 77 | 12.1% | 174 | 11.5% |
| Asian/Pacific Islander | 0 | 0.0% | 7 | 1.1% | 7 | 0.5% |
| American Indian/Alaskan Native | 0 | 0.0% | 1 | 0.2% | 1 | 0.1% |
| Not Specified/Other | 13 | 1.5% | 9 | 1.4% | 22 | 1.5% |
| Total: | 882 | 100.0% | 635 | 100.0% | 1,517 | 100.0% |
| Gender | # number | % of Total | # number | % of Total | # number | % of Total |
| Male | 594 | 67.3% | 430 | 67.7% | 1,024 | 67.5% |
| Female | 288 | 32.7% | 205 | 32.3% | 493 | 32.5% |
| Total: | 882 | 100.0% | 635 | 100.0% | 1,517 | 100.0% |
| Current Age on 12/31/2013 (Years) | # number | % of Total | # number | % of Total | # number | % of Total |
| 0- 2 years | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 3-12 years | 0 | 0.0% | 4 | 0.6% | 4 | 0.3% |
| 13-19 years | 7 | 0.8% | 11 | 1.7% | 18 | 1.2% |
| 20-24 years | 12 | 1.4% | 39 | 6.1% | 51 | 3.4% |
| 25-29 years | 31 | 3.5% | 60 | 9.4% | 91 | 6.0% |
| 30-39 years | 132 | 15.0% | 131 | 20.6% | 263 | 17.3% |
| 40-44 years | 94 | 10.7% | 74 | 11.7% | 168 | 11.1% |
| 45-49 years | 174 | 19.7% | 92 | 14.5% | 266 | 17.5% |
| 50-59 years | 302 | 34.2% | 158 | 24.9% | 460 | 30.3% |
| 60+ years | 130 | 14.7% | 66 | 10.4% | 196 | 12.9% |
| Total: | 882 | 100.0% | 635 | 100.0% | 1,517 | 100.0% |

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14 | |
|---|--|----------------|--|---------------|--|---------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Male Adult/Adolescent AIDS Exposure Category | # number | % of Total | # number | % of Total | # number | % of Total |
| MSM | 418 | 70.4% | 331 | 77.2% | 749 | 73.2% |
| IDU | 81 | 13.6% | 33 | 7.7% | 114 | 11.1% |
| MSM/IDU | 45 | 7.6% | 25 | 5.8% | 70 | 6.8% |
| Heterosexual | 41 | 6.9% | 32 | 7.5% | 73 | 7.1% |
| Other | 9 | 1.5% | 8 | 1.9% | 17 | 1.7% |
| Total: | 594 | 100.0% | 429 | 100.0% | 1,023 | 100.0% |
| Female Adult/Adolescent AIDS Exposure Category | # number | % of Total | # number | % of Total | # number | % of Total |
| IDU | 74 | 25.7% | 32 | 15.8% | 106 | 21.6% |
| Heterosexual | 200 | 69.4% | 166 | 82.2% | 366 | 74.7% |
| Other | 14 | 4.9% | 4 | 2.0% | 18 | 3.7% |
| Total: | 288 | 100.0% | 202 | 100.0% | 490 | 100.0% |
| Pediatric AIDS Exposure Categories (current ages 0-12) | # number | % of Total | # number | % of Total | # number | % of Total |
| Mother with/at risk for HIV infection | 0 | #DIV/0! | 4 | 100.0% | 4 | 100.0% |
| Risk not reported/Other | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Total: | 0 | #DIV/0! | 4 | 100.0% | 4 | 100.0% |

| Demographic Group/ Exposure Category | AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/14 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/14 | |
|--|--|------------|--|------------|--|------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Special Populations | # number | % of Total | # number | % of Total | # number | % of Total |
| White MSM | 287 | N/A | 200 | N/A | 487 | N/A |
| Black MSM | 125 | N/A | 104 | N/A | 229 | N/A |
| Hispanic MSM | 48 | N/A | 41 | N/A | 89 | N/A |
| white Male IDU | 48 | N/A | 19 | N/A | 67 | N/A |
| Black Male IDU | 53 | N/A | 24 | N/A | 77 | N/A |
| Hispanic Male IDU | 22 | N/A | 14 | N/A | 36 | N/A |
| white Female IDU | 16 | N/A | 33 | N/A | 49 | N/A |
| Black Female IDU | 14 | N/A | 33 | N/A | 47 | N/A |
| Hispanic Female IDU | 1 | N/A | 7 | N/A | 8 | N/A |
| white Male Homeless | 0 | N/A | 3 | N/A | 3 | N/A |
| Black Male Homeless | 0 | N/A | 0 | N/A | 0 | N/A |
| Hispanic Male Homeless | 0 | N/A | 0 | N/A | 0 | N/A |
| white Female Homeless | 0 | N/A | 1 | N/A | 1 | N/A |
| Black Female Homeless | 0 | N/A | 0 | N/A | 0 | N/A |
| Hispanic Female Homeless | 0 | N/A | 0 | N/A | 0 | N/A |
| Male Haitian Born | 2 | N/A | 0 | N/A | 2 | N/A |
| Female Haitian Born | 4 | N/A | 1 | N/A | 5 | N/A |
| white Male Youth (current ages 13-24) | 1 | N/A | 8 | N/A | 9 | N/A |
| Black Male Youth (current ages 13-24) | 8 | N/A | 23 | N/A | 31 | N/A |
| Hispanic Male Youth (current ages 13-24) | 2 | N/A | 6 | N/A | 8 | N/A |
| white Female Youth (current ages 13-24) | 1 | N/A | 3 | N/A | 4 | N/A |
| Black Female Youth (current ages 13-24) | 5 | N/A | 7 | N/A | 12 | N/A |
| Hispanic Female Youth (current ages 13-24) | 2 | N/A | 2 | N/A | 4 | N/A |
| White WCBA* (current ages 15-44) | 28 | N/A | 26 | N/A | 54 | N/A |
| Black WCBA* (current ages 15-44) | 78 | N/A | 67 | N/A | 145 | N/A |
| Hispanic WCBA* (current ages 15-44) | 14 | N/A | 8 | N/A | 22 | N/A |
| White Ped Cases (current ages 0-12) | 0 | N/A | 0 | N/A | 0 | N/A |
| Black Ped Cases (current ages 0-12) | 0 | N/A | 3 | N/A | 3 | N/A |
| Hispanic Ped Cases (current ages 0-12) | 0 | N/A | 0 | N/A | 0 | N/A |
| DOC Cases | 28 | N/A | 27 | N/A | 55 | N/A |

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU