

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**EMA Jax**  
**CLAY, DUVAL, NASSAU AND SAINT JOHNS COUNTIES**

---

**Mid-Year Population Estimates**

**2013**

<b>Sex</b>	<b>Total Pop</b>	
Males	654,354	49%
Females	690,989	51%
Total	1,345,343	100%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	226,006	17%
13 - 19	124,455	9%
20 - 24	92,738	7%
25 - 29	92,938	7%
30 - 39	174,651	13%
40 - 49	182,647	14%
50 - 59	191,421	14%
60+	260,487	19%
Total	1,345,343	100%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	873,220	65%
Black, non-Hispanic	289,542	22%
Hispanic	102,093	8%
Other*	80,488	6%
Total	1,345,343	100%

**2014**

<b>Sex</b>	<b>Total Pop</b>	
Males	665,893	48.7%
Females	702,507	51.3%
Total	1,368,400	100.0%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	229,386	17%
13 - 19	125,270	9%
20 - 24	94,232	7%
25 - 29	94,238	7%
30 - 39	177,398	13%
40 - 49	181,286	13%
50 - 59	195,918	14%
60+	270,672	20%
Total	1,368,400	100%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	883,875	65%
Black, non-Hispanic	295,745	22%
Hispanic	106,288	8%
Other*	82,492	6%
Total	1,368,400	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups  
**FLORIDA Department of Health, HIV/AIDS Section**

Created: 12/30/14
Revision: 10/06/15



**Attachment 3: JURISDICTION PROFILE, JACKSONVILLE EMA**

**Newly Reported HIV Infection and AIDS cases over a three year period**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
<b>Race/Ethnicity</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White, not Hispanic	36	16%	57	25%	54	27%	50.0%	94	26%	97	27%	117	29%	24.5%
Black, not Hispanic	165	73%	152	66%	124	62%	-24.8%	238	65%	232	64%	235	59%	-1.3%
Hispanic	15	7%	16	7%	14	7%	-6.7%	25	7%	23	6%	29	7%	16.0%
Asian/Pacific Islander	1	0%	3	1%	2	1%	100.0%	4	1%	4	1%	6	2%	50.0%
American Indian/Alaskan Native	0	0%	0	0%	0	0%	#DIV/0!	1	0%	0	0%	0	0%	-100.0%
Not Specified/Other	9	4%	2	1%	5	3%	-44.4%	6	2%	6	2%	10	3%	66.7%
<b>Total:</b>	226	100%	230	100%	199	100%	-11.9%	368	100%	362	100%	397	100%	7.9%
<b>Gender</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Female	73	32.3%	72	31.3%	60	30.2%	-17.8%	105	28.5%	105	29.0%	93	23.4%	-11.4%
Male	153	67.7%	158	68.7%	139	69.8%	-9.2%	263	71.5%	257	71.0%	304	76.6%	15.6%
<b>Total:</b>	226	100.0%	230	100.0%	199	100.0%	-11.9%	368	100.0%	362	100.0%	397	100.0%	7.9%
<b>Age at Diagnosis (Years)</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	1	0.5%	#DIV/0!	0	0.0%	1	0.3%	0	0.0%	#DIV/0!
3-12 years	1	0.4%	0	0.0%	1	0.5%	0.0%	2	0.5%	0	0.0%	1	0.3%	-50.0%
13-19 years	4	1.8%	4	1.7%	1	0.5%	-75.0%	17	4.6%	22	6.1%	20	5.0%	17.6%
20-24 years	23	10.2%	17	7.4%	11	5.5%	-52.2%	62	16.8%	64	17.7%	62	15.6%	0.0%
25-29 years	27	11.9%	28	12.2%	26	13.1%	-3.7%	59	16.0%	59	16.3%	73	18.4%	23.7%
30-39 years	68	30.1%	61	26.5%	54	27.1%	-20.6%	85	23.1%	77	21.3%	90	22.7%	5.9%
40-44 years	31	13.7%	31	13.5%	22	11.1%	-29.0%	42	11.4%	35	9.7%	45	11.3%	7.1%
45-49 years	25	11.1%	32	13.9%	27	13.6%	8.0%	42	11.4%	35	9.7%	36	9.1%	-14.3%
50-59 years	36	15.9%	38	16.5%	41	20.6%	13.9%	46	12.5%	48	13.3%	50	12.6%	8.7%
60+ years	11	4.9%	19	8.3%	15	7.5%	36.4%	13	3.5%	21	5.8%	20	5.0%	53.8%
<b>Total:</b>	226	100.0%	230	100.0%	199	100.0%	-11.9%	368	100.0%	362	100.0%	397	100.0%	7.9%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
MSM	96	63.2%	96	60.8%	91	65.5%	-5.3%	179	68.7%	193	75.1%	228	75.5%	27.1%
IDU	11	7.4%	7	4.4%	6	4.3%	-46.9%	8	3.0%	3	1.2%	6	2.0%	-24.1%
MSM/IDU	3	2.0%	3	1.9%	3	2.2%	-3.2%	3	1.3%	5	1.9%	8	2.6%	135.3%
Heterosexual	42	27.3%	51	32.3%	39	28.1%	-6.0%	70	26.9%	55	21.4%	60	19.9%	-14.7%
Other	0	0.0%	1	0.6%	0	0.0%	#DIV/0!	0	0.0%	1	0.4%	0	0.0%	#DIV/0!
<b>Total:</b>	152	100.0%	158	100.0%	139	100.0%	-8.6%	261	100.0%	257	100.0%	302	100.0%	15.7%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
IDU	8	11.1%	1	1.4%	9	15.5%	11.1%	9	8.6%	8	7.7%	12	12.9%	33.3%
Heterosexual	63	86.2%	70	97.2%	49	84.5%	-22.1%	95	90.5%	94	90.4%	81	87.1%	-14.7%
Other	2	2.7%	1	1.4%	0	0.0%	-100.0%	1	1.0%	2	1.9%	0	0.0%	-100.0%
<b>Total:</b>	73	100.0%	72	100.0%	58	100.0%	-20.5%	105	100.0%	104	100.0%	93	100.0%	-11.4%
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Mother with/at risk for HIV infection	1	100%	0	#DIV/0!	2	100%	100.0%	2	100%	1	100%	1	100%	-50.0%
Risk not reported/Other	0	0%	0	#DIV/0!	0	0%	#DIV/0!	0	0%	0	0%	0	0%	#DIV/0!
<b>Total:</b>	1	100%	0	#DIV/0!	2	100%	100.0%	2	100%	1	100%	1	100%	-50.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Special Populations	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White MSM*	21	N/A	45	N/A	27	N/A	28.6%	65	N/A	71	N/A	79	N/A	22.1%
Black MSM*	69	N/A	48	N/A	54	N/A	-22.2%	95	N/A	107	N/A	128	N/A	34.6%
Hispanic MSM*	8	N/A	5	N/A	10	N/A	28.2%	18	N/A	14	N/A	19	N/A	5.6%
white Male IDU**	3	N/A	5	N/A	2	N/A	-33.3%	4	N/A	3	N/A	6	N/A	39.5%
Black Male IDU**	7	N/A	3	N/A	5	N/A	-29.6%	5	N/A	3	N/A	8	N/A	60.0%
Hispanic Male IDU**	4	N/A	0	N/A	1	N/A	-76.7%	0	N/A	1	N/A	1	N/A	#DIV/0!
white Female IDU**	2	N/A	0	N/A	6	N/A	200.0%	4	N/A	4	N/A	8	N/A	116.2%
Black Female IDU**	4	N/A	1	N/A	3	N/A	-26.8%	4	N/A	4	N/A	3	N/A	-30.2%
Hispanic Female IDU**	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	0	N/A	-100.0%
white Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	0	N/A	-100.0%
Black Male Homeless	1	N/A	0	N/A	0	N/A	-100.0%	3	N/A	2	N/A	1	N/A	-66.7%
Hispanic Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	3	N/A	0	N/A	1	N/A	-66.7%
white Female Homeless	1	N/A	0	N/A	1	N/A	0.0%	1	N/A	0	N/A	1	N/A	0.0%
Black Female Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	0	N/A	-100.0%
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	1	N/A	0	N/A	1	N/A	0.0%	1	N/A	0	N/A	1	N/A	0.0%
Male Haitian Born	0	N/A	1	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	1	N/A	#DIV/0!
white Male Youth (ages 13-24)	2	N/A	2	N/A	1	N/A	-50.0%	8	N/A	9	N/A	8	N/A	0.0%
Black Male Youth (ages 13-24)	16	N/A	16	N/A	4	N/A	-75.0%	52	N/A	60	N/A	55	N/A	5.8%
Hispanic Male Youth (ages 13-24)	1	N/A	1	N/A	0	N/A	-100.0%	6	N/A	4	N/A	2	N/A	-66.7%
white Female Youth (ages 13-24)	0	N/A	0	N/A	1	N/A	#DIV/0!	1	N/A	2	N/A	3	N/A	200.0%
Black Female Youth (ages 13-24)	5	N/A	1	N/A	5	N/A	0.0%	10	N/A	9	N/A	7	N/A	-30.0%
Hispanic Female Youth (ages 13-24)	1	N/A	1	N/A	0	N/A	-100.0%	1	N/A	1	N/A	0	N/A	-100.0%
White WCBA* (ages 15-44)	4	N/A	2	N/A	8	N/A	100.0%	12	N/A	12	N/A	18	N/A	50.0%
Black WCBA* (ages 15-44)	36	N/A	32	N/A	20	N/A	-44.4%	50	N/A	43	N/A	39	N/A	-22.0%
Hiapnic WCBA* (ages 15-44)	1	N/A	6	N/A	1	N/A	0.0%	3	N/A	5	N/A	3	N/A	0.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	1	N/A	0	N/A	1	N/A	0.0%	2	N/A	1	N/A	0	N/A	-100.0%
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!

\*WCBA=Women of Child Bearing Age

**HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually**

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

**Attachment 3: JURISDICTION PROFILE, JACKSONVILLE EMA**

Annual HIV and AIDS Prevalence over a three year period

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalance 2012, 2013, & 2014							HIV Infection CasePrevalance 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
<b>Race/Ethnicity</b>																		
White, not Hispanic	1,031	29%	1,062	29%	1,081	29%	4.8%	691	27%	714	27%	773	27%	11.9%	1,722	28%	1,776	28%
Black, not Hispanic	2,244	63%	2,311	63%	2,382	63%	6.1%	1,714	66%	1,759	66%	1,860	65%	8.5%	3,958	64%	4,070	64%
Hispanic	182	5%	194	5%	203	5%	11.5%	132	5%	132	5%	144	5%	9.1%	314	5%	326	5%
Asian/Pacific Islander	25	1%	27	1%	28	1%	12.0%	11	0%	12	0%	15	1%	36.4%	36	1%	39	1%
American Indian/Alaskan Native	2	0%	2	0%	2	0%	0.0%	1	0%	1	0%	1	0%	0.0%	3	0%	3	0%
Not Specified/Other	90	3%	89	2%	91	2%	1.1%	57	2%	60	2%	66	2%	15.8%	147	2%	149	2%
<b>Total:</b>	<b>3,574</b>	<b>100%</b>	<b>3,685</b>	<b>100%</b>	<b>3,787</b>	<b>100%</b>	<b>6.0%</b>	<b>2,606</b>	<b>100%</b>	<b>2,678</b>	<b>100%</b>	<b>2,859</b>	<b>100%</b>	<b>9.7%</b>	<b>6,180</b>	<b>100%</b>	<b>6,363</b>	<b>100%</b>
<b>Gender</b>																		
Female	1,222	34.2%	1,246	33.8%	1,278	33.7%	4.6%	983	37.7%	997	37.2%	1,027	35.9%	4.5%	2,205	35.7%	2,243	35.3%
Male	2,352	65.8%	2,439	66.2%	2,509	66.3%	6.7%	1,623	62.3%	1,681	62.8%	1,832	64.1%	12.9%	3,975	64.3%	4,120	64.7%
<b>Total:</b>	<b>3,574</b>	<b>100.0%</b>	<b>3,685</b>	<b>100.0%</b>	<b>3,787</b>	<b>100.0%</b>	<b>6.0%</b>	<b>2,606</b>	<b>100.0%</b>	<b>2,678</b>	<b>100.0%</b>	<b>2,859</b>	<b>100.0%</b>	<b>9.7%</b>	<b>6,180</b>	<b>100.0%</b>	<b>6,363</b>	<b>100.0%</b>
<b>Age at Diagnosis (Years)</b>																		
0- 2 years	0	0.0%	0	0.0%	1	0.0%	#DIV/0!	1	0.0%	1	0.0%	1	0.0%	0.0%	1	0.0%	1	0.0%
3-12 years	3	0.1%	3	0.1%	3	0.1%	0.0%	18	0.7%	17	0.6%	12	0.4%	-33.3%	21	0.3%	20	0.3%
13-19 years	21	0.6%	17	0.5%	13	0.3%	-38.1%	42	1.6%	41	1.5%	44	1.5%	4.8%	63	1.0%	58	0.9%
20-24 years	109	3.0%	104	2.8%	88	2.3%	-19.3%	180	6.9%	185	6.9%	198	6.9%	10.0%	289	4.7%	289	4.5%
25-29 years	175	4.9%	178	4.8%	196	5.2%	12.0%	348	13.4%	357	13.3%	388	13.6%	11.5%	523	8.5%	535	8.4%
30-39 years	616	17.2%	640	17.4%	646	17.1%	4.9%	642	24.6%	663	24.8%	706	24.7%	10.0%	1,258	20.4%	1,303	20.5%
40-44 years	510	14.3%	482	13.1%	454	12.0%	-11.0%	343	13.2%	346	12.9%	348	12.2%	1.5%	853	13.8%	828	13.0%
45-49 years	683	19.1%	641	17.4%	624	16.5%	-8.6%	366	14.0%	339	12.7%	351	12.3%	-4.1%	1,049	17.0%	980	15.4%
50-59 years	1,053	29.5%	1,144	31.0%	1,229	32.5%	16.7%	507	19.5%	545	20.4%	585	20.5%	15.4%	1,560	25.2%	1,689	26.5%
60+ years	404	11.3%	476	12.9%	533	14.1%	31.9%	159	6.1%	184	6.9%	226	7.9%	42.1%	563	9.1%	660	10.4%
<b>Total:</b>	<b>3,574</b>	<b>100.0%</b>	<b>3,685</b>	<b>100.0%</b>	<b>3,787</b>	<b>100.0%</b>	<b>6.0%</b>	<b>2,606</b>	<b>100.0%</b>	<b>2,678</b>	<b>100.0%</b>	<b>2,859</b>	<b>100.0%</b>	<b>9.7%</b>	<b>6,180</b>	<b>100.0%</b>	<b>6,363</b>	<b>100.0%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalance 2012, 2013, & 2014							HIV Infection CasePrevalance 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Male Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
MSM	1,423	60.5%	1,491	61.2%	1,543	61.5%	8.5%	1,083	67.2%	1,154	69.0%	1,277	69.9%	17.9%	2,506	63.2%	2,645	64.4%
IDU	229	9.8%	218	8.9%	216	8.6%	-5.8%	86	5.3%	83	4.9%	82	4.5%	-4.7%	315	8.0%	300	7.3%
MSM/IDU	191	8.1%	189	7.7%	189	7.5%	-1.0%	72	4.5%	71	4.3%	74	4.1%	2.4%	263	6.6%	260	6.3%
Heterosexual	475	20.2%	508	20.9%	528	21.1%	11.1%	358	22.2%	350	20.9%	375	20.5%	4.6%	834	21.0%	858	20.9%
Other	32	1.4%	32	1.3%	31	1.2%	-3.1%	13	0.8%	14	0.8%	18	1.0%	38.5%	45	1.1%	46	1.1%
<b>Total:</b>	<b>2,350</b>	<b>100.0%</b>	<b>2,437</b>	<b>100.0%</b>	<b>2,507</b>	<b>100.0%</b>	<b>6.7%</b>	<b>1,613</b>	<b>100.0%</b>	<b>1,672</b>	<b>100.0%</b>	<b>1,826</b>	<b>100.0%</b>	<b>13.2%</b>	<b>3,963</b>	<b>100.0%</b>	<b>4,109</b>	<b>100.0%</b>
Female Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
IDU	200	16.4%	196	15.7%	199	15.6%	-0.4%	96	9.9%	99	10.1%	100	9.8%	4.0%	296	13.5%	295	13.2%
Heterosexual	990	81.1%	1,017	81.7%	1,045	81.9%	5.5%	863	88.6%	874	88.4%	904	88.6%	4.8%	1,853	84.4%	1,891	84.7%
Other	31	2.5%	32	2.6%	32	2.5%	3.2%	15	1.5%	15	1.5%	16	1.6%	6.7%	46	2.1%	47	2.1%
<b>Total:</b>	<b>1,221</b>	<b>100.0%</b>	<b>1,245</b>	<b>100.0%</b>	<b>1,276</b>	<b>100.0%</b>	<b>4.5%</b>	<b>974</b>	<b>100.0%</b>	<b>988</b>	<b>100.0%</b>	<b>1,020</b>	<b>100.0%</b>	<b>4.7%</b>	<b>2,195</b>	<b>100.0%</b>	<b>2,233</b>	<b>100.0%</b>
Pediatric AIDS Exposure Categories (ages 0-12)	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
Mother with/at risk for HIV infection	3	100%	3	100%	4	100%	33.3%	19	100%	18	100%	13	100%	-31.6%	22	100%	21	100%
Risk not reported/Other	0	0%	0	0%	0	0%	#DIV/0!	0	0%	0	0%	0	0%	#DIV/0!	0	0%	0	0%
<b>Total:</b>	<b>3</b>	<b>100%</b>	<b>3</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>33.3%</b>	<b>19</b>	<b>100%</b>	<b>18</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	<b>-31.6%</b>	<b>22</b>	<b>100%</b>	<b>21</b>	<b>100%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalance 2012, 2013, & 2014							HIV Infection CasePrevelance 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Special Populations	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
White Heterosexual	191	N/A	193	N/A	205	N/A	7.3%	164	N/A	174	N/A	184	N/A	12.3%	355	N/A	367	N/A
Black Heterosexual	1,155	N/A	1,206	N/A	1,237	N/A	7.1%	982	N/A	977	N/A	1,016	N/A	3.4%	2,138	N/A	2,184	N/A
Hispanic Heterosexual	70	N/A	77	N/A	80	N/A	14.4%	49	N/A	46	N/A	52	N/A	5.9%	119	N/A	123	N/A
Black Heterosexual Females	801	N/A	824	N/A	846	N/A	5.7%	696	N/A	700	N/A	717	N/A	3.0%	1,497	N/A	1,525	N/A
Black Heterosexual Males	355	N/A	382	N/A	391	N/A	10.2%	286	N/A	277	N/A	298	N/A	4.2%	641	N/A	659	N/A
White MSM*	723	N/A	756	N/A	759	N/A	5.0%	463	N/A	476	N/A	525	N/A	13.5%	1,185	N/A	1,231	N/A
Black MSM*	764	N/A	790	N/A	831	N/A	8.8%	593	N/A	644	N/A	707	N/A	19.2%	1,357	N/A	1,434	N/A
Hispanic MSM*	72	N/A	77	N/A	84	N/A	16.3%	67	N/A	71	N/A	77	N/A	15.1%	139	N/A	148	N/A
white Male IDU**	135	N/A	133	N/A	133	N/A	-1.4%	56	N/A	53	N/A	56	N/A	0.7%	191	N/A	185	N/A
Black Male IDU**	242	N/A	231	N/A	229	N/A	-5.2%	89	N/A	85	N/A	84	N/A	-5.3%	330	N/A	316	N/A
Hispanic Male IDU**	34	N/A	33	N/A	33	N/A	-2.7%	12	N/A	12	N/A	12	N/A	0.0%	46	N/A	45	N/A
white Female IDU**	64	N/A	62	N/A	66	N/A	3.0%	41	N/A	43	N/A	42	N/A	3.7%	105	N/A	105	N/A
Black Female IDU**	119	N/A	117	N/A	116	N/A	-2.1%	50	N/A	51	N/A	51	N/A	2.6%	168	N/A	168	N/A
Hispanic Female IDU**	9	N/A	9	N/A	9	N/A	-2.2%	2	N/A	2	N/A	2	N/A	0.0%	11	N/A	11	N/A
white Male Homeless	3	N/A	3	N/A	3	N/A	0.0%	5	N/A	5	N/A	5	N/A	0.0%	8	N/A	8	N/A
Black Male Homeless	3	N/A	3	N/A	3	N/A	0.0%	7	N/A	7	N/A	7	N/A	0.0%	10	N/A	10	N/A
Hispanic Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	2	N/A	100.0%	1	N/A	1	N/A
white Female Homeless	0	N/A	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A
Black Female Homeless	0	N/A	1	N/A	1	N/A	#DIV/0!	3	N/A	2	N/A	2	N/A	-33.3%	3	N/A	3	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A
Female Haitian Born	5	N/A	5	N/A	6	N/A	20.0%	7	N/A	7	N/A	7	N/A	0.0%	12	N/A	12	N/A
Male Haitian Born	6	N/A	6	N/A	6	N/A	0.0%	1	N/A	1	N/A	2	N/A	100.0%	7	N/A	7	N/A
white Male Youth (ages 13-24)	12	N/A	11	N/A	9	N/A	-25.0%	25	N/A	24	N/A	20	N/A	-20.0%	37	N/A	35	N/A
Black Male Youth (ages 13-24)	72	N/A	70	N/A	56	N/A	-22.2%	119	N/A	128	N/A	152	N/A	27.7%	191	N/A	198	N/A
Hispanic Male Youth (ages 13-24)	2	N/A	2	N/A	2	N/A	0.0%	12	N/A	12	N/A	8	N/A	-33.3%	14	N/A	14	N/A
white Female Youth (ages 13-24)	2	N/A	1	N/A	1	N/A	-50.0%	6	N/A	8	N/A	7	N/A	16.7%	8	N/A	9	N/A
Black Female Youth (ages 13-24)	39	N/A	34	N/A	30	N/A	-23.1%	48	N/A	43	N/A	38	N/A	-20.8%	87	N/A	77	N/A
Hispanic Female Youth (ages 13-24)	1	N/A	2	N/A	1	N/A	0.0%	5	N/A	5	N/A	5	N/A	0.0%	6	N/A	7	N/A
White WCBA* (ages 15-44)	72	N/A	71	N/A	71	N/A	-1.4%	87	N/A	93	N/A	95	N/A	9.2%	159	N/A	164	N/A
Black WCBA* (ages 15-44)	444	N/A	432	N/A	415	N/A	-6.5%	488	N/A	483	N/A	472	N/A	-3.3%	932	N/A	915	N/A
Hispanic WCBA* (ages 15-44)	25	N/A	30	N/A	30	N/A	20.0%	26	N/A	22	N/A	24	N/A	-7.7%	51	N/A	52	N/A
White Ped Cases (ages 0-12)	1	N/A	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A
Black Ped Cases (ages 0-12)	2	N/A	2	N/A	3	N/A	50.0%	16	N/A	15	N/A	10	N/A	-37.5%	18	N/A	17	N/A
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A
DOC cases	95	N/A	94	N/A	88	N/A	-7.4%	57	N/A	56	N/A	55	N/A	-3.5%	152	N/A	150	N/A

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

12, 2013, 2014

the number of persons living with HIV  
 in the calendar year, as of June 30, of the  
 period, as the change over the combined  
 period.

2,014	% of Total	% change
1,854	28%	7.7%
4,242	64%	7.2%
347	5%	10.5%
43	1%	19.4%
3	0%	0.0%
157	2%	6.8%
6,646	100%	7.5%
2,014	% of Total	% change
2,305	34.7%	4.5%
4,341	65.3%	9.2%
6,646	100.0%	7.5%
2,014	% of Total	% change
2	0.0%	100.0%
15	0.2%	-28.6%
57	0.9%	-9.5%
286	4.3%	-1.0%
584	8.8%	11.7%
1,352	20.3%	7.5%
802	12.1%	-6.0%
975	14.7%	-7.1%
1,814	27.3%	16.3%
759	11.4%	34.8%
6,646	100.0%	7.5%

11/2, 2013, 2014

The number of persons living with HIV in the calendar year, as of June 30, of the period is reported as the change over the combined period.

2,014	% of Total	% change
2,820	65.1%	12.5%
298	6.9%	-5.5%
263	6.1%	-0.1%
903	20.8%	8.3%
49	1.1%	8.9%
4,333	100.0%	9.3%
2,014	% of Total	% change
299	13.0%	1.0%
1,949	84.9%	5.2%
48	2.1%	4.3%
2,296	100.0%	4.6%
2,014	% of Total	% change
17	100%	-22.7%
0	0%	#DIV/0!
17	100%	-22.7%

12, 2013, 2014

the number of persons living with HIV  
 the calendar year, as of June 30, of the  
 period as the change over the combined  
 period.

2,014	% of Total	% change
389	N/A	9.6%
2,253	N/A	5.4%
132	N/A	10.9%
1,563	N/A	4.4%
689	N/A	7.5%
1,284	N/A	8.3%
1,538	N/A	13.4%
161	N/A	15.7%
189	N/A	-0.8%
313	N/A	-5.2%
45	N/A	-2.0%
108	N/A	3.3%
167	N/A	-0.7%
11	N/A	-1.8%
8	N/A	0.0%
10	N/A	0.0%
2	N/A	100.0%
1	N/A	#DIV/0!
3	N/A	0.0%
0	N/A	#DIV/0!
13	N/A	8.3%
8	N/A	14.3%
29	N/A	-21.6%
208	N/A	8.9%
10	N/A	-28.6%
8	N/A	0.0%
68	N/A	-21.8%
6	N/A	0.0%
166	N/A	4.4%
887	N/A	-4.8%
54	N/A	5.9%
1	N/A	0.0%
13	N/A	-27.8%
0	N/A	#DIV/0!
143	N/A	-5.9%



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	158	68.7%	24.1	0 - 12	0	0.0%	0.0
Female	72	31.3%	10.4	13 - 19	4	1.7%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	17	7.4%	18.3
Total	230	100.0%	17.1	25 - 29	28	12.2%	30.1
				30 - 39	61	26.5%	34.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	63	27.4%	34.5
White, Non-Hispanic	57	24.8%	6.5	50 - 59	38	16.5%	19.9
Black, Non-Hispanic	152	66.1%	52.5	60+	19	8.3%	7.3
Hispanic	16	7.0%	15.7	Total	230	100.0%	17.1
Asian/Pacific Islander	3	1.3%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	0.9%	N/A				
Total	230	100.0%	17.1				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	139	69.8%	20.9	0 - 12	2	1.0%	0.9
Female	60	30.2%	8.5	13 - 19	1	0.5%	0.8
Other/Unknown	0	0.0%	N/A	20 - 24	11	5.5%	11.7
Total	199	100.0%	14.5	25 - 29	26	13.1%	27.6
				30 - 39	54	27.1%	30.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	49	24.6%	27.0
White, Non-Hispanic	54	27.1%	6.1	50 - 59	41	20.6%	20.9
Black, Non-Hispanic	124	62.3%	41.9	60+	15	7.5%	5.5
Hispanic	14	7.0%	13.2	Total	199	100.0%	14.5
Asian/Pacific Islander	2	1.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	5	2.5%	N/A				
Total	199	100.0%	14.5				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	257	71.0%	39.3	0 - 12	1	0.3%	0.4
Female	105	29.0%	15.2	13 - 19	22	6.1%	17.7
Other/Unknown	0	0.0%	N/A	20 - 24	64	17.7%	69.0
Total	362	100.0%	26.9	25 - 29	59	16.3%	63.5
				30 - 39	77	21.3%	44.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	70	19.3%	38.3
White, Non-Hispanic	97	26.8%	11.1	50 - 59	48	13.3%	25.1
Black, Non-Hispanic	232	64.1%	80.1	60+	21	5.8%	8.1
Hispanic	23	6.4%	22.5	Total	362	100.0%	26.9
Asian/Pacific Islander	4	1.1%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	6	1.7%	N/A				
Total	362	100.0%	26.9				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	304	76.6%	45.7	0 - 12	1	0.3%	0.4
Female	93	23.4%	13.2	13 - 19	20	5.0%	16.0
Other/Unknown	0	0.0%	N/A	20 - 24	62	15.6%	65.8
Total	397	100.0%	29.0	25 - 29	73	18.4%	77.5
				30 - 39	90	22.7%	50.7
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	81	20.4%	44.7
White, Non-Hispanic	117	29.5%	13.2	50 - 59	50	12.6%	25.5
Black, Non-Hispanic	235	59.2%	79.5	60+	20	5.0%	7.4
Hispanic	29	7.3%	27.3	Total	397	100.0%	29.0
Asian/Pacific Islander	6	1.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	2.5%	N/A				
Total	397	100.0%	29.0				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male				37	88.1%	5.7	0 - 12			0	0.0%	0.0
Female				5	11.9%	0.7	13 - 19			1	2.4%	0.8
Other/Unknown				0	0.0%	N/A	20 - 24			15	35.7%	16.2
Total				42	100.0%	3.1	25 - 29			7	16.7%	7.5
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39			4	9.5%	2.3
White, Non-Hispanic				8	19.0%	0.9	40 - 49			11	26.2%	6.0
Black, Non-Hispanic				26	61.9%	9.0	50 - 59			4	9.5%	2.1
Hispanic				4	9.5%	3.9	60+			0	0.0%	0.0
Asian/Pacific Islander				1	2.4%	N/A	Other/Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			42	100.0%	3.1
Other/Unknown				3	7.1%	N/A						
Total				42	100.0%	3.1						
2014												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male				56	86.2%	8.4	0 - 12			0	0.0%	0.0
Female				9	13.8%	1.3	13 - 19			7	10.8%	5.6
Other/Unknown				0	0.0%	N/A	20 - 24			16	24.6%	17.0
Total				65	100.0%	4.8	25 - 29			21	32.3%	22.3
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39			13	20.0%	7.3
White, Non-Hispanic				11	16.9%	1.2	40 - 49			5	7.7%	2.8
Black, Non-Hispanic				52	80.0%	17.6	50 - 59			3	4.6%	1.5
Hispanic				0	0.0%	0.0	60+			0	0.0%	0.0
Asian/Pacific Islander				1	1.5%	N/A	Other/Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			65	100.0%	4.8
Other/Unknown				1	1.5%	N/A						
Total				65	100.0%	4.8						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,209	51.9%	184.8	0 - 12	0	0.0%	0.0
Female	1,118	48.0%	161.8	13 - 19	358	15.4%	287.7
Other/Unknown	2	0.1%	N/A	20 - 24	817	35.1%	881.0
Total	2,329	100.0%	173.1	25 - 29	474	20.4%	510.0
				30 - 39	421	18.1%	241.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	177	7.6%	96.9
White, Non-Hispanic	400	17.2%	45.8	50 - 59	64	2.7%	33.4
Black, Non-Hispanic	1,585	68.1%	547.4	60+	18	0.8%	6.9
Hispanic	41	1.8%	40.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	16	0.7%	N/A	Total	2,329	100.0%	173.1
Amer. Indian/Alaskan	3	0.1%	N/A				
Other/Unknown	284	12.2%	N/A				
Total	2,329	100.0%	173.1				

  

2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,291	50.5%	193.9	0-12	0	0.0%	0.0
Female	1,260	49.3%	179.4	13 - 19	407	15.9%	324.9
Other/Unknown	3	0.1%	N/A	20 - 24	850	33.3%	902.0
Total	2,554	100.0%	186.6	25 - 29	569	22.3%	603.8
				30 - 39	468	18.3%	263.8
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	165	6.5%	91.0
White, Non-Hispanic	530	20.8%	60.0	50 - 59	78	3.1%	39.8
Black, Non-Hispanic	1,569	61.4%	530.5	60+	17	0.7%	6.3
Hispanic	63	2.5%	59.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	15	0.6%	N/A	Total	2,554	100.0%	186.6
Amer. Indian/Alaskan	3	0.1%	N/A				
Other/Unknown	374	14.6%	N/A				
Total	2,554	100.0%	186.6				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,969	27.8%	300.9	0 - 12	0	0.0%	0.0
Female	5,089	71.9%	736.5	13 - 19	1,787	25.3%	1435.9
Other/Unknown	15	0.2%	N/A	20 - 24	2,887	40.8%	3113.1
Total	7,073	100.0%	525.7	25 - 29	1,290	18.2%	1388.0
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	1,656	23.4%	189.6	30 - 39	811	11.5%	464.4
Black, Non-Hispanic	3,659	51.7%	1263.7	40 - 49	214	3.0%	117.2
Hispanic	206	2.9%	201.8	50 - 59	75	1.1%	39.2
Asian/Pacific Islander	61	0.9%	N/A	60+	9	0.1%	3.5
Amer. Indian/Alaskan	7	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	1,484	21.0%	N/A	Total	7,073	100.0%	525.7
Total	7,073	100.0%	525.7				
2014							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	2,096	29.0%	314.8	0-12	0	0.0%	0.0
Female	5,117	70.8%	728.4	13 - 19	1,875	25.9%	1496.8
Other/Unknown	15	0.2%	N/A	20 - 24	2,869	39.7%	3044.6
Total	7,228	100.0%	528.2	25 - 29	1,388	19.2%	1472.9
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	1,733	24.0%	196.1	30 - 39	838	11.6%	472.4
Black, Non-Hispanic	3,697	51.1%	1250.1	40 - 49	173	2.4%	95.4
Hispanic	205	2.8%	192.9	50 - 59	73	1.0%	37.3
Asian/Pacific Islander	60	0.8%	N/A	60+	12	0.2%	4.4
Amer. Indian/Alaskan	5	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	1,528	21.1%	N/A	Total	7,228	100.0%	528.2
Total	7,228	100.0%	528.2				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	38	62.3%	5.8	0 - 12	2	3.3%	0.9
Female	23	37.7%	3.3	13 - 19	3	4.9%	1.3
Other/Unknown	0	0.0%	N/A	20 - 24	3	4.9%	1.3
Total	61	100.0%	4.5	25 - 29	4	6.6%	1.8
				30 - 39	10	16.4%	4.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	15	24.6%	6.6
White, Non-Hispanic	21	34.4%	2.4	50 - 59	13	21.3%	5.8
Black, Non-Hispanic	26	42.6%	9.0	60+	11	18.0%	4.9
Hispanic	1	1.6%	1.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	13	21.3%	N/A	Total	61	100.0%	4.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	61	100.0%	4.5				

  

2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	33	66.0%	5.0	0 - 12	2	4.0%	0.9
Female	17	34.0%	2.4	13 - 19	3	6.0%	2.4
Other/Unknown	0	0.0%	N/A	20 - 24	2	4.0%	2.1
Total	50	100.0%	3.7	25 - 29	3	6.0%	3.2
				30 - 39	7	14.0%	3.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	13	26.0%	7.2
White, Non-Hispanic	7	14.0%	0.8	50 - 59	11	22.0%	5.6
Black, Non-Hispanic	30	60.0%	10.1	60+	9	18.0%	3.3
Hispanic	5	10.0%	4.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	8	16.0%	N/A	Total	50	100.0%	3.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	50	100.0%	3.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	2	25.0%	0.3	0 - 12	0	0.0%	0.0
Female	6	75.0%	0.9	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	12.5%	1.1
Total	8	100.0%	0.6	25 - 29	0	0.0%	0.0
				30 - 39	2	25.0%	1.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	2	25.0%	1.1
White, Non-Hispanic	6	75.0%	0.7	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	3	37.5%	1.2
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	12.5%	N/A	Total	8	100.0%	0.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	12.5%	N/A				
Total	8	100.0%	0.6				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1	25.0%	0.2	0 - 12	1	25.0%	0.4
Female	3	75.0%	0.4	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	4	100.0%	0.3	25 - 29	0	0.0%	0.0
				30 - 39	1	25.0%	0.6
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	0	0.0%	0.0
White, Non-Hispanic	2	50.0%	0.2	50 - 59	1	25.0%	0.5
Black, Non-Hispanic	1	25.0%	0.3	60+	1	25.0%	0.4
Hispanic	1	25.0%	0.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	4	100.0%	0.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	4	100.0%	0.3				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	10	62.5%	1.5	0 - 12	0	0.0%	0.0
Female	6	37.5%	0.9	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	16	100.0%	1.2	25 - 29	1	6.3%	1.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	6	37.5%	3.4
White, Non-Hispanic	12	75.0%	1.4	40 - 49	5	31.3%	2.7
Black, Non-Hispanic	3	18.8%	1.0	50 - 59	2	12.5%	1.0
Hispanic	0	0.0%	0.0	60+	2	12.5%	0.8
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	16	100.0%	1.2
Other/Unknown	1	6.3%	N/A				
Total	16	100.0%	1.2				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	10	58.8%	1.5	0 - 12	0	0.0%	0.0
Female	7	41.2%	1.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	17	100.0%	1.2	25 - 29	1	5.9%	1.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	9	52.9%	5.1
White, Non-Hispanic	13	76.5%	1.5	40 - 49	3	17.6%	1.7
Black, Non-Hispanic	2	11.8%	0.7	50 - 59	4	23.5%	2.0
Hispanic	1	5.9%	0.9	60+	0	0.0%	0.0
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	17	100.0%	1.2
Other/Unknown	1	5.9%	N/A				
Total	17	100.0%	1.2				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	911	56.9%	139.2	0 - 12	3	0.2%	1.3
Female	686	42.8%	99.3	13 - 19	19	1.2%	15.3
Other/Unknown	4	0.2%	N/A	20 - 24	80	5.0%	86.3
Total	1,601	100.0%	119.0	25 - 29	112	7.0%	120.5
				30 - 39	209	13.1%	119.7
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	247	15.4%	135.2
White, Non-Hispanic	430	26.9%	49.2	50 - 59	553	34.5%	288.9
Black, Non-Hispanic	84	5.2%	29.0	60+	378	23.6%	145.1
Hispanic	21	1.3%	20.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	0.3%	N/A	Total	1,601	100.0%	119.0
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,060	66.2%	N/A				
Total	1,601	100.0%	119.0				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	951	59.7%	142.8	0 - 12	7	0.4%	3.1
Female	637	40.0%	90.7	13 - 19	16	1.0%	12.8
Other/Unknown	5	0.3%	N/A	20 - 24	116	7.3%	123.1
Total	1,593	100.0%	116.4	25 - 29	131	8.2%	139.0
				30 - 39	215	13.5%	121.2
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	190	11.9%	104.8
White, Non-Hispanic	432	27.1%	48.9	50 - 59	495	31.1%	252.7
Black, Non-Hispanic	71	4.5%	24.0	60+	423	26.6%	156.3
Hispanic	10	0.6%	9.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	8	0.5%	N/A	Total	1,593	100.0%	116.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1,072	67.3%	N/A				
Total	1,593	100.0%	116.4				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA  
EMA Jax**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2013 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	47	4	8.5	Male	13,555	219	1.6
Male Sex With Male	2,063	141	6.8	Female	16,284	82	0.5
Injecting Drug User	914	3	0.3	Unknown	344	7	2.0
Sex Partner at Risk	1,523	56	3.7	<b>Total</b>	<b>30,183</b>	<b>308</b>	<b>1.0</b>
Child of Woman with HIV/AIDS	45	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	6,674	26	0.4	White	6,477	49	0.8
Sex for Drugs or Money	349	1	0.3	Black	20,506	233	1.1
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	2,012	14	0.7
Victim of Sexual Assault	324	1	0.3	Asian	268	4	1.5
Health Care Exposure	0	0	#DIV/0!	Am. Native	72	0	0.0
Heterosexual	16,755	65	0.4	Other	295	4	1.4
No Acknowledged Risk	342	1	0.3	Unknown	553	4	0.7
Unknown	1,147	10	0.9	<b>Total</b>	<b>30,183</b>	<b>308</b>	<b>1.0</b>
<b>Total</b>	<b>30,183</b>	<b>308</b>	<b>1.0</b>	<b>Total</b>	<b>30,183</b>	<b>308</b>	<b>1.0</b>

<b>2014 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	67	8	11.9	Male	14,271	238	1.7
Male Sex With Male	2,077	138	6.6	Female	16,395	91	0.6
Injecting Drug User	882	10	1.1	Unknown	453	8	1.8
Sex Partner at Risk	897	37	4.1	<b>Total</b>	<b>31,119</b>	<b>337</b>	<b>1.1</b>
Child of Woman with HIV/AIDS	13	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	6,461	31	0.5	White	6,530	60	0.9
Sex for Drugs or Money	308	4	1.3	Black	20,927	242	1.2
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	2,164	24	1.1
Victim of Sexual Assault	82	2	#DIV/0!	Asian	509	2	0.4
Health Care Exposure	0	0	0.0	Am. Native	69	1	1.4
Heterosexual	18,473	86	0.5	Other	248	4	1.6
No Acknowledged Risk	707	0	0.0	Unknown	672	4	0.6
Unknown	1,152	21	1.8	<b>Total</b>	<b>31,119</b>	<b>337</b>	<b>1.1</b>
<b>Total</b>	<b>31,119</b>	<b>337</b>	<b>1.1</b>	<b>Total</b>	<b>31,119</b>	<b>337</b>	<b>1.1</b>

HIV/AIDS Case Deaths (excl DOC), EMA Jax

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
<b>Race/Ethnicity</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
White, not Hispanic	36	26%	32	31%	-11.1%
Black, not Hispanic	96	69%	62	61%	-35.4%
Hispanic	4	3%	4	4%	0.0%
Asian/Pacific Islander	0	0%	1	1%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!
Not Specified/Other	3	2%	3	3%	0.0%
<b>Total:</b>	<b>139</b>	<b>100%</b>	<b>102</b>	<b>100%</b>	<b>-26.6%</b>
<b>Gender</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
Male	88	63.3%	72	70.6%	-18.2%
Female	51	36.7%	30	29.4%	-41.2%
<b>Total:</b>	<b>139</b>	<b>100.0%</b>	<b>102</b>	<b>100.0%</b>	<b>-26.6%</b>
<b>Age at Diagnosis (Years)</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
0- 2 years	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!
13-19 years	0	0.0%	0	0.0%	#DIV/0!
20-24 years	1	0.7%	1	1.0%	0.0%
25-29 years	7	5.0%	3	2.9%	-57.1%
30-39 years	18	12.9%	13	12.7%	-27.8%
40-44 years	13	9.4%	4	3.9%	-69.2%
45-49 years	22	15.8%	13	12.7%	-40.9%
50-59 years	52	37.4%	37	36.3%	-28.8%
60+ years	26	18.7%	31	30.4%	19.2%
<b>Total:</b>	<b>139</b>	<b>100.0%</b>	<b>102</b>	<b>100.0%</b>	<b>-26.6%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
<b>Male Adult/Adolescent AIDS Exposure Category</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
MSM	44	50.0%	36	50.0%	-18.2%
IDU	18	20.5%	7	9.7%	-61.1%
MSM/IDU	6	6.8%	4	5.6%	-33.3%
Heterosexual	20	22.7%	24	33.3%	20.0%
Other	0	0.0%	1	1.4%	#DIV/0!
<b>Total:</b>	<b>88</b>	<b>100.0%</b>	<b>72</b>	<b>100.0%</b>	<b>-18.2%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
IDU	6	11.8%	6	20.0%	0.0%
Heterosexual	45	88.2%	23	76.7%	-48.9%
Other	0	0.0%	1	3.3%	#DIV/0!
<b>Total:</b>	<b>51</b>	<b>100.0%</b>	<b>30</b>	<b>100.0%</b>	<b>-41.2%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
Special Populations	2013	% of Total	2014	% of Total	% change
White MSM*	21	N/A	19	N/A	-9.5%
Black MSM*	28	N/A	16	N/A	-42.9%
Hispanic MSM*	0	N/A	3	N/A	#DIV/0!
White Male IDU**	7	N/A	2	N/A	-71.4%
Black Male IDU**	16	N/A	8	N/A	-50.0%
Hispanic Male IDU**	1	N/A	1	N/A	0.0%
White Female IDU**	4	N/A	3	N/A	-25.0%
Black Female IDU**	3	N/A	3	N/A	0.0%
Hispanic Female IDU**	0	N/A	0	N/A	#DIV/0!
White Male Homeless	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	1	N/A	0	N/A	-100.0%
Female Haitian Born	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	1	N/A	1	N/A	0.0%
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	2	N/A	2	N/A	0.0%
Black WCBA* (ages 15-44)	16	N/A	7	N/A	-56.3%
Hiapnic WCBA* (ages 15-44)	1	N/A	0	N/A	-100.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
DOC cases	3	N/A	9	N/A	200.0%

\*WCBA=Women of Child Bearing Age

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE OTHER WORKSHEETS. DO NOT DELETE THIS PAGE, AS THE OTHER WORKSHEETS ARE LINKED WITH THIS PAGE.

**PERSONS LIVING WITH AIDS (PLWA), HIV-not AIDS (PLWH), and PLWHA PREVELANCE AND WHETHER RETAINED IN-CARE or NOT (excl DOC), Jacksonville EMA**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWHARETAINED IN care and NOT IN care in CY 2014												
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Jacksonville EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWA retained in care over number PLWA.		Percent of PLWA NOT in care over number PLWA.		Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWH retained in care over number PLWA.		Percent of PLWH NOT in care over number PLWA.		Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Jacksonville-EMA through 2014.			Percent of PLWHA retained in care over number PLWA.		Percent of PLWHA NOT in care over number PLWA.	
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care	PLWA	% of Total	% in care	%NOT in care	# NOT in care			
White, not Hispanic	1,081	773	1,854	27.9%	745	26.9%	69%	31%	336	518	30.3%	67%	33%	255	1,263	28.2%	68%	32%	591								
Black, not Hispanic	2,382	1,860	4,242	63.8%	1,801	65.0%	76%	24%	581	1,034	60.5%	56%	44%	826	2,835	63.3%	67%	33%	1,407								
Hispanic	203	144	347	5.2%	129	4.7%	64%	36%	74	93	5.4%	65%	35%	51	222	5.0%	64%	36%	125								
Asian/Pacific Islander	28	15	43	0.6%	20	0.7%	71%	29%	8	14	0.8%	93%	7%	1	34	0.8%	79%	21%	9								
American Indian/Alaskan Native	2	1	3	0.0%	1	0.0%	50%	50%	1	1	0.1%	100%	0%	0	2	0.0%	67%	33%	1								
Not Specified/Other	91	66	157	2.4%	73	2.6%	80%	20%	18	50	2.9%	76%	24%	16	123	2.7%	78%	22%	34								
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>	<b>2,769</b>	<b>100.0%</b>	<b>73%</b>	<b>27%</b>	<b>1,018</b>	<b>1,710</b>	<b>100.0%</b>	<b>60%</b>	<b>40%</b>	<b>1,149</b>	<b>4,479</b>	<b>100.0%</b>	<b>67%</b>	<b>33%</b>	<b>2,167</b>								
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care								
Female	1,278	1,027	2,305	34.7%	959	34.6%	75%	25%	319	600	35.1%	58%	42%	427	1,559	34.8%	68%	32%	746								
Male	2,509	1,832	4,341	65.3%	1,810	65.4%	72%	28%	699	1,110	64.9%	61%	39%	722	2,920	65.2%	67%	33%	1,421								
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>	<b>2,769</b>	<b>100.0%</b>	<b>73%</b>	<b>27%</b>	<b>1,018</b>	<b>1,710</b>	<b>100.0%</b>	<b>60%</b>	<b>40%</b>	<b>1,149</b>	<b>4,479</b>	<b>100.0%</b>	<b>67%</b>	<b>33%</b>	<b>2,167</b>								
Current Age on 12/31/2014 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care								
0- 2 years	1	1	2	0.0%	1	0.0%	100%	0%	0	1	0.1%	100%	0%	0	2	0.0%	100%	0%	0								
3-12 years	3	12	15	0.2%	3	0.1%	100%	0%	0	11	0.6%	92%	8%	1	14	0.3%	93%	7%	1								
13-19 years	13	44	57	0.9%	11	0.4%	85%	15%	2	35	2.0%	80%	20%	9	46	1.0%	81%	19%	11								
20-24 years	88	198	286	4.3%	57	2.1%	65%	35%	31	113	6.6%	57%	43%	85	170	3.8%	59%	41%	116								
25-29 years	196	388	584	8.8%	146	5.3%	74%	26%	50	212	12.4%	55%	45%	176	358	8.0%	61%	39%	226								
30-39 years	646	706	1,352	20.3%	463	16.7%	72%	28%	183	376	22.0%	53%	47%	330	839	18.7%	62%	38%	513								
40-44 years	454	348	802	12.1%	332	12.0%	73%	27%	122	197	11.5%	57%	43%	151	529	11.8%	66%	34%	273								
45-49 years	624	351	975	14.7%	450	16.3%	72%	28%	174	210	12.3%	60%	40%	141	660	14.7%	68%	32%	315								
50-59 years	1,229	585	1,814	27.3%	919	33.2%	75%	25%	310	393	23.0%	67%	33%	192	1,312	29.3%	72%	28%	502								
60+ years	533	226	759	11.4%	387	14.0%	73%	27%	146	162	9.5%	72%	28%	64	549	12.3%	72%	28%	210								
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>	<b>2,769</b>	<b>100.0%</b>	<b>73%</b>	<b>27%</b>	<b>1,018</b>	<b>1,710</b>	<b>100.0%</b>	<b>60%</b>	<b>40%</b>	<b>1,149</b>	<b>4,479</b>	<b>100.0%</b>	<b>67%</b>	<b>33%</b>	<b>2,167</b>								

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014						
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Jacksonville EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWA retained in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWH retained in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Jacksonville-EMA through 2014.			Percent of PLWHA retained in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
MSM	1,543	1,277	2,820	42.4%	1,106	39.9%	72%	28%	438	800	46.8%	63%	37%	478	1,905	42.5%	68%	32%	915		
IDU	216	82	298	4.5%	151	5.4%	70%	30%	66	51	3.0%	62%	38%	31	201	4.5%	67%	33%	97		
MSM/IDU	189	74	263	4.0%	132	4.8%	70%	30%	57	53	3.1%	72%	28%	21	185	4.1%	70%	30%	78		
Heterosexual	528	375	903	13.6%	399	14.4%	76%	24%	129	191	11.1%	51%	49%	185	590	13.2%	65%	35%	314		
Other	31	18	49	0.7%	21	0.8%	68%	32%	10	10	0.6%	56%	44%	8	31	0.7%	63%	37%	18		
<b>Total:</b>	<b>2,507</b>	<b>1,826</b>	<b>4,333</b>	<b>65.2%</b>	<b>1,808</b>	<b>65.3%</b>	<b>72%</b>	<b>28%</b>	<b>699</b>	<b>1,104</b>	<b>64.6%</b>	<b>60%</b>	<b>40%</b>	<b>722</b>	<b>2,912</b>	<b>65.0%</b>	<b>67%</b>	<b>33%</b>	<b>1,421</b>		
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
IDU	199	100	299	4.5%	146	5.3%	73%	27%	54	61	3.6%	61%	39%	39	207	4.6%	69%	31%	92		
Heterosexual	1,045	904	1,949	29.3%	793	28.6%	76%	24%	253	521	30.5%	58%	42%	383	1,313	29.3%	67%	33%	636		
Other	32	16	48	0.7%	19	0.7%	59%	41%	13	12	0.7%	75%	25%	4	31	0.7%	65%	35%	17		
<b>Total:</b>	<b>1,276</b>	<b>1,020</b>	<b>2,296</b>	<b>34.5%</b>	<b>957</b>	<b>34.6%</b>	<b>75%</b>	<b>25%</b>	<b>319</b>	<b>594</b>	<b>34.7%</b>	<b>58%</b>	<b>42%</b>	<b>426</b>	<b>1,551</b>	<b>34.6%</b>	<b>68%</b>	<b>32%</b>	<b>745</b>		
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
Mother with/at risk for HIV infection	4	13	17	0.3%	4	0.1%	100%	0%	0	12	0.7%	92%	8%	1	16	0.4%	94%	6%	1		
Risk not diagnosed/Other	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0		
<b>Total:</b>	<b>4</b>	<b>13</b>	<b>17</b>	<b>0.3%</b>	<b>4</b>	<b>0.1%</b>	<b>100%</b>	<b>0%</b>	<b>0</b>	<b>12</b>	<b>0.7%</b>	<b>92%</b>	<b>8%</b>	<b>0</b>	<b>16</b>	<b>0.4%</b>	<b>94%</b>	<b>6%</b>	<b>1</b>		

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014						
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Jacksonville EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWA retained in care over number PLWA.		Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Jacksonville EMA through 2014.			Percent of PLWH retained in care over number PLWA.		Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Jacksonville-EMA through 2014.			Percent of PLWHA retained in care over number PLWA.	
Special Populations	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
White Heterosexual	205	184	389	N/A	145	N/A	71%	29%	60	110	N/A	60%	40%	74	255	N/A	66%	34%	134		
Black Heterosexual	1,237	1,016	2,253	N/A	960	N/A	78%	22%	277	549	N/A	54%	46%	467	1,509	N/A	67%	33%	745		
Hispanic Heterosexual	80	52	132	N/A	46	N/A	58%	43%	34	31	N/A	60%	40%	21	77	N/A	58%	42%	55		
Black Heterosexual Females	846	717	1,563	N/A	650	N/A	77%	23%	196	404	N/A	56%	44%	313	1,054	N/A	67%	33%	509		
Black Heterosexual Males	391	298	689	N/A	310	N/A	79%	21%	81	145	N/A	49%	51%	153	455	N/A	66%	34%	234		
White MSM	759	525	1,284	N/A	524	N/A	69%	31%	235	370	N/A	70%	30%	156	894	N/A	70%	30%	390		
Black MSM	831	707	1,538	N/A	611	N/A	74%	26%	220	396	N/A	56%	44%	312	1,007	N/A	65%	35%	531		
Hispanic MSM	84	77	161	N/A	61	N/A	73%	27%	23	55	N/A	71%	29%	22	116	N/A	72%	28%	45		
White Male IDU	133	56	189	N/A	92	N/A	69%	31%	42	40	N/A	71%	29%	17	131	N/A	69%	31%	58		
Black Male IDU	229	84	313	N/A	164	N/A	72%	28%	65	53	N/A	63%	38%	32	216	N/A	69%	31%	97		
Hispanic Male IDU	33	12	45	N/A	18	N/A	55%	45%	15	8	N/A	67%	33%	4	26	N/A	58%	42%	19		
White Female IDU	66	42	108	N/A	41	N/A	62%	38%	25	26	N/A	62%	38%	16	67	N/A	62%	38%	42		
Black Female IDU	116	51	167	N/A	91	N/A	78%	22%	25	30	N/A	60%	40%	21	121	N/A	73%	27%	46		
Hispanic Female IDU	9	2	11	N/A	7	N/A	78%	22%	2	1	N/A	50%	50%	1	8	N/A	73%	27%	3		
White Male Homeless	3	5	8	N/A	0	N/A	0%	100%	3	0	N/A	0%	100%	5	0	N/A	0%	100%	8		
Black Male Homeless	3	7	10	N/A	0	N/A	0%	100%	3	0	N/A	0%	100%	7	0	N/A	0%	100%	10		
Hispanic Male Homeless	0	2	2	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	0%	100%	2	0	N/A	0%	100%	2		
White Female Homeless	1	0	1	N/A	1	N/A	100%	0%	0	0	N/A	#DIV/0!	#DIV/0!	0	1	N/A	100%	0%	0		
Black Female Homeless	1	2	3	N/A	0	N/A	0%	100%	1	0	N/A	0%	100%	2	0	N/A	0%	100%	3		
Hispanic Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0		
Female Haitian Born	6	7	13	N/A	5	N/A	83%	17%	1	5	N/A	71%	29%	2	10	N/A	77%	23%	3		
Male Haitian Born	6	2	8	N/A	4	N/A	67%	33%	2	2	N/A	100%	0%	0	6	N/A	75%	25%	2		
White Male Youth (current ages 13-24)	9	20	29	N/A	4	N/A	44%	56%	5	14	N/A	70%	30%	6	18	N/A	62%	38%	11		
Black Male Youth (current ages 13-24)	56	152	208	N/A	44	N/A	79%	21%	12	83	N/A	55%	45%	69	127	N/A	61%	39%	81		
Hispanic Male Youth (current ages 13-24)	2	8	10	N/A	0	N/A	0%	100%	2	7	N/A	88%	13%	1	7	N/A	70%	30%	3		
White Female Youth (current ages 13-24)	1	7	8	N/A	1	N/A	100%	0%	0	5	N/A	71%	29%	2	6	N/A	75%	25%	2		
Black Female Youth (current ages 13-24)	30	38	68	N/A	16	N/A	53%	47%	14	27	N/A	71%	29%	11	43	N/A	63%	37%	25		
Hispanic Female Youth (current ages 13-24)	1	5	6	N/A	1	N/A	100%	0%	0	3	N/A	60%	40%	2	4	N/A	67%	33%	2		
White WCBA* (current ages 15-44)	71	95	166	N/A	52	N/A	73%	27%	19	57	N/A	60%	40%	38	109	N/A	66%	34%	57		
Black WCBA* (current ages 15-44)	415	472	887	N/A	288	N/A	69%	31%	127	244	N/A	52%	48%	228	532	N/A	60%	40%	355		
Hispanic WCBA* (current ages 15-44)	30	24	54	N/A	18	N/A	60%	40%	12	11	N/A	46%	54%	13	29	N/A	54%	46%	25		
White Ped Cases (current current ages 0-12)	1	0	1	N/A	1	N/A	100%	0%	0	0	N/A	#DIV/0!	#DIV/0!	0	1	N/A	100%	0%	0		
Black Ped Cases (current ages 0-12)	3	10	13	N/A	3	N/A	100%	0%	0	9	N/A	90%	10%	1	12	N/A	92%	8%	1		
Hispanic Ped Cases (current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0		
DOC Cases	88	55	143	N/A	75	N/A	85%	15%	13	43	N/A	78%	22%	12	118	N/A	83%	17%	25		

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE OTHER WORKSHEETS. DO NOT DELETE THIS PAGE, AS THE OTHER WORKSHEETS ARE LINKED WITH THIS PAGE.

PLWHA Diagnosed, and Whether In Care at least one time in previous year or NOT, and Whether last lab in 2014 was suppressed or NOT, (excl DOC), Jacksonville EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015					Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT				at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014				Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is <u>this</u> Jurisdiction, regardless where diagnosed.					PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.		PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.		PLWHA with a SUPPRESSED Viral Load in CY 2014	
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
White, not Hispanic	1,081	773	1,854	27.9%		1,734	28.2%	94%	6%	120		1,409	28.3%	76%	24%	445		1,200	31.7%
Black, not Hispanic	2,382	1,860	4,242	63.8%		3,879	63.1%	91%	9%	363		3,164	63.5%	75%	25%	1,078		2,269	59.9%
Hispanic	203	144	347	5.2%		335	5.4%	97%	3%	12		239	4.8%	69%	31%	108		187	4.9%
Asian/Pacific Islander	28	15	43	0.6%		42	0.7%	98%	2%	1		36	0.7%	84%	16%	7		34	0.9%
American Indian/Alaskan Native	2	1	3	0.0%		3	0.0%	100%	0%	0		2	0.0%	67%	33%	1		2	0.1%
Not Specified/Other	91	66	157	2.4%		156	2.5%	99%	1%	1		133	2.7%	85%	15%	24		98	2.6%
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>		<b>6,149</b>	<b>100.0%</b>	<b>93%</b>	<b>7%</b>	<b>497</b>		<b>4,983</b>	<b>100.0%</b>	<b>75%</b>	<b>25%</b>	<b>1,663</b>		<b>3,790</b>	<b>100.0%</b>
Gender	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
Female	1,278	1,027	2,305	34.7%		2,128	34.6%	92%	8%	177		1,738	34.9%	75%	25%	567		1,259	33.2%
Male	2,509	1,832	4,341	65.3%		4,021	65.4%	93%	7%	320		3,245	65.1%	75%	25%	1,096		2,531	66.8%
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>		<b>6,149</b>	<b>100.0%</b>	<b>93%</b>	<b>7%</b>	<b>497</b>		<b>4,983</b>	<b>100.0%</b>	<b>75%</b>	<b>25%</b>	<b>1,663</b>		<b>3,790</b>	<b>100.0%</b>
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
0- 2 years	1	1	2	0.0%		2	0.0%	100%	0%	0		2	0.0%	100%	0%	0		0	0.0%
3-12 years	3	12	15	0.2%		15	0.2%	100%	0%	0		15	0.3%	100%	0%	0		10	0.3%
13-19 years	13	44	57	0.9%		53	0.9%	93%	7%	4		49	1.0%	86%	14%	8		29	0.8%
20-24 years	88	198	286	4.3%		258	4.2%	90%	10%	28		205	4.1%	72%	28%	81		133	3.5%
25-29 years	196	388	584	8.8%		524	8.5%	90%	10%	60		415	8.3%	71%	29%	169		265	7.0%
30-39 years	646	706	1,352	20.3%		1,248	20.3%	92%	8%	104		964	19.3%	71%	29%	388		657	17.3%
40-44 years	454	348	802	12.1%		741	12.1%	92%	8%	61		594	11.9%	74%	26%	208		441	11.6%
45-49 years	624	351	975	14.7%		914	14.9%	94%	6%	61		723	14.5%	74%	26%	252		579	15.3%
50-59 years	1,229	585	1,814	27.3%		1,686	27.4%	93%	7%	128		1,418	28.5%	78%	22%	396		1,166	30.8%
60+ years	533	226	759	11.4%		708	11.5%	93%	7%	51		598	12.0%	79%	21%	161		510	13.5%
<b>Total:</b>	<b>3,787</b>	<b>2,859</b>	<b>6,646</b>	<b>100.0%</b>		<b>6,149</b>	<b>100.0%</b>	<b>93%</b>	<b>7%</b>	<b>497</b>		<b>4,983</b>	<b>100.0%</b>	<b>75%</b>	<b>25%</b>	<b>1,663</b>		<b>3,790</b>	<b>100.0%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT			at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014			Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.				PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.	PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.		Number of PLWHA with NO care.	PLWHA with a SUPPRESSED Viral Load in CY 2014	
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
MSM	1,543	1,277	2,820	42.4%	2,629	42.8%	93%	7%	191	2,122	42.6%	75%	25%	698	1,691	44.6%
IDU	216	82	298	4.5%	272	4.4%	91%	9%	26	213	4.3%	71%	29%	85	161	4.2%
MSM/IDU	189	74	263	4.0%	249	4.1%	95%	5%	14	200	4.0%	76%	24%	64	154	4.1%
Heterosexual	528	375	903	13.6%	815	13.3%	90%	10%	88	666	13.4%	74%	26%	237	501	13.2%
Other	31	18	49	0.7%	48	0.8%	98%	2%	1	37	0.7%	76%	24%	12	18	0.5%
<b>Total:</b>	<b>2,507</b>	<b>1,826</b>	<b>4,333</b>	<b>65.2%</b>	<b>4,013</b>	<b>65.3%</b>	<b>93%</b>	<b>7%</b>	<b>320</b>	<b>3,237</b>	<b>65.0%</b>	<b>75%</b>	<b>25%</b>	<b>1,096</b>	<b>2,525</b>	<b>66.6%</b>
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
IDU	199	100	299	4.5%	270	4.4%	90%	10%	29	227	4.6%	76%	24%	72	158	4.2%
Heterosexual	1,045	904	1,949	29.3%	1,805	29.4%	93%	7%	144	1,469	29.5%	75%	25%	480	1,075	28.4%
Other	32	16	48	0.7%	44	0.7%	92%	8%	4	33	0.7%	69%	31%	15	22	0.6%
<b>Total:</b>	<b>1,276</b>	<b>1,020</b>	<b>2,296</b>	<b>34.5%</b>	<b>2,119</b>	<b>34.5%</b>	<b>92%</b>	<b>8%</b>	<b>177</b>	<b>1,729</b>	<b>34.7%</b>	<b>75%</b>	<b>25%</b>	<b>567</b>	<b>1,255</b>	<b>33.1%</b>
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
Mother with/at risk for HIV infection	4	13	17	0.3%	17	0.3%	100%	0%	0	17	0.3%	100%	0%	0	10	0.3%
Risk not diagnosed/Other	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%
<b>Total:</b>	<b>4</b>	<b>13</b>	<b>17</b>	<b>0.3%</b>	<b>17</b>	<b>0.3%</b>	<b>100%</b>	<b>0%</b>	<b>#REF!</b>	<b>17</b>	<b>0.3%</b>	<b>100%</b>	<b>0%</b>	<b>0</b>	<b>10</b>	<b>0.3%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT			at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014			Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.				PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.	PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.	PLWHA with a SUPPRESSED Viral Load in CY 2014	
	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
White Heterosexual	205	184	389	N/A	356	N/A	92%	8%	33	288	N/A	74%	26%	101	241	N/A
Black Heterosexual	1,237	1,016	2,253	N/A	2,059	N/A	91%	9%	195	1,695	N/A	75%	25%	558	1,219	N/A
Hispanic Heterosexual	80	52	132	N/A	127	N/A	96%	4%	5	85	N/A	64%	36%	47	62	N/A
Black Heterosexual Females	846	717	1,563	N/A	1,447	N/A	93%	7%	116	1,180	N/A	75%	25%	383	843	N/A
Black Heterosexual Males	391	298	689	N/A	611	N/A	89%	11%	78	515	N/A	75%	25%	174	376	N/A
White MSM	759	525	1,284	N/A	1,219	N/A	95%	5%	65	997	N/A	78%	22%	288	866	N/A
Black MSM	831	707	1,538	N/A	1,406	N/A	91%	9%	132	1,123	N/A	73%	27%	415	813	N/A
Hispanic MSM	84	77	161	N/A	155	N/A	96%	4%	6	122	N/A	76%	24%	39	103	N/A
White Male IDU	133	56	189	N/A	173	N/A	92%	8%	16	137	N/A	73%	27%	52	109	N/A
Black Male IDU	229	84	313	N/A	291	N/A	93%	7%	22	235	N/A	75%	25%	78	175	N/A
Hispanic Male IDU	33	12	45	N/A	43	N/A	96%	4%	2	27	N/A	60%	40%	18	20	N/A
White Female IDU	66	42	108	N/A	93	N/A	86%	14%	15	75	N/A	69%	31%	292	53	N/A
Black Female IDU	116	51	167	N/A	154	N/A	92%	8%	13	132	N/A	79%	21%	307	91	N/A
Hispanic Female IDU	9	2	11	N/A	11	N/A	102%	-2%	0	8	N/A	73%	27%	89	6	N/A
White Male Homeless	3	5	8	N/A	5	N/A	63%	38%	3	0	N/A	0%	100%	8	0	N/A
Black Male Homeless	3	7	10	N/A	6	N/A	60%	40%	4	0	N/A	0%	100%	10	0	N/A
Hispanic Male Homeless	0	2	2	N/A	1	N/A	50%	50%	1	0	N/A	0%	100%	2	0	N/A
White Female Homeless	1	0	1	N/A	1	N/A	100%	0%	0	1	N/A	100%	0%	0	0	N/A
Black Female Homeless	1	2	3	N/A	1	N/A	33%	67%	2	1	N/A	33%	67%	2	0	N/A
Hispanic Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A
Female Haitian Born	6	7	13	N/A	13	N/A	100%	0%	0	12	N/A	92%	8%	1	9	N/A
Male Haitian Born	6	2	8	N/A	8	N/A	100%	0%	0	6	N/A	75%	25%	2	6	N/A
White Male Youth (current ages 13-24)	9	20	29	N/A	26	N/A	90%	10%	3	24	N/A	83%	17%	5	18	N/A
Black Male Youth (current ages 13-24)	56	152	208	N/A	184	N/A	88%	12%	24	147	N/A	71%	29%	61	101	N/A
Hispanic Male Youth (current ages 13-24)	2	8	10	N/A	10	N/A	100%	0%	0	9	N/A	90%	10%	1	5	N/A
White Female Youth (current ages 13-24)	1	7	8	N/A	8	N/A	100%	0%	0	7	N/A	88%	13%	1	4	N/A
Black Female Youth (current ages 13-24)	30	38	68	N/A	63	N/A	93%	7%	5	49	N/A	72%	28%	19	24	N/A
Hispanic Female Youth (current ages 13-24)	1	5	6	N/A	6	N/A	100%	0%	0	5	N/A	83%	17%	1	3	N/A
White WCBA* (current ages 15-44)	71	95	166	N/A	150	N/A	90%	10%	16	123	N/A	74%	26%	43	89	N/A
Black WCBA* (current ages 15-44)	415	472	887	N/A	818	N/A	92%	8%	69	621	N/A	70%	30%	266	385	N/A
Hispanic WCBA* (current ages 15-44)	30	24	54	N/A	53	N/A	98%	2%	1	33	N/A	61%	39%	21	25	N/A
White Ped Cases (current ages 0-12)	1	0	1	N/A	1	N/A	100%	0%	0	1	N/A	100%	0%	0	1	N/A
Black Ped Cases (current ages 0-12)	3	10	13	N/A	13	N/A	100%	0%	0	13	N/A	100%	0%	0	7	N/A
Hispanic Ped Cases (current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A
DOC Cases	88	55	143	N/A	141	N/A	99%	1%	2	125	N/A	87%	13%	18	80	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE C

PLWHA Diagnosed, and V

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
<b>Race/Ethnicity</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
White, not Hispanic	65%	35%	654
Black, not Hispanic	53%	47%	1,973
Hispanic	54%	46%	160
Asian/Pacific Islander	79%	21%	9
American Indian/Alaskan Native	67%	33%	1
Not Specified/Other	62%	38%	59
<b>Total:</b>	<b>57%</b>	<b>43%</b>	<b>2,856</b>
<b>Gender</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
Female	55%	45%	1,046
Male	58%	42%	1,810
<b>Total:</b>	<b>57%</b>	<b>43%</b>	<b>2,856</b>
<b>Current Age on 12/31/2012 (Years)</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
0- 2 years	0%	100%	2
3-12 years	67%	33%	5
13-19 years	51%	49%	28
20-24 years	47%	53%	153
25-29 years	45%	55%	319
30-39 years	49%	51%	695
40-44 years	55%	45%	361
45-49 years	59%	41%	396
50-59 years	64%	36%	648
60+ years	67%	33%	249
<b>Total:</b>	<b>57%</b>	<b>43%</b>	<b>2,856</b>

<b>PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014</b>			
<b>Demographic Group/ Exposure Category</b> RISKS REDISTRIBUTED	<b>Percent of PLWHA with a suppressed viral load.</b>	<b>Percent of PLWHA and NOT with a suppressed viral load.</b>	<b>Number of PLWHA and NOT with a suppressed viral load.</b>
<b>Male Adult/Adolescent AIDS Exposure Category</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
MSM	60%	40%	1,129
IDU	54%	46%	137
MSM/IDU	59%	41%	109
Heterosexual	55%	45%	402
Other	37%	63%	31
<b>Total:</b>	<b>58%</b>	<b>42%</b>	<b>1,808</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
IDU	53%	47%	141
Heterosexual	55%	45%	874
Other	46%	54%	26
<b>Total:</b>	<b>55%</b>	<b>45%</b>	<b>1,041</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
Mother with/at risk for HIV infection	59%	41%	7
Risk not diagnosed/Other	#DIV/0!	#DIV/0!	0
<b>Total:</b>	<b>59%</b>	<b>41%</b>	<b>7</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
Special Populations	% sup VL	%NOT sup VL	# NOT sup VL
White Heterosexual	62%	38%	148
Black Heterosexual	54%	46%	1,034
Hispanic Heterosexual	47%	53%	70
Black Heterosexual Females	54%	46%	720
Black Heterosexual Males	55%	45%	313
White MSM	67%	33%	418
Black MSM	53%	47%	725
Hispanic MSM	64%	36%	58
White Male IDU	58%	42%	80
Black Male IDU	56%	44%	138
Hispanic Male IDU	44%	56%	25
White Female IDU	49%	51%	55
Black Female IDU	54%	46%	76
Hispanic Female IDU	55%	45%	5
White Male Homeless	0%	100%	8
Black Male Homeless	0%	100%	10
Hispanic Male Homeless	0%	100%	2
White Female Homeless	0%	100%	1
Black Female Homeless	0%	100%	3
Hispanic Female Homeless	#DIV/0!	#DIV/0!	0
Female Haitian Born	69%	31%	4
Male Haitian Born	75%	25%	2
White Male Youth (current ages 13-24)	62%	38%	11
Black Male Youth (current ages 13-24)	49%	51%	107
Hispanic Male Youth (current ages 13-	50%	50%	5
White Female Youth (current ages 13-	50%	50%	4
Black Female Youth (current ages 13-	35%	65%	44
Hispanic Female Youth (current ages 13-	50%	50%	3
White WCBA* (current ages 15-44)	54%	46%	77
Black WCBA* (current ages 15-44)	43%	57%	502
Hispanic WCBA* (current ages 15-44)	46%	54%	29
White Ped Cases (current current ages	100%	0%	0
Black Ped Cases (current ages 0-12)	54%	46%	6
Hispanic Ped Cases (current ages 0-12)	#DIV/0!	#DIV/0!	0
DOC Cases	56%	44%	63

\*WCBA=Women of Child Bearing Age

MSM includes MSM & M  
Male IDU includes IDU & I

**Attachment 4: UNMET NEED FRAMEWORK, JACKSONVILLE EMA, as of 06/30/2015**

**Retained in Care, 2012**

**Retained in Care, 2013**

**Retained in Care, 2014**

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

Population Sizes			Care Patterns			Calculated Results		
Value	Percent		Value	Percent		Value	Percent	
<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	3,574		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	3,685		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014	3,787	
<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	2,606		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	2,678		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014	2,859	
<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	6,180		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	6,363		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014	6,646	
<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,246	63%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,441	66%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,769	73%
<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,253	48%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,390	52%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,710	60%
<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,499	57%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,831	60%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,479	67%
<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,328	37%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,244	34%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,018	27%
<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,353	52%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,288	48%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,149	40%
<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	2,681	43%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	2,532	40%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	2,167	33%

**In Care (old method), 2012**

**In Care (old method), 2013**

**In Care (old method), 2014**

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

Population Sizes			Care Patterns			Calculated Results		
Value	Percent		Value	Percent		Value	Percent	
<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	3,574		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	3,685		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014	3,787	
<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	2,606		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	2,678		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014	2,859	
<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	6,180		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	6,363		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014	6,646	
<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,623	73%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,735	74%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,031	80%
<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,543	59%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,641	61%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,952	68%
<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,166	67%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,376	69%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,983	75%
<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	951	27%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	950	26%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	756	20%
<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,063	41%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,037	39%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	907	32%
<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	2,014	33%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	1,987	31%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	1,663	25%

**Attachment 5: CO-MORBIDITIES, JACKSONVILLE EMA**

Documented Co-morbidity cases 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	<b>N= 6,646</b>				
Tuberculosis diagnosed among HIV/AIDS patients	3	45.1	6.0%	eHARS	Data through 2014 (data as of 06/30/2015)
Infectious Syphilis diagnosed among HIV/AIDS patients	34	511.6	52.3%	PRISM	Data through 2014 (data as of 06/30/2015)
Gonorrhea diagnosed among HIV/AIDS patients	117	1760.5	4.6%	PRISM	Data through 2014 (data as of 06/30/2015)
Chlamydia diagnosed among HIV/AIDS patients	115	1730.4	1.6%	PRISM	Data through 2014 (data as of 06/30/2015)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	592	8907.6	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2014 (data as of 06/30/2015)

Other Factors / Surrogate Markers Documented in 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
<b>Homelessness</b> (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	24	361.1	eHARS (address variable)	Data through 2014 (data as of 06/30/2015)	
<b>Substance Abuse</b> (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g.. alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	541	8,140.2	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
<b>Chronic Mental Illness</b> (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	86	1,294.0	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
<b>MSM</b> (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	3,083	46,388.8	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
<b>IDU</b> (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	860	12,940.1	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2014	2,658	70	2.6%	Dept. of Corrections Offender-based Information System	CY 2014, data as of 02/2015
Offenders who returned to the Area in 2013	2,726	86	3.2%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	2,803	65	2.3%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013

**Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of  
The Continuum of HIV Care - JACKSONVILLE EMA, 2014**

CATEGORY	HIV Diagnosed in 2014	Linked to Care within 3 months of diagnosis		Estimate of HIV Infected Still to be calculated	HIV Diagnosed and Living in Jurisdiction through 2014		Ever In Care Persons with at least one CD4 or VL documented since HIV diagnosis		In Care at least once at least 1 medical visit or VL or CD4 test		Retained In Care This Year 2 or more medical visits or VL or CD4 tests at least 3 months apart in 2014		On ART* Percent of persons receiving medical care and who have a documented ART RX on record		Viral Load Suppression The number/percent of persons whose most recent HIV VL was (<200 copies/mL)		
		#	%		#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	% at least 1 care
<b>CATEGORY</b>	<b>395</b>	<b>315</b>	<b>80%</b>		<b>6,646</b>	<b>6,149</b>	<b>93%</b>	<b>4,983</b>	<b>75%</b>	<b>4,479</b>	<b>67%</b>	<b>4,734</b>	<b>71%</b>	<b>3,790</b>	<b>57%</b>	<b>76%</b>	
<b>By Race/Ethnicity</b>																	
White	111	102	92%		1,854	1,734	94%	1,409	76%	1,263	68%			1,200	65%	85%	
Black	242	176	73%		4,242	3,879	91%	3,164	75%	2,835	67%			2,269	53%	72%	
Hispanic	25	22	88%		347	335	97%	239	69%	222	64%			187	54%	78%	
<b>By Sex</b>																	
Females	90	72	80%		2,305	2,128	92%	1,738	75%	1,559	68%			1,259	55%	72%	
Males	305	243	80%		4,341	4,021	93%	3,245	75%	2,920	67%			2,531	58%	78%	
<b>By Current Age Group</b>																	
0-12 yrs of age	2	1	50%		17	17	100%	17	100%	16	94%			10	59%	59%	
13-24 yrs of age	89	65	73%		343	311	91%	254	74%	216	63%			162	47%	64%	
25-39 yrs of age	159	130	82%		1,936	1,772	92%	1,379	71%	1,197	62%			922	48%	67%	
40-49 yrs of age	79	65	82%		1,777	1,655	93%	1,317	74%	1,189	67%			1,020	57%	77%	
50+ yrs of age	66	54	82%		2,573	2,394	93%	2,016	78%	1,861	72%			1,676	65%	83%	
<b>By Transmission Category**</b>																	
MSM	219	180	82%		2,820	2,629	93%	2,122	75%	1,905	68%			1,691	60%	80%	
Male IDU	5	5	100%		298	272	91%	213	71%	201	67%			161	54%	76%	
MSM/IDU	11	9	89%		263	249	95%	200	76%	185	70%			154	59%	77%	
Male Heterosexual	70	48	69%		903	815	90%	666	74%	590	65%			501	55%	75%	
Female IDU	10	6	63%		299	270	90%	227	76%	207	69%			158	53%	70%	
Female Heterosexual	80	66	83%		1,949	1,805	93%	1,469	75%	1,313	67%			1,075	55%	73%	
<b>Special Populations</b>																	
White Heterosexual	29	26	90%		389	356	92%	288	74%	255	66%			241	62%	84%	
Black Heterosexual	106	74	70%		2,253	2,059	91%	1,695	75%	1,509	67%			1,219	54%	72%	
Hispanic Heterosexual	9	8	89%		132	127	96%	85	64%	77	58%			62	47%	73%	
Black Heterosexual Females	56	44	79%		1,563	1,447	93%	1,180	75%	1,054	67%			843	54%	71%	
Black Heterosexual Males	50	30	61%		689	611	89%	515	75%	455	66%			376	55%	73%	
White MSM	72	68	93%		1,284	1,219	95%	997	78%	894	70%			866	67%	87%	
Black MSM	131	99	76%		1,538	1,406	91%	1,123	73%	1,007	65%			813	53%	72%	
Hispanic MSM	16	14	88%		161	155	96%	122	76%	116	72%			103	64%	84%	
White Male IDU	8	8	100%		189	173	92%	137	73%	131	69%			109	58%	79%	
Black Male IDU	6	5	75%		313	291	93%	235	75%	216	69%			175	56%	74%	
Hispanic Male IDU	1	1	100%		45	43	96%	27	60%	26	58%			20	44%	74%	
White Female IDU	6	5	82%		108	93	86%	75	69%	67	62%			53	49%	71%	
Black Female IDU	2	1	42%		167	154	92%	132	79%	121	73%			91	54%	69%	
Hispanic Female IDU	0	0	#DIV/0!		11	11	102%	8	73%	8	73%			6	55%	75%	
White Male Homeless	0	0	#DIV/0!		8	5	63%	0	0%	0	0%			0	0%	#DIV/0!	
Black Male Homeless	1	1	100%		10	6	60%	0	0%	0	0%			0	0%	#DIV/0!	
Hispanic Male Homeless	1	0	0%		2	1	50%	0	0%	0	0%			0	0%	#DIV/0!	
White Female Homeless	0	0	#DIV/0!		1	1	100%	1	100%	1	100%			0	0%	0%	
Black Female Homeless	0	0	#DIV/0!		3	1	33%	1	33%	0	0%			0	0%	0%	
Hispanic Female Homeless	0	0	#DIV/0!		0	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!			0	#DIV/0!	#DIV/0!	
Female Haitian Born	1	1	100%		13	13	100%	12	92%	10	77%			9	69%	75%	
Male Haitian Born	1	1	100%		8	8	100%	6	75%	6	75%			6	75%	100%	
White Male Youth (current ages 13-24)	9	7	78%		29	26	90%	24	83%	18	62%			18	62%	75%	
Black Male Youth (current ages 13-24)	60	41	68%		208	184	88%	147	71%	127	61%			101	49%	69%	
Hispanic Male Youth (current ages 13-24)	2	2	100%		10	10	100%	9	90%	7	70%			5	50%	56%	
White Female Youth (current ages 13-24)	3	3	100%		8	8	100%	7	88%	6	75%			4	50%	57%	
Black Female Youth (current ages 13-24)	8	6	75%		68	63	93%	49	72%	43	63%			24	35%	49%	
Hispanic Female Youth (current ages 13-24)	0	0	#DIV/0!		6	6	100%	5	83%	4	67%			3	50%	60%	
White WCBA* (current ages 15-44)	18	16	89%		166	150	90%	123	74%	109	66%			89	54%	72%	
Black WCBA* (current ages 15-44)	36	28	78%		887	818	92%	621	70%	532	60%			385	43%	62%	
Hispanic WCBA* (current ages 15-44)	3	2	67%		54	53	98%	33	61%	29	54%			25	46%	76%	
White Ped Cases (current ages 0-12)	0	0	#DIV/0!		1	1	100%	1	100%	1	100%			1	100%	100%	
Black Ped Cases (current ages 0-12)	1	1	100%		13	13	100%	13	100%	12	92%			7	54%	54%	
Hispanic Ped Cases (current ages 0-12)	0	0	#DIV/0!		0	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!			0	#DIV/0!	#DIV/0!	
DOC Cases	0	0	#DIV/0!		143	141	99%	125	87%	118	83%			80	56%	64%	

## AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, JACKSONVILLE EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
<b>Race/Ethnicity</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
White, not Hispanic	146	23%	297	27%	1,081	29%	773	27%	1,854	28%
Black, not Hispanic	428	67%	701	63%	2,382	63%	1,860	65%	4,242	64%
Hispanic	44	7%	74	7%	203	5%	144	5%	347	5%
Asian/Pacific Islander	6	1%	14	1%	28	1%	15	1%	43	1%
American Indian/Alaskan Native	0	0%	1	0%	2	0%	1	0%	3	0%
Not Specified/Other	16	3%	23	2%	91	2%	66	2%	157	2%
<b>Total:</b>	<b>640</b>	<b>100%</b>	<b>1,110</b>	<b>100%</b>	<b>3,787</b>	<b>100%</b>	<b>2,859</b>	<b>100%</b>	<b>6,646</b>	<b>100%</b>
<b>Gender</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
Male	438	68%	814	73%	2,509	66%	1,832	64%	4,341	65%
Female	202	32%	296	27%	1,278	34%	1,027	36%	2,305	35%
<b>Total:</b>	<b>640</b>	<b>100%</b>	<b>1,110</b>	<b>100%</b>	<b>3,787</b>	<b>100%</b>	<b>2,859</b>	<b>100%</b>	<b>6,646</b>	<b>100%</b>
<b>Age at Diagnosis (Incidence) / Current Age (Prevalence)</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
0-12 years	2	0%	3	0%	1	0%	1	0%	2	1%
13-19 years	10	2%	60	5%	3	0%	12	5%	15	4%
20-44 years	387	60%	742	67%	13	0%	44	17%	57	16%
45+ years	241	38%	305	27%	88	2%	198	78%	286	79%
<b>Total:</b>	<b>640</b>	<b>100%</b>	<b>1,110</b>	<b>100%</b>	<b>105</b>	<b>100%</b>	<b>255</b>	<b>100%</b>	<b>360</b>	<b>100%</b>

## AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, JACKSONVILLE EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	274	43%	591	53%	1,543	41%	1,277	45%	2,820	43%
IDU	35	5%	37	3%	415	11%	182	6%	597	9%
MSM/IDU	10	2%	18	2%	189	5%	74	3%	263	4%
Heterosexual	314	49%	459	41%	1,573	42%	1,279	45%	2,852	43%
Other	5	1%	2	0%	63	2%	34	1%	97	1%
<b>Total:</b>	<b>638</b>	<b>100%</b>	<b>1,107</b>	<b>100%</b>	<b>3,783</b>	<b>100%</b>	<b>2,846</b>	<b>100%</b>	<b>6,629</b>	<b>100%</b>
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	2	100%	3	100%	4	100%	13	100%	17	100%
Risk not Diagnosed/Other	0	0%	0	0%	0	0%	0	0%	0	0%
<b>Total:</b>	<b>2</b>	<b>100%</b>	<b>3</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	<b>17</b>	<b>100%</b>