

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**EMA Orlando**  
 LAKE, ORANGE, OSCEOLA AND SEMINOLE COUNTIES

---

**Mid-Year Population Estimates**

**2013**

Sex	Total Pop	
	Males	1,083,580
Females	1,129,657	51%
Total	2,213,237	100%

Age Groups	Total Pop	
	0 - 12	363,726
13 - 19	215,203	10%
20 - 24	169,092	8%
25 - 29	167,491	8%
30 - 39	296,526	13%
40 - 49	301,267	14%
50 - 59	292,310	13%
60+	407,622	18%
Total	2,213,237	100%

Race/Ethnicity	Total Pop	
	White, non-Hispanic	1,147,019
Black, non-Hispanic	340,397	15%
Hispanic	590,047	27%
Other*	135,774	6%
Total	2,213,237	100%

**2014**

Sex	Total Pop	
	Males	1,111,703
Females	1,158,620	51.0%
Total	2,270,323	100.0%

Age Groups	Total Pop	
	0 - 12	373,063
13 - 19	218,792	10%
20 - 24	172,417	8%
25 - 29	174,785	8%
30 - 39	303,433	13%
40 - 49	302,543	13%
50 - 59	302,621	13%
60+	422,669	19%
Total	2,270,323	100%

Race/Ethnicity	Total Pop	
	White, non-Hispanic	1,160,014
Black, non-Hispanic	352,194	16%
Hispanic	617,512	27%
Other*	140,603	6%
Total	2,270,323	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS Section**

Created: 12/30/14
Revision: 10/06/15



**Attachment 3: JURISDICTION PROFILE, ORLANDO EMA**

**Newly Reported HIV Infection and AIDS cases over a three year period**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
<b>Race/Ethnicity</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White, not Hispanic	55	21%	118	29%	92	26%	67.3%	159	30%	176	29%	222	30%	39.6%
Black, not Hispanic	141	54%	190	47%	155	45%	9.9%	252	47%	245	40%	249	33%	-1.2%
Hispanic	55	21%	84	21%	90	26%	63.6%	114	21%	174	29%	251	34%	120.2%
Asian/Pacific Islander	2	1%	2	0%	3	1%	50.0%	5	1%	3	0%	12	2%	140.0%
American Indian/Alaskan Native	0	0%	0	0%	1	0%	#DIV/0!	1	0%	0	0%	2	0%	100.0%
Not Specified/Other	7	3%	9	2%	7	2%	0.0%	5	1%	10	2%	9	1%	80.0%
<b>Total:</b>	260	100%	403	100%	348	100%	33.8%	536	100%	608	100%	745	100%	39.0%
<b>Gender</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Female	62	23.8%	100	24.8%	102	29.3%	64.5%	111	20.7%	141	23.2%	164	22.0%	47.7%
Male	198	76.2%	303	75.2%	246	70.7%	24.2%	425	79.3%	467	76.8%	581	78.0%	36.7%
<b>Total:</b>	260	100.0%	403	100.0%	348	100.0%	33.8%	536	100.0%	608	100.0%	745	100.0%	39.0%
<b>Age at Diagnosis (Years)</b>	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	2	0.3%	3	0.4%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	0	0.0%	#DIV/0!	2	0.4%	1	0.2%	0	0.0%	-100.0%
13-19 years	5	1.9%	3	0.7%	9	2.6%	80.0%	25	4.7%	23	3.8%	21	2.8%	-16.0%
20-24 years	15	5.8%	28	6.9%	22	6.3%	46.7%	97	18.1%	85	14.0%	102	13.7%	5.2%
25-29 years	20	7.7%	47	11.7%	52	14.9%	160.0%	66	12.3%	91	15.0%	130	17.4%	97.0%
30-39 years	71	27.3%	105	26.1%	80	23.0%	12.7%	119	22.2%	130	21.4%	176	23.6%	47.9%
40-44 years	35	13.5%	53	13.2%	43	12.4%	22.9%	63	11.8%	64	10.5%	72	9.7%	14.3%
45-49 years	39	15.0%	52	12.9%	46	13.2%	17.9%	65	12.1%	76	12.5%	89	11.9%	36.9%
50-59 years	56	21.5%	86	21.3%	69	19.8%	23.2%	75	14.0%	105	17.3%	111	14.9%	48.0%
60+ years	19	7.3%	29	7.2%	27	7.8%	42.1%	24	4.5%	31	5.1%	41	5.5%	70.8%
<b>Total:</b>	260	100.0%	403	100.0%	348	100.0%	33.8%	536	100.0%	608	100.0%	745	100.0%	39.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
MSM	121	61.0%	228	75.5%	172	69.9%	42.4%	337	79.6%	373	80.0%	479	82.4%	42.3%
IDU	20	10.2%	24	7.9%	21	8.5%	4.5%	18	4.2%	21	4.5%	28	4.8%	59.1%
MSM/IDU	14	7.2%	10	3.3%	14	5.7%	-1.4%	14	3.4%	11	2.4%	24	4.1%	66.7%
Heterosexual	41	20.7%	39	12.9%	36	14.6%	-12.0%	54	12.6%	59	12.7%	50	8.6%	-6.5%
Other	2	1.0%	1	0.3%	3	1.2%	50.0%	1	0.2%	2	0.4%	0	0.0%	-100.0%
<b>Total:</b>	198	100.0%	302	100.0%	246	100.0%	24.2%	423	100.0%	466	100.0%	581	100.0%	37.4%
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
IDU	12	19.0%	15	15.0%	13	12.7%	10.2%	13	11.4%	17	12.2%	13	8.1%	2.4%
Heterosexual	50	81.0%	84	84.0%	85	83.3%	69.3%	96	86.8%	119	85.6%	144	89.4%	49.5%
Other	0	0.0%	1	1.0%	4	3.9%	#DIV/0!	2	1.8%	3	2.2%	4	2.5%	100.0%
<b>Total:</b>	62	100.0%	100	100.0%	102	100.0%	64.5%	111	100.0%	139	100.0%	161	100.0%	45.0%
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	2	100%	3	100%	3	100%	50.0%
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	0%	0	0%	#DIV/0!
<b>Total:</b>	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!	2	100%	3	100%	3	100%	50.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Special Populations	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White MSM*	47	N/A	102	N/A	73	N/A	55.7%	144	N/A	147	N/A	197	N/A	36.6%
Black MSM*	52	N/A	89	N/A	61	N/A	18.4%	121	N/A	114	N/A	129	N/A	6.5%
Hispanic MSM*	30	N/A	42	N/A	45	N/A	52.0%	78	N/A	111	N/A	160	N/A	106.2%
white Male IDU**	11	N/A	10	N/A	9	N/A	-14.3%	8	N/A	12	N/A	14	N/A	66.7%
Black Male IDU**	13	N/A	8	N/A	13	N/A	4.0%	12	N/A	9	N/A	9	N/A	-22.4%
Hispanic Male IDU**	11	N/A	14	N/A	12	N/A	6.2%	12	N/A	11	N/A	29	N/A	141.7%
white Female IDU**	2	N/A	4	N/A	4	N/A	150.0%	2	N/A	8	N/A	2	N/A	-9.1%
Black Female IDU**	8	N/A	6	N/A	7	N/A	-7.9%	7	N/A	6	N/A	7	N/A	0.0%
Hispanic Female IDU**	1	N/A	5	N/A	2	N/A	42.9%	3	N/A	2	N/A	2	N/A	-20.0%
white Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0	N/A	-100.0%
Black Male Homeless	2	N/A	3	N/A	2	N/A	0.0%	3	N/A	3	N/A	1	N/A	-66.7%
Hispanic Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	3	N/A	1	N/A	1	N/A	-66.7%
white Female Homeless	1	N/A	0	N/A	0	N/A	-100.0%	1	N/A	0	N/A	1	N/A	0.0%
Black Female Homeless	0	N/A	0	N/A	1	N/A	#DIV/0!	1	N/A	0	N/A	1	N/A	0.0%
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	14	N/A	21	N/A	17	N/A	21.4%	21	N/A	15	N/A	27	N/A	28.6%
Male Haitian Born	20	N/A	14	N/A	8	N/A	-60.0%	19	N/A	14	N/A	8	N/A	-57.9%
white Male Youth (ages 13-24)	0	N/A	0	N/A	2	N/A	#DIV/0!	27	N/A	9	N/A	20	N/A	-25.9%
Black Male Youth (ages 13-24)	9	N/A	20	N/A	16	N/A	77.8%	58	N/A	50	N/A	47	N/A	-19.0%
Hispanic Male Youth (ages 13-24)	9	N/A	5	N/A	7	N/A	-22.2%	20	N/A	27	N/A	29	N/A	45.0%
white Female Youth (ages 13-24)	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	4	N/A	3	N/A	200.0%
Black Female Youth (ages 13-24)	1	N/A	3	N/A	4	N/A	300.0%	11	N/A	13	N/A	11	N/A	0.0%
Hispanic Female Youth (ages 13-24)	0	N/A	2	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	5	N/A	400.0%
White WCBA* (ages 15-44)	2	N/A	6	N/A	8	N/A	300.0%	7	N/A	10	N/A	13	N/A	85.7%
Black WCBA* (ages 15-44)	24	N/A	24	N/A	25	N/A	4.2%	47	N/A	39	N/A	52	N/A	10.6%
Hiapnic WCBA* (ages 15-44)	7	N/A	16	N/A	13	N/A	85.7%	11	N/A	14	N/A	31	N/A	181.8%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	2	N/A	3	N/A	2	N/A	0.0%
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	3	N/A	0	N/A	#DIV/0!	3	N/A	#REF!	N/A	3	N/A	0.0%

\*WCBA=Women of Child Bearing Age

**HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually**

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

Attachment 3: JURISDICTION PROFILE, ORLANDO EMA

Annual HIV and AIDS Prevalence over a three year period

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence 2012, 2013, & 2014							HIV Infection CasePrevalence 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Race/Ethnicity	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
White, not Hispanic	1,868	33%	1,926	33%	1,968	33%	5.4%	1,476	32%	1,550	32%	1,668	32%	13.0%	3,344	33%	3,476	33%
Black, not Hispanic	2,199	39%	2,276	39%	2,374	39%	8.0%	1,887	41%	1,930	40%	2,024	39%	7.3%	4,086	40%	4,206	40%
Hispanic	1,447	26%	1,502	26%	1,570	26%	8.5%	1,120	24%	1,201	25%	1,348	26%	20.4%	2,567	25%	2,703	26%
Asian/Pacific Islander	24	0%	26	0%	29	0%	20.8%	35	1%	36	1%	44	1%	25.7%	59	1%	62	1%
American Indian/Alaskan Native	2	0%	2	0%	3	0%	50.0%	7	0%	7	0%	9	0%	28.6%	9	0%	9	0%
Not Specified/Other	73	1%	78	1%	86	1%	17.8%	59	1%	61	1%	63	1%	6.8%	132	1%	139	1%
<b>Total:</b>	<b>5,613</b>	<b>100%</b>	<b>5,810</b>	<b>100%</b>	<b>6,030</b>	<b>100%</b>	<b>7.4%</b>	<b>4,584</b>	<b>100%</b>	<b>4,785</b>	<b>100%</b>	<b>5,156</b>	<b>100%</b>	<b>12.5%</b>	<b>10,197</b>	<b>100%</b>	<b>10,595</b>	<b>100%</b>
Gender	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
Female	1,527	27.2%	1,565	26.9%	1,629	27.0%	6.7%	1,287	28.1%	1,317	27.5%	1,374	26.6%	6.8%	2,814	27.6%	2,882	27.2%
Male	4,086	72.8%	4,245	73.1%	4,401	73.0%	7.7%	3,297	71.9%	3,468	72.5%	3,782	73.4%	14.7%	7,383	72.4%	7,713	72.8%
<b>Total:</b>	<b>5,613</b>	<b>100.0%</b>	<b>5,810</b>	<b>100.0%</b>	<b>6,030</b>	<b>100.0%</b>	<b>7.4%</b>	<b>4,584</b>	<b>100.0%</b>	<b>4,785</b>	<b>100.0%</b>	<b>5,156</b>	<b>100.0%</b>	<b>12.5%</b>	<b>10,197</b>	<b>100.0%</b>	<b>10,595</b>	<b>100.0%</b>
Age at Diagnosis (Years)	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
0- 2 years	0	0.0%	0	0.0%	0	0.0%	#DIV/0!	2	0.0%	2	0.0%	3	0.1%	50.0%	2	0.0%	2	0.0%
3-12 years	3	0.1%	2	0.0%	2	0.0%	-33.3%	21	0.5%	18	0.4%	18	0.3%	-14.3%	24	0.2%	20	0.2%
13-19 years	33	0.6%	26	0.4%	19	0.3%	-42.4%	55	1.2%	52	1.1%	50	1.0%	-9.1%	88	0.9%	78	0.7%
20-24 years	96	1.7%	106	1.8%	100	1.7%	4.2%	307	6.7%	283	5.9%	305	5.9%	-0.7%	403	4.0%	389	3.7%
25-29 years	185	3.3%	202	3.5%	225	3.7%	21.6%	435	9.5%	496	10.4%	565	11.0%	29.9%	620	6.1%	698	6.6%
30-39 years	799	14.2%	799	13.8%	795	13.2%	-0.5%	1,050	22.9%	1,070	22.4%	1,151	22.3%	9.6%	1,849	18.1%	1,869	17.6%
40-44 years	783	13.9%	746	12.8%	709	11.8%	-9.5%	703	15.3%	669	14.0%	639	12.4%	-9.1%	1,486	14.6%	1,415	13.4%
45-49 years	1,218	21.7%	1,122	19.3%	1,063	17.6%	-12.7%	718	15.7%	738	15.4%	775	15.0%	7.9%	1,936	19.0%	1,860	17.6%
50-59 years	1,827	32.5%	2,041	35.1%	2,204	36.6%	20.6%	921	20.1%	1,020	21.3%	1,147	22.2%	24.5%	2,748	26.9%	3,061	28.9%
60+ years	669	11.9%	766	13.2%	913	15.1%	36.5%	372	8.1%	437	9.1%	503	9.8%	35.2%	1,041	10.2%	1,203	11.4%
<b>Total:</b>	<b>5,613</b>	<b>100.0%</b>	<b>5,810</b>	<b>100.0%</b>	<b>6,030</b>	<b>100.0%</b>	<b>7.4%</b>	<b>4,584</b>	<b>100.0%</b>	<b>4,785</b>	<b>100.0%</b>	<b>5,156</b>	<b>100.0%</b>	<b>12.5%</b>	<b>10,197</b>	<b>100.0%</b>	<b>10,595</b>	<b>100.0%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalance 2012, 2013, & 2014							HIV Infection CasePrevalance 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Male Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
MSM	2,812	68.8%	2,943	69.3%	3,068	69.7%	9.1%	2,575	78.4%	2,736	79.1%	3,030	80.3%	17.7%	5,388	73.1%	5,679	73.7%
IDU	520	12.7%	516	12.2%	522	11.9%	0.4%	213	6.5%	218	6.3%	217	5.8%	2.1%	733	9.9%	735	9.5%
MSM/IDU	258	6.3%	263	6.2%	268	6.1%	4.0%	130	4.0%	130	3.7%	134	3.6%	2.8%	388	5.3%	392	5.1%
Heterosexual	445	10.9%	469	11.0%	491	11.2%	10.3%	336	10.2%	343	9.9%	359	9.5%	6.9%	781	10.6%	812	10.5%
Other	51	1.2%	54	1.3%	52	1.2%	2.0%	32	1.0%	32	0.9%	33	0.9%	3.1%	83	1.1%	86	1.1%
<b>Total:</b>	<b>4,086</b>	<b>100.0%</b>	<b>4,245</b>	<b>100.0%</b>	<b>4,401</b>	<b>100.0%</b>	<b>7.7%</b>	<b>3,286</b>	<b>100.0%</b>	<b>3,459</b>	<b>100.0%</b>	<b>3,773</b>	<b>100.0%</b>	<b>14.8%</b>	<b>7,372</b>	<b>100.0%</b>	<b>7,704</b>	<b>100.0%</b>
Female Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
IDU	276	18.1%	280	17.9%	284	17.5%	2.8%	187	14.7%	181	13.8%	181	13.3%	-3.3%	463	16.6%	461	16.1%
Heterosexual	1,206	79.1%	1,238	79.2%	1,296	79.7%	7.5%	1,048	82.2%	1,084	83.0%	1,138	83.6%	8.6%	2,254	80.5%	2,322	80.9%
Other	42	2.8%	45	2.9%	47	2.9%	11.9%	40	3.1%	41	3.1%	43	3.2%	7.5%	82	2.9%	86	3.0%
<b>Total:</b>	<b>1,524</b>	<b>100.0%</b>	<b>1,563</b>	<b>100.0%</b>	<b>1,627</b>	<b>100.0%</b>	<b>6.8%</b>	<b>1,275</b>	<b>100.0%</b>	<b>1,306</b>	<b>100.0%</b>	<b>1,362</b>	<b>100.0%</b>	<b>6.8%</b>	<b>2,799</b>	<b>100.0%</b>	<b>2,869</b>	<b>100.0%</b>
Pediatric AIDS Exposure Categories (ages 0-12)	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
Mother with/at risk for HIV infection	3	100%	2	100%	2	100%	-33.3%	22	96%	19	95%	20	95%	-9.1%	25	96%	21	95%
Risk not reported/Other	0	0%	0	0%	0	0%	#DIV/0!	1	4%	1	5%	1	5%	0.0%	1	4%	1	5%
<b>Total:</b>	<b>3</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>-33.3%</b>	<b>23</b>	<b>100%</b>	<b>20</b>	<b>100%</b>	<b>21</b>	<b>100%</b>	<b>-8.7%</b>	<b>26</b>	<b>100%</b>	<b>22</b>	<b>100%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence 2012, 2013, & 2014							HIV Infection CasePrevalence 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Special Populations	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
White Heterosexual	196	N/A	196	N/A	195	N/A	-0.6%	148	N/A	157	N/A	170	N/A	14.9%	344	N/A	353	N/A
Black Heterosexual	990	N/A	1,029	N/A	1,078	N/A	8.9%	901	N/A	917	N/A	946	N/A	5.1%	1,890	N/A	1,946	N/A
Hispanic Heterosexual	433	N/A	449	N/A	475	N/A	9.7%	307	N/A	324	N/A	354	N/A	15.3%	740	N/A	774	N/A
Black Heterosexual Females	695	N/A	714	N/A	750	N/A	7.9%	661	N/A	678	N/A	701	N/A	6.0%	1,356	N/A	1,392	N/A
Black Heterosexual Males	295	N/A	314	N/A	328	N/A	11.1%	239	N/A	239	N/A	245	N/A	2.3%	535	N/A	553	N/A
White MSM*	1,513	N/A	1,564	N/A	1,606	N/A	6.1%	1,245	N/A	1,308	N/A	1,415	N/A	13.6%	2,759	N/A	2,872	N/A
Black MSM*	828	N/A	877	N/A	920	N/A	11.2%	760	N/A	787	N/A	855	N/A	12.4%	1,588	N/A	1,664	N/A
Hispanic MSM*	675	N/A	706	N/A	746	N/A	10.6%	637	N/A	703	N/A	814	N/A	27.9%	1,311	N/A	1,409	N/A
white Male IDU**	170	N/A	176	N/A	176	N/A	3.5%	75	N/A	78	N/A	81	N/A	8.0%	245	N/A	254	N/A
Black Male IDU**	279	N/A	269	N/A	274	N/A	-1.7%	120	N/A	123	N/A	115	N/A	-4.1%	399	N/A	392	N/A
Hispanic Male IDU**	319	N/A	325	N/A	331	N/A	3.6%	140	N/A	140	N/A	147	N/A	4.7%	460	N/A	465	N/A
white Female IDU**	69	N/A	74	N/A	77	N/A	11.3%	54	N/A	57	N/A	55	N/A	1.5%	123	N/A	131	N/A
Black Female IDU**	126	N/A	123	N/A	123	N/A	-2.5%	78	N/A	75	N/A	78	N/A	0.1%	204	N/A	198	N/A
Hispanic Female IDU**	74	N/A	77	N/A	77	N/A	4.2%	51	N/A	46	N/A	44	N/A	-13.4%	125	N/A	122	N/A
white Male Homeless	6	N/A	6	N/A	6	N/A	0.0%	7	N/A	8	N/A	8	N/A	14.3%	13	N/A	14	N/A
Black Male Homeless	10	N/A	11	N/A	11	N/A	10.0%	22	N/A	22	N/A	22	N/A	0.0%	32	N/A	33	N/A
Hispanic Male Homeless	5	N/A	5	N/A	5	N/A	0.0%	5	N/A	5	N/A	5	N/A	0.0%	10	N/A	10	N/A
white Female Homeless	1	N/A	1	N/A	1	N/A	0.0%	4	N/A	4	N/A	4	N/A	0.0%	5	N/A	5	N/A
Black Female Homeless	2	N/A	2	N/A	2	N/A	0.0%	9	N/A	9	N/A	9	N/A	0.0%	11	N/A	11	N/A
Hispanic Female Homeless	1	N/A	1	N/A	1	N/A	0.0%	1	N/A	1	N/A	1	N/A	0.0%	2	N/A	2	N/A
Female Haitian Born	164	N/A	174	N/A	189	N/A	15.2%	139	N/A	143	N/A	150	N/A	7.9%	303	N/A	317	N/A
Male Haitian Born	210	N/A	217	N/A	223	N/A	6.2%	126	N/A	121	N/A	122	N/A	-3.2%	336	N/A	338	N/A
white Male Youth (ages 13-24)	3	N/A	4	N/A	3	N/A	0.0%	52	N/A	47	N/A	52	N/A	0.0%	55	N/A	51	N/A
Black Male Youth (ages 13-24)	59	N/A	63	N/A	58	N/A	-1.7%	157	N/A	132	N/A	131	N/A	-16.6%	216	N/A	195	N/A
Hispanic Male Youth (ages 13-24)	29	N/A	26	N/A	25	N/A	-13.8%	68	N/A	73	N/A	81	N/A	19.1%	97	N/A	99	N/A
white Female Youth (ages 13-24)	1	N/A	0	N/A	0	N/A	-100.0%	8	N/A	8	N/A	12	N/A	50.0%	9	N/A	8	N/A
Black Female Youth (ages 13-24)	24	N/A	24	N/A	24	N/A	0.0%	54	N/A	54	N/A	51	N/A	-5.6%	78	N/A	78	N/A
Hispanic Female Youth (ages 13-24)	12	N/A	12	N/A	8	N/A	-33.3%	12	N/A	13	N/A	17	N/A	41.7%	24	N/A	25	N/A
White WCBA* (ages 15-44)	81	N/A	75	N/A	70	N/A	-13.6%	91	N/A	92	N/A	91	N/A	0.0%	172	N/A	167	N/A
Black WCBA* (ages 15-44)	360	N/A	343	N/A	328	N/A	-8.9%	429	N/A	422	N/A	431	N/A	0.5%	789	N/A	765	N/A
Hiapnic WCBA* (ages 15-44)	134	N/A	131	N/A	126	N/A	-6.0%	146	N/A	132	N/A	136	N/A	-6.8%	280	N/A	263	N/A
White Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A
Black Ped Cases (ages 0-12)	3	N/A	2	N/A	2	N/A	-33.3%	18	N/A	16	N/A	16	N/A	-11.1%	21	N/A	18	N/A
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	5	N/A	4	N/A	4	N/A	-20.0%	5	N/A	4	N/A
DOC cases	197	N/A	198	N/A	195	N/A	-1.0%	141	N/A	136	N/A	131	N/A	-7.1%	338	N/A	334	N/A

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU



2012, 2013, 2014

The number of persons living with HIV in each calendar year, as of June 30, of the period, is reported as the change over the combined period.

2,014	% of Total	% change
3,636	33%	8.7%
4,398	39%	7.6%
2,918	26%	13.7%
73	1%	23.7%
12	0%	33.3%
149	1%	12.9%
11,186	100%	9.7%
2,014	% of Total	% change
3,003	26.8%	6.7%
8,183	73.2%	10.8%
11,186	100.0%	9.7%
2,014	% of Total	% change
3	0.0%	50.0%
20	0.2%	-16.7%
69	0.6%	-21.6%
405	3.6%	0.5%
790	7.1%	27.4%
1,946	17.4%	5.2%
1,348	12.1%	-9.3%
1,838	16.4%	-5.1%
3,351	30.0%	21.9%
1,416	12.7%	36.0%
11,186	100.0%	9.7%

12, 2013, 2014

the number of persons living with HIV  
 in each calendar year, as of June 30, of the  
 period, is reported as the change over the combined  
 period.

2,014	% of Total	% change
6,098	74.6%	13.2%
739	9.0%	0.9%
402	4.9%	3.6%
850	10.4%	8.9%
85	1.0%	2.4%
8,174	100.0%	10.9%
2,014	% of Total	% change
465	15.6%	0.3%
2,434	81.4%	8.0%
90	3.0%	9.8%
2,989	100.0%	6.8%
2,014	% of Total	% change
22	96%	-12.0%
1	4%	0.0%
23	100%	-11.5%

2012, 2013, 2014

The number of persons living with HIV  
in each calendar year, as of June 30, of the  
year, is reported as the change over the combined  
period.

2,014	% of Total	% change
365	N/A	6.1%
2,024	N/A	7.1%
829	N/A	12.0%
1,451	N/A	7.0%
573	N/A	7.2%
3,021	N/A	9.5%
1,775	N/A	11.8%
1,560	N/A	19.0%
257	N/A	4.9%
389	N/A	-2.4%
478	N/A	4.0%
132	N/A	7.0%
201	N/A	-1.5%
121	N/A	-3.0%
14	N/A	7.7%
33	N/A	3.1%
10	N/A	0.0%
5	N/A	0.0%
11	N/A	0.0%
2	N/A	0.0%
339	N/A	11.9%
345	N/A	2.7%
55	N/A	0.0%
189	N/A	-12.5%
106	N/A	9.3%
12	N/A	33.3%
75	N/A	-3.8%
25	N/A	4.2%
161	N/A	-6.4%
759	N/A	-3.8%
262	N/A	-6.4%
0	N/A	#DIV/0!
18	N/A	-14.3%
4	N/A	-20.0%
326	N/A	-3.6%



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Orlando population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
Gender				Age Groups			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	303	75.2%	28.0	0 - 12	0	0.0%	0.0
Female	100	24.8%	8.9	13 - 19	3	0.7%	1.4
Other/Unknown	0	0.0%	N/A	20 - 24	28	6.9%	16.6
Total	403	100.0%	18.2	25 - 29	47	11.7%	28.1
Race/Ethnicity				Age Groups			
Race/Ethnicity	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
White, Non-Hispanic	118	29.3%	10.3	30 - 39	105	26.1%	35.4
Black, Non-Hispanic	190	47.1%	55.8	40 - 49	105	26.1%	34.9
Hispanic	84	20.8%	14.2	50 - 59	86	21.3%	29.4
Asian/Pacific Islander	2	0.5%	N/A	60+	29	7.2%	7.1
Amer. Indian/Alaskan	0	0.0%	N/A	Total	403	100.0%	18.2
Other/Unknown	9	2.2%	N/A				
Total	403	100.0%	18.2				
2014							
Gender				Age Groups			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	246	70.7%	22.1	0 - 12	0	0.0%	0.0
Female	102	29.3%	8.8	13 - 19	9	2.6%	4.1
Other/Unknown	0	0.0%	N/A	20 - 24	22	6.3%	12.8
Total	348	100.0%	15.3	25 - 29	52	14.9%	29.8
Race/Ethnicity				Age Groups			
Race/Ethnicity	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
White, Non-Hispanic	92	26.4%	7.9	30 - 39	80	23.0%	26.4
Black, Non-Hispanic	155	44.5%	44.0	40 - 49	89	25.6%	29.4
Hispanic	90	25.9%	14.6	50 - 59	69	19.8%	22.8
Asian/Pacific Islander	3	0.9%	N/A	60+	27	7.8%	6.4
Amer. Indian/Alaskan	1	0.3%	N/A	Total	348	100.0%	15.3
Other/Unknown	7	2.0%	N/A				
Total	348	100.0%	15.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Orlando population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	467	76.8%	43.1	0 - 12	3	0.5%	0.8
Female	141	23.2%	12.5	13 - 19	23	3.8%	10.7
Other/Unknown	0	0.0%	N/A	20 - 24	85	14.0%	50.3
Total	608	100.0%	27.5	25 - 29	91	15.0%	54.3
				30 - 39	130	21.4%	43.8
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	140	23.0%	46.5
White, Non-Hispanic	176	28.9%	15.3	50 - 59	105	17.3%	35.9
Black, Non-Hispanic	245	40.3%	72.0	60+	31	5.1%	7.6
Hispanic	174	28.6%	29.5	Total	608	100.0%	27.5
Asian/Pacific Islander	3	0.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	1.6%	N/A				
Total	608	100.0%	27.5				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	581	78.0%	52.3	0 - 12	3	0.4%	0.8
Female	164	22.0%	14.2	13 - 19	21	2.8%	9.6
Other/Unknown	0	0.0%	N/A	20 - 24	102	13.7%	59.2
Total	745	100.0%	32.8	25 - 29	130	17.4%	74.4
				30 - 39	176	23.6%	58.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	161	21.6%	53.2
White, Non-Hispanic	222	29.8%	19.1	50 - 59	111	14.9%	36.7
Black, Non-Hispanic	249	33.4%	70.7	60+	41	5.5%	9.7
Hispanic	251	33.7%	40.6	Total	745	100.0%	32.8
Asian/Pacific Islander	12	1.6%	N/A				
Amer. Indian/Alaskan	2	0.3%	N/A				
Other/Unknown	9	1.2%	N/A				
Total	745	100.0%	32.8				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013									
<b>Gender</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
Male	197	95.6%	18.2	0 - 12	0	0.0%	0.0		
Female	9	4.4%	0.8	13 - 19	9	4.4%	4.2		
Other/Unknown	0	0.0%	N/A	20 - 24	58	28.2%	34.3		
Total	206	100.0%	9.3	25 - 29	37	18.0%	22.1		
<b>Race/Ethnicity</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
White, Non-Hispanic	76	36.9%	6.6	30 - 39	52	25.2%	17.5		
Black, Non-Hispanic	62	30.1%	18.2	40 - 49	28	13.6%	9.3		
Hispanic	53	25.7%	9.0	50 - 59	18	8.7%	6.2		
Asian/Pacific Islander	3	1.5%	N/A	60+	4	1.9%	1.0		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	12	5.8%	N/A	Total	206	100.0%	9.3		
Total	206	100.0%	9.3						
2014									
<b>Gender</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
Male	223	96.5%	20.1	0 - 12	0	0.0%	0.0		
Female	8	3.5%	0.7	13 - 19	11	4.8%	5.0		
Other/Unknown	0	0.0%	N/A	20 - 24	45	19.5%	26.1		
Total	231	100.0%	10.2	25 - 29	54	23.4%	30.9		
<b>Race/Ethnicity</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
White, Non-Hispanic	81	35.1%	7.0	30 - 39	70	30.3%	23.1		
Black, Non-Hispanic	69	29.9%	19.6	40 - 49	33	14.3%	10.9		
Hispanic	58	25.1%	9.4	50 - 59	16	6.9%	5.3		
Asian/Pacific Islander	1	0.4%	N/A	60+	2	0.9%	0.5		
Amer. Indian/Alaskan	1	0.4%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	21	9.1%	N/A	Total	231	100.0%	10.2		
Total	231	100.0%	10.2						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,409	55.9%	130.0	0 - 12	0	0.0%	0.0
Female	1,111	44.1%	98.3	13 - 19	511	20.3%	237.5
Other/Unknown	0	0.0%	N/A	20 - 24	833	33.1%	492.6
Total	2,520	100.0%	113.9	25 - 29	506	20.1%	302.1
				30 - 39	419	16.6%	141.3
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	171	6.8%	56.8
White, Non-Hispanic	392	15.6%	34.2	50 - 59	69	2.7%	23.6
Black, Non-Hispanic	1,246	49.4%	366.0	60+	11	0.4%	2.7
Hispanic	247	9.8%	41.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	11	0.4%	N/A	Total	2,520	100.0%	113.9
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	622	24.7%	N/A				
Total	2,520	100.0%	113.9				

  

2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,426	57.0%	128.3	0-12	0	0.0%	0.0
Female	1,076	43.0%	92.9	13 - 19	433	17.3%	197.9
Other/Unknown	1	0.0%	N/A	20 - 24	936	37.4%	542.9
Total	2,503	100.0%	110.2	25 - 29	476	19.0%	272.3
				30 - 39	422	16.9%	139.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	152	6.1%	50.2
White, Non-Hispanic	404	16.1%	34.8	50 - 59	69	2.8%	22.8
Black, Non-Hispanic	1,097	43.8%	311.5	60+	15	0.6%	3.5
Hispanic	230	9.2%	37.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	13	0.5%	N/A	Total	2,503	100.0%	110.2
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	757	30.2%	N/A				
Total	2,503	100.0%	110.2				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	2,728	26.7%	251.8	0 - 12	0	0.0%	0.0
Female	7,485	73.2%	662.6	13 - 19	2,531	24.7%	1176.1
Other/Unknown	17	0.2%	N/A	20 - 24	4,317	42.2%	2553.0
Total	10,230	100.0%	462.2	25 - 29	1,894	18.5%	1130.8
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	1,800	17.6%	156.9	30 - 39	1,135	11.1%	382.8
Black, Non-Hispanic	3,279	32.1%	963.3	40 - 49	267	2.6%	88.6
Hispanic	1,439	14.1%	243.9	50 - 59	65	0.6%	22.2
Asian/Pacific Islander	79	0.8%	N/A	60+	21	0.2%	5.2
Amer. Indian/Alaskan	11	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	3,622	35.4%	N/A	Total	10,230	100.0%	462.2
Total	10,230	100.0%	462.2				
2014							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	2,922	26.8%	262.8	0-12	0	0.0%	0.0
Female	7,979	73.1%	688.7	13 - 19	2,475	22.7%	1131.2
Other/Unknown	16	0.1%	N/A	20 - 24	4,589	42.0%	2661.6
Total	10,917	100.0%	480.9	25 - 29	2,051	18.8%	1173.4
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	1,912	17.5%	164.8	30 - 39	1,364	12.5%	449.5
Black, Non-Hispanic	3,095	28.4%	878.8	40 - 49	334	3.1%	110.4
Hispanic	1,345	12.3%	217.8	50 - 59	82	0.8%	27.1
Asian/Pacific Islander	48	0.4%	N/A	60+	22	0.2%	5.2
Amer. Indian/Alaskan	12	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	4,505	41.3%	N/A	Total	10,917	100.0%	480.9
Total	10,917	100.0%	480.9				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	42	61.8%	3.9	0 - 12	2	2.9%	0.5
Female	26	38.2%	2.3	13 - 19	4	5.9%	1.1
Other/Unknown	0	0.0%	N/A	20 - 24	6	8.8%	1.6
Total	68	100.0%	3.1	25 - 29	3	4.4%	0.8
				30 - 39	5	7.4%	1.4
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	14	20.6%	1.2	40 - 49	16	23.5%	4.4
Black, Non-Hispanic	26	38.2%	7.6	50 - 59	16	23.5%	4.4
Hispanic	15	22.1%	2.5	60+	16	23.5%	4.4
Asian/Pacific Islander	13	19.1%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	68	100.0%	3.1
Unknown	0	0.0%	N/A				
Total	68	100.0%	3.1				
2014							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	57	67.9%	5.1	0 - 12	1	1.2%	0.3
Female	27	32.1%	2.3	13 - 19	1	1.2%	0.5
Other/Unknown	0	0.0%	N/A	20 - 24	5	6.0%	2.9
Total	84	100.0%	3.7	25 - 29	5	6.0%	2.9
				30 - 39	13	15.5%	4.3
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	14	16.7%	1.2	40 - 49	17	20.2%	5.6
Black, Non-Hispanic	26	31.0%	7.4	50 - 59	22	26.2%	7.3
Hispanic	22	26.2%	3.6	60+	20	23.8%	4.7
Asian/Pacific Islander	22	26.2%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	84	100.0%	3.7
Unknown	0	0.0%	N/A				
Total	84	100.0%	3.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
	Male			6	60.0%	0.6		0 - 12	0	0.0%	0.0	
	Female			4	40.0%	0.4		13 - 19	1	10.0%	0.5	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			10	100.0%	0.5		25 - 29	0	0.0%	0.0	
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		30 - 39	3	30.0%	1.0	
	White, Non-Hispanic			6	60.0%	0.5		40 - 49	1	10.0%	0.3	
	Black, Non-Hispanic			0	0.0%	0.0		50 - 59	2	20.0%	0.7	
	Hispanic			3	30.0%	0.5		60+	3	30.0%	0.7	
	Asian/Pacific Islander			0	0.0%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	10	100.0%	0.5	
	Other/Unknown			1	10.0%	N/A						
	Total			10	100.0%	0.5						
2014												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
	Male			1	20.0%	0.1		0 - 12	0	0.0%	0.0	
	Female			4	80.0%	0.3		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	1	20.0%	0.6	
	Total			5	100.0%	0.2		25 - 29	1	20.0%	0.6	
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		30 - 39	1	20.0%	0.3	
	White, Non-Hispanic			3	60.0%	0.3		40 - 49	1	20.0%	0.3	
	Black, Non-Hispanic			1	20.0%	0.3		50 - 59	1	20.0%	0.3	
	Hispanic			1	20.0%	0.2		60+	0	0.0%	0.0	
	Asian/Pacific Islander			0	0.0%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	5	100.0%	0.2	
	Other/Unknown			0	0.0%	N/A						
	Total			5	100.0%	0.2						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	13	59.1%	1.2	0 - 12	0	0.0%	0.0
Female	9	40.9%	0.8	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	4.5%	0.6
Total	22	100.0%	1.0	25 - 29	0	0.0%	0.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	8	36.4%	2.7
White, Non-Hispanic	12	54.5%	1.0	40 - 49	9	40.9%	3.0
Black, Non-Hispanic	2	9.1%	0.6	50 - 59	1	4.5%	0.3
Hispanic	5	22.7%	0.8	60+	3	13.6%	0.7
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	22	100.0%	1.0
Other/Unknown	3	13.6%	N/A				
Total	22	100.0%	1.0				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	12	75.0%	1.1	0 - 12	0	0.0%	0.0
Female	4	25.0%	0.3	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	16	100.0%	0.7	25 - 29	2	12.5%	1.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	5	31.3%	1.6
White, Non-Hispanic	12	75.0%	1.0	40 - 49	4	25.0%	1.3
Black, Non-Hispanic	1	6.3%	0.3	50 - 59	2	12.5%	0.7
Hispanic	2	12.5%	0.3	60+	3	18.8%	0.7
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	16	100.0%	0.7
Other/Unknown	1	6.3%	N/A				
Total	16	100.0%	0.7				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando**

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,122	59.0%	103.5	0 - 12	4	0.2%	1.1
Female	778	40.9%	68.9	13 - 19	23	1.2%	10.7
Other/Unknown	2	0.1%	N/A	20 - 24	109	5.7%	64.5
Total	1,902	100.0%	85.9	25 - 29	147	7.7%	87.8
				30 - 39	280	14.7%	94.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	312	16.4%	103.6
White, Non-Hispanic	408	21.5%	35.6	50 - 59	615	32.3%	210.4
Black, Non-Hispanic	72	3.8%	21.2	60+	412	21.7%	101.1
Hispanic	106	5.6%	18.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	0.1%	N/A	Total	1,902	100.0%	85.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1,314	69.1%	N/A				
Total	1,902	100.0%	85.9				
2014							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,350	60.1%	121.4	0 - 12	6	0.3%	1.6
Female	891	39.7%	76.9	13 - 19	27	1.2%	12.3
Other/Unknown	5	0.2%	N/A	20 - 24	123	5.5%	71.3
Total	2,246	100.0%	98.9	25 - 29	156	6.9%	89.3
				30 - 39	332	14.8%	109.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	314	14.0%	103.8
White, Non-Hispanic	430	19.1%	37.1	50 - 59	750	33.4%	247.8
Black, Non-Hispanic	87	3.9%	24.7	60+	538	24.0%	127.3
Hispanic	62	2.8%	10.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	9	0.4%	N/A	Total	2,246	100.0%	98.9
Amer. Indian/Alaskan	1	0.0%	N/A				
Other/Unknown	1,657	73.8%	N/A				
Total	2,246	100.0%	98.9				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA  
EMA Orlando**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2013 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	150	9	6.0	Male	20,942	359	1.7
Male Sex With Male	5,156	233	4.5	Female	19,728	116	0.6
Injecting Drug User	2,161	18	0.8	Unknown	708	7	1.0
Sex Partner at Risk	1,761	67	3.8	<b>Total</b>	<b>41,378</b>	<b>482</b>	<b>1.2</b>
Child of Woman with HIV/AIDS	28	1	3.6	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	5,566	40	0.7	White	11,649	108	0.9
Sex for Drugs or Money	488	5	1.0	Black	15,984	232	1.5
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	11,725	122	1.0
Victim of Sexual Assault	235	1	0.4	Asian	613	3	0.5
Health Care Exposure	0	0	#DIV/0!	Am. Native	96	0	0.0
Heterosexual	22,745	87	0.4	Other	290	3	1.0
No Acknowledged Risk	452	3	0.7	Unknown	1,021	14	1.4
Unknown	2,636	18	0.7	<b>Total</b>	<b>41,378</b>	<b>482</b>	<b>1.2</b>
<b>Total</b>	<b>41,378</b>	<b>482</b>	<b>1.2</b>	<b>Total</b>	<b>41,378</b>	<b>482</b>	<b>1.2</b>

<b>2014 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	149	17	11.4	Male	17,743	349	2.0
Male Sex With Male	5,072	231	4.6	Female	15,213	103	0.7
Injecting Drug User	1,676	21	1.3	Unknown	524	4	0.8
Sex Partner at Risk	1,183	57	4.8	<b>Total</b>	<b>33,480</b>	<b>456</b>	<b>1.4</b>
Child of Woman with HIV/AIDS	6	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	5,847	35	0.6	White	9,174	105	1.1
Sex for Drugs or Money	332	5	1.5	Black	12,850	170	1.3
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	9,677	159	1.6
Victim of Sexual Assault	54	0	#DIV/0!	Asian	456	4	0.9
Health Care Exposure	0	0	0.0	Am. Native	70	4	5.7
Heterosexual	17,580	72	0.4	Other	305	3	1.0
No Acknowledged Risk	554	5	0.9	Unknown	948	11	1.2
Unknown	1,027	13	1.3	<b>Total</b>	<b>33,480</b>	<b>456</b>	<b>1.4</b>
<b>Total</b>	<b>33,480</b>	<b>456</b>	<b>1.4</b>	<b>Total</b>	<b>33,480</b>	<b>456</b>	<b>1.4</b>

HIV/AIDS Case Deaths (excl DOC), EMA Orlando

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
<b>Race/Ethnicity</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
White, not Hispanic	44	26%	37	32%	-15.9%
Black, not Hispanic	91	54%	49	42%	-46.2%
Hispanic	32	19%	30	26%	-6.3%
Asian/Pacific Islander	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!
Not Specified/Other	3	2%	1	1%	-66.7%
<b>Total:</b>	<b>170</b>	<b>100%</b>	<b>117</b>	<b>100%</b>	<b>-31.2%</b>
<b>Gender</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
Male	116	68.2%	82	70.1%	-29.3%
Female	54	31.8%	35	29.9%	-35.2%
<b>Total:</b>	<b>170</b>	<b>100.0%</b>	<b>117</b>	<b>100.0%</b>	<b>-31.2%</b>
<b>Age at Diagnosis (Years)</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
0- 2 years	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!
13-19 years	1	0.6%	0	0.0%	-100.0%
20-24 years	2	1.2%	3	2.6%	50.0%
25-29 years	2	1.2%	4	3.4%	100.0%
30-39 years	15	8.8%	15	12.8%	0.0%
40-44 years	15	8.8%	9	7.7%	-40.0%
45-49 years	32	18.8%	13	11.1%	-59.4%
50-59 years	62	36.5%	48	41.0%	-22.6%
60+ years	41	24.1%	25	21.4%	-39.0%
<b>Total:</b>	<b>170</b>	<b>100.0%</b>	<b>117</b>	<b>100.0%</b>	<b>-31.2%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
<b>Male Adult/Adolescent AIDS Exposure Category</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
MSM	66	56.9%	43	52.4%	-34.8%
IDU	22	19.0%	18	22.0%	-18.2%
MSM/IDU	8	6.9%	8	9.8%	0.0%
Heterosexual	19	16.4%	11	13.4%	-42.1%
Other	1	0.9%	2	2.4%	100.0%
<b>Total:</b>	<b>116</b>	<b>100.0%</b>	<b>82</b>	<b>100.0%</b>	<b>-29.3%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
IDU	15	27.8%	10	28.6%	-33.3%
Heterosexual	39	72.2%	25	71.4%	-35.9%
Other	0	0.0%	0	0.0%	#DIV/0!
<b>Total:</b>	<b>54</b>	<b>100.0%</b>	<b>35</b>	<b>100.0%</b>	<b>-35.2%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>	<b>2013</b>	<b>% of Total</b>	<b>2014</b>	<b>% of Total</b>	<b>% change</b>
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
Special Populations	2013	% of Total	2014	% of Total	% change
White MSM*	33	N/A	25	N/A	-24.2%
Black MSM*	28	N/A	16	N/A	-42.9%
Hispanic MSM*	13	N/A	9	N/A	-30.8%
White Male IDU**	3	N/A	7	N/A	133.3%
Black Male IDU**	16	N/A	9	N/A	-43.8%
Hispanic Male IDU**	9	N/A	10	N/A	11.1%
White Female IDU**	0	N/A	1	N/A	#DIV/0!
Black Female IDU**	10	N/A	5	N/A	-50.0%
Hispanic Female IDU**	4	N/A	4	N/A	0.0%
White Male Homeless	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	5	N/A	1	N/A	-80.0%
Female Haitian Born	4	N/A	1	N/A	-75.0%
white Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	2	N/A	2	N/A	0.0%
Hispanic Male Youth (ages 13-24)	1	N/A	1	N/A	0.0%
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	0	N/A	4	N/A	#DIV/0!
Black WCBA* (ages 15-44)	11	N/A	5	N/A	-54.5%
Hiapnic WCBA* (ages 15-44)	1	N/A	2	N/A	100.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
DOC cases	4	N/A	11	N/A	175.0%

\*WCBA=Women of Child Bearing Age

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE OTHER WORKSHEETS. DO NOT DELETE THIS PAGE, AS THE OTHER WORKSHEETS ARE LINKED WITH THIS PAGE.

**PLWHA Diagnosed, and Whether In Care at least one time in previous year or NOT, and Whether last lab in 2014 was suppressed or NOT, (excl DOC), Orlando EMA**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014				
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Orlando EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.					PLWHs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.					PLWHAs cases diagnosed who were retained in care and living in the Orlando-EMA through 2014.				
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Race/Ethnicity																			
White, not Hispanic	1,968	1,668	3,636	32.5%	1,329	32.4%	68%	32%	639	972	35.3%	58%	42%	696	2,301	33.6%	63%	37%	1,335
Black, not Hispanic	2,374	2,024	4,398	39.3%	1,648	40.2%	69%	31%	726	931	33.8%	46%	54%	1,093	2,579	37.6%	59%	41%	1,819
Hispanic	1,570	1,348	2,918	26.1%	1,041	25.4%	66%	34%	529	782	28.4%	58%	42%	566	1,823	26.6%	62%	38%	1,095
Asian/Pacific Islander	29	44	73	0.7%	18	0.4%	62%	38%	11	23	0.8%	52%	48%	21	41	0.6%	56%	44%	32
American Indian/Alaskan Native	3	9	12	0.1%	2	0.0%	67%	33%	1	4	0.1%	44%	56%	5	6	0.1%	50%	50%	6
Not Specified/Other	86	63	149	1.3%	62	1.5%	72%	28%	24	40	1.5%	63%	37%	23	102	1.5%	68%	32%	47
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>	<b>4,100</b>	<b>100.0%</b>	<b>68%</b>	<b>32%</b>	<b>1,930</b>	<b>2,752</b>	<b>100.0%</b>	<b>53%</b>	<b>47%</b>	<b>2,404</b>	<b>6,852</b>	<b>100.0%</b>	<b>61%</b>	<b>39%</b>	<b>4,334</b>
Gender																			
Female	1,629	1,374	3,003	26.8%	1,186	28.9%	73%	27%	443	760	27.6%	55%	45%	614	1,946	28.4%	65%	35%	1,057
Male	4,401	3,782	8,183	73.2%	2,914	71.1%	66%	34%	1,487	1,992	72.4%	53%	47%	1,790	4,906	71.6%	60%	40%	3,277
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>	<b>4,100</b>	<b>100.0%</b>	<b>68%</b>	<b>32%</b>	<b>1,930</b>	<b>2,752</b>	<b>100.0%</b>	<b>53%</b>	<b>47%</b>	<b>2,404</b>	<b>6,852</b>	<b>100.0%</b>	<b>61%</b>	<b>39%</b>	<b>4,334</b>
Current Age on 12/31/2014 (Years)																			
0- 2 years	0	3	3	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	3	0.1%	100%	0%	0	3	0.0%	100%	0%	0
3-12 years	2	18	20	0.2%	2	0.0%	100%	0%	0	14	0.5%	78%	22%	4	16	0.2%	80%	20%	4
13-19 years	19	50	69	0.6%	16	0.4%	84%	16%	3	39	1.4%	78%	22%	11	55	0.8%	80%	20%	14
20-24 years	100	305	405	3.6%	75	1.8%	75%	25%	25	165	6.0%	54%	46%	140	240	3.5%	59%	41%	165
25-29 years	225	565	790	7.1%	149	3.6%	66%	34%	76	281	10.2%	50%	50%	284	430	6.3%	54%	46%	360
30-39 years	795	1,151	1,946	17.4%	542	13.2%	68%	32%	253	542	19.7%	47%	53%	609	1,084	15.8%	56%	44%	862
40-44 years	709	639	1,348	12.1%	465	11.3%	66%	34%	244	323	11.7%	51%	49%	316	788	11.5%	58%	42%	560
45-49 years	1,063	775	1,838	16.4%	702	17.1%	66%	34%	361	449	16.3%	58%	42%	326	1,151	16.8%	63%	37%	687
50-59 years	2,204	1,147	3,351	30.0%	1,536	37.5%	70%	30%	668	660	24.0%	58%	42%	487	2,196	32.0%	66%	34%	1,155
60+ years	913	503	1,416	12.7%	613	15.0%	67%	33%	300	276	10.0%	55%	45%	227	889	13.0%	63%	37%	527
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>	<b>4,100</b>	<b>100.0%</b>	<b>68%</b>	<b>32%</b>	<b>1,930</b>	<b>2,752</b>	<b>100.0%</b>	<b>53%</b>	<b>47%</b>	<b>2,404</b>	<b>6,852</b>	<b>100.0%</b>	<b>61%</b>	<b>39%</b>	<b>4,334</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWHARETAINED IN care and NOT IN care in CY 2014						
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Orlando EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.			Percent of PLWA retained in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.			Percent of PLWH retained in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Orlando-EMA through 2014.			Percent of PLWHA retained in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
MSM	3,068	3,030	6,098	54.5%	2,051	50.0%	67%	33%	1,017	1,655	60.1%	55%	45%	1,375	3,706	54.1%	61%	39%	2,392		
IDU	522	217	739	6.6%	314	7.7%	60%	40%	208	83	3.0%	38%	62%	134	397	5.8%	54%	46%	342		
MSM/IDU	268	134	402	3.6%	172	4.2%	64%	36%	96	61	2.2%	46%	54%	73	233	3.4%	58%	42%	169		
Heterosexual	491	359	850	7.6%	344	8.4%	70%	30%	147	165	6.0%	46%	54%	194	509	7.4%	60%	40%	342		
Other	52	33	85	0.8%	33	0.8%	63%	37%	19	20	0.7%	61%	39%	13	53	0.8%	62%	38%	32		
<b>Total:</b>	<b>4,401</b>	<b>3,773</b>	<b>8,174</b>	<b>73.1%</b>	<b>2,914</b>	<b>71.1%</b>	<b>66%</b>	<b>34%</b>	<b>1,487</b>	<b>1,984</b>	<b>72.1%</b>	<b>53%</b>	<b>47%</b>	<b>1,789</b>	<b>4,898</b>	<b>71.5%</b>	<b>60%</b>	<b>40%</b>	<b>3,276</b>		
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
IDU	284	181	465	4.2%	146	3.5%	51%	49%	139	61	2.2%	34%	66%	120	207	3.0%	44%	56%	258		
Heterosexual	1,296	1,138	2,434	21.8%	793	19.3%	61%	39%	504	521	18.9%	46%	54%	617	1,313	19.2%	54%	46%	1,121		
Other	47	43	90	0.8%	19	0.5%	40%	60%	28	12	0.4%	28%	72%	31	31	0.5%	34%	66%	59		
<b>Total:</b>	<b>1,627</b>	<b>1,362</b>	<b>2,989</b>	<b>26.7%</b>	<b>957</b>	<b>23.3%</b>	<b>59%</b>	<b>41%</b>	<b>670</b>	<b>594</b>	<b>21.6%</b>	<b>44%</b>	<b>56%</b>	<b>768</b>	<b>1,551</b>	<b>22.6%</b>	<b>52%</b>	<b>48%</b>	<b>1,438</b>		
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
Mother with/at risk for HIV infection	2	20	22	0.2%	2	0.0%	100%	0%	0	16	0.6%	80%	20%	4	18	0.3%	82%	18%	4		
Risk not diagnosed/Other	0	1	1	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.0%	100%	0%	0	1	0.0%	100%	0%	0		
<b>Total:</b>	<b>2</b>	<b>21</b>	<b>23</b>	<b>0.2%</b>	<b>2</b>	<b>0.0%</b>	<b>100%</b>	<b>0%</b>	<b>0</b>	<b>17</b>	<b>0.6%</b>	<b>81%</b>	<b>19%</b>	<b>0</b>	<b>19</b>	<b>0.3%</b>	<b>83%</b>	<b>17%</b>	<b>4</b>		

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014							
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Orlando EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.			Percent of PLWA retained in care over number PLWA.		Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.			Percent of PLWH retained in care over number PLWA.		Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Orlando EMA through 2014.			Percent of PLWHA retained in care over number PLWA.		Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care			
Special Populations																						
White Heterosexual	195	170	365	N/A	135	N/A	69%	31%	60	100	N/A	59%	41%	70	235	N/A	64%	36%	130			
Black Heterosexual	1,078	946	2,024	N/A	774	N/A	72%	28%	304	449	N/A	47%	53%	497	1,223	N/A	60%	40%	801			
Hispanic Heterosexual	475	354	829	N/A	344	N/A	72%	28%	131	220	N/A	62%	38%	134	564	N/A	68%	32%	265			
Black Heterosexual Females	750	701	1,451	N/A	542	N/A	72%	28%	208	350	N/A	50%	50%	351	893	N/A	62%	38%	558			
Black Heterosexual Males	328	245	573	N/A	232	N/A	71%	29%	96	99	N/A	40%	60%	146	331	N/A	58%	42%	243			
White MSM	1,606	1,415	3,021	N/A	1,087	N/A	68%	32%	519	837	N/A	59%	41%	578	1,924	N/A	64%	36%	1,097			
Black MSM	920	855	1,775	N/A	605	N/A	66%	34%	315	368	N/A	43%	57%	487	973	N/A	55%	45%	802			
Hispanic MSM	746	814	1,560	N/A	486	N/A	65%	35%	260	471	N/A	58%	42%	343	957	N/A	61%	39%	603			
White Male IDU	176	81	257	N/A	98	N/A	56%	44%	78	33	N/A	41%	59%	48	131	N/A	51%	49%	126			
Black Male IDU	274	115	389	N/A	181	N/A	66%	34%	93	37	N/A	32%	68%	78	218	N/A	56%	44%	171			
Hispanic Male IDU	331	147	478	N/A	199	N/A	60%	40%	132	71	N/A	48%	52%	76	270	N/A	56%	44%	208			
White Female IDU	77	55	132	N/A	57	N/A	74%	26%	20	26	N/A	48%	52%	29	83	N/A	63%	37%	49			
Black Female IDU	123	78	201	N/A	98	N/A	79%	21%	25	41	N/A	52%	48%	37	138	N/A	69%	31%	63			
Hispanic Female IDU	77	44	121	N/A	52	N/A	68%	32%	25	23	N/A	52%	48%	21	75	N/A	62%	38%	46			
White Male Homeless	6	8	14	N/A	0	N/A	0%	100%	6	0	N/A	0%	100%	8	0	N/A	0%	100%	14			
Black Male Homeless	11	22	33	N/A	0	N/A	0%	100%	11	0	N/A	0%	100%	22	0	N/A	0%	100%	33			
Hispanic Male Homeless	5	5	10	N/A	0	N/A	0%	100%	5	0	N/A	0%	100%	5	0	N/A	0%	100%	10			
White Female Homeless	1	4	5	N/A	0	N/A	0%	100%	1	0	N/A	0%	100%	4	0	N/A	0%	100%	5			
Black Female Homeless	2	9	11	N/A	0	N/A	0%	100%	2	0	N/A	0%	100%	9	0	N/A	0%	100%	11			
Hispanic Female Homeless	1	1	2	N/A	0	N/A	0%	100%	1	0	N/A	0%	100%	1	0	N/A	0%	100%	2			
Female Haitian Born	189	150	339	N/A	124	N/A	66%	34%	65	79	N/A	53%	47%	71	203	N/A	60%	40%	136			
Male Haitian Born	223	122	345	N/A	147	N/A	66%	34%	76	41	N/A	34%	66%	81	188	N/A	54%	46%	157			
White Male Youth (current ages 13-24)	3	52	55	N/A	3	N/A	100%	0%	0	32	N/A	62%	38%	20	35	N/A	64%	36%	20			
Black Male Youth (current ages 13-24)	58	131	189	N/A	41	N/A	71%	29%	17	63	N/A	48%	52%	68	104	N/A	55%	45%	85			
Hispanic Male Youth (current ages 13-24)	25	81	106	N/A	18	N/A	72%	28%	7	52	N/A	64%	36%	29	70	N/A	66%	34%	36			
White Female Youth (current ages 13-24)	0	12	12	N/A	0	N/A	#DIV/0!	#DIV/0!	0	8	N/A	67%	33%	4	8	N/A	67%	33%	4			
Black Female Youth (current ages 13-24)	24	51	75	N/A	24	N/A	100%	0%	0	33	N/A	65%	35%	18	57	N/A	76%	24%	18			
Hispanic Female Youth (current ages 13-24)	8	17	25	N/A	4	N/A	50%	50%	4	12	N/A	71%	29%	5	16	N/A	64%	36%	9			
White WCBA* (current ages 15-44)	70	91	161	N/A	47	N/A	67%	33%	23	51	N/A	56%	44%	40	98	N/A	61%	39%	63			
Black WCBA* (current ages 15-44)	328	431	759	N/A	227	N/A	69%	31%	101	200	N/A	46%	54%	231	427	N/A	56%	44%	332			
Hispanic WCBA* (current ages 15-44)	126	136	262	N/A	93	N/A	74%	26%	33	80	N/A	59%	41%	56	173	N/A	66%	34%	89			
White Ped Cases (current current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0			
Black Ped Cases (current ages 0-12)	2	16	18	N/A	2	N/A	100%	0%	0	13	N/A	81%	19%	3	15	N/A	83%	17%	3			
Hispanic Ped Cases (current ages 0-12)	0	4	4	N/A	0	N/A	#DIV/0!	#DIV/0!	0	3	N/A	75%	25%	1	3	N/A	75%	25%	1			
DOC Cases	195	131	326	N/A	142	N/A	73%	27%	53	70	N/A	53%	47%	61	212	N/A	65%	35%	114			

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE OTHER WORKSHEETS. DO NOT DELETE THIS PAGE, AS THE OTHER WORKSHEETS ARE LINKED WITH THIS PAGE.

PLWHA Diagnosed, and Whether In Care at least one time in previous year or NOT, and Whether last lab in 2014 was suppressed or NOT, (excl DOC), Orlando EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015					Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT				at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014				Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is <u>this</u> Jurisdiction, regardless where diagnosed.					PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.		PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.		PLWHA with a SUPPRESSED Viral Load in CY 2014	
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
White, not Hispanic	1,968	1,668	3,636	32.5%		3,415	33.6%	94%	6%	221		2,604	33.2%	72%	28%	1,032		2,306	35.5%
Black, not Hispanic	2,374	2,024	4,398	39.3%		3,842	37.8%	87%	13%	556		2,996	38.2%	68%	32%	1,402		2,298	35.4%
Hispanic	1,570	1,348	2,918	26.1%		2,706	26.6%	93%	7%	212		2,069	26.4%	71%	29%	849		1,754	27.0%
Asian/Pacific Islander	29	44	73	0.7%		59	0.6%	81%	19%	14		46	0.6%	63%	37%	27		45	0.7%
American Indian/Alaskan Native	3	9	12	0.1%		11	0.1%	92%	8%	1		6	0.1%	50%	50%	6		5	0.1%
Not Specified/Other	86	63	149	1.3%		141	1.4%	95%	5%	8		120	1.5%	81%	19%	29		87	1.3%
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>		<b>10,174</b>	<b>100.0%</b>	<b>91%</b>	<b>9%</b>	<b>1,012</b>		<b>7,841</b>	<b>100.0%</b>	<b>70%</b>	<b>30%</b>	<b>3,345</b>		<b>6,495</b>	<b>100.0%</b>
Gender	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
Female	1,629	1,374	3,003	26.8%		2,746	27.0%	91%	9%	257		2,204	28.1%	73%	27%	799		1,759	27.1%
Male	4,401	3,782	8,183	73.2%		7,428	73.0%	91%	9%	755		5,637	71.9%	69%	31%	2,546		4,736	72.9%
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>		<b>10,174</b>	<b>100.0%</b>	<b>91%</b>	<b>9%</b>	<b>1,012</b>		<b>7,841</b>	<b>100.0%</b>	<b>70%</b>	<b>30%</b>	<b>3,345</b>		<b>6,495</b>	<b>100.0%</b>
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
0- 2 years	0	3	3	0.0%		3	0.0%	100%	0%	0		3	0.0%	100%	0%	0		1	0.0%
3-12 years	2	18	20	0.2%		20	0.2%	100%	0%	0		16	0.2%	80%	20%	4		13	0.2%
13-19 years	19	50	69	0.6%		66	0.6%	96%	4%	3		60	0.8%	87%	13%	9		37	0.6%
20-24 years	100	305	405	3.6%		354	3.5%	87%	13%	51		294	3.7%	73%	27%	111		209	3.2%
25-29 years	225	565	790	7.1%		685	6.7%	87%	13%	105		533	6.8%	67%	33%	257		397	6.1%
30-39 years	795	1,151	1,946	17.4%		1,681	16.5%	86%	14%	265		1,295	16.5%	67%	33%	651		996	15.3%
40-44 years	709	639	1,348	12.1%		1,226	12.1%	91%	9%	122		910	11.6%	68%	32%	438		769	11.8%
45-49 years	1,063	775	1,838	16.4%		1,706	16.8%	93%	7%	132		1,306	16.7%	71%	29%	532		1,131	17.4%
50-59 years	2,204	1,147	3,351	30.0%		3,136	30.8%	94%	6%	215		2,438	31.1%	73%	27%	913		2,091	32.2%
60+ years	913	503	1,416	12.7%		1,297	12.7%	92%	8%	119		986	12.6%	70%	30%	430		851	13.1%
<b>Total:</b>	<b>6,030</b>	<b>5,156</b>	<b>11,186</b>	<b>100.0%</b>		<b>10,174</b>	<b>100.0%</b>	<b>91%</b>	<b>9%</b>	<b>1,012</b>		<b>7,841</b>	<b>100.0%</b>	<b>70%</b>	<b>30%</b>	<b>3,345</b>		<b>6,495</b>	<b>100.0%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015					Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT				at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014				Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.					PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.		PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.		Number of PLWHA with NO care.		PLWHA with a SUPPRESSED Viral Load in CY 2014	
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
MSM	3,068	3,030	6,098	54.5%		5,553	54.6%	91%	9%	545		4,262	54.4%	70%	30%	1,836		3,646	56.1%
IDU	522	217	739	6.6%		675	6.6%	91%	9%	64		469	6.0%	63%	37%	270		350	5.4%
MSM/IDU	268	134	402	3.6%		373	3.7%	93%	7%	29		261	3.3%	65%	35%	142		208	3.2%
Heterosexual	491	359	850	7.6%		734	7.2%	86%	14%	116		577	7.4%	68%	32%	273		485	7.5%
Other	52	33	85	0.8%		85	0.8%	100%	0%	0		61	0.8%	72%	28%	24		42	0.6%
<b>Total:</b>	<b>4,401</b>	<b>3,773</b>	<b>8,174</b>	<b>73.1%</b>		<b>7,419</b>	<b>72.9%</b>	<b>91%</b>	<b>9%</b>	<b>755</b>		<b>5,629</b>	<b>71.8%</b>	<b>69%</b>	<b>31%</b>	<b>2,545</b>		<b>4,730</b>	<b>72.8%</b>
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
IDU	284	181	465	4.2%		427	4.2%	92%	8%	39		343	4.4%	74%	26%	122		275	4.2%
Heterosexual	1,296	1,138	2,434	21.8%		2,217	21.8%	91%	9%	218		1,777	22.7%	73%	27%	657		1,427	22.0%
Other	47	43	90	0.8%		89	0.9%	99%	1%	1		73	0.9%	81%	19%	17		49	0.8%
<b>Total:</b>	<b>1,627</b>	<b>1,362</b>	<b>2,989</b>	<b>26.7%</b>		<b>2,732</b>	<b>26.9%</b>	<b>91%</b>	<b>9%</b>	<b>257</b>		<b>2,193</b>	<b>28.0%</b>	<b>73%</b>	<b>27%</b>	<b>796</b>		<b>1,751</b>	<b>27.0%</b>
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
Mother with/at risk for HIV infection	2	20	22	0.2%		22	0.2%	100%	0%	0		18	0.2%	82%	18%	4		14	0.2%
Risk not diagnosed/Other	0	1	1	0.0%		1	0.0%	100%	0%	0		1	0.0%	100%	0%	0		0	0.0%
<b>Total:</b>	<b>2</b>	<b>21</b>	<b>23</b>	<b>0.2%</b>		<b>23</b>	<b>0.2%</b>	<b>100%</b>	<b>0%</b>	<b>#REF!</b>		<b>19</b>	<b>0.2%</b>	<b>83%</b>	<b>17%</b>	<b>4</b>		<b>14</b>	<b>0.2%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT			at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014			Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.				PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.	PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.	PLWHA with a SUPPRESSED Viral Load in CY 2014	
	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
White Heterosexual	195	170	365	N/A	343	N/A	94%	6%	23	264	N/A	72%	28%	101	218	N/A
Black Heterosexual	1,078	946	2,024	N/A	1,760	N/A	87%	13%	264	1,407	N/A	70%	30%	617	1,113	N/A
Hispanic Heterosexual	475	354	829	N/A	785	N/A	95%	5%	44	633	N/A	76%	24%	196	543	N/A
Black Heterosexual Females	750	701	1,451	N/A	1,284	N/A	88%	12%	167	1,028	N/A	71%	29%	423	805	N/A
Black Heterosexual Males	328	245	573	N/A	476	N/A	83%	17%	97	379	N/A	66%	34%	194	308	N/A
White MSM	1,606	1,415	3,021	N/A	2,838	N/A	94%	6%	183	2,170	N/A	72%	28%	851	1,961	N/A
Black MSM	920	855	1,775	N/A	1,537	N/A	87%	13%	238	1,160	N/A	65%	35%	615	875	N/A
Hispanic MSM	746	814	1,560	N/A	1,424	N/A	91%	9%	136	1,091	N/A	70%	30%	470	936	N/A
White Male IDU	176	81	257	N/A	237	N/A	92%	8%	20	156	N/A	61%	39%	101	123	N/A
Black Male IDU	274	115	389	N/A	351	N/A	90%	10%	39	257	N/A	66%	34%	132	180	N/A
Hispanic Male IDU	331	147	478	N/A	445	N/A	93%	7%	33	302	N/A	63%	37%	176	243	N/A
White Female IDU	77	55	132	N/A	122	N/A	93%	8%	10	96	N/A	73%	27%	292	70	N/A
Black Female IDU	123	78	201	N/A	179	N/A	89%	11%	22	150	N/A	75%	25%	307	125	N/A
Hispanic Female IDU	77	44	121	N/A	114	N/A	94%	6%	7	86	N/A	71%	29%	89	71	N/A
White Male Homeless	6	8	14	N/A	7	N/A	50%	50%	7	1	N/A	7%	93%	13	0	N/A
Black Male Homeless	11	22	33	N/A	13	N/A	39%	61%	20	4	N/A	12%	88%	29	1	N/A
Hispanic Male Homeless	5	5	10	N/A	5	N/A	50%	50%	5	0	N/A	0%	100%	10	0	N/A
White Female Homeless	1	4	5	N/A	2	N/A	40%	60%	3	0	N/A	0%	100%	5	0	N/A
Black Female Homeless	2	9	11	N/A	4	N/A	36%	64%	7	0	N/A	0%	100%	11	0	N/A
Hispanic Female Homeless	1	1	2	N/A	1	N/A	50%	50%	1	0	N/A	0%	100%	2	0	N/A
Female Haitian Born	189	150	339	N/A	296	N/A	87%	13%	43	227	N/A	67%	33%	112	183	N/A
Male Haitian Born	223	122	345	N/A	287	N/A	83%	17%	58	209	N/A	61%	39%	136	172	N/A
White Male Youth (current ages 13-24)	3	52	55	N/A	46	N/A	84%	16%	9	39	N/A	71%	29%	16	33	N/A
Black Male Youth (current ages 13-24)	58	131	189	N/A	161	N/A	85%	15%	28	129	N/A	68%	32%	60	87	N/A
Hispanic Male Youth (current ages 13-24)	25	81	106	N/A	97	N/A	92%	8%	9	87	N/A	82%	18%	19	64	N/A
White Female Youth (current ages 13-24)	0	12	12	N/A	12	N/A	100%	0%	0	11	N/A	92%	8%	1	6	N/A
Black Female Youth (current ages 13-24)	24	51	75	N/A	71	N/A	95%	5%	4	62	N/A	83%	17%	13	34	N/A
Hispanic Female Youth (current ages 13-24)	8	17	25	N/A	24	N/A	96%	4%	1	19	N/A	76%	24%	6	16	N/A
White WCBA* (current ages 15-44)	70	91	161	N/A	150	N/A	93%	7%	11	117	N/A	73%	27%	44	87	N/A
Black WCBA* (current ages 15-44)	328	431	759	N/A	648	N/A	85%	15%	111	509	N/A	67%	33%	250	361	N/A
Hispanic WCBA* (current ages 15-44)	126	136	262	N/A	244	N/A	93%	7%	18	200	N/A	76%	24%	62	102	N/A
White Ped Cases (current current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A
Black Ped Cases (current ages 0-12)	2	16	18	N/A	18	N/A	100%	0%	0	15	N/A	83%	17%	3	10	N/A
Hispanic Ped Cases (current ages 0-12)	0	4	4	N/A	4	N/A	100%	0%	0	3	N/A	75%	25%	1	3	N/A
DOC Cases	195	131	326	N/A	300	N/A	92%	8%	26	229	N/A	70%	30%	97	185	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE C

PLWHA Diagnosed, and V

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
<b>Race/Ethnicity</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
White, not Hispanic	63%	37%	1,330
Black, not Hispanic	52%	48%	2,100
Hispanic	60%	40%	1,164
Asian/Pacific Islander	62%	38%	28
American Indian/Alaskan Native	42%	58%	7
Not Specified/Other	58%	42%	62
<b>Total:</b>	<b>58%</b>	<b>42%</b>	<b>4,691</b>
<b>Gender</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
Female	59%	41%	1,244
Male	58%	42%	3,447
<b>Total:</b>	<b>58%</b>	<b>42%</b>	<b>4,691</b>
<b>Current Age on 12/31/2012 (Years)</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
0- 2 years	33%	67%	2
3-12 years	65%	35%	7
13-19 years	54%	46%	32
20-24 years	52%	48%	196
25-29 years	50%	50%	393
30-39 years	51%	49%	950
40-44 years	57%	43%	579
45-49 years	62%	38%	707
50-59 years	62%	38%	1,260
60+ years	60%	40%	565
<b>Total:</b>	<b>58%</b>	<b>42%</b>	<b>4,691</b>



PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014			
Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
<b>Male Adult/Adolescent AIDS Exposure Category</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
MSM	60%	40%	2,452
IDU	47%	53%	389
MSM/IDU	52%	48%	194
Heterosexual	57%	43%	366
Other	49%	51%	43
<b>Total:</b>	<b>58%</b>	<b>42%</b>	<b>3,444</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
IDU	59%	41%	190
Heterosexual	59%	41%	1,007
Other	54%	46%	41
<b>Total:</b>	<b>59%</b>	<b>41%</b>	<b>1,238</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	<b>% sup VL</b>	<b>%NOT sup VL</b>	<b># NOT sup VL</b>
Mother with/at risk for HIV infection	64%	36%	8
Risk not diagnosed/Other	0%	100%	1
<b>Total:</b>	<b>61%</b>	<b>39%</b>	<b>9</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
Special Populations	% sup VL	%NOT sup VL	# NOT sup VL
White Heterosexual	60%	40%	147
Black Heterosexual	55%	45%	911
Hispanic Heterosexual	66%	34%	286
Black Heterosexual Females	55%	45%	647
Black Heterosexual Males	54%	46%	265
White MSM	65%	35%	1,061
Black MSM	49%	51%	900
Hispanic MSM	60%	40%	624
White Male IDU	48%	52%	134
Black Male IDU	46%	54%	209
Hispanic Male IDU	51%	49%	235
White Female IDU	53%	47%	62
Black Female IDU	62%	38%	77
Hispanic Female IDU	59%	41%	50
White Male Homeless	0%	100%	14
Black Male Homeless	3%	97%	32
Hispanic Male Homeless	0%	100%	10
White Female Homeless	0%	100%	5
Black Female Homeless	0%	100%	11
Hispanic Female Homeless	0%	100%	2
Female Haitian Born	54%	46%	156
Male Haitian Born	50%	50%	173
White Male Youth (current ages 13-24)	60%	40%	22
Black Male Youth (current ages 13-24)	46%	54%	102
Hispanic Male Youth (current ages 13-	60%	40%	42
White Female Youth (current ages 13-	50%	50%	6
Black Female Youth (current ages 13-	45%	55%	41
Hispanic Female Youth (current ages 13-	64%	36%	9
White WCBA* (current ages 15-44)	54%	46%	74
Black WCBA* (current ages 15-44)	48%	52%	398
Hispanic WCBA* (current ages 15-44)	39%	61%	160
White Ped Cases (current current ages	#DIV/0!	#DIV/0!	0
Black Ped Cases (current ages 0-12)	56%	44%	8
Hispanic Ped Cases (current ages 0-12)	75%	25%	1
DOC Cases	57%	43%	141

\*WCBA=Women of Child Bearing Age

MSM includes MSM & M  
Male IDU includes IDU & F

**Attachment 4: UNMET NEED FRAMEWORK, ORLANDO, as of 06/30/2015**

**Retained in Care, 2012**

**Retained in Care, 2013**

**Retained in Care, 2014**

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

Population Sizes			Care Patterns			Calculated Results		
Value	Percent		Value	Percent		Value	Percent	
<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	5,613		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	5,810		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014	6,030	
<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	4,584		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	4,785		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014	5,156	
<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	10,197		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	10,595		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014	11,186	
<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,986	53%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,129	54%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,100	68%
<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,678	37%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	1,848	39%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,752	53%
<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,664	46%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,977	47%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	6,852	61%
<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	2,627	47%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	2,681	46%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,930	32%
<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	2,906	63%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	2,937	61%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	2,404	47%
<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	5,533	54%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	5,618	53%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	4,334	39%

**In Care (old method), 2012**

**In Care (old method), 2013**

**In Care (old method), 2014**

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

Population Sizes			Care Patterns			Calculated Results		
Value	Percent		Value	Percent		Value	Percent	
<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	5,613		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	5,810		<b>Row A.</b> Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014	6,030	
<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	4,584		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	4,785		<b>Row B.</b> Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014	5,156	
<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	10,197		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	10,595		<b>Row C.</b> Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014	11,186	
<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,684	66%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,809	66%	<b>Row D.</b> Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	4,604	76%
<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,262	49%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,454	51%	<b>Row E.</b> Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	3,237	63%
<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	5,946	58%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	6,263	59%	<b>Row F.</b> Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	7,841	70%
<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,929	34%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	2,001	34%	<b>Row G.</b> Number of PLWA who <u>did NOT</u> receive primary medical services	1,426	24%
<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	2,322	51%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	2,331	49%	<b>Row H.</b> Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	1,919	37%
<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	4,251	42%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	4,332	41%	<b>Row I.</b> Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	3,345	30%

**Attachment 5: CO-MORBIDITIES, ORLANDO EMA**

Documented Co-morbidity cases 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	<b>N= 11,186</b>				
Tuberculosis diagnosed among HIV/AIDS patients	1	8.9	1.2%	eHARS	Data through 2014 (data as of 06/30/2015)
Infectious Syphilis diagnosed among HIV/AIDS patients	104	929.7	45.0%	PRISM	Data through 2014 (data as of 06/30/2015)
Gonorrhea diagnosed among HIV/AIDS patients	141	1260.5	5.6%	PRISM	Data through 2014 (data as of 06/30/2015)
Chlamydia diagnosed among HIV/AIDS patients	157	1403.5	1.4%	PRISM	Data through 2014 (data as of 06/30/2015)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	1,172	10477.4	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2014 (data as of 06/30/2015)

Other Factors / Surrogate Markers Documented in 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
<b>Homelessness</b> (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	75	670.5	eHARS (address variable)	Data through 2014 (data as of 06/30/2015)	
<b>Substance Abuse</b> (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g.. alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	1,481	13,239.8	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
<b>Chronic Mental Illness</b> (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	209	1,868.4	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
<b>MSM</b> (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	6,500	58,108.3	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
<b>IDU</b> (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	1,606	14,357.2	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2014	2,707	73	2.7%	Dept. of Corrections Offender-based Information System	CY 2014, data as of 02/2015
Offenders who returned to the Area in 2013	2,741	59	2.2%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	2,906	86	3.0%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 02/2013

**Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of  
The Continuum of HIV Care - ORLANDO EMA, 2014**

CATEGORY	HIV Diagnosed in 2014	Linked to Care within 3 months of diagnosis		Estimate of HIV Infected Still to be calculated	HIV Diagnosed and Living in Jurisdiction through 2014	Ever In Care Persons with at least one CD4 or VL documented since HIV diagnosis		In Care at least once at least 1 medical visit or VL or CD4 test		Retained In Care This Year 2 or more medical visits or VL or CD4 tests at least 3 months apart in 2014		On ART* Percent of persons receiving medical care and who have a documented ART RX on record		Viral Load Suppression The number/percent of persons whose most recent HIV VL was (<200 copies/mL)		
	730	#	%		#	#	%	#	%	#	%	#	%	#	%	%
<b>By Race/Ethnicity</b>		<b>595</b>	<b>82%</b>		<b>11,186</b>	<b>10,174</b>	<b>91%</b>	<b>7,841</b>	<b>70%</b>	<b>6,852</b>	<b>61%</b>	<b>7,449</b>	<b>67%</b>	<b>6,495</b>	<b>58%</b>	<b>83%</b>
White	202	172	85%		3,636	3,415	94%	2,604	72%	2,301	63%			2,306	63%	89%
Black	245	185	76%		4,398	3,842	87%	2,996	68%	2,579	59%			2,298	52%	77%
Hispanic	258	218	84%		2,918	2,706	93%	2,069	71%	1,823	62%			1,754	60%	85%
<b>By Sex</b>																
Females	163	144	88%		3,003	2,746	91%	2,204	73%	1,946	65%			1,759	59%	80%
Males	567	451	80%		8,183	7,428	91%	5,637	69%	4,906	60%			4,736	58%	84%
<b>By Current Age Group</b>																
0-12 yrs of age	2	2	100%		23	23	100%	19	83%	19	83%			14	61%	74%
13-24 yrs of age	130	97	75%		474	420	89%	354	75%	295	62%			246	52%	69%
25-39 yrs of age	292	230	79%		2,736	2,366	86%	1,828	67%	1,514	55%			1,393	51%	76%
40-49 yrs of age	149	128	86%		3,186	2,932	92%	2,216	70%	1,939	61%			1,900	60%	86%
50+ yrs of age	157	138	88%		4,767	4,433	93%	3,424	72%	3,085	65%			2,942	62%	86%
<b>By Transmission Category**</b>																
MSM	473	378	80%		6,098	5,553	91%	4,262	70%	3,706	61%			3,646	60%	86%
Male IDU	23	21	91%		739	675	91%	469	63%	397	54%			350	47%	75%
MSM/IDU	19	15	78%		402	373	93%	261	65%	233	58%			208	52%	80%
Male Heterosexual	51	37	72%		850	734	86%	577	68%	509	60%			485	57%	84%
Female IDU	14	13	90%		465	427	92%	343	74%	207	44%			275	59%	80%
Female Heterosexual	144	127	88%		2,434	2,217	91%	1,777	73%	1,313	54%			1,427	59%	80%
<b>Special Populations</b>																
White Heterosexual	18	17	90%		365	343	94%	264	72%	235	64%			218	60%	83%
Black Heterosexual	106	81	76%		2,024	1,760	87%	1,407	70%	1,223	60%			1,113	55%	79%
Hispanic Heterosexual	66	61	92%		829	785	95%	633	76%	564	68%			543	66%	86%
Black Heterosexual Females	76	61	79%		1,451	1,284	88%	1,028	71%	893	62%			805	55%	78%
Black Heterosexual Males	30	20	68%		573	476	83%	379	66%	331	58%			308	54%	81%
White MSM	180	152	84%		3,021	2,838	94%	2,170	72%	1,924	64%			1,961	65%	90%
Black MSM	125	93	74%		1,775	1,537	87%	1,160	65%	973	55%			875	49%	75%
Hispanic MSM	169	134	80%		1,560	1,424	91%	1,091	70%	957	61%			936	60%	86%
White Male IDU	10	7	75%		257	237	92%	156	61%	131	51%			123	48%	79%
Black Male IDU	7	5	74%		389	351	90%	257	66%	218	56%			180	46%	70%
Hispanic Male IDU	26	24	92%		478	445	93%	302	63%	270	56%			243	51%	81%
White Female IDU	2	2	100%		132	122	93%	96	73%	83	63%			70	53%	73%
Black Female IDU	8	7	83%		201	179	89%	150	75%	138	69%			125	62%	83%
Hispanic Female IDU	3	2	96%		121	114	94%	86	71%	75	62%			71	59%	82%
White Male Homeless	0	0	#DIV/0!		14	7	50%	1	7%	0	0%			0	0%	0%
Black Male Homeless	0	0	#DIV/0!		33	13	39%	4	12%	0	0%			1	3%	25%
Hispanic Male Homeless	1	1	100%		10	5	50%	0	0%	0	0%			0	0%	#DIV/0!
White Female Homeless	1	1	100%		5	2	40%	0	0%	0	0%			0	0%	#DIV/0!
Black Female Homeless	1	0	0%		11	4	36%	0	0%	0	0%			0	0%	#DIV/0!
Hispanic Female Homeless	0	0	#DIV/0!		2	1	50%	0	0%	0	0%			0	0%	#DIV/0!
Female Haitian Born	23	20	87%		339	296	87%	227	67%	203	60%			183	54%	81%
Male Haitian Born	8	5	63%		345	287	83%	209	61%	188	54%			172	50%	82%
White Male Youth (current ages 13-24)	21	17	81%		55	46	84%	39	71%	35	64%			33	60%	85%
Black Male Youth (current ages 13-24)	48	35	73%		189	161	85%	129	68%	104	55%			87	46%	67%
Hispanic Male Youth (current ages 13-24)	33	24	73%		106	97	92%	87	82%	70	66%			64	60%	74%
White Female Youth (current ages 13-24)	3	3	100%		12	12	100%	11	92%	8	67%			6	50%	55%
Black Female Youth (current ages 13-24)	14	9	64%		75	71	95%	62	83%	57	76%			34	45%	55%
Hispanic Female Youth (current ages 13-24)	4	4	100%		25	24	96%	19	76%	16	64%			16	64%	84%
White WCBA* (current ages 15-44)	11	11	100%		161	150	93%	117	73%	98	61%			87	54%	74%
Black WCBA* (current ages 15-44)	55	44	80%		759	648	85%	509	67%	427	56%			361	48%	71%
Hispanic WCBA* (current ages 15-44)	28	27	96%		262	244	93%	200	76%	173	66%			102	39%	51%
White Ped Cases (current ages 0-12)	0	0	#DIV/0!		0	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!			0	#DIV/0!	#DIV/0!
Black Ped Cases (current ages 0-12)	1	1	100%		18	18	100%	15	83%	15	83%			10	56%	67%
Hispanic Ped Cases (current ages 0-12)	0	0	#DIV/0!		4	4	100%	3	75%	3	75%			3	75%	100%
DOC Cases	4	3	75%		326	300	92%	229	70%	212	65%			185	57%	81%

## AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, ORLANDO EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.	
<b>Race/Ethnicity</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
White, not Hispanic	257	26%	536	29%	1,968	33%	1,668	32%	3,636	33%
Black, not Hispanic	458	47%	724	39%	2,374	39%	2,024	39%	4,398	39%
Hispanic	234	24%	546	29%	1,570	26%	1,348	26%	2,918	26%
Asian/Pacific Islander	6	1%	18	1%	29	0%	44	1%	73	1%
American Indian/Alaskan Native	1	0%	4	0%	3	0%	9	0%	12	0%
Not Specified/Other	24	2%	28	2%	86	1%	63	1%	149	1%
<b>Total:</b>	<b>980</b>	<b>100%</b>	<b>1,856</b>	<b>100%</b>	<b>6,030</b>	<b>100%</b>	<b>5,156</b>	<b>100%</b>	<b>11,186</b>	<b>100%</b>
<b>Gender</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
Male	725	74%	1,444	78%	4,401	73%	3,782	73%	8,183	73%
Female	255	26%	412	22%	1,629	27%	1,374	27%	3,003	27%
<b>Total:</b>	<b>980</b>	<b>100%</b>	<b>1,856</b>	<b>100%</b>	<b>6,030</b>	<b>100%</b>	<b>5,156</b>	<b>100%</b>	<b>11,186</b>	<b>100%</b>
<b>Age at Diagnosis (Incidence) / Current Age (Prevalence)</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>	<b>#</b>	<b>% of Total</b>
0-12 years	0	0%	5	0%	0	0%	3	1%	3	1%
13-19 years	17	2%	68	4%	2	0%	18	5%	20	4%
20-44 years	540	55%	1,166	63%	19	0%	50	13%	69	14%
45+ years	423	43%	617	33%	100	2%	305	81%	405	81%
<b>Total:</b>	<b>980</b>	<b>100%</b>	<b>1,856</b>	<b>100%</b>	<b>121</b>	<b>100%</b>	<b>376</b>	<b>100%</b>	<b>497</b>	<b>100%</b>

## AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, ORLANDO EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Orlando EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	510	52%	1,174	63%	3,068	51%	3,030	59%	6,098	55%
IDU	94	10%	105	6%	806	13%	398	8%	1,204	11%
MSM/IDU	38	4%	43	2%	268	4%	134	3%	402	4%
Heterosexual	327	33%	517	28%	1,787	30%	1,497	29%	3,284	29%
Other	11	1%	12	1%	99	2%	76	1%	175	2%
<b>Total:</b>	980	100%	1,851	100%	6,028	100%	5,135	100%	11,163	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	5	100%	2	100%	20	95%	22	96%
Risk not Diagnosed/Other	0	#DIV/0!	0	0%	0	0%	1	5%	1	4%
<b>Total:</b>	0	#DIV/0!	5	100%	2	100%	21	100%	23	100%