

EPIDEMIOLOGICAL PROFILE
Target Area
Partnership 11a (Miami-Dade)
Miami-Dade County

Mid-Year Population Estimates

2013

Sex

	Total Pop	
Males	1,238,874	49%
Females	1,312,250	51%
Total	2,551,124	100%

Age Groups

	Total Pop	
0 - 12	394,063	15%
13 - 19	223,979	9%
20 - 24	175,875	7%
25 - 29	180,863	7%
30 - 39	349,735	14%
40 - 49	373,784	15%
50 - 59	340,745	13%
60+	512,080	20%
Total	2,551,124	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	383,672	15%
Black, non-Hispanic	432,264	17%
Hispanic	1,674,883	66%
Other*	60,305	2%
Total	2,551,124	100%

2014

Sex

	Total Pop	
Males	1,263,503	48.5%
Females	1,339,323	51.5%
Total	2,602,826	100.0%

Age Groups

	Total Pop	
0 - 12	401,199	15%
13 - 19	225,176	9%
20 - 24	178,412	7%
25 - 29	186,227	7%
30 - 39	354,186	14%
40 - 49	375,541	14%
50 - 59	352,926	14%
60+	529,159	20%
Total	2,602,826	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	377,873	15%
Black, non-Hispanic	437,678	17%
Hispanic	1,726,070	66%
Other*	61,205	2%
Total	2,602,826	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS Section

Created: 12/30/14
Revision: 10/14/15



Attachment 3: JURISDICTION PROFILE, MIAMI EMA

Newly Reported HIV Infection and AIDS cases over a three year period

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Race/Ethnicity	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White, not Hispanic	45	7%	42	6%	42	8%	-6.7%	144	13%	141	10%	165	12%	14.6%
Black, not Hispanic	272	45%	328	48%	247	48%	-9.2%	430	39%	508	37%	486	34%	13.0%
Hispanic	271	45%	305	45%	224	43%	-17.3%	523	47%	697	51%	753	53%	44.0%
Asian/Pacific Islander	3	0%	3	0%	3	1%	0.0%	7	1%	16	1%	5	0%	-28.6%
American Indian/Alaskan Native	0	0%	0	0%	0	0%	#DIV/0!	0	0%	1	0%	2	0%	#DIV/0!
Not Specified/Other	11	2%	5	1%	2	0%	-81.8%	9	1%	5	0%	0	0%	-100.0%
Total:	602	100%	683	100%	518	100%	-14.0%	1,113	100%	1,368	100%	1,411	100%	26.8%
Gender	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Male	159	26.4%	490	71.7%	374	72.2%	135.2%	248	22.3%	1058	77.3%	1183	83.8%	377.0%
Female	443	73.6%	193	28.3%	144	27.8%	-67.5%	865	77.7%	310	22.7%	228	16.2%	-73.6%
Total:	602	100.0%	683	100.0%	518	100.0%	-14.0%	1,113	100.0%	1,368	100.0%	1,411	100.0%	26.8%
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
0- 2 years	0	0.0%	1	0.1%	1	0.2%	#DIV/0!	2	0.2%	3	0.2%	3	0.2%	50.0%
3-12 years	0	0.0%	0	0.0%	1	0.2%	#DIV/0!	0	0.0%	1	0.1%	1	0.1%	#DIV/0!
13-19 years	4	0.7%	8	1.2%	4	0.8%	0.0%	45	4.0%	36	2.6%	39	2.8%	-13.3%
20-24 years	42	7.0%	44	6.4%	29	5.6%	-31.0%	156	14.0%	180	13.2%	172	12.2%	10.3%
25-29 years	52	8.6%	78	11.4%	63	12.2%	21.2%	150	13.5%	206	15.1%	235	16.7%	56.7%
30-39 years	138	22.9%	149	21.8%	119	23.0%	-13.8%	250	22.5%	332	24.3%	362	25.7%	44.8%
40-44 years	90	15.0%	103	15.1%	58	11.2%	-35.6%	157	14.1%	152	11.1%	148	10.5%	-5.7%
45-49 years	89	14.8%	112	16.4%	85	16.4%	-4.5%	144	12.9%	178	13.0%	173	12.3%	20.1%
50-59 years	138	22.9%	144	21.1%	108	20.8%	-21.7%	151	13.6%	203	14.8%	192	13.6%	27.2%
60+ years	49	8.1%	44	6.4%	50	9.7%	2.0%	58	5.2%	77	5.6%	86	6.1%	48.3%
Total:	602	100.0%	683	100.0%	518	100.0%	-14.0%	1,113	100.0%	1,368	100.0%	1,411	100.0%	26.8%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
Male Adult/Adolescent AIDS Exposure Category														
MSM	293	66.1%	329	67.1%	268	71.8%	-8.5%	696	80.5%	868	82.2%	982	83.1%	41.1%
IDU	15	3.5%	13	2.7%	15	4.0%	-2.6%	10	1.2%	13	1.2%	17	1.4%	70.0%
MSM/IDU	16	3.7%	18	3.7%	11	2.9%	-32.1%	14	1.6%	14	1.3%	16	1.4%	15.1%
Heterosexual	116	26.3%	127	25.9%	79	21.2%	-32.1%	143	16.6%	161	15.2%	166	14.1%	15.9%
Other	2	0.5%	3	0.6%	0	0.0%	-100.0%	1	0.1%	0	0.0%	0	0.0%	-100.0%
Total:	443	100.0%	490	100.0%	373	100.0%	-15.8%	864	100.0%	1,056	100.0%	1,181	100.0%	36.7%
Female Adult/Adolescent AIDS Exposure Category														
IDU	16	9.8%	26	13.5%	15	10.5%	-3.8%	18	7.2%	19	6.2%	15	6.6%	-16.2%
Heterosexual	142	89.6%	160	83.3%	125	87.4%	-12.2%	227	91.9%	287	93.2%	209	92.5%	-8.0%
Other	1	0.6%	6	3.1%	3	2.1%	200.0%	2	0.8%	2	0.6%	2	0.9%	0.0%
Total:	159	100.0%	192	100.0%	143	100.0%	-10.1%	247	100.0%	308	100.0%	226	100.0%	-8.5%
Pediatric AIDS Exposure Categories (ages 0-12)														
Mother with/at risk for HIV infection	0	#DIV/0!	1	100%	2	100%	#DIV/0!	2	100%	4	100%	4	100%	100.0%
Risk not reported/Other	0	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	0%	0	0%	#DIV/0!
Total:	0	#DIV/0!	1	100%	2	100%	#DIV/0!	2	100%	4	100%	4	100%	100.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Cases Reported 2012, 2013, & 2014							HIV Infection Cases Reported 2012, 2013, & 2014						
	New AIDS Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.							New HIV Infection Cases are defined as the number of new HIV Infection cases reported during the period specified, data as of 12/31/2014. The percent change is calculated as the change over the combined three year period.						
Special Populations	2012	% of Total	2013	% of Total	2014	% of Total	% change	2012	% of Total	2013	% of Total	2014	% of Total	% change
White MSM*	37	N/A	26	N/A	31	N/A	-16.2%	125	N/A	122	N/A	143	N/A	14.0%
Black MSM*	75	N/A	107	N/A	77	N/A	2.7%	147	N/A	191	N/A	226	N/A	53.7%
Hispanic MSM*	190	N/A	208	N/A	166	N/A	-12.7%	424	N/A	552	N/A	624	N/A	47.0%
white Male IDU**	3	N/A	4	N/A	2	N/A	-33.3%	3	N/A	5	N/A	6	N/A	93.5%
Black Male IDU**	13	N/A	12	N/A	11	N/A	-12.7%	9	N/A	5	N/A	11	N/A	22.2%
Hispanic Male IDU**	16	N/A	15	N/A	13	N/A	-18.8%	12	N/A	16	N/A	16	N/A	35.6%
white Female IDU**	1	N/A	5	N/A	2	N/A	100.0%	3	N/A	3	N/A	2	N/A	-35.5%
Black Female IDU**	12	N/A	15	N/A	10	N/A	-13.0%	12	N/A	12	N/A	7	N/A	-43.1%
Hispanic Female IDU**	3	N/A	4	N/A	2	N/A	-35.5%	3	N/A	4	N/A	5	N/A	100.0%
white Male Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	0	N/A	-100.0%
Black Male Homeless	2	N/A	1	N/A	0	N/A	-100.0%	3	N/A	1	N/A	3	N/A	0.0%
Hispanic Male Homeless	3	N/A	0	N/A	3	N/A	0.0%	5	N/A	3	N/A	3	N/A	-40.0%
white Female Homeless	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	1	N/A	#DIV/0!
Black Female Homeless	1	N/A	0	N/A	0	N/A	-100.0%	1	N/A	0	N/A	3	N/A	200.0%
Hispanic Female Homeless	0	N/A	1	N/A	0	N/A	#DIV/0!	2	N/A	1	N/A	0	N/A	-100.0%
Male Haitian Born	28	N/A	34	N/A	22	N/A	-21.4%	44	N/A	41	N/A	29	N/A	-34.1%
Female Haitian Born	40	N/A	40	N/A	22	N/A	-45.0%	44	N/A	53	N/A	35	N/A	-20.5%
white Male Youth (ages 13-24)	2	N/A	1	N/A	1	N/A	-50.0%	12	N/A	16	N/A	8	N/A	-33.3%
Black Male Youth (ages 13-24)	14	N/A	19	N/A	15	N/A	7.1%	68	N/A	69	N/A	74	N/A	8.8%
Hispanic Male Youth (ages 13-24)	17	N/A	16	N/A	7	N/A	-58.8%	69	N/A	88	N/A	95	N/A	37.7%
white Female Youth (ages 13-24)	1	N/A	0	N/A	0	N/A	-100.0%	4	N/A	1	N/A	3	N/A	-25.0%
Black Female Youth (ages 13-24)	11	N/A	13	N/A	10	N/A	-9.1%	38	N/A	26	N/A	23	N/A	-39.5%
Hispanic Female Youth (ages 13-24)	1	N/A	1	N/A	0	N/A	-100.0%	7	N/A	13	N/A	7	N/A	0.0%
White WCBA* (ages 15-44)	3	N/A	7	N/A	2	N/A	-33.3%	9	N/A	6	N/A	9	N/A	0.0%
Black WCBA* (ages 15-44)	59	N/A	65	N/A	51	N/A	-13.6%	115	N/A	117	N/A	89	N/A	-22.6%
Hiapanic WCBA* (ages 15-44)	20	N/A	21	N/A	14	N/A	-30.0%	36	N/A	53	N/A	34	N/A	-5.6%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	1	N/A	2	N/A	#DIV/0!	2	N/A	3	N/A	3	N/A	50.0%
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	1	N/A	#DIV/0!
DOC cases	7	N/A	11	N/A	12	N/A	71.4%	31	N/A	24	N/A	27	N/A	-12.9%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Attachment 3: JURISDICTION PROFILE, MIAMI EMA

Annual HIV and AIDS Prevalence over a three year period

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence 2012, 2013, & 2014							HIV Infection CasePrevalence 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
Race/Ethnicity																		
White, not Hispanic	1,393	11%	1,398	11%	1,425	11%	2.3%	1,402	12%	1,478	13%	1,595	13%	13.8%	2,795	12%	2,876	11%
Black, not Hispanic	6,135	47%	6,265	47%	6,335	47%	3.3%	4,922	44%	5,009	43%	5,202	41%	5.7%	11,057	46%	11,274	45%
Hispanic	5,193	40%	5,351	40%	5,472	41%	5.4%	4,803	43%	5,150	44%	5,644	45%	17.5%	9,996	41%	10,501	42%
Asian/Pacific Islander	26	0%	27	0%	30	0%	15.4%	28	0%	41	0%	42	0%	50.0%	54	0%	68	0%
American Indian/Alaskan Native	0	0%	0	0%	0	0%	#DIV/0!	3	0%	4	0%	5	0%	66.7%	3	0%	4	0%
Not Specified/Other	196	2%	192	1%	190	1%	-3.1%	105	1%	103	1%	102	1%	-2.9%	301	1%	295	1%
Total:	12,943	100%	13,233	100%	13,452	100%	3.9%	11,263	100%	11,785	100%	12,590	100%	11.8%	24,206	100%	25,018	100%
Gender																		
Female	3,719	28.7%	3,799	28.7%	3,838	28.5%	3.2%	3,206	28.5%	3,268	27.7%	3,346	26.6%	4.4%	6,925	28.6%	7,067	28.2%
Male	9,224	71.3%	9,434	71.3%	9,614	71.5%	4.2%	8,057	71.5%	8,517	72.3%	9,244	73.4%	14.7%	17,281	71.4%	17,951	71.8%
Total:	12,943	100.0%	13,233	100.0%	13,452	100.0%	3.9%	11,263	100.0%	11,785	100.0%	12,590	100.0%	11.8%	24,206	100.0%	25,018	100.0%
Age at Diagnosis (Years)																		
0- 2 years	0	0.0%	0	0.0%	0	0.0%	#DIV/0!	5	0.0%	3	0.0%	4	0.0%	-20.0%	5	0.0%	3	0.0%
3-12 years	12	0.1%	10	0.1%	8	0.1%	-33.3%	28	0.2%	26	0.2%	19	0.2%	-32.1%	40	0.2%	36	0.1%
13-19 years	74	0.6%	58	0.4%	42	0.3%	-43.2%	121	1.1%	114	1.0%	107	0.8%	-11.6%	195	0.8%	172	0.7%
20-24 years	206	1.6%	201	1.5%	189	1.4%	-8.3%	510	4.5%	494	4.2%	521	4.1%	2.2%	716	3.0%	695	2.8%
25-29 years	321	2.5%	369	2.8%	403	3.0%	25.5%	861	7.6%	911	7.7%	1,028	8.2%	19.4%	1,182	4.9%	1,280	5.1%
30-39 years	1,436	11.1%	1,410	10.7%	1,342	10.0%	-6.5%	2,323	20.6%	2,433	20.6%	2,610	20.7%	12.4%	3,759	15.5%	3,843	15.4%
40-44 years	1,663	12.8%	1,545	11.7%	1,418	10.5%	-14.7%	1,667	14.8%	1,606	13.6%	1,603	12.7%	-3.8%	3,330	13.8%	3,151	12.6%
45-49 years	2,412	18.6%	2,349	17.8%	2,239	16.6%	-7.2%	1,962	17.4%	2,005	17.0%	2,003	15.9%	2.1%	4,374	18.1%	4,354	17.4%
50-59 years	4,554	35.2%	4,772	36.1%	4,973	37.0%	9.2%	2,608	23.2%	2,841	24.1%	3,161	25.1%	21.2%	7,162	29.6%	7,613	30.4%
60+ years	2,265	17.5%	2,519	19.0%	2,838	21.1%	25.3%	1,178	10.5%	1,352	11.5%	1,534	12.2%	30.2%	3,443	14.2%	3,871	15.5%
Total:	12,943	100.0%	13,233	100.0%	13,452	100.0%	3.9%	11,263	100.0%	11,785	100.0%	12,590	100.0%	11.8%	24,206	100.0%	25,018	100.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalance 2012, 2013, & 2014							HIV Infection CasePrevalance 2012, 2013, & 2014							HIV/AIDS Prevalence, 2012, 2013, & 2014			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the number of persons living with HIV/AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.			
Male Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
MSM	5,969	64.8%	6,158	65.3%	6,315	65.7%	5.8%	5,899	73.4%	6,353	74.7%	7,026	76.1%	19.1%	11,868	68.8%	12,511	69.8%
IDU	684	7.4%	665	7.1%	657	6.8%	-4.0%	299	3.7%	299	3.5%	298	3.2%	-0.2%	983	5.7%	964	5.4%
MSM/IDU	465	5.0%	462	4.9%	459	4.8%	-1.3%	246	3.1%	242	2.8%	244	2.6%	-0.7%	711	4.1%	704	3.9%
Heterosexual	1,985	21.5%	2,025	21.5%	2,058	21.4%	3.7%	1,552	19.3%	1,564	18.4%	1,612	17.5%	3.9%	3,537	20.5%	3,589	20.0%
Other	115	1.2%	119	1.3%	121	1.3%	5.2%	44	0.5%	43	0.5%	50	0.5%	13.6%	159	0.9%	162	0.9%
Total:	9,218	100.0%	9,429	100.0%	9,610	100.0%	4.3%	8,039	100.0%	8,500	100.0%	9,230	100.0%	14.8%	17,257	100.0%	17,929	100.0%
Female Adult/Adolescent AIDS Exposure Category	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
IDU	504	13.6%	505	13.3%	504	13.1%	0.0%	250	7.8%	244	7.5%	241	7.2%	-3.7%	754	10.9%	749	10.6%
Heterosexual	3,084	83.1%	3,158	83.2%	3,200	83.5%	3.8%	2,872	90.0%	2,944	90.4%	3,023	90.6%	5.3%	5,956	86.3%	6,102	86.6%
Other	125	3.4%	131	3.5%	130	3.4%	4.0%	69	2.2%	68	2.1%	73	2.2%	5.8%	194	2.8%	199	2.8%
Total:	3,713	100.0%	3,794	100.0%	3,834	100.0%	3.3%	3,191	100.0%	3,256	100.0%	3,337	100.0%	4.6%	6,904	100.0%	7,050	100.0%
Pediatric AIDS Exposure Categories (ages 0-12)	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
Mother with/at risk for HIV infection	12	100%	10	100%	8	100%	-33.3%	32	97%	28	97%	23	100%	-28.1%	44	98%	38	97%
Risk not reported/Other	0	0%	0	0%	0	0%	#DIV/0!	1	3%	1	3%	0	0%	-100.0%	1	2%	1	3%
Total:	12	100%	10	100%	8	100%	-33.3%	33	100%	29	100%	23	100%	-30.3%	45	100%	39	100%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence 2012, 2013, & 2014							HIV Infection CasePrevalence 2012, 2013, & 2014							HIV/AIDS Prevalence, 20			
	AIDS Prevalence Cases are defined as the number of persons living with AIDS in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV (not AIDS) Prevalence Cases are defined as the number of persons living with HIV (not AIDS) in this area at the end of each respective calendar year, as of June 30, of the following year. The percent change is calculated as the change over the combined three year period.							HIV/AIDS Prevalence Cases are defined as the disease in this area at the end of each respective following year. The percent change is calculated three year per			
Special Populations	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total	2,014	% of Total	% change	2,012	% of Total	2,013	% of Total
White Heterosexual	133	N/A	137	N/A	145	N/A	8.8%	183	N/A	181	N/A	188	N/A	2.8%	316	N/A	318	N/A
Black Heterosexual	3,618	N/A	3,702	N/A	3,749	N/A	3.6%	3,128	N/A	3,164	N/A	3,233	N/A	3.4%	6,745	N/A	6,866	N/A
Hispanic Heterosexual	1,240	N/A	1,271	N/A	1,294	N/A	4.4%	1,072	N/A	1,119	N/A	1,171	N/A	9.2%	2,312	N/A	2,390	N/A
Black Heterosexual Females	2,213	N/A	2,272	N/A	2,298	N/A	3.9%	2,046	N/A	2,081	N/A	2,131	N/A	4.1%	4,259	N/A	4,353	N/A
Black Heterosexual Males	1,405	N/A	1,430	N/A	1,451	N/A	3.3%	1,081	N/A	1,083	N/A	1,102	N/A	1.9%	2,486	N/A	2,513	N/A
White MSM*	1,150	N/A	1,151	N/A	1,172	N/A	2.0%	1,160	N/A	1,237	N/A	1,343	N/A	15.8%	2,310	N/A	2,388	N/A
Black MSM*	1,545	N/A	1,601	N/A	1,632	N/A	5.7%	1,348	N/A	1,409	N/A	1,538	N/A	14.1%	2,893	N/A	3,010	N/A
Hispanic MSM*	3,622	N/A	3,748	N/A	3,847	N/A	6.2%	3,553	N/A	3,854	N/A	4,292	N/A	20.8%	7,175	N/A	7,602	N/A
white Male IDU**	126	N/A	123	N/A	125	N/A	-0.5%	65	N/A	67	N/A	73	N/A	11.6%	191	N/A	190	N/A
Black Male IDU**	614	N/A	595	N/A	585	N/A	-4.7%	256	N/A	251	N/A	246	N/A	-4.0%	870	N/A	846	N/A
Hispanic Male IDU**	390	N/A	392	N/A	388	N/A	-0.4%	218	N/A	217	N/A	217	N/A	-0.2%	607	N/A	608	N/A
white Female IDU**	49	N/A	50	N/A	49	N/A	0.8%	29	N/A	31	N/A	32	N/A	9.6%	78	N/A	81	N/A
Black Female IDU**	360	N/A	359	N/A	356	N/A	-1.2%	159	N/A	152	N/A	147	N/A	-7.4%	519	N/A	511	N/A
Hispanic Female IDU**	79	N/A	80	N/A	82	N/A	4.1%	57	N/A	57	N/A	57	N/A	0.0%	136	N/A	137	N/A
white Male Homeless	11	N/A	11	N/A	11	N/A	0.0%	37	N/A	37	N/A	37	N/A	0.0%	48	N/A	48	N/A
Black Male Homeless	43	N/A	44	N/A	44	N/A	2.3%	68	N/A	68	N/A	70	N/A	2.9%	111	N/A	112	N/A
Hispanic Male Homeless	30	N/A	30	N/A	31	N/A	3.3%	97	N/A	97	N/A	98	N/A	1.0%	127	N/A	127	N/A
white Female Homeless	2	N/A	2	N/A	2	N/A	0.0%	9	N/A	9	N/A	9	N/A	0.0%	11	N/A	11	N/A
Black Female Homeless	11	N/A	11	N/A	11	N/A	0.0%	71	N/A	71	N/A	74	N/A	4.2%	82	N/A	82	N/A
Hispanic Female Homeless	5	N/A	5	N/A	5	N/A	0.0%	28	N/A	29	N/A	29	N/A	3.6%	33	N/A	34	N/A
Female Haitian Born	724	N/A	749	N/A	754	N/A	4.1%	481	N/A	484	N/A	500	N/A	4.0%	1,205	N/A	1,233	N/A
Male Haitian Born	945	N/A	961	N/A	964	N/A	2.0%	455	N/A	453	N/A	459	N/A	0.9%	1,400	N/A	1,414	N/A
white Male Youth (ages 13-24)	1	N/A	2	N/A	4	N/A	300.0%	28	N/A	29	N/A	23	N/A	-17.9%	29	N/A	31	N/A
Black Male Youth (ages 13-24)	107	N/A	97	N/A	94	N/A	-12.1%	223	N/A	212	N/A	231	N/A	3.6%	330	N/A	309	N/A
Hispanic Male Youth (ages 13-24)	49	N/A	44	N/A	35	N/A	-28.6%	158	N/A	167	N/A	191	N/A	20.9%	207	N/A	211	N/A
white Female Youth (ages 13-24)	4	N/A	4	N/A	3	N/A	-25.0%	11	N/A	8	N/A	6	N/A	-45.5%	15	N/A	12	N/A
Black Female Youth (ages 13-24)	96	N/A	93	N/A	79	N/A	-17.7%	162	N/A	145	N/A	131	N/A	-19.1%	258	N/A	238	N/A
Hispanic Female Youth (ages 13-24)	21	N/A	16	N/A	13	N/A	-38.1%	39	N/A	40	N/A	40	N/A	2.6%	60	N/A	56	N/A
White WCBA* (ages 15-44)	48	N/A	49	N/A	44	N/A	-8.3%	80	N/A	74	N/A	72	N/A	-10.0%	128	N/A	123	N/A
Black WCBA* (ages 15-44)	949	N/A	893	N/A	841	N/A	-11.4%	1,164	N/A	1,142	N/A	357	N/A	-69.3%	2,113	N/A	2,035	N/A
Hiapnic WCBA* (ages 15-44)	266	N/A	247	N/A	227	N/A	-14.7%	350	N/A	355	N/A	1,127	N/A	222.0%	616	N/A	602	N/A
White Ped Cases (ages 0-12)	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A
Black Ped Cases (ages 0-12)	11	N/A	9	N/A	7	N/A	-36.4%	28	N/A	24	N/A	20	N/A	-28.6%	39	N/A	33	N/A
Hispanic Ped Cases (ages 0-12)	1	N/A	1	N/A	1	N/A	0.0%	5	N/A	5	N/A	3	N/A	-40.0%	6	N/A	6	N/A
DOC cases	376	N/A	373	N/A	370	N/A	-1.6%	318	N/A	323	N/A	326	N/A	2.5%	694	N/A	696	N/A

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

11/12, 2013, 2014

The number of persons living with HIV in each calendar year, as of June 30, of the period, is reported as the change over the combined period.

2,014	% of Total	% change
3,020	12%	8.1%
11,537	44%	4.3%
11,116	43%	11.2%
72	0%	33.3%
5	0%	66.7%
292	1%	-3.0%
26,042	100%	7.6%
2,014	% of Total	% change
7,184	27.6%	3.7%
18,858	72.4%	9.1%
26,042	100.0%	7.6%
2,014	% of Total	% change
4	0.0%	-20.0%
27	0.1%	-32.5%
149	0.6%	-23.6%
710	2.7%	-0.8%
1,431	5.5%	21.1%
3,952	15.2%	5.1%
3,021	11.6%	-9.3%
4,242	16.3%	-3.0%
8,134	31.2%	13.6%
4,372	16.8%	27.0%
26,042	100.0%	7.6%

11/12, 2013, 2014

The number of persons living with HIV in the five calendar year, as of June 30, of the period is reported as the change over the combined period.

2,014	% of Total	% change
13,341	70.8%	12.4%
955	5.1%	-2.8%
703	3.7%	-1.1%
3,670	19.5%	3.8%
171	0.9%	7.5%
18,840	100.0%	9.2%
2,014	% of Total	% change
745	10.4%	-1.2%
6,223	86.8%	4.5%
203	2.8%	4.6%
7,171	100.0%	3.9%
2,014	% of Total	% change
31	100%	-29.5%
0	0%	-100.0%
31	100%	-31.1%

11/12, 2013, 2014

The number of persons living with HIV in each calendar year, as of June 30, of the period is reported as the change over the combined period.

2,014	% of Total	% change
333	N/A	5.3%
6,982	N/A	3.5%
2,465	N/A	6.6%
4,429	N/A	4.0%
2,553	N/A	2.7%
2,515	N/A	8.9%
3,170	N/A	9.6%
8,139	N/A	13.4%
198	N/A	3.7%
831	N/A	-4.5%
605	N/A	-0.3%
81	N/A	4.1%
503	N/A	-3.1%
139	N/A	2.4%
48	N/A	0.0%
114	N/A	2.7%
129	N/A	1.6%
11	N/A	0.0%
85	N/A	3.7%
34	N/A	3.0%
1,254	N/A	4.1%
1,423	N/A	1.6%
27	N/A	-6.9%
325	N/A	-1.5%
226	N/A	9.2%
9	N/A	-40.0%
210	N/A	-18.6%
53	N/A	-11.7%
116	N/A	-9.4%
1,198	N/A	-43.3%
1,354	N/A	119.8%
0	N/A	#DIV/0!
27	N/A	-30.8%
4	N/A	-33.3%
696	N/A	0.3%

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	193	28.3%	15.6	0 - 12	1	0.1%	0.3
Female	490	71.7%	37.3	13 - 19	8	1.2%	3.6
Other/Unknown	0	0.0%	N/A	20 - 24	44	6.4%	25.0
Total	683	100.0%	26.8	25 - 29	78	11.4%	43.1
				30 - 39	149	21.8%	42.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	215	31.5%	57.5
White, Non-Hispanic	42	6.1%	10.9	50 - 59	144	21.1%	42.3
Black, Non-Hispanic	328	48.0%	75.9	60+	44	6.4%	8.6
Hispanic	305	44.7%	18.2	Total	683	100.0%	26.8
Asian/Pacific Islander	3	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	5	0.7%	N/A				
Total	683	100.0%	26.8				

2014							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	144	27.8%	11.4	0 - 12	2	0.4%	0.5
Female	374	72.2%	27.9	13 - 19	4	0.8%	1.8
Other/Unknown	0	0.0%	N/A	20 - 24	29	5.6%	16.3
Total	518	100.0%	19.9	25 - 29	63	12.2%	33.8
				30 - 39	119	23.0%	33.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	143	27.6%	38.1
White, Non-Hispanic	42	8.1%	11.1	50 - 59	108	20.8%	30.6
Black, Non-Hispanic	247	47.7%	56.4	60+	50	9.7%	9.4
Hispanic	224	43.2%	13.0	Total	518	100.0%	19.9
Asian/Pacific Islander	3	0.6%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	0.4%	N/A				
Total	518	100.0%	19.9				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	310	22.7%	25.0	0 - 12	4	0.3%	1.0
Female	1,058	77.3%	80.6	13 - 19	36	2.6%	16.1
Other/Unknown	0	0.0%	N/A	20 - 24	180	13.2%	102.3
Total	1,368	100.0%	53.6	25 - 29	206	15.1%	113.9
				30 - 39	332	24.3%	94.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	330	24.1%	88.3
White, Non-Hispanic	141	10.3%	36.8	50 - 59	203	14.8%	59.6
Black, Non-Hispanic	508	37.1%	117.5	60+	77	5.6%	15.0
Hispanic	697	51.0%	41.6	Total	1,368	100.0%	53.6
Asian/Pacific Islander	16	1.2%	N/A				
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	5	0.4%	N/A				
Total	1,368	100.0%	53.6				
2014							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	228	16.2%	18.0	0 - 12	4	0.3%	1.0
Female	1,183	83.8%	88.3	13 - 19	39	2.8%	17.3
Other/Unknown	0	0.0%	N/A	20 - 24	172	12.2%	96.4
Total	1,411	100.0%	54.2	25 - 29	235	16.7%	126.2
				30 - 39	362	25.7%	102.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	321	22.7%	85.5
White, Non-Hispanic	165	11.7%	43.7	50 - 59	192	13.6%	54.4
Black, Non-Hispanic	486	34.4%	111.0	60+	86	6.1%	16.3
Hispanic	753	53.4%	43.6	Total	1,411	100.0%	54.2
Asian/Pacific Islander	5	0.4%	N/A				
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	1,411	100.0%	54.2				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013									
Gender				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
Male	382	92.7%	30.8	0 - 12	0	0.0%	0.0		
Female	30	7.3%	2.3	13 - 19	30	7.3%	13.4		
Other/Unknown	0	0.0%	N/A	20 - 24	63	15.3%	35.8		
Total	412	100.0%	16.1	25 - 29	71	17.2%	39.3		
Race/Ethnicity				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
White, Non-Hispanic	57	13.8%	14.9	30 - 39	104	25.2%	29.7		
Black, Non-Hispanic	101	24.5%	23.4	40 - 49	91	22.1%	24.3		
Hispanic	231	56.1%	13.8	50 - 59	40	9.7%	11.7		
Asian/Pacific Islander	2	0.5%	N/A	60+	13	3.2%	2.5		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	21	5.1%	N/A	Total	412	100.0%	16.1		
Total	412	100.0%	16.1						
2014									
Gender				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
Male	405	94.4%	32.1	0 - 12	0	0.0%	0.0		
Female	24	5.6%	1.8	13 - 19	22	5.1%	9.8		
Other/Unknown	0	0.0%	N/A	20 - 24	74	17.2%	41.5		
Total	429	100.0%	16.5	25 - 29	65	15.2%	34.9		
Race/Ethnicity				Age Groups					
	Cases	% Total	Rate		Cases	% Total	Rate		
White, Non-Hispanic	58	13.5%	15.3	30 - 39	114	26.6%	32.2		
Black, Non-Hispanic	103	24.0%	23.5	40 - 49	92	21.4%	24.5		
Hispanic	252	58.7%	14.6	50 - 59	52	12.1%	14.7		
Asian/Pacific Islander	0	0.0%	N/A	60+	10	2.3%	1.9		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	16	3.7%	N/A	Total	429	100.0%	16.5		
Total	429	100.0%	16.5						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,522	63.9%	122.9	0 - 12	0	0.0%	0.0
Female	854	35.8%	65.1	13 - 19	425	17.8%	189.7
Other/Unknown	7	0.3%	N/A	20 - 24	749	31.4%	425.9
Total	2,383	100.0%	93.4	25 - 29	453	19.0%	250.5
				30 - 39	430	18.0%	123.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	232	9.7%	62.1
White, Non-Hispanic	238	10.0%	62.0	50 - 59	78	3.3%	22.9
Black, Non-Hispanic	939	39.4%	217.2	60+	16	0.7%	3.1
Hispanic	545	22.9%	32.5	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	0.2%	N/A	Total	2,383	100.0%	93.4
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	654	27.4%	N/A				
Total	2,383	100.0%	93.4				
2014							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,632	67.9%	129.2	0-12	0	0.0%	0.0
Female	772	32.1%	57.6	13 - 19	356	14.8%	158.1
Other/Unknown	1	0.0%	N/A	20 - 24	698	29.0%	391.2
Total	2,405	100.0%	92.4	25 - 29	500	20.8%	268.5
				30 - 39	474	19.7%	133.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	239	9.9%	63.6
White, Non-Hispanic	279	11.6%	73.8	50 - 59	112	4.7%	31.7
Black, Non-Hispanic	1,041	43.3%	237.8	60+	26	1.1%	4.9
Hispanic	874	36.3%	50.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	7	0.3%	N/A	Total	2,405	100.0%	92.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	204	8.5%	N/A				
Total	2,405	100.0%	92.4				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	3,353	32.6%	270.6	0 - 12	0	0.0%	0.0
Female	6,896	67.1%	525.5	13 - 19	2,542	24.7%	1134.9
Other/Unknown	23	0.2%	N/A	20 - 24	3,851	37.5%	2189.6
Total	10,272	100.0%	402.6	25 - 29	1,944	18.9%	1074.8
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	848	8.3%	221.0	30 - 39	1,310	12.8%	374.6
Black, Non-Hispanic	3,312	32.2%	766.2	40 - 49	429	4.2%	114.8
Hispanic	1,999	19.5%	119.4	50 - 59	163	1.6%	47.8
Asian/Pacific Islander	39	0.4%	N/A	60+	33	0.3%	6.4
Amer. Indian/Alaskan	3	0.0%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	4,071	39.6%	N/A	Total	10,272	100.0%	402.6
Total	10,272	100.0%	402.6				
2014							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	3,581	33.5%	283.4	0-12	0	0.0%	0.0
Female	7,080	66.3%	528.6	13 - 19	2,288	21.4%	1016.1
Other/Unknown	21	0.2%	N/A	20 - 24	3,997	37.4%	2240.3
Total	10,682	100.0%	410.4	25 - 29	2,210	20.7%	1186.7
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	1,022	9.6%	270.5	30 - 39	1,455	13.6%	410.8
Black, Non-Hispanic	4,230	39.6%	966.5	40 - 49	479	4.5%	127.5
Hispanic	4,323	40.5%	250.5	50 - 59	213	2.0%	60.4
Asian/Pacific Islander	37	0.3%	N/A	60+	40	0.4%	7.6
Amer. Indian/Alaskan	6	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	1,064	10.0%	N/A	Total	10,682	100.0%	410.4
Total	10,682	100.0%	410.4				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	72	52.9%	5.8	0 - 12	8	5.9%	2.0
Female	64	47.1%	4.9	13 - 19	5	3.7%	1.3
Other/Unknown	0	0.0%	N/A	20 - 24	5	3.7%	1.3
Total	136	100.0%	5.3	25 - 29	10	7.4%	2.5
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	13	9.6%	3.4	30 - 39	18	13.2%	4.6
Black, Non-Hispanic	53	39.0%	12.3	40 - 49	21	15.4%	5.3
Hispanic	65	47.8%	3.9	50 - 59	24	17.6%	6.1
Asian/Pacific Islander	5	3.7%	N/A	60+	45	33.1%	11.4
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Unknown	0	0.0%	N/A	Total	136	100.0%	5.3
Total	136	100.0%	5.3				

2014							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	82	63.1%	6.5	0 - 12	5	3.8%	1.2
Female	48	36.9%	3.6	13 - 19	6	4.6%	2.7
Other/Unknown	0	0.0%	N/A	20 - 24	6	4.6%	3.4
Total	130	100.0%	5.0	25 - 29	6	4.6%	3.2
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	3	2.3%	0.8	30 - 39	22	16.9%	6.2
Black, Non-Hispanic	45	34.6%	10.3	40 - 49	33	25.4%	8.8
Hispanic	76	58.5%	4.4	50 - 59	15	11.5%	4.3
Asian/Pacific Islander	6	4.6%	N/A	60+	37	28.5%	7.0
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Unknown	0	0.0%	N/A	Total	130	100.0%	5.0
Total	130	100.0%	5.0				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			10	41.7%	0.8		0 - 12	0	0.0%	0.0	
	Female			14	58.3%	1.1		13 - 19	0	0.0%	0.0	
	Other/Unknown			0	0.0%	N/A		20 - 24	1	4.2%	0.6	
	Total			24	100.0%	0.9		25 - 29	2	8.3%	1.1	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	3	12.5%	0.9	
	White, Non-Hispanic			4	16.7%	1.0		40 - 49	6	25.0%	1.6	
	Black, Non-Hispanic			1	4.2%	0.2		50 - 59	4	16.7%	1.2	
	Hispanic			16	66.7%	1.0		60+	8	33.3%	1.6	
	Asian/Pacific Islander			0	0.0%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	24	100.0%	0.9	
	Other/Unknown			3	12.5%	N/A						
	Total			24	100.0%	0.9						
2014												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
	Male			10	35.7%	0.8		0 - 12	1	3.6%	0.2	
	Female			18	64.3%	1.3		13 - 19	2	7.1%	0.9	
	Other/Unknown			0	0.0%	N/A		20 - 24	0	0.0%	0.0	
	Total			28	100.0%	1.1		25 - 29	5	17.9%	2.7	
Race/Ethnicity				Cases	% Total	Rate		30 - 39	3	10.7%	0.8	
	White, Non-Hispanic			2	7.1%	0.5		40 - 49	2	7.1%	0.5	
	Black, Non-Hispanic			1	3.6%	0.2		50 - 59	6	21.4%	1.7	
	Hispanic			21	75.0%	1.2		60+	9	32.1%	1.7	
	Asian/Pacific Islander			1	3.6%	N/A		Unknown	0	0.0%	N/A	
	Amer. Indian/Alaskan			0	0.0%	N/A		Total	28	100.0%	1.1	
	Other/Unknown			3	10.7%	N/A						
	Total			28	100.0%	1.1						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
Male				12	66.7%	1.0	0 - 12			0	0.0%	0.0
Female				6	33.3%	0.5	13 - 19			0	0.0%	0.0
Other/Unknown				0	0.0%	N/A	20 - 24			0	0.0%	0.0
Total				18	100.0%	0.7	25 - 29			1	5.6%	0.6
Race/Ethnicity				Cases	% Total	Rate	30 - 39			4	22.2%	1.1
White, Non-Hispanic				3	16.7%	0.8	40 - 49			5	27.8%	1.3
Black, Non-Hispanic				7	38.9%	1.6	50 - 59			6	33.3%	1.8
Hispanic				7	38.9%	0.4	60+			2	11.1%	0.4
Asian/Pacific Islander				0	0.0%	N/A	Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			18	100.0%	0.7
Other/Unknown				1	5.6%	N/A						
Total				18	100.0%	0.7						
2014												
Gender				Cases	% Total	Rate	Age Groups			Cases	% Total	Rate
Male				7	58.3%	0.6	0 - 12			0	0.0%	0.0
Female				5	41.7%	0.4	13 - 19			0	0.0%	0.0
Other/Unknown				0	0.0%	N/A	20 - 24			0	0.0%	0.0
Total				12	100.0%	0.5	25 - 29			0	0.0%	0.0
Race/Ethnicity				Cases	% Total	Rate	30 - 39			2	16.7%	0.6
White, Non-Hispanic				2	16.7%	0.5	40 - 49			4	33.3%	1.1
Black, Non-Hispanic				2	16.7%	0.5	50 - 59			2	16.7%	0.6
Hispanic				4	33.3%	0.2	60+			4	33.3%	0.8
Asian/Pacific Islander				0	0.0%	N/A	Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			12	100.0%	0.5
Other/Unknown				4	33.3%	N/A						
Total				12	100.0%	0.5						

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	912	57.7%	73.6	0 - 12	4	0.3%	1.0
Female	665	42.1%	50.7	13 - 19	8	0.5%	3.6
Other/Unknown	4	0.3%	N/A	20 - 24	52	3.3%	29.6
Total	1,581	100.0%	62.0	25 - 29	45	2.8%	24.9
				30 - 39	148	9.4%	42.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	230	14.5%	61.5
White, Non-Hispanic	332	21.0%	86.5	50 - 59	532	33.6%	156.1
Black, Non-Hispanic	367	23.2%	84.9	60+	562	35.5%	109.7
Hispanic	520	32.9%	31.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	6	0.4%	N/A	Total	1,581	100.0%	62.0
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	355	22.5%	N/A				
Total	1,581	100.0%	62.0				
2014							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,069	58.7%	84.6	0 - 12	9	0.5%	2.2
Female	743	40.8%	55.5	13 - 19	15	0.8%	6.7
Other/Unknown	9	0.5%	N/A	20 - 24	29	1.6%	16.3
Total	1,821	100.0%	70.0	25 - 29	52	2.9%	27.9
				30 - 39	195	10.7%	55.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	255	14.0%	67.9
White, Non-Hispanic	530	29.1%	140.3	50 - 59	553	30.4%	156.7
Black, Non-Hispanic	230	12.6%	52.6	60+	713	39.2%	134.7
Hispanic	654	35.9%	37.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	11	0.6%	N/A	Total	1,821	100.0%	70.0
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	396	21.7%	N/A				
Total	1,821	100.0%	70.0				

2014 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Partnership 11a (Miami-Dade)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	3,357	23	0.7	Male	47,473	1,004	2.1
Male Sex With Male	10,469	622	5.9	Female	46,923	347	0.7
Injecting Drug User	3,232	52	1.6	Unknown	953	9	0.9
Sex Partner at Risk	2,521	179	7.1	Total	95,349	1,360	1.4
Child of Woman with HIV/AIDS	29	0	0.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	8,343	104	1.2	White	7,311	102	1.4
Sex for Drugs or Money	1,139	19	1.7	Black	43,175	637	1.5
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	42,851	593	1.4
Victim of Sexual Assault	188	2	1.1	Asian	410	6	1.5
Health Care Exposure	0	0	#DIV/0!	Am. Native	111	1	0.9
Heterosexual	59,753	287	0.5	Other	226	5	2.2
No Acknowledged Risk	1,314	13	1.0	Unknown	1,265	16	1.3
Unknown	5,004	58	1.2	Total	95,349	1,360	1.4
Total	95,349	1,359	1.4				

2014 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	1,197	25	2.1	Male	49,214	1,160	2.4
Male Sex With Male	14,801	791	5.3	Female	44,210	302	0.7
Injecting Drug User	3,396	30	0.9	Unknown	1,110	36	3.2
Sex Partner at Risk	1,650	133	8.1	Total	94,534	1,498	1.6
Child of Woman with HIV/AIDS	10	0	0.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	9,121	80	0.9	White	8,470	110	1.3
Sex for Drugs or Money	1,060	16	1.5	Black	39,361	629	1.6
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	42,524	713	1.7
Victim of Sexual Assault	34	0	#DIV/0!	Asian	356	5	1.4
Health Care Exposure	0	0	0.0	Am. Native	94	4	4.3
Heterosexual	57,867	342	0.6	Other	288	5	1.7
No Acknowledged Risk	2,026	22	1.1	Unknown	3,441	32	0.9
Unknown	3,372	59	1.7	Total	94,534	1,498	1.6
Total	94,534	1,498	1.6				

HIV/AIDS Case Deaths (excl DOC), Partnership 11a (Miami-Dade)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
Race/Ethnicity	2013	% of Total	2014	% of Total	% change
White, not Hispanic	31	8%	18	6%	-41.9%
Black, not Hispanic	228	58%	180	60%	-21.1%
Hispanic	124	31%	93	31%	-25.0%
Asian/Pacific Islander	2	1%	0	0%	-100.0%
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!
Not Specified/Other	10	3%	7	2%	-30.0%
Total:	395	100%	298	100%	-24.6%
Gender	2013	% of Total	2014	% of Total	% change
Male	273	69.1%	207	69.5%	-24.2%
Female	122	30.9%	91	30.5%	-25.4%
Total:	395	100.0%	298	100.0%	-24.6%
Age at Diagnosis (Years)	2013	% of Total	2014	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!
13-19 years	0	0.0%	1	0.3%	#DIV/0!
20-24 years	5	1.3%	8	2.7%	60.0%
25-29 years	10	2.5%	8	2.7%	-20.0%
30-39 years	33	8.4%	28	9.4%	-15.2%
40-44 years	32	8.1%	16	5.4%	-50.0%
45-49 years	38	9.6%	41	13.8%	7.9%
50-59 years	154	39.0%	110	36.9%	-28.6%
60+ years	123	31.1%	86	28.9%	-30.1%
Total:	395	100.0%	298	100.0%	-24.6%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
Male Adult/Adolescent AIDS Exposure Category	2013	% of Total	2014	% of Total	% change
MSM	131	48.0%	107	50.0%	-18.3%
IDU	32	11.7%	22	10.3%	-31.3%
MSM/IDU	19	7.0%	15	7.0%	-21.1%
Heterosexual	91	33.3%	63	29.4%	-30.8%
Other	0	0.0%	7	3.3%	#DIV/0!
Total:	273	100.0%	214	100.0%	-21.6%
Female Adult/Adolescent AIDS Exposure Category	2013	% of Total	2014	% of Total	% change
IDU	21	17.2%	24	26.4%	14.3%
Heterosexual	99	81.1%	65	71.4%	-34.3%
Other	2	1.6%	2	2.2%	0.0%
Total:	122	100.0%	91	100.0%	-25.4%
Pediatric AIDS Exposure Categories (ages 0-12)	2013	% of Total	2014	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	HIV/AIDS Case Deaths in 2013 & 2014				
	HIV or AIDS cases that died (regardless of cause) in 2014, data as of 06/30/2015.				
Special Populations	2013	% of Total	2014	% of Total	% change
White MSM*	19	N/A	11	N/A	-42.1%
Black MSM*	55	N/A	49	N/A	-10.9%
Hispanic MSM*	72	N/A	61	N/A	-15.3%
White Male IDU**	6	N/A	1	N/A	-83.3%
Black Male IDU**	32	N/A	22	N/A	-31.3%
Hispanic Male IDU**	12	N/A	14	N/A	16.7%
White Female IDU**	0	N/A	4	N/A	#DIV/0!
Black Female IDU**	18	N/A	16	N/A	-11.1%
Hispanic Female IDU**	1	N/A	2	N/A	100.0%
White Male Homeless	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	22	N/A	20	N/A	-9.1%
Female Haitian Born	16	N/A	11	N/A	-31.3%
white Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	2	N/A	3	N/A	50.0%
Hispanic Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	3	N/A	4	N/A	33.3%
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	0	N/A	3	N/A	#DIV/0!
Black WCBA* (ages 15-44)	30	N/A	18	N/A	-40.0%
Hiapnic WCBA* (ages 15-44)	5	N/A	0	N/A	-100.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!
DOC cases	12	N/A	11	N/A	-8.3%

*WCBA=Women of Child Bearing Age

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWHA RETAINED IN care and NOT IN care in CY 2014						
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Miami EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWA retained in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWH retained in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWHA retained in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
MSM	6,315	7,026	13,341	51.2%	4,184	47.5%	66%	34%	2,131	4,029	61.4%	57%	43%	2,997	8,213	53.4%	62%	38%	5,128		
IDU	657	298	955	3.7%	339	3.9%	52%	48%	318	97	1.5%	33%	67%	201	436	2.8%	46%	54%	519		
MSM/IDU	459	244	703	2.7%	273	3.1%	59%	41%	186	122	1.9%	50%	50%	123	394	2.6%	56%	44%	309		
Heterosexual	2,058	1,612	3,670	14.1%	1,254	14.2%	61%	39%	804	681	10.4%	42%	58%	931	1,935	12.6%	53%	47%	1,736		
Other	121	50	171	0.7%	74	0.8%	61%	39%	47	37	0.6%	74%	26%	13	111	0.7%	65%	35%	60		
Total:	9,610	9,230	18,840	72.3%	6,124	69.5%	64%	36%	3,486	4,965	75.6%	54%	46%	4,265	11,089	72.1%	59%	41%	7,751		
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
IDU	504	241	745	2.9%	358	4.1%	71%	29%	146	104	1.6%	43%	57%	137	462	3.0%	62%	38%	283		
Heterosexual	3,200	3,023	6,223	23.9%	2,237	25.4%	70%	30%	963	1,440	21.9%	48%	52%	1,583	3,677	23.9%	59%	41%	2,546		
Other	130	73	203	0.8%	84	1.0%	65%	35%	46	42	0.6%	58%	42%	31	126	0.8%	62%	38%	77		
Total:	3,834	3,337	7,171	27.5%	2,679	30.4%	70%	30%	1,155	1,586	24.2%	48%	52%	1,751	4,265	27.7%	59%	41%	2,906		
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care		
Mother with/at risk for HIV infection	8	23	31	0.1%	7	0.1%	88%	13%	1	14	0.2%	61%	39%	9	21	0.1%	68%	32%	10		
Risk not diagnosed/Other	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0		
Total:	8	23	31	0.1%	7	0.1%	88%	13%	1	14	0.2%	61%	39%	9	21	0.1%	68%	32%	10		

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				PLWA RETAINED IN care and NOT IN care in CY 2014					Percent of PLWH RETAINED IN care and NOT IN care in CY 2014					Percent of PLWHA RETAINED IN care and NOT IN care in CY 2014							
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is in the Miami EMA regardless where diagnosed.				PLWAs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWA retained in care over number PLWA.		Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWH retained in care over number PLWA.		Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs cases diagnosed who were retained in care and living in the Miami EMA through 2014.			Percent of PLWHA retained in care over number PLWA.		Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care			
White Heterosexual	145	188	333	N/A	89	N/A	61%	39%	56	84	N/A	45%	55%	104	173	N/A	52%	48%	160			
Black Heterosexual	3,749	3,233	6,982	N/A	2,476	N/A	66%	34%	1,273	1,399	N/A	43%	57%	1,834	3,874	N/A	55%	45%	3,108			
Hispanic Heterosexual	1,294	1,171	2,465	N/A	876	N/A	68%	32%	418	618	N/A	53%	47%	553	1,494	N/A	61%	39%	971			
Black Heterosexual Females	2,298	2,131	4,429	N/A	1,606	N/A	70%	30%	692	987	N/A	46%	54%	1,144	2,593	N/A	59%	41%	1,836			
Black Heterosexual Males	1,451	1,102	2,553	N/A	869	N/A	60%	40%	582	412	N/A	37%	63%	690	1,281	N/A	50%	50%	1,272			
White MSM	1,172	1,343	2,515	N/A	658	N/A	56%	44%	514	718	N/A	53%	47%	625	1,376	N/A	55%	45%	1,139			
Black MSM	1,632	1,538	3,170	N/A	1,024	N/A	63%	37%	608	694	N/A	45%	55%	844	1,718	N/A	54%	46%	1,452			
Hispanic MSM	3,847	4,292	8,139	N/A	2,693	N/A	70%	30%	1,154	2,692	N/A	63%	37%	1,600	5,385	N/A	66%	34%	2,754			
White Male IDU	125	73	198	N/A	62	N/A	50%	50%	63	34	N/A	47%	53%	39	96	N/A	49%	51%	102			
Black Male IDU	585	246	831	N/A	332	N/A	57%	43%	253	86	N/A	35%	65%	160	418	N/A	50%	50%	413			
Hispanic Male IDU	388	217	605	N/A	205	N/A	53%	47%	183	98	N/A	45%	55%	119	303	N/A	50%	50%	303			
White Female IDU	49	32	81	N/A	28	N/A	57%	43%	21	12	N/A	38%	62%	20	40	N/A	49%	51%	41			
Black Female IDU	356	147	503	N/A	261	N/A	73%	27%	95	68	N/A	46%	54%	79	329	N/A	65%	35%	174			
Hispanic Female IDU	82	57	139	N/A	57	N/A	70%	30%	25	20	N/A	36%	64%	37	78	N/A	56%	44%	61			
White Male Homeless	11	37	48	N/A	0	N/A	0%	100%	11	0	N/A	0%	100%	37	0	N/A	0%	100%	48			
Black Male Homeless	44	70	114	N/A	1	N/A	2%	98%	43	0	N/A	0%	100%	70	1	N/A	1%	99%	113			
Hispanic Male Homeless	31	98	129	N/A	0	N/A	0%	100%	31	0	N/A	0%	100%	98	0	N/A	0%	100%	129			
White Female Homeless	2	9	11	N/A	0	N/A	0%	100%	2	1	N/A	11%	89%	8	1	N/A	9%	91%	10			
Black Female Homeless	11	74	85	N/A	0	N/A	0%	100%	11	0	N/A	0%	100%	74	0	N/A	0%	100%	85			
Hispanic Female Homeless	5	29	34	N/A	0	N/A	0%	100%	5	0	N/A	0%	100%	29	0	N/A	0%	100%	34			
Female Haitian Born	754	500	1,254	N/A	485	N/A	64%	36%	269	230	N/A	46%	54%	270	715	N/A	57%	43%	539			
Male Haitian Born	964	459	1,423	N/A	476	N/A	49%	51%	488	161	N/A	35%	65%	298	637	N/A	45%	55%	786			
White Male Youth (current ages 13-24)	4	23	27	N/A	4	N/A	100%	0%	0	13	N/A	57%	43%	10	17	N/A	63%	37%	10			
Black Male Youth (current ages 13-24)	94	231	325	N/A	67	N/A	71%	29%	27	123	N/A	53%	47%	108	190	N/A	58%	42%	135			
Hispanic Male Youth (current ages 13-24)	35	191	226	N/A	26	N/A	74%	26%	9	140	N/A	73%	27%	51	166	N/A	73%	27%	60			
White Female Youth (current ages 13-24)	3	6	9	N/A	2	N/A	67%	33%	1	5	N/A	83%	17%	1	7	N/A	78%	22%	2			
Black Female Youth (current ages 13-24)	79	131	210	N/A	64	N/A	81%	19%	15	73	N/A	56%	44%	58	137	N/A	65%	35%	73			
Hispanic Female Youth (current ages 13-24)	13	40	53	N/A	9	N/A	69%	31%	4	20	N/A	50%	50%	20	29	N/A	55%	45%	24			
White WCBA* (current ages 15-44)	44	72	116	N/A	28	N/A	64%	36%	16	33	N/A	46%	54%	39	61	N/A	53%	47%	55			
Black WCBA* (current ages 15-44)	841	357	1,198	N/A	601	N/A	71%	29%	240	493	N/A	138%	-38%	-136	1,094	N/A	91%	9%	104			
Hispanic WCBA* (current ages 15-44)	227	1,127	1,354	N/A	162	N/A	71%	29%	65	174	N/A	15%	85%	953	336	N/A	25%	75%	1,018			
White Ped Cases (current current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0			
Black Ped Cases (current ages 0-12)	7	20	27	N/A	7	N/A	100%	0%	0	12	N/A	60%	40%	8	19	N/A	70%	30%	8			
Hispanic Ped Cases (current ages 0-12)	1	3	4	N/A	0	N/A	0%	100%	1	2	N/A	67%	33%	1	2	N/A	50%	50%	2			
DOC Cases	370	326	696	N/A	220	N/A	59%	41%	150	129	N/A	40%	60%	197	349	N/A	50%	50%	347			

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE OTHER WORKSHEETS. DO NOT DELETE THIS PAGE, AS THE OTHER WORKSHEETS ARE LINKED WITH THIS PAGE.

PLWHA Diagnosed, and Whether In Care at least one time in previous year or NOT, and Whether last lab in 2014 was suppressed or NOT, (excl DOC), Miami EMA, (Partnership 11a)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015					Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT				at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014				Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is <u>this</u> Jurisdiction, regardless where diagnosed.					PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.		PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.		PLWHA with a SUPPRESSED Viral Load in CY 2014	
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
White, not Hispanic	1,425	1,595	3,020	11.6%		2,585	11.7%	86%	14%	435		1,836	10.8%	61%	39%	1,184		1,663	11.8%
Black, not Hispanic	6,335	5,202	11,537	44.3%		9,463	42.8%	82%	18%	2,074		7,211	42.4%	63%	37%	4,326		5,464	38.7%
Hispanic	5,472	5,644	11,116	42.7%		9,728	44.0%	88%	12%	1,388		7,717	45.3%	69%	31%	3,399		6,779	48.1%
Asian/Pacific Islander	30	42	72	0.3%		57	0.3%	79%	21%	15		42	0.2%	58%	42%	30		33	0.2%
American Indian/Alaskan Native	0	5	5	0.0%		3	0.0%	60%	40%	2		3	0.0%	60%	40%	2		1	0.0%
Not Specified/Other	190	102	292	1.1%		278	1.3%	95%	5%	14		214	1.3%	73%	27%	78		162	1.1%
Total:	13,452	12,590	26,042	100.0%		22,114	100.0%	85%	15%	3,928		17,023	100.0%	65%	35%	9,019		14,102	100.0%
Gender	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
Female	3,838	3,346	7,184	27.6%		6,046	27.3%	84%	16%	1,138		4,778	28.1%	67%	33%	2,406		3,704	26.3%
Male	9,614	9,244	18,858	72.4%		16,068	72.7%	85%	15%	2,790		12,245	71.9%	65%	35%	6,613		10,398	73.7%
Total:	13,452	12,590	26,042	100.0%		22,114	100.0%	85%	15%	3,928		17,023	100.0%	65%	35%	9,019		14,102	100.0%
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
0- 2 years	0	4	4	0.0%		4	0.0%	100%	0%	0		3	0.0%	75%	25%	1		2	0.0%
3-12 years	8	19	27	0.1%		26	0.1%	96%	4%	1		20	0.1%	74%	26%	7		17	0.1%
13-19 years	42	107	149	0.6%		130	0.6%	87%	13%	19		117	0.7%	79%	21%	32		63	0.4%
20-24 years	189	521	710	2.7%		605	2.7%	85%	15%	105		517	3.0%	73%	27%	193		341	2.4%
25-29 years	403	1,028	1,431	5.5%		1,222	5.5%	85%	15%	209		1,030	6.1%	72%	28%	401		749	5.3%
30-39 years	1,342	2,610	3,952	15.2%		3,244	14.7%	82%	18%	708		2,563	15.1%	65%	35%	1,389		2,033	14.4%
40-44 years	1,418	1,603	3,021	11.6%		2,544	11.5%	84%	16%	477		1,990	11.7%	66%	34%	1,031		1,637	11.6%
45-49 years	2,239	2,003	4,242	16.3%		3,657	16.5%	86%	14%	585		2,768	16.3%	65%	35%	1,474		2,342	16.6%
50-59 years	4,973	3,161	8,134	31.2%		7,016	31.7%	86%	14%	1,118		5,322	31.3%	65%	35%	2,812		4,569	32.4%
60+ years	2,838	1,534	4,372	16.8%		3,666	16.6%	84%	16%	706		2,693	15.8%	62%	38%	1,679		2,349	16.7%
Total:	13,452	12,590	26,042	100.0%		22,114	100.0%	85%	15%	3,928		17,023	100.0%	65%	35%	9,019		14,102	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015					Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT				at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014				Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.					PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.		PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.		Number of PLWHA with NO care.		PLWHA with a SUPPRESSED Viral Load in CY 2014	
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
MSM	6,315	7,026	13,341	51.2%		11,548	52.2%	87%	13%	1,794		9,034	53.1%	68%	32%	4,307		7,897	56.0%
IDU	657	298	955	3.7%		772	3.5%	81%	19%	183		483	2.8%	51%	49%	472		372	2.6%
MSM/IDU	459	244	703	2.7%		627	2.8%	89%	11%	76		435	2.6%	62%	38%	268		328	2.3%
Heterosexual	2,058	1,612	3,670	14.1%		2,952	13.3%	80%	20%	718		2,155	12.7%	59%	41%	1,515		1,733	12.3%
Other	121	50	171	0.7%		153	0.7%	89%	11%	18		125	0.7%	73%	27%	46		57	0.4%
Total:	9,610	9,230	18,840	72.3%		16,051	72.6%	85%	15%	2,789		12,232	71.9%	65%	35%	6,608		10,387	73.7%
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
IDU	504	241	745	2.9%		645	2.9%	87%	13%	100		518	3.0%	69%	31%	227		367	2.6%
Heterosexual	3,200	3,023	6,223	23.9%		5,206	23.5%	84%	16%	1,017		4,105	24.1%	66%	34%	2,118		3,245	23.0%
Other	130	73	203	0.8%		182	0.8%	90%	10%	21		145	0.9%	71%	29%	58		84	0.6%
Total:	3,834	3,337	7,171	27.5%		6,033	27.3%	84%	16%	1,138		4,768	28.0%	66%	34%	2,403		3,696	26.2%
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE		PLWHA	% of Total
Mother with/at risk for HIV infection	8	23	31	0.1%		30	0.1%	97%	3%	1		23	0.1%	74%	26%	8		19	0.1%
Risk not diagnosed/Other	0	0	0	0.0%		0	0.0%	#DIV/0!	#DIV/0!	0		0	0.0%	#DIV/0!	#DIV/0!	0		0	0.0%
Total:	8	23	31	0.1%		30	0.1%	97%	3%	#REF!		23	0.1%	74%	26%	8		19	0.1%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2014 as of 06/30/2015				Ever in Care		PLWHA diagnosed and living with HIV/AIDS and whether they EVER had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT			at least 1 Care in 2014		PLWHA diagnosed and living with HIV/AIDS and whether they had at least one HIV-medical visit, 1 CD4 or 1 Viral Load or NOT in CY 2014			Suppressed VL at last VL test in 2014	
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is this Jurisdiction, regardless where diagnosed.				PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load EVER		Percent of PLWHA EVER in care.	Percent of PLWHA never in care.	Number of PLWHA never in care.	PLWHA with at least one HIV-medical visit, 1 CD4 or 1 Viral Load in CY 2014		Percent of PLWHA with at least 1 care.	Percent of PLWHA with NO care.	Number of PLWHA with NO care.	PLWHA with a SUPPRESSED Viral Load in CY 2014	
	PLWA	PLWH	PLWHA	% of Total	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total	% 1 care	% NO CARE	# NO CARE	PLWHA	% of Total
White Heterosexual	145	188	333	N/A	259	N/A	78%	22%	74	183	N/A	55%	45%	151	143	N/A
Black Heterosexual	3,749	3,233	6,982	N/A	5,697	N/A	82%	18%	1,285	4,365	N/A	63%	37%	2,617	3,370	N/A
Hispanic Heterosexual	1,294	1,171	2,465	N/A	2,100	N/A	85%	15%	365	1,633	N/A	66%	34%	832	1,407	N/A
Black Heterosexual Females	2,298	2,131	4,429	N/A	3,699	N/A	84%	16%	730	2,918	N/A	66%	34%	1,511	2,256	N/A
Black Heterosexual Males	1,451	1,102	2,553	N/A	1,998	N/A	78%	22%	555	1,447	N/A	57%	43%	1,106	1,113	N/A
White MSM	1,172	1,343	2,515	N/A	2,184	N/A	87%	13%	331	1,559	N/A	62%	38%	956	1,446	N/A
Black MSM	1,632	1,538	3,170	N/A	2,589	N/A	82%	18%	582	1,961	N/A	62%	38%	1,209	1,503	N/A
Hispanic MSM	3,847	4,292	8,139	N/A	7,199	N/A	88%	12%	941	5,798	N/A	71%	29%	2,341	5,155	N/A
White Male IDU	125	73	198	N/A	173	N/A	87%	13%	25	106	N/A	53%	47%	93	85	N/A
Black Male IDU	585	246	831	N/A	682	N/A	82%	18%	149	466	N/A	56%	44%	365	336	N/A
Hispanic Male IDU	388	217	605	N/A	521	N/A	86%	14%	84	330	N/A	55%	45%	275	269	N/A
White Female IDU	49	32	81	N/A	67	N/A	83%	17%	14	50	N/A	62%	38%	292	39	N/A
Black Female IDU	356	147	503	N/A	443	N/A	88%	12%	60	364	N/A	72%	28%	307	252	N/A
Hispanic Female IDU	82	57	139	N/A	116	N/A	84%	16%	23	87	N/A	63%	37%	89	64	N/A
White Male Homeless	11	37	48	N/A	17	N/A	35%	65%	31	0	N/A	0%	100%	48	0	N/A
Black Male Homeless	44	70	114	N/A	49	N/A	43%	57%	65	3	N/A	3%	97%	111	1	N/A
Hispanic Male Homeless	31	98	129	N/A	44	N/A	34%	66%	85	2	N/A	2%	98%	127	0	N/A
White Female Homeless	2	9	11	N/A	4	N/A	36%	64%	7	1	N/A	9%	91%	10	0	N/A
Black Female Homeless	11	74	85	N/A	16	N/A	19%	81%	69	2	N/A	2%	98%	83	1	N/A
Hispanic Female Homeless	5	29	34	N/A	7	N/A	21%	79%	27	0	N/A	0%	100%	34	0	N/A
Female Haitian Born	754	500	1,254	N/A	1,033	N/A	82%	18%	221	762	N/A	61%	39%	492	612	N/A
Male Haitian Born	964	459	1,423	N/A	1,072	N/A	75%	25%	351	694	N/A	49%	51%	729	540	N/A
White Male Youth (current ages 13-24)	4	23	27	N/A	23	N/A	85%	15%	4	20	N/A	74%	26%	7	16	N/A
Black Male Youth (current ages 13-24)	94	231	325	N/A	260	N/A	80%	20%	65	220	N/A	68%	32%	105	134	N/A
Hispanic Male Youth (current ages 13-24)	35	191	226	N/A	207	N/A	92%	8%	19	190	N/A	84%	16%	36	145	N/A
White Female Youth (current ages 13-24)	3	6	9	N/A	8	N/A	89%	11%	1	7	N/A	78%	22%	2	4	N/A
Black Female Youth (current ages 13-24)	79	131	210	N/A	186	N/A	89%	11%	24	157	N/A	75%	25%	53	82	N/A
Hispanic Female Youth (current ages 13-24)	13	40	53	N/A	45	N/A	85%	15%	8	35	N/A	66%	34%	18	23	N/A
White WCBA* (current ages 15-44)	44	72	116	N/A	94	N/A	81%	19%	22	68	N/A	59%	41%	48	46	N/A
Black WCBA* (current ages 15-44)	841	357	1,198	N/A	1,624	N/A	136%	-36%	-426	1,284	N/A	107%	-7%	-86	879	N/A
Hispanic WCBA* (current ages 15-44)	227	1,127	1,354	N/A	483	N/A	36%	64%	871	387	N/A	29%	71%	967	300	N/A
White Ped Cases (current current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A
Black Ped Cases (current ages 0-12)	7	20	27	N/A	27	N/A	100%	0%	0	21	N/A	78%	22%	6	17	N/A
Hispanic Ped Cases (current ages 0-12)	1	3	4	N/A	3	N/A	75%	25%	1	2	N/A	50%	50%	2	2	N/A
DOC Cases	370	326	696	N/A	595	N/A	85%	15%	101	379	N/A	54%	46%	317	291	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE C

PLWHA Diagnosed, and Whether

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
Race/Ethnicity	% sup VL	%NOT sup VL	# NOT sup VL
White, not Hispanic	55%	45%	1,357
Black, not Hispanic	47%	53%	6,073
Hispanic	61%	39%	4,337
Asian/Pacific Islander	46%	54%	39
American Indian/Alaskan Native	20%	80%	4
Not Specified/Other	55%	45%	130
Total:	54%	46%	11,940
Gender	% sup VL	%NOT sup VL	# NOT sup VL
Female	52%	48%	3,480
Male	55%	45%	8,460
Total:	54%	46%	11,940
Current Age on 12/31/2012 (Years)	% sup VL	%NOT sup VL	# NOT sup VL
0- 2 years	50%	50%	2
3-12 years	63%	37%	10
13-19 years	42%	58%	86
20-24 years	48%	52%	369
25-29 years	52%	48%	682
30-39 years	51%	49%	1,919
40-44 years	54%	46%	1,384
45-49 years	55%	45%	1,900
50-59 years	56%	44%	3,565
60+ years	54%	46%	2,023
Total:	54%	46%	11,940

PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014			
Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
Male Adult/Adolescent AIDS Exposure Category	% sup VL	%NOT sup VL	# NOT sup VL
MSM	59%	41%	5,444
IDU	39%	61%	583
MSM/IDU	47%	53%	375
Heterosexual	47%	53%	1,937
Other	33%	67%	114
Total:	55%	45%	8,453
Female Adult/Adolescent AIDS Exposure Category	% sup VL	%NOT sup VL	# NOT sup VL
IDU	49%	51%	378
Heterosexual	52%	48%	2,978
Other	41%	59%	119
Total:	52%	48%	3,475
Pediatric AIDS Exposure Categories (current ages 0-12)	% sup VL	%NOT sup VL	# NOT sup VL
Mother with/at risk for HIV infection	61%	39%	12
Risk not diagnosed/Other	#DIV/0!	#DIV/0!	0
Total:	61%	39%	12

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	PLWHA diagnosed and living with HIV/AIDS and whether SUPPRESSED Viral Load or NOT in CY 2014		
	Percent of PLWHA with a suppressed viral load.	Percent of PLWHA and NOT with a suppressed viral load.	Number of PLWHA and NOT with a suppressed viral load.
Special Populations	% sup VL	%NOT sup VL	# NOT sup VL
White Heterosexual	43%	57%	190
Black Heterosexual	48%	52%	3,613
Hispanic Heterosexual	57%	43%	1,058
Black Heterosexual Females	51%	49%	2,173
Black Heterosexual Males	44%	56%	1,440
White MSM	57%	43%	1,070
Black MSM	47%	53%	1,667
Hispanic MSM	63%	37%	2,984
White Male IDU	43%	57%	113
Black Male IDU	40%	60%	495
Hispanic Male IDU	44%	56%	336
White Female IDU	49%	51%	42
Black Female IDU	50%	50%	251
Hispanic Female IDU	46%	54%	75
White Male Homeless	0%	100%	48
Black Male Homeless	1%	99%	113
Hispanic Male Homeless	0%	100%	129
White Female Homeless	0%	100%	11
Black Female Homeless	1%	99%	84
Hispanic Female Homeless	0%	100%	34
Female Haitian Born	49%	51%	642
Male Haitian Born	38%	62%	883
White Male Youth (current ages 13-24)	59%	41%	11
Black Male Youth (current ages 13-24)	41%	59%	191
Hispanic Male Youth (current ages 13-	64%	36%	81
White Female Youth (current ages 13-	44%	56%	5
Black Female Youth (current ages 13-	39%	61%	128
Hispanic Female Youth (current ages 13-	43%	57%	30
White WCBA* (current ages 15-44)	40%	60%	70
Black WCBA* (current ages 15-44)	73%	27%	319
Hispanic WCBA* (current ages 15-44)	22%	78%	1,054
White Ped Cases (current current ages	#DIV/0!	#DIV/0!	0
Black Ped Cases (current ages 0-12)	63%	37%	10
Hispanic Ped Cases (current ages 0-12)	50%	50%	2
DOC Cases	42%	58%	405

*WCBA=Women of Child Bearing Age

MSM includes MSM & M
Male IDU includes IDU & F

Attachment 4: UNMET NEED FRAMEWORK, MIAMI EMA, as of 06/30/2015

Retained in Care, 2012

Retained in Care, 2013

Retained in Care, 2014

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

In Care 2 or more times, 3 months apart

Population Sizes			Value	Population Sizes			Value	Population Sizes			Value						
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012		12,943	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013		13,233	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014		13,452						
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012		11,263	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013		11,785	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014		12,590						
Row C.	Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012		24,206	Row C.	Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013		25,018	Row C.	Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014		26,042						
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent			
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		7,092		55%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		7,359		56%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		8,810		65%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,374		39%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,820		41%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		6,565		52%
Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		11,466		47%	Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		12,179		49%	Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		15,375		59%
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent			
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		5,851		45%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		5,874		44%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		4,642		35%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		6,889		61%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		6,965		59%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		6,025		48%
Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		12,740		53%	Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		12,839		51%	Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		10,667		41%

In Care (old method), 2012

In Care (old method), 2013

In Care (old method), 2014

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

In Care at least 1 time in the 12 month period

Population Sizes			Value	Population Sizes			Value	Population Sizes			Value						
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012		12,943	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013		13,233	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2014 - 12/31/2014		13,452						
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012		11,263	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013		11,785	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2014 - 12/31/2014		12,590						
Row C.	Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012		24,206	Row C.	Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013		25,018	Row C.	Total number of HIV+aware, for the period of 01/01/2014 - 12/31/2014		26,042						
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent			
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		8,256		64%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		8,414		64%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		9,565		71%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		5,363		48%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		5,719		49%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		7,458		59%
Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		13,619		56%	Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		14,133		56%	Row F.	Total number of HIV+aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		17,023		65%
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent			
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		4,687		36%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		4,819		36%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		3,887		29%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		5,900		52%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		6,066		51%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		5,132		41%
Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		10,587		44%	Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		10,885		44%	Row I.	Total HIV+aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		9,019		35%

Attachment 5: CO-MORBIDITIES, MIAMI EMA (Partnership 11a)

Documented Co-morbidity cases 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 26,042				
Tuberculosis diagnosed among HIV/AIDS patients	4	15.4	3.1%	eHARS	Data through 2014 (data as of 06/30/2015)
Infectious Syphilis diagnosed among HIV/AIDS patients	195	748.8	45.5%	PRISM	Data through 2014 (data as of 06/30/2015)
Gonorrhea diagnosed among HIV/AIDS patients	300	1152.0	12.5%	PRISM	Data through 2014 (data as of 06/30/2015)
Chlamydia diagnosed among HIV/AIDS patients	365	1401.6	3.4%	PRISM	Data through 2014 (data as of 06/30/2015)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	2,072	7956.4	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2014 (data as of 06/30/2015)

Other Factors / Surrogate Markers Documented in 2014	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	421	1,616.6	eHARS (address variable)	Data through 2014 (data as of 06/30/2015)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g.. alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	3,409	13,090.4	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	1,008	3,870.7	eHARS (local use variable)	Data through 2014 (data as of 06/30/2015)	
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	14,044	53,928.3	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	2,403	9,227.4	(PLWHA data)	Data through 2014 (data as of 06/30/2015)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2014	1,934	108	5.6%	Dept. of Corrections Offender-based Information System	CY 2014, data as of 02/2015
Offenders who returned to the Area in 2013	2,052	91	4.4%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	2,075	104	5.0%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013

**Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of
The Continuum of HIV Care - MIAMI EMA (Partnership 11a), 2014**

CATEGORY	HIV Diagnosed in 2014	Linked to Care within 3 months of diagnosis		Estimate of HIV Infected Still to be calculated	HIV Diagnosed and Living in Jurisdiction through 2014	Ever In Care Persons with at least one CD4 or VL documented since HIV diagnosis		In Care at least once at least 1 medical visit or VL or CD4 test		Retained In Care This Year 2 or more medical visits or VL or CD4 tests at least 3 months apart in 2014		On ART* Percent of persons receiving medical care and who have a documented ART RX on record		Viral Load Suppression The number/percent of persons whose most recent HIV VL was (<200 copies/mL)		
	#	#	%		#	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	#	% of diagnosed	% at least 1 care
CATEGORY	1,346	1,064	79%		26,042	22,114	85%	17,023	65%	15,375	59%	16,172	62%	14,102	54%	83%
By Race/Ethnicity																
White	168	136	81%		3,020	2,585	86%	1,836	61%	1,632	54%			1,663	55%	91%
Black	451	310	69%		11,537	9,463	82%	7,211	63%	6,391	55%			5,464	47%	76%
Hispanic	718	609	85%		11,116	9,728	88%	7,717	69%	7,131	64%			6,779	61%	88%
By Sex																
Females	216	154	71%		7,184	6,046	84%	4,778	67%	4,274	59%			3,704	52%	78%
Males	1,130	910	81%		18,858	16,068	85%	12,245	65%	11,101	59%			10,398	55%	85%
By Current Age Group																
0-12 yrs of age	4	3	75%		31	30	97%	23	74%	21	68%			19	61%	83%
13-24 yrs of age	211	160	76%		859	735	86%	634	74%	550	64%			404	47%	64%
25-39 yrs of age	583	445	76%		5,383	4,466	83%	3,593	67%	3,115	58%			2,782	52%	77%
40-49 yrs of age	296	248	84%		7,263	6,201	85%	4,758	66%	4,309	59%			3,979	55%	84%
50+ yrs of age	252	208	83%		12,506	10,682	85%	8,015	64%	7,380	59%			6,918	55%	86%
By Transmission Category**																
MSM	949	785	83%		13,341	11,548	87%	9,034	68%	8,213	62%			7,897	59%	87%
Male IDU	13	9	72%		955	772	81%	483	51%	436	46%			372	39%	77%
MSM/IDU	17	10	63%		703	627	89%	435	62%	394	56%			328	47%	75%
Male Heterosexual	146	103	70%		3,670	2,952	80%	2,155	59%	1,935	53%			1,733	47%	80%
Female IDU	18	12	66%		745	645	87%	518	69%	462	62%			367	49%	71%
Female Heterosexual	196	139	71%		6,223	5,206	84%	4,105	66%	3,677	59%			3,245	52%	79%
Special Populations																
White Heterosexual	16	13	81%		333	259	78%	183	55%	173	52%			143	43%	79%
Black Heterosexual	223	148	66%		6,982	5,697	82%	4,365	63%	3,874	55%			3,370	48%	77%
Hispanic Heterosexual	103	82	80%		2,465	2,100	85%	1,633	66%	1,494	61%			1,407	57%	86%
Black Heterosexual Females	136	90	66%		4,429	3,699	84%	2,918	66%	2,593	59%			2,256	51%	77%
Black Heterosexual Males	88	57	65%		2,553	1,998	78%	1,447	57%	1,281	50%			1,113	44%	77%
White MSM	146	120	82%		2,515	2,184	87%	1,559	62%	1,376	55%			1,446	57%	93%
Black MSM	211	152	72%		3,170	2,589	82%	1,961	62%	1,718	54%			1,503	47%	77%
Hispanic MSM	603	517	86%		8,139	7,199	88%	5,798	71%	5,385	66%			5,155	63%	89%
White Male IDU	8	6	76%		198	173	87%	106	53%	96	49%			85	43%	81%
Black Male IDU	9	3	35%		831	682	82%	466	56%	418	50%			336	40%	72%
Hispanic Male IDU	12	10	83%		605	521	86%	330	55%	303	50%			269	44%	81%
White Female IDU	4	2	44%		81	67	83%	50	62%	40	49%			39	49%	79%
Black Female IDU	8	5	65%		503	443	88%	364	72%	329	65%			252	50%	69%
Hispanic Female IDU	4	3	70%		139	116	84%	87	63%	78	56%			64	46%	73%
White Male Homeless	0	0	#DIV/0!		48	17	35%	0	0%	0	0%			0	0%	#DIV/0!
Black Male Homeless	4	4	100%		114	49	43%	3	3%	1	1%			1	1%	33%
Hispanic Male Homeless	3	3	100%		129	44	34%	2	2%	0	0%			0	0%	0%
White Female Homeless	1	0	0%		11	4	36%	1	9%	1	9%			0	0%	0%
Black Female Homeless	3	0	0%		85	16	19%	2	2%	0	0%			1	1%	50%
Hispanic Female Homeless	0	0	#DIV/0!		34	7	21%	0	0%	0	0%			0	0%	#DIV/0!
Female Haitian Born	34	19	56%		1,254	1,033	82%	762	61%	715	57%			612	49%	80%
Male Haitian Born	28	22	79%		1,423	1,072	75%	694	49%	637	45%			540	38%	78%
White Male Youth (current ages 13-24)	9	7	78%		27	23	85%	20	74%	17	63%			16	59%	80%
Black Male Youth (current ages 13-24)	75	49	65%		325	260	80%	220	68%	190	58%			134	41%	61%
Hispanic Male Youth (current ages 13-24)	95	80	84%		226	207	92%	190	84%	166	73%			145	64%	76%
White Female Youth (current ages 13-24)	1	0	0%		9	8	89%	7	78%	7	78%			4	44%	57%
Black Female Youth (current ages 13-24)	24	17	71%		210	186	89%	157	75%	137	65%			82	39%	52%
Hispanic Female Youth (current ages 13-24)	6	6	100%		53	45	85%	35	66%	29	55%			23	43%	66%
White WCBA* (current ages 15-44)	10	7	70%		116	94	81%	68	59%	61	53%			46	40%	68%
Black WCBA* (current ages 15-44)	86	57	66%		1,198	1,624	136%	1,284	107%	1,094	91%			879	73%	68%
Hispanic WCBA* (current ages 15-44)	30	23	77%		1,354	483	36%	387	29%	336	25%			300	22%	78%
White Ped Cases (current current ages 0-12)	0	0	#DIV/0!		0	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!			0	#DIV/0!	#DIV/0!
Black Ped Cases (current ages 0-12)	3	2	67%		27	27	100%	21	78%	19	70%			17	63%	81%
Hispanic Ped Cases (current ages 0-12)	1	1	100%		4	3	75%	2	50%	2	50%			2	50%	100%
DOC Cases	19	19	100%		696	595	85%	379	54%	349	50%			291	42%	77%

AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, MIAMI EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	116	7%	429	11%	1,425	11%	1,595	13%	3,020	12%
Black, not Hispanic	808	48%	1,351	36%	6,335	47%	5,202	41%	11,537	44%
Hispanic	747	44%	1,922	51%	5,472	41%	5,644	45%	11,116	43%
Asian/Pacific Islander	7	0%	26	1%	30	0%	42	0%	72	0%
American Indian/Alaskan Native	0	0%	2	0%	0	0%	5	0%	5	0%
Not Specified/Other	18	1%	16	0%	190	1%	102	1%	292	1%
Total:	1,696	100%	3,746	100%	13,452	100%	12,590	100%	26,042	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	1,226	72%	3,008	80%	9,614	71%	9,244	73%	18,858	72%
Female	470	28%	738	20%	3,838	29%	3,346	27%	7,184	28%
Total:	1,696	100%	3,746	100%	13,452	100%	12,590	100%	26,042	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	2	0%	8	0%	8	0%	23	0%	31	0%
13-19 years	16	1%	106	3%	42	0%	107	1%	149	1%
20-44 years	899	53%	2,405	64%	3,352	25%	5,762	46%	9,114	35%
45+ years	779	46%	1,227	33%	10,050	75%	6,698	53%	16,748	64%
Total:	1,696	100%	3,746	100%	13,452	100%	12,590	100%	26,042	100%

AIDS dx (3 year period), HIV infection dx (3 year period) Prevalence, MIAMI EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2012-2014		Newly Diagnosed HIV Infection Cases 2012-2014		AIDS Prevalence through 2014 as of 06/30/2015		HIV (not AIDS) Prevalence through 2014 as of 06/30/2015		Total HIV Prevalence through 2014 as of 06/30/2015	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 06/30/2015		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	838	49%	2,486	67%	6,315	47%	7,026	56%	13,341	51%
IDU	93	5%	84	2%	1,161	9%	539	4%	1,700	7%
MSM/IDU	39	2%	35	1%	459	3%	244	2%	703	3%
Heterosexual	708	42%	1,125	30%	5,258	39%	4,635	37%	9,893	38%
Other	16	1%	8	0%	251	2%	123	1%	374	1%
Total:	1,694	100%	3,738	100%	13,444	100%	12,567	100%	26,011	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	2	100%	8	100%	8	100%	23	100%	31	100%
Risk not Diagnosed/Other	0	0%	0	0%	0	0%	0	0%	0	0%
Total:	2	100%	8	100%	8	100%	23	100%	31	100%