

EPIDEMIOLOGICAL PROFILE
Target Area
EMA Jax
CLAY, DUVAL, NASSAU AND SAINT JOHNS COUNTIES

Mid-Year Population Estimates

2011

Sex	Total Pop	
Males	644,284	49%
Females	679,384	51%
Total	1,323,668	100%

Age Groups	Total Pop	
0 - 12	223,707	17%
13 - 19	125,078	9%
20 - 24	91,151	7%
25 - 29	92,478	7%
30 - 39	172,700	13%
40 - 49	189,219	14%
50 - 59	186,062	14%
60+	243,273	18%
Total	1,323,668	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	860,781	65%
Black, non-Hispanic	286,145	22%
Hispanic	95,469	7%
Other*	81,273	6%
Total	1,323,668	100%

2012

Sex	Total Pop	
Males	651,648	48.7%
Females	686,568	51.3%
Total	1,338,216	100.0%

Age Groups	Total Pop	
0 - 12	225,209	17%
13 - 19	125,271	9%
20 - 24	92,273	7%
25 - 29	93,078	7%
30 - 39	174,429	13%
40 - 49	186,675	14%
50 - 59	189,216	14%
60+	252,065	19%
Total	1,338,216	100%

Race/Ethnicity	Total Pop	
White, non-Hispanic	866,509	65%
Black, non-Hispanic	290,363	22%
Hispanic	98,707	7%
Other*	82,637	6%
Total	1,338,216	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups
FLORIDA Department of Health, HIV/AIDS and Hepatitis Program

Created: 01/14/13
Revision: 07/27/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Jax population estimates, by race/ethnicity, gender and age, respectively
 DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	152	65.2%	23.6	0 - 12	0	0.0%	0.0
Female	81	34.8%	11.9	13 - 19	8	3.4%	6.4
Other/Unknown	0	0.0%	N/A	20 - 24	24	10.3%	26.3
Total	233	100.0%	17.6	25 - 29	28	12.0%	30.3
				30 - 39	61	26.2%	35.3
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	46	19.7%	5.3	40 - 49	62	26.6%	32.8
Black, Non-Hispanic	164	70.4%	57.3	50 - 59	38	16.3%	20.4
Hispanic	8	3.4%	8.4	60+	12	5.2%	4.9
Asian/Pacific Islander	7	3.0%	N/A	Total	233	100.0%	17.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	8	3.4%	N/A				
Total	233	100.0%	17.6				

2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	163	68.8%	25.0	0 - 12	1	0.4%	0.4
Female	74	31.2%	10.8	13 - 19	4	1.7%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	23	9.7%	24.9
Total	237	100.0%	17.7	25 - 29	27	11.4%	29.0
				30 - 39	71	30.0%	40.7
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	38	16.0%	4.4	40 - 49	63	26.6%	33.7
Black, Non-Hispanic	173	73.0%	59.6	50 - 59	37	15.6%	19.6
Hispanic	15	6.3%	15.2	60+	11	4.6%	4.4
Asian/Pacific Islander	1	0.4%	N/A	Total	237	100.0%	17.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	4.2%	N/A				
Total	237	100.0%	17.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Jax population estimates, by race/ethnicity, gender and age, respectively
 DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	245	68.4%	38.0	0 - 12	1	0.3%	0.4
Female	113	31.6%	16.6	13 - 19	22	6.1%	17.6
Other/Unknown	0	0.0%	N/A	20 - 24	51	14.2%	56.0
Total	358	100.0%	27.0	25 - 29	60	16.8%	64.9
				30 - 39	90	25.1%	52.1
				40 - 49	72	20.1%	38.1
				50 - 59	48	13.4%	25.8
				60+	14	3.9%	5.8
				Total	358	100.0%	27.0
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	73	20.4%	8.5				
Black, Non-Hispanic	254	70.9%	88.8				
Hispanic	12	3.4%	12.6				
Asian/Pacific Islander	9	2.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	2.8%	N/A				
Total	358	100.0%	27.0				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	310	73.3%	47.6	0 - 12	3	0.7%	1.3
Female	113	26.7%	16.5	13 - 19	18	4.3%	14.4
Other/Unknown	0	0.0%	N/A	20 - 24	70	16.5%	75.9
Total	423	100.0%	31.6	25 - 29	65	15.4%	69.8
				30 - 39	98	23.2%	56.2
				40 - 49	99	23.4%	53.0
				50 - 59	53	12.5%	28.0
				60+	17	4.0%	6.7
				Total	423	100.0%	31.6
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	113	26.7%	13.0				
Black, Non-Hispanic	272	64.3%	93.7				
Hispanic	24	5.7%	24.3				
Asian/Pacific Islander	5	1.2%	N/A				
Amer. Indian/Alaskan	1	0.2%	N/A				
Other/Unknown	8	1.9%	N/A				
Total	423	100.0%	31.6				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	35	77.8%	5.4	0 - 12	0	0.0%	0.0
Female	10	22.2%	1.5	13 - 19	4	8.9%	3.2
Other/Unknown	0	0.0%	N/A	20 - 24	11	24.4%	12.1
Total	45	100.0%	3.4	25 - 29	11	24.4%	11.9
				30 - 39	8	17.8%	4.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	6	13.3%	3.2
White, Non-Hispanic	13	28.9%	1.5	50 - 59	5	11.1%	2.7
Black, Non-Hispanic	29	64.4%	10.1	60+	0	0.0%	0.0
Hispanic	0	0.0%	0.0	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	45	100.0%	3.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	6.7%	N/A				
Total	45	100.0%	3.4				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	40	90.9%	6.1	0 - 12	0	0.0%	0.0
Female	4	9.1%	0.6	13 - 19	2	4.5%	1.6
Other/Unknown	0	0.0%	N/A	20 - 24	15	34.1%	16.3
Total	44	100.0%	3.3	25 - 29	11	25.0%	11.8
				30 - 39	7	15.9%	4.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	5	11.4%	2.7
White, Non-Hispanic	9	20.5%	1.0	50 - 59	3	6.8%	1.6
Black, Non-Hispanic	32	72.7%	11.0	60+	1	2.3%	0.4
Hispanic	2	4.5%	2.0	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	44	100.0%	3.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	2.3%	N/A				
Total	44	100.0%	3.3				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	914	45.3%	141.9	0 - 12	0	0.0%	0.0
Female	1,104	54.7%	162.5	13 - 19	513	25.4%	410.1
Other/Unknown	0	0.0%	N/A	20 - 24	675	33.4%	740.5
Total	2,018	100.0%	152.5	25 - 29	397	19.7%	429.3
				30 - 39	279	13.8%	161.6
				40 - 49	96	4.8%	50.7
				50 - 59	48	2.4%	25.8
				60+	10	0.5%	4.1
				Unknown	0	0.0%	N/A
				Total	2,018	100.0%	152.5
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	305	15.1%	35.4				
Black, Non-Hispanic	1,516	75.1%	529.8				
Hispanic	46	2.3%	48.2				
Asian/Pacific Islander	10	0.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	141	7.0%	N/A				
Total	2,018	100.0%	152.5				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	962	50.1%	147.6	0-12	0	0.0%	0.0
Female	959	49.9%	139.7	13 - 19	397	20.7%	316.9
Other/Unknown	0	0.0%	N/A	20 - 24	677	35.2%	733.7
Total	1,921	100.0%	143.5	25 - 29	380	19.8%	408.3
				30 - 39	302	15.7%	173.1
				40 - 49	116	6.0%	62.1
				50 - 59	43	2.2%	22.7
				60+	6	0.3%	2.4
				Unknown	0	0.0%	N/A
				Total	1,921	100.0%	143.5
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	303	15.8%	35.0				
Black, Non-Hispanic	1,411	73.5%	485.9				
Hispanic	49	2.6%	49.6				
Asian/Pacific Islander	9	0.5%	N/A				
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	148	7.7%	N/A				
Total	1,921	100.0%	143.5				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	2,012	28.3%	312.3	0 - 12	0	0.0%	0.0
Female	5,103	71.7%	751.1	13 - 19	2,288	32.1%	1829.3
Other/Unknown	4	0.1%	N/A	20 - 24	2,751	38.6%	3018.1
Total	7,119	100.0%	537.8	25 - 29	1,171	16.4%	1266.2
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	1,632	22.9%	189.6	30 - 39	659	9.3%	381.6
Black, Non-Hispanic	4,161	58.4%	1454.2	40 - 49	185	2.6%	97.8
Hispanic	256	3.6%	268.1	50 - 59	46	0.6%	24.7
Asian/Pacific Islander	62	0.9%	N/A	60+	16	0.2%	6.6
Amer. Indian/Alaskan	2	0.0%	N/A	Unknown	3	0.0%	N/A
Other/Unknown	1,006	14.1%	N/A	Total	7,119	100.0%	537.8
Total	7,119	100.0%	537.8				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	1,969	29.6%	302.2	0-12	0	0.0%	0.0
Female	4,680	70.4%	681.7	13 - 19	1,913	28.8%	1527.1
Other/Unknown	0	0.0%	N/A	20 - 24	2,693	40.5%	2918.5
Total	6,649	100.0%	496.9	25 - 29	1,128	17.0%	1211.9
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	1,585	23.8%	182.9	30 - 39	680	10.2%	389.8
Black, Non-Hispanic	3,551	53.4%	1223.0	40 - 49	171	2.6%	91.6
Hispanic	202	3.0%	204.6	50 - 59	47	0.7%	24.8
Asian/Pacific Islander	65	1.0%	N/A	60+	15	0.2%	6.0
Amer. Indian/Alaskan	9	0.1%	N/A	Unknown	2	0.0%	N/A
Other/Unknown	1,237	18.6%	N/A	Total	6,649	100.0%	496.9
Total	6,649	100.0%	496.9				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	59	76.6%	9.2	0 - 12	2	2.6%	0.9
Female	18	23.4%	2.6	13 - 19	8	10.4%	3.6
Other/Unknown	0	0.0%	N/A	20 - 24	4	5.2%	1.8
Total	77	100.0%	5.8	25 - 29	3	3.9%	1.3
				30 - 39	8	10.4%	3.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	15	19.5%	6.7
White, Non-Hispanic	10	13.0%	1.2	50 - 59	17	22.1%	7.6
Black, Non-Hispanic	45	58.4%	15.7	60+	20	26.0%	8.9
Hispanic	9	11.7%	9.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	10	13.0%	N/A	Total	77	100.0%	5.8
Amer. Indian/Alaskan	2	2.6%	N/A				
Unknown	1	1.3%	N/A				
Total	77	100.0%	5.8				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	64	66.0%	9.8	0 - 12	3	3.1%	1.3
Female	33	34.0%	4.8	13 - 19	3	3.1%	2.4
Other/Unknown	0	0.0%	N/A	20 - 24	5	5.2%	5.4
Total	97	100.0%	7.2	25 - 29	5	5.2%	5.4
				30 - 39	14	14.4%	8.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	20	20.6%	10.7
White, Non-Hispanic	23	23.7%	2.7	50 - 59	28	28.9%	14.8
Black, Non-Hispanic	53	54.6%	18.3	60+	19	19.6%	7.5
Hispanic	4	4.1%	4.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	10	10.3%	N/A	Total	97	100.0%	7.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	7	7.2%	N/A				
Total	97	100.0%	7.2				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	75.0%	0.5	0 - 12	0	0.0%	0.0
Female	1	25.0%	0.1	13 - 19	1	25.0%	0.8
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	4	100.0%	0.3	25 - 29	2	50.0%	2.2
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	0.0%	0.0
White, Non-Hispanic	2	50.0%	0.2	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	1	25.0%	0.3	60+	1	25.0%	0.4
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	25.0%	N/A	Total	4	100.0%	0.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	4	100.0%	0.3				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	60.0%	0.5	0 - 12	1	20.0%	0.4
Female	2	40.0%	0.3	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	20.0%	1.1
Total	5	100.0%	0.4	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	20.0%	0.5
White, Non-Hispanic	4	80.0%	0.5	50 - 59	1	20.0%	0.5
Black, Non-Hispanic	1	20.0%	0.3	60+	1	20.0%	0.4
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	5	100.0%	0.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	5	100.0%	0.4				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	6	60.0%	0.9	0 - 12	0	0.0%	0.0
Female	4	40.0%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	2	20.0%	2.2
Total	10	100.0%	0.8	25 - 29	0	0.0%	0.0
				30 - 39	2	20.0%	1.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	20.0%	1.1
White, Non-Hispanic	8	80.0%	0.9	50 - 59	1	10.0%	0.5
Black, Non-Hispanic	1	10.0%	0.3	60+	3	30.0%	1.2
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	10	100.0%	0.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	10.0%	N/A				
Total	10	100.0%	0.8				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	6	60.0%	0.9	0 - 12	0	0.0%	0.0
Female	4	40.0%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	10	100.0%	0.7	25 - 29	0	0.0%	0.0
				30 - 39	2	20.0%	1.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	6	60.0%	3.2
White, Non-Hispanic	8	80.0%	0.9	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	2	20.0%	0.7	60+	2	20.0%	0.8
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	10	100.0%	0.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	10	100.0%	0.7				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Jax

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,020	59.5%	158.3	0 - 12	5	0.3%	2.2
Female	685	40.0%	100.8	13 - 19	11	0.6%	8.8
Other/Unknown	9	0.5%	N/A	20 - 24	56	3.3%	61.4
Total	1,714	100.0%	129.5	25 - 29	80	4.7%	86.5
				30 - 39	149	8.7%	86.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	349	20.4%	184.4
White, Non-Hispanic	673	39.3%	78.2	50 - 59	722	42.1%	388.0
Black, Non-Hispanic	181	10.6%	63.3	60+	342	20.0%	140.6
Hispanic	46	2.7%	48.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	11	0.6%	N/A	Total	1,714	100.0%	129.5
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	802	46.8%	N/A				
Total	1,714	100.0%	129.5				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	879	57.3%	134.9	0 - 12	9	0.6%	4.0
Female	648	42.3%	94.4	13 - 19	13	0.8%	10.4
Other/Unknown	6	0.4%	N/A	20 - 24	62	4.0%	67.2
Total	1,533	100.0%	114.6	25 - 29	90	5.9%	96.7
				30 - 39	146	9.5%	83.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	275	17.9%	147.3
White, Non-Hispanic	417	27.2%	48.1	50 - 59	602	39.3%	318.2
Black, Non-Hispanic	88	5.7%	30.3	60+	336	21.9%	133.3
Hispanic	22	1.4%	22.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	0.1%	N/A	Total	1,533	100.0%	114.6
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,004	65.5%	N/A				
Total	1,533	100.0%	114.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
EMA Jax**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2011 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	61	2	3.3	Male	12,872	237	1.8
Male Sex With Male	1,522	131	8.6	Female	15,335	80	0.5
Injecting Drug User	885	13	1.5	Unknown	327	7	2.1
Sex Partner at Risk	1,527	51	3.3	Total	28,534	324	1.1
Child of Woman with HIV/AIDS	119	2	1.7	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	5,778	36	0.6	White	7,171	63	0.9
Sex for Drugs or Money	635	5	0.8	Black	18,283	233	1.3
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	1,793	15	0.8
Victim of Sexual Assault	928	5	0.5	Asian	246	2	0.8
Health Care Exposure	0	0	#DIV/0!	Am. Native	69	0	0.0
Heterosexual	16,052	62	0.4	Other	352	6	1.7
No Acknowledged Risk	256	1	0.4	Unknown	620	5	0.8
Unknown	771	16	2.1	Total	28,534	324	1.1
Total	28,534	324	1.1	Total	28,534	324	1.1

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	59	4	6.8	Male	12,578	260	2.1
Male Sex With Male	1,629	150	9.2	Female	15,024	65	0.4
Injecting Drug User	950	9	0.9	Unknown	389	7	1.8
Sex Partner at Risk	1,750	43	2.5	Total	27,991	332	1.2
Child of Woman with HIV/AIDS	75	1	1.3	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	6,709	34	0.5	White	6,854	65	0.9
Sex for Drugs or Money	548	8	1.5	Black	18,162	239	1.3
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	1,797	15	0.8
Victim of Sexual Assault	843	7	#DIV/0!	Asian	258	1	0.4
Health Care Exposure	0	0	0.0	Am. Native	53	1	1.9
Heterosexual	14,409	62	0.4	Other	299	4	1.3
No Acknowledged Risk	264	2	0.8	Unknown	568	7	1.2
Unknown	755	12	1.6	Total	27,991	332	1.2
Total	27,991	332	1.2	Total	27,991	332	1.2

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

EMA Jax

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Race/Ethnicity															
White, not Hispanic	46	20%	38	16%	-17.4%	73	20%	113	27%	54.8%	35	26%	23	20%	-34.3%
Black, not Hispanic	164	70%	173	73%	5.5%	254	71%	272	64%	7.1%	91	68%	82	73%	-9.9%
Hispanic	8	3%	15	6%	87.5%	12	3%	24	6%	100.0%	3	2%	4	4%	33.3%
Asian/Pacific Islander	7	3%	1	0%	-85.7%	9	3%	5	1%	-44.4%	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	1	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	8	3%	10	4%	25.0%	10	3%	8	2%	-20.0%	5	4%	4	4%	-20.0%
Total:	233	100%	237	100%	1.7%	358	100%	423	100%	18.2%	134	100%	113	100%	-15.7%
Gender															
Male	152	65.2%	163	68.8%	7.2%	245	68.4%	310	73.3%	26.5%	90	67.2%	73	64.6%	-18.9%
Female	81	34.8%	74	31.2%	-8.6%	113	31.6%	113	26.7%	0.0%	44	32.8%	40	35.4%	-9.1%
Total:	233	100.0%	237	100.0%	1.7%	358	100.0%	423	100.0%	18.2%	134	100.0%	113	100.0%	-15.7%
Age at Diagnosis (Years)															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	1	0.4%	#DIV/0!	1	0.3%	3	0.7%	200.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	8	3.4%	4	1.7%	-50.0%	22	6.1%	18	4.3%	-18.2%	1	0.7%	0	0.0%	-100.0%
20-24 years	24	10.3%	23	9.7%	-4.2%	51	14.2%	70	16.5%	37.3%	1	0.7%	2	1.8%	100.0%
25-29 years	28	12.0%	27	11.4%	-3.6%	60	16.8%	65	15.4%	8.3%	7	5.2%	1	0.9%	-85.7%
30-39 years	61	26.2%	71	30.0%	16.4%	90	25.1%	98	23.2%	8.9%	16	11.9%	20	17.7%	25.0%
40-44 years	31	13.3%	35	14.8%	12.9%	36	10.1%	52	12.3%	44.4%	13	9.7%	14	12.4%	7.7%
45-49 years	31	13.3%	28	11.8%	-9.7%	36	10.1%	47	11.1%	30.6%	22	16.4%	15	13.3%	-31.8%
50-59 years	38	16.3%	37	15.6%	-2.6%	48	13.4%	53	12.5%	10.4%	48	35.8%	41	36.3%	-14.6%
60+ years	12	5.2%	11	4.6%	-8.3%	14	3.9%	17	4.0%	21.4%	26	19.4%	20	17.7%	-23.1%
Total:	233	100.0%	237	100.0%	1.7%	358	100.0%	423	100.0%	18.2%	134	100.0%	113	100.0%	-15.7%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Male Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
MSM	98	64.2%	104	64.5%	7.0%	162	66.1%	211	68.8%	30.5%	41	45.6%	40	54.8%	-2.4%
IDU	8	5.3%	12	7.2%	44.3%	5	2.1%	10	3.3%	94.0%	14	15.6%	10	13.7%	-28.6%
MSM/IDU	3	2.0%	3	1.9%	-0.4%	3	1.3%	4	1.1%	14.5%	9	10.0%	5	6.8%	-44.4%
Heterosexual	43	28.5%	43	26.5%	-0.9%	75	30.5%	82	26.7%	9.7%	25	27.8%	16	21.9%	-36.0%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	1	1.1%	2	2.7%	100.0%
Total:	152	100.0%	162	100.0%	6.6%	245	100.0%	307	100.0%	25.3%	90	100.0%	73	100.0%	-18.9%
Female Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
IDU	7	8.7%	9	11.7%	23.6%	6	5.5%	8	7.2%	33.5%	13	29.5%	8	20.0%	-38.5%
Heterosexual	74	91.3%	65	88.3%	-11.7%	106	94.5%	105	92.8%	-1.0%	29	65.9%	30	75.0%	3.4%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	2	4.5%	2	5.0%	0.0%
Total:	81	100.0%	74	100.0%	-8.6%	112	100.0%	113	100.0%	0.9%	44	100.0%	40	100.0%	-9.1%
Pediatric AIDS Exposure Categories (ages 0-12)	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	1	100%	#DIV/0!	1	100%	3	100%	200.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	1	100%	#DIV/0!	1	100%	3	100%	200.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	27	N/A	22	N/A	-18.5%	51	N/A	71	N/A	39.2%	22	N/A	15	N/A	-31.8%
Black MSM*	62	N/A	71	N/A	14.5%	95	N/A	95	N/A	0.0%	26	N/A	26	N/A	0.0%
Hispanic: MSM*	1	N/A	6	N/A	500.0%	5	N/A	16	N/A	220.0%	0	N/A	3	N/A	#DIV/0!
white Male IDU**	3	N/A	3	N/A	0.0%	4	N/A	3	N/A	-25.0%	3	N/A	4	N/A	33.3%
Black Male IDU**	7	N/A	7	N/A	0.0%	4	N/A	6	N/A	50.0%	18	N/A	11	N/A	-38.9%
Hispanic Male IDU**	1	N/A	4	N/A	300.0%	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%
white Female IDU**	5	N/A	2	N/A	-60.0%	2	N/A	2	N/A	0.0%	5	N/A	2	N/A	-60.0%
Black Female IDU**	2	N/A	4	N/A	100.0%	4	N/A	4	N/A	0.0%	5	N/A	6	N/A	20.0%
Hispanic Female IDU**	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Male Homeless	0	N/A	1	N/A	#DIV/0!	2	N/A	1	N/A	-50.0%	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	1	N/A	1	N/A	0.0%	2	N/A	0	N/A	-100.0%	1	N/A	1	N/A	0.0%
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	1	N/A	1	N/A	0.0%	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	4	N/A	2	N/A	-50.0%	12	N/A	9	N/A	-25.0%	0	N/A	1	N/A	#DIV/0!
Black Male Youth (ages 13-24)	22	N/A	16	N/A	-27.3%	46	N/A	57	N/A	23.9%	1	N/A	0	N/A	-100.0%
Hispanic Male Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	1	N/A	7	N/A	600.0%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	2	N/A	1	N/A	-50.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	4	N/A	5	N/A	25.0%	7	N/A	12	N/A	71.4%	1	N/A	1	N/A	0.0%
Hispanic Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	7	N/A	4	N/A	-42.9%	8	N/A	13	N/A	62.5%	4	N/A	0	N/A	-100.0%
Black WCBA* (ages 15-44)	37	N/A	36	N/A	-2.7%	64	N/A	56	N/A	-12.5%	17	N/A	10	N/A	-41.2%
Hispanic WCBA* (ages 15-44)	4	N/A	1	N/A	-75.0%	3	N/A	3	N/A	0.0%	2	N/A	0	N/A	-100.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	1	N/A	#DIV/0!	1	N/A	3	N/A	200.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), EMA Jax.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	1,039	29.6%	655	26.3%	1,694	28.2%
Black, not Hispanic	2,190	62.3%	1,675	67.1%	3,865	64.3%
Hispanic	168	4.8%	102	4.1%	270	4.5%
Asian/Pacific Islander	25	0.7%	15	0.6%	40	0.7%
American Indian/Alaskan Native	3	0.1%	1	0.0%	4	0.1%
Not Specified/Other	88	2.5%	47	1.9%	135	2.2%
Total:	3,513	100.0%	2,495	100.0%	6,008	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	2,316	65.9%	1,521	61.0%	3,837	63.9%
Female	1,197	34.1%	974	39.0%	2,171	36.1%
Total:	3,513	100.0%	2,495	100.0%	6,008	100.0%
Current Age on 12/31/2012 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	0	0.0%	0	0.0%
3-12 years	4	0.1%	18	0.7%	22	0.4%
13-19 years	20	0.6%	37	1.5%	57	0.9%
20-24 years	108	3.1%	162	6.5%	270	4.5%
25-29 years	179	5.1%	332	13.3%	511	8.5%
30-39 years	594	16.9%	659	26.4%	1,253	20.9%
40-44 years	508	14.5%	313	12.5%	821	13.7%
45-49 years	699	19.9%	357	14.3%	1,056	17.6%
50-59 years	1,020	29.0%	474	19.0%	1,494	24.9%
60+ years	381	10.8%	143	5.7%	524	8.7%
Total:	3,513	100.0%	2,495	100.0%	6,008	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	1,377	59.5%	1,025	67.8%	2,402	62.8%
IDU	230	9.9%	77	5.1%	307	8.0%
MSM/IDU	186	8.0%	58	3.8%	244	6.4%
Heterosexual	490	21.2%	344	22.8%	834	21.8%
Other	30	1.3%	8	0.5%	38	1.0%
Total:	2,313	100.0%	1,512	100.0%	3,825	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	195	16.3%	105	10.9%	300	13.9%
Heterosexual	969	81.0%	847	87.8%	1,816	84.0%
Other	32	2.7%	13	1.3%	45	2.1%
Total:	1,196	100.0%	965	100.0%	2,161	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	4	100.0%	18	100.0%	22	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
Total:	4	100.0%	18	100.0%	22	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	709	N/A	412	N/A	1,121	N/A
Black MSM	729	N/A	593	N/A	1,322	N/A
Hispanic MSM	73	N/A	48	N/A	121	N/A
white Male IDU	135	N/A	38	N/A	173	N/A
Black Male IDU	240	N/A	87	N/A	327	N/A
Hispanic Male IDU	31	N/A	8	N/A	39	N/A
white Female IDU	68	N/A	53	N/A	121	N/A
Black Female IDU	112	N/A	47	N/A	159	N/A
Hispanic Female IDU	6	N/A	1	N/A	7	N/A
white Male Homeless	7	N/A	5	N/A	12	N/A
Black Male Homeless	10	N/A	18	N/A	28	N/A
Hispanic Male Homeless	0	N/A	1	N/A	1	N/A
white Female Homeless	1	N/A	2	N/A	3	N/A
Black Female Homeless	0	N/A	2	N/A	2	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	5	N/A	0	N/A	5	N/A
Female Haitian Born	5	N/A	4	N/A	9	N/A
white Male Youth (current ages 13-24)	11	N/A	21	N/A	32	N/A
Black Male Youth (current ages 13-24)	71	N/A	105	N/A	176	N/A
Hispanic Male Youth (current ages 13-24)	1	N/A	6	N/A	7	N/A
white Female Youth (current ages 13-24)	2	N/A	8	N/A	10	N/A
Black Female Youth (current ages 13-24)	39	N/A	47	N/A	86	N/A
Hispanic Female Youth (current ages 13-24)	1	N/A	4	N/A	5	N/A
White WCBA* (current ages 15-44)	78	N/A	104	N/A	182	N/A
Black WCBA* (current ages 15-44)	437	N/A	477	N/A	914	N/A
Hispanic WCBA* (current ages 15-44)	23	N/A	23	N/A	46	N/A
White Ped Cases (current current ages 0-12)	1	N/A	1	N/A	2	N/A
Black Ped Cases (current ages 0-12)	3	N/A	15	N/A	18	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	3	N/A	5	N/A	8	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers EMA Jax

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 6,421				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	10	155.7	10.3%	eHARS	Data through 2012 (data as of 06/30/2013)
Infectious Syphilis reported in 2012 among HIV/AIDS patients	21	327.1	47.7%	PRISM	Data through 2012 (data as of 03/2013)
Gonorrhea reported in 2012 among HIV/AIDS patients	89	1386.1	4.6%	PRISM	Data through 2012 (data as of 03/2013)
Chlamydia reported in 2012 among HIV/AIDS patients	129	2009.0	1.9%	PRISM	Data through 2012 (data as of 03/2013)
Hepatitis C (defined as <i>any</i> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	528	8223.0	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/2013)

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	3	46.7	eHARS (address variable)	Data through 2012 (data as of 06/30/2013)
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc. and documented in HARS)	519	8,082.9	eHARS (local use variable)	Data through 2012 (data as of 06/30/2013)
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	74	1,152.5	eHARS (local use variable)	Data through 2012 (data as of 06/30/2013)
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	1,688	26,288.7	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	648	10,091.9	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released	Data Source	Date of Data
		Number % HIV+		
Offenders who returned to the Area in 2012	2,803	65 2.3%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	2,787	85 3.0%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012
Offenders who returned to the Area in 2010	2,525	100 4.0%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2011

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	15,403	59.8%	72,062	8.1%	51	42.1%
Black	8,665	33.3%	66,140	24.3%	70	57.9%
Hispanic	1,237	3.8%	6,529	10.0%	N/A	N/A
Other*	796	3.1%	4,528	12.7%	N/A	N/A
Total	26,101	100.0%	149,259	55.1%	121	100.0%

Selected Socioeconomic Indicators for this Partnership, (U.S. Census 2000), *Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:

<http://www.census.gov/did/www/saie/data/statecounty/data/2009.html>

The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/sahie/data/index.html>

<http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Jax EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWA IN care and NOT IN care in CY 2012			PLWH receiving primary medical services in a 12-month period.			Percent of PLWH IN care and NOT IN care in CY 2012			PLWHA receiving primary medical services in a 12-month period.			Percent of PLWHA IN care and NOT IN care in CY 2012		
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			Percent of PLWA <u>NOT</u> in care over number PLWA.	Number of PLWA <u>NOT</u> in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			Percent of PLWH <u>NOT</u> in care over number PLWA.	Number of PLWH <u>NOT</u> in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012			Percent of PLWHA <u>NOT</u> in care over number PLWA.	Number of PLWHA <u>NOT</u> in care (PLWHA minus PLWHA in care).			
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care			%NOT in care	# NOT in care	PLWH			% of Total	% in care	%NOT in care			# NOT in care	PLWHA	% of Total
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care			
White, not Hispanic	1,059	717	1,776	27.7%	704	25.6%	66%	34%	355	394	27.2%	55%	45%	323	1,098	26.1%	62%	38%	678			
Black, not Hispanic	2,353	1,767	4,120	64.2%	1,832	66.5%	78%	22%	521	941	64.9%	53%	47%	826	2,773	66.0%	67%	33%	1,347			
Hispanic	204	125	329	5.1%	124	4.5%	61%	39%	80	70	4.8%	56%	44%	55	194	4.6%	59%	41%	135			
Asian/Pacific Islander	28	17	45	0.7%	15	0.5%	54%	46%	13	8	0.6%	47%	53%	9	23	0.5%	51%	49%	22			
American Indian/Alaskan Native	2	2	4	0.1%	1	0.0%	50%	50%	1	1	0.1%	50%	50%	1	2	0.0%	50%	50%	2			
Not Specified/Other	96	51	147	2.3%	77	2.8%	80%	20%	19	36	2.5%	71%	29%	15	113	2.7%	77%	23%	34			
Total:	3,742	2,679	6,421	100.0%	2,753	100.0%	74%	26%	989	1,450	100.0%	54%	46%	1,229	4,203	100.0%	65%	35%	2,218			
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care			
Male	2,477	1,665	4,142	64.5%	1,761	64.0%	71%	29%	716	858	59.2%	52%	48%	807	2,619	62.3%	63%	37%	1,523			
Female	1,265	1,014	2,279	35.5%	992	36.0%	78%	22%	273	592	40.8%	58%	42%	422	1,584	37.7%	70%	30%	695			
Total:	3,742	2,679	6,421	100.0%	2,753	100.0%	74%	26%	989	1,450	100.0%	54%	46%	1,229	4,203	100.0%	65%	35%	2,218			
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care			
0- 2 years	0	1	1	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.1%	100%	0%	0	1	0.0%	100%	0%	0			
3-12 years	3	18	21	0.3%	3	0.1%	100%	0%	0	17	1.2%	94%	6%	1	20	0.5%	95%	5%	1			
13-19 years	23	51	74	1.2%	20	0.7%	87%	13%	3	33	2.3%	65%	35%	18	53	1.3%	72%	28%	21			
20-24 years	120	192	312	4.9%	94	3.4%	78%	22%	26	110	7.6%	57%	43%	82	204	4.9%	65%	35%	108			
25-29 years	210	370	580	9.0%	171	6.2%	81%	19%	39	194	13.4%	52%	48%	176	365	8.7%	63%	37%	215			
30-39 years	666	678	1,344	20.9%	526	19.1%	79%	21%	140	346	23.9%	51%	49%	332	872	20.7%	65%	35%	472			
40-44 years	526	356	882	13.7%	383	13.9%	73%	27%	143	181	12.5%	51%	49%	175	564	13.4%	64%	36%	318			
45-49 years	702	356	1,058	16.5%	478	17.4%	68%	32%	224	185	12.8%	52%	48%	171	663	15.8%	63%	37%	395			
50-59 years	1,104	492	1,596	24.9%	809	29.4%	73%	27%	295	287	19.8%	58%	42%	205	1,096	26.1%	69%	31%	500			
60+ years	388	165	553	8.6%	269	9.8%	69%	31%	119	96	6.6%	58%	42%	69	365	8.7%	66%	34%	188			
Total:	3,742	2,679	6,421	100.0%	2,753	100.0%	74%	26%	989	1,450	100.0%	54%	46%	1,229	4,203	100.0%	65%	35%	2,218			

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWH receiving primary medical services in a 12-month period.			PLWHA receiving primary medical services in a 12-month period.								
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2012								
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWH	% of Total	Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHA	% of Total	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
MSM	1,483	1,153	2,636	41.1%	1,046	38.0%	71%	29%	437	602	41.5%	52%	48%	551	1,648	39.2%	63%	37%	988
IDU	233	74	307	4.8%	161	5.8%	69%	31%	72	44	3.0%	59%	41%	30	205	4.9%	67%	33%	102
MSM/IDU	205	63	268	4.2%	136	4.9%	66%	34%	69	40	2.8%	63%	37%	23	176	4.2%	66%	34%	92
Heterosexual	524	353	877	13.7%	392	14.2%	75%	25%	132	152	10.5%	43%	57%	201	544	12.9%	62%	38%	333
Other	30	12	42	0.7%	24	0.9%	80%	20%	6	10	0.7%	83%	17%	2	34	0.8%	81%	19%	8
Total:	2,475	1,655	4,130	64.3%	1,759	63.9%	71%	29%	716	848	58.5%	51%	49%	807	2,607	62.0%	63%	37%	1,523
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
IDU	210	101	311	4.8%	164	6.0%	78%	22%	46	60	4.1%	59%	41%	41	224	5.3%	72%	28%	87
Heterosexual	1,016	887	1,903	29.6%	506	18.4%	50%	50%	510	510	35.2%	57%	43%	377	1,016	24.2%	53%	47%	887
Other	38	17	55	0.9%	21	0.8%	55%	45%	17	14	1.0%	82%	18%	3	35	0.8%	64%	36%	20
Total:	1,264	1,005	2,269	35.3%	691	25.1%	55%	45%	573	584	40.3%	58%	42%	421	1,275	30.3%	56%	44%	994
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Mother with/at risk for HIV infection	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0
Risk not diagnosed/Other	3	19	22	0.3%	3	0.1%	100%	0%	0	18	1.2%	95%	5%	1	21	0.5%	95%	5%	1
Total:	3	19	22	0.3%	3	0.1%	100%	0%	0	18	1.2%	95%	5%	0	21	0.5%	95%	5%	1

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12- month period.			PLWH receiving primary medical services in a 12- month period.			PLWHA receiving primary medical services in a 12- month period.									
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2012.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2012									
	PLWA	PLWH	PLWHA	% of Total	Percent of PLWA IN care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	Percent of PLWH IN care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	Percent of PLWHA IN care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).							
Special Populations				PLWA	PLWH	PLWHA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
White MSM	736	479	1,215	N/A	485	N/A	66%	34%	251	268	N/A	56%	44%	211	753	0	62%	38%	462	
Black MSM	806	638	1,444	N/A	603	N/A	75%	25%	203	314	N/A	49%	51%	324	917	0	64%	36%	527	
Hispanic MSM	85	64	149	N/A	53	N/A	62%	38%	32	36	N/A	56%	44%	28	89	0	60%	40%	60	
White Male IDU	134	45	179	N/A	92	N/A	69%	31%	42	28	N/A	62%	38%	17	120	0	67%	33%	59	
Black Male IDU	257	80	337	N/A	180	N/A	70%	30%	77	50	N/A	63%	38%	30	230	0	68%	32%	107	
Hispanic Male IDU	38	10	48	N/A	18	N/A	47%	53%	20	6	N/A	60%	40%	4	24	0	50%	50%	24	
White Female IDU	65	46	111	N/A	42	N/A	65%	35%	23	31	N/A	67%	33%	15	73	0	66%	34%	38	
Black Female IDU	124	49	173	N/A	106	N/A	85%	15%	18	26	N/A	53%	47%	23	132	0	76%	24%	41	
Hispanic Female IDU	13	2	15	N/A	9	N/A	69%	31%	4	1	N/A	50%	50%	1	10	0	67%	33%	5	
White Male Homeless	1	2	3	N/A	1	N/A	100%	0%	0	0	N/A	0%	100%	2	1	0	33%	67%	2	
Black Male Homeless	2	3	5	N/A	0	N/A	0%	100%	2	0	N/A	0%	100%	3	0	0	0%	100%	5	
Hispanic Male Homeless	0	1	1	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	0%	100%	1	0	0	0%	100%	1	
White Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0	
Black Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0	
Hispanic Female Homeless	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0	
Male Haitian Born	7	3	10	N/A	4	N/A	57%	43%	3	1	N/A	33%	67%	2	5	0	50%	50%	5	
Female Haitian Born	6	5	11	N/A	6	N/A	100%	0%	0	4	N/A	80%	20%	1	10	0	91%	9%	1	
White Male Youth (current ages 13-24)	11	28	39	N/A	8	N/A	73%	27%	3	19	N/A	68%	32%	9	27	0	69%	31%	12	
Black Male Youth (current ages 13-24)	78	132	210	N/A	71	N/A	91%	9%	7	71	N/A	54%	46%	61	142	0	68%	32%	68	
Hispanic Male Youth (current ages 13-24)	5	9	14	N/A	4	N/A	80%	20%	1	7	N/A	78%	22%	2	11	0	79%	21%	3	
White Female Youth (current ages 13-24)	3	7	10	N/A	2	N/A	67%	33%	1	4	N/A	57%	43%	3	6	0	60%	40%	4	
Black Female Youth (current ages 13-24)	43	53	96	N/A	26	N/A	60%	40%	17	33	N/A	62%	38%	20	59	0	61%	39%	37	
Hispanic Female Youth (current ages 13-24)	1	6	7	N/A	1	N/A	100%	0%	0	4	N/A	67%	33%	2	5	0	71%	29%	2	
White WCBA* (current ages 15-44)	78	98	176	N/A	57	N/A	73%	27%	21	53	N/A	54%	46%	45	110	0	63%	38%	66	
Black WCBA* (current ages 15-44)	461	505	966	N/A	359	N/A	78%	22%	102	283	N/A	56%	44%	222	642	0	66%	34%	324	
Hispanic WCBA* (current ages 15-44)	30	25	55	N/A	22	N/A	73%	27%	8	14	N/A	56%	44%	11	36	0	65%	35%	19	
White Ped Cases (current ages 0-12)	1	1	2	N/A	1	N/A	100%	0%	0	1	N/A	100%	0%	0	2	0	100%	0%	0	
Black Ped Cases (current ages 0-12)	2	16	18	N/A	2	N/A	100%	0%	0	16	N/A	100%	0%	0	18	0	100%	0%	0	
Hispanic Ped Cases (current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0	
DOC Cases	80	46	126	N/A	70	N/A	88%	13%	10	34	N/A	74%	26%	12	104	0	83%	17%	22	

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

HIV/AIDS EPIDEMIOLOGY

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Jax EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Race/Ethnicity								
White, not Hispanic	139	20%	1,059	28%	717	27%	1,776	28%
Black, not Hispanic	478	70%	2,353	63%	1,767	66%	4,120	64%
Hispanic	34	5%	204	5%	125	5%	329	5%
Asian/Pacific Islander	10	1%	28	1%	17	1%	45	1%
American Indian/Alaskan Native	0	0%	2	0%	2	0%	4	0%
Not Specified/Other	23	3%	96	3%	51	2%	147	2%
Total:	684	100%	3,742	100%	2,679	100%	6,421	100%
Gender								
Male	448	65%	2,477	66%	1,665	62%	4,142	65%
Female	236	35%	1,265	34%	1,014	38%	2,279	35%
Total:	684	100%	3,742	100%	2,679	100%	6,421	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)								
0-12 years	1	0%	0	0%	1	0%	1	0%
13-19 years	17	2%	3	0%	18	7%	21	5%
20-44 years	429	63%	23	1%	51	19%	74	18%
45+ years	237	35%	120	3%	192	73%	312	76%
Total:	684	100%	146	100%	262	100%	408	100%

HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Jax EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Jax EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	272	40%	1,483	40%	1,153	43%	2,636	41%
IDU	55	8%	443	12%	175	7%	618	10%
MSM/IDU	13	2%	205	5%	63	2%	268	4%
Heterosexual	339	50%	1,540	41%	1,240	47%	2,780	43%
Other	5	1%	68	2%	29	1%	97	2%
Total:	684	100%	3,739	100%	2,660	100%	6,399	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	0%	0	0%	0	0%	0	0%
Risk not reported/Other	1	100%	3	100%	19	100%	22	100%
Total:	1	100%	3	100%	19	100%	22	100%

JACKSONVILLE EMA Unmet Need Framework Table, 2012

Column 1	Column 2	Column 3	Column 4	Column 5	Add extra 5% to catch missed cases in care via other sources	
Population Sizes		Value		Data Source(s)	5.0%	
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2012 - 12/31/2012	3,742		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2012 - 12/31/2012	2,679		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row C.	Total number of HIV+, for the period of 01/01/2012 - 12/31/2012	6,421				
Care Patterns		Value	Percent	Data Source(s)		
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	2,753	74%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	2,940	79%
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	1,450	54%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	1,584	59%
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	4,203	65%		4,524	70%
Calculated Results		Value	Percent	Calculation		
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	989	26%	Value: Value A - Value D. Percent: Value G/Value A.	802	21%
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	1,229	46%	Value: Value B - Value E. Percent: Value H/Value B.	1,095	41%
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	2,218	35%	Value: Value G + Value H. Percent: Value I/Value C	1,897	30%

JAX EMA
Unmet Need Framework Table, 2009

JAX EMA
Unmet Need Framework Table, 2010

JAX EMA
Unmet Need Framework Table, 2011

Population Sizes			Value		Population Sizes			Value		Population Sizes			Value	
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2009 - 12/31/2009		3,301		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2010 - 12/31/2010		3,800		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011		3,603	
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2009 - 12/31/2009		2,391		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2010 - 12/31/2010		2,865		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011		2,708	
Row C.	Total number of HIV+aware, for the period of 01/01/2009 - 12/31/2009		5,692		Row C.	Total number of HIV+aware, for the period of 01/01/2010 - 12/31/2010		6,665		Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011		6,311	
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,647	80%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,792	73%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		2,747	76%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,580	66%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,593	56%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		1,606	59%
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,227	74%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,385	66%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,353	69%
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		654	20%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		1,008	27%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		856	24%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		811	34%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		1,272	44%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		1,102	41%
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		1,465	26%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		2,280	34%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		1,958	31%