

EPIDEMIOLOGICAL PROFILE
Target Area
EMA Orlando
 LAKE, ORANGE, OSCEOLA AND SEMINOLE COUNTIES

Mid-Year Population Estimates

2012

| Sex | Total Pop | |
|------------|------------------|------|
| Males | 1,074,979 | 49% |
| Females | 1,120,090 | 51% |
| Total | 2,195,069 | 100% |

| Age Groups | Total Pop | |
|-------------------|------------------|------|
| 0 - 12 | 360,690 | 16% |
| 13 - 19 | 215,971 | 10% |
| 20 - 24 | 169,815 | 8% |
| 25 - 29 | 163,947 | 7% |
| 30 - 39 | 295,906 | 13% |
| 40 - 49 | 306,489 | 14% |
| 50 - 59 | 286,381 | 13% |
| 60+ | 395,870 | 18% |
| Total | 2,195,069 | 100% |

| Race/Ethnicity | Total Pop | |
|-----------------------|------------------|------|
| White, non-Hispanic | 1,136,940 | 52% |
| Black, non-Hispanic | 335,025 | 15% |
| Hispanic | 577,469 | 26% |
| Other* | 145,635 | 7% |
| Total | 2,195,069 | 100% |

2013

| Sex | Total Pop | |
|------------|------------------|--------|
| Males | 1,083,580 | 49.0% |
| Females | 1,129,657 | 51.0% |
| Total | 2,213,237 | 100.0% |

| Age Groups | Total Pop | |
|-------------------|------------------|------|
| 0 - 12 | 363,726 | 16% |
| 13 - 19 | 215,203 | 10% |
| 20 - 24 | 169,092 | 8% |
| 25 - 29 | 167,491 | 8% |
| 30 - 39 | 296,526 | 13% |
| 40 - 49 | 301,267 | 14% |
| 50 - 59 | 292,310 | 13% |
| 60+ | 407,622 | 18% |
| Total | 2,213,237 | 100% |

| Race/Ethnicity | Total Pop | |
|-----------------------|------------------|------|
| White, non-Hispanic | 1,147,019 | 52% |
| Black, non-Hispanic | 340,397 | 15% |
| Hispanic | 590,047 | 27% |
| Other* | 135,774 | 6% |
| Total | 2,213,237 | 100% |

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups
FLORIDA Department of Health, HIV/AIDS and Hepatitis Program

| |
|--------------------|
| Created: 11/13/13 |
| Revision: 04/30/14 |

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Orlando population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 197 | 76.1% | 18.3 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 62 | 23.9% | 5.5 | 13 - 19 | 5 | 1.9% | 2.3 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 15 | 5.8% | 8.8 |
| Total | 259 | 100.0% | 11.8 | 25 - 29 | 20 | 7.7% | 12.2 |
| | | | | 30 - 39 | 70 | 27.0% | 23.7 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 73 | 28.2% | 23.8 |
| White, Non-Hispanic | 53 | 20.5% | 4.7 | 50 - 59 | 57 | 22.0% | 19.9 |
| Black, Non-Hispanic | 142 | 54.8% | 42.4 | 60+ | 19 | 7.3% | 4.8 |
| Hispanic | 55 | 21.2% | 9.5 | Total | 259 | 100.0% | 11.8 |
| Asian/Pacific Islander | 2 | 0.8% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 7 | 2.7% | N/A | | | | |
| Total | 259 | 100.0% | 11.8 | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 308 | 74.4% | 28.4 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 106 | 25.6% | 9.4 | 13 - 19 | 3 | 0.7% | 1.4 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 29 | 7.0% | 17.2 |
| Total | 414 | 100.0% | 18.7 | 25 - 29 | 47 | 11.4% | 28.1 |
| | | | | 30 - 39 | 116 | 28.0% | 39.1 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 107 | 25.8% | 35.5 |
| White, Non-Hispanic | 119 | 28.7% | 10.4 | 50 - 59 | 84 | 20.3% | 28.7 |
| Black, Non-Hispanic | 194 | 46.9% | 57.0 | 60+ | 28 | 6.8% | 6.9 |
| Hispanic | 90 | 21.7% | 15.3 | Total | 414 | 100.0% | 18.7 |
| Asian/Pacific Islander | 2 | 0.5% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 9 | 2.2% | N/A | | | | |
| Total | 414 | 100.0% | 18.7 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on EMA Orlando population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 428 | 79.3% | 39.8 | 0 - 12 | 2 | 0.4% | 0.6 |
| Female | 112 | 20.7% | 10.0 | 13 - 19 | 25 | 4.6% | 11.6 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 98 | 18.1% | 57.7 |
| Total | 540 | 100.0% | 24.6 | 25 - 29 | 67 | 12.4% | 40.9 |
| | | | | 30 - 39 | 119 | 22.0% | 40.2 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 128 | 23.7% | 41.8 |
| White, Non-Hispanic | 158 | 29.3% | 13.9 | 50 - 59 | 77 | 14.3% | 26.9 |
| Black, Non-Hispanic | 255 | 47.2% | 76.1 | 60+ | 24 | 4.4% | 6.1 |
| Hispanic | 117 | 21.7% | 20.3 | Total | 540 | 100.0% | 24.6 |
| Asian/Pacific Islander | 6 | 1.1% | N/A | | | | |
| Amer. Indian/Alaskan | 1 | 0.2% | N/A | | | | |
| Other/Unknown | 3 | 0.6% | N/A | | | | |
| Total | 540 | 100.0% | 24.6 | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 503 | 76.3% | 46.4 | 0 - 12 | 3 | 0.5% | 0.8 |
| Female | 156 | 23.7% | 13.8 | 13 - 19 | 22 | 3.3% | 10.2 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 89 | 13.5% | 52.6 |
| Total | 659 | 100.0% | 29.8 | 25 - 29 | 98 | 14.9% | 58.5 |
| | | | | 30 - 39 | 149 | 22.6% | 50.2 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 150 | 22.8% | 49.8 |
| White, Non-Hispanic | 192 | 29.1% | 16.7 | 50 - 59 | 112 | 17.0% | 38.3 |
| Black, Non-Hispanic | 265 | 40.2% | 77.9 | 60+ | 36 | 5.5% | 8.8 |
| Hispanic | 194 | 29.4% | 32.9 | Total | 659 | 100.0% | 29.8 |
| Asian/Pacific Islander | 3 | 0.5% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 5 | 0.8% | N/A | | | | |
| Total | 659 | 100.0% | 29.8 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | | | | | | |
|------------------------|-----|--------|------|---------------|----------------|-------------|-------------------|----|-------|--------------|----------------|-------------|
| Gender | | | | Cases | % Total | Rate | Age Groups | | | Cases | % Total | Rate |
| Male | 153 | 91.1% | 14.2 | 0 - 12 | 0 | 0.0% | 0.0 | | | | | |
| Female | 15 | 8.9% | 1.3 | 13 - 19 | 11 | 6.5% | 5.1 | | | | | |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 47 | 28.0% | 27.7 | | | | | |
| Total | 168 | 100.0% | 7.7 | 25 - 29 | 29 | 17.3% | 17.7 | | | | | |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | 46 | 27.4% | 15.5 | | |
| White, Non-Hispanic | 59 | 35.1% | 5.2 | 40 - 49 | 26 | 15.5% | 8.5 | | | | | |
| Black, Non-Hispanic | 68 | 40.5% | 20.3 | 50 - 59 | 7 | 4.2% | 2.4 | | | | | |
| Hispanic | 31 | 18.5% | 5.4 | 60+ | 2 | 1.2% | 0.5 | | | | | |
| Asian/Pacific Islander | 5 | 3.0% | N/A | Other/Unknown | 0 | 0.0% | N/A | | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | Total | 168 | 100.0% | 7.7 | | | | | |
| Other/Unknown | 5 | 3.0% | N/A | | | | | | | | | |
| Total | 168 | 100.0% | 7.7 | | | | | | | | | |
| 2013 | | | | | | | | | | | | |
| Gender | | | | Cases | % Total | Rate | Age Groups | | | Cases | % Total | Rate |
| Male | 195 | 95.6% | 18.0 | 0 - 12 | 0 | 0.0% | 0.0 | | | | | |
| Female | 9 | 4.4% | 0.8 | 13 - 19 | 9 | 4.4% | 4.2 | | | | | |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 58 | 28.4% | 34.3 | | | | | |
| Total | 204 | 100.0% | 9.2 | 25 - 29 | 37 | 18.1% | 22.1 | | | | | |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | 52 | 25.5% | 17.5 | | |
| White, Non-Hispanic | 76 | 37.3% | 6.6 | 40 - 49 | 27 | 13.2% | 9.0 | | | | | |
| Black, Non-Hispanic | 60 | 29.4% | 17.6 | 50 - 59 | 18 | 8.8% | 6.2 | | | | | |
| Hispanic | 52 | 25.5% | 8.8 | 60+ | 3 | 1.5% | 0.7 | | | | | |
| Asian/Pacific Islander | 3 | 1.5% | N/A | Other/Unknown | 0 | 0.0% | N/A | | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | Total | 204 | 100.0% | 9.2 | | | | | |
| Other/Unknown | 13 | 6.4% | N/A | | | | | | | | | |
| Total | 204 | 100.0% | 9.2 | | | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1,249 | 53.5% | 116.2 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 1,085 | 46.5% | 96.9 | 13 - 19 | 517 | 22.2% | 239.4 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 844 | 36.2% | 497.0 |
| Total | 2,334 | 100.0% | 106.3 | 25 - 29 | 438 | 18.8% | 267.2 |
| | | | | 30 - 39 | 342 | 14.7% | 115.6 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 131 | 5.6% | 42.7 |
| White, Non-Hispanic | 435 | 18.6% | 38.3 | 50 - 59 | 55 | 2.4% | 19.2 |
| Black, Non-Hispanic | 1,279 | 54.8% | 381.8 | 60+ | 7 | 0.3% | 1.8 |
| Hispanic | 284 | 12.2% | 49.2 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 14 | 0.6% | N/A | Total | 2,334 | 100.0% | 106.3 |
| Amer. Indian/Alaskan | 6 | 0.3% | N/A | | | | |
| Other/Unknown | 316 | 13.5% | N/A | | | | |
| Total | 2,334 | 100.0% | 106.3 | | | | |
| | | | | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1,410 | 55.8% | 130.1 | 0-12 | 0 | 0.0% | 0.0 |
| Female | 1,115 | 44.1% | 98.7 | 13 - 19 | 511 | 20.2% | 237.5 |
| Other/Unknown | 1 | 0.0% | N/A | 20 - 24 | 836 | 33.1% | 494.4 |
| Total | 2,526 | 100.0% | 114.1 | 25 - 29 | 506 | 20.0% | 302.1 |
| | | | | 30 - 39 | 420 | 16.6% | 141.6 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 172 | 6.8% | 57.1 |
| White, Non-Hispanic | 380 | 15.0% | 33.1 | 50 - 59 | 70 | 2.8% | 23.9 |
| Black, Non-Hispanic | 1,230 | 48.7% | 361.3 | 60+ | 11 | 0.4% | 2.7 |
| Hispanic | 243 | 9.6% | 41.2 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 11 | 0.4% | N/A | Total | 2,526 | 100.0% | 114.1 |
| Amer. Indian/Alaskan | 2 | 0.1% | N/A | | | | |
| Other/Unknown | 660 | 26.1% | N/A | | | | |
| Total | 2,526 | 100.0% | 114.1 | | | | |
| | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 2,557 | 25.8% | 237.9 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 7,349 | 74.2% | 656.1 | 13 - 19 | 2,810 | 28.4% | 1301.1 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 4,009 | 40.5% | 2360.8 |
| Total | 9,906 | 100.0% | 451.3 | 25 - 29 | 1,741 | 17.6% | 1061.9 |
| | | | | 30 - 39 | 1,031 | 10.4% | 348.4 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 218 | 2.2% | 71.1 |
| White, Non-Hispanic | 1,555 | 15.7% | 136.8 | 50 - 59 | 72 | 0.7% | 25.1 |
| Black, Non-Hispanic | 3,354 | 33.9% | 1001.1 | 60+ | 25 | 0.3% | 6.3 |
| Hispanic | 1,355 | 13.7% | 234.6 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 67 | 0.7% | N/A | Total | 9,906 | 100.0% | 451.3 |
| Amer. Indian/Alaskan | 11 | 0.1% | N/A | | | | |
| Other/Unknown | 3,564 | 36.0% | N/A | | | | |
| Total | 9,906 | 100.0% | 451.3 | | | | |

| 2013 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 2,735 | 26.6% | 252.4 | 0-12 | 0 | 0.0% | 0.0 |
| Female | 7,528 | 73.2% | 666.4 | 13 - 19 | 2,539 | 24.7% | 1179.8 |
| Other/Unknown | 19 | 0.2% | N/A | 20 - 24 | 4,345 | 42.3% | 2569.6 |
| Total | 10,282 | 100.0% | 464.6 | 25 - 29 | 1,902 | 18.5% | 1135.6 |
| | | | | 30 - 39 | 1,139 | 11.1% | 384.1 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 269 | 2.6% | 89.3 |
| White, Non-Hispanic | 1,760 | 17.1% | 153.4 | 50 - 59 | 67 | 0.7% | 22.9 |
| Black, Non-Hispanic | 3,205 | 31.2% | 941.5 | 60+ | 21 | 0.2% | 5.2 |
| Hispanic | 1,397 | 13.6% | 236.8 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 76 | 0.7% | N/A | Total | 10,282 | 100.0% | 464.6 |
| Amer. Indian/Alaskan | 11 | 0.1% | N/A | | | | |
| Other/Unknown | 3,833 | 37.3% | N/A | | | | |
| Total | 10,282 | 100.0% | 464.6 | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 58 | 61.7% | 5.4 | 0 - 12 | 3 | 3.2% | 0.8 |
| Female | 36 | 38.3% | 3.2 | 13 - 19 | 6 | 6.4% | 1.7 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 8 | 8.5% | 2.2 |
| Total | 94 | 100.0% | 4.3 | 25 - 29 | 4 | 4.3% | 1.1 |
| | | | | 30 - 39 | 17 | 18.1% | 4.7 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 18 | 19.1% | 5.0 |
| White, Non-Hispanic | 22 | 23.4% | 1.9 | 50 - 59 | 20 | 21.3% | 5.5 |
| Black, Non-Hispanic | 35 | 37.2% | 10.4 | 60+ | 18 | 19.1% | 5.0 |
| Hispanic | 24 | 25.5% | 4.2 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 9 | 9.6% | N/A | Total | 94 | 100.0% | 4.3 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Unknown | 4 | 4.3% | N/A | | | | |
| Total | 94 | 100.0% | 4.3 | | | | |

| 2013 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 42 | 61.8% | 3.9 | 0 - 12 | 2 | 2.9% | 0.5 |
| Female | 26 | 38.2% | 2.3 | 13 - 19 | 4 | 5.9% | 1.9 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 6 | 8.8% | 3.5 |
| Total | 68 | 100.0% | 3.1 | 25 - 29 | 3 | 4.4% | 1.8 |
| | | | | 30 - 39 | 5 | 7.4% | 1.7 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 16 | 23.5% | 5.3 |
| White, Non-Hispanic | 14 | 20.6% | 1.2 | 50 - 59 | 16 | 23.5% | 5.5 |
| Black, Non-Hispanic | 26 | 38.2% | 7.6 | 60+ | 16 | 23.5% | 3.9 |
| Hispanic | 15 | 22.1% | 2.5 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 13 | 19.1% | N/A | Total | 68 | 100.0% | 3.1 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Unknown | 0 | 0.0% | N/A | | | | |
| Total | 68 | 100.0% | 3.1 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | | | | | | |
|-----------------------|------------------------|----|--------|--------------|----------------|-------------|-------------------|-----|-------|-----|--|--|
| Gender | | | | Cases | % Total | Rate | Age Groups | | | | | |
| | Male | 6 | 46.2% | 0.6 | 0 - 12 | 2 | 15.4% | 0.6 | | | | |
| | Female | 7 | 53.8% | 0.6 | 13 - 19 | 3 | 23.1% | 1.4 | | | | |
| | Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 7.7% | 0.6 | | | | |
| | Total | 13 | 100.0% | 0.6 | 25 - 29 | 0 | 0.0% | 0.0 | | | | |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | 2 | 15.4% | 0.7 | | |
| | White, Non-Hispanic | 4 | 30.8% | 0.4 | 40 - 49 | 2 | 15.4% | 0.7 | | | | |
| | Black, Non-Hispanic | 1 | 7.7% | 0.3 | 50 - 59 | 1 | 7.7% | 0.3 | | | | |
| | Hispanic | 5 | 38.5% | 0.9 | 60+ | 2 | 15.4% | 0.5 | | | | |
| | Asian/Pacific Islander | 2 | 15.4% | N/A | Unknown | 0 | 0.0% | N/A | | | | |
| | Amer. Indian/Alaskan | 0 | 0.0% | N/A | Total | 13 | 100.0% | 0.6 | | | | |
| | Other/Unknown | 1 | 7.7% | N/A | | | | | | | | |
| | Total | 13 | 100.0% | 0.6 | | | | | | | | |
| 2013 | | | | | | | | | | | | |
| Gender | | | | Cases | % Total | Rate | Age Groups | | | | | |
| | Male | 6 | 60.0% | 0.6 | 0 - 12 | 0 | 0.0% | 0.0 | | | | |
| | Female | 4 | 40.0% | 0.4 | 13 - 19 | 1 | 10.0% | 0.5 | | | | |
| | Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 | | | | |
| | Total | 10 | 100.0% | 0.5 | 25 - 29 | 0 | 0.0% | 0.0 | | | | |
| Race/Ethnicity | | | | Cases | % Total | Rate | 30 - 39 | 3 | 30.0% | 1.0 | | |
| | White, Non-Hispanic | 6 | 60.0% | 0.5 | 40 - 49 | 1 | 10.0% | 0.3 | | | | |
| | Black, Non-Hispanic | 0 | 0.0% | 0.0 | 50 - 59 | 2 | 20.0% | 0.7 | | | | |
| | Hispanic | 3 | 30.0% | 0.5 | 60+ | 3 | 30.0% | 0.7 | | | | |
| | Asian/Pacific Islander | 0 | 0.0% | N/A | Unknown | 0 | 0.0% | N/A | | | | |
| | Amer. Indian/Alaskan | 0 | 0.0% | N/A | Total | 10 | 100.0% | 0.5 | | | | |
| | Other/Unknown | 1 | 10.0% | N/A | | | | | | | | |
| | Total | 10 | 100.0% | 0.5 | | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | | | | | |
|-----------------------|------------------------|----|--------|--------------|----------------|-------------|-------------------|---------|--------|-------|-----|
| Gender | | | | Cases | % Total | Rate | Age Groups | | | | |
| | Male | 13 | 76.5% | 1.2 | | | 0 - 12 | 1 | 5.9% | 0.3 | |
| | Female | 4 | 23.5% | 0.4 | | | 13 - 19 | 0 | 0.0% | 0.0 | |
| | Other/Unknown | 0 | 0.0% | N/A | | | 20 - 24 | 0 | 0.0% | 0.0 | |
| | Total | 17 | 100.0% | 0.8 | | | 25 - 29 | 1 | 5.9% | 0.6 | |
| Race/Ethnicity | | | | Cases | % Total | Rate | | 30 - 39 | 4 | 23.5% | 1.4 |
| | White, Non-Hispanic | 8 | 47.1% | 0.7 | | | 40 - 49 | 5 | 29.4% | 1.6 | |
| | Black, Non-Hispanic | 5 | 29.4% | 1.5 | | | 50 - 59 | 4 | 23.5% | 1.4 | |
| | Hispanic | 4 | 23.5% | 0.7 | | | 60+ | 2 | 11.8% | 0.5 | |
| | Asian/Pacific Islander | 0 | 0.0% | N/A | | | Unknown | 0 | 0.0% | N/A | |
| | Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | Total | 17 | 100.0% | 0.8 | |
| | Other/Unknown | 0 | 0.0% | N/A | | | | | | | |
| | Total | 17 | 100.0% | 0.8 | | | | | | | |
| 2013 | | | | | | | | | | | |
| Gender | | | | Cases | % Total | Rate | Age Groups | | | | |
| | Male | 13 | 59.1% | 1.2 | | | 0 - 12 | 0 | 0.0% | 0.0 | |
| | Female | 9 | 40.9% | 0.8 | | | 13 - 19 | 0 | 0.0% | 0.0 | |
| | Other/Unknown | 0 | 0.0% | N/A | | | 20 - 24 | 1 | 4.5% | 0.6 | |
| | Total | 22 | 100.0% | 1.0 | | | 25 - 29 | 0 | 0.0% | 0.0 | |
| Race/Ethnicity | | | | Cases | % Total | Rate | | 30 - 39 | 8 | 36.4% | 2.7 |
| | White, Non-Hispanic | 12 | 54.5% | 1.0 | | | 40 - 49 | 9 | 40.9% | 3.0 | |
| | Black, Non-Hispanic | 2 | 9.1% | 0.6 | | | 50 - 59 | 1 | 4.5% | 0.3 | |
| | Hispanic | 5 | 22.7% | 0.8 | | | 60+ | 3 | 13.6% | 0.7 | |
| | Asian/Pacific Islander | 0 | 0.0% | N/A | | | Unknown | 0 | 0.0% | N/A | |
| | Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | Total | 22 | 100.0% | 1.0 | |
| | Other/Unknown | 3 | 13.6% | N/A | | | | | | | |
| | Total | 22 | 100.0% | 1.0 | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, EMA Orlando

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1,003 | 57.7% | 93.3 | 0 - 12 | 5 | 0.3% | 1.4 |
| Female | 727 | 41.9% | 64.9 | 13 - 19 | 35 | 2.0% | 16.2 |
| Other/Unknown | 7 | 0.4% | N/A | 20 - 24 | 90 | 5.2% | 53.0 |
| Total | 1,737 | 100.0% | 79.1 | 25 - 29 | 116 | 6.7% | 70.8 |
| | | | | 30 - 39 | 205 | 11.8% | 69.3 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 325 | 18.7% | 106.0 |
| White, Non-Hispanic | 368 | 21.2% | 32.4 | 50 - 59 | 598 | 34.4% | 208.8 |
| Black, Non-Hispanic | 65 | 3.7% | 19.4 | 60+ | 363 | 20.9% | 91.7 |
| Hispanic | 118 | 6.8% | 20.4 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 10 | 0.6% | N/A | Total | 1,737 | 100.0% | 79.1 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 1,176 | 67.7% | N/A | | | | |
| Total | 1,737 | 100.0% | 79.1 | | | | |
| | | | | | | | |
| 2013 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1,122 | 59.0% | 103.5 | 0 - 12 | 4 | 0.2% | 1.1 |
| Female | 778 | 40.9% | 68.9 | 13 - 19 | 23 | 1.2% | 10.7 |
| Other/Unknown | 2 | 0.1% | N/A | 20 - 24 | 109 | 5.7% | 64.5 |
| Total | 1,902 | 100.0% | 85.9 | 25 - 29 | 147 | 7.7% | 87.8 |
| | | | | 30 - 39 | 280 | 14.7% | 94.4 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 312 | 16.4% | 103.6 |
| White, Non-Hispanic | 408 | 21.5% | 35.6 | 50 - 59 | 615 | 32.3% | 210.4 |
| Black, Non-Hispanic | 72 | 3.8% | 21.2 | 60+ | 412 | 21.7% | 101.1 |
| Hispanic | 106 | 5.6% | 18.0 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 2 | 0.1% | N/A | Total | 1,902 | 100.0% | 85.9 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 1,314 | 69.1% | N/A | | | | |
| Total | 1,902 | 100.0% | 85.9 | | | | |
| | | | | | | | |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
EMA Orlando**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

| 2012 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 164 | 9 | 5.5 | Male | 21,214 | 430 | 2.0 |
| Male Sex With Male | 5,168 | 287 | 5.6 | Female | 20,369 | 126 | 0.6 |
| Injecting Drug User | 1,782 | 17 | 1.0 | Unknown | 927 | 17 | 1.8 |
| Sex Partner at Risk | 3,104 | 86 | 2.8 | Total | 42,510 | 573 | 1.3 |
| Child of Woman with HIV/AIDS | 83 | 3 | 3.6 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 5,713 | 39 | 0.7 | White | 12,089 | 115 | 1.0 |
| Sex for Drugs or Money | 419 | 4 | 1.0 | Black | 16,650 | 299 | 1.8 |
| Hemophilia/Blood Recipient | 0 | 0 | #DIV/0! | Hispanic | 11,764 | 135 | 1.1 |
| Victim of Sexual Assault | 1,121 | 7 | 0.6 | Asian | 624 | 3 | 0.5 |
| Health Care Exposure | 0 | 0 | #DIV/0! | Am. Native | 69 | 1 | 1.4 |
| Heterosexual | 23,018 | 108 | 0.5 | Other | 289 | 10 | 3.5 |
| No Acknowledged Risk | 377 | 0 | 0.0 | Unknown | 1,025 | 10 | 1.0 |
| Unknown | 1,561 | 13 | 0.8 | Total | 42,510 | 573 | 1.3 |
| Total | 42,510 | 573 | 1.3 | Total | 42,510 | 573 | 1.3 |

| 2013 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 149 | 9 | 6.0 | Male | 20,949 | 359 | 1.7 |
| Male Sex With Male | 5,176 | 233 | 4.5 | Female | 19,713 | 116 | 0.6 |
| Injecting Drug User | 2,158 | 18 | 0.8 | Unknown | 703 | 7 | 1.0 |
| Sex Partner at Risk | 1,760 | 67 | 3.8 | Total | 41,365 | 482 | 1.2 |
| Child of Woman with HIV/AIDS | 28 | 1 | 3.6 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 5,559 | 40 | 0.7 | White | 11,652 | 108 | 0.9 |
| Sex for Drugs or Money | 489 | 5 | 1.0 | Black | 15,975 | 232 | 1.5 |
| Hemophilia/Blood Recipient | 0 | 0 | 0.0 | Hispanic | 11,717 | 122 | 1.0 |
| Victim of Sexual Assault | 235 | 1 | #DIV/0! | Asian | 614 | 3 | 0.5 |
| Health Care Exposure | 0 | 0 | 0.0 | Am. Native | 96 | 0 | 0.0 |
| Heterosexual | 22,731 | 87 | 0.4 | Other | 289 | 3 | 1.0 |
| No Acknowledged Risk | 451 | 3 | 0.7 | Unknown | 1,022 | 14 | 1.4 |
| Unknown | 2,629 | 18 | 0.7 | Total | 41,365 | 482 | 1.2 |
| Total | 41,365 | 482 | 1.2 | Total | 41,365 | 482 | 1.2 |

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

EMA Orlando

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|---------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013. | | | | |
| Race/Ethnicity | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| White, not Hispanic | 53 | 20% | 119 | 29% | 124.5% | 158 | 29% | 192 | 29% | 21.5% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Black, not Hispanic | 142 | 55% | 194 | 47% | 36.6% | 255 | 47% | 265 | 40% | 3.9% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Hispanic | 55 | 21% | 90 | 22% | 63.6% | 117 | 22% | 194 | 29% | 65.8% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Asian/Pacific Islander | 2 | 1% | 2 | 0% | 0.0% | 6 | 1% | 3 | 0% | -50.0% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| American Indian/Alaskan Native | 0 | 0% | 0 | 0% | #DIV/0! | 1 | 0% | 0 | 0% | -100.0% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Not Specified/Other | 7 | 3% | 9 | 2% | 28.6% | 3 | 1% | 5 | 1% | 66.7% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Total: | 259 | 100% | 414 | 100% | 59.8% | 540 | 100% | 659 | 100% | 22.0% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Gender | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| Male | 197 | 76.1% | 308 | 74.4% | 56.3% | 428 | 79.3% | 503 | 76.3% | 17.5% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Female | 62 | 23.9% | 106 | 25.6% | 71.0% | 112 | 20.7% | 156 | 23.7% | 39.3% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Total: | 259 | 100.0% | 414 | 100.0% | 59.8% | 540 | 100.0% | 659 | 100.0% | 22.0% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Age at Diagnosis (Years) | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| 0- 2 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 2 | 0.3% | #DIV/0! | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 3-12 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 2 | 0.4% | 1 | 0.2% | -50.0% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 13-19 years | 5 | 1.9% | 3 | 0.7% | -40.0% | 25 | 4.6% | 22 | 3.3% | -12.0% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 20-24 years | 15 | 5.8% | 29 | 7.0% | 93.3% | 98 | 18.1% | 89 | 13.5% | -9.2% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 25-29 years | 20 | 7.7% | 47 | 11.4% | 135.0% | 67 | 12.4% | 98 | 14.9% | 46.3% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 30-39 years | 70 | 27.0% | 116 | 28.0% | 65.7% | 119 | 22.0% | 149 | 22.6% | 25.2% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 40-44 years | 35 | 13.5% | 52 | 12.6% | 48.6% | 63 | 11.7% | 67 | 10.2% | 6.3% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 45-49 years | 38 | 14.7% | 55 | 13.3% | 44.7% | 65 | 12.0% | 83 | 12.6% | 27.7% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 50-59 years | 57 | 22.0% | 84 | 20.3% | 47.4% | 77 | 14.3% | 112 | 17.0% | 45.5% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| 60+ years | 19 | 7.3% | 28 | 6.8% | 47.4% | 24 | 4.4% | 36 | 5.5% | 50.0% | #DIV/0! | | #DIV/0! | | #DIV/0! |
| Total: | 259 | 100.0% | 414 | 100.0% | 59.8% | 540 | 100.0% | 659 | 100.0% | 22.0% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013. | | | | |
| Male Adult/Adolescent AIDS Exposure Category | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| MSM | 121 | 61.4% | 228 | 74.0% | 88.4% | 339 | 79.6% | 402 | 80.1% | 18.6% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| IDU | 22 | 11.2% | 27 | 8.8% | 22.7% | 20 | 4.7% | 29 | 5.8% | 45.0% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| MSM/IDU | 14 | 7.1% | 10 | 3.2% | -28.6% | 13 | 3.1% | 12 | 2.4% | -7.7% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Heterosexual | 38 | 19.3% | 43 | 14.0% | 13.2% | 53 | 12.4% | 58 | 11.6% | 9.4% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Other | 2 | 1.0% | 0 | 0.0% | -100.0% | 1 | 0.2% | 1 | 0.2% | 0.0% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Total: | 197 | 100.0% | 308 | 100.0% | 56.3% | 426 | 100.0% | 502 | 100.0% | 17.8% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Female Adult/Adolescent AIDS Exposure Category | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| IDU | 11 | 17.7% | 14 | 13.2% | 27.3% | 11 | 9.9% | 17 | 11.0% | 54.5% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Heterosexual | 51 | 82.3% | 91 | 85.8% | 78.4% | 98 | 88.3% | 134 | 87.0% | 36.7% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Other | 0 | 0.0% | 1 | 0.9% | #DIV/0! | 2 | 1.8% | 3 | 1.9% | 50.0% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Total: | 62 | 100.0% | 106 | 100.0% | 71.0% | 111 | 100.0% | 154 | 100.0% | 38.7% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |
| Pediatric AIDS Exposure Categories (ages 0-12) | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| Mother with/at risk for HIV infection | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 2 | 100% | 3 | 100% | 50.0% | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Risk not reported/Other | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | 0% | 0 | 0% | #DIV/0! | | #DIV/0! | | #DIV/0! | #DIV/0! |
| Total: | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 2 | 100% | 3 | 100% | 50.0% | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013 | | | | | HIV Infection Cases Reported in 2012 & 2013 | | | | | HIV/AIDS Case Deaths in 2012 & 2013 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. | | | | | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013. | | | | |
| Special Populations | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change | 2012 | % of Total | 2013 | % of Total | % change |
| White MSM* | 46 | N/A | 101 | N/A | 119.6% | 142 | N/A | 159 | N/A | 12.0% | | N/A | | N/A | #DIV/0! |
| Black MSM* | 52 | N/A | 86 | N/A | 65.4% | 124 | N/A | 123 | N/A | -0.8% | | N/A | | N/A | #DIV/0! |
| Hispanic MSM* | 30 | N/A | 46 | N/A | 53.3% | 78 | N/A | 124 | N/A | 59.0% | | N/A | | N/A | #DIV/0! |
| white Male IDU** | 10 | N/A | 9 | N/A | -10.0% | 9 | N/A | 12 | N/A | 33.3% | | N/A | | N/A | #DIV/0! |
| Black Male IDU** | 14 | N/A | 11 | N/A | -21.4% | 12 | N/A | 14 | N/A | 16.7% | | N/A | | N/A | #DIV/0! |
| Hispanic Male IDU** | 11 | N/A | 14 | N/A | 27.3% | 12 | N/A | 15 | N/A | 25.0% | | N/A | | N/A | #DIV/0! |
| white Female IDU** | 1 | N/A | 3 | N/A | 200.0% | 2 | N/A | 8 | N/A | 300.0% | | N/A | | N/A | #DIV/0! |
| Black Female IDU** | 7 | N/A | 5 | N/A | -28.6% | 6 | N/A | 6 | N/A | 0.0% | | N/A | | N/A | #DIV/0! |
| Hispanic Female IDU** | 2 | N/A | 5 | N/A | 150.0% | 2 | N/A | 3 | N/A | 50.0% | | N/A | | N/A | #DIV/0! |
| white Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 1 | N/A | 0.0% | | N/A | | N/A | #DIV/0! |
| Black Male Homeless | 2 | N/A | 3 | N/A | 50.0% | 3 | N/A | 3 | N/A | 0.0% | | N/A | | N/A | #DIV/0! |
| Hispanic Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 3 | N/A | 1 | N/A | -66.7% | | N/A | | N/A | #DIV/0! |
| white Female Homeless | 1 | N/A | 0 | N/A | -100.0% | 1 | N/A | 0 | N/A | -100.0% | | N/A | | N/A | #DIV/0! |
| Black Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 0 | N/A | -100.0% | | N/A | | N/A | #DIV/0! |
| Hispanic Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | | N/A | | N/A | #DIV/0! |
| Male Haitian Born | 20 | N/A | 15 | N/A | -25.0% | 20 | N/A | 14 | N/A | -30.0% | | N/A | | N/A | #DIV/0! |
| Female Haitian Born | 14 | N/A | 22 | N/A | 57.1% | 21 | N/A | 16 | N/A | -23.8% | | N/A | | N/A | #DIV/0! |
| white Male Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 27 | N/A | 11 | N/A | -59.3% | | N/A | | N/A | #DIV/0! |
| Black Male Youth (ages 13-24) | 9 | N/A | 21 | N/A | 133.3% | 58 | N/A | 52 | N/A | -10.3% | | N/A | | N/A | #DIV/0! |
| Hispanic Male Youth (ages 13-24) | 9 | N/A | 5 | N/A | -44.4% | 21 | N/A | 27 | N/A | 28.6% | | N/A | | N/A | #DIV/0! |
| white Female Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 4 | N/A | 300.0% | | N/A | | N/A | #DIV/0! |
| Black Female Youth (ages 13-24) | 1 | N/A | 3 | N/A | 200.0% | 11 | N/A | 13 | N/A | 18.2% | | N/A | | N/A | #DIV/0! |
| Hispanic Female Youth (ages 13-24) | 0 | N/A | 2 | N/A | #DIV/0! | 1 | N/A | 2 | N/A | 100.0% | | N/A | | N/A | #DIV/0! |
| White WCBA* (ages 15-44) | 2 | N/A | 7 | N/A | 250.0% | 7 | N/A | 12 | N/A | 71.4% | | N/A | | N/A | #DIV/0! |
| Black WCBA* (ages 15-44) | 24 | N/A | 25 | N/A | 4.2% | 47 | N/A | 42 | N/A | -10.6% | | N/A | | N/A | #DIV/0! |
| Hispanic WCBA* (ages 15-44) | 7 | N/A | 19 | N/A | 171.4% | 11 | N/A | 18 | N/A | 63.6% | | N/A | | N/A | #DIV/0! |
| White Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | | N/A | | N/A | #DIV/0! |
| Black Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 2 | N/A | 3 | N/A | 50.0% | | N/A | | N/A | #DIV/0! |
| Hispanic Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | | N/A | | N/A | #DIV/0! |
| DOC cases | 0 | N/A | 2 | N/A | #DIV/0! | 3 | N/A | 9 | N/A | 200.0% | | N/A | | N/A | #DIV/0! |

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU