

EPIDEMIOLOGICAL PROFILE
Target Area
HCCF-Health Council of Central Florida
BREVARD, LAKE, ORANGE, OSCEOLA AND SEMINOLE COUNTIES

Mid-Year Population Estimates

2012

Sex

	Total Pop	
Males	1,336,018	49%
Females	1,393,418	51%
Total	2,729,436	100%

Age Groups

	Total Pop	
0 - 12	432,573	16%
13 - 19	258,934	9%
20 - 24	199,048	7%
25 - 29	192,058	7%
30 - 39	348,971	13%
40 - 49	375,467	14%
50 - 59	373,983	14%
60+	548,402	20%
Total	2,729,436	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	1,563,873	57%
Black, non-Hispanic	388,037	14%
Hispanic	619,726	23%
Other*	157,800	6%
Total	2,729,436	100%

2013

Sex

	Total Pop	
Males	1,353,158	48.9%
Females	1,411,246	51.1%
Total	2,764,404	100.0%

Age Groups

	Total Pop	
0 - 12	437,335	16%
13 - 19	258,654	9%
20 - 24	200,685	7%
25 - 29	197,387	7%
30 - 39	353,242	13%
40 - 49	370,402	13%
50 - 59	383,425	14%
60+	563,274	20%
Total	2,764,404	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	1,569,625	57%
Black, non-Hispanic	395,932	14%
Hispanic	637,884	23%
Other*	160,963	6%
Total	2,764,404	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups
FLORIDA Department of Health, HIV/AIDS and Hepatitis Program

Created: 11/13/13 Revision: 03/31/14

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on HCCF population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2012

Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	225	75.8%	16.8	0 - 12	0	0.0%	0.0
Female	72	24.2%	5.2	13 - 19	7	2.4%	2.7
Other/Unknown	0	0.0%	N/A	20 - 24	19	6.4%	9.5
Total	297	100.0%	10.9	25 - 29	23	7.7%	12.0
				30 - 39	81	27.3%	23.2
				40 - 49	82	27.6%	21.8
				50 - 59	65	21.9%	17.4
				60+	20	6.7%	3.6
				Total	297	100.0%	10.9
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	67	22.6%	4.3				
Black, Non-Hispanic	162	54.5%	41.7				
Hispanic	58	19.5%	9.4				
Asian/Pacific Islander	3	1.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	7	2.4%	N/A				
Total	297	100.0%	10.9				

2013

Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	339	75.2%	25.1	0 - 12	0	0.0%	0.0
Female	112	24.8%	7.9	13 - 19	3	0.7%	1.2
Other/Unknown	0	0.0%	N/A	20 - 24	29	6.4%	14.5
Total	451	100.0%	16.3	25 - 29	48	10.6%	24.3
				30 - 39	126	27.9%	35.7
				40 - 49	124	27.5%	33.5
				50 - 59	91	20.2%	23.7
				60+	30	6.7%	5.3
				Total	451	100.0%	16.3
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	141	31.3%	9.0				
Black, Non-Hispanic	206	45.7%	52.0				
Hispanic	92	20.4%	14.4				
Asian/Pacific Islander	2	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	2.2%	N/A				
Total	451	100.0%	16.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on HCCF population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012

Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	473	78.1%	35.4	0 - 12	2	0.3%	0.5
Female	133	21.9%	9.5	13 - 19	29	4.8%	11.2
Other/Unknown	0	0.0%	N/A	20 - 24	106	17.5%	53.3
Total	606	100.0%	22.2	25 - 29	79	13.0%	41.1
				30 - 39	132	21.8%	37.8
				40 - 49	141	23.3%	37.6
				50 - 59	90	14.9%	24.1
				60+	27	4.5%	4.9
				Total	606	100.0%	22.2
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	192	31.7%	12.3				
Black, Non-Hispanic	284	46.9%	73.2				
Hispanic	119	19.6%	19.2				
Asian/Pacific Islander	7	1.2%	N/A				
Amer. Indian/Alaskan	1	0.2%	N/A				
Other/Unknown	3	0.5%	N/A				
Total	606	100.0%	22.2				

2013

Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	558	76.3%	41.2	0 - 12	3	0.4%	0.7
Female	173	23.7%	12.3	13 - 19	24	3.3%	9.3
Other/Unknown	0	0.0%	N/A	20 - 24	100	13.7%	49.8
Total	731	100.0%	26.4	25 - 29	103	14.1%	52.2
				30 - 39	171	23.4%	48.4
				40 - 49	167	22.8%	45.1
				50 - 59	124	17.0%	32.3
				60+	39	5.3%	6.9
				Total	731	100.0%	26.4
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	236	32.3%	15.0				
Black, Non-Hispanic	283	38.7%	71.5				
Hispanic	201	27.5%	31.5				
Asian/Pacific Islander	4	0.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	7	1.0%	N/A				
Total	731	100.0%	26.4				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	160	90.9%	12.0	0 - 12	0	0.0%	0.0
Female	16	9.1%	1.1	13 - 19	12	6.8%	4.6
Other/Unknown	0	0.0%	N/A	20 - 24	51	29.0%	25.6
Total	176	100.0%	6.4	25 - 29	31	17.6%	16.1
				30 - 39	46	26.1%	13.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	26	14.8%	6.9
White, Non-Hispanic	61	34.7%	3.9	50 - 59	8	4.5%	2.1
Black, Non-Hispanic	71	40.3%	18.3	60+	2	1.1%	0.4
Hispanic	34	19.3%	5.5	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	2.8%	N/A	Total	176	100.0%	6.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	5	2.8%	N/A				
Total	176	100.0%	6.4				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	212	95.9%	15.7	0 - 12	0	0.0%	0.0
Female	9	4.1%	0.6	13 - 19	12	5.4%	4.6
Other/Unknown	0	0.0%	N/A	20 - 24	62	28.1%	30.9
Total	221	100.0%	8.0	25 - 29	39	17.6%	19.8
				30 - 39	54	24.4%	15.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	29	13.1%	7.8
White, Non-Hispanic	85	38.5%	5.4	50 - 59	22	10.0%	5.7
Black, Non-Hispanic	65	29.4%	16.4	60+	3	1.4%	0.5
Hispanic	53	24.0%	8.3	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	1.4%	N/A	Total	221	100.0%	8.0
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	15	6.8%	N/A				
Total	221	100.0%	8.0				
2013 data provisional.							

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,442	50.9%	107.9	0 - 12	0	0.0%	0.0
Female	1,393	49.1%	100.0	13 - 19	627	22.1%	242.1
Other/Unknown	0	0.0%	N/A	20 - 24	1,017	35.9%	510.9
Total	2,835	100.0%	103.9	25 - 29	535	18.9%	278.6
				30 - 39	414	14.6%	118.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	163	5.7%	43.4
White, Non-Hispanic	653	23.0%	41.8	50 - 59	68	2.4%	18.2
Black, Non-Hispanic	1,501	52.9%	386.8	60+	11	0.4%	2.0
Hispanic	307	10.8%	49.5	Unknown	0	0.0%	N/A
Asian/Pacific Islander	16	0.6%	N/A	Total	2,835	100.0%	103.9
Amer. Indian/Alaskan	6	0.2%	N/A				
Other/Unknown	352	12.4%	N/A				
Total	2,835	100.0%	103.9				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,631	53.8%	120.5	0-12	0	0.0%	0.0
Female	1,398	46.1%	99.1	13 - 19	620	20.5%	239.7
Other/Unknown	2	0.1%	N/A	20 - 24	990	32.7%	493.3
Total	3,031	100.0%	109.6	25 - 29	609	20.1%	308.5
				30 - 39	499	16.5%	141.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	204	6.7%	55.1
White, Non-Hispanic	571	18.8%	36.4	50 - 59	93	3.1%	24.3
Black, Non-Hispanic	1,463	48.3%	369.5	60+	16	0.5%	2.8
Hispanic	265	8.7%	41.5	Unknown	0	0.0%	N/A
Asian/Pacific Islander	13	0.4%	N/A	Total	3,031	100.0%	109.6
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	717	23.7%	N/A				
Total	3,031	100.0%	109.6				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2,924	25.1%	218.9	0 - 12	0	0.0%	0.0
Female	8,724	74.9%	626.1	13 - 19	3,380	29.0%	1305.4
Other/Unknown	0	0.0%	N/A	20 - 24	4,702	40.4%	2362.2
Total	11,648	100.0%	426.8	25 - 29	2,024	17.4%	1053.8
				30 - 39	1,183	10.2%	339.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	248	2.1%	66.1
White, Non-Hispanic	2,424	20.8%	155.0	50 - 59	85	0.7%	22.7
Black, Non-Hispanic	3,965	34.0%	1021.8	60+	26	0.2%	4.7
Hispanic	1,458	12.5%	235.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	77	0.7%	N/A	Total	11,648	100.0%	426.8
Amer. Indian/Alaskan	12	0.1%	N/A				
Other/Unknown	3,712	31.9%	N/A				
Total	11,648	100.0%	426.8				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2,924	24.3%	216.1	0-12	0	0.0%	0.0
Female	8,724	72.4%	618.2	13 - 19	3,079	25.5%	1190.4
Other/Unknown	403	3.3%	N/A	20 - 24	5,059	42.0%	2520.9
Total	12,051	100.0%	435.9	25 - 29	2,196	18.2%	1112.5
				30 - 39	1,299	10.8%	367.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	306	2.5%	82.6
White, Non-Hispanic	2,605	21.6%	166.0	50 - 59	88	0.7%	23.0
Black, Non-Hispanic	3,825	31.7%	966.1	60+	24	0.2%	4.3
Hispanic	1,521	12.6%	238.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	90	0.7%	N/A	Total	12,051	100.0%	435.9
Amer. Indian/Alaskan	12	0.1%	N/A				
Other/Unknown	3,998	33.2%	N/A				
Total	12,051	100.0%	435.9				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	66	62.3%	4.9	0 - 12	5	4.7%	1.2
Female	40	37.7%	2.9	13 - 19	6	5.7%	1.4
Other/Unknown	0	0.0%	N/A	20 - 24	8	7.5%	1.8
Total	106	100.0%	3.9	25 - 29	5	4.7%	1.2
				30 - 39	17	16.0%	3.9
				40 - 49	23	21.7%	5.3
				50 - 59	22	20.8%	5.1
				60+	20	18.9%	4.6
				Unknown	0	0.0%	N/A
				Total	106	100.0%	3.9
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	28	26.4%	1.8				
Black, Non-Hispanic	37	34.9%	9.5				
Hispanic	25	23.6%	4.0				
Asian/Pacific Islander	11	10.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	5	4.7%	N/A				
Total	106	100.0%	3.9				

2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	48	64.0%	3.5	0 - 12	2	2.7%	0.5
Female	27	36.0%	1.9	13 - 19	4	5.3%	1.5
Other/Unknown	0	0.0%	N/A	20 - 24	7	9.3%	3.5
Total	75	100.0%	2.7	25 - 29	4	5.3%	2.0
				30 - 39	6	8.0%	1.7
				40 - 49	17	22.7%	4.6
				50 - 59	17	22.7%	4.4
				60+	18	24.0%	3.2
				Unknown	0	0.0%	N/A
				Total	75	100.0%	2.7
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	19	25.3%	1.2				
Black, Non-Hispanic	27	36.0%	6.8				
Hispanic	15	20.0%	2.4				
Asian/Pacific Islander	14	18.7%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	75	100.0%	2.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	7	50.0%	0.5	0 - 12	2	14.3%	0.5
Female	7	50.0%	0.5	13 - 19	3	21.4%	1.2
Other/Unknown	0	0.0%	N/A	20 - 24	1	7.1%	0.5
Total	14	100.0%	0.5	25 - 29	0	0.0%	0.0
				30 - 39	3	21.4%	0.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	14.3%	0.5
White, Non-Hispanic	5	35.7%	0.3	50 - 59	1	7.1%	0.3
Black, Non-Hispanic	1	7.1%	0.3	60+	2	14.3%	0.4
Hispanic	5	35.7%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	14.3%	N/A	Total	14	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	7.1%	N/A				
Total	14	100.0%	0.5				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	13	68.4%	1.0	0 - 12	0	0.0%	0.0
Female	6	31.6%	0.4	13 - 19	1	5.3%	0.4
Other/Unknown	0	0.0%	N/A	20 - 24	1	5.3%	0.5
Total	19	100.0%	0.7	25 - 29	6	31.6%	3.0
				30 - 39	3	15.8%	0.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	15.8%	0.8
White, Non-Hispanic	13	68.4%	0.8	50 - 59	5	26.3%	1.3
Black, Non-Hispanic	0	0.0%	0.0	60+	0	0.0%	0.0
Hispanic	4	21.1%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	5.3%	N/A	Total	19	100.0%	0.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	5.3%	N/A				
Total	19	100.0%	0.7				
2013 data provisional.							

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	15	71.4%	1.1	0 - 12	1	4.8%	0.2
Female	6	28.6%	0.4	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	21	100.0%	0.8	25 - 29	1	4.8%	0.5
				30 - 39	6	28.6%	1.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	7	33.3%	1.9
White, Non-Hispanic	11	52.4%	0.7	50 - 59	4	19.0%	1.1
Black, Non-Hispanic	5	23.8%	1.3	60+	2	9.5%	0.4
Hispanic	4	19.0%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	4.8%	N/A	Total	21	100.0%	0.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	21	100.0%	0.8				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	16	48.5%	1.2	0 - 12	0	0.0%	0.0
Female	17	51.5%	1.2	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	3.0%	0.5
Total	33	100.0%	1.2	25 - 29	0	0.0%	0.0
				30 - 39	11	33.3%	3.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	14	42.4%	3.8
White, Non-Hispanic	22	66.7%	1.4	50 - 59	3	9.1%	0.8
Black, Non-Hispanic	2	6.1%	0.5	60+	4	12.1%	0.7
Hispanic	5	15.2%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	3.0%	N/A	Total	33	100.0%	1.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	9.1%	N/A				
Total	33	100.0%	1.2				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, HCCF

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,283	56.4%	96.0	0 - 12	7	0.3%	1.6
Female	981	43.1%	70.4	13 - 19	48	2.1%	18.5
Other/Unknown	11	0.5%	N/A	20 - 24	141	6.2%	70.8
Total	2,275	100.0%	83.4	25 - 29	159	7.0%	82.8
				30 - 39	255	11.2%	73.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	399	17.5%	106.3
White, Non-Hispanic	527	23.2%	33.7	50 - 59	802	35.3%	214.4
Black, Non-Hispanic	76	3.3%	19.6	60+	464	20.4%	84.6
Hispanic	123	5.4%	19.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	15	0.7%	N/A	Total	2,275	100.0%	83.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1,534	67.4%	N/A				
Total	2,275	100.0%	83.4				
2013							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,393	57.6%	102.9	0 - 12	4	0.2%	0.9
Female	1,022	42.2%	72.4	13 - 19	29	1.2%	11.2
Other/Unknown	4	0.2%	N/A	20 - 24	153	6.3%	76.2
Total	2,419	100.0%	87.5	25 - 29	199	8.2%	100.8
				30 - 39	345	14.3%	97.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	400	16.5%	108.0
White, Non-Hispanic	562	23.2%	35.8	50 - 59	778	32.2%	202.9
Black, Non-Hispanic	78	3.2%	19.7	60+	511	21.1%	90.7
Hispanic	111	4.6%	17.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	4	0.2%	N/A	Total	2,419	100.0%	87.5
Amer. Indian/Alaskan	1	0.0%	N/A				
Other/Unknown	1,663	68.7%	N/A				
Total	2,419	100.0%	87.5				
2013 data provisional.							

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV COUNSELING AND TESTING DATA HCCF

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	173	10	5.8	Male	23,171	455	2.0
Male Sex With Male	5,535	304	5.5	Female	26,141	138	0.5
Injecting Drug User	2,058	17	0.8	Unknown	1,212	17	1.4
Sex Partner at Risk	3,471	88	2.5	Total	50,524	610	1.2
Child of Woman with HIV/AIDS	106	3	2.8	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	6,575	41	0.6	White	16,550	139	0.8
Sex for Drugs or Money	464	4	0.9	Black	18,858	308	1.6
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	12,583	137	1.1
Victim of Sexual Assault	1,322	9	0.7	Asian	764	3	0.4
Health Care Exposure	0	0	#DIV/0!	Am. Native	83	2	2.4
Heterosexual	28,484	121	0.4	Other	342	10	2.9
No Acknowledged Risk	547	0	0.0	Unknown	1,344	11	0.8
Unknown	1,789	13	0.7				
Total	50,524	610	1.2	Total	50,524	610	1.2

2013 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	154	10	6.5	Male	23,018	380	1.7
Male Sex With Male	5,254	246	4.7	Female	26,060	126	0.5
Injecting Drug User	2,437	20	0.8	Unknown	861	7	0.8
Sex Partner at Risk	1,998	70	3.5	Total	49,939	513	1.0
Child of Woman with HIV/AIDS	30	1	3.3	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	6,316	43	0.7	White	16,524	121	0.7
Sex for Drugs or Money	525	5	1.0	Black	18,407	242	1.3
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	12,533	127	1.0
Victim of Sexual Assault	267	1	#DIV/0!	Asian	754	4	0.5
Health Care Exposure	0	0	0.0	Am. Native	104	0	0.0
Heterosexual	28,900	93	0.3	Other	353	4	1.1
No Acknowledged Risk	582	3	0.5	Unknown	1,264	15	1.2
Unknown	2,929	21	0.7				
Total	49,392	513	1.0	Total	49,939	513	1.0

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

HCCF

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
Race/Ethnicity	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White, not Hispanic	67	23%	141	31%	110.4%	192	32%	236	32%	22.9%		#DIV/0!		#DIV/0!	#DIV/0!
Black, not Hispanic	162	55%	206	46%	27.2%	284	47%	283	39%	-0.4%		#DIV/0!		#DIV/0!	#DIV/0!
Hispanic	58	20%	92	20%	58.6%	119	20%	201	27%	68.9%		#DIV/0!		#DIV/0!	#DIV/0!
Asian/Pacific Islander	3	1%	2	0%	-33.3%	7	1%	4	1%	-42.9%		#DIV/0!		#DIV/0!	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	1	0%	0	0%	-100.0%		#DIV/0!		#DIV/0!	#DIV/0!
Not Specified/Other	7	2%	10	2%	42.9%	3	0%	7	1%	133.3%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	297	100%	451	100%	51.9%	606	100%	731	100%	20.6%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Gender	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Male	225	75.8%	339	75.2%	50.7%	473	78.1%	558	76.3%	18.0%		#DIV/0!		#DIV/0!	#DIV/0!
Female	72	24.2%	112	24.8%	55.6%	133	21.9%	173	23.7%	30.1%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	297	100.0%	451	100.0%	51.9%	606	100.0%	731	100.0%	20.6%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	2	0.3%	#DIV/0!		#DIV/0!		#DIV/0!	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	2	0.3%	1	0.1%	-50.0%		#DIV/0!		#DIV/0!	#DIV/0!
13-19 years	7	2.4%	3	0.7%	-57.1%	29	4.8%	24	3.3%	-17.2%		#DIV/0!		#DIV/0!	#DIV/0!
20-24 years	19	6.4%	29	6.4%	52.6%	106	17.5%	100	13.7%	-5.7%		#DIV/0!		#DIV/0!	#DIV/0!
25-29 years	23	7.7%	48	10.6%	108.7%	79	13.0%	103	14.1%	30.4%		#DIV/0!		#DIV/0!	#DIV/0!
30-39 years	81	27.3%	126	27.9%	55.6%	132	21.8%	171	23.4%	29.5%		#DIV/0!		#DIV/0!	#DIV/0!
40-44 years	37	12.5%	61	13.5%	64.9%	68	11.2%	78	10.7%	14.7%		#DIV/0!		#DIV/0!	#DIV/0!
45-49 years	45	15.2%	63	14.0%	40.0%	73	12.0%	89	12.2%	21.9%		#DIV/0!		#DIV/0!	#DIV/0!
50-59 years	65	21.9%	91	20.2%	40.0%	90	14.9%	124	17.0%	37.8%		#DIV/0!		#DIV/0!	#DIV/0!
60+ years	20	6.7%	30	6.7%	50.0%	27	4.5%	39	5.3%	44.4%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	297	100.0%	451	100.0%	51.9%	606	100.0%	731	100.0%	20.6%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
Male Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	141	62.7%	250	73.7%	77.3%	378	80.3%	448	80.4%	18.5%		#DIV/0!		#DIV/0!	#DIV/0!
IDU	24	10.7%	31	9.1%	29.2%	21	4.5%	34	6.1%	61.9%		#DIV/0!		#DIV/0!	#DIV/0!
MSM/IDU	16	7.1%	11	3.2%	-31.3%	13	2.8%	12	2.2%	-7.7%		#DIV/0!		#DIV/0!	#DIV/0!
Heterosexual	42	18.7%	47	13.9%	11.9%	58	12.3%	62	11.1%	6.9%		#DIV/0!		#DIV/0!	#DIV/0!
Other	2	0.9%	0	0.0%	-100.0%	1	0.2%	1	0.2%	0.0%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	225	100.0%	339	100.0%	50.7%	471	100.0%	557	100.0%	18.3%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Female Adult/Adolescent AIDS Exposure Category	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	12	16.7%	15	13.4%	25.0%	13	9.8%	21	12.3%	61.5%		#DIV/0!		#DIV/0!	#DIV/0!
Heterosexual	58	80.6%	96	85.7%	65.5%	118	88.7%	147	86.0%	24.6%		#DIV/0!		#DIV/0!	#DIV/0!
Other	2	2.8%	1	0.9%	-50.0%	2	1.5%	3	1.8%	50.0%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	72	100.0%	112	100.0%	55.6%	133	100.0%	171	100.0%	28.6%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Pediatric AIDS Exposure Categories (ages 0-12)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!		#DIV/0!		#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	2	100%	3	100%	50.0%		#DIV/0!		#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	2	100%	3	100%	50.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	57	N/A	118	N/A	107.0%	165	N/A	194	N/A	17.6%		N/A		N/A	#DIV/0!
Black MSM*	60	N/A	91	N/A	51.7%	138	N/A	131	N/A	-5.1%		N/A		N/A	#DIV/0!
Hispanic MSM*	32	N/A	46	N/A	43.8%	79	N/A	127	N/A	60.8%		N/A		N/A	#DIV/0!
white Male IDU**	10	N/A	12	N/A	20.0%	9	N/A	13	N/A	44.4%		N/A		N/A	#DIV/0!
Black Male IDU**	16	N/A	13	N/A	-18.8%	12	N/A	15	N/A	25.0%		N/A		N/A	#DIV/0!
Hispanic Male IDU**	12	N/A	16	N/A	33.3%	12	N/A	17	N/A	41.7%		N/A		N/A	#DIV/0!
white Female IDU**	2	N/A	4	N/A	100.0%	3	N/A	9	N/A	200.0%		N/A		N/A	#DIV/0!
Black Female IDU**	8	N/A	6	N/A	-25.0%	6	N/A	6	N/A	0.0%		N/A		N/A	#DIV/0!
Hispanic Female IDU**	2	N/A	5	N/A	150.0%	2	N/A	4	N/A	100.0%		N/A		N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%		N/A		N/A	#DIV/0!
Black Male Homeless	2	N/A	3	N/A	50.0%	3	N/A	3	N/A	0.0%		N/A		N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	3	N/A	1	N/A	-66.7%		N/A		N/A	#DIV/0!
white Female Homeless	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%		N/A		N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%		N/A		N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!
Male Haitian Born	22	N/A	16	N/A	-27.3%	21	N/A	14	N/A	-33.3%		N/A		N/A	#DIV/0!
Female Haitian Born	14	N/A	22	N/A	57.1%	21	N/A	16	N/A	-23.8%		N/A		N/A	#DIV/0!
white Male Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	29	N/A	18	N/A	-37.9%		N/A		N/A	#DIV/0!
Black Male Youth (ages 13-24)	12	N/A	21	N/A	75.0%	65	N/A	55	N/A	-15.4%		N/A		N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	9	N/A	5	N/A	-44.4%	22	N/A	29	N/A	31.8%		N/A		N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	2	N/A	5	N/A	150.0%		N/A		N/A	#DIV/0!
Black Female Youth (ages 13-24)	2	N/A	3	N/A	50.0%	12	N/A	13	N/A	8.3%		N/A		N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	2	N/A	#DIV/0!	1	N/A	2	N/A	100.0%		N/A		N/A	#DIV/0!
White WCBA* (ages 15-44)	3	N/A	7	N/A	133.3%	13	N/A	18	N/A	38.5%		N/A		N/A	#DIV/0!
Black WCBA* (ages 15-44)	27	N/A	29	N/A	7.4%	53	N/A	47	N/A	-11.3%		N/A		N/A	#DIV/0!
Hiapanic WCBA* (ages 15-44)	7	N/A	19	N/A	171.4%	11	N/A	19	N/A	72.7%		N/A		N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	2	N/A	3	N/A	50.0%		N/A		N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!
DOC cases	0	N/A	2	N/A	#DIV/0!	3	N/A	9	N/A	200.0%		N/A		N/A	#DIV/0!

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU