### **EPIDEMIOLGICAL PROFILE**

### **Target Area**

### Partnership 04

### BAKER, CLAY, DUVAL, NASSAU AND SAINT JOHNS COUNTIES

#### **Mid-Year Population Estimates**

#### 2012

Sex	Total F	Рор	Age Groups	Total Pop		
Males	661,176	49%	0 - 12	229,169	17%	
Females	696,418	51%	13 - 19	126,895	9%	
Total	1,357,594	100%	20 - 24	93,436	7%	
			25 - 29 <b>-</b>	94,276	7%	
Race/Ethnicity			30 - 39	176,640	13%	
	Total F	Рор	40 - 49	189,139	14%	
White, non-Hispanic	888,452	65%	50 - 59	191,914	14%	
Black, non-Hispanic	289,537	21%	60+	256,125	19%	
Hispanic	99,731	7%	Total	1,357,594	100%	
Other*	79,874	6%				
Total T	1,357,594	100%				

#### 2013

Sex	Total	Рор	Age Groups	Total Pop		
Males	668,825	48.7%	0 - 12	231,016	17%	
Females	704,034	51.3%	13 - 19	127,017	9%	
Total	1,372,859	100.0%	20 - 24	94,583	7%	
			25 - 29 <b>-</b>	94,895	7%	
Race/Ethnicity			30 - 39	178,393	13%	
	Total l	Рор	40 - 49	186,536	14%	
White, non-Hispanic	895,557	65%	50 - 59 <b>-</b>	195,149	14%	
Black, non-Hispanic	293,487	21%	60+	265,270	19%	
Hispanic -	102,705	7%	Total _	1,372,859	100%	
Other*	81,110	6%				
Total _	1 372 859	100%				

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS & Hepatitis Program

Created: 11/13/13 Revision: 04/30/14

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 04 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DOC

;u	THEOL I AGE			3, DO NOT I		
		20	)12			
Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
				1		0.4
			_	4		3.2
						24.6
228	100.0%	16.8				27.6
_						38.5
						31.7
						18.2
						4.3
			Total_	228	100.0%	16.8
•						
228	100.0%	16.8				
			240			
		20	J13			
Cases	% Total	Rate				
156	68.4%	23.3	Age Groups	Cases	% Total	Rate
72	31.6%	10.2	0 - 12	0		
		10.2	· ·	0	0.0%	0.0
0	0.0%	N/A	13 - 19	4	0.0% 1.8%	3.1
228			_			
	0.0% 100.0%	N/A	13 - 19 <u>-</u> 20 - 24 <u>-</u> 25 - 29 <u>-</u>	4 16 29	1.8% 7.0% 12.7%	3.1 16.9 30.6
	0.0% 100.0% <b>% Total</b>	N/A	13 - 19 20 - 24 25 - 29 30 - 39	4 16	1.8% 7.0% 12.7% 25.0%	3.1 16.9 30.6 32.0
228	0.0% 100.0%	N/A 16.6	13 - 19 <u>-</u> 20 - 24 <u>-</u> 25 - 29 <u>-</u>	4 16 29	1.8% 7.0% 12.7%	3.1 16.9
228 Cases	0.0% 100.0% <b>% Total</b>	N/A 16.6 Rate	13 - 19 20 - 24 25 - 29 30 - 39	4 16 29 57	1.8% 7.0% 12.7% 25.0%	3.1 16.9 30.6 32.0 35.9 18.4
228  Cases 59	0.0% 100.0% <b>% Total</b> 25.9%	N/A 16.6 <b>Rate</b> 6.6	13 - 19 _ 20 - 24 _ 25 - 29 _ 30 - 39 _ 40 - 49 _	4 16 29 57 67	1.8% 7.0% 12.7% 25.0% 29.4%	3.1 16.9 30.6 32.0 35.9 18.4
228  Cases 59 149	0.0% 100.0% <b>% Total</b> 25.9% 65.4%	N/A 16.6 <b>Rate</b> 6.6 50.8	13 - 19 _ 20 - 24 _ 25 - 29 _ 30 - 39 _ 40 - 49 _ 50 - 59 _	4 16 29 57 67 36	1.8% 7.0% 12.7% 25.0% 29.4% 15.8%	3.1 16.9 30.6 32.0 35.9 18.4 7.2
228  Cases 59 149 15	0.0% 100.0% <b>% Total</b> 25.9% 65.4% 6.6%	N/A 16.6 <b>Rate</b> 6.6 50.8 14.6	13 - 19 _ 20 - 24 _ 25 - 29 _ 30 - 39 _ 40 - 49 _ 50 - 59 _ 60+ _	4 16 29 57 67 36 19	1.8% 7.0% 12.7% 25.0% 29.4% 15.8% 8.3%	3.1 16.9 30.6 32.0 35.9 18.4 7.2
228  Cases 59 149 15 4	0.0% 100.0% <b>% Total</b> 25.9% 65.4% 6.6% 1.8%	N/A 16.6 Rate 6.6 50.8 14.6 N/A	13 - 19 _ 20 - 24 _ 25 - 29 _ 30 - 39 _ 40 - 49 _ 50 - 59 _ 60+ _	4 16 29 57 67 36 19	1.8% 7.0% 12.7% 25.0% 29.4% 15.8% 8.3%	3.1 16.9 30.6 32.0
228 Cases 59 149 15 4 0	0.0% 100.0% <b>% Total</b> 25.9% 65.4% 6.6% 1.8% 0.0%	N/A 16.6 Rate 6.6 50.8 14.6 N/A N/A	13 - 19 _ 20 - 24 _ 25 - 29 _ 30 - 39 _ 40 - 49 _ 50 - 59 _ 60+ _	4 16 29 57 67 36 19	1.8% 7.0% 12.7% 25.0% 29.4% 15.8% 8.3%	3.1 16.9 30.6 32.0 35.9 18.4 7.2
	Cases	Cases       % Total         155       68.0%         73       32.0%         0       0.0%         228       100.0%         Cases       % Total         165       72.4%         16       7.0%         1       0.4%         0       0.0%         9       3.9%         228       100.0%         Cases       % Total         156       68.4%	Cases         % Total         Rate           155         68.0%         23.4           73         32.0%         10.5           0         0.0%         N/A           228         100.0%         16.8           Cases         % Total         Rate           37         16.2%         4.2           165         72.4%         57.0           16         7.0%         16.0           1         0.4%         N/A           9         3.9%         N/A           228         100.0%         16.8           Cases         % Total         Rate           156         68.4%         23.3	Cases         % Total         Rate         Age Groups           155         68.0%         23.4         0 - 12           73         32.0%         10.5         13 - 19           0         0.0%         N/A         20 - 24           228         100.0%         16.8         25 - 29           30 - 39         30 - 39         30 - 39           Cases         % Total         Rate         40 - 49           37         16.2%         4.2         50 - 59           165         72.4%         57.0         60+           16         7.0%         16.0         Total           1         0.4%         N/A         N/A           9         3.9%         N/A           228         100.0%         16.8    Cases  W Total  Rate  156  68.4%  Age Groups	Cases         % Total follows         Rate stem follows         Age Groups stem follows         Cases stem follows           155         68.0%         23.4 stem follows         0 - 12 stem follows         1           73         32.0%         10.5 stem follows         13 - 19 stem follows         4           0         0.0%         N/A stem follows         20 - 24 stem follows         23           228         100.0%         16.8 stem follows         30 - 39 stem follows         68           Cases         % Total follows         4.2 stem follows         50 - 59 stem follows         35 stem follows           165         72.4%         57.0 stem follows         60 stem follows         11 stem follows         228           1         0.4% stem follows         N/A stem follows         N/A stem follows         23.3 stem follows         Age Groups         Cases	Cases         % Total         Rate         Age Groups         Cases         % Total           155         68.0%         23.4         0 - 12         1         0.4%           73         32.0%         10.5         13 - 19         4         1.8%           0         0.0%         N/A         20 - 24         23         10.1%           228         100.0%         16.8         25 - 29         26         11.4%           30 - 39         68         29.8%           Cases         % Total         Rate         40 - 49         60         26.3%           37         16.2%         4.2         50 - 59         35         15.4%           165         72.4%         57.0         60+         11         4.8%           16         7.0%         16.0         Total         228         100.0%           1         0.4%         N/A         N/A         23.3         N/A         228         100.0%           228         100.0%         16.8         Age Groups         Cases         % Total

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 04 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS. DOC

DOC cases are exclude	ed.	THESE PAGE		ED TO NEW CASES-DEATH	S, DO NOT	EDIT THIS PA	AGE
			20	012			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	267	71.6%	40.4	0 - 12	2	0.5%	0.9
Female	106	28.4%	15.2	13 - 19	17	4.6%	13.4
Other/Unknown	0	0.0%	N/A	20 - 24	64	17.2%	68.5
Total	373	100.0%	27.5	25 - 29	59	15.8%	62.6
				30 - 39	85	22.8%	48.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	88	23.6%	46.5
White, Non-Hispanic _	95	25.5%	10.7	50 - 59_	45	12.1%	23.4
Black, Non-Hispanic	241	64.6%	83.2	60+	13	3.5%	5.1
Hispanic_	26	7.0%	26.1	Total_	373	100.0%	27.5
Asian/Pacific Islander _	4	1.1%	N/A				
Amer. Indian/Alaskan	1	0.3%	N/A				
Other/Unknown	6	1.6%	N/A				
Total_	373	100.0%	27.5				
			2(	013			
			_`				
Gender	Cases	% Total	Rate				
Male_	274	71.2%	41.0	Age Groups	Cases	% Total	Rate
Female_	111	28.8%	15.8	0 - 12_	1	0.3%	0.4
Other/Unknown	0	0.0%	N/A	13 - 19	22	5.7%	17.3
Total_	385	100.0%	28.0	20 - 24	65	16.9%	68.7
	_			25 - 29	60	15.6%	63.2
Race/Ethnicity	Cases	% Total	Rate	30 - 39	80	20.8%	44.8
White, Non-Hispanic _	110	28.6%	12.3	40 - 49_	85	22.1%	45.6
Black, Non-Hispanic _	241	62.6%	82.1	50 - 59_	51	13.2%	26.1
Hispanic_	25	6.5%	24.3	60+_	21	5.5%	7.9
Asian/Pacific Islander	5	1.3%	N/A	Total	385	100.0%	28.0
Amer. Indian/Alaskan	0	0.0%	N/A	_			
Other/Unknown	4	1.0%	N/A				
Total	385	100.0%	28.0				
_							

## Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			2012	2			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	40	90.9%	6.0	0 - 12 _	0	0.0%	0.0
Female	4	9.1%	0.6	13 - 19	2	4.5%	1.6
Other/Unknown	0	0.0%	N/A	20 - 24	15	34.1%	16.1
Total	44	100.0%	3.2	25 - 29	11	25.0%	11.7
				30 - 39	7	15.9%	4.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49 _	5	11.4%	2.6
White, Non-Hispanic_	9	20.5%	1.0	50 - 59 _	3	6.8%	1.6
Black, Non-Hispanic _	32	72.7%	11.1	60+_	1	2.3%	0.4
Hispanic_	2	4.5%	2.0	Other/Unknown _	0	0.0%	N/A
Asian/Pacific Islander _	0	0.0%	N/A	Total _	44	100.0%	3.2
Amer. Indian/Alaskan	1	2.3%	N/A				
Other/Unknown_	0	0.0%	N/A				
Total_	44	100.0%	3.2				
			2013	3			
Gender	Cases	% Total	Rate				
Male	37	88.1%	5.5	Age Groups	Cases	% Total	Rate
Female	5	11.9%	0.7	0 - 12	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	13 - 19	1	2.4%	0.8
Total	42	100.0%	3.1	20 - 24	15	35.7%	15.9
_				25 - 29	7	16.7%	7.4
Race/Ethnicity	Cases	% Total	Rate	30 - 39	4	9.5%	2.2
White, Non-Hispanic_	8	19.0%	0.9	40 - 49	11	26.2%	5.9
Black, Non-Hispanic	26	61.9%	8.9	50 - 59	4	9.5%	2.0
Hispanic	4	9.5%	3.9	60+	0	0.0%	0.0
Asian/Pacific Islander	1	2.4%	N/A	Other/Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	42	100.0%	3.1
Other/Unknown	3	7.1%	N/A	_			
Total_	42	100.0%	3.1				
				2	2013 data prov	visional.	

# Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			201	2			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	971	49.8%	146.9	0 - 12	0	0.0%	0.0
Female	977	50.2%	140.3	13 - 19	402	20.6%	316.8
Other/Unknown	0	0.0%	N/A	20 - 24	689	35.4%	737.4
Total	1,948	100.0%	143.5	25 - 29	385	19.8%	408.4
_				30 - 39	307	15.8%	173.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	116	6.0%	61.3
White, Non-Hispanic	322	16.5%	36.2	50 - 59	43	2.2%	22.4
Black, Non-Hispanic	1,445	74.2%	499.1	60+	6	0.3%	2.3
Hispanic	49	2.5%	49.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	9	0.5%	N/A	Total	1,948	100.0%	143.5
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	122	6.3%	N/A				
Total _	1,948	100.0%	143.5				
			201	3			
Gender	Cases	% Total	Rate				
Male	1,221	51.9%	182.6	Age Groups	Cases	% Total	Rate
Female	1,130	48.0%	160.5	0-12	0	0.0%	0.0
Other/Unknown	2	0.1%	N/A	13 - 19	360	15.3%	283.4
Total	2,353	100.0%	171.4	20 - 24	825	35.1%	872.2
_				25 - 29	481	20.4%	506.9
Race/Ethnicity	Cases	% Total	Rate	30 - 39	427	18.1%	239.4
White, Non-Hispanic	401	17.0%	44.8	40 - 49	178	7.6%	95.4
Black, Non-Hispanic	1,592	67.7%	542.4	50 - 59	64	2.7%	32.8
Hispanic	41	1.7%	39.9	60+	18	0.8%	6.8
Asian/Pacific Islander	16	0.7%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	3	0.1%	N/A	Total	2,353	100.0%	171.4
Other/Unknown	300	12.7%	N/A				
Total _	2,353	100.0%	171.4				
				2	013 data provis	ional.	

## Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			201	12			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2,003	29.6%	302.9	0 - 12	0	0.0%	0.0
Female	4,766	70.4%	684.4	13 - 19	1,955	28.9%	1540.6
Other/Unknown	0	0.0%	N/A	20 - 24	2,738	40.4%	2930.3
Total	6,769	100.0%	498.6	25 - 29	1,150	17.0%	1219.8
_				30 - 39	693	10.2%	392.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	171	2.5%	90.4
White, Non-Hispanic	1,651	24.4%	185.8	50 - 59	47	0.7%	24.5
Black, Non-Hispanic	3,614	53.4%	1248.2	60+	15	0.2%	5.9
Hispanic	67	1.0%	67.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	204	3.0%	N/A	Total _	6,769	100.0%	498.6
Amer. Indian/Alaskan	9	0.1%	N/A	_			
Other/Unknown	1,224	18.1%	N/A				
Total	6,769	100.0%	498.6				
			201	13			
Gender	Cases	% Total	Rate				
Male	2,001	27.9%	299.2	Age Groups	Cases	% Total	Rate
Female	5,155	71.9%	732.2	0-12 _	0	0.0%	0.0
Other/Unknown	18	0.3%	N/A	13 - 19	1,813	25.3%	1427.4
Total	7,174	100.0%	522.6	20 - 24	2,920	40.7%	3087.2
_				25 - 29	1,312	18.3%	1382.6
Race/Ethnicity	Cases	% Total	Rate	30 - 39	829	11.6%	464.7
White, Non-Hispanic	1,682	23.4%	187.8	40 - 49	216	3.0%	115.8
Black, Non-Hispanic	3,655	50.9%	1245.4	50 - 59	75	1.0%	38.4
Hispanic	206	2.9%	200.6	60+	9	0.1%	3.4
Asian/Pacific Islander	63	0.9%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	7	0.1%	N/A	Total	7,174	100.0%	522.6
Other/Unknown	1,561	21.8%	N/A	_			
Total _	7,174	100.0%	522.6				
				2	013 data provis	ional.	

## All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			2012				
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	65	65.7%	9.8	0 - 12	3	3.0%	1.3
Female	34	34.3%	4.9	13 - 19	3	3.0%	1.3
Other/Unknown	0	0.0%	N/A	20 - 24	5	5.1%	2.2
Total	99	100.0%	7.3	25 - 29 <u> </u>	5	5.1%	2.2
				30 - 39	15	15.2%	6.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	20	20.2%	8.7
White, Non-Hispanic	25	25.3%	2.8	50 - 59	28	28.3%	12.2
Black, Non-Hispanic	53	53.5%	18.3	60+	20	20.2%	8.7
Hispanic	4	4.0%	4.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	10	10.1%	N/A	Total	99	100.0%	7.3
Amer. Indian/Alaskan	0	0.0%	N/A	_			
Unknown	7	7.1%	N/A				
Total	99	100.0%	7.3				
			2013				
Gender	Cases	% Total	Rate				
Male	38	62.3%	5.7	Age Groups	Cases	% Total	Rate
Female	23	37.7%	3.3	0 - 12	2	3.3%	0.9
Other/Unknown	0	0.0%	N/A	13 - 19	3	4.9%	2.4
Total	61	100.0%	4.4	20 - 24	3	4.9%	3.2
_				25 - 29	4	6.6%	4.2
Race/Ethnicity	Cases	% Total	Rate	30 - 39	10	16.4%	5.6
White, Non-Hispanic	21	34.4%	2.3	40 - 49	15	24.6%	8.0
Black, Non-Hispanic	26	42.6%	8.9	50 - 59	13	21.3%	6.7
Hispanic	1	1.6%	1.0	60+	11	18.0%	4.1
Asian/Pacific Islander	13	21.3%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	61	100.0%	4.4
Unknown	0	0.0%	N/A	_			
Total	61	100.0%	4.4				

## Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			2012				
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	42.9%	0.5	0 - 12	3	42.9%	1.3
Female	4	57.1%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	14.3%	1.1
Total	7	100.0%	0.5	25 - 29	0	0.0%	0.0
_				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	14.3%	0.5
White, Non-Hispanic	6	85.7%	0.7	50 - 59	1	14.3%	0.5
Black, Non-Hispanic	1	14.3%	0.3	60+	1	14.3%	0.4
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	7	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A	_			
Other/Unknown	0	0.0%	N/A				
Total	7	100.0%	0.5				
			2013				
Gender	Cases	% Total	Rate				
Male	2	25.0%	0.3	Age Groups	Cases	% Total	Rate
Female	6	75.0%	0.9	0 - 12	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	13 - 19	0	0.0%	0.0
Total	8	100.0%	0.6	20 - 24	1	12.5%	1.1
_				25 <b>-</b> 29	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	30 - 39	2	25.0%	1.1
White, Non-Hispanic	6	75.0%	0.7	40 - 49	2	25.0%	1.1
Black, Non-Hispanic	0	0.0%	0.0	50 <b>-</b> 59	0	0.0%	0.0
Hispanic -	0	0.0%	0.0	60+	3	37.5%	1.1
Asian/Pacific Islander	1	12.5%	N/A	Unknown _	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total _	8	100.0%	0.6
Other/Unknown	1	12.5%	N/A	_			
Total	8	100.0%	0.6				
	•			2	2013 data prov	/isional.	

## Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			2012	2			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male_	6	60.0%	0.9	0 - 12 _	0	0.0%	0.0
Female	4	40.0%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total_	10	100.0%	0.7	25 - 29	0	0.0%	0.0
				30 - 39	2	20.0%	1.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49 _	6	60.0%	3.2
White, Non-Hispanic_	8	80.0%	0.9	50 - 59 _	0	0.0%	0.0
Black, Non-Hispanic _	2	20.0%	0.7	60+_	2	20.0%	0.8
Hispanic_	0	0.0%	0.0	Unknown _	0	0.0%	N/A
Asian/Pacific Islander _	0	0.0%	N/A	Total _	10	100.0%	0.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown_	0	0.0%	N/A				
Total_	10	100.0%	0.7				
			2013	3			
Gender	Cases	% Total	Rate				
Male	11	64.7%	1.6	Age Groups	Cases	% Total	Rate
Female -	6	35.3%	0.9	0 - 12	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	13 - 19	0	0.0%	0.0
Total	17	100.0%	1.2	20 - 24	0	0.0%	0.0
_				25 - 29	1	5.9%	1.1
Race/Ethnicity	Cases	% Total	Rate	30 - 39	6	35.3%	3.4
White, Non-Hispanic	13	76.5%	1.5	40 - 49	6	35.3%	3.2
Black, Non-Hispanic	3	17.6%	1.0	50 - 59	2	11.8%	1.0
Hispanic	0	0.0%	0.0	60+	2	11.8%	0.8
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	17	100.0%	1.2
Other/Unknown	1	5.9%	N/A	_			
Total	17	100.0%	1.2				
				2	2013 data prov	visional.	

## Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 04

			20	112			
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	895	57.4%	135.4	0 - 12	9	0.6%	3.9
Female	655	42.0%	94.1	13 - 19	13	0.8%	10.2
Other/Unknown	8	0.5%	N/A	20 - 24	63	4.0%	67.4
Total	1,558	100.0%	114.8	25 - 29	93	6.0%	98.6
				30 - 39	147	9.4%	83.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	277	17.8%	146.5
White, Non-Hispanic_	419	26.9%	47.2	50 - 59	617	39.6%	321.5
Black, Non-Hispanic _	89	5.7%	30.7	60+	339	21.8%	132.4
Hispanic_	22	1.4%	22.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander _	1	0.1%	N/A	Total	1,558	100.0%	114.8
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown_	1,026	65.9%	N/A				
Total_	1,558	100.0%	114.8				
			20	113			
Gender	Cases	% Total	Rate				
Male	925	56.9%	138.3	Age Groups	Cases	% Total	Rate
Female	695	42.8%	98.7	0 - 12	3	0.2%	1.3
Other/Unknown	5	0.3%	N/A	13 - 19	19	1.2%	15.0
Total	1,625	100.0%	118.4	20 - 24	84	5.2%	88.8
_				25 - 29	116	7.1%	122.2
Race/Ethnicity	Cases	% Total	Rate	30 - 39	211	13.0%	118.3
White, Non-Hispanic	436	26.8%	48.7	40 - 49	248	15.3%	133.0
Black, Non-Hispanic	85	5.2%	29.0	50 - 59	564	34.7%	289.0
Hispanic	21	1.3%	20.4	60+	380	23.4%	143.3
Asian/Pacific Islander	5	0.3%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	2	0.1%	N/A	Total	1,625	100.0%	118.4
Other/Unknown	1,076	66.2%	N/A	_			
Total	1,625	100.0%	118.4				
				20	13 data prov	risional.	

### HIV COUNSELING AND TESTING DATA Partnership 04

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2012	Number of	Number	Percent		Number of	Number	Percent
Exposure Category	Tests	<b>Positive</b>	Positive	Gender	Tests	Positive	<b>Positive</b>
Male Sex With Male/IDU	61	4	6.6	Male	12,828	264	2.1
Male Sex With Male	1,657	152	9.2	Female	15,331	70	0.5
Injecting Drug User	961	9	0.9	Unknown	395	7	1.8
Sex Partner at Risk	1,802	49	2.7	Total	28,554	341	1.2
Child of Woman with HIV/AIDS	77	1	1.3	Race/	Number of	Number	Percent
STD Diagnosis	6,811	35	0.5	Ethnicity	Tests	Positive	<b>Positive</b>
Sex for Drugs or Money	562	8	1.4	White	7,207	68	0.9
Hemophilia/Blood Recipient	0	0	#DIV/0!	Black	18,331	245	1.3
Victim of Sexual Assault	871	7	0.8	Hispanic	1,826	15	0.8
Health Care Exposure	0	0	#DIV/0!	Asian	261	1	0.4
Heterosexual	14,711	62	0.4	Am. Native	55	1	1.8
No Acknowledged Risk	275	2	0.7	Other	300	4	1.3
Unknown	766	12	1.6	Unknown	574	7	1.2
Total	28,554	341	1.2	Total	28,554	341	1.2

2013	Number of	Number	Percent		Number of	Number	Percent
Exposure Category	Tests	Positive	Positive	Gender	Tests	Positive	Positive
Male Sex With Male/IDU	50	4	8.0	Male	13,763	220	1.6
Male Sex With Male	2,084	142	6.8	Female	16,533	82	0.5
Injecting Drug User	936	3	0.3	Unknown	350	7	2.0
Sex Partner at Risk	1,550	56	3.6	Total	30,646	309	1.0
Child of Woman with HIV/AIDS	45	0	0.0	Race/	Number of	Number	Percent
STD Diagnosis	6,765	26	0.4	Ethnicity	Tests	Positive	Positive
Sex for Drugs or Money	354	1	0.3	White	6,756	49	0.7
Hemophilia/Blood Recipient	0	0	0.0	Black	20,651	234	1.1
Victim of Sexual Assault	340	1	#DIV/0!	Hispanic	2,042	14	0.7
Health Care Exposure	0	0	0.0	Asian	270	4	1.5
Heterosexual	16,991	65	0.4	Am. Native	76	0	0.0
No Acknowledged Risk	356	1	0.3	Other	295	4	1.4
Unknown	1,175	10	0.9	Unknown	556	4	0.7
Total	30,646	309	1.0	Total	30,646	309	1.0

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIL	OS New Cas	ses & HIV/A	IDS Dea	ths (excl DC	OC).	Partne Partne	rship 04											
	AIDS Rep	orted in	2012 8	<u>₹</u> 2013		HIV Infect	ion Cases Re	ported in 2	012 & 2013		HIV/AIDS Case Deaths in 2012 & 2013							
Demographic Group/ Exposure Category RISKS REDISTRIBUTED		orted during		he number of specified, dat		•						HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/13.						
Race/Ethnicity	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change			
White, not Hispanic	37	16%	59	26%	59.5%	95	25%	110	29%	15.8%		#DIV/0!		#DIV/0!	#DIV/0!			
Black, not Hispanic	165		149	65%	-9.7%	241	65%	241	63%	0.0%		#DIV/0!		#DIV/0!	#DIV/0!			
Hispanic	16		15	7%	-6.3%	26		25	6%	-3.8%		#DIV/0!		#DIV/0!	#DIV/0!			
Asian/Pacific Islander	1	0%	4	2%	300.0%	4	1%	5	1%	25.0%		#DIV/0!		#DIV/0!	#DIV/0!			
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	1	0%	0	0%	-100.0%		#DIV/0!		#DIV/0!	#DIV/0!			
Not Specified/Other	9	4%	1	0%	-88.9%	6	2%	4	1%	-33.3%		#DIV/0!		#DIV/0!	#DIV/0!			
Total:	228	100%	228	100%	0.0%	373	100%	385	100%	3.2%	0	#DIV/0!	0	#DIV/0!	#DIV/0!			
Gender	2012	% of Total	2013	% of Total	% change	2012	% of Total	2012	% of Total	% change	2012	% of Total	2013	% of Total	% change			
Male	155	68.0%	156	68.4%	0.6%	267	71.6%	274	71.2%	2.6%		#DIV/0!		#DIV/0!	#DIV/0!			
Female	73	32.0%	72	31.6%	-1.4%	106	28.4%	111	28.8%	4.7%		#DIV/0!		#DIV/0!	#DIV/0!			
Total:	228	100.0%	228	100.0%	0.0%	373	100.0%	385	100.0%	3.2%	0	#DIV/0!	0	#DIV/0!	#DIV/0!			
Age at Diagnosis (Years)	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change			
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	0.3%	#DIV/0!		#DIV/0!		#DIV/0!	#DIV/0!			
3-12 years	1	0.4%	0	0.0%	-100.0%	2	0.5%	0	0.0%	-100.0%		#DIV/0!		#DIV/0!	#DIV/0!			
13-19 years	4	1.8%	4	1.8%	0.0%	17	4.6%	22	5.7%	29.4%		#DIV/0!		#DIV/0!	#DIV/0!			
20-24 years	23	10.1%	16	7.0%	-30.4%	64	17.2%	65	16.9%	1.6%		#DIV/0!		#DIV/0!	#DIV/0!			
25-29 years	26	11.4%	29	12.7%	11.5%		15.8%	60	15.6%	1.7%		#DIV/0!		#DIV/0!	#DIV/0!			
30-39 years	68	29.8%	57	25.0%	-16.2%	85	22.8%	80	20.8%	-5.9%		#DIV/0!		#DIV/0!	#DIV/0!			
40-44 years	34	14.9%	37	16.2%	8.8%	45	12.1%	42	10.9%	-6.7%		#DIV/0!		#DIV/0!	#DIV/0!			
45-49 years	26	11.4%	30	13.2%	15.4%	43	11.5%	43	11.2%	0.0%		#DIV/0!		#DIV/0!	#DIV/0!			
50-59 years	35	15.4%	36	15.8%	2.9%	45	12.1%	51	13.2%	13.3%		#DIV/0!		#DIV/0!	#DIV/0!			
60+ years	11	4.8%	19	8.3%	72.7%	13	3.5%	21	5.5%	61.5%		#DIV/0!		#DIV/0!	#DIV/0!			
Total:	228	100.0%	228	100.0%	0.0%	373	100.0%	385	100.0%	3.2%	0	#DIV/0!	0	#DIV/0!	#DIV/0!			

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Laur	DC Dane	auta al lus	2012.0	2012		IIIV/ Imfo at	ian Casas Day	a a wha al line 1	010 0 0010		LIIIIIAIDS Casa Doaths in 2012 9 2012						
All	DS Repo	ortea in	2012 8	x 2013		HIV INIECU	ion Cases Rep	oortea in 2	012 & 2013		HIV/AIDS Case Deaths in 2012 & 2013						
	2011		<u> </u>		AUDO	HIV Infection Cases Reported: is defined as the number of HIV or AIDS cases that died (regardless of cause) in 2											
omograpino oroapi Exposaro				he number of a specified, dat			ion Cases Rej ases reported				data as of		died (rega	rdless of caus	se) in 2013,		
	2/31/2013	•	ine period	specifica, dat		of 12/31/20	•	r daring th	c period spec	med, data as	data as or	00/30/13.					
RISKS REDISTRIBUTED																	
	2012	0/ -6.T-4-1	2012	0/ of Total	0/ -1	2012	0/ of Total	2012	0/ -f.T-t-l	0/ -1	2012	0/ -f.T-+-1	2012	0/ of Total	0/ -1		
	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change		
Exposure Category	0.7	61.70	0.0	<b>62</b> 004	2.204	101	60.204	215	70.504	10.00/		WD 11 / 0.1		WD 11 / 0.1	WD 11 1/04		
/ISM	95	61.7%	98	62.8%	3.2%	181	68.3%	215	78.5%	18.8%		#DIV/0!		#DIV/0!	#DIV/0!		
DU ACAM/IDII	13	8.4%	/	4.5%	-46.2%	/	2.6%	4	1.5%	-42.9%		#DIV/0!		#DIV/0!	#DIV/0!		
/ISM/IDU	3	1.9%	4	2.6%	33.3%	72	1.5%	8	2.9%	100.0%		#DIV/0!		#DIV/0!	#DIV/0!		
Heterosexual	43	27.9%	46		7.0%	73	27.5%	46		-37.0%		#DIV/0!		#DIV/0!	#DIV/0!		
Other Cotal:	0 154	0.0%	156	0.6%	#DIV/0!	265	0.0%	274	0.4%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!		
	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	#DTV/0! % change		
AIDS Exposure Category	2012	70 OI 10tai	2013	70 OI 10tai	70 Change	2012	70 OI 10tai	2013	70 OI 10tai	70 change	2012	70 OI 10tai	2013	70 OI 10tai	70 Change		
DU CAPOSUIE Category	8	11.0%	3	4.2%	-62.5%	9	8.5%	7	6.4%	-22.2%		#DIV/0!		#DIV/0!	#DIV/0!		
Heterosexual	63	86.3%	68		7.9%	96	90.6%	101	91.8%	5.2%		#DIV/0!		#DIV/0!	#DIV/0!		
Other	2	2.7%	1	1.4%	-50.0%	1	0.9%	2	1.8%	100.0%		#DIV/0!		#DIV/0!	#DIV/0!		
otal:	73	100.0%	72	100.0%	-1.4%	106	100.0%	110		3.8%	0	#DIV/0!	0	#DIV/0!	#DIV/0!		
	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change		
Categories (ages 0-12)																	
Nother with/at risk for HIV infection	1	100%	0	#DIV/0!	-100.0%	2	100%	1	100%	-50.0%		#DIV/0!		#DIV/0!	#DIV/0!		
Risk not reported/Other	0	0%	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!		#DIV/0!		#DIV/0!	#DIV/0!		
		100%		#DIV/0!	-100.0%		100%		100%	-50.0%		#DIV/0!		#DIV/0!	#DIV/0!		

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

	AIDS Rep	orted in	2012 8	2013		HIV Infect	ion Cases Re	ported in 2	012 & 2013		HIV/AIDS Case Deaths in 2012 & 2013					
Demographic Group/ Exposure Category RISKS REDISTRIBUTED		v Cases are de ported during t 3.					•				HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/13.					
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	
White MSM*	21	-	46	N/A	119.0%	65		82	N/A	26.2%		N/A		N/A	#DIV/0!	
Black MSM*	68		48	N/A	-29.4%	96		117	N/A	21.9%		N/A		N/A	#DIV/0!	
Hispanic MSM*	8		5	N/A	-37.5%	18		17	N/A	-5.6%		N/A		N/A	#DIV/0!	
white Male IDU**	4	- 1,7	5	N/A	25.0%	3	N/A	5	N/A	66.7%		N/A		N/A	#DIV/0!	
Black Male IDU**	7	N/A	5	N/A	-28.6%	5	N/A	5	N/A	0.0%		N/A		N/A	#DIV/0!	
Hispanic Male IDU**	5		0	N/A	-100.0%	1	N/A	1	N/A	0.0%		N/A		N/A	#DIV/0!	
white Female IDU**	2		1	N/A	-50.0%	4	N/A	4	N/A	0.0%		N/A		N/A	#DIV/0!	
Black Female IDU**	4	N/A	2	N/A	-50.0%	4	N/A	3	N/A	-25.0%		N/A		N/A	#DIV/0!	
Hispanic Female IDU**	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%		N/A		N/A	#DIV/0!	
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
Black Male Homeless	1	N/A	0	N/A	-100.0%	0	N/A	2	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
Hispanic Male Homeless	0		0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
white Female Homeless	0		0	N/A	#DIV/0!	0	- 1/	0	N/A			N/A		N/A	#DIV/0!	
Black Female Homeless	0		0	N/A	#DIV/0!	0	- "	0		#DIV/0!		N/A		N/A	#DIV/0!	
Hispanic Female Homeless	0		0	N/A	#DIV/0!	0	- 1/	0	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
Male Haitian Born	0		1	N/A	#DIV/0!	0	- "	1	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
Female Haitian Born	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%		N/A		N/A	#DIV/0!	
white Male Youth (ages 13-24)	2		2	N/A	0.0%	8		9	N/A	12.5%		N/A		N/A	#DIV/0!	
Black Male Youth (ages 13-24)	16		15	N/A	-6.3%		-	61	N/A	15.1%		N/A		N/A	#DIV/0!	
Hispanic Male Youth (ages 13-24)	1	N/A	1	N/A	0.0%	6		4	N/A	-33.3%		N/A		N/A	#DIV/0!	
white Female Youth (ages 13-24)	0		0	N/A	#DIV/0!	1	N/A	2	N/A	100.0%		N/A		N/A	#DIV/0!	
Black Female Youth (ages 13-24)	5		1	N/A	-80.0%	11	N/A	9		-18.2%		N/A		N/A	#DIV/0!	
Hispanic Female Youth (ages 13-24)	1	N/A	1	N/A	0.0%	1	N/A	1	N/A	0.0%		N/A		N/A	#DIV/0!	
White WCBA* (ages 15-44)	5		3	N/A	-40.0%	13		13	N/A	0.0%		N/A		N/A	#DIV/0!	
Black WCBA* (ages 15-44)	36		33	N/A	-8.3%	51	N/A	44	N/A	-13.7%		N/A		N/A	#DIV/0!	
Hiapanic WCBA* (ages 15-44)	1	N/A	6	N/A	500.0%		N/A	5	N/A	66.7%		N/A		N/A	#DIV/0!	
White Ped Cases (ages 0-12)	0		0	N/A	#DIV/0!	0		0		#DIV/0!		N/A		N/A	#DIV/0!	
Black Ped Cases (ages 0-12)	1	N/A	0	N/A	-100.0%	2		1	N/A	-50.0%		N/A		N/A	#DIV/0!	
Hispanic Ped Cases (ages 0-12)	0		0	N/A	#DIV/0!	0		0	N/A	#DIV/0!		N/A		N/A	#DIV/0!	
DOC cases  *WCBA=Women of Child Bearing Age	0	N/A	1	N/A	#DIV/0!	0	N/A	3	N/A	#DIV/0!		N/A		N/A	#DIV/0!	

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.
\*MSM includes MSM & MSM/IDU

<sup>\*\*</sup>Male IDU includes IDU & MSM/IDU