

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 05**  
**Pasco and Pinellas Counties**  


---

**Mid-Year Population Estimates**

**2011**

**Sex**

	<b>Total Pop</b>	
Males	668,836	48%
Females	717,267	52%
Total	1,386,103	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	1,075,313	78%
Black, non-Hispanic	112,589	8%
Hispanic	131,545	9%
Other*	66,656	5%
Total	1,386,103	100%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	182,912	13%
13 - 19	106,562	8%
20 - 24	71,706	5%
25 - 29	74,489	5%
30 - 39	154,951	11%
40 - 49	191,674	14%
50 - 59	209,065	15%
60+	394,744	28%
Total	1,386,103	100%

**2012**

**Sex**

	<b>Total Pop</b>	
Males	673,207	48.3%
Females	720,822	51.7%
Total	1,394,029	100.0%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	1,077,142	77%
Black, non-Hispanic	113,994	8%
Hispanic	135,152	10%
Other*	67,741	5%
Total	1,394,029	100%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	183,100	13%
13 - 19	105,654	8%
20 - 24	73,859	5%
25 - 29	74,629	5%
30 - 39	154,910	11%
40 - 49	187,578	13%
50 - 59	212,400	15%
60+	401,899	29%
Total	1,394,029	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS & Hepatitis Program**

Created: 01/14/13

Revision: 07/30/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 05 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	112	72.7%	16.7	0 - 12	0	0.0%	0.0
Female	42	27.3%	5.9	13 - 19	4	2.6%	3.8
Other/Unknown	0	0.0%	N/A	20 - 24	9	5.8%	12.6
Total	154	100.0%	11.1	25 - 29	8	5.2%	10.7
				30 - 39	27	17.5%	17.4
				40 - 49	56	36.4%	29.2
				50 - 59	40	26.0%	19.1
				60+	10	6.5%	2.5
				Total	154	100.0%	11.1
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	86	55.8%	8.0				
Black, Non-Hispanic	54	35.1%	48.0				
Hispanic	12	7.8%	9.1				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	1.3%	N/A				
Total	154	100.0%	11.1				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	136	79.5%	20.2	0 - 12	0	0.0%	0.0
Female	35	20.5%	4.9	13 - 19	1	0.6%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	9	5.3%	12.2
Total	171	100.0%	12.3	25 - 29	17	9.9%	22.8
				30 - 39	39	22.8%	25.2
				40 - 49	57	33.3%	30.4
				50 - 59	32	18.7%	15.1
				60+	16	9.4%	4.0
				Total	171	100.0%	12.3
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	94	55.0%	8.7				
Black, Non-Hispanic	53	31.0%	46.5				
Hispanic	20	11.7%	14.8				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	1	0.6%	N/A				
Other/Unknown	3	1.8%	N/A				
Total	171	100.0%	12.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 05 population estimates, by race/ethnicity, gender and age, respectively  
DOC cases are excluded.

**THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

**2011**

Gender	Cases	% Total	Rate
Male	190	79.2%	28.4
Female	50	20.8%	7.0
Other/Unknown	0	0.0%	N/A
Total	240	100.0%	17.3

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	137	57.1%	12.7
Black, Non-Hispanic	85	35.4%	75.5
Hispanic	14	5.8%	10.6
Asian/Pacific Islander	1	0.4%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A
Other/Unknown	3	1.3%	N/A
Total	240	100.0%	17.3

Age Groups	Cases	% Total	Rate
0 - 12	1	0.4%	0.5
13 - 19	14	5.8%	13.1
20 - 24	27	11.3%	37.7
25 - 29	22	9.2%	29.5
30 - 39	49	20.4%	31.6
40 - 49	61	25.4%	31.8
50 - 59	46	19.2%	22.0
60+	20	8.3%	5.1
Total	240	100.0%	17.3

**2012**

Gender	Cases	% Total	Rate
Male	204	78.2%	30.3
Female	57	21.8%	7.9
Other/Unknown	0	0.0%	N/A
Total	261	100.0%	18.7

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	137	52.5%	12.7
Black, Non-Hispanic	87	33.3%	76.3
Hispanic	29	11.1%	21.5
Asian/Pacific Islander	5	1.9%	N/A
Amer. Indian/Alaskan	1	0.4%	N/A
Other/Unknown	2	0.8%	N/A
Total	261	100.0%	18.7

Age Groups	Cases	% Total	Rate
0 - 12	0	0.0%	0.0
13 - 19	5	1.9%	4.7
20 - 24	34	13.0%	46.0
25 - 29	35	13.4%	46.9
30 - 39	61	23.4%	39.4
40 - 49	61	23.4%	32.5
50 - 59	42	16.1%	19.8
60+	23	8.8%	5.7
Total	261	100.0%	18.7

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011

Gender	Cases	% Total	Rate
Male	66	91.7%	9.9
Female	6	8.3%	0.8
Other/Unknown	0	0.0%	N/A
Total	72	100.0%	5.2

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	41	56.9%	3.8
Black, Non-Hispanic	23	31.9%	20.4
Hispanic	7	9.7%	5.3
Asian/Pacific Islander	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A
Other/Unknown	1	1.4%	N/A
Total	72	100.0%	5.2

Age Groups	Cases	% Total	Rate
0 - 12	0	0.0%	0.0
13 - 19	1	1.4%	0.9
20 - 24	15	20.8%	20.9
25 - 29	12	16.7%	16.1
30 - 39	15	20.8%	9.7
40 - 49	17	23.6%	8.9
50 - 59	8	11.1%	3.8
60+	4	5.6%	1.0
Other/Unknown	0	0.0%	N/A
Total	72	100.0%	5.2

2012

Gender	Cases	% Total	Rate
Male	63	86.3%	9.4
Female	10	13.7%	1.4
Other/Unknown	0	0.0%	N/A
Total	73	100.0%	5.2

Race/Ethnicity	Cases	% Total	Rate
White, Non-Hispanic	39	53.4%	3.6
Black, Non-Hispanic	29	39.7%	25.4
Hispanic	3	4.1%	2.2
Asian/Pacific Islander	2	2.7%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A
Other/Unknown	0	0.0%	N/A
Total	73	100.0%	5.2

Age Groups	Cases	% Total	Rate
0 - 12	0	0.0%	0.0
13 - 19	4	5.5%	3.8
20 - 24	13	17.8%	17.6
25 - 29	13	17.8%	17.4
30 - 39	14	19.2%	9.0
40 - 49	16	21.9%	8.5
50 - 59	8	11.0%	3.8
60+	5	6.8%	1.2
Other/Unknown	0	0.0%	N/A
Total	73	100.0%	5.2

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	586	46.6%	87.6	0 - 12	0	0.0%	0.0
Female	671	53.4%	93.5	13 - 19	287	22.8%	269.3
Other/Unknown	0	0.0%	N/A	20 - 24	443	35.2%	617.8
Total	1,257	100.0%	90.7	25 - 29	217	17.3%	291.3
				30 - 39	200	15.9%	129.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	58	4.6%	30.3
White, Non-Hispanic	405	32.2%	37.7	50 - 59	42	3.3%	20.1
Black, Non-Hispanic	695	55.3%	617.3	60+	9	0.7%	2.3
Hispanic	64	5.1%	48.7	Unknown	1	0.1%	N/A
Asian/Pacific Islander	12	1.0%	N/A	Total	1,257	100.0%	90.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	81	6.4%	N/A				
Total	1,257	100.0%	90.7				

  

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	634	52.5%	94.2	0-12	0	0.0%	0.0
Female	574	47.5%	79.6	13 - 19	255	21.1%	241.4
Other/Unknown	0	0.0%	N/A	20 - 24	412	34.1%	557.8
Total	1,208	100.0%	86.7	25 - 29	186	15.4%	249.2
				30 - 39	192	15.9%	123.9
Race/Ethnicity	Cases	% Total	Rate	40 - 49	103	8.5%	54.9
White, Non-Hispanic	439	36.3%	40.8	50 - 59	47	3.9%	22.1
Black, Non-Hispanic	623	51.6%	546.5	60+	12	1.0%	3.0
Hispanic	72	6.0%	53.3	Unknown	1	0.1%	N/A
Asian/Pacific Islander	11	0.9%	N/A	Total	1,208	100.0%	86.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	63	5.2%	N/A				
Total	1,208	100.0%	86.7				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group  
at diagnosis and year of report, Partnership 05**

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,354	27.8%	202.4	0 - 12	0	0.0%	0.0
Female	3,518	72.1%	490.5	13 - 19	1,647	33.8%	1545.6
Other/Unknown	5	0.1%	N/A	20 - 24	1,935	39.7%	2698.5
Total	4,877	100.0%	351.8	25 - 29	713	14.6%	957.2
				30 - 39	428	8.8%	276.2
				40 - 49	111	2.3%	57.9
				50 - 59	34	0.7%	16.3
				60+	6	0.1%	1.5
				Unknown	3	0.1%	N/A
				Total	4,877	100.0%	351.8
<b>Race/Ethnicity</b>							
White, Non-Hispanic	2,096	43.0%	194.9				
Black, Non-Hispanic	1,879	38.5%	1668.9				
Hispanic	442	9.1%	336.0				
Asian/Pacific Islander	60	1.2%	N/A				
Amer. Indian/Alaskan	2	0.0%	N/A				
Other/Unknown	398	8.2%	N/A				
Total	4,877	100.0%	351.8				

2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,366	28.6%	202.9	0-12	0	0.0%	0.0
Female	3,410	71.4%	473.1	13 - 19	1,503	31.5%	1422.6
Other/Unknown	0	0.0%	N/A	20 - 24	1,891	39.6%	2560.3
Total	4,776	100.0%	342.6	25 - 29	720	15.1%	964.8
				30 - 39	474	9.9%	306.0
				40 - 49	121	2.5%	64.5
				50 - 59	46	1.0%	21.7
				60+	16	0.3%	4.0
				Unknown	5	0.1%	N/A
				Total	4,776	100.0%	342.6
<b>Race/Ethnicity</b>							
White, Non-Hispanic	2,079	43.5%	193.0				
Black, Non-Hispanic	1,806	37.8%	1584.3				
Hispanic	406	8.5%	300.4				
Asian/Pacific Islander	66	1.4%	N/A				
Amer. Indian/Alaskan	4	0.1%	N/A				
Other/Unknown	415	8.7%	N/A				
Total	4,776	100.0%	342.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	22	71.0%	3.3	0 - 12	3	9.7%	1.6
Female	9	29.0%	1.3	13 - 19	2	6.5%	1.1
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	31	100.0%	2.2	25 - 29	0	0.0%	0.0
				30 - 39	2	6.5%	1.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	9	29.0%	4.9
White, Non-Hispanic	11	35.5%	1.0	50 - 59	6	19.4%	3.3
Black, Non-Hispanic	7	22.6%	6.2	60+	9	29.0%	4.9
Hispanic	4	12.9%	3.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	7	22.6%	N/A	Total	31	100.0%	2.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	2	6.5%	N/A				
Total	31	100.0%	2.2				

  

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	11	50.0%	1.6	0 - 12	0	0.0%	0.0
Female	11	50.0%	1.5	13 - 19	2	9.1%	1.9
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	22	100.0%	1.6	25 - 29	1	4.5%	1.3
				30 - 39	2	9.1%	1.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	13.6%	1.6
White, Non-Hispanic	12	54.5%	1.1	50 - 59	7	31.8%	3.3
Black, Non-Hispanic	1	4.5%	0.9	60+	7	31.8%	1.7
Hispanic	1	4.5%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	6	27.3%	N/A	Total	22	100.0%	1.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	2	9.1%	N/A				
Total	22	100.0%	1.6				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2	22.2%	0.3	0 - 12	2	22.2%	1.1
Female	7	77.8%	1.0	13 - 19	1	11.1%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	2	22.2%	2.8
Total	9	100.0%	0.6	25 - 29	0	0.0%	0.0
				30 - 39	1	11.1%	0.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	22.2%	1.0
White, Non-Hispanic	6	66.7%	0.6	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	1	11.1%	0.3
Hispanic	1	11.1%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	9	100.0%	0.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	22.2%	N/A				
Total	9	100.0%	0.6				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2	33.3%	0.3	0 - 12	0	0.0%	0.0
Female	4	66.7%	0.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	6	100.0%	0.4	25 - 29	1	16.7%	1.3
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	16.7%	0.5
White, Non-Hispanic	5	83.3%	0.5	50 - 59	1	16.7%	0.5
Black, Non-Hispanic	0	0.0%	0.0	60+	3	50.0%	0.7
Hispanic	1	16.7%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	6	100.0%	0.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	6	100.0%	0.4				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	11	73.3%	1.6	0 - 12	0	0.0%	0.0
Female	4	26.7%	0.6	13 - 19	1	6.7%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	15	100.0%	1.1	25 - 29	0	0.0%	0.0
				30 - 39	5	33.3%	3.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	7	46.7%	3.7
White, Non-Hispanic	9	60.0%	0.8	50 - 59	1	6.7%	0.5
Black, Non-Hispanic	5	33.3%	4.4	60+	1	6.7%	0.3
Hispanic	1	6.7%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	15	100.0%	1.1
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	15	100.0%	1.1				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	16	45.7%	2.4	0 - 12	0	0.0%	0.0
Female	19	54.3%	2.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	35	100.0%	2.5	25 - 29	1	2.9%	1.3
				30 - 39	16	45.7%	10.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	10	28.6%	5.3
White, Non-Hispanic	26	74.3%	2.4	50 - 59	6	17.1%	2.8
Black, Non-Hispanic	4	11.4%	3.5	60+	2	5.7%	0.5
Hispanic	1	2.9%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	2.9%	N/A	Total	35	100.0%	2.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	8.6%	N/A				
Total	35	100.0%	2.5				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 05**

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,402	56.9%	209.6	0 - 12	12	0.5%	6.6
Female	1,060	43.0%	147.8	13 - 19	53	2.1%	49.7
Other/Unknown	4	0.2%	N/A	20 - 24	180	7.3%	251.0
Total	2,466	100.0%	177.9	25 - 29	238	9.7%	319.5
				30 - 39	345	14.0%	222.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	414	16.8%	216.0
White, Non-Hispanic	713	28.9%	66.3	50 - 59	811	32.9%	387.9
Black, Non-Hispanic	87	3.5%	77.3	60+	413	16.7%	104.6
Hispanic	41	1.7%	31.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	18	0.7%	N/A	Total	2,466	100.0%	177.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1,607	65.2%	N/A				
Total	2,466	100.0%	177.9				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	892	54.4%	132.5	0 - 12	14	0.9%	7.6
Female	745	45.4%	103.4	13 - 19	26	1.6%	24.6
Other/Unknown	4	0.2%	N/A	20 - 24	139	8.5%	188.2
Total	1,641	100.0%	117.7	25 - 29	173	10.5%	231.8
				30 - 39	219	13.3%	141.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	222	13.5%	118.4
White, Non-Hispanic	389	23.7%	36.1	50 - 59	557	33.9%	262.2
Black, Non-Hispanic	23	1.4%	20.2	60+	291	17.7%	72.4
Hispanic	13	0.8%	9.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	8	0.5%	N/A	Total	1,641	100.0%	117.7
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	1,207	73.6%	N/A				
Total	1,641	100.0%	117.7				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA**  
**Partnership 05**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2011 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	99	10	10.1	Male	9,118	148	1.6
Male Sex With Male	2,113	90	4.3	Female	11,219	45	0.4
Injecting Drug User	1,902	9	0.5	Unknown	203	3	1.5
Sex Partner at Risk	1,356	36	2.7	<b>Total</b>	<b>20,540</b>	<b>196</b>	<b>1.0</b>
Child of Woman with HIV/AIDS	53	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	3,984	20	0.5	White	10,856	98	0.9
Sex for Drugs or Money	234	2	0.9	Black	6,097	80	1.3
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	2,551	11	0.4
Victim of Sexual Assault	705	3	0.4	Asian	270	2	0.7
Health Care Exposure	0	0	#DIV/0!	Am. Native	44	0	0.0
Heterosexual	9,435	25	0.3	Other	272	2	0.7
No Acknowledged Risk	174	0	0.0	Unknown	450	3	0.7
Unknown	485	1	0.2				
<b>Total</b>	<b>20,540</b>	<b>196</b>	<b>1.0</b>	<b>Total</b>	<b>20,540</b>	<b>196</b>	<b>1.0</b>

<b>2012 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	124	9	7.3	Male	9,102	144	1.6
Male Sex With Male	2,194	94	4.3	Female	11,210	34	0.3
Injecting Drug User	1,917	12	0.6	Unknown	317	1	0.3
Sex Partner at Risk	1,614	14	0.9	<b>Total</b>	<b>20,629</b>	<b>179</b>	<b>0.9</b>
Child of Woman with HIV/AIDS	56	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	4,236	21	0.5	White	10,468	83	0.8
Sex for Drugs or Money	174	1	0.6	Black	6,394	67	1.0
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	2,615	20	0.8
Victim of Sexual Assault	694	2	#DIV/0!	Asian	287	3	1.0
Health Care Exposure	0	0	0.0	Am. Native	49	2	4.1
Heterosexual	8,901	22	0.2	Other	284	3	1.1
No Acknowledged Risk	127	0	0.0	Unknown	532	1	0.2
Unknown	592	4	0.7				
<b>Total</b>	<b>20,629</b>	<b>179</b>	<b>0.9</b>	<b>Total</b>	<b>20,629</b>	<b>179</b>	<b>0.9</b>

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 05

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: Is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Race/Ethnicity	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White, not Hispanic	86	56%	94	55%	9.3%	137	57%	137	52%	0.0%	77	69%	54	55%	-29.9%
Black, not Hispanic	54	35%	53	31%	-1.9%	85	35%	87	33%	2.4%	26	23%	34	34%	30.8%
Hispanic	12	8%	20	12%	66.7%	14	6%	29	11%	107.1%	5	5%	8	8%	60.0%
Asian/Pacific Islander		0%	0	0%	#DIV/0!	1	0%	5	2%	400.0%	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	1	1%	#DIV/0!	0	0%	1	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	2	1%	3	2%	50.0%	3	1%	2	1%	-33.3%	3	3%	3	3%	0.0%
<b>Total:</b>	<b>154</b>	<b>100%</b>	<b>171</b>	<b>100%</b>	<b>11.0%</b>	<b>240</b>	<b>100%</b>	<b>261</b>	<b>100%</b>	<b>8.8%</b>	<b>111</b>	<b>100%</b>	<b>99</b>	<b>100%</b>	<b>-10.8%</b>
Gender	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Male	112	72.7%	136	79.5%	21.4%	190	79.2%	204	78.2%	7.4%	87	78.4%	73	73.7%	-16.1%
Female	42	27.3%	35	20.5%	-16.7%	50	20.8%	57	21.8%	14.0%	24	21.6%	26	26.3%	8.3%
<b>Total:</b>	<b>154</b>	<b>100.0%</b>	<b>171</b>	<b>100.0%</b>	<b>11.0%</b>	<b>240</b>	<b>100.0%</b>	<b>261</b>	<b>100.0%</b>	<b>8.8%</b>	<b>111</b>	<b>100.0%</b>	<b>99</b>	<b>100.0%</b>	<b>-10.8%</b>
Age at Diagnosis (Years)	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	1	0.4%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	4	2.6%	1	0.6%	-75.0%	14	5.8%	5	1.9%	-64.3%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	9	5.8%	9	5.3%	0.0%	27	11.3%	34	13.0%	25.9%	2	1.8%	1	1.0%	-50.0%
25-29 years	8	5.2%	17	9.9%	112.5%	22	9.2%	35	13.4%	59.1%	5	4.5%	5	5.1%	0.0%
30-39 years	27	17.5%	39	22.8%	44.4%	49	20.4%	61	23.4%	24.5%	13	11.7%	6	6.1%	-53.8%
40-44 years	28	18.2%	28	16.4%	0.0%	30	12.5%	35	13.4%	16.7%	11	9.9%	7	7.1%	-36.4%
45-49 years	28	18.2%	29	17.0%	3.6%	31	12.9%	26	10.0%	-16.1%	22	19.8%	17	17.2%	-22.7%
50-59 years	40	26.0%	32	18.7%	-20.0%	46	19.2%	42	16.1%	-8.7%	40	36.0%	39	39.4%	-2.5%
60+ years	10	6.5%	16	9.4%	60.0%	20	8.3%	23	8.8%	15.0%	18	16.2%	24	24.2%	33.3%
<b>Total:</b>	<b>154</b>	<b>100.0%</b>	<b>171</b>	<b>100.0%</b>	<b>11.0%</b>	<b>240</b>	<b>100.0%</b>	<b>261</b>	<b>100.0%</b>	<b>8.8%</b>	<b>111</b>	<b>100.0%</b>	<b>99</b>	<b>100.0%</b>	<b>-10.8%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Male Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
MSM	68	61.1%	94	69.2%	37.4%	140	73.5%	158	77.4%	13.0%	67	77.0%	43	58.9%	-35.8%
IDU	8	7.2%	11	7.9%	33.1%	8	4.2%	15	7.1%	81.7%	10	11.5%	15	20.5%	50.0%
MSM/IDU	14	12.2%	15	10.8%	7.1%	8	4.2%	14	6.7%	72.1%	3	3.4%	4	5.5%	33.3%
Heterosexual	22	19.4%	17	12.1%	-24.2%	34	18.0%	18	8.7%	-48.1%	7	8.0%	11	15.1%	57.1%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
Total:	112	100.0%	136	100.0%	21.4%	190	100.0%	204	100.0%	7.4%	87	100.0%	73	100.0%	-16.1%
Female Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
IDU	2	4.8%	9	25.7%	350.0%	4	7.8%	8	14.0%	108.7%	4	16.7%	7	26.9%	75.0%
Heterosexual	39	92.9%	26	74.3%	-33.3%	45	92.2%	49	86.0%	8.5%	18	75.0%	18	69.2%	0.0%
Other	1	2.4%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	2	8.3%	1	3.8%	-50.0%
Total:	42	100.0%	35	100.0%	-16.7%	49	100.0%	57	100.0%	16.3%	24	100.0%	26	100.0%	8.3%
Pediatric AIDS Exposure Categories (ages 0-12)	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	1	100%	0	#DIV/0!	-100.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	1	100%	0	#DIV/0!	-100.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	51	N/A	66	N/A	29.4%	89	N/A	77	N/A	-13.5%	58	N/A	37	N/A	-36.2%
Black MSM*	15	N/A	16	N/A	6.7%	32	N/A	36	N/A	12.5%	7	N/A	4	N/A	-42.9%
Hispanic MSM*	6	N/A	10	N/A	66.7%	7	N/A	15	N/A	114.3%	2	N/A	4	N/A	100.0%
white Male IDU**	9	N/A	12	N/A	33.3%	10	N/A	11	N/A	10.0%	7	N/A	8	N/A	14.3%
Black Male IDU**	7	N/A	4	N/A	-42.9%	4	N/A	2	N/A	-50.0%	4	N/A	8	N/A	100.0%
Hispanic Male IDU**	2	N/A	2	N/A	0.0%	2	N/A	4	N/A	100.0%	1	N/A	1	N/A	0.0%
white Female IDU**	1	N/A	5	N/A	400.0%	2	N/A	7	N/A	250.0%	2	N/A	3	N/A	50.0%
Black Female IDU**	0	N/A	2	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	1	N/A	2	N/A	100.0%
Hispanic Female IDU**	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!
white Male Homeless	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	2	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	4	N/A	1	N/A	-75.0%	12	N/A	9	N/A	-25.0%	1	N/A	0	N/A	-100.0%
Black Male Youth (ages 13-24)	6	N/A	8	N/A	33.3%	22	N/A	22	N/A	0.0%	1	N/A	1	N/A	0.0%
Hispanic Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	3	N/A	2	N/A	-33.3%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	2	N/A	1	N/A	-50.0%	3	N/A	3	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	10	N/A	8	N/A	-20.0%	10	N/A	16	N/A	60.0%	4	N/A	2	N/A	-50.0%
Black WCBA* (ages 15-44)	12	N/A	10	N/A	-16.7%	12	N/A	16	N/A	33.3%	5	N/A	7	N/A	40.0%
Hispanic WCBA* (ages 15-44)	1	N/A	1	N/A	0.0%	0	N/A	4	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	0	N/A	0	N/A	#DIV/0!	0	N/A	3	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

## Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers

## Partnership 05

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Proportional Rate of this Co-morbidity among the population of this Disease in this Area
	<b>N= 4,250</b>				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	1	23.5	eHARS (address variable)	Data through 2012 (data as of 06/30/13)	4.5%
Infectious Syphilis reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	27	635.3	eHARS (local use variable)	Data through 2012 (data as of 03/2013)	37.0%
Gonorrhea reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	33	776.5	eHARS (local use variable)	Data through 2012 (data as of 03/2013)	2.7%
Chlamydia reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	30	705.9	(PLWHA data)	Data through 2012 (data as of 03/2013)	0.6%
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	500	11764.7	(PLWHA data)	Data through 2012 (data as of 06/30/13)	N/A

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	37	870.6	HARS (address variable)	Data through 2012 (data as of 06/30/13)
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	966	22,729.4	HARS (local use variable)	Data through 2012 (data as of 06/30/13)
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	210	4,941.2	HARS (local use variable)	Data through 2012 (data as of 06/30/13)
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	2,628	61,835.3	(Determined by PLWHA data)	Data through 2012 (data as of 06/30/13)
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	697	16,400.0	(Determined by PLWHA data)	Data through 2012 (data as of 06/30/13)
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released	Data Source	Date of Data
		Number % HIV+		
Offenders who returned to the Area in 2012	2,755	59 2.1%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	2,802	71 2.5%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012
Offenders who returned to the Area in 2010	2,788	65 2.3%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2011

## Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/ Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	20,377	77.6%	117,369	10.0%	162	16.0%
Black	3,423	13.0%	27,711	26.9%	129	13.0%
Hispanic	1,866	7.1%	18,707	18.4%	156	15.0%
Other*	608	2.3%	3,659	8.9%	N/A	N/A
<b>Total</b>	<b>26,274</b>	<b>100.0%</b>	<b>167,446</b>	<b>64.2%</b>	<b>447</b>	<b>44.0%</b>

Selected Socioeconomic Indicators for this Partnership, (U.S. Census 2000), \*Other race includes Asian/Hawaiian, Native American/Alaska Native, ther &amp; multiple races.

## For more updated data:

<http://www.census.gov/did/www/saie/data/statecounty/data/2009.html>

The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/saie/data/index.html><http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.**

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 05.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	1,558	62.7%	1,010	57.2%	2,568	60.4%
Black, not Hispanic	672	27.1%	552	31.3%	1,224	28.8%
Hispanic	205	8.3%	151	8.6%	356	8.4%
Asian/Pacific Islander	15	0.6%	18	1.0%	33	0.8%
American Indian/Alaskan Native	1	0.0%	6	0.3%	7	0.2%
Not Specified/Other	33	1.3%	29	1.6%	62	1.5%
<b>Total:</b>	<b>2,484</b>	<b>100.0%</b>	<b>1,766</b>	<b>100.0%</b>	<b>4,250</b>	<b>100.0%</b>
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	1,929	77.7%	1,308	74.1%	3,237	76.2%
Female	555	22.3%	458	25.9%	1,013	23.8%
<b>Total:</b>	<b>2,484</b>	<b>100.0%</b>	<b>1,766</b>	<b>100.0%</b>	<b>4,250</b>	<b>100.0%</b>
Current Age on 12/31/2012 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	0	0.0%	0	0.0%
3-12 years	3	0.1%	6	0.3%	9	0.2%
13-19 years	10	0.4%	15	0.8%	25	0.6%
20-24 years	35	1.4%	82	4.6%	117	2.8%
25-29 years	60	2.4%	135	7.6%	195	4.6%
30-39 years	278	11.2%	361	20.4%	639	15.0%
40-44 years	350	14.1%	235	13.3%	585	13.8%
45-49 years	538	21.7%	306	17.3%	844	19.9%
50-59 years	868	34.9%	441	25.0%	1,309	30.8%
60+ years	342	13.8%	185	10.5%	527	12.4%
<b>Total:</b>	<b>2,484</b>	<b>100.0%</b>	<b>1,766</b>	<b>100.0%</b>	<b>4,250</b>	<b>100.0%</b>



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	1,374	71.3%	1,007	77.2%	2,381	73.7%
IDU	156	8.1%	75	5.7%	231	7.1%
MSM/IDU	167	8.7%	80	6.1%	247	7.6%
Heterosexual	213	11.1%	133	10.2%	346	10.7%
Other	17	0.9%	10	0.8%	27	0.8%
Total:	1,927	100.0%	1,305	100.0%	3,232	100.0%
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	137	24.7%	82	18.0%	219	21.7%
Heterosexual	400	72.2%	369	81.1%	769	76.2%
Other	17	3.1%	4	0.9%	21	2.1%
Total:	554	100.0%	455	100.0%	1,009	100.0%
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	3	100.0%	6	100.0%	9	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
Total:	3	100.0%	6	100.0%	9	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	1,164	N/A	750	N/A	1,914	N/A
Black MSM	242	N/A	221	N/A	463	N/A
Hispanic MSM	102	N/A	82	N/A	184	N/A
white Male IDU	201	N/A	96	N/A	297	N/A
Black Male IDU	95	N/A	33	N/A	128	N/A
Hispanic Male IDU	25	N/A	21	N/A	46	N/A
white Female IDU	66	N/A	51	N/A	117	N/A
Black Female IDU	45	N/A	24	N/A	69	N/A
Hispanic Female IDU	21	N/A	4	N/A	25	N/A
white Male Homeless	4	N/A	9	N/A	13	N/A
Black Male Homeless	4	N/A	5	N/A	9	N/A
Hispanic Male Homeless	0	N/A	3	N/A	3	N/A
white Female Homeless	3	N/A	1	N/A	4	N/A
Black Female Homeless	3	N/A	4	N/A	7	N/A
Hispanic Female Homeless	0	N/A	1	N/A	1	N/A
Male Haitian Born	5	N/A	2	N/A	7	N/A
Female Haitian Born	2	N/A	3	N/A	5	N/A
white Male Youth (current ages 13-24)	9	N/A	21	N/A	30	N/A
Black Male Youth (current ages 13-24)	20	N/A	50	N/A	70	N/A
Hispanic Male Youth (current ages 13-24)	1	N/A	7	N/A	8	N/A
white Female Youth (current ages 13-24)	6	N/A	8	N/A	14	N/A
Black Female Youth (current ages 13-24)	4	N/A	8	N/A	12	N/A
Hispanic Female Youth (current ages 13-24)	3	N/A	0	N/A	3	N/A
White WCBA* (current ages 15-44)	80	N/A	87	N/A	167	N/A
Black WCBA* (current ages 15-44)	113	N/A	116	N/A	229	N/A
Hispanic WCBA* (current ages 15-44)	25	N/A	21	N/A	46	N/A
White Ped Cases (current current ages 0-12)	1	N/A	3	N/A	4	N/A
Black Ped Cases (current ages 0-12)	2	N/A	2	N/A	4	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	1	N/A	1	N/A
DOC Cases	13	N/A	15	N/A	28	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU