

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 08**  
**Charlotte, Collier, DeSoto, Glades, Hendry, Lee and Sarasota Counties**

**Mid-Year Population Estimates**

**2011**

<b>Sex</b>	<b>Total Pop</b>	
Males	775,814	49%
Females	804,850	51%
Total	1,580,664	100%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	1,153,547	73%
Black, non-Hispanic	106,330	7%
Hispanic	276,606	17%
Other*	44,181	3%
Total	1,580,664	100%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	203,748	13%
13 - 19	116,767	7%
20 - 24	78,677	5%
25 - 29	78,740	5%
30 - 39	156,693	10%
40 - 49	187,088	12%
50 - 59	214,882	14%
60+	544,069	34%
Total	1,580,664	100%

**2012**

<b>Sex</b>	<b>Total Pop</b>	
Males	786,609	49.1%
Females	816,527	50.9%
Total	1,603,136	100.0%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	1,163,367	73%
Black, non-Hispanic	108,840	7%
Hispanic	285,693	18%
Other*	45,236	3%
Total	1,603,136	100%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	205,668	13%
13 - 19	117,056	7%
20 - 24	81,467	5%
25 - 29	80,070	5%
30 - 39	158,757	10%
40 - 49	185,440	12%
50 - 59	220,950	14%
60+	553,728	35%
Total	1,603,136	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS & Hepatitis Program**

Created:01/14/13
Revision: 07/30/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 08 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	77	66.4%	9.9	0 - 12	0	0.0%	0.0
Female	39	33.6%	4.8	13 - 19	2	1.7%	1.7
Other/Unknown	0	0.0%	N/A	20 - 24	7	6.0%	8.9
Total	116	100.0%	7.3	25 - 29	14	12.1%	17.8
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	42	36.2%	3.6	30 - 39	27	23.3%	17.2
Black, Non-Hispanic	49	42.2%	46.1	40 - 49	25	21.6%	13.4
Hispanic	23	19.8%	8.3	50 - 59	31	26.7%	14.4
Asian/Pacific Islander	0	0.0%	N/A	60+	10	8.6%	1.8
Amer. Indian/Alaskan	0	0.0%	N/A	Total	116	100.0%	7.3
Other/Unknown	2	1.7%	N/A				
Total	116	100.0%	7.3				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	82	76.6%	10.4	0 - 12	1	0.9%	0.5
Female	25	23.4%	3.1	13 - 19	1	0.9%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	7	6.5%	8.6
Total	107	100.0%	6.7	25 - 29	8	7.5%	10.0
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	44	41.1%	3.8	30 - 39	20	18.7%	12.6
Black, Non-Hispanic	40	37.4%	36.8	40 - 49	31	29.0%	16.7
Hispanic	23	21.5%	8.1	50 - 59	29	27.1%	13.1
Asian/Pacific Islander	0	0.0%	N/A	60+	10	9.3%	1.8
Amer. Indian/Alaskan	0	0.0%	N/A	Total	107	100.0%	6.7
Other/Unknown	0	0.0%	N/A				
Total	107	100.0%	6.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 08 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	145	75.9%	18.7	0 - 12	1	0.5%	0.5
Female	46	24.1%	5.7	13 - 19	4	2.1%	3.4
Other/Unknown	0	0.0%	N/A	20 - 24	21	11.0%	26.7
Total	191	100.0%	12.1	25 - 29	35	18.3%	44.5
				30 - 39	38	19.9%	24.3
				40 - 49	40	20.9%	21.4
				50 - 59	32	16.8%	14.9
				60+	20	10.5%	3.7
				Total	191	100.0%	12.1
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	89	46.6%	7.7				
Black, Non-Hispanic	68	35.6%	64.0				
Hispanic	34	17.8%	12.3				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	191	100.0%	12.1				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	198	76.4%	25.2	0 - 12	3	1.2%	1.5
Female	61	23.6%	7.5	13 - 19	7	2.7%	6.0
Other/Unknown	0	0.0%	N/A	20 - 24	32	12.4%	39.3
Total	259	100.0%	16.2	25 - 29	25	9.7%	31.2
				30 - 39	54	20.8%	34.0
				40 - 49	58	22.4%	31.3
				50 - 59	62	23.9%	28.1
				60+	18	6.9%	3.3
				Total	259	100.0%	16.2
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	109	42.1%	9.4				
Black, Non-Hispanic	92	35.5%	84.5				
Hispanic	54	20.8%	18.9				
Asian/Pacific Islander	3	1.2%	N/A				
Amer. Indian/Alaskan	1	0.4%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	259	100.0%	16.2				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	30	88.2%	3.9	0 - 12	0	0.0%	0.0
Female	4	11.8%	0.5	13 - 19	3	8.8%	2.6
Other/Unknown	0	0.0%	N/A	20 - 24	5	14.7%	6.4
Total	34	100.0%	2.2	25 - 29	10	29.4%	12.7
				30 - 39	6	17.6%	3.8
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	2	5.9%	1.1
White, Non-Hispanic	14	41.2%	1.2	50 - 59	7	20.6%	3.3
Black, Non-Hispanic	15	44.1%	14.1	60+	1	2.9%	0.2
Hispanic	5	14.7%	1.8	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	34	100.0%	2.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	34	100.0%	2.2				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	46	97.9%	5.8	0 - 12	0	0.0%	0.0
Female	1	2.1%	0.1	13 - 19	1	2.1%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	13	27.7%	16.0
Total	47	100.0%	2.9	25 - 29	3	6.4%	3.7
				30 - 39	13	27.7%	8.2
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	10	21.3%	5.4
White, Non-Hispanic	30	63.8%	2.6	50 - 59	7	14.9%	3.2
Black, Non-Hispanic	6	12.8%	5.5	60+	0	0.0%	0.0
Hispanic	11	23.4%	3.9	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	47	100.0%	2.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	47	100.0%	2.9				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	414	47.4%	53.4	0 - 12	0	0.0%	0.0
Female	459	52.6%	57.0	13 - 19	242	27.7%	207.3
Other/Unknown	0	0.0%	N/A	20 - 24	319	36.5%	405.5
Total	873	100.0%	55.2	25 - 29	151	17.3%	191.8
				30 - 39	106	12.1%	67.6
				40 - 49	35	4.0%	18.7
				50 - 59	14	1.6%	6.5
				60+	6	0.7%	1.1
				Unknown	0	0.0%	N/A
				Total	873	100.0%	55.2
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	274	31.4%	23.8				
Black, Non-Hispanic	462	52.9%	434.5				
Hispanic	124	14.2%	44.8				
Asian/Pacific Islander	2	0.2%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	11	1.3%	N/A				
Total	873	100.0%	55.2				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	379	43.3%	48.2	0-12	0	0.0%	0.0
Female	496	56.7%	60.7	13 - 19	197	22.5%	168.3
Other/Unknown	0	0.0%	N/A	20 - 24	275	31.4%	337.6
Total	875	100.0%	54.6	25 - 29	168	19.2%	209.8
				30 - 39	143	16.3%	90.1
				40 - 49	62	7.1%	33.4
				50 - 59	21	2.4%	9.5
				60+	9	1.0%	1.6
				Unknown	0	0.0%	N/A
				Total	875	100.0%	54.6
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	277	31.7%	23.8				
Black, Non-Hispanic	423	48.3%	388.6				
Hispanic	161	18.4%	56.4				
Asian/Pacific Islander	4	0.5%	N/A				
Amer. Indian/Alaskan	2	0.2%	N/A				
Other/Unknown	8	0.9%	N/A				
Total	875	100.0%	54.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,292	29.5%	166.5	0 - 12	0	0.0%	0.0
Female	3,078	70.4%	382.4	13 - 19	1,422	32.5%	1217.8
Other/Unknown	3	0.1%	N/A	20 - 24	1,649	37.7%	2095.9
Total	4,373	100.0%	276.7	25 - 29	726	16.6%	922.0
				30 - 39	459	10.5%	292.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	83	1.9%	44.4
White, Non-Hispanic	1,817	41.6%	157.5	50 - 59	27	0.6%	12.6
Black, Non-Hispanic	1,464	33.5%	1376.8	60+	7	0.2%	1.3
Hispanic	987	22.6%	356.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	23	0.5%	N/A	Total	4,373	100.0%	276.7
Amer. Indian/Alaskan	17	0.4%	N/A				
Other/Unknown	65	1.5%	N/A				
Total	4,373	100.0%	276.7				

  

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,351	29.5%	171.7	0-12	0	0.0%	0.0
Female	3,236	70.5%	396.3	13 - 19	1,439	31.4%	1229.3
Other/Unknown	0	0.0%	N/A	20 - 24	1,810	39.5%	2221.8
Total	4,587	100.0%	286.1	25 - 29	718	15.7%	896.7
				30 - 39	477	10.4%	300.5
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	102	2.2%	55.0
White, Non-Hispanic	2,019	39.4%	173.5	50 - 59	33	0.7%	14.9
Black, Non-Hispanic	1,895	37.0%	1741.1	60+	8	0.2%	1.4
Hispanic	545	10.6%	190.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	33	0.6%	N/A	Total	4,587	100.0%	286.1
Amer. Indian/Alaskan	7	0.1%	N/A				
Other/Unknown	624	12.2%	N/A				
Total	5,123	100.0%	319.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	44	62.9%	5.7	0 - 12	3	4.3%	1.5
Female	26	37.1%	3.2	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	5	7.1%	2.5
Total	70	100.0%	4.4	25 - 29	4	5.7%	2.0
				30 - 39	11	15.7%	5.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	10	14.3%	4.9
White, Non-Hispanic	16	22.9%	1.4	50 - 59	17	24.3%	8.3
Black, Non-Hispanic	13	18.6%	12.2	60+	20	28.6%	9.8
Hispanic	24	34.3%	8.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	10	14.3%	N/A	Total	70	100.0%	4.4
Amer. Indian/Alaskan	1	1.4%	N/A				
Unknown	6	8.6%	N/A				
Total	70	100.0%	4.4				

  

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	33	67.3%	4.2	0 - 12	3	6.1%	1.5
Female	16	32.7%	2.0	13 - 19	1	2.0%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	2	4.1%	2.5
Total	49	100.0%	3.1	25 - 29	3	6.1%	3.7
				30 - 39	6	12.2%	3.8
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	9	18.4%	4.9
White, Non-Hispanic	14	28.6%	1.2	50 - 59	8	16.3%	3.6
Black, Non-Hispanic	14	28.6%	12.9	60+	17	34.7%	3.1
Hispanic	15	30.6%	5.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	4	8.2%	N/A	Total	49	100.0%	3.1
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	2	4.1%	N/A				
Total	49	100.0%	3.1				

Note: Mid-year population estimates are not available for other race/ethnicity groups.





**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	13	48.1%	1.7	0 - 12	0	0.0%	0.0
Female	14	51.9%	1.7	13 - 19	1	3.7%	0.9
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	27	100.0%	1.7	25 - 29	3	11.1%	3.8
				30 - 39	5	18.5%	3.2
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	10	37.0%	5.3
White, Non-Hispanic	23	85.2%	2.0	50 - 59	3	11.1%	1.4
Black, Non-Hispanic	2	7.4%	1.9	60+	5	18.5%	0.9
Hispanic	1	3.7%	0.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	27	100.0%	1.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	3.7%	N/A				
Total	27	100.0%	1.7				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	18	69.2%	2.3	0 - 12	0	0.0%	0.0
Female	8	30.8%	1.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	26	100.0%	1.6	25 - 29	1	3.8%	1.2
				30 - 39	10	38.5%	6.3
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	7	26.9%	3.8
White, Non-Hispanic	21	80.8%	1.8	50 - 59	4	15.4%	1.8
Black, Non-Hispanic	2	7.7%	1.8	60+	4	15.4%	0.7
Hispanic	3	11.5%	1.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	26	100.0%	1.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	26	100.0%	1.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 08**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,252	58.5%	161.4	0 - 12	15	0.7%	7.4
Female	887	41.4%	110.2	13 - 19	39	1.8%	33.4
Other/Unknown	2	0.1%	N/A	20 - 24	142	6.6%	180.5
Total	2,141	100.0%	135.4	25 - 29	170	7.9%	215.9
				30 - 39	238	11.1%	151.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	354	16.5%	189.2
White, Non-Hispanic	986	46.1%	85.5	50 - 59	786	36.7%	365.8
Black, Non-Hispanic	51	2.4%	48.0	60+	397	18.5%	73.0
Hispanic	71	3.3%	25.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	4	0.2%	N/A	Total	2,141	100.0%	135.4
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	1,027	48.0%	N/A				
Total	2,141	100.0%	135.4				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	995	53.5%	126.5	0 - 12	15	0.8%	7.3
Female	862	46.3%	105.6	13 - 19	34	1.8%	29.0
Other/Unknown	4	0.2%	N/A	20 - 24	188	10.1%	230.8
Total	1,861	100.0%	116.1	25 - 29	239	12.8%	298.5
				30 - 39	285	15.3%	179.5
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	266	14.3%	143.4
White, Non-Hispanic	865	46.5%	74.4	50 - 59	532	28.6%	240.8
Black, Non-Hispanic	33	1.8%	30.3	60+	302	16.2%	54.5
Hispanic	36	1.9%	12.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	8	0.4%	N/A	Total	1,861	100.0%	116.1
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	918	49.3%	N/A				
Total	1,861	100.0%	116.1				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA  
Partnership 08**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2011 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	68	2	2.9	Male	8,599	93	1.1
Male Sex With Male	1,015	53	5.2	Female	12,787	36	0.3
Injecting Drug User	1,824	3	0.2	Unknown	173	23	13.3
Sex Partner at Risk	1,312	11	0.8	<b>Total</b>	<b>21,559</b>	<b>152</b>	<b>0.7</b>
Child of Woman with HIV/AIDS	59	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	3,396	6	0.2	White	9,374	48	0.5
Sex for Drugs or Money	327	2	0.6	Black	5,143	56	1.1
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	6,321	22	0.3
Victim of Sexual Assault	664	2	0.3	Asian	139	0	0.0
Health Care Exposure	0	0	#DIV/0!	Am. Native	61	0	0.0
Heterosexual	11,967	24	0.2	Other	179	1	0.6
No Acknowledged Risk	160	0	0.0	Unknown	342	25	7.3
Unknown	767	49	6.4	<b>Total</b>	<b>21,559</b>	<b>152</b>	<b>0.7</b>
<b>Total</b>	<b>21,559</b>	<b>152</b>	<b>0.7</b>	<b>Total</b>	<b>21,559</b>	<b>152</b>	<b>0.7</b>

<b>2012 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	82	1	1.2	Male	8,469	72	0.9
Male Sex With Male	1,245	48	3.9	Female	12,186	29	0.2
Injecting Drug User	2,013	3	0.1	Unknown	440	1	0.2
Sex Partner at Risk	1,616	9	0.6	<b>Total</b>	<b>21,095</b>	<b>102</b>	<b>0.5</b>
Child of Woman with HIV/AIDS	58	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	3,222	10	0.3	White	8,959	35	0.4
Sex for Drugs or Money	198	2	1.0	Black	5,184	42	0.8
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	6,213	21	0.3
Victim of Sexual Assault	617	1	#DIV/0!	Asian	157	1	0.6
Health Care Exposure	0	0	0.0	Am. Native	48	1	2.1
Heterosexual	11,176	28	0.3	Other	178	1	0.6
No Acknowledged Risk	180	0	0.0	Unknown	356	1	0.3
Unknown	686	0	0.0	<b>Total</b>	<b>21,095</b>	<b>102</b>	<b>0.5</b>
<b>Total</b>	<b>21,093</b>	<b>102</b>	<b>0.5</b>	<b>Total</b>	<b>21,095</b>	<b>102</b>	<b>0.5</b>

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 08

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
<b>Race/Ethnicity</b>															
White, not Hispanic	42	36%	44	41%	4.8%	89	47%	109	42%	22.5%	24	37%	18	33%	-25.0%
Black, not Hispanic	49	42%	40	37%	-18.4%	68	36%	92	36%	35.3%	35	54%	27	50%	-22.9%
Hispanic	23	20%	23	21%	0.0%	34	18%	54	21%	58.8%	5	8%	9	17%	80.0%
Asian/Pacific Islander	0	0%	0	0%	#DIV/0!	0	0%	3	1%	#DIV/0!	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	1	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	2	2%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!	1	2%	0	0%	-100.0%
<b>Total:</b>	<b>116</b>	<b>100%</b>	<b>107</b>	<b>100%</b>	<b>-7.8%</b>	<b>191</b>	<b>100%</b>	<b>259</b>	<b>100%</b>	<b>35.6%</b>	<b>65</b>	<b>100%</b>	<b>54</b>	<b>100%</b>	<b>-16.9%</b>
<b>Gender</b>															
Male	77	66.4%	82	76.6%	6.5%	145	75.9%	198	76.4%	36.6%	46	70.8%	39	72.2%	-15.2%
Female	39	33.6%	25	23.4%	-35.9%	46	24.1%	61	23.6%	32.6%	19	29.2%	15	27.8%	-21.1%
<b>Total:</b>	<b>116</b>	<b>100.0%</b>	<b>107</b>	<b>100.0%</b>	<b>-7.8%</b>	<b>191</b>	<b>100.0%</b>	<b>259</b>	<b>100.0%</b>	<b>35.6%</b>	<b>65</b>	<b>100.0%</b>	<b>54</b>	<b>100.0%</b>	<b>-16.9%</b>
<b>Age at Diagnosis (Years)</b>															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	1	0.5%	1	0.4%	0.0%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	1	0.9%	#DIV/0!	0	0.0%	2	0.8%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
13-19 years	2	1.7%	1	0.9%	-50.0%	4	2.1%	7	2.7%	75.0%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	7	6.0%	7	6.5%	0.0%	21	11.0%	32	12.4%	52.4%	3	4.6%	0	0.0%	-100.0%
25-29 years	14	12.1%	8	7.5%	-42.9%	35	18.3%	25	9.7%	-28.6%	2	3.1%	2	3.7%	0.0%
30-39 years	27	23.3%	20	18.7%	-25.9%	38	19.9%	54	20.8%	42.1%	9	13.8%	6	11.1%	-33.3%
40-44 years	15	12.9%	20	18.7%	33.3%	27	14.1%	29	11.2%	7.4%	4	6.2%	4	7.4%	0.0%
45-49 years	10	8.6%	11	10.3%	10.0%	13	6.8%	29	11.2%	123.1%	12	18.5%	8	14.8%	-33.3%
50-59 years	31	26.7%	29	27.1%	-6.5%	32	16.8%	62	23.9%	93.8%	22	33.8%	15	27.8%	-31.8%
60+ years	10	8.6%	10	9.3%	0.0%	20	10.5%	18	6.9%	-10.0%	13	20.0%	19	35.2%	46.2%
<b>Total:</b>	<b>116</b>	<b>100.0%</b>	<b>107</b>	<b>100.0%</b>	<b>-7.8%</b>	<b>191</b>	<b>100.0%</b>	<b>259</b>	<b>100.0%</b>	<b>35.6%</b>	<b>65</b>	<b>100.0%</b>	<b>54</b>	<b>100.0%</b>	<b>-16.9%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
<b>Male Adult/Adolescent AIDS Exposure Category</b>															
MSM	47	60.8%	40	48.8%	-15.6%	103	71.0%	121	62.3%	18.0%	21	45.7%	20	51.3%	-4.8%
IDU	1	1.3%	5	6.4%	416.7%	4	3.0%	7	3.6%	60.0%	8	17.4%	5	12.8%	-37.5%
MSM/IDU	4	4.8%	1	1.2%	-72.9%	5	3.7%	9	4.6%	67.4%	3	6.5%	2	5.1%	-33.3%
Heterosexual	25	31.8%	35	43.6%	44.2%	32	22.2%	57	29.4%	78.0%	13	28.3%	12	30.8%	-7.7%
Other	1	1.3%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	1	2.2%	0	0.0%	-100.0%
<b>Total:</b>	<b>77</b>	<b>100.0%</b>	<b>81</b>	<b>100.0%</b>	<b>5.2%</b>	<b>145</b>	<b>100.0%</b>	<b>195</b>	<b>100.0%</b>	<b>34.5%</b>	<b>46</b>	<b>100.0%</b>	<b>39</b>	<b>100.0%</b>	<b>-15.2%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>															
IDU	5	13.2%	2	8.0%	-61.0%	4	8.0%	3	4.9%	-16.7%	4	21.1%	2	13.3%	-50.0%
Heterosexual	34	86.8%	22	88.0%	-35.0%	41	92.0%	58	95.1%	40.1%	15	78.9%	13	86.7%	-13.3%
Other	0	0.0%	1	4.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
<b>Total:</b>	<b>39</b>	<b>100.0%</b>	<b>25</b>	<b>100.0%</b>	<b>-35.9%</b>	<b>45</b>	<b>100.0%</b>	<b>61</b>	<b>100.0%</b>	<b>35.6%</b>	<b>19</b>	<b>100.0%</b>	<b>15</b>	<b>100.0%</b>	<b>-21.1%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>															
Mother with/at risk for HIV infection	0	#DIV/0!	1	100%	#DIV/0!	1	100%	3	100%	200.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>3</b>	<b>100%</b>	<b>200.0%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	25	N/A	22	N/A	-12.0%	61	N/A	68	N/A	11.5%	15	N/A	14	N/A	-6.7%
Black MSM*	12	N/A	8	N/A	-33.3%	18	N/A	23	N/A	27.8%	6	N/A	5	N/A	-16.7%
Hispanic MSM*	7	N/A	7	N/A	0.0%	18	N/A	19	N/A	5.6%	2	N/A	4	N/A	100.0%
white Male IDU**	2	N/A	3	N/A	50.0%	5	N/A	7	N/A	40.0%	4	N/A	1	N/A	-75.0%
Black Male IDU**	1	N/A	1	N/A	0.0%	1	N/A	3	N/A	200.0%	5	N/A	5	N/A	0.0%
Hispanic Male IDU**	1	N/A	1	N/A	0.0%	1	N/A	2	N/A	100.0%	2	N/A	1	N/A	-50.0%
white Female IDU**	2	N/A	0	N/A	-100.0%	2	N/A	2	N/A	0.0%	0	N/A	1	N/A	#DIV/0!
Black Female IDU**	2	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!	3	N/A	0	N/A	-100.0%
Hispanic Female IDU**	1	N/A	2	N/A	100.0%	1	N/A	1	N/A	0.0%	0	N/A	1	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	9	N/A	9	N/A	0.0%	10	N/A	10	N/A	0.0%	4	N/A	3	N/A	-25.0%
Female Haitian Born	5	N/A	3	N/A	-40.0%	6	N/A	6	N/A	0.0%	4	N/A	3	N/A	-25.0%
white Male Youth (ages 13-24)	2	N/A	0	N/A	-100.0%	9	N/A	5	N/A	-44.4%	1	N/A	0	N/A	-100.0%
Black Male Youth (ages 13-24)	5	N/A	4	N/A	-20.0%	9	N/A	15	N/A	66.7%	1	N/A	0	N/A	-100.0%
Hispanic Male Youth (ages 13-24)	2	N/A	1	N/A	-50.0%	3	N/A	5	N/A	66.7%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	0	N/A	3	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	4	N/A	10	N/A	150.0%	1	N/A	0	N/A	-100.0%
Hispanic Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	5	N/A	4	N/A	-20.0%	9	N/A	10	N/A	11.1%	0	N/A	0	N/A	#DIV/0!
Black WCBA* (ages 15-44)	10	N/A	7	N/A	-30.0%	20	N/A	24	N/A	20.0%	7	N/A	5	N/A	-28.6%
Hispanic WCBA* (ages 15-44)	5	N/A	3	N/A	-40.0%	4	N/A	9	N/A	125.0%	0	N/A	1	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	1	N/A	#DIV/0!	1	N/A	3	N/A	200.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	1	N/A	2	N/A	100.0%	5	N/A	3	N/A	-40.0%	2	N/A	6	N/A	200.0%

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 08

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Proportional Rate of this Co-morbidity among the population of this Disease in this Area
	<b>N= 3,855</b>				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	4	103.8	eHARS	Data through 2012 (data as of 06/30/13)	8.2%
Infectious Syphilis reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	17	441.0	PRISM	Data through 2012 (data as of 03/2013)	36.2%
Gonorrhea reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	14	363.2	PRISM	Data through 2012 (data as of 03/2013)	1.6%
Chlamydia reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	25	648.5	PRISM	Data through 2012 (data as of 03/2013)	0.5%
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	360	9338.5	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/13)	N/A

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	36	933.9	eHARS (address variable)	Data through 2012 (data as of 06/30/13)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc., and documented in HARS)	731	18,962.4	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	172	4,461.7	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	1,858	48,197.1	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	543	14,085.6	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2012	1,779	33	1.9%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	1,895	50	2.6%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012
Offenders who returned to the Area in 2010	1,957	52	2.7%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2011

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/ Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
<b>White</b>	15,363	68.7%	88,040	61.2%	587	24.4%
<b>Black</b>	2,329	10.4%	18,286	12.7%	396	16.4%
<b>Hispanic</b>	4,348	19.4%	37,619	26.1%	1,425	59.2%
<b>Other*</b>	326	1.5%	N/A	N/A	N/A	N/A
<b>Total</b>	<b>22,366</b>	<b>100.0%</b>	<b>143,945</b>	<b>100.0%</b>	<b>2,408</b>	<b>100.0%</b>

Selected Socioeconomic Indicators for this Partnership, (U.S. Census 2000), \*Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:

<http://www.census.gov/did/www/saie/data/statecounty/data/2009.html>

The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/saie/data/index.html>

<http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.**

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 08.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Race/Ethnicity</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
White, not Hispanic	978	43.0%	716	45.4%	1,694	43.9%
Black, not Hispanic	855	37.5%	545	34.5%	1,400	36.3%
Hispanic	423	18.6%	298	18.9%	721	18.7%
Asian/Pacific Islander	7	0.3%	5	0.3%	12	0.3%
American Indian/Alaskan Native	2	0.1%	4	0.3%	6	0.2%
Not Specified/Other	12	0.5%	10	0.6%	22	0.6%
<b>Total:</b>	<b>2,277</b>	<b>100.0%</b>	<b>1,578</b>	<b>100.0%</b>	<b>3,855</b>	<b>100.0%</b>
<b>Gender</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
Male	1,607	70.6%	1,071	67.9%	2,678	69.5%
Female	670	29.4%	507	32.1%	1,177	30.5%
<b>Total:</b>	<b>2,277</b>	<b>100.0%</b>	<b>1,578</b>	<b>100.0%</b>	<b>3,855</b>	<b>100.0%</b>
<b>Current Age on 12/31/2012 (Years)</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
0- 2 years	0	0.0%	2	0.1%	2	0.1%
3-12 years	3	0.1%	6	0.4%	9	0.2%
13-19 years	11	0.5%	8	0.5%	19	0.5%
20-24 years	28	1.2%	60	3.8%	88	2.3%
25-29 years	65	2.9%	124	7.9%	189	4.9%
30-39 years	272	11.9%	326	20.7%	598	15.5%
40-44 years	308	13.5%	199	12.6%	507	13.2%
45-49 years	476	20.9%	230	14.6%	706	18.3%
50-59 years	766	33.6%	420	26.6%	1,186	30.8%
60+ years	348	15.3%	203	12.9%	551	14.3%
<b>Total:</b>	<b>2,277</b>	<b>100.0%</b>	<b>1,578</b>	<b>100.0%</b>	<b>3,855</b>	<b>100.0%</b>



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	959	59.8%	742	69.6%	1,701	63.7%
IDU	143	8.9%	50	4.7%	193	7.2%
MSM/IDU	98	6.1%	59	5.5%	157	5.9%
Heterosexual	382	23.8%	213	20.0%	595	22.3%
Other	23	1.4%	2	0.2%	25	0.9%
<b>Total:</b>	<b>1,605</b>	<b>100.0%</b>	<b>1,066</b>	<b>100.0%</b>	<b>2,671</b>	<b>100.0%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	124	18.5%	69	13.7%	193	16.5%
Heterosexual	519	77.6%	430	85.3%	949	80.9%
Other	26	3.9%	5	1.0%	31	2.6%
<b>Total:</b>	<b>669</b>	<b>100.0%</b>	<b>504</b>	<b>100.0%</b>	<b>1,173</b>	<b>100.0%</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	2	66.7%	8	100.0%	10	90.9%
Risk not reported/Other	1	33.3%	0	0.0%	1	9.1%
<b>Total:</b>	<b>3</b>	<b>100.0%</b>	<b>8</b>	<b>100.0%</b>	<b>11</b>	<b>100.0%</b>

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Special Populations</b>	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	668	N/A	511	N/A	1,179	N/A
Black MSM	175	N/A	113	N/A	288	N/A
Hispanic MSM	201	N/A	168	N/A	369	N/A
white Male IDU	105	N/A	57	N/A	162	N/A
Black Male IDU	85	N/A	23	N/A	108	N/A
Hispanic Male IDU	51	N/A	28	N/A	79	N/A
white Female IDU	58	N/A	36	N/A	94	N/A
Black Female IDU	45	N/A	18	N/A	63	N/A
Hispanic Female IDU	22	N/A	13	N/A	35	N/A
white Male Homeless	4	N/A	1	N/A	5	N/A
Black Male Homeless	8	N/A	7	N/A	15	N/A
Hispanic Male Homeless	3	N/A	2	N/A	5	N/A
white Female Homeless	2	N/A	4	N/A	6	N/A
Black Female Homeless	0	N/A	5	N/A	5	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	138	N/A	66	N/A	204	N/A
Female Haitian Born	105	N/A	66	N/A	171	N/A
white Male Youth (current ages 13-24)	7	N/A	17	N/A	24	N/A
Black Male Youth (current ages 13-24)	11	N/A	19	N/A	30	N/A
Hispanic Male Youth (current ages 13-24)	5	N/A	7	N/A	12	N/A
white Female Youth (current ages 13-24)	2	N/A	4	N/A	6	N/A
Black Female Youth (current ages 13-24)	11	N/A	20	N/A	31	N/A
Hispanic Female Youth (current ages 13-24)	2	N/A	1	N/A	3	N/A
White WCBA* (current ages 15-44)	65	N/A	68	N/A	133	N/A
Black WCBA* (current ages 15-44)	130	N/A	160	N/A	290	N/A
Hispanic WCBA* (current ages 15-44)	40	N/A	49	N/A	89	N/A
White Ped Cases (current current ages 0-12)	1	N/A	1	N/A	2	N/A
Black Ped Cases (current ages 0-12)	2	N/A	7	N/A	9	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	93	N/A	75	N/A	168	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU