

EPIDEMIOLOGICAL PROFILE
Target Area
EMA Ft. Lauderdale, Partnership 10
Broward County

Mid-Year Population Estimates

2011

Sex

| | Total Pop | |
|---------|------------------|------|
| Males | 849,865 | 48% |
| Females | 903,792 | 52% |
| Total | 1,753,657 | 100% |

Age Groups

| | Total Pop | |
|---------|------------------|------|
| 0 - 12 | 273,470 | 16% |
| 13 - 19 | 157,193 | 9% |
| 20 - 24 | 108,175 | 6% |
| 25 - 29 | 113,328 | 6% |
| 30 - 39 | 229,134 | 13% |
| 40 - 49 | 266,414 | 15% |
| 50 - 59 | 250,545 | 14% |
| 60+ | 355,398 | 20% |
| Total | 1,753,657 | 100% |

Race/Ethnicity

| | Total Pop | |
|---------------------|------------------|------|
| White, non-Hispanic | 753,791 | 43% |
| Black, non-Hispanic | 454,354 | 26% |
| Hispanic | 445,146 | 25% |
| Other* | 100,366 | 6% |
| Total | 1,753,657 | 100% |

2012

Sex

| | Total Pop | |
|---------|------------------|--------|
| Males | 853,092 | 48.5% |
| Females | 906,066 | 51.5% |
| Total | 1,759,158 | 100.0% |

Age Groups

| | Total Pop | |
|---------|------------------|------|
| 0 - 12 | 272,673 | 16% |
| 13 - 19 | 155,761 | 9% |
| 20 - 24 | 110,966 | 6% |
| 25 - 29 | 113,175 | 6% |
| 30 - 39 | 227,742 | 13% |
| 40 - 49 | 259,641 | 15% |
| 50 - 59 | 254,349 | 14% |
| 60+ | 364,851 | 21% |
| Total | 1,759,158 | 100% |

Race/Ethnicity

| | Total Pop | |
|---------------------|------------------|------|
| White, non-Hispanic | 748,564 | 43% |
| Black, non-Hispanic | 458,378 | 26% |
| Hispanic | 450,954 | 26% |
| Other* | 101,262 | 6% |
| Total | 1,759,158 | 100% |

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS & Hepatitis Program

| |
|--------------------|
| Created: 01/14/13 |
| Revision: 07/27/13 |

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 10 (Broward) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 386 | 66.6% | 45.4 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 194 | 33.4% | 21.5 | 13 - 19 | 8 | 1.4% | 5.1 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 41 | 7.1% | 37.9 |
| Total | 580 | 100.0% | 33.1 | 25 - 29 | 35 | 6.0% | 30.9 |
| | | | | 30 - 39 | 139 | 24.0% | 60.7 |
| | | | | 40 - 49 | 178 | 30.7% | 66.8 |
| | | | | 50 - 59 | 141 | 24.3% | 56.3 |
| | | | | 60+ | 38 | 6.6% | 10.7 |
| | | | | Total | 580 | 100.0% | 33.1 |
| Race/Ethnicity | | | | | | | |
| | Cases | % Total | Rate | | | | |
| White, Non-Hispanic | 125 | 21.6% | 16.6 | | | | |
| Black, Non-Hispanic | 350 | 60.3% | 77.0 | | | | |
| Hispanic | 87 | 15.0% | 19.5 | | | | |
| Asian/Pacific Islander | 2 | 0.3% | N/A | | | | |
| Amer. Indian/Alaskan | 1 | 0.2% | N/A | | | | |
| Other/Unknown | 15 | 2.6% | N/A | | | | |
| Total | 580 | 100.0% | 33.1 | | | | |
| 2012 | | | | | | | |
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 269 | 71.4% | 31.5 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 108 | 28.6% | 11.9 | 13 - 19 | 3 | 0.8% | 1.9 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 18 | 4.8% | 16.2 |
| Total | 377 | 100.0% | 21.4 | 25 - 29 | 28 | 7.4% | 24.7 |
| | | | | 30 - 39 | 94 | 24.9% | 41.3 |
| | | | | 40 - 49 | 123 | 32.6% | 47.4 |
| | | | | 50 - 59 | 76 | 20.2% | 29.9 |
| | | | | 60+ | 35 | 9.3% | 9.6 |
| | | | | Total | 377 | 100.0% | 21.4 |
| Race/Ethnicity | | | | | | | |
| | Cases | % Total | Rate | | | | |
| White, Non-Hispanic | 91 | 24.1% | 12.2 | | | | |
| Black, Non-Hispanic | 220 | 58.4% | 48.0 | | | | |
| Hispanic | 62 | 16.4% | 13.7 | | | | |
| Asian/Pacific Islander | 1 | 0.3% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 3 | 0.8% | N/A | | | | |
| Total | 377 | 100.0% | 21.4 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 10 (Broward) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 638 | 74.8% | 75.1 | 0 - 12 | 3 | 0.4% | 1.1 |
| Female | 215 | 25.2% | 23.8 | 13 - 19 | 27 | 3.2% | 17.2 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 103 | 12.1% | 95.2 |
| Total | 853 | 100.0% | 48.6 | 25 - 29 | 102 | 12.0% | 90.0 |
| | | | | 30 - 39 | 193 | 22.6% | 84.2 |
| | | | | 40 - 49 | 217 | 25.4% | 81.5 |
| | | | | 50 - 59 | 157 | 18.4% | 62.7 |
| | | | | 60+ | 51 | 6.0% | 14.4 |
| | | | | Total | 853 | 100.0% | 48.6 |
| Race/Ethnicity | | | | | | | |
| | Cases | % Total | Rate | | | | |
| White, Non-Hispanic | 259 | 30.4% | 34.4 | | | | |
| Black, Non-Hispanic | 403 | 47.2% | 88.7 | | | | |
| Hispanic | 171 | 20.0% | 38.4 | | | | |
| Asian/Pacific Islander | 8 | 0.9% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 12 | 1.4% | N/A | | | | |
| Total | 853 | 100.0% | 48.6 | | | | |
| 2012 | | | | | | | |
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 711 | 80.6% | 83.3 | 0 - 12 | 3 | 0.3% | 1.1 |
| Female | 171 | 19.4% | 18.9 | 13 - 19 | 32 | 3.6% | 20.5 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 82 | 9.3% | 73.9 |
| Total | 882 | 100.0% | 50.1 | 25 - 29 | 108 | 12.2% | 95.4 |
| | | | | 30 - 39 | 193 | 21.9% | 84.7 |
| | | | | 40 - 49 | 233 | 26.4% | 89.7 |
| | | | | 50 - 59 | 157 | 17.8% | 61.7 |
| | | | | 60+ | 74 | 8.4% | 20.3 |
| | | | | Total | 882 | 100.0% | 50.1 |
| Race/Ethnicity | | | | | | | |
| | Cases | % Total | Rate | | | | |
| White, Non-Hispanic | 340 | 38.5% | 45.4 | | | | |
| Black, Non-Hispanic | 368 | 41.7% | 80.3 | | | | |
| Hispanic | 162 | 18.4% | 35.9 | | | | |
| Asian/Pacific Islander | 9 | 1.0% | N/A | | | | |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 3 | 0.3% | N/A | | | | |
| Total | 882 | 100.0% | 50.1 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 1,226 | 58.0% | 144.3 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 885 | 41.9% | 97.9 | 13 - 19 | 454 | 21.5% | 288.8 |
| Other/Unknown | 3 | 0.1% | N/A | 20 - 24 | 642 | 30.4% | 593.5 |
| Total | 2,114 | 100.0% | 120.5 | 25 - 29 | 378 | 17.9% | 333.5 |
| Race/Ethnicity | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| White, Non-Hispanic | 433 | 20.5% | 57.4 | 30 - 39 | 309 | 14.6% | 134.9 |
| Black, Non-Hispanic | 1,193 | 56.4% | 262.6 | 40 - 49 | 219 | 10.4% | 82.2 |
| Hispanic | 173 | 8.2% | 38.9 | 50 - 59 | 93 | 4.4% | 37.1 |
| Asian/Pacific Islander | 8 | 0.4% | N/A | 60+ | 18 | 0.9% | 5.1 |
| Amer. Indian/Alaskan | 4 | 0.2% | N/A | Unknown | 1 | 0.0% | N/A |
| Other/Unknown | 303 | 14.3% | N/A | Total | 2,114 | 100.0% | 120.5 |
| Total | 2,114 | 100.0% | 120.5 | | | | |
| 2012 | | | | | | | |
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 1,277 | 58.9% | 149.7 | 0-12 | 0 | 0.0% | 0.0 |
| Female | 892 | 41.1% | 98.4 | 13 - 19 | 362 | 16.7% | 232.4 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 675 | 31.1% | 608.3 |
| Total | 2,169 | 100.0% | 123.3 | 25 - 29 | 402 | 18.5% | 355.2 |
| Race/Ethnicity | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| White, Non-Hispanic | 476 | 21.9% | 63.6 | 30 - 39 | 397 | 18.3% | 174.3 |
| Black, Non-Hispanic | 1,238 | 57.1% | 270.1 | 40 - 49 | 207 | 9.5% | 79.7 |
| Hispanic | 223 | 10.3% | 49.5 | 50 - 59 | 97 | 4.5% | 38.1 |
| Asian/Pacific Islander | 11 | 0.5% | N/A | 60+ | 29 | 1.3% | 7.9 |
| Amer. Indian/Alaskan | 7 | 0.3% | N/A | Unknown | 0 | 0.0% | N/A |
| Other/Unknown | 214 | 9.9% | N/A | Total | 2,169 | 100.0% | 123.3 |
| Total | 2,169 | 100.0% | 123.3 | | | | |

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 2,060 | 29.4% | 242.4 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 4,928 | 70.3% | 545.3 | 13 - 19 | 1,982 | 28.3% | 1260.9 |
| Other/Unknown | 18 | 0.3% | N/A | 20 - 24 | 2,547 | 36.4% | 2354.5 |
| Total | 7,006 | 100.0% | 399.5 | 25 - 29 | 1,279 | 18.3% | 1128.6 |
| | | | | 30 - 39 | 839 | 12.0% | 366.2 |
| Race/Ethnicity | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| White, Non-Hispanic | 1,053 | 15.0% | 139.7 | 40 - 49 | 272 | 3.9% | 102.1 |
| Black, Non-Hispanic | 3,793 | 54.1% | 834.8 | 50 - 59 | 73 | 1.0% | 29.1 |
| Hispanic | 843 | 12.0% | 189.4 | 60+ | 12 | 0.2% | 3.4 |
| Asian/Pacific Islander | 37 | 0.5% | N/A | Unknown | 2 | 0.0% | N/A |
| Amer. Indian/Alaskan | 12 | 0.2% | N/A | Total | 7,006 | 100.0% | 399.5 |
| Other/Unknown | 1,268 | 18.1% | N/A | | | | |
| Total | 7,006 | 100.0% | 399.5 | | | | |
| 2012 | | | | | | | |
| Gender | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| Male | 2,238 | 30.4% | 262.3 | 0-12 | 0 | 0.0% | 0.0 |
| Female | 5,124 | 69.6% | 565.5 | 13 - 19 | 1,899 | 25.8% | 1219.2 |
| Other/Unknown | 1 | 0.0% | N/A | 20 - 24 | 2,726 | 37.0% | 2456.6 |
| Total | 7,363 | 100.0% | 418.6 | 25 - 29 | 1,342 | 18.2% | 1185.8 |
| | | | | 30 - 39 | 945 | 12.8% | 414.9 |
| Race/Ethnicity | | | | Age Groups | | | |
| | Cases | % Total | Rate | | Cases | % Total | Rate |
| White, Non-Hispanic | 1,173 | 15.9% | 156.7 | 40 - 49 | 333 | 4.5% | 128.3 |
| Black, Non-Hispanic | 3,968 | 53.9% | 865.7 | 50 - 59 | 90 | 1.2% | 35.4 |
| Hispanic | 863 | 11.7% | 191.4 | 60+ | 27 | 0.4% | 7.4 |
| Asian/Pacific Islander | 51 | 0.7% | N/A | Unknown | 1 | 0.0% | N/A |
| Amer. Indian/Alaskan | 26 | 0.4% | N/A | Total | 7,363 | 100.0% | 418.6 |
| Other/Unknown | 1,282 | 17.4% | N/A | | | | |
| Total | 7,363 | 100.0% | 418.6 | | | | |

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 49 | 65.3% | 5.8 | 0 - 12 | 1 | 1.3% | 0.4 |
| Female | 26 | 34.7% | 2.9 | 13 - 19 | 1 | 1.3% | 0.4 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 8 | 10.7% | 2.9 |
| Total | 75 | 100.0% | 4.3 | 25 - 29 | 5 | 6.7% | 1.8 |
| | | | | 30 - 39 | 14 | 18.7% | 5.1 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 15 | 20.0% | 5.5 |
| White, Non-Hispanic | 16 | 21.3% | 2.1 | 50 - 59 | 13 | 17.3% | 4.8 |
| Black, Non-Hispanic | 36 | 48.0% | 7.9 | 60+ | 18 | 24.0% | 6.6 |
| Hispanic | 12 | 16.0% | 2.7 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 8 | 10.7% | N/A | Total | 75 | 100.0% | 4.3 |
| Amer. Indian/Alaskan | 1 | 1.3% | N/A | | | | |
| Unknown | 2 | 2.7% | N/A | | | | |
| Total | 75 | 100.0% | 4.3 | | | | |

| 2012 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 38 | 58.5% | 4.5 | 0 - 12 | 2 | 3.1% | 0.7 |
| Female | 27 | 41.5% | 3.0 | 13 - 19 | 3 | 4.6% | 1.9 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 5 | 7.7% | 4.5 |
| Total | 65 | 100.0% | 3.7 | 25 - 29 | 2 | 3.1% | 1.8 |
| | | | | 30 - 39 | 9 | 13.8% | 4.0 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 11 | 16.9% | 4.2 |
| White, Non-Hispanic | 11 | 16.9% | 1.5 | 50 - 59 | 9 | 13.8% | 3.5 |
| Black, Non-Hispanic | 33 | 50.8% | 7.2 | 60+ | 24 | 36.9% | 6.6 |
| Hispanic | 17 | 26.2% | 3.8 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 4 | 6.2% | N/A | Total | 65 | 100.0% | 3.7 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Unknown | 0 | 0.0% | N/A | | | | |
| Total | 65 | 100.0% | 3.7 | | | | |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 2 | 33.3% | 0.2 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 4 | 66.7% | 0.4 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 16.7% | 0.9 |
| Total | 6 | 100.0% | 0.3 | 25 - 29 | 1 | 16.7% | 0.9 |
| | | | | 30 - 39 | 2 | 33.3% | 0.9 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 2 | 33.3% | 0.8 |
| White, Non-Hispanic | 2 | 33.3% | 0.3 | 50 - 59 | 0 | 0.0% | 0.0 |
| Black, Non-Hispanic | 1 | 16.7% | 0.2 | 60+ | 0 | 0.0% | 0.0 |
| Hispanic | 2 | 33.3% | 0.4 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 1 | 16.7% | N/A | Total | 6 | 100.0% | 0.3 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 6 | 100.0% | 0.3 | | | | |
| 2012 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 1 | 16.7% | 0.1 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 5 | 83.3% | 0.6 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 16.7% | 0.9 |
| Total | 6 | 100.0% | 0.3 | 25 - 29 | 1 | 16.7% | 0.9 |
| | | | | 30 - 39 | 0 | 0.0% | 0.0 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 1 | 16.7% | 0.4 |
| White, Non-Hispanic | 3 | 50.0% | 0.4 | 50 - 59 | 3 | 50.0% | 1.2 |
| Black, Non-Hispanic | 0 | 0.0% | 0.0 | 60+ | 0 | 0.0% | 0.0 |
| Hispanic | 3 | 50.0% | 0.7 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 6 | 100.0% | 0.3 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 6 | 100.0% | 0.3 | | | | |

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 10 (Broward)

| 2011 | | | | | | | |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 9 | 64.3% | 1.1 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 5 | 35.7% | 0.6 | 13 - 19 | 0 | 0.0% | 0.0 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 1 | 7.1% | 0.9 |
| Total | 14 | 100.0% | 0.8 | 25 - 29 | 1 | 7.1% | 0.9 |
| | | | | 30 - 39 | 3 | 21.4% | 1.3 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 6 | 42.9% | 2.3 |
| White, Non-Hispanic | 5 | 35.7% | 0.7 | 50 - 59 | 3 | 21.4% | 1.2 |
| Black, Non-Hispanic | 6 | 42.9% | 1.3 | 60+ | 0 | 0.0% | 0.0 |
| Hispanic | 3 | 21.4% | 0.7 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 14 | 100.0% | 0.8 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 0 | 0.0% | N/A | | | | |
| Total | 14 | 100.0% | 0.8 | | | | |
| 2012 | | | | | | | |
| Gender | Cases | % Total | Rate | Age Groups | Cases | % Total | Rate |
| Male | 7 | 43.8% | 0.8 | 0 - 12 | 0 | 0.0% | 0.0 |
| Female | 9 | 56.3% | 1.0 | 13 - 19 | 1 | 6.3% | 0.6 |
| Other/Unknown | 0 | 0.0% | N/A | 20 - 24 | 0 | 0.0% | 0.0 |
| Total | 16 | 100.0% | 0.9 | 25 - 29 | 1 | 6.3% | 0.9 |
| | | | | 30 - 39 | 6 | 37.5% | 2.6 |
| Race/Ethnicity | Cases | % Total | Rate | 40 - 49 | 3 | 18.8% | 1.2 |
| White, Non-Hispanic | 8 | 50.0% | 1.1 | 50 - 59 | 1 | 6.3% | 0.4 |
| Black, Non-Hispanic | 6 | 37.5% | 1.3 | 60+ | 4 | 25.0% | 1.1 |
| Hispanic | 0 | 0.0% | 0.0 | Unknown | 0 | 0.0% | N/A |
| Asian/Pacific Islander | 0 | 0.0% | N/A | Total | 16 | 100.0% | 0.9 |
| Amer. Indian/Alaskan | 0 | 0.0% | N/A | | | | |
| Other/Unknown | 2 | 12.5% | N/A | | | | |
| Total | 16 | 100.0% | 0.9 | | | | |

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Partnership 10 (Broward)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

| 2011 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 341 | 22 | 6.5 | Male | 32,217 | 469 | 1.5 |
| Male Sex With Male | 8,730 | 299 | 3.4 | Female | 28,419 | 148 | 0.5 |
| Injecting Drug User | 2,414 | 17 | 0.7 | Unknown | 576 | 5 | 0.9 |
| Sex Partner at Risk | 3,120 | 74 | 2.4 | Total | 61,212 | 622 | 1.0 |
| Child of Woman with HIV/AIDS | 203 | 1 | 0.5 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 7,576 | 50 | 0.7 | White | 14,377 | 175 | 1.2 |
| Sex for Drugs or Money | 547 | 4 | 0.7 | Black | 32,981 | 344 | 1.0 |
| Hemophilia/Blood Recipient | 0 | 0 | #DIV/0! | Hispanic | 11,888 | 91 | 0.8 |
| Victim of Sexual Assault | 1,477 | 8 | 0.5 | Asian | 562 | 3 | 0.5 |
| Health Care Exposure | 0 | 0 | #DIV/0! | Am. Native | 110 | 1 | 0.9 |
| Heterosexual | 34,639 | 126 | 0.4 | Other | 405 | 5 | 1.2 |
| No Acknowledged Risk | 450 | 2 | 0.4 | Unknown | 889 | 3 | 0.3 |
| Unknown | 1,715 | 19 | 1.1 | Total | 61,212 | 622 | 1.0 |
| Total | 61,212 | 622 | 1.0 | Total | 61,212 | 622 | 1.0 |

| 2012 Exposure Category | Number of Tests | Number Positive | Percent Positive | Gender | Number of Tests | Number Positive | Percent Positive |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU | 417 | 14 | 3.4 | Male | 32,292 | 365 | 1.1 |
| Male Sex With Male | 8,896 | 226 | 2.5 | Female | 28,178 | 118 | 0.4 |
| Injecting Drug User | 2,791 | 11 | 0.4 | Unknown | 504 | 10 | 2.0 |
| Sex Partner at Risk | 4,302 | 52 | 1.2 | Total | 60,974 | 493 | 0.8 |
| Child of Woman with HIV/AIDS | 111 | 3 | 2.7 | Race/ Ethnicity | Number of Tests | Number Positive | Percent Positive |
| STD Diagnosis | 7,572 | 41 | 0.5 | White | 14,549 | 101 | 0.7 |
| Sex for Drugs or Money | 411 | 4 | 1.0 | Black | 32,455 | 294 | 0.9 |
| Hemophilia/Blood Recipient | 0 | 0 | 0.0 | Hispanic | 11,815 | 84 | 0.7 |
| Victim of Sexual Assault | 1,455 | 2 | #DIV/0! | Asian | 695 | 7 | 1.0 |
| Health Care Exposure | 0 | 0 | 0.0 | Am. Native | 108 | 2 | 1.9 |
| Heterosexual | 32,937 | 109 | 0.3 | Other | 445 | 1 | 0.2 |
| No Acknowledged Risk | 413 | 2 | 0.5 | Unknown | 907 | 4 | 0.4 |
| Unknown | 1,669 | 29 | 1.7 | Total | 60,974 | 493 | 0.8 |
| Total | 60,974 | 493 | 0.8 | Total | 60,974 | 493 | 0.8 |

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 10 (Broward)

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2011 & 2012 | | | | | HIV Infection Cases Reported in 2011 & 2012 | | | | | HIV/AIDS Case Deaths in 2011 & 2012 | | | | |
|---|---|---------------|------------|---------------|---------------|--|---------------|------------|---------------|-------------|---|---------------|------------|---------------|--------------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012. | | | | | HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013. | | | | |
| | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change |
| Race/Ethnicity | | | | | | | | | | | | | | | |
| White, not Hispanic | 125 | 22% | 91 | 24% | -27.2% | 259 | 30% | 340 | 39% | 31.3% | 75 | 28% | 71 | 29% | -5.3% |
| Black, not Hispanic | 350 | 60% | 220 | 58% | -37.1% | 403 | 47% | 368 | 42% | -8.7% | 164 | 60% | 148 | 59% | -9.8% |
| Hispanic | 87 | 15% | 62 | 16% | -28.7% | 171 | 20% | 162 | 18% | -5.3% | 24 | 9% | 26 | 10% | 8.3% |
| Asian/Pacific Islander | 2 | 0% | 1 | 0% | -50.0% | 8 | 1% | 9 | 1% | 12.5% | 1 | 0% | 1 | 0% | 0.0% |
| American Indian/Alaskan Native | 1 | 0% | 0 | 0% | -100.0% | 0 | 0% | 0 | 0% | #DIV/0! | 0 | 0% | 0 | 0% | #DIV/0! |
| Not Specified/Other | 15 | 3% | 3 | 1% | -80.0% | 12 | 1% | 3 | 0% | -75.0% | 8 | 3% | 3 | 1% | -62.5% |
| Total: | 580 | 100% | 377 | 100% | -35.0% | 853 | 100% | 882 | 100% | 3.4% | 272 | 100% | 249 | 100% | -8.5% |
| Gender | | | | | | | | | | | | | | | |
| Male | 386 | 66.6% | 269 | 71.4% | -30.3% | 638 | 74.8% | 711 | 80.6% | 11.4% | 189 | 69.5% | 162 | 65.1% | -14.3% |
| Female | 194 | 33.4% | 108 | 28.6% | -44.3% | 215 | 25.2% | 171 | 19.4% | -20.5% | 83 | 30.5% | 87 | 34.9% | 4.8% |
| Total: | 580 | 100.0% | 377 | 100.0% | -35.0% | 853 | 100.0% | 882 | 100.0% | 3.4% | 272 | 100.0% | 249 | 100.0% | -8.5% |
| Age at Diagnosis (Years) | | | | | | | | | | | | | | | |
| 0- 2 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 1 | 0.1% | 1 | 0.1% | 0.0% | 0 | 0.0% | 0 | 0.0% | #DIV/0! |
| 3-12 years | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 2 | 0.2% | 2 | 0.2% | 0.0% | 0 | 0.0% | 1 | 0.4% | #DIV/0! |
| 13-19 years | 8 | 1.4% | 3 | 0.8% | -62.5% | 27 | 3.2% | 32 | 3.6% | 18.5% | 1 | 0.4% | 0 | 0.0% | -100.0% |
| 20-24 years | 41 | 7.1% | 18 | 4.8% | -56.1% | 103 | 12.1% | 82 | 9.3% | -20.4% | 6 | 2.2% | 1 | 0.4% | -83.3% |
| 25-29 years | 35 | 6.0% | 28 | 7.4% | -20.0% | 102 | 12.0% | 108 | 12.2% | 5.9% | 5 | 1.8% | 9 | 3.6% | 80.0% |
| 30-39 years | 139 | 24.0% | 94 | 24.9% | -32.4% | 193 | 22.6% | 193 | 21.9% | 0.0% | 37 | 13.6% | 26 | 10.4% | -29.7% |
| 40-44 years | 79 | 13.6% | 60 | 15.9% | -24.1% | 106 | 12.4% | 91 | 10.3% | -14.2% | 35 | 12.9% | 29 | 11.6% | -17.1% |
| 45-49 years | 99 | 17.1% | 63 | 16.7% | -36.4% | 111 | 13.0% | 142 | 16.1% | 27.9% | 46 | 16.9% | 37 | 14.9% | -19.6% |
| 50-59 years | 141 | 24.3% | 76 | 20.2% | -46.1% | 157 | 18.4% | 157 | 17.8% | 0.0% | 94 | 34.6% | 77 | 30.9% | -18.1% |
| 60+ years | 38 | 6.6% | 35 | 9.3% | -7.9% | 51 | 6.0% | 74 | 8.4% | 45.1% | 48 | 17.6% | 69 | 27.7% | 43.8% |
| Total: | 580 | 100.0% | 377 | 100.0% | -35.0% | 853 | 100.0% | 882 | 100.0% | 3.4% | 272 | 100.0% | 249 | 100.0% | -8.5% |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2011 & 2012 | | | | | HIV Infection Cases Reported in 2011 & 2012 | | | | | HIV/AIDS Case Deaths in 2011 & 2012 | | | | |
|---|---|----------------|------------|----------------|----------------|--|---------------|------------|---------------|---------------|---|----------------|------------|---------------|----------------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012. | | | | | HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013. | | | | |
| Male Adult/Adolescent AIDS Exposure Category | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change |
| MSM | 220 | 57.0% | 161 | 60.0% | -26.7% | 451 | 70.9% | 554 | 78.0% | 22.8% | 94 | 49.7% | 84 | 51.9% | -10.6% |
| IDU | 20 | 5.2% | 19 | 7.1% | -4.5% | 25 | 4.0% | 30 | 4.2% | 18.1% | 21 | 11.1% | 17 | 10.5% | -19.0% |
| MSM/IDU | 10 | 2.7% | 14 | 5.2% | 33.5% | 15 | 2.3% | 9 | 1.3% | -37.7% | 10 | 5.3% | 13 | 8.0% | 30.0% |
| Heterosexual | 136 | 35.1% | 75 | 27.8% | -44.9% | 146 | 22.9% | 117 | 16.5% | -19.7% | 63 | 33.3% | 46 | 28.4% | -27.0% |
| Other | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 1 | 0.5% | 2 | 1.2% | 100.0% |
| Total: | 386 | 100.0% | 269 | 100.0% | -30.3% | 637 | 100.0% | 710 | 100.0% | 11.5% | 189 | 100.0% | 162 | 100.0% | -14.3% |
| Female Adult/Adolescent AIDS Exposure Category | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change |
| IDU | 23 | 12.1% | 6 | 5.2% | -76.2% | 19 | 8.8% | 5 | 3.0% | -73.2% | 15 | 18.1% | 13 | 15.1% | -13.3% |
| Heterosexual | 171 | 87.9% | 102 | 94.8% | -39.9% | 194 | 91.2% | 164 | 97.0% | -15.6% | 66 | 79.5% | 73 | 84.9% | 10.6% |
| Other | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 0 | 0.0% | 0 | 0.0% | #DIV/0! | 2 | 2.4% | 0 | 0.0% | -100.0% |
| Total: | 194 | 100.0% | 108 | 100.0% | -44.3% | 213 | 100.0% | 169 | 100.0% | -20.7% | 83 | 100.0% | 86 | 100.0% | 3.6% |
| Pediatric AIDS Exposure Categories (ages 0-12) | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change |
| Mother with/at risk for HIV infection | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 3 | 100% | 2 | 67% | -33.3% | 0 | #DIV/0! | 1 | 100% | #DIV/0! |
| Risk not reported/Other | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 0 | 0% | 1 | 33% | #DIV/0! | 0 | #DIV/0! | 0 | 0% | #DIV/0! |
| Total: | 0 | #DIV/0! | 0 | #DIV/0! | #DIV/0! | 3 | 100% | 3 | 100% | 0.0% | 0 | #DIV/0! | 1 | 100% | #DIV/0! |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Reported in 2011 & 2012 | | | | | HIV Infection Cases Reported in 2011 & 2012 | | | | | HIV/AIDS Case Deaths in 2011 & 2012 | | | | |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
| | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012. | | | | | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012. | | | | | HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013. | | | | |
| Special Populations | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change | 2011 | % of Total | 2012 | % of Total | % change |
| White MSM* | 99 | N/A | 70 | N/A | -29.3% | 215 | N/A | 267 | N/A | 24.2% | 58 | N/A | 58 | N/A | 0.0% |
| Black MSM* | 63 | N/A | 52 | N/A | -17.5% | 110 | N/A | 104 | N/A | -5.5% | 28 | N/A | 23 | N/A | -17.9% |
| Hispanic MSM* | 46 | N/A | 30 | N/A | -34.8% | 108 | N/A | 98 | N/A | -9.3% | 12 | N/A | 15 | N/A | 25.0% |
| white Male IDU** | 8 | N/A | 5 | N/A | -37.5% | 6 | N/A | 6 | N/A | 0.0% | 12 | N/A | 8 | N/A | -33.3% |
| Black Male IDU** | 12 | N/A | 11 | N/A | -8.3% | 21 | N/A | 4 | N/A | -81.0% | 15 | N/A | 14 | N/A | -6.7% |
| Hispanic Male IDU** | 6 | N/A | 8 | N/A | 33.3% | 6 | N/A | 4 | N/A | -33.3% | 2 | N/A | 7 | N/A | 250.0% |
| white Female IDU** | 5 | N/A | 3 | N/A | -40.0% | 5 | N/A | 2 | N/A | -60.0% | 1 | N/A | 1 | N/A | 0.0% |
| Black Female IDU** | 14 | N/A | 2 | N/A | -85.7% | 11 | N/A | 3 | N/A | -72.7% | 12 | N/A | 10 | N/A | -16.7% |
| Hispanic Female IDU** | 2 | N/A | 0 | N/A | -100.0% | 0 | N/A | 0 | N/A | #DIV/0! | 2 | N/A | 1 | N/A | -50.0% |
| white Male Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 2 | N/A | 1 | N/A | -50.0% | 0 | N/A | 1 | N/A | #DIV/0! |
| Black Male Homeless | 1 | N/A | 0 | N/A | -100.0% | 0 | N/A | 3 | N/A | #DIV/0! | 0 | N/A | 1 | N/A | #DIV/0! |
| Hispanic Male Homeless | 0 | N/A | 1 | N/A | #DIV/0! | 0 | N/A | 2 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| white Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 0 | N/A | -100.0% | 1 | N/A | 0 | N/A | -100.0% |
| Hispanic Female Homeless | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| Male Haitian Born | 46 | N/A | 15 | N/A | -67.4% | 40 | N/A | 32 | N/A | -20.0% | 22 | N/A | 11 | N/A | -50.0% |
| Female Haitian Born | 33 | N/A | 25 | N/A | -24.2% | 44 | N/A | 30 | N/A | -31.8% | 8 | N/A | 15 | N/A | 87.5% |
| white Male Youth (ages 13-24) | 2 | N/A | 1 | N/A | -50.0% | 14 | N/A | 25 | N/A | 78.6% | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Male Youth (ages 13-24) | 34 | N/A | 6 | N/A | -82.4% | 61 | N/A | 37 | N/A | -39.3% | 3 | N/A | 1 | N/A | -66.7% |
| Hispanic Male Youth (ages 13-24) | 5 | N/A | 8 | N/A | 60.0% | 22 | N/A | 29 | N/A | 31.8% | 1 | N/A | 0 | N/A | -100.0% |
| white Female Youth (ages 13-24) | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 2 | N/A | 100.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Female Youth (ages 13-24) | 7 | N/A | 5 | N/A | -28.6% | 27 | N/A | 16 | N/A | -40.7% | 2 | N/A | 0 | N/A | -100.0% |
| Hispanic Female Youth (ages 13-24) | 0 | N/A | 1 | N/A | #DIV/0! | 2 | N/A | 5 | N/A | 150.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| White WCBA* (ages 15-44) | 8 | N/A | 6 | N/A | -25.0% | 9 | N/A | 10 | N/A | 11.1% | 3 | N/A | 1 | N/A | -66.7% |
| Black WCBA* (ages 15-44) | 86 | N/A | 54 | N/A | -37.2% | 99 | N/A | 79 | N/A | -20.2% | 27 | N/A | 35 | N/A | 29.6% |
| Hispanic WCBA* (ages 15-44) | 11 | N/A | 7 | N/A | -36.4% | 20 | N/A | 17 | N/A | -15.0% | 4 | N/A | 2 | N/A | -50.0% |
| White Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 1 | N/A | 1 | N/A | 0.0% | 0 | N/A | 0 | N/A | #DIV/0! |
| Black Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 2 | N/A | 2 | N/A | 0.0% | 0 | N/A | 1 | N/A | #DIV/0! |
| Hispanic Ped Cases (ages 0-12) | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! | 0 | N/A | 0 | N/A | #DIV/0! |
| DOC cases | 5 | N/A | 1 | N/A | -80.0% | 3 | N/A | 0 | N/A | -100.0% | 2 | N/A | 2 | N/A | 0.0% |

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 10 (Broward).

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013 | |
|---|--|-------------------|--|-------------------|--|-------------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Race/Ethnicity | # number | % of Total | # number | % of Total | # number | % of Total |
| White, not Hispanic | 2,819 | 31.4% | 2,858 | 37.3% | 5,677 | 34.1% |
| Black, not Hispanic | 4,790 | 53.4% | 3,443 | 44.9% | 8,233 | 49.5% |
| Hispanic | 1,139 | 12.7% | 1,192 | 15.6% | 2,331 | 14.0% |
| Asian/Pacific Islander | 34 | 0.4% | 56 | 0.7% | 90 | 0.5% |
| American Indian/Alaskan Native | 5 | 0.1% | 10 | 0.1% | 15 | 0.1% |
| Not Specified/Other | 183 | 2.0% | 103 | 1.3% | 286 | 1.7% |
| Total: | 8,970 | 100.0% | 7,662 | 100.0% | 16,632 | 100.0% |
| Gender | # number | % of Total | # number | % of Total | # number | % of Total |
| Male | 6,290 | 70.1% | 5,482 | 71.5% | 11,772 | 70.8% |
| Female | 2,680 | 29.9% | 2,180 | 28.5% | 4,860 | 29.2% |
| Total: | 8,970 | 100.0% | 7,662 | 100.0% | 16,632 | 100.0% |
| Current Age on 12/31/2012 (Years) | # number | % of Total | # number | % of Total | # number | % of Total |
| 0- 2 years | 0 | 0.0% | 2 | 0.0% | 2 | 0.0% |
| 3-12 years | 2 | 0.0% | 35 | 0.5% | 37 | 0.2% |
| 13-19 years | 58 | 0.6% | 70 | 0.9% | 128 | 0.8% |
| 20-24 years | 139 | 1.5% | 293 | 3.8% | 432 | 2.6% |
| 25-29 years | 219 | 2.4% | 511 | 6.7% | 730 | 4.4% |
| 30-39 years | 1,116 | 12.4% | 1,535 | 20.0% | 2,651 | 15.9% |
| 40-44 years | 1,192 | 13.3% | 1,000 | 13.1% | 2,192 | 13.2% |
| 45-49 years | 1,805 | 20.1% | 1,463 | 19.1% | 3,268 | 19.6% |
| 50-59 years | 3,150 | 35.1% | 1,970 | 25.7% | 5,120 | 30.8% |
| 60+ years | 1,289 | 14.4% | 783 | 10.2% | 2,072 | 12.5% |
| Total: | 8,970 | 100.0% | 7,662 | 100.0% | 16,632 | 100.0% |

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013 | |
|---|--|---------------|--|---------------|--|---------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Male Adult/Adolescent AIDS Exposure Category | # number | % of Total | # number | % of Total | # number | % of Total |
| MSM | 3,857 | 61.3% | 4,173 | 76.4% | 8,030 | 68.3% |
| IDU | 484 | 7.7% | 208 | 3.8% | 692 | 5.9% |
| MSM/IDU | 281 | 4.5% | 193 | 3.5% | 474 | 4.0% |
| Heterosexual | 1,592 | 25.3% | 860 | 15.7% | 2,452 | 20.9% |
| Other | 76 | 1.2% | 31 | 0.6% | 107 | 0.9% |
| Total: | 6,290 | 100.0% | 5,465 | 100.0% | 11,755 | 100.0% |
| Female Adult/Adolescent AIDS Exposure Category | # number | % of Total | # number | % of Total | # number | % of Total |
| IDU | 341 | 12.7% | 192 | 8.9% | 533 | 11.0% |
| Heterosexual | 2,248 | 83.9% | 1,930 | 89.4% | 4,178 | 86.4% |
| Other | 89 | 3.3% | 38 | 1.8% | 127 | 2.6% |
| Total: | 2,678 | 100.0% | 2,160 | 100.0% | 4,838 | 100.0% |
| Pediatric AIDS Exposure Categories (current ages 0-12) | # number | % of Total | # number | % of Total | # number | % of Total |
| Mother with/at risk for HIV infection | 2 | 100.0% | 37 | 100.0% | 39 | 100.0% |
| Risk not reported/Other | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total: | 2 | 100.0% | 37 | 100.0% | 39 | 100.0% |

| Demographic Group/ Exposure Category | AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013 | | HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013 | |
|---|--|------------|--|------------|--|------------|
| | AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified. | | HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified. | | HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified. | |
| Special Populations | # number | % of Total | # number | % of Total | # number | % of Total |
| White MSM | 2,343 | N/A | 2,493 | N/A | 4,836 | N/A |
| Black MSM | 942 | N/A | 877 | N/A | 1,819 | N/A |
| Hispanic MSM | 733 | N/A | 899 | N/A | 1,632 | N/A |
| white Male IDU | 223 | N/A | 145 | N/A | 368 | N/A |
| Black Male IDU | 404 | N/A | 189 | N/A | 593 | N/A |
| Hispanic Male IDU | 120 | N/A | 63 | N/A | 183 | N/A |
| white Female IDU | 103 | N/A | 59 | N/A | 162 | N/A |
| Black Female IDU | 201 | N/A | 117 | N/A | 318 | N/A |
| Hispanic Female IDU | 19 | N/A | 13 | N/A | 32 | N/A |
| white Male Homeless | 14 | N/A | 19 | N/A | 33 | N/A |
| Black Male Homeless | 28 | N/A | 33 | N/A | 61 | N/A |
| Hispanic Male Homeless | 4 | N/A | 4 | N/A | 8 | N/A |
| white Female Homeless | 3 | N/A | 3 | N/A | 6 | N/A |
| Black Female Homeless | 8 | N/A | 13 | N/A | 21 | N/A |
| Hispanic Female Homeless | 0 | N/A | 0 | N/A | 0 | N/A |
| Male Haitian Born | 638 | N/A | 247 | N/A | 885 | N/A |
| Female Haitian Born | 469 | N/A | 317 | N/A | 786 | N/A |
| white Male Youth (current ages 13-24) | 5 | N/A | 49 | N/A | 54 | N/A |
| Black Male Youth (current ages 13-24) | 91 | N/A | 144 | N/A | 235 | N/A |
| Hispanic Male Youth (current ages 13-24) | 13 | N/A | 47 | N/A | 60 | N/A |
| white Female Youth (current ages 13-24) | 4 | N/A | 8 | N/A | 12 | N/A |
| Black Female Youth (current ages 13-24) | 77 | N/A | 97 | N/A | 174 | N/A |
| Hispanic Female Youth (current ages 13-24) | 6 | N/A | 12 | N/A | 18 | N/A |
| White WCBA* (current ages 15-44) | 74 | N/A | 100 | N/A | 174 | N/A |
| Black WCBA* (current ages 15-44) | 909 | N/A | 926 | N/A | 1,835 | N/A |
| Hispanic WCBA* (current ages 15-44) | 70 | N/A | 101 | N/A | 171 | N/A |
| White Ped Cases (current current ages 0-12) | 0 | N/A | 2 | N/A | 2 | N/A |
| Black Ped Cases (current ages 0-12) | 2 | N/A | 31 | N/A | 33 | N/A |
| Hispanic Ped Cases (current ages 0-12) | 0 | N/A | 3 | N/A | 3 | N/A |
| DOC Cases | 74 | N/A | 71 | N/A | 145 | N/A |

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 10 (Broward) Ft. Lauderdale EMA

| Documented Co-morbidity cases in 2012 | Prevalence of the HIV/AIDS Population in this Area from the Care Table | Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area | Proportional Rate of this Co-morbidity among the population of this Disease in this Area | Data Source | Date of Data |
|--|--|--|--|---|---|
| | N= 18,030 | | | | |
| AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012 | 1 | 5.5 | 1.5% | eHARS | Data through 2012 (data as of 06/30/2013) |
| Infectious Syphilis reported in 2012 among HIV/AIDS patients | 131 | 726.6 | 46.3% | PRISM | Data through 2012 (data as of 03/2013) |
| Gonorrhea reported in 2012 among HIV/AIDS patients | 198 | 1098.2 | 9.1% | PRISM | Data through 2012 (data as of 03/2013) |
| Chlamydia reported in 2012 among HIV/AIDS patients | 212 | 1175.8 | 2.9% | PRISM | Data through 2012 (data as of 03/2013) |
| Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN) | 1398 | 7753.7 | N/A | eHARS (local use variable) and/or matched with reported cases in the Hepatitis database | Data through 2012 (data as of 06/30/2013) |

| Other Factors / Surrogate Markers Documented in 2012 | Prevalence of the HIV/AIDS Population in this Area from the Care Table | Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area | Data Source | Date of Data |
|--|--|--|--|---|
| Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS) | 20 | 110.9 | eHARS (address variable) | Data through 2012 (data as of 06/30/2013) |
| Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc. and documented in HARS) | 2,244 | 12,445.9 | eHARS (local use variable) | Data through 2012 (data as of 06/30/2013) |
| Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS) | 900 | 4,991.7 | eHARS (local use variable) | Data through 2012 (data as of 06/30/2013) |
| MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk) | 4,673 | 25,917.9 | (PLWHA data) | Data through 2012 (data as of 06/30/2013) |
| IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk) | 1,190 | 6,600.1 | (PLWHA data) | Data through 2012 (data as of 06/30/2013) |
| Release of FL Department of Corrections Cases into the Local Area | Total Offenders Released | HIV-infected Offenders Released | Data Source | Date of Data |
| | | Number % HIV+ | | |
| Offenders who returned to the Area in 2012 | 1,879 | 100 5.3% | Dept. of Corrections Offender-based Information System | CY 2012, data as of 03/2013 |
| Offenders who returned to the Area in 2012 | 2,310 | 129 5.6% | Dept. of Corrections Offender-based Information System | CY 2012, data as of 03/2012 |
| Offenders who returned to the Area in 2010 | 2,485 | 165 6.6% | Dept. of Corrections Offender-based Information System | CY 2010, data as of 03/2012 |

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

| Race/Ethnicity | Civilian Labor Force Unemployed | | Population Living Below 100% Poverty | | Without insurance coverage including without Medicaid. | |
|----------------|---------------------------------|---------------|--------------------------------------|---------------|--|---------------|
| | Number | Percent | Number | Percent | Number | Percent |
| White | 25,139 | 53.1% | 99,162 | 43.7% | 78 | 22.0% |
| Black | 13,032 | 27.5% | 80,422 | 35.4% | 142 | 40.1% |
| Hispanic | 988 | 2.1% | 45,142 | 19.9% | 134 | 37.9% |
| Other* | 8,219 | 17.3% | 2,397 | 1.0% | N/A | N/A |
| Total | 47,378 | 100.0% | 227,123 | 100.0% | 354 | 100.0% |

Selected Socioeconomic Indicators, Partnership 10 (Broward) (U.S. Census 2000)

* Other race includes Asian/Hawaiian, Native American/Alaska Native, Other and multiple races.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Ft. Lauderdale EMA

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013 | | | | PLWA receiving primary medical services in a 12-month period. | | PLWA in care and NOT IN care in CY 2012 | | | PLWH receiving primary medical services in a 12-month period. | | Percent of PLWH IN care and NOT IN care in CY 2012 | | | PLWHA receiving primary medical services in a 12-month period. | | Percent of PLWHA IN care and NOT IN care in CY 2012 | | |
|--|---|--------------|---------------|-------------------|--|-------------------|---|---|---|---|-------------------|--|---|---|--|-------------------|---|--|--|
| | Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed. | | | | PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012. | | Percent of PLWA in care over number PLWA. | Percent of PLWA NOT in care over number PLWA. | Number of PLWA NOT in care (PLWA minus PLWA in care). | PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012. | | Percent of PLWH in care over number PLWA. | Percent of PLWH NOT in care over number PLWA. | Number of PLWH NOT in care (PLWH minus PLWH in care). | PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012 | | Percent of PLWHA in care over number PLWA. | Percent of PLWHA NOT in care over number PLWA. | Number of PLWHA NOT in care (PLWHA minus PLWHA in care). |
| | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care |
| White, not Hispanic | 3,094 | 3,110 | 6,204 | 34.4% | 1,942 | 30.2% | 63% | 37% | 1,152 | 1,723 | 40.1% | 55% | 45% | 1,387 | 3,665 | 34.2% | 59% | 41% | 2,539 |
| Black, not Hispanic | 5,008 | 3,685 | 8,693 | 48.2% | 3,437 | 53.5% | 69% | 31% | 1,571 | 1,718 | 39.9% | 47% | 53% | 1,967 | 5,155 | 48.1% | 59% | 41% | 3,538 |
| Hispanic | 1,333 | 1,384 | 2,717 | 15.1% | 859 | 13.4% | 64% | 36% | 474 | 761 | 17.7% | 55% | 45% | 623 | 1,620 | 15.1% | 60% | 40% | 1,097 |
| Asian/Pacific Islander | 38 | 58 | 96 | 0.5% | 4 | 0.1% | 11% | 89% | 34 | 4 | 0.1% | 7% | 93% | 54 | 8 | 0.1% | 8% | 92% | 88 |
| American Indian/Alaskan Native | 5 | 10 | 15 | 0.1% | 23 | 0.4% | 460% | -360% | -18 | 29 | 0.7% | 290% | -190% | -19 | 52 | 0.5% | 347% | -247% | -37 |
| Not Specified/Other | 193 | 112 | 305 | 1.7% | 155 | 2.4% | 80% | 20% | 38 | 66 | 1.5% | 59% | 41% | 46 | 221 | 2.1% | 72% | 28% | 84 |
| Total: | 9,671 | 8,359 | 18,030 | 100.0% | 6,420 | 100.0% | 66% | 34% | 3,251 | 4,301 | 100.0% | 51% | 49% | 4,058 | 10,721 | 100.0% | 59% | 41% | 7,309 |
| Gender | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care |
| Male | 6,845 | 6,028 | 12,873 | 71.4% | 4,402 | 68.6% | 64% | 36% | 2,443 | 3,124 | 72.6% | 52% | 48% | 2,904 | 7,526 | 70.2% | 58% | 42% | 5,347 |
| Female | 2,826 | 2,331 | 5,157 | 28.6% | 2,018 | 31.4% | 71% | 29% | 808 | 1,177 | 27.4% | 50% | 50% | 1,154 | 3,195 | 29.8% | 62% | 38% | 1,962 |
| Total: | 9,671 | 8,359 | 18,030 | 100.0% | 6,420 | 100.0% | 66% | 34% | 3,251 | 4,301 | 100.0% | 51% | 49% | 4,058 | 10,721 | 100.0% | 59% | 41% | 7,309 |
| Current Age on 12/31/2012 (Years) | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care |
| 0- 2 years | 0 | 3 | 3 | 0.0% | 0 | 0.0% | #DIV/0! | #DIV/0! | 0 | 1 | 0.0% | 33% | 67% | 2 | 1 | 0.0% | 33% | 67% | 2 |
| 3-12 years | 3 | 33 | 36 | 0.2% | 3 | 0.0% | 100% | 0% | 0 | 29 | 0.7% | 88% | 12% | 4 | 32 | 0.3% | 89% | 11% | 4 |
| 13-19 years | 60 | 97 | 157 | 0.9% | 51 | 0.8% | 85% | 15% | 9 | 68 | 1.6% | 70% | 30% | 29 | 119 | 1.1% | 76% | 24% | 38 |
| 20-24 years | 153 | 336 | 489 | 2.7% | 118 | 1.8% | 77% | 23% | 35 | 199 | 4.6% | 59% | 41% | 137 | 317 | 3.0% | 65% | 35% | 172 |
| 25-29 years | 258 | 596 | 854 | 4.7% | 197 | 3.1% | 76% | 24% | 61 | 309 | 7.2% | 52% | 48% | 287 | 506 | 4.7% | 59% | 41% | 348 |
| 30-39 years | 1,286 | 1,692 | 2,978 | 16.5% | 895 | 13.9% | 70% | 30% | 391 | 822 | 19.1% | 49% | 51% | 870 | 1,717 | 16.0% | 58% | 42% | 1,261 |
| 40-44 years | 1,250 | 1,116 | 2,366 | 13.1% | 834 | 13.0% | 67% | 33% | 416 | 531 | 12.3% | 48% | 52% | 585 | 1,365 | 12.7% | 58% | 42% | 1,001 |
| 45-49 years | 1,949 | 1,563 | 3,512 | 19.5% | 1,278 | 19.9% | 66% | 34% | 671 | 798 | 18.6% | 51% | 49% | 765 | 2,076 | 19.4% | 59% | 41% | 1,436 |
| 50-59 years | 3,313 | 2,078 | 5,391 | 29.9% | 2,232 | 34.8% | 67% | 33% | 1,081 | 1,117 | 26.0% | 54% | 46% | 961 | 3,349 | 31.2% | 62% | 38% | 2,042 |
| 60+ years | 1,399 | 845 | 2,244 | 12.4% | 812 | 12.6% | 58% | 42% | 587 | 427 | 9.9% | 51% | 49% | 418 | 1,239 | 11.6% | 55% | 45% | 1,005 |
| Total: | 9,671 | 8,359 | 18,030 | 100.0% | 6,420 | 100.0% | 66% | 34% | 3,251 | 4,301 | 100.0% | 51% | 49% | 4,058 | 10,721 | 100.0% | 59% | 41% | 7,309 |

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013 | | | | PLWA receiving primary medical services in a 12-month period. | | | PLWA IN care and NOT IN care in CY 2012 | | | PLWH receiving primary medical services in a 12-month period. | | | Percent of PLWH IN care and NOT IN care in CY 2012 | | | PLWHA receiving primary medical services in a 12-month period. | | | Percent of PLWHA IN care and NOT IN care in CY 2012 | | |
|---|---|-------|--------|------------|--|------------|-----------|---|---|---|---|-----------|--------------|--|---|---|--|--------------|---------------|---|--|--|
| | Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed. | | | | PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012. | | | Percent of PLWA in care over number PLWA. | Percent of PLWA NOT in care over number PLWA. | Number of PLWA NOT in care (PLWA minus PLWA in care). | PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012. | | | Percent of PLWH in care over number PLWA. | Percent of PLWH NOT in care over number PLWA. | Number of PLWH NOT in care (PLWH minus PLWH in care). | PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2012 | | | Percent of PLWHA in care over number PLWA. | Percent of PLWHA NOT in care over number PLWA. | Number of PLWHA NOT in care (PLWHA minus PLWHA in care). |
| Male Adult/Adolescent AIDS Exposure Category | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care | | | |
| MSM | 4,324 | 4,676 | 9,000 | 49.9% | 2,758 | 43.0% | 64% | 36% | 1,566 | 2,493 | 58.0% | 53% | 47% | 2,183 | 5,251 | 49.0% | 58% | 42% | 3,749 | | | |
| IDU | 491 | 197 | 688 | 3.8% | 291 | 4.5% | 59% | 41% | 200 | 89 | 2.1% | 45% | 55% | 108 | 380 | 3.5% | 55% | 45% | 308 | | | |
| MSM/IDU | 349 | 208 | 557 | 3.1% | 235 | 3.7% | 67% | 33% | 114 | 121 | 2.8% | 58% | 42% | 87 | 356 | 3.3% | 64% | 36% | 201 | | | |
| Heterosexual | 1,606 | 895 | 2,501 | 13.9% | 1,060 | 16.5% | 66% | 34% | 546 | 383 | 8.9% | 43% | 57% | 512 | 1,443 | 13.5% | 58% | 42% | 1,058 | | | |
| Other | 75 | 35 | 110 | 0.6% | 58 | 0.9% | 77% | 23% | 17 | 24 | 0.6% | 69% | 31% | 11 | 82 | 0.8% | 75% | 25% | 28 | | | |
| Total: | 6,845 | 6,011 | 12,856 | 71.3% | 4,402 | 68.6% | 64% | 36% | 2,443 | 3,110 | 72.3% | 52% | 48% | 2,901 | 7,512 | 70.1% | 58% | 42% | 5,344 | | | |
| Female Adult/Adolescent AIDS Exposure Category | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care | | | |
| IDU | 350 | 196 | 546 | 3.0% | 232 | 3.6% | 66% | 34% | 118 | 99 | 2.3% | 51% | 49% | 97 | 331 | 3.1% | 61% | 39% | 215 | | | |
| Heterosexual | 2,379 | 2,073 | 4,452 | 24.7% | 1,711 | 26.7% | 72% | 28% | 668 | 1,035 | 24.1% | 50% | 50% | 1,038 | 2,746 | 25.6% | 62% | 38% | 1,706 | | | |
| Other | 94 | 43 | 137 | 0.8% | 72 | 1.1% | 77% | 23% | 22 | 27 | 0.6% | 63% | 37% | 16 | 99 | 0.9% | 72% | 28% | 38 | | | |
| Total: | 2,823 | 2,312 | 5,135 | 28.5% | 2,015 | 31.4% | 71% | 29% | 808 | 1,161 | 27.0% | 50% | 50% | 1,151 | 3,176 | 29.6% | 62% | 38% | 1,959 | | | |
| Pediatric AIDS Exposure Categories (current ages 0-12) | PLWA | PLWH | PLWHA | % of Total | PLWA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care | | | |
| Mother with/at risk for HIV infection | 0 | 0 | 0 | 0.0% | 0 | 0.0% | #DIV/0! | #DIV/0! | 0 | 0 | 0.0% | #DIV/0! | #DIV/0! | 0 | 0 | 0.0% | #DIV/0! | #DIV/0! | 0 | | | |
| Risk not diagnosed/Other | 3 | 36 | 39 | 0.2% | 3 | 0.0% | 100% | 0% | 0 | 30 | 0.7% | 83% | 17% | 6 | 33 | 0.3% | 85% | 15% | 6 | | | |
| Total: | 3 | 36 | 39 | 0.2% | 3 | 0.0% | 100% | 0% | 0 | 30 | 0.7% | 83% | 17% | 0 | 33 | 0.3% | 85% | 15% | 6 | | | |

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013 | | | | PLWA receiving primary medical services in a 12- month period. | | | PLWH receiving primary medical services in a 12- month period. | | | PLWHA receiving primary medical services in a 12- month period. | | | | | | | | | |
|---|--|-------|-------|------------|---|--|--|---|--|--|---|---|---|--------------|---------------|-------|------------|-----------|--------------|---------------|
| | Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed. | | | | PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2012. | | | PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012. | | | PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012 | | | | | | | | | |
| | PLWA | PLWH | PLWHA | % of Total | Percent of PLWA in care over number PLWA. | Percent of PLWA NOT in care over number PLWA. | Number of PLWA NOT in care (PLWA minus PLWA in care). | Percent of PLWH in care over number PLWA. | Percent of PLWH NOT in care over number PLWA. | Number of PLWH NOT in care (PLWH minus PLWH in care). | Percent of PLWHA in care over number PLWA. | Percent of PLWHA NOT in care over number PLWA. | Number of PLWHA NOT in care (PLWHA minus PLWHA in care). | | | | | | | |
| Special Populations | | | | PLWA | PLWH | PLWHA | % of Total | % in care | %NOT in care | # NOT in care | PLWH | % of Total | % in care | %NOT in care | # NOT in care | PLWHA | % of Total | % in care | %NOT in care | # NOT in care |
| White MSM | 2,627 | 2,736 | 5,363 | N/A | 1,664 | N/A | 63% | 37% | 963 | 1,524 | N/A | 56% | 44% | 1,212 | 3,188 | 0 | 59% | 41% | 2,175 | |
| Black MSM | 1,048 | 987 | 2,035 | N/A | 672 | N/A | 64% | 36% | 376 | 455 | N/A | 46% | 54% | 532 | 1,127 | 0 | 55% | 45% | 908 | |
| Hispanic MSM | 863 | 1,048 | 1,911 | N/A | 559 | N/A | 65% | 35% | 304 | 573 | N/A | 55% | 45% | 475 | 1,132 | 0 | 59% | 41% | 779 | |
| White Male IDU | 251 | 144 | 395 | N/A | 157 | N/A | 63% | 37% | 94 | 85 | N/A | 59% | 41% | 59 | 242 | 0 | 61% | 39% | 153 | |
| Black Male IDU | 423 | 184 | 607 | N/A | 260 | N/A | 61% | 39% | 163 | 88 | N/A | 48% | 52% | 96 | 348 | 0 | 57% | 43% | 259 | |
| Hispanic Male IDU | 147 | 72 | 219 | N/A | 94 | N/A | 64% | 36% | 53 | 36 | N/A | 50% | 50% | 36 | 130 | 0 | 59% | 41% | 89 | |
| White Female IDU | 101 | 56 | 157 | N/A | 55 | N/A | 54% | 46% | 46 | 33 | N/A | 59% | 41% | 23 | 88 | 0 | 56% | 44% | 69 | |
| Black Female IDU | 207 | 123 | 330 | N/A | 148 | N/A | 71% | 29% | 59 | 57 | N/A | 46% | 54% | 66 | 205 | 0 | 62% | 38% | 125 | |
| Hispanic Female IDU | 26 | 14 | 40 | N/A | 15 | N/A | 58% | 42% | 11 | 8 | N/A | 57% | 43% | 6 | 23 | 0 | 58% | 43% | 17 | |
| White Male Homeless | 4 | 2 | 6 | N/A | 0 | N/A | 0% | 100% | 4 | 0 | N/A | 0% | 100% | 2 | 0 | 0 | 0% | 100% | 6 | |
| Black Male Homeless | 11 | 10 | 21 | N/A | 4 | N/A | 36% | 64% | 7 | 0 | N/A | 0% | 100% | 10 | 4 | 0 | 19% | 81% | 17 | |
| Hispanic Male Homeless | 1 | 1 | 2 | N/A | 1 | N/A | 100% | 0% | 0 | 1 | N/A | 100% | 0% | 0 | 2 | 0 | 100% | 0% | 0 | |
| White Female Homeless | 1 | 2 | 3 | N/A | 0 | N/A | 0% | 100% | 1 | 1 | N/A | 50% | 50% | 1 | 1 | 0 | 33% | 67% | 2 | |
| Black Female Homeless | 3 | 5 | 8 | N/A | 1 | N/A | 33% | 67% | 2 | 1 | N/A | 20% | 80% | 4 | 2 | 0 | 25% | 75% | 6 | |
| Hispanic Female Homeless | 0 | 0 | 0 | N/A | 0 | N/A | #DIV/0! | #DIV/0! | 0 | 0 | N/A | #DIV/0! | #DIV/0! | 0 | 0 | 0 | #DIV/0! | #DIV/0! | 0 | |
| Male Haitian Born | 653 | 265 | 918 | N/A | 351 | N/A | 54% | 46% | 302 | 99 | N/A | 37% | 63% | 166 | 450 | 0 | 49% | 51% | 468 | |
| Female Haitian Born | 485 | 340 | 825 | N/A | 321 | N/A | 66% | 34% | 164 | 164 | N/A | 48% | 52% | 176 | 485 | 0 | 59% | 41% | 340 | |
| White Male Youth (current ages 13-24) | 7 | 59 | 66 | N/A | 6 | N/A | 86% | 14% | 1 | 43 | N/A | 73% | 27% | 16 | 49 | 0 | 74% | 26% | 17 | |
| Black Male Youth (current ages 13-24) | 100 | 173 | 273 | N/A | 79 | N/A | 79% | 21% | 21 | 98 | N/A | 57% | 43% | 75 | 177 | 0 | 65% | 35% | 96 | |
| Hispanic Male Youth (current ages 13-24) | 13 | 62 | 75 | N/A | 10 | N/A | 77% | 23% | 3 | 41 | N/A | 66% | 34% | 21 | 51 | 0 | 68% | 32% | 24 | |
| White Female Youth (current ages 13-24) | 5 | 8 | 13 | N/A | 4 | N/A | 80% | 20% | 1 | 6 | N/A | 75% | 25% | 2 | 10 | 0 | 77% | 23% | 3 | |
| Black Female Youth (current ages 13-24) | 76 | 108 | 184 | N/A | 62 | N/A | 82% | 18% | 14 | 66 | N/A | 61% | 39% | 42 | 128 | 0 | 70% | 30% | 56 | |
| Hispanic Female Youth (current ages 13-24) | 9 | 15 | 24 | N/A | 6 | N/A | 67% | 33% | 3 | 8 | N/A | 53% | 47% | 7 | 14 | 0 | 58% | 42% | 10 | |
| White WCBA* (current ages 15-44) | 74 | 101 | 175 | N/A | 48 | N/A | 65% | 35% | 26 | 58 | N/A | 57% | 43% | 43 | 106 | 0 | 61% | 39% | 69 | |
| Black WCBA* (current ages 15-44) | 982 | 1,007 | 1,989 | N/A | 740 | N/A | 75% | 25% | 242 | 461 | N/A | 46% | 54% | 546 | 1,201 | 0 | 60% | 40% | 788 | |
| Hispanic WCBA* (current ages 15-44) | 87 | 120 | 207 | N/A | 64 | N/A | 74% | 26% | 23 | 65 | N/A | 54% | 46% | 55 | 129 | 0 | 62% | 38% | 78 | |
| White Ped Cases (current ages 0-12) | 0 | 2 | 2 | N/A | 0 | N/A | #DIV/0! | #DIV/0! | 0 | 2 | N/A | 100% | 0% | 0 | 2 | 0 | 100% | 0% | 0 | |
| Black Ped Cases (current ages 0-12) | 2 | 30 | 32 | N/A | 2 | N/A | 100% | 0% | 0 | 24 | N/A | 80% | 20% | 6 | 26 | 0 | 81% | 19% | 6 | |
| Hispanic Ped Cases (current ages 0-12) | 1 | 3 | 4 | N/A | 1 | N/A | 100% | 0% | 0 | 3 | N/A | 100% | 0% | 0 | 4 | 0 | 100% | 0% | 0 | |
| DOC Cases | 205 | 94 | 299 | N/A | 159 | N/A | 78% | 22% | 46 | 25 | N/A | 27% | 73% | 69 | 184 | 0 | 62% | 38% | 115 | |

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

HIV/AIDS EPIDEMIOLOGY

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Ft. Lauderdale EMA, data source: eHARS

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | Newly Reported AIDS Cases 2010-2012 | | AIDS Prevalence through 2012 as of 06/30/2013 | | HIV (not AIDS) Prevalence through 2012 as of 06/30/2013 | | Total HIV Prevalence through 2012 as of 06/30/2013 | |
|--|---|-------------|--|-------------|--|-------------|---|-------------|
| | Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012 | | Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | | Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | | Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | |
| Race/Ethnicity | # | % of Total | # | % of Total | # | % of Total | # | % of Total |
| White, not Hispanic | 349 | 23% | 3,094 | 32% | 3,110 | 37% | 6,204 | 34% |
| Black, not Hispanic | 917 | 60% | 5,008 | 52% | 3,685 | 44% | 8,693 | 48% |
| Hispanic | 228 | 15% | 1,333 | 14% | 1,384 | 17% | 2,717 | 15% |
| Asian/Pacific Islander | 6 | 0% | 38 | 0% | 58 | 1% | 96 | 1% |
| American Indian/Alaskan Native | 1 | 0% | 5 | 0% | 10 | 0% | 15 | 0% |
| Not Specified/Other | 31 | 2% | 193 | 2% | 112 | 1% | 305 | 2% |
| Total: | 1,532 | 100% | 9,671 | 100% | 8,359 | 100% | 18,030 | 100% |
| Gender | # | % of Total | # | % of Total | # | % of Total | # | % of Total |
| Male | 1,041 | 68% | 6,845 | 71% | 6,028 | 72% | 12,873 | 71% |
| Female | 491 | 32% | 2,826 | 29% | 2,331 | 28% | 5,157 | 29% |
| Total: | 1,532 | 100% | 9,671 | 100% | 8,359 | 100% | 18,030 | 100% |
| Age at Diagnosis (Incidence) / Current Age (Prevalence) | # | % of Total | # | % of Total | # | % of Total | # | % of Total |
| 0-12 years | 0 | 0% | 3 | 0% | 36 | 0% | 39 | 0% |
| 13-19 years | 18 | 1% | 60 | 1% | 97 | 1% | 157 | 1% |
| 20-44 years | 813 | 53% | 2,947 | 30% | 3,740 | 45% | 6,687 | 37% |
| 45+ years | 701 | 46% | 6,661 | 69% | 4,486 | 54% | 11,147 | 62% |
| Total: | 1,532 | 100% | 9,671 | 100% | 8,359 | 100% | 18,030 | 100% |

HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Ft. Lauderdale EMA, data source: eHARS

| Demographic Group/ Exposure Category RISKS REDISTRIBUTED | Newly Reported AIDS Cases 2010-2012 | | AIDS Prevalence through 2012 as of 06/30/2013 | | HIV (not AIDS) Prevalence through 2012 as of 06/30/2013 | | Total HIV Prevalence through 2012 as of 06/30/2013 | |
|---|---|----------------|--|-------------|--|-------------|---|-------------|
| | Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012 | | Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | | Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | | Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Ft. Lauderdale EMA, regardless where diagnosed. | |
| Adult/Adolescent AIDS Exposure Category | # | % of Total | # | % of Total | # | % of Total | # | % of Total |
| MSM | 602 | 39% | 4,324 | 45% | 4,676 | 56% | 9,000 | 50% |
| IDU | 121 | 8% | 841 | 9% | 393 | 5% | 1,234 | 7% |
| MSM/IDU | 37 | 2% | 349 | 4% | 208 | 2% | 557 | 3% |
| Heterosexual | 762 | 50% | 3,985 | 41% | 2,968 | 36% | 6,953 | 39% |
| Other | 10 | 1% | 169 | 2% | 78 | 1% | 247 | 1% |
| Total: | 1,532 | 100% | 9,668 | 100% | 8,323 | 100% | 17,991 | 100% |
| Pediatric AIDS Exposure Categories (ages 0-12) | # | % of Total | # | % of Total | # | % of Total | # | % of Total |
| Mother with/at risk for HIV infection | 0 | #DIV/0! | 0 | 0% | 0 | 0% | 0 | 0% |
| Risk not reported/Other | 0 | #DIV/0! | 3 | 100% | 36 | 100% | 39 | 100% |
| Total: | 0 | #DIV/0! | 3 | 100% | 36 | 100% | 39 | 100% |

**FT. LAUDERDALE EMA
Unmet Need Framework Table, 2012**

| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Add extra 5% to catch missed cases in care via other sources | |
|---------------------------|---|--------------|----------------|--|--|-----|
| Population Sizes | | Value | | Data Source(s) | 5.0% | |
| Row A. | Number of persons living with AIDS (PLWA), for the period of 01/01/2012 - 12/31/2012 | 9,671 | | eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases | | |
| Row B. | Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2012 - 12/31/2012 | 8,359 | | eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases | | |
| Row C. | Total number of HIV+, for the period of 01/01/2012 - 12/31/2012 | 18,030 | | | | |
| Care Patterns | | Value | Percent | Data Source(s) | | |
| Row D. | Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period | 6,420 | 66% | eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases | 6,904 | 71% |
| Row E. | Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period | 4,301 | 51% | eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases | 4,719 | 56% |
| Row F. | Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period | 10,721 | 59% | | 11,623 | 64% |
| Calculated Results | | Value | Percent | Calculation | | |
| Row G. | Number of PLWA who <u>did NOT</u> receive primary medical services | 3,251 | 34% | Value: Value A - Value D. Percent: Value G/Value A. | 2,767 | 29% |
| Row H. | Number of PLWH/non-AIDS/ who did NOT receive primary medical services | 4,058 | 49% | Value: Value B - Value E. Percent: Value H/Value B. | 3,640 | 44% |
| Row I. | Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need) | 7,309 | 41% | Value: Value G + Value H. Percent: Value I/Value C | 6,408 | 36% |

**FT LAUDERDALE EMA
Unmet Need Framework Table, 2009**

**FT LAUDERDALE EMA
Unmet Need Framework Table, 2010**

**FT LAUDERDALE EMA
Unmet Need Framework Table, 2011**

| Population Sizes | | | Value | Population Sizes | | | Value | Population Sizes | | | Value | | | | | | |
|--------------------|---|--|--------|------------------|--|--------|---|------------------|--|--------------------|--------|--------|---|---------|--------|--|-----|
| Row A. | Number of persons living with AIDS (PLWA), aware for the period of 01/01/2009 - 12/31/2009 | | 8,529 | Row A. | Number of persons living with AIDS (PLWA), aware for the period of 01/01/2010 - 12/31/2010 | | 8,971 | Row A. | Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011 | | 9,327 | | | | | | |
| Row B. | Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2009 - 12/31/2009 | | 7,212 | Row B. | Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2010 - 12/31/2010 | | 7,849 | Row B. | Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011 | | 8,062 | | | | | | |
| Row C. | Total number of HIV+aware, for the period of 01/01/2009 - 12/31/2009 | | 15,741 | Row C. | Total number of HIV+aware, for the period of 01/01/2010 - 12/31/2010 | | 16,820 | Row C. | Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011 | | 17,389 | | | | | | |
| Care Patterns | | | Value | Percent | Care Patterns | | | Value | Percent | Care Patterns | | | Value | Percent | | | |
| Row D. | Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 5,990 | | 70% | Row D. | Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 5,336 | | 59% | Row D. | Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 6,206 | | 67% |
| Row E. | Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 3,833 | | 53% | Row E. | Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 3,159 | | 40% | Row E. | Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 3,869 | | 48% |
| Row F. | Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 9,823 | | 62% | Row F. | Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 8,495 | | 51% | Row F. | Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period | | 10,075 | | 58% |
| Calculated Results | | | Value | Percent | Calculated Results | | | Value | Percent | Calculated Results | | | Value | Percent | | | |
| Row G. | Number of PLWA who <u>did NOT</u> receive primary medical services | | 2,539 | | 30% | Row G. | Number of PLWA who <u>did NOT</u> receive primary medical services | | 3,635 | | 41% | Row G. | Number of PLWA who <u>did NOT</u> receive primary medical services | | 3,121 | | 33% |
| Row H. | Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services | | 3,379 | | 47% | Row H. | Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services | | 4,690 | | 60% | Row H. | Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services | | 4,193 | | 52% |
| Row I. | Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need) | | 5,918 | | 38% | Row I. | Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need) | | 8,325 | | 49% | Row I. | Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need) | | 7,314 | | 42% |