

EPIDEMIOLOGICAL PROFILE
Target Area
Partnership 11a (Miami-Dade)
Miami-Dade County

Mid-Year Population Estimates

2011

Sex

	Total Pop	
Males	1,222,114	48%
Females	1,299,078	52%
Total	2,521,192	100%

Age Groups

	Total Pop	
0 - 12	389,732	15%
13 - 19	227,972	9%
20 - 24	176,796	7%
25 - 29	175,709	7%
30 - 39	352,312	14%
40 - 49	381,709	15%
50 - 59	325,741	13%
60+	491,221	19%
Total	2,521,192	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	393,665	16%
Black, non-Hispanic	425,731	17%
Hispanic	1,637,809	65%
Other*	63,987	3%
Total	2,521,192	100%

2012

Sex

	Total Pop	
Males	1,232,833	48.5%
Females	1,308,181	51.5%
Total	2,541,014	100.0%

Age Groups

	Total Pop	
0 - 12	392,096	15%
13 - 19	226,703	9%
20 - 24	176,953	7%
25 - 29	178,880	7%
30 - 39	352,109	14%
40 - 49	378,582	15%
50 - 59	333,773	13%
60+	501,918	20%
Total	2,541,014	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	393,100	15%
Black, non-Hispanic	428,705	17%
Hispanic	1,654,682	65%
Other*	64,527	3%
Total	2,541,014	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS & Hepatitis Program

Created: 01/14/13
Revision: 07/27/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	480	66.9%	39.3	0 - 12	0	0.0%	0.0
Female	238	33.1%	18.3	13 - 19	17	2.4%	7.5
Other/Unknown	0	0.0%	N/A	20 - 24	35	4.9%	19.8
Total	718	100.0%	28.5	25 - 29	61	8.5%	34.7
				30 - 39	161	22.4%	45.7
				40 - 49	231	32.2%	60.5
				50 - 59	147	20.5%	45.1
				60+	66	9.2%	13.4
				Total	718	100.0%	28.5
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	52	7.2%	13.2				
Black, Non-Hispanic	371	51.7%	87.1				
Hispanic	284	39.6%	17.3				
Asian/Pacific Islander	3	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	8	1.1%	N/A				
Total	718	100.0%	28.5				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	458	73.9%	37.2	0 - 12	0	0.0%	0.0
Female	162	26.1%	12.4	13 - 19	4	0.6%	1.8
Other/Unknown	0	0.0%	N/A	20 - 24	40	6.5%	22.6
Total	620	100.0%	24.4	25 - 29	55	8.9%	30.7
				30 - 39	143	23.1%	40.6
				40 - 49	188	30.3%	49.7
				50 - 59	141	22.7%	42.2
				60+	49	7.9%	9.8
				Total	620	100.0%	24.4
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	49	7.9%	12.5				
Black, Non-Hispanic	282	45.5%	65.8				
Hispanic	277	44.7%	16.7				
Asian/Pacific Islander	3	0.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	9	1.5%	N/A				
Total	620	100.0%	24.4				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	972	76.6%	79.5	0 - 12	3	0.2%	0.8
Female	297	23.4%	22.9	13 - 19	50	3.9%	21.9
Other/Unknown	0	0.0%	N/A	20 - 24	156	12.3%	88.2
Total	1,269	100.0%	50.3	25 - 29	166	13.1%	94.5
				30 - 39	284	22.4%	80.6
				40 - 49	332	26.2%	87.0
				50 - 59	204	16.1%	62.6
				60+	74	5.8%	15.1
				Total	1,269	100.0%	50.3
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	139	11.0%	35.3				
Black, Non-Hispanic	527	41.5%	123.8				
Hispanic	586	46.2%	35.8				
Asian/Pacific Islander	9	0.7%	N/A				
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	7	0.6%	N/A				
Total	1,269	100.0%	50.3				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	998	79.1%	81.0	0 - 12	2	0.2%	0.5
Female	264	20.9%	20.2	13 - 19	45	3.6%	19.8
Other/Unknown	0	0.0%	N/A	20 - 24	170	13.5%	96.1
Total	1,262	100.0%	49.7	25 - 29	176	13.9%	98.4
				30 - 39	279	22.1%	79.2
				40 - 49	349	27.7%	92.2
				50 - 59	180	14.3%	53.9
				60+	61	4.8%	12.2
				Total	1,262	100.0%	49.7
Race/Ethnicity	Cases	% Total	Rate				
White, Non-Hispanic	186	14.7%	47.3				
Black, Non-Hispanic	486	38.5%	113.4				
Hispanic	576	45.6%	34.8				
Asian/Pacific Islander	8	0.6%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	6	0.5%	N/A				
Total	1,262	100.0%	49.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	1,344	57.7%	110.0	0 - 12	0	0.0%	0.0
Female	983	42.2%	75.7	13 - 19	597	25.6%	261.9
Other/Unknown	1	0.0%	N/A	20 - 24	735	31.6%	415.7
Total	2,328	100.0%	92.3	25 - 29	429	18.4%	244.2
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	210	9.0%	53.3	30 - 39	334	14.3%	94.8
Black, Non-Hispanic	1,233	53.0%	289.6	40 - 49	164	7.0%	43.0
Hispanic	514	22.1%	31.4	50 - 59	54	2.3%	16.6
Asian/Pacific Islander	5	0.2%	N/A	60+	15	0.6%	3.1
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	366	15.7%	N/A	Total	2,328	100.0%	92.3
Total	2,328	100.0%	92.3				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	1,440	60.3%	116.8	0-12	0	0.0%	0.0
Female	950	39.7%	72.6	13 - 19	484	20.3%	213.5
Other/Unknown	0	0.0%	N/A	20 - 24	759	31.8%	428.9
Total	2,390	100.0%	94.1	25 - 29	450	18.8%	251.6
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	268	11.2%	68.2	30 - 39	388	16.2%	110.2
Black, Non-Hispanic	1,056	44.2%	246.3	40 - 49	204	8.5%	53.9
Hispanic	469	19.6%	28.3	50 - 59	89	3.7%	26.7
Asian/Pacific Islander	9	0.4%	N/A	60+	16	0.7%	3.2
Amer. Indian/Alaskan	3	0.1%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	585	24.5%	N/A	Total	2,390	100.0%	94.1
Total	2,390	100.0%	94.1				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	2,603	29.8%	213.0	0 - 12	0	0.0%	0.0
Female	6,137	70.2%	472.4	13 - 19	2,496	28.5%	1094.9
Other/Unknown	5	0.1%	N/A	20 - 24	3,319	38.0%	1877.3
Total	8,745	100.0%	346.9	25 - 29	1,535	17.6%	873.6
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	632	7.2%	160.5	30 - 39	997	11.4%	283.0
Black, Non-Hispanic	3,877	44.3%	910.7	40 - 49	285	3.3%	74.7
Hispanic	2,302	26.3%	140.6	50 - 59	81	0.9%	24.9
Asian/Pacific Islander	32	0.4%	N/A	60+	30	0.3%	6.1
Amer. Indian/Alaskan	11	0.1%	N/A	Unknown	2	0.0%	N/A
Other/Unknown	1,891	21.6%	N/A	Total	8,745	100.0%	346.9
Total	8,745	100.0%	346.9				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	2,887	30.1%	234.2	0-12	0	0.0%	0.0
Female	6,690	69.8%	511.4	13 - 19	2,565	26.8%	1131.4
Other/Unknown	2	0.0%	N/A	20 - 24	3,644	38.0%	2059.3
Total	9,579	100.0%	377.0	25 - 29	1,718	17.9%	960.4
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	636	6.6%	161.8	30 - 39	1,130	11.8%	320.9
Black, Non-Hispanic	2,975	31.1%	694.0	40 - 49	365	3.8%	96.4
Hispanic	1,451	15.1%	87.7	50 - 59	134	1.4%	40.1
Asian/Pacific Islander	34	0.4%	N/A	60+	21	0.2%	4.2
Amer. Indian/Alaskan	5	0.1%	N/A	Unknown	2	0.0%	N/A
Other/Unknown	4,478	46.7%	N/A	Total	9,579	100.0%	377.0
Total	9,579	100.0%	377.0				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	97	61.4%	7.9	0 - 12	6	3.8%	1.5
Female	61	38.6%	4.7	13 - 19	2	1.3%	0.5
Other/Unknown	0	0.0%	N/A	20 - 24	6	3.8%	1.5
Total	158	100.0%	6.3	25 - 29	13	8.2%	3.3
				30 - 39	24	15.2%	6.2
Race/Ethnicity	Cases	% Total	Rate	40 - 49	36	22.8%	9.2
White, Non-Hispanic	14	8.9%	3.6	50 - 59	35	22.2%	9.0
Black, Non-Hispanic	62	39.2%	14.6	60+	36	22.8%	9.2
Hispanic	76	48.1%	4.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	6	3.8%	N/A	Total	158	100.0%	6.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	158	100.0%	6.3				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	73	58.4%	5.9	0 - 12	8	6.4%	2.0
Female	52	41.6%	4.0	13 - 19	4	3.2%	1.8
Other/Unknown	0	0.0%	N/A	20 - 24	9	7.2%	5.1
Total	125	100.0%	4.9	25 - 29	7	5.6%	3.9
				30 - 39	23	18.4%	6.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	24	19.2%	6.3
White, Non-Hispanic	8	6.4%	2.0	50 - 59	17	13.6%	5.1
Black, Non-Hispanic	35	28.0%	8.2	60+	33	26.4%	6.6
Hispanic	76	60.8%	4.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	4.0%	N/A	Total	125	100.0%	4.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	1	0.8%	N/A				
Total	125	100.0%	4.9				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	12	66.7%	1.0	0 - 12	0	0.0%	0.0
Female	6	33.3%	0.5	13 - 19	4	22.2%	1.8
Other/Unknown	0	0.0%	N/A	20 - 24	1	5.6%	0.6
Total	18	100.0%	0.7	25 - 29	3	16.7%	1.7
				30 - 39	7	38.9%	2.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	1	5.6%	0.3
White, Non-Hispanic	0	0.0%	0.0	50 - 59	1	5.6%	0.3
Black, Non-Hispanic	2	11.1%	0.5	60+	1	5.6%	0.2
Hispanic	16	88.9%	1.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	18	100.0%	0.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	18	100.0%	0.7				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	10	71.4%	0.8	0 - 12	0	0.0%	0.0
Female	4	28.6%	0.3	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	2	14.3%	1.1
Total	14	100.0%	0.6	25 - 29	3	21.4%	1.7
				30 - 39	1	7.1%	0.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	21.4%	0.8
White, Non-Hispanic	2	14.3%	0.5	50 - 59	2	14.3%	0.6
Black, Non-Hispanic	1	7.1%	0.2	60+	3	21.4%	0.6
Hispanic	10	71.4%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	14	100.0%	0.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	7.1%	N/A				
Total	14	100.0%	0.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	1,766	57.7%	144.5	0 - 12	83	2.7%	21.3
Female	1,284	42.0%	98.8	13 - 19	82	2.7%	36.0
Other/Unknown	9	0.3%	N/A	20 - 24	105	3.4%	59.4
Total	3,059	100.0%	121.3	25 - 29	119	3.9%	67.7
				30 - 39	294	9.6%	83.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	581	19.0%	152.2
White, Non-Hispanic	214	7.0%	54.4	50 - 59	935	30.6%	287.0
Black, Non-Hispanic	278	9.1%	65.3	60+	860	28.1%	175.1
Hispanic	645	21.1%	39.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	22	0.7%	N/A	Total	3,059	100.0%	121.3
Amer. Indian/Alaskan	16	0.5%	N/A				
Other/Unknown	1,884	61.6%	N/A				
Total	3,059	100.0%	121.3				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	782	58.2%	63.4	0 - 12	10	0.7%	2.6
Female	547	40.7%	41.8	13 - 19	19	1.4%	8.4
Other/Unknown	14	1.0%	N/A	20 - 24	71	5.3%	40.1
Total	1,343	100.0%	52.9	25 - 29	59	4.4%	33.0
				30 - 39	108	8.0%	30.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	207	15.4%	54.7
White, Non-Hispanic	100	7.4%	25.4	50 - 59	425	31.6%	127.3
Black, Non-Hispanic	90	6.7%	21.0	60+	444	33.1%	88.5
Hispanic	200	14.9%	12.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	11	0.8%	N/A	Total	1,343	100.0%	52.9
Amer. Indian/Alaskan	3	0.2%	N/A				
Other/Unknown	939	69.9%	N/A				
Total	1,343	100.0%	52.9				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Partnership 11a (Miami-Dade)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2011 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	355	28	7.9	Male	35,321	1,059	3.0
Male Sex With Male	7,898	650	8.2	Female	35,953	319	0.9
Injecting Drug User	1,151	34	3.0	Unknown	629	19	3.0
Sex Partner at Risk	3,022	165	5.5	Total	71,903	1,397	1.9
Child of Woman with HIV/AIDS	123	2	1.6	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	8,441	93	1.1	White	5,349	133	2.5
Sex for Drugs or Money	825	15	1.8	Black	34,702	669	1.9
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	30,329	565	1.9
Victim of Sexual Assault	1,137	9	0.8	Asian	318	5	1.6
Health Care Exposure	0	0	#DIV/0!	Am. Native	52	1	1.9
Heterosexual	45,790	306	0.7	Other	178	5	2.8
No Acknowledged Risk	729	6	0.8	Unknown	975	19	1.9
Unknown	2,432	89	3.7	Total	71,903	1,397	1.9
Total	71,903	1,397	1.9	Total	71,903	1,397	1.9

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	657	31	4.7	Male	38,485	911	2.4
Male Sex With Male	8,843	539	6.1	Female	38,412	291	0.8
Injecting Drug User	1,593	87	5.5	Unknown	1,195	17	1.4
Sex Partner at Risk	4,621	140	3.0	Total	78,092	1,219	1.6
Child of Woman with HIV/AIDS	93	2	2.2	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	8,057	61	0.8	White	6,539	123	1.9
Sex for Drugs or Money	631	9	1.4	Black	37,228	597	1.6
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	32,740	482	1.5
Victim of Sexual Assault	1,149	9	#DIV/0!	Asian	371	1	0.3
Health Care Exposure	0	0	0.0	Am. Native	68	1	1.5
Heterosexual	48,167	282	0.6	Other	162	4	2.5
No Acknowledged Risk	1,085	9	0.8	Unknown	984	11	1.1
Unknown	3,190	50	1.6	Total	78,092	1,219	1.6
Total	78,086	1,219	1.6	Total	78,092	1,219	1.6

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 11a (Miami-Dade)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Race/Ethnicity															
White, not Hispanic	52	7%	49	8%	-5.8%	139	11%	186	15%	33.8%	41	9%	38	9%	-7.3%
Black, not Hispanic	371	52%	282	45%	-24.0%	527	42%	486	39%	-7.8%	257	56%	251	61%	-2.3%
Hispanic	284	40%	277	45%	-2.5%	586	46%	576	46%	-1.7%	150	32%	115	28%	-23.3%
Asian/Pacific Islander	3	0%	3	0%	0.0%	9	1%	8	1%	-11.1%	1	0%	0	0%	-100.0%
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	1	0%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!
Not Specified/Other	8	1%	9	1%	12.5%	7	1%	6	0%	-14.3%	14	3%	8	2%	-42.9%
Total:	718	100%	620	100%	-13.6%	1,269	100%	1,262	100%	-0.6%	463	100%	412	100%	-11.0%
Gender															
Male	480	66.9%	458	73.9%	-4.6%	972	76.6%	998	79.1%	2.7%	311	67.2%	282	68.4%	-9.3%
Female	238	33.1%	162	26.1%	-31.9%	297	23.4%	264	20.9%	-11.1%	152	32.8%	130	31.6%	-14.5%
Total:	718	100.0%	620	100.0%	-13.6%	1,269	100.0%	1,262	100.0%	-0.6%	463	100.0%	412	100.0%	-11.0%
Age at Diagnosis (Years)															
0- 2 years	0	0.0%		0.0%	#DIV/0!	2	0.2%	2	0.2%	0.0%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	1	0.1%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	17	2.4%	4	0.6%	-76.5%	50	3.9%	45	3.6%	-10.0%	5	1.1%	1	0.2%	-80.0%
20-24 years	35	4.9%	40	6.5%	14.3%	156	12.3%	170	13.5%	9.0%	9	1.9%	4	1.0%	-55.6%
25-29 years	61	8.5%	55	8.9%	-9.8%	166	13.1%	176	13.9%	6.0%	15	3.2%	11	2.7%	-26.7%
30-39 years	161	22.4%	143	23.1%	-11.2%	284	22.4%	279	22.1%	-1.8%	41	8.9%	38	9.2%	-7.3%
40-44 years	114	15.9%	93	15.0%	-18.4%	178	14.0%	183	14.5%	2.8%	43	9.3%	38	9.2%	-11.6%
45-49 years	117	16.3%	95	15.3%	-18.8%	154	12.1%	166	13.2%	7.8%	63	13.6%	50	12.1%	-20.6%
50-59 years	147	20.5%	141	22.7%	-4.1%	204	16.1%	180	14.3%	-11.8%	168	36.3%	146	35.4%	-13.1%
60+ years	66	9.2%	49	7.9%	-25.8%	74	5.8%	61	4.8%	-17.6%	119	25.7%	124	30.1%	4.2%
Total:	718	100.0%	620	100.0%	-13.6%	1,269	100.0%	1,262	100.0%	-0.6%	463	100.0%	412	100.0%	-11.0%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
Male Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
MSM	310	64.6%	305	66.5%	-1.7%	733	75.5%	803	80.5%	9.5%	161	51.8%	133	47.2%	-17.4%
IDU	16	3.3%	18	3.8%	10.1%	10	1.0%	13	1.3%	36.8%	43	13.8%	39	13.8%	-9.3%
MSM/IDU	13	2.8%	15	3.2%	10.8%	19	1.9%	11	1.1%	-38.2%	18	5.8%	11	3.9%	-38.9%
Heterosexual	141	29.4%	121	26.5%	-14.0%	210	21.6%	170	17.0%	-19.1%	86	27.7%	95	33.7%	10.5%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	3	1.0%	4	1.4%	33.3%
Total:	480	100.0%	458	100.0%	-4.6%	971	100.0%	997	100.0%	2.7%	311	100.0%	282	100.0%	-9.3%
Female Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
IDU	19	7.9%	15	9.2%	-20.6%	9	3.2%	15	5.7%	62.0%	31	20.4%	29	22.3%	-6.5%
Heterosexual	214	90.0%	147	90.8%	-31.3%	286	96.8%	248	94.3%	-13.2%	115	75.7%	101	77.7%	-12.2%
Other	5	2.1%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	6	3.9%	0	0.0%	-100.0%
Total:	238	100.0%	162	100.0%	-31.9%	295	100.0%	263	100.0%	-10.8%	152	100.0%	130	100.0%	-14.5%
Pediatric AIDS Exposure Categories (ages 0-12)	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	3	100%	2	100%	-33.3%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	3	100%	2	100%	-33.3%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	40	N/A	37	N/A	-7.5%	115	N/A	146	N/A	27.0%	32	N/A	32	N/A	0.0%
Black MSM*	79	N/A	72	N/A	-8.9%	165	N/A	159	N/A	-3.6%	57	N/A	40	N/A	-29.8%
Hispanic: MSM*	187	N/A	190	N/A	1.6%	441	N/A	444	N/A	0.7%	86	N/A	67	N/A	-22.1%
white Male IDU**	2	N/A	3	N/A	50.0%	6	N/A	4	N/A	-33.3%	5	N/A	1	N/A	-80.0%
Black Male IDU**	17	N/A	13	N/A	-23.5%	7	N/A	12	N/A	71.4%	29	N/A	36	N/A	24.1%
Hispanic Male IDU**	8	N/A	14	N/A	75.0%	12	N/A	7	N/A	-41.7%	23	N/A	13	N/A	-43.5%
white Female IDU**	1	N/A	1	N/A	0.0%	0	N/A	2	N/A	#DIV/0!	1	N/A	3	N/A	200.0%
Black Female IDU**	14	N/A	11	N/A	-21.4%	8	N/A	10	N/A	25.0%	22	N/A	21	N/A	-4.5%
Hispanic Female IDU**	3	N/A	2	N/A	-33.3%	1	N/A	2	N/A	100.0%	6	N/A	4	N/A	-33.3%
white Male Homeless	0	N/A		N/A	#DIV/0!	3	N/A	1	N/A	-66.7%	0	N/A	2	N/A	#DIV/0!
Black Male Homeless	6	N/A	5	N/A	-16.7%	12	N/A	7	N/A	-41.7%	3	N/A	2	N/A	-33.3%
Hispanic Male Homeless	2	N/A	3	N/A	50.0%	6	N/A	5	N/A	-16.7%	4	N/A	2	N/A	-50.0%
white Female Homeless	0	N/A	0	N/A	#DIV/0!	2	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	1	N/A	1	N/A	0.0%	3	N/A	1	N/A	-66.7%	2	N/A	0	N/A	-100.0%
Hispanic Female Homeless	2	N/A	0	N/A	-100.0%	2	N/A	2	N/A	0.0%	0	N/A	1	N/A	#DIV/0!
Male Haitian Born	46	N/A	39	N/A	-15.2%	56	N/A	44	N/A	-21.4%	28	N/A	22	N/A	-21.4%
Female Haitian Born	33	N/A	31	N/A	-6.1%	54	N/A	47	N/A	-13.0%	21	N/A	23	N/A	9.5%
white Male Youth (ages 13-24)	0	N/A	2	N/A	#DIV/0!	10	N/A	20	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	19	N/A	14	N/A	-26.3%	74	N/A	70	N/A	-5.4%	5	N/A	4	N/A	-20.0%
Hispanic Male Youth (ages 13-24)	13	N/A	17	N/A	30.8%	66	N/A	74	N/A	12.1%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	2	N/A	4	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	16	N/A	9	N/A	-43.8%	42	N/A	38	N/A	-9.5%	8	N/A	1	N/A	-87.5%
Hispanic Female Youth (ages 13-24)	3	N/A	1	N/A	-66.7%	8	N/A	7	N/A	-12.5%	1	N/A	0	N/A	-100.0%
White WCBA* (ages 15-44)	5	N/A	3	N/A	-40.0%	8	N/A	11	N/A	37.5%	1	N/A	0	N/A	-100.0%
Black WCBA* (ages 15-44)	99	N/A	58	N/A	-41.4%	136	N/A	118	N/A	-13.2%	38	N/A	36	N/A	-5.3%
Hispanic WCBA* (ages 15-44)	21	N/A	21	N/A	0.0%	38	N/A	38	N/A	0.0%	9	N/A	2	N/A	-77.8%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	2	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
DOC cases	7	N/A	6	N/A	-14.3%	23	N/A	26	N/A	13.0%	11	N/A	8	N/A	-27.3%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 11a (Miami-Dade).

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	1,562	11.5%	1,642	13.7%	3,204	12.5%
Black, not Hispanic	6,445	47.3%	5,182	43.3%	11,627	45.4%
Hispanic	5,374	39.5%	5,008	41.8%	10,382	40.6%
Asian/Pacific Islander	25	0.2%	27	0.2%	52	0.2%
American Indian/Alaskan Native	1	0.0%	4	0.0%	5	0.0%
Not Specified/Other	210	1.5%	115	1.0%	325	1.3%
Total:	13,617	100.0%	11,978	100.0%	25,595	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	9,664	71.0%	8,598	71.8%	18,262	71.3%
Female	3,953	29.0%	3,380	28.2%	7,333	28.7%
Total:	13,617	100.0%	11,978	100.0%	25,595	100.0%
Current Age on 12/31/2012 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	5	0.0%	5	0.0%
3-12 years	14	0.1%	32	0.3%	46	0.2%
13-19 years	75	0.6%	135	1.1%	210	0.8%
20-24 years	210	1.5%	489	4.1%	699	2.7%
25-29 years	336	2.5%	882	7.4%	1,218	4.8%
30-39 years	1,506	11.1%	2,489	20.8%	3,995	15.6%
40-44 years	1,724	12.7%	1,804	15.1%	3,528	13.8%
45-49 years	2,541	18.7%	2,112	17.6%	4,653	18.2%
50-59 years	4,809	35.3%	2,784	23.2%	7,593	29.7%
60+ years	2,402	17.6%	1,246	10.4%	3,648	14.3%
Total:	13,617	100.0%	11,978	100.0%	25,595	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	6,205	64.2%	6,333	73.8%	12,538	68.8%
IDU	784	8.1%	313	3.6%	1,097	6.0%
MSM/IDU	447	4.6%	244	2.8%	691	3.8%
Heterosexual	2,095	21.7%	1,638	19.1%	3,733	20.5%
Other	127	1.3%	51	0.6%	178	1.0%
Total:	9,658	100.0%	8,579	100.0%	18,237	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	540	13.7%	260	7.7%	800	10.9%
Heterosexual	3,274	83.0%	3,020	89.8%	6,294	86.1%
Other	131	3.3%	82	2.4%	213	2.9%
Total:	3,945	100.0%	3,362	100.0%	7,307	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	14	100.0%	35	94.6%	49	96.1%
Risk not reported/Other	0	0.0%	2	5.4%	2	3.9%
Total:	14	100.0%	37	100.0%	51	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	1,286	N/A	1,375	N/A	2,661	N/A
Black MSM	1,536	N/A	1,408	N/A	2,944	N/A
Hispanic MSM	3,708	N/A	3,703	N/A	7,411	N/A
white Male IDU	130	N/A	72	N/A	202	N/A
Black Male IDU	657	N/A	266	N/A	923	N/A
Hispanic Male IDU	419	N/A	214	N/A	633	N/A
white Female IDU	60	N/A	38	N/A	98	N/A
Black Female IDU	386	N/A	156	N/A	542	N/A
Hispanic Female IDU	79	N/A	61	N/A	140	N/A
white Male Homeless	23	N/A	71	N/A	94	N/A
Black Male Homeless	81	N/A	119	N/A	200	N/A
Hispanic Male Homeless	64	N/A	164	N/A	228	N/A
white Female Homeless	3	N/A	17	N/A	20	N/A
Black Female Homeless	18	N/A	117	N/A	135	N/A
Hispanic Female Homeless	11	N/A	43	N/A	54	N/A
Male Haitian Born	979	N/A	477	N/A	1,456	N/A
Female Haitian Born	755	N/A	503	N/A	1,258	N/A
white Male Youth (current ages 13-24)	3	N/A	29	N/A	32	N/A
Black Male Youth (current ages 13-24)	107	N/A	220	N/A	327	N/A
Hispanic Male Youth (current ages 13-24)	47	N/A	146	N/A	193	N/A
white Female Youth (current ages 13-24)	8	N/A	8	N/A	16	N/A
Black Female Youth (current ages 13-24)	94	N/A	172	N/A	266	N/A
Hispanic Female Youth (current ages 13-24)	22	N/A	40	N/A	62	N/A
White WCBA* (current ages 15-44)	156	N/A	92	N/A	248	N/A
Black WCBA* (current ages 15-44)	349	N/A	1,224	N/A	1,573	N/A
Hispanic WCBA* (current ages 15-44)	84	N/A	368	N/A	452	N/A
White Ped Cases (current current ages 0-12)	0	N/A	0	N/A	0	N/A
Black Ped Cases (current ages 0-12)	12	N/A	29	N/A	41	N/A
Hispanic Ped Cases (current ages 0-12)	2	N/A	8	N/A	10	N/A
DOC Cases	387	N/A	389	N/A	776	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 11a (Miami-Dade) Miami EMA

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 25,926				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	10	38.6	8.0%	eHARS	Data through 2012 (data as of 06/30/2013)
Infectious Syphilis reported in 2012 among HIV/AIDS patients	176	678.9	50.7%	PRISM	Data through 2012 (data as of 03/2013)
Gonorrhea reported in 2012 among HIV/AIDS patients	244	941.1	10.2%	PRISM	Data through 2012 (data as of 03/2013)
Chlamydia reported in 2012 among HIV/AIDS patients	295	1137.9	3.1%	PRISM	Data through 2012 (data as of 03/2013)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	1953	7533.0	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/2013)

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	20	77.1	eHARS (address variable)	Data through 2012 (data as of 06/30/2013)
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	3,577	13,797.0	eHARS (local use variable)	Data through 2012 (data as of 06/30/2013)
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	806	3,108.8	eHARS (local use variable)	Data through 2012 (data as of 06/30/2013)
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	6,654	25,665.4	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	1,789	6,900.4	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released	Data Source	Date of Data
		Number % HIV+		
Offenders who returned to the Area in 2012	2,075	104 5.0%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2012	2,159	111 5.1%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2012
Offenders who returned to the Area in 2010	2,324	112 4.8%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2012

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	52,357	40.4%	237,864	40.6%	65	15.2%
Black	25,519	19.7%	116,381	19.9%	187	43.5%
Hispanic	50,612	39.0%	227,873	38.9%	177	41.3%
Other*	1,204	0.9%	3,897	0.7%	N/A	N/A
Total	129,692	100.0%	586,015	100.0%	429	100.0%

Selected Socioeconomic Indicators, Partnership 11a (Miami-Dade) (U.S. Census 2000)

*Other race includes Asian/Hawaiian, Native American/Alaska Native, Other and multiple races.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Miami EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2012			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2012			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2012		
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.		Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.		Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012		Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total				% in care	%NOT in care				# NOT in care	PLWH			
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
White, not Hispanic	1,486	1,636	3,122	12.0%	720	8.6%	48%	52%	766	654	12.8%	40%	60%	982	1,374	10.1%	44%	56%	1,748
Black, not Hispanic	6,496	5,316	11,812	45.6%	4,120	48.9%	63%	37%	2,376	1,978	38.6%	37%	63%	3,338	6,098	45.0%	52%	48%	5,714
Hispanic	5,354	5,256	10,610	40.9%	3,420	40.6%	64%	36%	1,934	2,427	47.4%	46%	54%	2,829	5,847	43.2%	55%	45%	4,763
Asian/Pacific Islander	28	33	61	0.2%	12	0.1%	43%	57%	16	10	0.2%	30%	70%	23	22	0.2%	36%	64%	39
American Indian/Alaskan Native	0	3	3	0.0%	0	0.0%	#DIV/0!	#DIV/0!	3	0	0.0%	0%	100%	3	0	0.0%	0%	100%	3
Not Specified/Other	208	110	318	1.2%	145	1.7%	70%	30%	63	54	1.1%	49%	51%	56	199	1.5%	63%	37%	119
Total:	13,572	12,354	25,926	100.0%	8,417	100.0%	62%	38%	5,155	5,123	100.0%	41%	59%	7,231	13,540	100.0%	52%	48%	12,386
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Male	9,672	8,908	18,580	71.7%	5,775	68.6%	60%	40%	3,897	3,682	71.9%	41%	59%	5,226	9,457	69.8%	51%	49%	9,123
Female	3,900	3,446	7,346	28.3%	2,642	31.4%	68%	32%	1,258	1,441	28.1%	42%	58%	2,005	4,083	30.2%	56%	44%	3,263
Total:	13,572	12,354	25,926	100.0%	8,417	100.0%	62%	38%	5,155	5,123	100.0%	41%	59%	7,231	13,540	100.0%	52%	48%	12,386
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
0- 2 years	0	6	6	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	6	0.1%	100%	0%	0	6	0.0%	100%	0%	0
3-12 years	12	30	42	0.2%	11	0.1%	92%	8%	1	19	0.4%	63%	37%	11	30	0.2%	71%	29%	12
13-19 years	74	152	226	0.9%	52	0.6%	70%	30%	22	93	1.8%	61%	39%	59	145	1.1%	64%	36%	81
20-24 years	231	575	806	3.1%	180	2.1%	78%	22%	51	243	4.7%	42%	58%	332	423	3.1%	52%	48%	383
25-29 years	352	979	1,331	5.1%	258	3.1%	73%	27%	94	423	8.3%	43%	57%	556	681	5.0%	51%	49%	650
30-39 years	1,554	2,591	4,145	16.0%	1,059	12.6%	68%	32%	495	1,025	20.0%	40%	60%	1,566	2,084	15.4%	50%	50%	2,061
40-44 years	1,740	1,800	3,540	13.7%	1,115	13.2%	64%	36%	625	719	14.0%	40%	60%	1,081	1,834	13.5%	52%	48%	1,706
45-49 years	2,515	2,129	4,644	17.9%	1,569	18.6%	62%	38%	946	868	16.9%	41%	59%	1,261	2,437	18.0%	52%	48%	2,207
50-59 years	4,759	2,824	7,583	29.2%	2,888	34.3%	61%	39%	1,871	1,261	24.6%	45%	55%	1,563	4,149	30.6%	55%	45%	3,434
60+ years	2,335	1,268	3,603	13.9%	1,285	15.3%	55%	45%	1,050	466	9.1%	37%	63%	802	1,751	12.9%	49%	51%	1,852
Total:	13,572	12,354	25,926	100.0%	8,417	100.0%	62%	38%	5,155	5,123	100.0%	41%	59%	7,231	13,540	100.0%	52%	48%	12,386

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWH receiving primary medical services in a 12-month period.			PLWHA receiving primary medical services in a 12-month period.								
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2012								
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWH	% of Total	Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHA	% of Total	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
MSM	6,176	6,571	12,747	49.2%	3,706	44.0%	60%	40%	2,470	2,815	54.9%	43%	57%	3,756	6,521	48.2%	51%	49%	6,226
IDU	769	317	1,086	4.2%	391	4.6%	51%	49%	378	103	2.0%	32%	68%	214	494	3.6%	45%	55%	592
MSM/IDU	478	252	730	2.8%	306	3.6%	64%	36%	172	113	2.2%	45%	55%	139	419	3.1%	57%	43%	311
Heterosexual	2,116	1,701	3,817	14.7%	1,282	15.2%	61%	39%	834	607	11.8%	36%	64%	1,094	1,889	14.0%	49%	51%	1,928
Other	127	46	173	0.7%	85	1.0%	67%	33%	42	28	0.5%	61%	39%	18	113	0.8%	65%	35%	60
Total:	9,666	8,887	18,553	71.6%	5,770	68.6%	60%	40%	3,896	3,666	71.6%	41%	59%	5,221	9,436	69.7%	51%	49%	9,117
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
IDU	542	263	805	3.1%	377	4.5%	70%	30%	165	126	2.5%	48%	52%	137	503	3.7%	62%	38%	302
Heterosexual	3,226	3,094	6,320	24.4%	2,167	25.7%	67%	33%	1,059	1,260	24.6%	41%	59%	1,834	3,427	25.3%	54%	46%	2,893
Other	126	74	200	0.8%	92	1.1%	73%	27%	34	46	0.9%	62%	38%	28	138	1.0%	69%	31%	62
Total:	3,894	3,431	7,325	28.3%	2,636	31.3%	68%	32%	1,258	1,432	28.0%	42%	58%	1,999	4,068	30.0%	56%	44%	3,257
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Mother with/at risk for HIV infection	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0
Risk not diagnosed/Other	36	12	48	0.2%	11	0.1%	31%	69%	25	25	0.5%	208%	-108%	-13	36	0.3%	75%	25%	12
Total:	36	12	48	0.2%	11	0.1%	31%	69%	25	25	0.5%	208%	-108%	-1	36	0.3%	75%	25%	12

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12- month period.	PLWA IN care and NOT IN care in CY 2012			PLWH receiving primary medical services in a 12- month period.	Percent of PLWH IN care and NOT IN care in CY 2012			PLWHA receiving primary medical services in a 12- month period.	Percent of PLWHA IN care and NOT IN care in CY 2012						
	Living AIDS (PLWA) & HIV (not) AIDS (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.					PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2012.	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.		Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.	Percent of PLWH in care over number PLWA.		Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).	
	PLWA	PLWH	PLWHA	% of Total																PLWA
Special Populations																				
White MSM	1,199	1,359	2,558	N/A	563	N/A	47%	53%	636	551	N/A	41%	59%	808	1,114	0	44%	56%	1,444	
Black MSM	1,606	1,471	3,077	N/A	1,010	N/A	63%	37%	596	516	N/A	35%	65%	955	1,526	0	50%	50%	1,551	
Hispanic MSM	3,719	3,902	7,621	N/A	2,357	N/A	63%	37%	1,362	1,821	N/A	47%	53%	2,081	4,178	0	55%	45%	3,443	
White Male IDU	130	77	207	N/A	60	N/A	46%	54%	70	28	N/A	36%	64%	49	88	0	43%	57%	119	
Black Male IDU	675	264	939	N/A	391	N/A	58%	42%	284	97	N/A	37%	63%	167	488	0	52%	48%	451	
Hispanic Male IDU	418	224	642	N/A	225	N/A	54%	46%	193	88	N/A	39%	61%	136	313	0	49%	51%	329	
White Female IDU	62	36	98	N/A	39	N/A	63%	37%	23	15	N/A	42%	58%	21	54	0	55%	45%	44	
Black Female IDU	383	163	546	N/A	272	N/A	71%	29%	111	82	N/A	50%	50%	81	354	0	65%	35%	192	
Hispanic Female IDU	79	59	138	N/A	51	N/A	65%	35%	28	25	N/A	42%	58%	34	76	0	55%	45%	62	
White Male Homeless	0	8	8	N/A	0	N/A	#DIV/0!	#DIV/0!	0	3	N/A	38%	63%	5	3	0	38%	63%	5	
Black Male Homeless	9	14	23	N/A	2	N/A	22%	78%	7	3	N/A	21%	79%	11	5	0	22%	78%	18	
Hispanic Male Homeless	7	19	26	N/A	2	N/A	29%	71%	5	2	N/A	11%	89%	17	4	0	15%	85%	22	
White Female Homeless	0	5	5	N/A	0	N/A	#DIV/0!	#DIV/0!	0	1	N/A	20%	80%	4	1	0	20%	80%	4	
Black Female Homeless	2	7	9	N/A	1	N/A	50%	50%	1	0	N/A	0%	100%	7	1	0	13%	89%	8	
Hispanic Female Homeless	2	2	4	N/A	0	N/A	0%	100%	2	0	N/A	0%	100%	2	0	0	0%	100%	4	
Male Haitian Born	972	488	1,460	N/A	472	N/A	49%	51%	500	145	N/A	30%	70%	343	617	0	42%	58%	843	
Female Haitian Born	751	508	1,259	N/A	445	N/A	59%	41%	306	215	N/A	42%	58%	293	660	0	52%	48%	599	
White Male Youth (current ages 13-24)	3	36	39	N/A	2	N/A	67%	33%	1	16	N/A	44%	56%	20	18	0	46%	54%	21	
Black Male Youth (current ages 13-24)	120	247	367	N/A	86	N/A	72%	28%	34	107	N/A	43%	57%	140	193	0	53%	47%	174	
Hispanic Male Youth (current ages 13-24)	52	199	251	N/A	41	N/A	79%	21%	11	90	N/A	45%	55%	109	131	0	52%	48%	120	
White Female Youth (current ages 13-24)	5	10	15	N/A	2	N/A	40%	60%	3	4	N/A	40%	60%	6	6	0	40%	60%	9	
Black Female Youth (current ages 13-24)	100	175	275	N/A	80	N/A	80%	20%	20	87	N/A	50%	50%	88	167	0	61%	39%	108	
Hispanic Female Youth (current ages 13-24)	20	49	69	N/A	17	N/A	85%	15%	3	26	N/A	53%	47%	23	43	0	62%	38%	26	
White WCBA* (current ages 15-44)	63	93	156	N/A	41	N/A	65%	35%	22	35	N/A	38%	62%	58	76	0	49%	51%	80	
Black WCBA* (current ages 15-44)	1,003	1,236	2,239	N/A	716	N/A	71%	29%	287	465	N/A	38%	62%	771	1,181	0	53%	47%	1,058	
Hispanic WCBA* (current ages 15-44)	269	385	654	N/A	191	N/A	71%	29%	78	183	N/A	48%	52%	202	374	0	57%	43%	280	
White Ped Cases (current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!	0	
Black Ped Cases (current ages 0-12)	11	29	40	N/A	11	N/A	100%	0%	0	23	N/A	79%	21%	6	34	0	85%	15%	6	
Hispanic Ped Cases (current ages 0-12)	1	7	8	N/A	0	N/A	0%	100%	1	2	N/A	29%	71%	5	2	0	25%	75%	6	
DOC Cases	428	368	796	N/A	269	N/A	63%	37%	159	170	N/A	46%	54%	198	439	0	55%	45%	357	

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

HIV/AIDS EPIDEMIOLOGY page 1

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Miami EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	139	7%	1,486	11%	1,636	13%	3,122	12%
Black, not Hispanic	995	50%	6,496	48%	5,316	43%	11,812	46%
Hispanic	827	41%	5,354	39%	5,256	43%	10,610	41%
Asian/Pacific Islander	10	0%	28	0%	33	0%	61	0%
American Indian/Alaskan Native	0	0%	0	0%	3	0%	3	0%
Not Specified/Other	35	2%	208	2%	110	1%	318	1%
Total:	2,006	100%	13,572	100%	12,354	100%	25,926	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	1,403	70%	9,672	71%	8,908	72%	18,580	72%
Female	603	30%	3,900	29%	3,446	28%	7,346	28%
Total:	2,006	100%	13,572	100%	12,354	100%	25,926	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	0	0%	12	0%	36	0%	48	0%
13-19 years	28	1%	74	1%	152	1%	226	1%
20-44 years	1,039	52%	3,877	29%	5,945	48%	9,822	38%
45+ years	939	47%	9,609	71%	6,221	50%	15,830	61%
Total:	2,006	100%	13,572	100%	12,354	100%	25,926	100%

HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, West Palm Beach EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is West Palm Beach EMA, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	892	44%	6,176	46%	6,571	53%	12,747	49%
IDU	113	6%	1,311	10%	580	5%	1,891	7%
MSM/IDU	38	2%	478	4%	252	2%	730	3%
Heterosexual	945	47%	5,342	39%	4,795	39%	10,137	39%
Other	18	1%	253	2%	120	1%	373	1%
Total:	2,006	100%	13,560	100%	12,318	100%	25,878	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	0	0%	0	0%	0	0%
Risk not reported/Other	0	#DIV/0!	36	100%	12	100%	48	100%
Total:	0	#DIV/0!	36	100%	12	100%	48	100%

MIAMI EMA
Unmet Need Framework Table, 2012

Column 1	Column 2	Column 3	Column 4	Column 5	Add extra 5% to catch missed cases in care via other sources	
Population Sizes		Value		Data Source(s)	5.0%	
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2012 - 12/31/2012	13,572		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2012 - 12/31/2012	12,354		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row C.	Total number of HIV+, for the period of 01/01/2012 - 12/31/2012	25,926				
Care Patterns		Value	Percent	Data Source(s)		
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	8,417	62%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	9,096	67%
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	5,123	41%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	5,741	46%
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	13,540	52%		14,836	57%
Calculated Results		Value	Percent	Calculation		
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	5,155	38%	Value: Value A - Value D. Percent: Value G/Value A.	4,476	33%
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	7,231	59%	Value: Value B - Value E. Percent: Value H/Value B.	6,613	54%
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	12,386	48%	Value: Value G + Value H. Percent: Value I/Value C	11,090	43%

MIAMI EMA
Unmet Need Framework Table, 2009

MIAMI EMA
Unmet Need Framework Table, 2010

MIAMI EMA
Unmet Need Framework Table, 2011

Population Sizes			Value	Population Sizes			Value	Population Sizes			Value						
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2009 - 12/31/2009		12,929	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2010 - 12/31/2010		13,402	Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011		13,636						
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2009 - 12/31/2009		10,548	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2010 - 12/31/2010		12,020	Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011		12,211						
Row C.	Total number of HIV+aware, for the period of 01/01/2009 - 12/31/2009		23,477	Row C.	Total number of HIV+aware, for the period of 01/01/2010 - 12/31/2010		25,422	Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011		25,847						
Care Patterns			Value	Percent	Care Patterns			Value	Percent	Care Patterns			Value	Percent			
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		8,427		65%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		7,465		56%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period		8,570		63%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,859		46%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		4,032		34%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		5,037		41%
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		13,286		57%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		11,497		45%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period		13,607		53%
Calculated Results			Value	Percent	Calculated Results			Value	Percent	Calculated Results			Value	Percent			
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		4,502		35%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		5,937		44%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services		5,066		37%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		5,689		54%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		7,988		66%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services		7,174		59%
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		10,191		43%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		13,925		55%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)		12,240		47%