

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 13**  
**CITRUS, LAKE, MARION AND SUMTER COUNTIES**

---

**Mid-Year Population Estimates**

**2012**

**Sex**

|         | <b>Total Pop</b> |      |
|---------|------------------|------|
| Males   | 426,601          | 49%  |
| Females | 451,612          | 51%  |
| Total   | 878,213          | 100% |

**Age Groups**

|         | <b>Total Pop</b> |      |
|---------|------------------|------|
| 0 - 12  | 110,886          | 13%  |
| 13 - 19 | 61,953           | 7%   |
| 20 - 24 | 41,072           | 5%   |
| 25 - 29 | 39,789           | 5%   |
| 30 - 39 | 82,717           | 9%   |
| 40 - 49 | 99,948           | 11%  |
| 50 - 59 | 119,781          | 14%  |
| 60+     | 322,067          | 37%  |
| Total   | 878,213          | 100% |

**Race/Ethnicity**

|                     | <b>Total Pop</b> |      |
|---------------------|------------------|------|
| White, non-Hispanic | 676,235          | 77%  |
| Black, non-Hispanic | 83,934           | 10%  |
| Hispanic            | 90,045           | 10%  |
| Other*              | 27,999           | 3%   |
| Total               | 878,213          | 100% |

**2013**

**Sex**

|         | <b>Total Pop</b> |        |
|---------|------------------|--------|
| Males   | 433,357          | 48.5%  |
| Females | 459,700          | 51.5%  |
| Total   | 893,057          | 100.0% |

**Age Groups**

|         | <b>Total Pop</b> |      |
|---------|------------------|------|
| 0 - 12  | 112,196          | 13%  |
| 13 - 19 | 61,697           | 7%   |
| 20 - 24 | 42,956           | 5%   |
| 25 - 29 | 40,643           | 5%   |
| 30 - 39 | 83,791           | 9%   |
| 40 - 49 | 99,225           | 11%  |
| 50 - 59 | 123,647          | 14%  |
| 60+     | 328,902          | 37%  |
| Total   | 893,057          | 100% |

**Race/Ethnicity**

|                     | <b>Total Pop</b> |      |
|---------------------|------------------|------|
| White, non-Hispanic | 685,695          | 77%  |
| Black, non-Hispanic | 85,594           | 10%  |
| Hispanic            | 93,194           | 10%  |
| Other*              | 28,574           | 3%   |
| Total               | 893,057          | 100% |

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS & Hepatitis Program**

|                    |
|--------------------|
| Created: 11/18/13  |
| Revision: 04/20/14 |

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 13 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

**THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 35           | 66.0%          | 8.2         | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 18           | 34.0%          | 4.0         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 1            | 1.9%           | 2.4         |
| Total                  | 53           | 100.0%         | 6.0         | 25 - 29           | 3            | 5.7%           | 7.5         |
|                        |              |                |             | 30 - 39           | 17           | 32.1%          | 20.6        |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 9            | 17.0%          | 9.0         |
| White, Non-Hispanic    | 21           | 39.6%          | 3.1         | 50 - 59           | 14           | 26.4%          | 11.7        |
| Black, Non-Hispanic    | 23           | 43.4%          | 27.4        | 60+               | 9            | 17.0%          | 2.8         |
| Hispanic               | 7            | 13.2%          | 7.8         | Total             | 53           | 100.0%         | 6.0         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         |                   |              |                |             |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 2            | 3.8%           | N/A         |                   |              |                |             |
| Total                  | 53           | 100.0%         | 6.0         |                   |              |                |             |

  

| 2013                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 58           | 69.0%          | 13.4        | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 26           | 31.0%          | 5.7         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 3            | 3.6%           | 7.0         |
| Total                  | 84           | 100.0%         | 9.4         | 25 - 29           | 1            | 1.2%           | 2.5         |
|                        |              |                |             | 30 - 39           | 16           | 19.0%          | 19.1        |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 30           | 35.7%          | 30.2        |
| White, Non-Hispanic    | 39           | 46.4%          | 5.7         | 50 - 59           | 19           | 22.6%          | 15.4        |
| Black, Non-Hispanic    | 32           | 38.1%          | 37.4        | 60+               | 15           | 17.9%          | 4.6         |
| Hispanic               | 9            | 10.7%          | 9.7         | Total             | 84           | 100.0%         | 9.4         |
| Asian/Pacific Islander | 2            | 2.4%           | N/A         |                   |              |                |             |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 2            | 2.4%           | N/A         |                   |              |                |             |
| Total                  | 84           | 100.0%         | 9.4         |                   |              |                |             |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 13 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 66           | 78.6%          | 15.5        | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 18           | 21.4%          | 4.0         | 13 - 19           | 2            | 2.4%           | 3.2         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 14           | 16.7%          | 34.1        |
| Total                  | 84           | 100.0%         | 9.6         | 25 - 29           | 8            | 9.5%           | 20.1        |
|                        |              |                |             | 30 - 39           | 18           | 21.4%          | 21.8        |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 14           | 16.7%          | 14.0        |
| White, Non-Hispanic    | 41           | 48.8%          | 6.1         | 50 - 59           | 18           | 21.4%          | 15.0        |
| Black, Non-Hispanic    | 31           | 36.9%          | 36.9        | 60+               | 10           | 11.9%          | 3.1         |
| Hispanic               | 11           | 13.1%          | 12.2        | Total             | 84           | 100.0%         | 9.6         |
| Asian/Pacific Islander | 1            | 1.2%           | N/A         |                   |              |                |             |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 0            | 0.0%           | N/A         |                   |              |                |             |
| Total                  | 84           | 100.0%         | 9.6         |                   |              |                |             |
| 2013                   |              |                |             |                   |              |                |             |
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 72           | 69.9%          | 16.6        | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 31           | 30.1%          | 6.7         | 13 - 19           | 3            | 2.9%           | 4.9         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 8            | 7.8%           | 18.6        |
| Total                  | 103          | 100.0%         | 11.5        | 25 - 29           | 4            | 3.9%           | 9.8         |
|                        |              |                |             | 30 - 39           | 16           | 15.5%          | 19.1        |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 24           | 23.3%          | 24.2        |
| White, Non-Hispanic    | 52           | 50.5%          | 7.6         | 50 - 59           | 27           | 26.2%          | 21.8        |
| Black, Non-Hispanic    | 32           | 31.1%          | 37.4        | 60+               | 21           | 20.4%          | 6.4         |
| Hispanic               | 16           | 15.5%          | 17.2        | Total             | 103          | 100.0%         | 11.5        |
| Asian/Pacific Islander | 2            | 1.9%           | N/A         |                   |              |                |             |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 1            | 1.0%           | N/A         |                   |              |                |             |
| Total                  | 103          | 100.0%         | 11.5        |                   |              |                |             |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                  |                        |  |  |              |                |             |                   |               |    |              |                |             |
|-----------------------|------------------------|--|--|--------------|----------------|-------------|-------------------|---------------|----|--------------|----------------|-------------|
| <b>Gender</b>         |                        |  |  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> |               |    | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
|                       | Male                   |  |  | 9            | 81.8%          | 2.1         |                   | 0 - 12        | 0  | 0.0%         | 0.0            |             |
|                       | Female                 |  |  | 2            | 18.2%          | 0.4         |                   | 13 - 19       | 3  | 27.3%        | 4.8            |             |
|                       | Other/Unknown          |  |  | 0            | 0.0%           | N/A         |                   | 20 - 24       | 2  | 18.2%        | 4.9            |             |
|                       | Total                  |  |  | 11           | 100.0%         | 1.3         |                   | 25 - 29       | 1  | 9.1%         | 2.5            |             |
| <b>Race/Ethnicity</b> |                        |  |  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | 30 - 39       | 2  | 18.2%        | 2.4            |             |
|                       | White, Non-Hispanic    |  |  | 5            | 45.5%          | 0.7         |                   | 40 - 49       | 2  | 18.2%        | 2.0            |             |
|                       | Black, Non-Hispanic    |  |  | 5            | 45.5%          | 6.0         |                   | 50 - 59       | 1  | 9.1%         | 0.8            |             |
|                       | Hispanic               |  |  | 1            | 9.1%           | 1.1         |                   | 60+           | 0  | 0.0%         | 0.0            |             |
|                       | Asian/Pacific Islander |  |  | 0            | 0.0%           | N/A         |                   | Other/Unknown | 0  | 0.0%         | N/A            |             |
|                       | Amer. Indian/Alaskan   |  |  | 0            | 0.0%           | N/A         |                   | Total         | 11 | 100.0%       | 1.3            |             |
|                       | Other/Unknown          |  |  | 0            | 0.0%           | N/A         |                   |               |    |              |                |             |
|                       | Total                  |  |  | 11           | 100.0%         | 1.3         |                   |               |    |              |                |             |
| 2013                  |                        |  |  |              |                |             |                   |               |    |              |                |             |
| <b>Gender</b>         |                        |  |  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> |               |    | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
|                       | Male                   |  |  | 21           | 95.5%          | 4.8         |                   | 0 - 12        | 0  | 0.0%         | 0.0            |             |
|                       | Female                 |  |  | 1            | 4.5%           | 0.2         |                   | 13 - 19       | 3  | 13.6%        | 4.9            |             |
|                       | Other/Unknown          |  |  | 0            | 0.0%           | N/A         |                   | 20 - 24       | 8  | 36.4%        | 18.6           |             |
|                       | Total                  |  |  | 22           | 100.0%         | 2.5         |                   | 25 - 29       | 0  | 0.0%         | 0.0            |             |
| <b>Race/Ethnicity</b> |                        |  |  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | 30 - 39       | 4  | 18.2%        | 4.8            |             |
|                       | White, Non-Hispanic    |  |  | 11           | 50.0%          | 1.6         |                   | 40 - 49       | 5  | 22.7%        | 5.0            |             |
|                       | Black, Non-Hispanic    |  |  | 7            | 31.8%          | 8.2         |                   | 50 - 59       | 2  | 9.1%         | 1.6            |             |
|                       | Hispanic               |  |  | 3            | 13.6%          | 3.2         |                   | 60+           | 0  | 0.0%         | 0.0            |             |
|                       | Asian/Pacific Islander |  |  | 0            | 0.0%           | N/A         |                   | Other/Unknown | 0  | 0.0%         | N/A            |             |
|                       | Amer. Indian/Alaskan   |  |  | 0            | 0.0%           | N/A         |                   | Total         | 22 | 100.0%       | 2.5            |             |
|                       | Other/Unknown          |  |  | 1            | 4.5%           | N/A         |                   |               |    |              |                |             |
|                       | Total                  |  |  | 22           | 100.0%         | 2.5         |                   |               |    |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          |              |                |             | <b>Age Groups</b> |              |                |             |
|                        | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 265          | 43.8%          | 62.1        | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 340          | 56.2%          | 75.3        | 13 - 19           | 133          | 22.0%          | 214.7       |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 248          | 41.0%          | 603.8       |
| Total                  | 605          | 100.0%         | 68.9        | 25 - 29           | 104          | 17.2%          | 261.4       |
| <b>Race/Ethnicity</b>  |              |                |             | <b>Age Groups</b> |              |                |             |
|                        | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| White, Non-Hispanic    | 168          | 27.8%          | 24.8        | 30 - 39           | 90           | 14.9%          | 108.8       |
| Black, Non-Hispanic    | 342          | 56.5%          | 407.5       | 40 - 49           | 13           | 2.1%           | 13.0        |
| Hispanic               | 34           | 5.6%           | 37.8        | 50 - 59           | 16           | 2.6%           | 13.4        |
| Asian/Pacific Islander | 3            | 0.5%           | N/A         | 60+               | 1            | 0.2%           | 0.3         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         | Unknown           | 0            | 0.0%           | N/A         |
| Other/Unknown          | 58           | 9.6%           | N/A         | Total             | 605          | 100.0%         | 68.9        |
| Total                  | 605          | 100.0%         | 68.9        |                   |              |                |             |
| 2013                   |              |                |             |                   |              |                |             |
| <b>Gender</b>          |              |                |             | <b>Age Groups</b> |              |                |             |
|                        | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 277          | 45.1%          | 63.9        | 0-12              | 0            | 0.0%           | 0.0         |
| Female                 | 337          | 54.9%          | 73.3        | 13 - 19           | 116          | 18.9%          | 188.0       |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 245          | 39.9%          | 570.4       |
| Total                  | 614          | 100.0%         | 68.8        | 25 - 29           | 116          | 18.9%          | 285.4       |
| <b>Race/Ethnicity</b>  |              |                |             | <b>Age Groups</b> |              |                |             |
|                        | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |                   | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| White, Non-Hispanic    | 143          | 23.3%          | 20.9        | 30 - 39           | 100          | 16.3%          | 119.3       |
| Black, Non-Hispanic    | 316          | 51.5%          | 369.2       | 40 - 49           | 23           | 3.7%           | 23.2        |
| Hispanic               | 19           | 3.1%           | 20.4        | 50 - 59           | 11           | 1.8%           | 8.9         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         | 60+               | 3            | 0.5%           | 0.9         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         | Unknown           | 0            | 0.0%           | N/A         |
| Other/Unknown          | 136          | 22.1%          | N/A         | Total             | 614          | 100.0%         | 68.8        |
| Total                  | 614          | 100.0%         | 68.8        |                   |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 741          | 25.6%          | 173.7       | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 2,150        | 74.4%          | 476.1       | 13 - 19           | 875          | 30.3%          | 1412.4      |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 1,242        | 43.0%          | 3024.0      |
| Total                  | 2,891        | 100.0%         | 329.2       | 25 - 29           | 437          | 15.1%          | 1098.3      |
|                        |              |                |             | 30 - 39           | 261          | 9.0%           | 315.5       |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 55           | 1.9%           | 55.0        |
| White, Non-Hispanic    | 1,136        | 39.3%          | 168.0       | 50 - 59           | 18           | 0.6%           | 15.0        |
| Black, Non-Hispanic    | 954          | 33.0%          | 1136.6      | 60+               | 3            | 0.1%           | 0.9         |
| Hispanic               | 172          | 5.9%           | 191.0       | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 7            | 0.2%           | N/A         | Total             | 2,891        | 100.0%         | 329.2       |
| Amer. Indian/Alaskan   | 3            | 0.1%           | N/A         |                   |              |                |             |
| Other/Unknown          | 619          | 21.4%          | N/A         |                   |              |                |             |
| Total                  | 2,891        | 100.0%         | 329.2       |                   |              |                |             |

  

| 2013                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 792          | 27.3%          | 182.8       | 0-12              | 0            | 0.0%           | 0.0         |
| Female                 | 2,104        | 72.5%          | 457.7       | 13 - 19           | 786          | 27.1%          | 1274.0      |
| Other/Unknown          | 6            | 0.2%           | N/A         | 20 - 24           | 1,251        | 43.1%          | 2912.3      |
| Total                  | 2,902        | 100.0%         | 325.0       | 25 - 29           | 500          | 17.2%          | 1230.2      |
|                        |              |                |             | 30 - 39           | 285          | 9.8%           | 340.1       |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 60           | 2.1%           | 60.5        |
| White, Non-Hispanic    | 1,120        | 38.6%          | 163.3       | 50 - 59           | 16           | 0.6%           | 12.9        |
| Black, Non-Hispanic    | 855          | 29.5%          | 998.9       | 60+               | 4            | 0.1%           | 1.2         |
| Hispanic               | 180          | 6.2%           | 193.1       | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 11           | 0.4%           | N/A         | Total             | 2,902        | 100.0%         | 325.0       |
| Amer. Indian/Alaskan   | 2            | 0.1%           | N/A         |                   |              |                |             |
| Other/Unknown          | 734          | 25.3%          | N/A         |                   |              |                |             |
| Total                  | 2,902        | 100.0%         | 325.0       |                   |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 9            | 64.3%          | 2.1         | 0 - 12            | 2            | 14.3%          | 1.8         |
| Female                 | 5            | 35.7%          | 1.1         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 2            | 14.3%          | 1.8         |
| Total                  | 14           | 100.0%         | 1.6         | 25 - 29           | 2            | 14.3%          | 1.8         |
|                        |              |                |             | 30 - 39           | 3            | 21.4%          | 2.7         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 1            | 7.1%           | 0.9         |
| White, Non-Hispanic    | 5            | 35.7%          | 0.7         | 50 - 59           | 0            | 0.0%           | 0.0         |
| Black, Non-Hispanic    | 4            | 28.6%          | 4.8         | 60+               | 4            | 28.6%          | 3.6         |
| Hispanic               | 3            | 21.4%          | 3.3         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         | Total             | 14           | 100.0%         | 1.6         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Unknown                | 2            | 14.3%          | N/A         |                   |              |                |             |
| Total                  | 14           | 100.0%         | 1.6         |                   |              |                |             |

  

| 2013                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 4            | 50.0%          | 0.9         | 0 - 12            | 1            | 12.5%          | 0.9         |
| Female                 | 4            | 50.0%          | 0.9         | 13 - 19           | 1            | 12.5%          | 1.6         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 0            | 0.0%           | 0.0         |
| Total                  | 8            | 100.0%         | 0.9         | 25 - 29           | 0            | 0.0%           | 0.0         |
|                        |              |                |             | 30 - 39           | 2            | 25.0%          | 2.4         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 2            | 25.0%          | 2.0         |
| White, Non-Hispanic    | 3            | 37.5%          | 0.4         | 50 - 59           | 1            | 12.5%          | 0.8         |
| Black, Non-Hispanic    | 3            | 37.5%          | 3.5         | 60+               | 1            | 12.5%          | 0.3         |
| Hispanic               | 1            | 12.5%          | 1.1         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 1            | 12.5%          | N/A         | Total             | 8            | 100.0%         | 0.9         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Unknown                | 0            | 0.0%           | N/A         |                   |              |                |             |
| Total                  | 8            | 100.0%         | 0.9         |                   |              |                |             |

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 1            | 25.0%          | 0.2         | 0 - 12            | 2            | 50.0%          | 1.8         |
| Female                 | 3            | 75.0%          | 0.7         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 0            | 0.0%           | 0.0         |
| Total                  | 4            | 100.0%         | 0.5         | 25 - 29           | 0            | 0.0%           | 0.0         |
|                        |              |                |             | 30 - 39           | 0            | 0.0%           | 0.0         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 1            | 25.0%          | 1.0         |
| White, Non-Hispanic    | 1            | 25.0%          | 0.1         | 50 - 59           | 0            | 0.0%           | 0.0         |
| Black, Non-Hispanic    | 2            | 50.0%          | 2.4         | 60+               | 1            | 25.0%          | 0.3         |
| Hispanic               | 1            | 25.0%          | 1.1         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         | Total             | 4            | 100.0%         | 0.5         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 0            | 0.0%           | N/A         |                   |              |                |             |
| Total                  | 4            | 100.0%         | 0.5         |                   |              |                |             |
|                        |              |                |             |                   |              |                |             |
| 2013                   |              |                |             |                   |              |                |             |
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 2            | 33.3%          | 0.5         | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 4            | 66.7%          | 0.9         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 0            | 0.0%           | 0.0         |
| Total                  | 6            | 100.0%         | 0.7         | 25 - 29           | 0            | 0.0%           | 0.0         |
|                        |              |                |             | 30 - 39           | 0            | 0.0%           | 0.0         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 0            | 0.0%           | 0.0         |
| White, Non-Hispanic    | 5            | 83.3%          | 0.7         | 50 - 59           | 2            | 33.3%          | 1.6         |
| Black, Non-Hispanic    | 0            | 0.0%           | 0.0         | 60+               | 4            | 66.7%          | 1.2         |
| Hispanic               | 0            | 0.0%           | 0.0         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 1            | 16.7%          | N/A         | Total             | 6            | 100.0%         | 0.7         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 0            | 0.0%           | N/A         |                   |              |                |             |
| Total                  | 6            | 100.0%         | 0.7         |                   |              |                |             |
|                        |              |                |             |                   |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 4            | 40.0%          | 0.9         | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 6            | 60.0%          | 1.3         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 0            | 0.0%           | 0.0         |
| Total                  | 10           | 100.0%         | 1.1         | 25 - 29           | 0            | 0.0%           | 0.0         |
|                        |              |                |             | 30 - 39           | 3            | 30.0%          | 3.6         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 5            | 50.0%          | 5.0         |
| White, Non-Hispanic    | 6            | 60.0%          | 0.9         | 50 - 59           | 1            | 10.0%          | 0.8         |
| Black, Non-Hispanic    | 3            | 30.0%          | 3.6         | 60+               | 1            | 10.0%          | 0.3         |
| Hispanic               | 1            | 10.0%          | 1.1         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         | Total             | 10           | 100.0%         | 1.1         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 0            | 0.0%           | N/A         |                   |              |                |             |
| Total                  | 10           | 100.0%         | 1.1         |                   |              |                |             |
| 2013                   |              |                |             |                   |              |                |             |
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 6            | 42.9%          | 1.4         | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 8            | 57.1%          | 1.7         | 13 - 19           | 0            | 0.0%           | 0.0         |
| Other/Unknown          | 0            | 0.0%           | N/A         | 20 - 24           | 0            | 0.0%           | 0.0         |
| Total                  | 14           | 100.0%         | 1.6         | 25 - 29           | 0            | 0.0%           | 0.0         |
|                        |              |                |             | 30 - 39           | 5            | 35.7%          | 6.0         |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 5            | 35.7%          | 5.0         |
| White, Non-Hispanic    | 11           | 78.6%          | 1.6         | 50 - 59           | 1            | 7.1%           | 0.8         |
| Black, Non-Hispanic    | 0            | 0.0%           | 0.0         | 60+               | 3            | 21.4%          | 0.9         |
| Hispanic               | 0            | 0.0%           | 0.0         | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 0            | 0.0%           | N/A         | Total             | 14           | 100.0%         | 1.6         |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 3            | 21.4%          | N/A         |                   |              |                |             |
| Total                  | 14           | 100.0%         | 1.6         |                   |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

| 2012                   |              |                |             |                   |              |                |             |
|------------------------|--------------|----------------|-------------|-------------------|--------------|----------------|-------------|
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 686          | 60.1%          | 160.8       | 0 - 12            | 0            | 0.0%           | 0.0         |
| Female                 | 438          | 38.4%          | 97.0        | 13 - 19           | 30           | 2.6%           | 48.4        |
| Other/Unknown          | 17           | 1.5%           | N/A         | 20 - 24           | 60           | 5.3%           | 146.1       |
| Total                  | 1,141        | 100.0%         | 129.9       | 25 - 29           | 93           | 8.2%           | 233.7       |
|                        |              |                |             | 30 - 39           | 171          | 15.0%          | 206.7       |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 223          | 19.5%          | 223.1       |
| White, Non-Hispanic    | 415          | 36.4%          | 61.4        | 50 - 59           | 377          | 33.0%          | 314.7       |
| Black, Non-Hispanic    | 30           | 2.6%           | 35.7        | 60+               | 187          | 16.4%          | 58.1        |
| Hispanic               | 29           | 2.5%           | 32.2        | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 1            | 0.1%           | N/A         | Total             | 1,141        | 100.0%         | 129.9       |
| Amer. Indian/Alaskan   | 2            | 0.2%           | N/A         |                   |              |                |             |
| Other/Unknown          | 664          | 58.2%          | N/A         |                   |              |                |             |
| Total                  | 1,141        | 100.0%         | 129.9       |                   |              |                |             |
|                        |              |                |             |                   |              |                |             |
| 2013                   |              |                |             |                   |              |                |             |
| <b>Gender</b>          | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | <b>Age Groups</b> | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> |
| Male                   | 544          | 59.7%          | 125.5       | 0 - 12            | 1            | 0.1%           | 0.9         |
| Female                 | 365          | 40.1%          | 79.4        | 13 - 19           | 15           | 1.6%           | 24.3        |
| Other/Unknown          | 2            | 0.2%           | N/A         | 20 - 24           | 63           | 6.9%           | 146.7       |
| Total                  | 911          | 100.0%         | 102.0       | 25 - 29           | 89           | 9.8%           | 219.0       |
|                        |              |                |             | 30 - 39           | 131          | 14.4%          | 156.3       |
| <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>% Total</b> | <b>Rate</b> | 40 - 49           | 160          | 17.6%          | 161.2       |
| White, Non-Hispanic    | 401          | 44.0%          | 58.5        | 50 - 59           | 276          | 30.3%          | 223.2       |
| Black, Non-Hispanic    | 25           | 2.7%           | 29.2        | 60+               | 176          | 19.3%          | 53.5        |
| Hispanic               | 28           | 3.1%           | 30.0        | Unknown           | 0            | 0.0%           | N/A         |
| Asian/Pacific Islander | 2            | 0.2%           | N/A         | Total             | 911          | 100.0%         | 102.0       |
| Amer. Indian/Alaskan   | 0            | 0.0%           | N/A         |                   |              |                |             |
| Other/Unknown          | 455          | 49.9%          | N/A         |                   |              |                |             |
| Total                  | 911          | 100.0%         | 102.0       |                   |              |                |             |
|                        |              |                |             |                   |              |                |             |

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA**  
**Partnership 13**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

| <b>2012<br/>Exposure Category</b> | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> | <b>Gender</b>              | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU            | 38                         | 2                          | 5.3                         | Male                       | 7,018                      | 78                         | 1.1                         |
| Male Sex With Male                | 826                        | 46                         | 5.6                         | Female                     | 12,482                     | 27                         | 0.2                         |
| Injecting Drug User               | 499                        | 4                          | 0.8                         | Unknown                    | 301                        | 0                          | 0.0                         |
| Sex Partner at Risk               | 1,176                      | 12                         | 1.0                         | <b>Total</b>               | <b>19,801</b>              | <b>105</b>                 | <b>0.5</b>                  |
| Child of Woman with HIV/AIDS      | 54                         | 0                          | 0.0                         | <b>Race/<br/>Ethnicity</b> | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> |
| STD Diagnosis                     | 3,479                      | 8                          | 0.2                         | White                      | 6,035                      | 32                         | 0.5                         |
| Sex for Drugs or Money            | 123                        | 5                          | 4.1                         | Black                      | 10,577                     | 59                         | 0.6                         |
| Hemophilia/Blood Recipient        | 0                          | 0                          | #DIV/0!                     | Hispanic                   | 2,535                      | 14                         | 0.6                         |
| Victim of Sexual Assault          | 751                        | 2                          | 0.3                         | Asian                      | 142                        | 0                          | 0.0                         |
| Health Care Exposure              | 0                          | 0                          | #DIV/0!                     | Am. Native                 | 21                         | 0                          | 0.0                         |
| Heterosexual                      | 12,047                     | 24                         | 0.2                         | Other                      | 110                        | 0                          | 0.0                         |
| No Acknowledged Risk              | 133                        | 1                          | 0.8                         | Unknown                    | 381                        | 0                          | 0.0                         |
| Unknown                           | 675                        | 1                          | 0.1                         | <b>Total</b>               | <b>19,801</b>              | <b>105</b>                 | <b>0.5</b>                  |
| <b>Total</b>                      | <b>19,801</b>              | <b>105</b>                 | <b>0.5</b>                  | <b>Total</b>               | <b>19,801</b>              | <b>105</b>                 | <b>0.5</b>                  |

| <b>2013<br/>Exposure Category</b> | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> | <b>Gender</b>              | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| Male Sex With Male/IDU            | 16                         | 0                          | 0.0                         | Male                       | 2,309                      | 49                         | 2.1                         |
| Male Sex With Male                | 278                        | 21                         | 7.6                         | Female                     | 7,066                      | 22                         | 0.3                         |
| Injecting Drug User               | 334                        | 0                          | 0.0                         | Unknown                    | 186                        | 1                          | 0.5                         |
| Sex Partner at Risk               | 459                        | 11                         | 2.4                         | <b>Total</b>               | <b>9,561</b>               | <b>72</b>                  | <b>0.8</b>                  |
| Child of Woman with HIV/AIDS      | 21                         | 0                          | 0.0                         | <b>Race/<br/>Ethnicity</b> | <b>Number of<br/>Tests</b> | <b>Number<br/>Positive</b> | <b>Percent<br/>Positive</b> |
| STD Diagnosis                     | 2,048                      | 4                          | 0.2                         | White                      | 4,831                      | 22                         | 0.5                         |
| Sex for Drugs or Money            | 48                         | 0                          | 0.0                         | Black                      | 2,557                      | 39                         | 1.5                         |
| Hemophilia/Blood Recipient        | 0                          | 0                          | 0.0                         | Hispanic                   | 1,673                      | 4                          | 0.2                         |
| Victim of Sexual Assault          | 204                        | 1                          | #DIV/0!                     | Asian                      | 91                         | 1                          | 1.1                         |
| Health Care Exposure              | 0                          | 0                          | 0.0                         | Am. Native                 | 21                         | 1                          | 4.8                         |
| Heterosexual                      | 5,774                      | 11                         | 0.2                         | Other                      | 92                         | 1                          | 1.1                         |
| No Acknowledged Risk              | 33                         | 0                          | 0.0                         | Unknown                    | 296                        | 4                          | 1.4                         |
| Unknown                           | 346                        | 24                         | 6.9                         | <b>Total</b>               | <b>9,561</b>               | <b>72</b>                  | <b>0.8</b>                  |
| <b>Total</b>                      | <b>9,561</b>               | <b>72</b>                  | <b>0.8</b>                  | <b>Total</b>               | <b>9,561</b>               | <b>72</b>                  | <b>0.8</b>                  |

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 13

| Demographic Group/ Exposure Category<br>RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013  |            |      |            |          | HIV Infection Cases Reported in 2012 & 2013  |            |      |            |          | HIV/AIDS Case Deaths in 2012 & 2013   |            |         |            |          |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|---------|------------|----------|
|   | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/13. |            |         |            |          |
| <b>Race/Ethnicity</b>                                       | 2012  | % of Total | 2013 | % of Total | % change | 2012   | % of Total | 2013 | % of Total | % change | 2012  | % of Total | 2013    | % of Total | % change |
| White, not Hispanic   | 21  | 40%        | 39   | 46%        | 85.7%    | 41   | 49%        | 52   | 50%        | 26.8%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    |          |
| Black, not Hispanic   | 23  | 43%        | 32   | 38%        | 39.1%    | 31   | 37%        | 32   | 31%        | 3.2%     | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| Hispanic  | 7   | 13%        | 9    | 11%        | 28.6%    | 11   | 13%        | 16   | 16%        | 45.5%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| Asian/Pacific Islander                                      | 0   | 0%         | 2    | 2%         | #DIV/0!  | 1  | 1%         | 2    | 2%         | 100.0%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| American Indian/Alaskan Native                              | 0   | 0%         | 0    | 0%         | #DIV/0!  | 0  | 0%         | 0    | 0%         | #DIV/0!  | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| Not Specified/Other   | 2   | 4%         | 2    | 2%         | 0.0%     | 0  | 0%         | 1    | 1%         | #DIV/0!  | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 53  | 100%       | 84   | 100%       | 58.5%    | 84   | 100%       | 103  | 100%       | 22.6%    | 0   | #DIV/0!    | 0       | #DIV/0!    | #DIV/0!  |
| <b>Gender</b>   | 2012  | % of Total | 2013 | % of Total | % change | 2012   | % of Total | 2013 | % of Total | % change | 2012  | % of Total | 2013    | % of Total | % change |
| Male  | 35  | 66.0%      | 58   | 69.0%      | 65.7%    | 66   | 78.6%      | 72   | 69.9%      | 9.1%     | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| Female  | 18  | 34.0%      | 26   | 31.0%      | 44.4%    | 18   | 21.4%      | 31   | 30.1%      | 72.2%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 53  | 100.0%     | 84   | 100.0%     | 58.5%    | 84   | 100.0%     | 103  | 100.0%     | 22.6%    | 0   | #DIV/0!    | 0       | #DIV/0!    | #DIV/0!  |
| <b>Age at Diagnosis (Years)</b>                             | 2012  | % of Total | 2013 | % of Total | % change | 2012   | % of Total | 2013 | % of Total | % change | 2012  | % of Total | 2013    | % of Total | % change |
| 0- 2 years  | 0   | 0.0%       | 0    | 0.0%       | #DIV/0!  | 0  | 0.0%       | 0    | 0.0%       | #DIV/0!  | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 3-12 years  | 0   | 0.0%       | 0    | 0.0%       | #DIV/0!  | 0  | 0.0%       | 0    | 0.0%       | #DIV/0!  | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 13-19 years   | 0   | 0.0%       | 0    | 0.0%       | #DIV/0!  | 2  | 2.4%       | 3    | 2.9%       | 50.0%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 20-24 years   | 1   | 1.9%       | 3    | 3.6%       | 200.0%   | 14   | 16.7%      | 8    | 7.8%       | -42.9%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 25-29 years   | 3   | 5.7%       | 1    | 1.2%       | -66.7%   | 8  | 9.5%       | 4    | 3.9%       | -50.0%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 30-39 years   | 17  | 32.1%      | 16   | 19.0%      | -5.9%    | 18   | 21.4%      | 16   | 15.5%      | -11.1%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 40-44 years   | 6   | 11.3%      | 15   | 17.9%      | 150.0%   | 7  | 8.3%       | 10   | 9.7%       | 42.9%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 45-49 years   | 3   | 5.7%       | 15   | 17.9%      | 400.0%   | 7  | 8.3%       | 14   | 13.6%      | 100.0%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 50-59 years   | 14  | 26.4%      | 19   | 22.6%      | 35.7%    | 18   | 21.4%      | 27   | 26.2%      | 50.0%    | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| 60+ years   | 9   | 17.0%      | 15   | 17.9%      | 66.7%    | 10   | 11.9%      | 21   | 20.4%      | 110.0%   | #DIV/0!   |            | #DIV/0! | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 53  | 100.0%     | 84   | 100.0%     | 58.5%    | 84   | 100.0%     | 103  | 100.0%     | 22.6%    | 0   | #DIV/0!    | 0       | #DIV/0!    | #DIV/0!  |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category<br>RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013  |            |      |            |          | HIV Infection Cases Reported in 2012 & 2013  |            |      |            |          | HIV/AIDS Case Deaths in 2012 & 2013   |            |      |            |          |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
|   | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/13. |            |      |            |          |
|   | 2012  | % of Total | 2013 | % of Total | % change | 2012   | % of Total | 2013 | % of Total | % change | 2012  | % of Total | 2013 | % of Total | % change |
| <b>Male Adult/Adolescent AIDS Exposure Category</b>         |   |            |      |            |          |  |            |      |            |          |   |            |      |            |          |
| MSM   | 15  | 42.9%      | 40   | 69.0%      | 166.7%   | 45   | 68.2%      | 50   | 69.4%      | 11.1%    |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| IDU   | 8   | 22.9%      | 8    | 13.8%      | 0.0%     | 5  | 7.6%       | 8    | 11.1%      | 60.0%    |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| MSM/IDU   | 2   | 5.7%       | 1    | 1.7%       | -50.0%   | 1  | 1.5%       | 3    | 4.2%       | 200.0%   |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| Heterosexual  | 10  | 28.6%      | 9    | 15.5%      | -10.0%   | 15   | 22.7%      | 11   | 15.3%      | -26.7%   |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| Other   | 0   | 0.0%       | 0    | 0.0%       | #DIV/0!  | 0  | 0.0%       | 0    | 0.0%       | #DIV/0!  |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 35  | 100.0%     | 58   | 100.0%     | 65.7%    | 66   | 100.0%     | 72   | 100.0%     | 9.1%     | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  |
| <b>Female Adult/Adolescent AIDS Exposure Category</b>       |   |            |      |            |          |  |            |      |            |          |   |            |      |            |          |
| IDU   | 5   | 27.8%      | 6    | 23.1%      | 20.0%    | 3  | 16.7%      | 6    | 19.4%      | 100.0%   |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| Heterosexual  | 13  | 72.2%      | 20   | 76.9%      | 53.8%    | 15   | 83.3%      | 24   | 77.4%      | 60.0%    |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| Other   | 0   | 0.0%       | 0    | 0.0%       | #DIV/0!  | 0  | 0.0%       | 1    | 3.2%       | #DIV/0!  |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 18  | 100.0%     | 26   | 100.0%     | 44.4%    | 18   | 100.0%     | 31   | 100.0%     | 72.2%    | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  |
| <b>Pediatric AIDS Exposure Categories (ages 0-12)</b>       |   |            |      |            |          |  |            |      |            |          |   |            |      |            |          |
| Mother with/at risk for HIV infection                       | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  | 0  | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| Risk not reported/Other                                     | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  | 0  | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  |   | #DIV/0!    |      | #DIV/0!    | #DIV/0!  |
| <b>Total:</b>   | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  | 0  | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  | 0   | #DIV/0!    | 0    | #DIV/0!    | #DIV/0!  |

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

| Demographic Group/ Exposure Category<br>RISKS REDISTRIBUTED | AIDS Reported in 2012 & 2013  |            |      |            |          | HIV Infection Cases Reported in 2012 & 2013  |            |      |            |          | HIV/AIDS Case Deaths in 2012 & 2013   |            |      |            |          |
|---|---|------------|------|------------|----------|--|------------|------|------------|----------|---|------------|------|------------|----------|
|   | AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013. |            |      |            |          | HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/13. |            |      |            |          |
| Special Populations   | 2012  | % of Total | 2013 | % of Total | % change | 2012   | % of Total | 2013 | % of Total | % change | 2012  | % of Total | 2013 | % of Total | % change |
| White MSM*  | 11  | N/A        | 24   | N/A        | 118.2%   | 24   | N/A        | 32   | N/A        | 33.3%    |   | N/A        |      | N/A        | #DIV/0!  |
| Black MSM*  | 3   | N/A        | 13   | N/A        | 333.3%   | 16   | N/A        | 10   | N/A        | -37.5%   |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic MSM*   | 2   | N/A        | 2    | N/A        | 0.0%     | 4  | N/A        | 8    | N/A        | 100.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| white Male IDU**  | 3   | N/A        | 3    | N/A        | 0.0%     | 3  | N/A        | 6    | N/A        | 100.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| Black Male IDU**  | 3   | N/A        | 3    | N/A        | 0.0%     | 1  | N/A        | 1    | N/A        | 0.0%     |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Male IDU**   | 4   | N/A        | 3    | N/A        | -25.0%   | 2  | N/A        | 3    | N/A        | 50.0%    |   | N/A        |      | N/A        | #DIV/0!  |
| white Female IDU**  | 1   | N/A        | 2    | N/A        | 100.0%   | 1  | N/A        | 2    | N/A        | 100.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| Black Female IDU**  | 2   | N/A        | 3    | N/A        | 50.0%    | 0  | N/A        | 3    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Female IDU**                                       | 1   | N/A        | 1    | N/A        | 0.0%     | 2  | N/A        | 1    | N/A        | -50.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| white Male Homeless   | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Black Male Homeless   | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Male Homeless                                      | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| white Female Homeless                                       | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Black Female Homeless                                       | 1   | N/A        | 0    | N/A        | -100.0%  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Female Homeless                                    | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Male Haitian Born   | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Female Haitian Born   | 0   | N/A        | 2    | N/A        | #DIV/0!  | 0  | N/A        | 1    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| white Male Youth (ages 13-24)                               | 0   | N/A        | 0    | N/A        | #DIV/0!  | 3  | N/A        | 2    | N/A        | -33.3%   |   | N/A        |      | N/A        | #DIV/0!  |
| Black Male Youth (ages 13-24)                               | 0   | N/A        | 3    | N/A        | #DIV/0!  | 10   | N/A        | 3    | N/A        | -70.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Male Youth (ages 13-24)                            | 1   | N/A        | 0    | N/A        | -100.0%  | 1  | N/A        | 2    | N/A        | 100.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| white Female Youth (ages 13-24)                             | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Black Female Youth (ages 13-24)                             | 0   | N/A        | 0    | N/A        | #DIV/0!  | 1  | N/A        | 4    | N/A        | 300.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Female Youth (ages 13-24)                          | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| White WCBA* (ages 15-44)                                    | 3   | N/A        | 2    | N/A        | -33.3%   | 2  | N/A        | 3    | N/A        | 50.0%    |   | N/A        |      | N/A        | #DIV/0!  |
| Black WCBA* (ages 15-44)                                    | 8   | N/A        | 2    | N/A        | -75.0%   | 5  | N/A        | 7    | N/A        | 40.0%    |   | N/A        |      | N/A        | #DIV/0!  |
| Hiapnic WCBA* (ages 15-44)                                  | 0   | N/A        | 2    | N/A        | #DIV/0!  | 2  | N/A        | 1    | N/A        | -50.0%   |   | N/A        |      | N/A        | #DIV/0!  |
| White Ped Cases (ages 0-12)                                 | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Black Ped Cases (ages 0-12)                                 | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| Hispanic Ped Cases (ages 0-12)                              | 0   | N/A        | 0    | N/A        | #DIV/0!  | 0  | N/A        | 0    | N/A        | #DIV/0!  |   | N/A        |      | N/A        | #DIV/0!  |
| DOC cases   | 13  | N/A        | 3    | N/A        | -76.9%   | 23   | N/A        | 8    | N/A        | -65.2%   |   | N/A        |      | N/A        | #DIV/0!  |

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU