

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 14**  
**HARDEE, HIGHLANDS AND POLK COUNTIES**

---

**Mid-Year Population Estimates**

2011

<b>Sex</b>	<b>Total Pop</b>	
Males	360,268	49%
Females	371,986	51%
Total	732,254	100%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	120,270	16%
13 - 19	65,971	9%
20 - 24	43,866	6%
25 - 29	42,955	6%
30 - 39	83,659	11%
40 - 49	89,564	12%
50 - 59	93,697	13%
60+	192,272	26%
Total	732,254	100%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	469,095	64%
Black, non-Hispanic	97,235	13%
Hispanic	140,432	19%
Other*	25,492	3%
Total	732,254	100%

2012

<b>Sex</b>	<b>Total Pop</b>	
Males	364,840	49.2%
Females	376,649	50.8%
Total	741,489	100.0%

<b>Age Groups</b>	<b>Total Pop</b>	
0 - 12	121,378	16%
13 - 19	65,903	9%
20 - 24	44,825	6%
25 - 29	43,483	6%
30 - 39	84,538	11%
40 - 49	89,168	12%
50 - 59	96,047	13%
60+	196,147	26%
Total	741,489	100%

<b>Race/Ethnicity</b>	<b>Total Pop</b>	
White, non-Hispanic	470,853	64%
Black, non-Hispanic	99,119	13%
Hispanic	145,548	20%
Other*	25,969	4%
Total	741,489	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups  
**FLORIDA Department of Health, HIV/AIDS & Hepatitis Program**

Created: 01/14/13
Revision: 07/30/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 14 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	48	57.8%	13.3	0 - 12	0	0.0%	0.0
Female	35	42.2%	9.4	13 - 19	1	1.2%	1.5
Other/Unknown	0	0.0%	N/A	20 - 24	2	2.4%	4.6
Total	83	100.0%	11.3	25 - 29	7	8.4%	16.3
				30 - 39	19	22.9%	22.7
				40 - 49	20	24.1%	22.3
				50 - 59	19	22.9%	20.3
				60+	15	18.1%	7.8
				Total	83	100.0%	11.3
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	26	31.3%	5.5				
Black, Non-Hispanic	43	51.8%	44.2				
Hispanic	12	14.5%	8.5				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	1	1.2%	N/A				
Other/Unknown	1	1.2%	N/A				
Total	83	100.0%	11.3				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	50	72.5%	13.7	0 - 12	0	0.0%	0.0
Female	19	27.5%	5.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	3	4.3%	6.7
Total	69	100.0%	9.3	25 - 29	3	4.3%	6.9
				30 - 39	17	24.6%	20.1
				40 - 49	25	36.2%	28.0
				50 - 59	14	20.3%	14.6
				60+	7	10.1%	3.6
				Total	69	100.0%	9.3
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	21	30.4%	4.5				
Black, Non-Hispanic	34	49.3%	34.3				
Hispanic	12	17.4%	8.2				
Asian/Pacific Islander	1	1.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	1.4%	N/A				
Total	69	100.0%	9.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 14 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	84	63.2%	23.3	0 - 12	1	0.8%	0.8
Female	49	36.8%	13.2	13 - 19	7	5.3%	10.6
Other/Unknown	0	0.0%	N/A	20 - 24	15	11.3%	34.2
Total	133	100.0%	18.2	25 - 29	10	7.5%	23.3
				30 - 39	25	18.8%	29.9
				40 - 49	30	22.6%	33.5
				50 - 59	26	19.5%	27.7
				60+	19	14.3%	9.9
				Total	133	100.0%	18.2
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	41	30.8%	8.7				
Black, Non-Hispanic	66	49.6%	67.9				
Hispanic	24	18.0%	17.1				
Asian/Pacific Islander	0	0.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	1.5%	N/A				
Total	133	100.0%	18.2				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	86	78.9%	23.6	0 - 12	0	0.0%	0.0
Female	23	21.1%	6.1	13 - 19	4	3.7%	6.1
Other/Unknown	0	0.0%	N/A	20 - 24	15	13.8%	33.5
Total	109	100.0%	14.7	25 - 29	6	5.5%	13.8
				30 - 39	27	24.8%	31.9
				40 - 49	24	22.0%	26.9
				50 - 59	22	20.2%	22.9
				60+	11	10.1%	5.6
				Total	109	100.0%	14.7
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	35	32.1%	7.4				
Black, Non-Hispanic	45	41.3%	45.4				
Hispanic	27	24.8%	18.6				
Asian/Pacific Islander	1	0.9%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	0.9%	N/A				
Total	109	100.0%	14.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	38	88.4%	10.5	0 - 12	0	0.0%	0.0
Female	5	11.6%	1.3	13 - 19	1	2.3%	1.5
Other/Unknown	0	0.0%	N/A	20 - 24	3	7.0%	6.8
Total	43	100.0%	5.9	25 - 29	6	14.0%	14.0
				30 - 39	15	34.9%	17.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	12	27.9%	13.4
White, Non-Hispanic	12	27.9%	2.6	50 - 59	4	9.3%	4.3
Black, Non-Hispanic	27	62.8%	27.8	60+	2	4.7%	1.0
Hispanic	4	9.3%	2.8	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	43	100.0%	5.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	43	100.0%	5.9				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	38	88.4%	10.4	0 - 12	0	0.0%	0.0
Female	5	11.6%	1.3	13 - 19	2	4.7%	3.0
Other/Unknown	0	0.0%	N/A	20 - 24	13	30.2%	29.0
Total	43	100.0%	5.8	25 - 29	3	7.0%	6.9
				30 - 39	7	16.3%	8.3
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	11	25.6%	12.3
White, Non-Hispanic	15	34.9%	3.2	50 - 59	6	14.0%	6.2
Black, Non-Hispanic	19	44.2%	19.2	60+	1	2.3%	0.5
Hispanic	8	18.6%	5.5	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	2.3%	N/A	Total	43	100.0%	5.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	43	100.0%	5.8				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	240	46.8%	66.6	0 - 12	0	0.0%	0.0
Female	273	53.2%	73.4	13 - 19	122	23.8%	184.9
Other/Unknown	0	0.0%	N/A	20 - 24	185	36.1%	421.7
Total	513	100.0%	70.1	25 - 29	105	20.5%	244.4
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	149	29.0%	31.8	30 - 39	65	12.7%	77.7
Black, Non-Hispanic	297	57.9%	305.4	40 - 49	24	4.7%	26.8
Hispanic	53	10.3%	37.7	50 - 59	7	1.4%	7.5
Asian/Pacific Islander	1	0.2%	N/A	60+	5	1.0%	2.6
Amer. Indian/Alaskan	3	0.6%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	10	1.9%	N/A	Total	513	100.0%	70.1
Total	513	100.0%	70.1				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	219	45.4%	60.0	0-12	0	0.0%	0.0
Female	263	54.6%	69.8	13 - 19	103	21.4%	156.3
Other/Unknown	0	0.0%	N/A	20 - 24	193	40.0%	430.6
Total	482	100.0%	65.0	25 - 29	92	19.1%	211.6
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	125	25.9%	26.5	30 - 39	71	14.7%	84.0
Black, Non-Hispanic	298	61.8%	300.6	40 - 49	20	4.1%	22.4
Hispanic	50	10.4%	34.4	50 - 59	3	0.6%	3.1
Asian/Pacific Islander	2	0.4%	N/A	60+	0	0.0%	0.0
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	7	1.5%	N/A	Total	482	100.0%	65.0
Total	482	100.0%	65.0				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	673	24.2%	186.8	0 - 12	0	0.0%	0.0
Female	2,112	75.8%	567.8	13 - 19	893	32.1%	1353.6
Other/Unknown	1	0.0%	N/A	20 - 24	1,099	39.4%	2505.4
Total	2,786	100.0%	380.5	25 - 29	449	16.1%	1045.3
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	990	35.5%	211.0	30 - 39	283	10.2%	338.3
Black, Non-Hispanic	1,225	44.0%	1259.8	40 - 49	42	1.5%	46.9
Hispanic	492	17.7%	350.3	50 - 59	17	0.6%	18.1
Asian/Pacific Islander	17	0.6%	N/A	60+	3	0.1%	1.6
Amer. Indian/Alaskan	8	0.3%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	54	1.9%	N/A	Total	2,786	100.0%	380.5
Total	2,786	100.0%	380.5				
2012							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	695	25.0%	190.5	0-12	0	0.0%	0.0
Female	2,081	75.0%	552.5	13 - 19	814	29.3%	1235.1
Other/Unknown	0	0.0%	N/A	20 - 24	1,152	41.5%	2570.0
Total	2,776	100.0%	374.4	25 - 29	475	17.1%	1092.4
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	998	36.0%	212.0	30 - 39	248	8.9%	293.4
Black, Non-Hispanic	1,220	43.9%	1230.8	40 - 49	61	2.2%	68.4
Hispanic	471	17.0%	323.6	50 - 59	21	0.8%	21.9
Asian/Pacific Islander	11	0.4%	N/A	60+	3	0.1%	1.5
Amer. Indian/Alaskan	3	0.1%	N/A	Unknown	2	0.1%	N/A
Other/Unknown	73	2.6%	N/A	Total	2,776	100.0%	374.4
Total	2,776	100.0%	374.4				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	15	78.9%	4.2	0 - 12	0	0.0%	0.0
Female	4	21.1%	1.1	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	19	100.0%	2.6	25 - 29	1	5.3%	0.8
				30 - 39	2	10.5%	1.7
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	3	15.8%	2.5
White, Non-Hispanic	7	36.8%	1.5	50 - 59	3	15.8%	2.5
Black, Non-Hispanic	5	26.3%	5.1	60+	10	52.6%	8.3
Hispanic	6	31.6%	4.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	5.3%	N/A	Total	19	100.0%	2.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	19	100.0%	2.6				

  

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	15	68.2%	4.1	0 - 12	0	0.0%	0.0
Female	7	31.8%	1.9	13 - 19	1	4.5%	1.5
Other/Unknown	0	0.0%	N/A	20 - 24	1	4.5%	2.2
Total	22	100.0%	3.0	25 - 29	0	0.0%	0.0
				30 - 39	1	4.5%	1.2
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	2	9.1%	2.2
White, Non-Hispanic	12	54.5%	2.5	50 - 59	6	27.3%	6.2
Black, Non-Hispanic	3	13.6%	3.0	60+	11	50.0%	5.6
Hispanic	4	18.2%	2.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	4.5%	N/A	Total	22	100.0%	3.0
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	2	9.1%	N/A				
Total	22	100.0%	3.0				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1	50.0%	0.3	0 - 12	0	0.0%	0.0
Female	1	50.0%	0.3	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	2	100.0%	0.3	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	0	0.0%	0.0
White, Non-Hispanic	1	50.0%	0.2	50 - 59	1	50.0%	1.1
Black, Non-Hispanic	0	0.0%	0.0	60+	1	50.0%	0.5
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	2	100.0%	0.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	50.0%	N/A				
Total	2	100.0%	0.3				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	0	#DIV/0!	0.0	0 - 12	0	#DIV/0!	0.0
Female	0	#DIV/0!	0.0	13 - 19	0	#DIV/0!	0.0
Other/Unknown	0	#DIV/0!	N/A	20 - 24	0	#DIV/0!	0.0
Total	0	#DIV/0!	0.0	25 - 29	0	#DIV/0!	0.0
				30 - 39	0	#DIV/0!	0.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	0	#DIV/0!	0.0
White, Non-Hispanic	0	#DIV/0!	0.0	50 - 59	0	#DIV/0!	0.0
Black, Non-Hispanic	0	#DIV/0!	0.0	60+	0	#DIV/0!	0.0
Hispanic	0	#DIV/0!	0.0	Unknown	0	#DIV/0!	N/A
Asian/Pacific Islander	0	#DIV/0!	N/A	Total	0	#DIV/0!	0.0
Amer. Indian/Alaskan	0	#DIV/0!	N/A				
Other/Unknown	0	#DIV/0!	N/A				
Total	0	#DIV/0!	0.0				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	7	58.3%	1.9	0 - 12	0	0.0%	0.0
Female	5	41.7%	1.3	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	12	100.0%	1.6	25 - 29	0	0.0%	0.0
				30 - 39	7	58.3%	8.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	3	25.0%	3.3
White, Non-Hispanic	6	50.0%	1.3	50 - 59	1	8.3%	1.1
Black, Non-Hispanic	2	16.7%	2.1	60+	1	8.3%	0.5
Hispanic	1	8.3%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	12	100.0%	1.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	25.0%	N/A				
Total	12	100.0%	1.6				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	7	53.8%	1.9	0 - 12	0	0.0%	0.0
Female	6	46.2%	1.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	13	100.0%	1.8	25 - 29	0	0.0%	0.0
				30 - 39	4	30.8%	4.7
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	5	38.5%	5.6
White, Non-Hispanic	7	53.8%	1.5	50 - 59	1	7.7%	1.0
Black, Non-Hispanic	3	23.1%	3.0	60+	3	23.1%	1.5
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	7.7%	N/A	Total	13	100.0%	1.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	15.4%	N/A				
Total	13	100.0%	1.8				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 14**

2011							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	532	56.5%	147.7	0 - 12	0	0.0%	0.0
Female	408	43.4%	109.7	13 - 19	14	1.5%	21.2
Other/Unknown	1	0.1%	N/A	20 - 24	18	1.9%	41.0
Total	941	100.0%	128.5	25 - 29	44	4.7%	102.4
				30 - 39	120	12.8%	143.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	224	23.8%	250.1
White, Non-Hispanic	289	30.7%	61.6	50 - 59	351	37.3%	374.6
Black, Non-Hispanic	61	6.5%	62.7	60+	170	18.1%	88.4
Hispanic	28	3.0%	19.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	0.3%	N/A	Total	941	100.0%	128.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	560	59.5%	N/A				
Total	941	100.0%	128.5				
2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	274	54.9%	75.1	0 - 12	5	1.0%	4.1
Female	225	45.1%	59.7	13 - 19	2	0.4%	3.0
Other/Unknown	0	0.0%	N/A	20 - 24	13	2.6%	29.0
Total	499	100.0%	67.3	25 - 29	25	5.0%	57.5
				30 - 39	62	12.4%	73.3
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	102	20.4%	114.4
White, Non-Hispanic	142	28.5%	30.2	50 - 59	177	35.5%	184.3
Black, Non-Hispanic	18	3.6%	18.2	60+	113	22.6%	57.6
Hispanic	20	4.0%	13.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	0.4%	N/A	Total	499	100.0%	67.3
Amer. Indian/Alaskan	2	0.4%	N/A				
Other/Unknown	315	63.1%	N/A				
Total	499	100.0%	67.3				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA**  
**Partnership 14**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2011 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	23	3	13.0	Male	3,484	56	1.6
Male Sex With Male	327	26	8.0	Female	10,279	38	0.4
Injecting Drug User	523	10	1.9	Unknown	157	0	0.0
Sex Partner at Risk	841	21	2.5	<b>Total</b>	<b>13,920</b>	<b>94</b>	<b>0.7</b>
Child of Woman with HIV/AIDS	40	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	2,333	11	0.5	White	4,800	31	0.6
Sex for Drugs or Money	188	4	2.1	Black	4,336	50	1.2
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	4,313	12	0.3
Victim of Sexual Assault	565	3	0.5	Asian	78	0	0.0
Health Care Exposure	0	0	#DIV/0!	Am. Native	23	0	0.0
Heterosexual	8,744	16	0.2	Other	88	0	0.0
No Acknowledged Risk	119	0	0.0	Unknown	282	1	0.4
Unknown	217	0	0.0	<b>Total</b>	<b>13,920</b>	<b>94</b>	<b>0.7</b>
<b>Total</b>	<b>13,920</b>	<b>94</b>	<b>0.7</b>	<b>Total</b>	<b>13,920</b>	<b>94</b>	<b>0.7</b>

<b>2012 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	22	2	9.1	Male	2,969	52	1.8
Male Sex With Male	269	22	8.2	Female	8,659	25	0.3
Injecting Drug User	472	5	1.1	Unknown	193	0	0.0
Sex Partner at Risk	886	23	2.6	<b>Total</b>	<b>11,821</b>	<b>77</b>	<b>0.7</b>
Child of Woman with HIV/AIDS	32	1	3.1	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	1,925	3	0.2	White	3,897	24	0.6
Sex for Drugs or Money	95	0	0.0	Black	3,808	37	1.0
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	3,669	16	0.4
Victim of Sexual Assault	431	0	#DIV/0!	Asian	109	0	0.0
Health Care Exposure	0	0	0.0	Am. Native	20	0	0.0
Heterosexual	7,320	18	0.2	Other	118	0	0.0
No Acknowledged Risk	149	0	0.0	Unknown	200	0	0.0
Unknown	220	3	1.4	<b>Total</b>	<b>11,821</b>	<b>77</b>	<b>0.7</b>
<b>Total</b>	<b>11,821</b>	<b>77</b>	<b>0.7</b>	<b>Total</b>	<b>11,821</b>	<b>77</b>	<b>0.7</b>

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 14

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
<b>Race/Ethnicity</b>															
White, not Hispanic	26	31%	21	30%	-19.2%	41	31%	35	32%	-14.6%	15	33%	16	33%	6.7%
Black, not Hispanic	43	52%	34	49%	-20.9%	66	50%	45	41%	-31.8%	25	56%	27	56%	8.0%
Hispanic	12	14%	12	17%	0.0%	24	18%	27	25%	12.5%	5	11%	4	8%	-20.0%
Asian/Pacific Islander	0	0%	1	1%	#DIV/0!	0	0%	1	1%	#DIV/0!	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	1	1%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	1	1%	1	1%	0.0%	2	2%	1	1%	-50.0%	0	0%	1	2%	#DIV/0!
<b>Total:</b>	<b>83</b>	<b>100%</b>	<b>69</b>	<b>100%</b>	<b>-16.9%</b>	<b>133</b>	<b>100%</b>	<b>109</b>	<b>100%</b>	<b>-18.0%</b>	<b>45</b>	<b>100%</b>	<b>48</b>	<b>100%</b>	<b>6.7%</b>
<b>Gender</b>	2011	% of Total	2012	% of Total	% change	2011	% of Total	2011	% of Total	% change	2011	% of Total	2012	% of Total	% change
Male	48	57.8%	50	72.5%	4.2%	84	63.2%	86	78.9%	2.4%	33	73.3%	28	58.3%	-15.2%
Female	35	42.2%	19	27.5%	-45.7%	49	36.8%	23	21.1%	-53.1%	12	26.7%	20	41.7%	66.7%
<b>Total:</b>	<b>83</b>	<b>100.0%</b>	<b>69</b>	<b>100.0%</b>	<b>-16.9%</b>	<b>133</b>	<b>100.0%</b>	<b>109</b>	<b>100.0%</b>	<b>-18.0%</b>	<b>45</b>	<b>100.0%</b>	<b>48</b>	<b>100.0%</b>	<b>6.7%</b>
<b>Age at Diagnosis (Years)</b>	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	1	0.8%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	1	1.2%	0	0.0%	-100.0%	7	5.3%	4	3.7%	-42.9%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	2	2.4%	3	4.3%	50.0%	15	11.3%	15	13.8%	0.0%	0	0.0%	1	2.1%	#DIV/0!
25-29 years	7	8.4%	3	4.3%	-57.1%	10	7.5%	6	5.5%	-40.0%	0	0.0%	2	4.2%	#DIV/0!
30-39 years	19	22.9%	17	24.6%	-10.5%	25	18.8%	27	24.8%	8.0%	7	15.6%	5	10.4%	-28.6%
40-44 years	8	9.6%	18	26.1%	125.0%	17	12.8%	16	14.7%	-5.9%	4	8.9%	7	14.6%	75.0%
45-49 years	12	14.5%	7	10.1%	-41.7%	13	9.8%	8	7.3%	-38.5%	9	20.0%	9	18.8%	0.0%
50-59 years	19	22.9%	14	20.3%	-26.3%	26	19.5%	22	20.2%	-15.4%	16	35.6%	14	29.2%	-12.5%
60+ years	15	18.1%	7	10.1%	-53.3%	19	14.3%	11	10.1%	-42.1%	9	20.0%	10	20.8%	11.1%
<b>Total:</b>	<b>83</b>	<b>100.0%</b>	<b>69</b>	<b>100.0%</b>	<b>-16.9%</b>	<b>133</b>	<b>100.0%</b>	<b>109</b>	<b>100.0%</b>	<b>-18.0%</b>	<b>45</b>	<b>100.0%</b>	<b>48</b>	<b>100.0%</b>	<b>6.7%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
<b>Male Adult/Adolescent AIDS Exposure Category</b>															
MSM	18	38.5%	14	28.9%	-21.9%	43	52.0%	40	46.8%	-6.8%	13	39.4%	10	35.7%	-23.1%
IDU	9	17.9%	8	16.6%	-3.6%	8	9.1%	3	3.5%	-60.4%	4	12.1%	4	14.3%	0.0%
MSM/IDU	0	0.0%	3	6.0%	#DIV/0!	2	2.4%	4	4.7%	100.0%	4	12.1%	2	7.1%	-50.0%
Heterosexual	20	41.5%	24	48.6%	21.9%	30	36.4%	39	45.0%	28.1%	11	33.3%	12	42.9%	9.1%
Other	1	2.1%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	1	3.0%	0	0.0%	-100.0%
<b>Total:</b>	<b>48</b>	<b>100.0%</b>	<b>50</b>	<b>100.0%</b>	<b>4.2%</b>	<b>83</b>	<b>100.0%</b>	<b>86</b>	<b>100.0%</b>	<b>3.6%</b>	<b>33</b>	<b>100.0%</b>	<b>28</b>	<b>100.0%</b>	<b>-15.2%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>															
IDU	10	28.6%	5	26.3%	-50.0%	8	15.5%	1	4.3%	-86.8%	1	8.3%	5	25.0%	400.0%
Heterosexual	25	71.4%	14	73.7%	-44.0%	41	84.5%	22	95.7%	-46.9%	11	91.7%	15	75.0%	36.4%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
<b>Total:</b>	<b>35</b>	<b>100.0%</b>	<b>19</b>	<b>100.0%</b>	<b>-45.7%</b>	<b>49</b>	<b>100.0%</b>	<b>23</b>	<b>100.0%</b>	<b>-53.1%</b>	<b>12</b>	<b>100.0%</b>	<b>20</b>	<b>100.0%</b>	<b>66.7%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>															
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	1	100%	0	#DIV/0!	-100.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>-100.0%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	11	N/A	5	N/A	-54.5%	17	N/A	18	N/A	5.9%	9	N/A	7	N/A	-22.2%
Black MSM*	4	N/A	7	N/A	75.0%	14	N/A	10	N/A	-28.6%	5	N/A	4	N/A	-20.0%
Hispanic MSM*	2	N/A	4	N/A	100.0%	9	N/A	10	N/A	11.1%	3	N/A	1	N/A	-66.7%
white Male IDU**	4	N/A	4	N/A	0.0%	4	N/A	1	N/A	-75.0%	4	N/A	2	N/A	-50.0%
Black Male IDU**	1	N/A	5	N/A	400.0%	1	N/A	4	N/A	300.0%	3	N/A	2	N/A	-33.3%
Hispanic Male IDU**	3	N/A	1	N/A	-66.7%	4	N/A	1	N/A	-75.0%	0	N/A	2	N/A	#DIV/0!
white Female IDU**	2	N/A	4	N/A	100.0%	3	N/A	1	N/A	-66.7%	1	N/A	2	N/A	100.0%
Black Female IDU**	6	N/A	1	N/A	-83.3%	3	N/A	0	N/A	-100.0%	0	N/A	3	N/A	#DIV/0!
Hispanic Female IDU**	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	3	N/A	3	N/A	0.0%	6	N/A	2	N/A	-66.7%	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	1	N/A	1	N/A	0.0%	0	N/A	2	N/A	#DIV/0!	1	N/A	1	N/A	0.0%
white Male Youth (ages 13-24)	2	N/A	1	N/A	-50.0%	6	N/A	6	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	5	N/A	4	N/A	-20.0%	0	N/A	1	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	3	N/A	4	N/A	33.3%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	2	N/A	2	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	4	N/A	2	N/A	-50.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	3	N/A	5	N/A	66.7%	7	N/A	3	N/A	-57.1%	0	N/A	2	N/A	#DIV/0!
Black WCBA* (ages 15-44)	12	N/A	5	N/A	-58.3%	16	N/A	6	N/A	-62.5%	2	N/A	3	N/A	50.0%
Hispanic WCBA* (ages 15-44)	3	N/A	1	N/A	-66.7%	3	N/A	3	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	2	N/A	1	N/A	-50.0%	3	N/A	3	N/A	0.0%	0	N/A	1	N/A	#DIV/0!

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 14

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Proportional Rate of this Co-morbidity among the population of this Disease in this Area
	<b>N= 1,925</b>				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	0	0.0	eHARS	Data through 2012 (data as of 06/30/13)	0.0%
Infectious Syphilis reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	19	987.0	PRISM	Data through 2012 (data as of 03/2013)	44.2%
Gonorrhea reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	12	623.4	PRISM	Data through 2012 (data as of 03/2013)	2.5%
Chlamydia reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	32	1662.3	PRISM	Data through 2012 (data as of 03/2013)	1.2%
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	212	11013.0	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/13)	N/A

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	4	207.8	eHARS (address variable)	Data through 2012 (data as of 06/30/13)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc., and documented in HARS)	405	21,039.0	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	80	4,155.8	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	678	35,220.8	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	291	15,116.9	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2012	1,460	27	1.8%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	1,692	38	2.2%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012
Offenders who returned to the Area in 2010	1,782	51	2.9%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2011

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	9,679	61.0%	54,069	57.3%	229	27.3%
Black	3,367	21.2%	15,512	16.5%	155	18.5%
Hispanic	2,494	15.7%	24,746	26.2%	455	54.2%
Other*	320	2.0%	N/A	N/A	N/A	N/A
<b>Total</b>	<b>15,860</b>	<b>100.0%</b>	<b>94,327</b>	<b>100.0%</b>	<b>839</b>	<b>100.0%</b>

Selected Socioeconomic Indicators for this Partnership, (U.S. Census 2000), \*Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:

<http://www.census.gov/did/www/saife/data/statecounty/data/2009.html>

The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/sahie/data/index.html>

<http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.**

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 14.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Race/Ethnicity</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
White, not Hispanic	424	35.5%	241	33.0%	665	34.5%
Black, not Hispanic	572	47.9%	349	47.7%	921	47.8%
Hispanic	172	14.4%	130	17.8%	302	15.7%
Asian/Pacific Islander	4	0.3%	2	0.3%	6	0.3%
American Indian/Alaskan Native	6	0.5%	1	0.1%	7	0.4%
Not Specified/Other	16	1.3%	8	1.1%	24	1.2%
<b>Total:</b>	<b>1,194</b>	<b>100.0%</b>	<b>731</b>	<b>100.0%</b>	<b>1,925</b>	<b>100.0%</b>
<b>Gender</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
Male	757	63.4%	437	59.8%	1,194	62.0%
Female	437	36.6%	294	40.2%	731	38.0%
<b>Total:</b>	<b>1,194</b>	<b>100.0%</b>	<b>731</b>	<b>100.0%</b>	<b>1,925</b>	<b>100.0%</b>
<b>Current Age on 12/31/2012 (Years)</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
0- 2 years	0	0.0%	0	0.0%	0	0.0%
3-12 years	1	0.1%	4	0.5%	5	0.3%
13-19 years	3	0.3%	10	1.4%	13	0.7%
20-24 years	19	1.6%	50	6.8%	69	3.6%
25-29 years	35	2.9%	54	7.4%	89	4.6%
30-39 years	182	15.2%	165	22.6%	347	18.0%
40-44 years	166	13.9%	105	14.4%	271	14.1%
45-49 years	240	20.1%	110	15.0%	350	18.2%
50-59 years	377	31.6%	147	20.1%	524	27.2%
60+ years	171	14.3%	86	11.8%	257	13.4%
<b>Total:</b>	<b>1,194</b>	<b>100.0%</b>	<b>731</b>	<b>100.0%</b>	<b>1,925</b>	<b>100.0%</b>



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	362	47.9%	256	58.9%	618	51.9%
IDU	79	10.4%	32	7.4%	111	9.3%
MSM/IDU	46	6.1%	14	3.2%	60	5.0%
Heterosexual	265	35.1%	128	29.4%	393	33.0%
Other	4	0.5%	5	1.1%	9	0.8%
<b>Total:</b>	<b>756</b>	<b>100.0%</b>	<b>435</b>	<b>100.0%</b>	<b>1,191</b>	<b>100.0%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	82	18.8%	38	13.0%	120	16.5%
Heterosexual	343	78.5%	243	83.2%	586	80.4%
Other	12	2.7%	11	3.8%	23	3.2%
<b>Total:</b>	<b>437</b>	<b>100.0%</b>	<b>292</b>	<b>100.0%</b>	<b>729</b>	<b>100.0%</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	1	100.0%	4	100.0%	5	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
<b>Total:</b>	<b>1</b>	<b>100.0%</b>	<b>4</b>	<b>100.0%</b>	<b>5</b>	<b>100.0%</b>

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Special Populations</b>	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	243	N/A	127	N/A	370	N/A
Black MSM	106	N/A	83	N/A	189	N/A
Hispanic MSM	49	N/A	55	N/A	104	N/A
white Male IDU	53	N/A	17	N/A	70	N/A
Black Male IDU	43	N/A	12	N/A	55	N/A
Hispanic Male IDU	27	N/A	16	N/A	43	N/A
white Female IDU	38	N/A	24	N/A	62	N/A
Black Female IDU	34	N/A	9	N/A	43	N/A
Hispanic Female IDU	9	N/A	4	N/A	13	N/A
white Male Homeless	1	N/A	0	N/A	1	N/A
Black Male Homeless	2	N/A	0	N/A	2	N/A
Hispanic Male Homeless	0	N/A	1	N/A	1	N/A
white Female Homeless	0	N/A	0	N/A	0	N/A
Black Female Homeless	0	N/A	0	N/A	0	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	55	N/A	29	N/A	84	N/A
Female Haitian Born	25	N/A	18	N/A	43	N/A
white Male Youth (current ages 13-24)	4	N/A	6	N/A	10	N/A
Black Male Youth (current ages 13-24)	4	N/A	15	N/A	19	N/A
Hispanic Male Youth (current ages 13-24)	2	N/A	10	N/A	12	N/A
white Female Youth (current ages 13-24)	3	N/A	7	N/A	10	N/A
Black Female Youth (current ages 13-24)	8	N/A	14	N/A	22	N/A
Hispanic Female Youth (current ages 13-24)	0	N/A	6	N/A	6	N/A
White WCBA* (current ages 15-44)	49	N/A	47	N/A	96	N/A
Black WCBA* (current ages 15-44)	108	N/A	96	N/A	204	N/A
Hispanic WCBA* (current ages 15-44)	26	N/A	20	N/A	46	N/A
White Ped Cases (current current ages 0-12)	0	N/A	0	N/A	0	N/A
Black Ped Cases (current ages 0-12)	1	N/A	4	N/A	5	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	45	N/A	57	N/A	102	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU