

EPIDEMIOLOGICAL PROFILE
Target Area
Partnership 15
INDIAN RIVER, MARTIN, OKEECHOBEE AND SAINT LUCIE COUNTIES

Mid-Year Population Estimates

2011

Sex

	Total Pop	
Males	298,434	49%
Females	307,654	51%
Total	606,088	100%

Age Groups

	Total Pop	
0 - 12	86,519	14%
13 - 19	49,942	8%
20 - 24	30,940	5%
25 - 29	30,633	5%
30 - 39	62,894	10%
40 - 49	77,243	13%
50 - 59	85,075	14%
60+	182,842	30%
Total	606,088	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	419,816	69%
Black, non-Hispanic	75,367	12%
Hispanic	92,035	15%
Other*	18,870	3%
Total	606,088	100%

2012

Sex

	Total Pop	
Males	303,044	49.2%
Females	312,339	50.8%
Total	615,383	100.0%

Age Groups

	Total Pop	
0 - 12	87,398	14%
13 - 19	49,919	8%
20 - 24	32,296	5%
25 - 29	31,306	5%
30 - 39	63,985	10%
40 - 49	76,368	12%
50 - 59	87,595	14%
60+	186,516	30%
Total	615,383	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	423,173	69%
Black, non-Hispanic	77,325	13%
Hispanic	95,569	16%
Other*	19,316	3%
Total	615,383	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS & Hepatitis Program

Created: 01/14/13
Revision: 07/30/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 15 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	77	51.3%	25.8	0 - 12	0	0.0%	0.0
Female	73	48.7%	23.7	13 - 19	3	2.0%	6.0
Other/Unknown	0	0.0%	N/A	20 - 24	7	4.7%	22.6
Total	150	100.0%	24.7	25 - 29	13	8.7%	42.4
				30 - 39	35	23.3%	55.6
				40 - 49	50	33.3%	64.7
				50 - 59	28	18.7%	32.9
				60+	14	9.3%	7.7
				Total	150	100.0%	24.7

2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	52	59.8%	17.2	0 - 12	0	0.0%	0.0
Female	35	40.2%	11.2	13 - 19	3	3.4%	6.0
Other/Unknown	0	0.0%	N/A	20 - 24	3	3.4%	9.3
Total	87	100.0%	14.1	25 - 29	6	6.9%	19.2
				30 - 39	23	26.4%	35.9
				40 - 49	25	28.7%	32.7
				50 - 59	19	21.8%	21.7
				60+	8	9.2%	4.3
				Total	87	100.0%	14.1

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 15 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	67	66.3%	22.5	0 - 12	0	0.0%	0.0
Female	34	33.7%	11.1	13 - 19	6	5.9%	12.0
Other/Unknown	0	0.0%	N/A	20 - 24	12	11.9%	38.8
Total	101	100.0%	16.7	25 - 29	8	7.9%	26.1
				30 - 39	28	27.7%	44.5
				40 - 49	28	27.7%	36.2
				50 - 59	15	14.9%	17.6
				60+	4	4.0%	2.2
				Total	101	100.0%	16.7
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	26	25.7%	6.2				
Black, Non-Hispanic	56	55.4%	74.3				
Hispanic	14	13.9%	15.2				
Asian/Pacific Islander	2	2.0%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	3.0%	N/A				
Total	101	100.0%	16.7				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	63	74.1%	20.8	0 - 12	1	1.2%	1.1
Female	22	25.9%	7.0	13 - 19	2	2.4%	4.0
Other/Unknown	0	0.0%	N/A	20 - 24	9	10.6%	27.9
Total	85	100.0%	13.8	25 - 29	8	9.4%	25.6
				30 - 39	20	23.5%	31.3
				40 - 49	20	23.5%	26.2
				50 - 59	18	21.2%	20.5
				60+	7	8.2%	3.8
				Total	85	100.0%	13.8
Race/Ethnicity							
	Cases	% Total	Rate				
White, Non-Hispanic	34	40.0%	8.0				
Black, Non-Hispanic	39	45.9%	50.4				
Hispanic	10	11.8%	10.5				
Asian/Pacific Islander	1	1.2%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	1.2%	N/A				
Total	85	100.0%	13.8				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	13	92.9%	4.4	0 - 12	0	0.0%	0.0
Female	1	7.1%	0.3	13 - 19	1	7.1%	2.0
Other/Unknown	0	0.0%	N/A	20 - 24	4	28.6%	12.9
Total	14	100.0%	2.3	25 - 29	2	14.3%	6.5
				30 - 39	4	28.6%	6.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	14.3%	2.6
White, Non-Hispanic	5	35.7%	1.2	50 - 59	1	7.1%	1.2
Black, Non-Hispanic	7	50.0%	9.3	60+	0	0.0%	0.0
Hispanic	1	7.1%	1.1	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	14	100.0%	2.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	7.1%	N/A				
Total	14	100.0%	2.3				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	7	100.0%	2.3	0 - 12	0	0.0%	0.0
Female	0	0.0%	0.0	13 - 19	2	28.6%	4.0
Other/Unknown	0	0.0%	N/A	20 - 24	3	42.9%	9.3
Total	7	100.0%	1.1	25 - 29	0	0.0%	0.0
				30 - 39	1	14.3%	1.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	0.0%	0.0
White, Non-Hispanic	2	28.6%	0.5	50 - 59	1	14.3%	1.1
Black, Non-Hispanic	4	57.1%	5.2	60+	0	0.0%	0.0
Hispanic	1	14.3%	1.0	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	7	100.0%	1.1
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	7	100.0%	1.1				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	210	42.8%	70.4	0 - 12	0	0.0%	0.0
Female	281	57.2%	91.3	13 - 19	123	25.1%	246.3
Other/Unknown	0	0.0%	N/A	20 - 24	172	35.0%	555.9
Total	491	100.0%	81.0	25 - 29	94	19.1%	306.9
				30 - 39	56	11.4%	89.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	31	6.3%	40.1
White, Non-Hispanic	121	24.6%	28.8	50 - 59	13	2.6%	15.3
Black, Non-Hispanic	321	65.4%	425.9	60+	2	0.4%	1.1
Hispanic	38	7.7%	41.3	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	0.2%	N/A	Total	491	100.0%	81.0
Amer. Indian/Alaskan	4	0.8%	N/A				
Other/Unknown	6	1.2%	N/A				
Total	491	100.0%	81.0				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	174	46.6%	57.4	0-12	0	0.0%	0.0
Female	199	53.4%	63.7	13 - 19	88	23.6%	176.3
Other/Unknown	0	0.0%	N/A	20 - 24	133	35.7%	411.8
Total	373	100.0%	60.6	25 - 29	68	18.2%	217.2
				30 - 39	44	11.8%	68.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	21	5.6%	27.5
White, Non-Hispanic	81	21.7%	19.1	50 - 59	16	4.3%	18.3
Black, Non-Hispanic	250	67.0%	323.3	60+	3	0.8%	1.6
Hispanic	26	7.0%	27.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	0.3%	N/A	Total	373	100.0%	60.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	15	4.0%	N/A				
Total	373	100.0%	60.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	608	31.8%	203.7	0 - 12	0	0.0%	0.0
Female	1,302	68.2%	423.2	13 - 19	634	33.2%	1269.5
Other/Unknown	0	0.0%	N/A	20 - 24	726	38.0%	2346.5
Total	1,910	100.0%	315.1	25 - 29	300	15.7%	979.3
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	670	35.1%	159.6	30 - 39	185	9.7%	294.1
Black, Non-Hispanic	872	45.7%	1157.0	40 - 49	44	2.3%	57.0
Hispanic	310	16.2%	336.8	50 - 59	19	1.0%	22.3
Asian/Pacific Islander	8	0.4%	N/A	60+	2	0.1%	1.1
Amer. Indian/Alaskan	5	0.3%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	45	2.4%	N/A	Total	1,910	100.0%	315.1
Total	1,910	100.0%	315.1				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	532	28.9%	175.6	0-12	0	0.0%	0.0
Female	1,312	71.1%	420.1	13 - 19	562	30.5%	1125.8
Other/Unknown	0	0.0%	N/A	20 - 24	735	39.9%	2275.8
Total	1,844	100.0%	299.7	25 - 29	308	16.7%	983.8
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	664	36.0%	156.9	30 - 39	182	9.9%	284.4
Black, Non-Hispanic	806	43.7%	1042.4	40 - 49	34	1.8%	44.5
Hispanic	253	13.7%	264.7	50 - 59	19	1.0%	21.7
Asian/Pacific Islander	14	0.8%	N/A	60+	4	0.2%	2.1
Amer. Indian/Alaskan	3	0.2%	N/A	Unknown	0	0.0%	N/A
Other/Unknown	104	5.6%	N/A	Total	1,844	100.0%	299.7
Total	1,844	100.0%	299.7				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	15	44.1%	5.0	0 - 12	1	2.9%	1.2
Female	19	55.9%	6.2	13 - 19	3	8.8%	3.5
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	34	100.0%	5.6	25 - 29	0	0.0%	0.0
				30 - 39	2	5.9%	2.3
Race/Ethnicity	Cases	% Total	Rate	40 - 49	9	26.5%	10.4
White, Non-Hispanic	9	26.5%	2.1	50 - 59	11	32.4%	12.7
Black, Non-Hispanic	17	50.0%	22.6	60+	8	23.5%	9.2
Hispanic	6	17.6%	6.5	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	5.9%	N/A	Total	34	100.0%	5.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	0	0.0%	N/A				
Total	34	100.0%	5.6				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	10	50.0%	3.3	0 - 12	2	10.0%	2.3
Female	10	50.0%	3.2	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	5.0%	3.1
Total	20	100.0%	3.3	25 - 29	1	5.0%	3.2
				30 - 39	2	10.0%	3.1
Race/Ethnicity	Cases	% Total	Rate	40 - 49	2	10.0%	2.6
White, Non-Hispanic	6	30.0%	1.4	50 - 59	3	15.0%	3.4
Black, Non-Hispanic	8	40.0%	10.3	60+	9	45.0%	4.8
Hispanic	3	15.0%	3.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	1	5.0%	N/A	Total	20	100.0%	3.3
Amer. Indian/Alaskan	2	10.0%	N/A				
Unknown	0	0.0%	N/A				
Total	20	100.0%	3.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	3	60.0%	1.0	0 - 12	0	0.0%	0.0
Female	2	40.0%	0.7	13 - 19	1	20.0%	2.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	20.0%	3.2
Total	5	100.0%	0.8	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	0.0%	0.0
White, Non-Hispanic	3	60.0%	0.7	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	3	60.0%	1.6
Hispanic	2	40.0%	2.2	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	5	100.0%	0.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	5	100.0%	0.8				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	2	50.0%	0.7	0 - 12	1	25.0%	1.1
Female	2	50.0%	0.6	13 - 19	1	25.0%	2.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	25.0%	3.1
Total	4	100.0%	0.7	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
Race/Ethnicity	Cases	% Total	Rate	40 - 49	0	0.0%	0.0
White, Non-Hispanic	1	25.0%	0.2	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	1	25.0%	0.5
Hispanic	3	75.0%	3.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	4	100.0%	0.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	4	100.0%	0.7				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	6	54.5%	2.0	0 - 12	0	0.0%	0.0
Female	5	45.5%	1.6	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	11	100.0%	1.8	25 - 29	0	0.0%	0.0
				30 - 39	4	36.4%	6.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	27.3%	3.9
White, Non-Hispanic	6	54.5%	1.4	50 - 59	2	18.2%	2.4
Black, Non-Hispanic	4	36.4%	5.3	60+	2	18.2%	1.1
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	11	100.0%	1.8
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	9.1%	N/A				
Total	11	100.0%	1.8				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	6	66.7%	2.0	0 - 12	0	0.0%	0.0
Female	3	33.3%	1.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	9	100.0%	1.5	25 - 29	1	11.1%	3.2
				30 - 39	3	33.3%	4.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	3	33.3%	3.9
White, Non-Hispanic	6	66.7%	1.4	50 - 59	1	11.1%	1.1
Black, Non-Hispanic	1	11.1%	1.3	60+	1	11.1%	0.5
Hispanic	1	11.1%	1.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	9	100.0%	1.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	11.1%	N/A				
Total	9	100.0%	1.5				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 15

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	560	58.6%	187.6	0 - 12	4	0.4%	4.6
Female	394	41.2%	128.1	13 - 19	17	1.8%	34.0
Other/Unknown	2	0.2%	N/A	20 - 24	55	5.8%	177.8
Total	956	100.0%	157.7	25 - 29	67	7.0%	218.7
				30 - 39	99	10.4%	157.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	153	16.0%	198.1
White, Non-Hispanic	446	46.7%	106.2	50 - 59	351	36.7%	412.6
Black, Non-Hispanic	51	5.3%	67.7	60+	210	22.0%	114.9
Hispanic	23	2.4%	25.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	0.2%	N/A	Total	956	100.0%	157.7
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	433	45.3%	N/A				
Total	956	100.0%	157.7				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	341	59.2%	112.5	0 - 12	1	0.2%	1.1
Female	234	40.6%	74.9	13 - 19	11	1.9%	22.0
Other/Unknown	1	0.2%	N/A	20 - 24	48	8.3%	148.6
Total	576	100.0%	93.6	25 - 29	55	9.5%	175.7
				30 - 39	54	9.4%	84.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	93	16.1%	121.8
White, Non-Hispanic	234	40.6%	55.3	50 - 59	209	36.3%	238.6
Black, Non-Hispanic	20	3.5%	25.9	60+	105	18.2%	56.3
Hispanic	16	2.8%	16.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	0.5%	N/A	Total	576	100.0%	93.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	303	52.6%	N/A				
Total	576	100.0%	93.6				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV COUNSELING AND TESTING DATA
Partnership 15

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2011 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	31	2	6.5	Male	5,437	50	0.9
Male Sex With Male	348	17	4.9	Female	8,377	27	0.3
Injecting Drug User	914	3	0.3	Unknown	110	2	1.8
Sex Partner at Risk	723	17	2.4	Total	13,924	79	0.6
Child of Woman with HIV/AIDS	40	1	2.5	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	2,606	11	0.4	White	4,292	18	0.4
Sex for Drugs or Money	109	1	0.9	Black	6,411	51	0.8
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	2,792	5	0.2
Victim of Sexual Assault	502	2	0.4	Asian	53	1	1.9
Health Care Exposure	0	0	#DIV/0!	Am. Native	23	0	0.0
Heterosexual	8,152	16	0.2	Other	94	1	1.1
No Acknowledged Risk	103	0	0.0	Unknown	259	3	1.2
Unknown	396	9	2.3	Total	13,924	79	0.6
Total	13,924	79	0.6	Total	13,924	79	0.6

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	26	0	0.0	Male	4,832	31	0.6
Male Sex With Male	265	14	5.3	Female	7,007	23	0.3
Injecting Drug User	854	2	0.2	Unknown	183	1	0.5
Sex Partner at Risk	795	8	1.0	Total	12,022	55	0.5
Child of Woman with HIV/AIDS	55	1	1.8	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	1,996	7	0.4	White	3,728	18	0.5
Sex for Drugs or Money	126	0	0.0	Black	5,653	35	0.6
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	2,263	1	0.0
Victim of Sexual Assault	396	0	#DIV/0!	Asian	52	0	0.0
Health Care Exposure	0	0	0.0	Am. Native	48	0	0.0
Heterosexual	6,799	14	0.2	Other	65	0	0.0
No Acknowledged Risk	208	0	0.0	Unknown	213	1	0.5
Unknown	499	9	1.8	Total	12,022	55	0.5
Total	12,019	55	0.5	Total	12,022	55	0.5

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 15

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Race/Ethnicity															
White, not Hispanic	34	23%	27	31%	-20.6%	26	26%	34	40%	30.8%	12	24%	1	2%	-91.7%
Black, not Hispanic	95	63%	46	53%	-51.6%	56	55%	39	46%	-30.4%	29	59%	36	80%	24.1%
Hispanic	16	11%	13	15%	-18.8%	14	14%	10	12%	-28.6%	5	10%	7	16%	40.0%
Asian/Pacific Islander	1	1%	0	0%	-100.0%	2	2%	1	1%	-50.0%	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	4	3%	1	1%	-75.0%	3	3%	1	1%	-66.7%	3	6%	1	2%	-66.7%
Total:	150	100%	87	100%	-42.0%	101	100%	85	100%	-15.8%	49	100%	45	100%	-8.2%
Gender															
Male	77	51.3%	52	59.8%	-32.5%	67	66.3%	63	74.1%	-6.0%	31	63.3%	25	55.6%	-19.4%
Female	73	48.7%	35	40.2%	-52.1%	34	33.7%	22	25.9%	-35.3%	18	36.7%	20	44.4%	11.1%
Total:	150	100.0%	87	100.0%	-42.0%	101	100.0%	85	100.0%	-15.8%	49	100.0%	45	100.0%	-8.2%
Age at Diagnosis (Years)															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	1.2%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
13-19 years	3	2.0%	3	3.4%	0.0%	6	5.9%	2	2.4%	-66.7%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	7	4.7%	3	3.4%	-57.1%	12	11.9%	9	10.6%	-25.0%	0	0.0%	1	2.2%	#DIV/0!
25-29 years	13	8.7%	6	6.9%	-53.8%	8	7.9%	8	9.4%	0.0%	0	0.0%	1	2.2%	#DIV/0!
30-39 years	35	23.3%	23	26.4%	-34.3%	28	27.7%	20	23.5%	-28.6%	8	16.3%	9	20.0%	12.5%
40-44 years	26	17.3%	12	13.8%	-53.8%	16	15.8%	7	8.2%	-56.3%	3	6.1%	2	4.4%	-33.3%
45-49 years	24	16.0%	13	14.9%	-45.8%	12	11.9%	13	15.3%	8.3%	7	14.3%	7	15.6%	0.0%
50-59 years	28	18.7%	19	21.8%	-32.1%	15	14.9%	18	21.2%	20.0%	19	38.8%	18	40.0%	-5.3%
60+ years	14	9.3%	8	9.2%	-42.9%	4	4.0%	7	8.2%	75.0%	12	24.5%	7	15.6%	-41.7%
Total:	150	100.0%	87	100.0%	-42.0%	101	100.0%	85	100.0%	-15.8%	49	100.0%	45	100.0%	-8.2%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Male Adult/Adolescent AIDS Exposure Category															
MSM	33	43.4%	26	50.0%	-22.3%	34	51.2%	37	58.5%	7.4%	9	29.0%	5	20.0%	-44.4%
IDU	9	11.1%	3	6.6%	-59.7%	4	5.5%	1	1.6%	-72.7%	6	19.4%	0	0.0%	-100.0%
MSM/IDU	5	5.9%	2	3.8%	-56.0%	2	3.0%	0	0.0%	-100.0%	2	6.5%	1	4.0%	-50.0%
Heterosexual	29	38.3%	19	35.7%	-37.0%	27	40.3%	25	39.9%	-6.9%	14	45.2%	19	76.0%	35.7%
Other	1	1.3%	2	3.8%	100.0%	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
Total:	77	100.0%	52	100.0%	-32.5%	67	100.0%	63	100.0%	-6.0%	31	100.0%	25	100.0%	-19.4%
Female Adult/Adolescent AIDS Exposure Category															
IDU	7	10.0%	3	8.9%	-57.5%	6	17.6%	2	9.5%	-66.7%	4	22.2%	2	10.0%	-50.0%
Heterosexual	64	87.3%	31	88.3%	-51.5%	28	82.4%	19	90.5%	-32.1%	14	77.8%	18	90.0%	28.6%
Other	2	2.7%	1	2.9%	-50.0%	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
Total:	73	100.0%	35	100.0%	-52.1%	34	100.0%	21	100.0%	-38.2%	18	100.0%	20	100.0%	11.1%
Pediatric AIDS Exposure Categories (ages 0-12)															
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	1	100%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Total:	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	#DIV/0!	1	100%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2012.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2012.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/13.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	15	N/A	17	N/A	13.3%	11	N/A	20	N/A	81.8%	6	N/A	0	N/A	-100.0%
Black MSM*	12	N/A	8	N/A	-33.3%	15	N/A	7	N/A	-53.3%	0	N/A	4	N/A	#DIV/0!
Hispanic MSM*	7	N/A	1	N/A	-85.7%	5	N/A	3	N/A	-40.0%	4	N/A	2	N/A	-50.0%
white Male IDU**	3	N/A	3	N/A	0.0%	1	N/A	1	N/A	0.0%	2	N/A	0	N/A	-100.0%
Black Male IDU**	7	N/A	2	N/A	-71.4%	4	N/A	0	N/A	-100.0%	5	N/A	1	N/A	-80.0%
Hispanic Male IDU**	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%
white Female IDU**	5	N/A	0	N/A	-100.0%	6	N/A	1	N/A	-83.3%	2	N/A	1	N/A	-50.0%
Black Female IDU**	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!	2	N/A	0	N/A	-100.0%
Hispanic Female IDU**	1	N/A	2	N/A	100.0%	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	1	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	9	N/A	3	N/A	-66.7%	3	N/A	3	N/A	0.0%	2	N/A	0	N/A	-100.0%
Female Haitian Born	5	N/A	3	N/A	-40.0%	4	N/A	2	N/A	-50.0%	1	N/A	0	N/A	-100.0%
white Male Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	2	N/A	3	N/A	50.0%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	4	N/A	3	N/A	-25.0%	8	N/A	5	N/A	-37.5%	0	N/A	1	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	3	N/A	1	N/A	-66.7%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	5	N/A	3	N/A	-40.0%	2	N/A	2	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	9	N/A	4	N/A	-55.6%	10	N/A	3	N/A	-70.0%	2	N/A	0	N/A	-100.0%
Black WCBA* (ages 15-44)	33	N/A	15	N/A	-54.5%	9	N/A	9	N/A	0.0%	5	N/A	8	N/A	60.0%
Hispanic WCBA* (ages 15-44)	1	N/A	3	N/A	200.0%	3	N/A	1	N/A	-66.7%	0	N/A	0	N/A	#DIV/0!
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
DOC cases	8	N/A	2	N/A	-75.0%	0	N/A	1	N/A	#DIV/0!	3	N/A	5	N/A	66.7%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 15

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Proportional Rate of this Co-morbidity among the population of this Disease in this Area
	N= 2,224				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	1	45.0	eHARS	Data through 2012 (data as of 06/30/13)	5.0%
Infectious Syphilis reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	2	89.9	PRISM	Data through 2012 (data as of 03/2013)	28.6%
Gonorrhea reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	10	449.6	PRISM	Data through 2012 (data as of 03/2013)	2.7%
Chlamydia reported in 2012 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	17	764.4	PRISM	Data through 2012 (data as of 03/2013)	0.9%
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN)	205	9217.6	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/13)	N/A

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	3	134.9	eHARS (address variable)	Data through 2012 (data as of 06/30/13)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc., and documented in HARS)	644	28,956.8	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	144	6,474.8	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)	
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	669	30,080.9	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	288	12,949.6	(PLWHA data)	Data through 2012 (data as of 06/30/13)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2012	1,076	30	2.8%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2013
Offenders who returned to the Area in 2011	1,171	34	2.9%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012
Offenders who returned to the Area in 2010	1,197	51	4.3%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 03/2011

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/ Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	6,731	67.4%	36,408	66.7%	303	23.3%
Black	1,870	18.7%	10,067	18.4%	361	27.9%
Hispanic	1,209	12.1%	8,148	14.9%	634	48.8%
Other*	172	1.7%	N/A	N/A	N/A	N/A
Total	9,982	100.0%	54,623	100.0%	1,298	100.0%

Selected Socioeconomic Indicators for this Partnership, (U.S. Census 2000), *Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:

<http://www.census.gov/did/www/saie/data/statecounty/data/2009.html>

The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/saie/data/index.html>

<http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 15.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 05/16/2012		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 05/16/2012		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 05/16/2012	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	377	24.6%	186	26.8%	563	25.3%
Black, not Hispanic	968	63.2%	424	61.2%	1,392	62.6%
Hispanic	161	10.5%	65	9.4%	226	10.2%
Asian/Pacific Islander	4	0.3%	3	0.4%	7	0.3%
American Indian/Alaskan Native	0	0.0%	0	0.0%	0	0.0%
Not Specified/Other	21	1.4%	15	2.2%	36	1.6%
Total:	1,531	100.0%	693	100.0%	2,224	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	917	59.9%	374	54.0%	1,291	58.0%
Female	614	40.1%	319	46.0%	933	42.0%
Total:	1,531	100.0%	693	100.0%	2,224	100.0%
Current Age on 12/31/2012 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	1	0.1%	1	0.0%
3-12 years	0	0.0%	12	1.7%	12	0.5%
13-19 years	14	0.9%	13	1.9%	27	1.2%
20-24 years	29	1.9%	35	5.1%	64	2.9%
25-29 years	42	2.7%	49	7.1%	91	4.1%
30-39 years	221	14.4%	175	25.3%	396	17.8%
40-44 years	199	13.0%	90	13.0%	289	13.0%
45-49 years	264	17.2%	103	14.9%	367	16.5%
50-59 years	509	33.2%	148	21.4%	657	29.5%
60+ years	253	16.5%	67	9.7%	320	14.4%
Total:	1,531	100.0%	693	100.0%	2,224	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	407	44.4%	202	54.7%	609	47.4%
IDU	91	9.9%	22	6.0%	113	8.8%
MSM/IDU	47	5.1%	13	3.5%	60	4.7%
Heterosexual	349	38.1%	122	33.1%	471	36.6%
Other	23	2.5%	10	2.7%	33	2.6%
Total:	917	100.0%	369	100.0%	1,286	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	81	13.2%	34	10.9%	115	12.4%
Heterosexual	519	84.5%	273	87.8%	792	85.6%
Other	14	2.3%	4	1.3%	18	1.9%
Total:	614	100.0%	311	100.0%	925	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	13	100.0%	13	100.0%
Risk not reported/Other	0	#DIV/0!	0	0.0%	0	0.0%
Total:	0	#DIV/0!	13	100.0%	13	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/13		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/13	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	214	N/A	105	N/A	319	N/A
Black MSM	159	N/A	71	N/A	230	N/A
Hispanic MSM	72	N/A	30	N/A	102	N/A
white Male IDU	46	N/A	14	N/A	60	N/A
Black Male IDU	67	N/A	18	N/A	85	N/A
Hispanic Male IDU	22	N/A	2	N/A	24	N/A
white Female IDU	29	N/A	21	N/A	50	N/A
Black Female IDU	46	N/A	12	N/A	58	N/A
Hispanic Female IDU	4	N/A	0	N/A	4	N/A
white Male Homeless	0	N/A	0	N/A	0	N/A
Black Male Homeless	2	N/A	1	N/A	3	N/A
Hispanic Male Homeless	0	N/A	0	N/A	0	N/A
white Female Homeless	0	N/A	0	N/A	0	N/A
Black Female Homeless	0	N/A	0	N/A	0	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	106	N/A	26	N/A	132	N/A
Female Haitian Born	56	N/A	41	N/A	97	N/A
white Male Youth (current ages 13-24)	1	N/A	8	N/A	9	N/A
Black Male Youth (current ages 13-24)	25	N/A	20	N/A	45	N/A
Hispanic Male Youth (current ages 13-24)	1	N/A	3	N/A	4	N/A
white Female Youth (current ages 13-24)	1	N/A	3	N/A	4	N/A
Black Female Youth (current ages 13-24)	15	N/A	10	N/A	25	N/A
Hispanic Female Youth (current ages 13-24)	0	N/A	3	N/A	3	N/A
White WCBA* (current ages 15-44)	44	N/A	37	N/A	81	N/A
Black WCBA* (current ages 15-44)	192	N/A	127	N/A	319	N/A
Hispanic WCBA* (current ages 15-44)	12	N/A	12	N/A	24	N/A
White Ped Cases (current current ages 0-12)	0	N/A	1	N/A	1	N/A
Black Ped Cases (current ages 0-12)	0	N/A	12	N/A	12	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	133	N/A	64	N/A	197	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU