

EPIDEMIOLOGICAL PROFILE
Target Area
Florida

Mid-Year Population Estimates

2011

Sex

	Total Pop	
Males	9,259,287	49%
Females	9,675,000	51%
Total	18,934,287	100%

Age Groups

	Total Pop	
0 - 12	2,840,254	15%
13 - 19	1,666,332	9%
20 - 24	1,245,246	7%
25 - 29	1,195,272	6%
30 - 39	2,297,166	12%
40 - 49	2,595,804	14%
50 - 59	2,595,100	14%
60+	4,499,113	24%
Total	18,934,287	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	10,878,654	57%
Black, non-Hispanic	2,887,357	15%
Hispanic	4,313,324	23%
Other*	854,952	5%
Total	18,934,287	100%

2012

Sex

	Total Pop	
Males	9,358,407	48.9%
Females	9,769,783	51.1%
Total	19,128,190	100.0%

Age Groups

	Total Pop	
0 - 12	2,859,605	15%
13 - 19	1,662,161	9%
20 - 24	1,264,295	7%
25 - 29	1,213,740	6%
30 - 39	2,314,381	12%
40 - 49	2,560,193	13%
50 - 59	2,649,484	14%
60+	4,604,331	24%
Total	19,128,190	100%

Race/Ethnicity

	Total Pop	
White, non-Hispanic	10,922,939	57%
Black, non-Hispanic	2,929,932	15%
Hispanic	4,405,698	23%
Other*	869,621	5%
Total	19,128,190	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

FLORIDA Department of Health, HIV/AIDS & Hepatitis Program

Created: 01/14/13
Revision: 7/27/13

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively
 DOC cases are excluded.

THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	2,128	66.6%	23.0	0 - 12	1	0.0%	0.0
Female	1,065	33.4%	11.0	13 - 19	59	1.8%	3.5
Other/Unknown	0	0.0%	N/A	20 - 24	203	6.4%	16.3
Total	3,193	100.0%	16.9	25 - 29	261	8.2%	21.8
Race/Ethnicity				Race/Ethnicity			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	737	23.1%	6.8	30 - 39	736	23.1%	32.0
Black, Non-Hispanic	1,769	55.4%	61.3	40 - 49	1,007	31.5%	38.8
Hispanic	612	19.2%	14.2	50 - 59	666	20.9%	25.7
Asian/Pacific Islander	17	0.5%	N/A	60+	260	8.1%	5.8
Amer. Indian/Alaskan	3	0.1%	N/A	Total	3,193	100.0%	16.9
Other/Unknown	55	1.7%	N/A				
Total	3,193	100.0%	16.9				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	1,936	71.0%	20.7	0 - 12	2	0.1%	0.1
Female	789	29.0%	8.1	13 - 19	32	1.2%	1.9
Other/Unknown	0	0.0%	N/A	20 - 24	164	6.0%	13.0
Total	2,725	100.0%	14.2	25 - 29	239	8.8%	19.7
Race/Ethnicity				Race/Ethnicity			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	655	24.0%	6.0	30 - 39	681	25.0%	29.4
Black, Non-Hispanic	1,441	52.9%	49.2	40 - 49	791	29.0%	30.9
Hispanic	570	20.9%	12.9	50 - 59	576	21.1%	21.7
Asian/Pacific Islander	11	0.4%	N/A	60+	240	8.8%	5.2
Amer. Indian/Alaskan	1	0.0%	N/A	Total	2,725	100.0%	14.2
Other/Unknown	47	1.7%	N/A				
Total	2,725	100.0%	14.2				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Florida population estimates, by race/ethnicity, gender and age, respectively
 DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	3,687	74.4%	39.8	0 - 12	16	0.3%	0.6
Female	1,267	25.6%	13.1	13 - 19	217	4.4%	13.0
Other/Unknown	0	0.0%	N/A	20 - 24	673	13.6%	54.0
Total	4,954	100.0%	26.2	25 - 29	657	13.3%	55.0
				30 - 39	1,075	21.7%	46.8
Race/Ethnicity				40 - 49	1,209	24.4%	46.6
White, Non-Hispanic	1,391	28.1%	12.8	50 - 59	786	15.9%	30.3
Black, Non-Hispanic	2,309	46.6%	80.0	60+	321	6.5%	7.1
Hispanic	1,154	23.3%	26.8	Total	4,954	100.0%	26.2
Asian/Pacific Islander	47	0.9%	N/A				
Amer. Indian/Alaskan	2	0.0%	N/A				
Other/Unknown	51	1.0%	N/A				
Total	4,954	100.0%	26.2				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	4,065	77.2%	43.4	0 - 12	20	0.4%	0.7
Female	1,201	22.8%	12.3	13 - 19	191	3.6%	11.5
Other/Unknown	0	0.0%	N/A	20 - 24	707	13.4%	55.9
Total	5,266	100.0%	27.5	25 - 29	657	12.5%	54.1
				30 - 39	1,180	22.4%	51.0
Race/Ethnicity				40 - 49	1,317	25.0%	51.4
White, Non-Hispanic	1,645	31.2%	15.1	50 - 59	860	16.3%	32.5
Black, Non-Hispanic	2,347	44.6%	80.1	60+	334	6.3%	7.3
Hispanic	1,187	22.5%	26.9	Total	5,266	100.0%	27.5
Asian/Pacific Islander	52	1.0%	N/A				
Amer. Indian/Alaskan	5	0.1%	N/A				
Other/Unknown	30	0.6%	N/A				
Total	5,266	100.0%	27.5				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	9,653	49.4%	104.3	0 - 12	0	0.0%	0.0
Female	9,856	50.5%	101.9	13 - 19	5,012	25.7%	300.8
Other/Unknown	14	0.1%	N/A	20 - 24	6,863	35.2%	551.1
Total	19,523	100.0%	103.1	25 - 29	3,511	18.0%	293.7
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	3,690	18.9%	33.9	30 - 39	2,483	12.7%	108.1
Black, Non-Hispanic	11,931	61.1%	413.2	40 - 49	1,097	5.6%	42.3
Hispanic	1,659	8.5%	38.5	50 - 59	443	2.3%	17.1
Asian/Pacific Islander	74	0.4%	N/A	60+	110	0.6%	2.4
Amer. Indian/Alaskan	24	0.1%	N/A	Unknown	4	0.0%	N/A
Other/Unknown	2,145	11.0%	N/A	Total	19,523	100.0%	103.1
Total	19,523	100.0%	103.1				
2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	9,915	51.1%	105.9	0-12	0	0.0%	0.0
Female	9,489	48.9%	97.1	13 - 19	4,274	22.0%	257.1
Other/Unknown	0	0.0%	N/A	20 - 24	6,739	34.7%	533.0
Total	19,404	100.0%	101.4	25 - 29	3,528	18.2%	290.7
Race/Ethnicity				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
White, Non-Hispanic	4,076	21.0%	37.3	30 - 39	2,936	15.1%	126.9
Black, Non-Hispanic	11,229	57.9%	383.3	40 - 49	1,254	6.5%	49.0
Hispanic	1,685	8.7%	38.2	50 - 59	543	2.8%	20.5
Asian/Pacific Islander	99	0.5%	N/A	60+	123	0.6%	2.7
Amer. Indian/Alaskan	25	0.1%	N/A	Unknown	7	0.0%	N/A
Other/Unknown	2,290	11.8%	N/A	Total	19,404	100.0%	101.4
Total	19,404	100.0%	101.4				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida

2011							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	21,598	28.7%	233.3	0 - 12	0	0.0%	0.0
Female	53,606	71.2%	554.1	13 - 19	23,718	31.5%	1423.4
Other/Unknown	79	0.1%	N/A	20 - 24	29,734	39.5%	2387.8
Total	75,283	100.0%	397.6	25 - 29	12,136	16.1%	1015.3
				30 - 39	7,250	9.6%	315.6
Race/Ethnicity				40 - 49	1,782	2.4%	68.6
White, Non-Hispanic	18,797	25.0%	172.8	50 - 59	501	0.7%	19.3
Black, Non-Hispanic	34,772	46.2%	1204.3	60+	138	0.2%	3.1
Hispanic	9,647	12.8%	223.7	Unknown	24	0.0%	N/A
Asian/Pacific Islander	490	0.7%	N/A	Total	75,283	100.0%	397.6
Amer. Indian/Alaskan	92	0.1%	N/A				
Other/Unknown	11,485	15.3%	N/A				
Total	75,283	100.0%	397.6				

2012							
Gender				Age Groups			
	Cases	% Total	Rate		Cases	% Total	Rate
Male	22,008	28.5%	235.2	0-12	0	0.0%	0.0
Female	55,224	71.5%	565.3	13 - 19	22,552	29.2%	1356.8
Other/Unknown	8	0.0%	N/A	20 - 24	30,955	40.1%	2448.4
Total	77,240	100.0%	403.8	25 - 29	12,847	16.6%	1058.5
				30 - 39	8,015	10.4%	346.3
Race/Ethnicity				40 - 49	2,033	2.6%	79.4
White, Non-Hispanic	18,882	24.4%	172.9	50 - 59	647	0.8%	24.4
Black, Non-Hispanic	31,470	40.7%	1074.1	60+	166	0.2%	3.6
Hispanic	8,097	10.5%	183.8	Unknown	25	0.0%	N/A
Asian/Pacific Islander	547	0.7%	N/A	Total	77,240	100.0%	403.8
Amer. Indian/Alaskan	97	0.1%	N/A				
Other/Unknown	18,147	23.5%	N/A				
Total	77,240	100.0%	403.8				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	493	65.3%	5.3	0 - 12	35	4.6%	1.2
Female	262	34.7%	2.7	13 - 19	27	3.6%	1.0
Other/Unknown	0	0.0%	N/A	20 - 24	38	5.0%	1.3
Total	755	100.0%	4.0	25 - 29	48	6.4%	1.7
				30 - 39	102	13.5%	3.6
Race/Ethnicity	Cases	% Total	Rate	40 - 49	147	19.5%	5.2
White, Non-Hispanic	160	21.2%	1.5	50 - 59	159	21.1%	5.6
Black, Non-Hispanic	286	37.9%	9.9	60+	199	26.4%	7.0
Hispanic	198	26.2%	4.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	94	12.5%	N/A	Total	755	100.0%	4.0
Amer. Indian/Alaskan	4	0.5%	N/A				
Unknown	13	1.7%	N/A				
Total	755	100.0%	4.0				

2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	421	62.0%	4.5	0 - 12	26	3.8%	0.9
Female	258	38.0%	2.6	13 - 19	24	3.5%	1.4
Other/Unknown	0	0.0%	N/A	20 - 24	39	5.7%	3.1
Total	679	100.0%	3.5	25 - 29	35	5.2%	2.9
				30 - 39	105	15.5%	4.5
Race/Ethnicity	Cases	% Total	Rate	40 - 49	119	17.5%	4.6
White, Non-Hispanic	174	25.6%	1.6	50 - 59	142	20.9%	5.4
Black, Non-Hispanic	240	35.3%	8.2	60+	189	27.8%	4.1
Hispanic	174	25.6%	3.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	60	8.8%	N/A	Total	679	100.0%	3.5
Amer. Indian/Alaskan	1	0.1%	N/A				
Unknown	30	4.4%	N/A				
Total	679	100.0%	3.5				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	49	52.7%	0.5	0 - 12	8	8.6%	0.3
Female	44	47.3%	0.5	13 - 19	13	14.0%	0.8
Other/Unknown	0	0.0%	N/A	20 - 24	10	10.8%	0.8
Total	93	100.0%	0.5	25 - 29	8	8.6%	0.7
				30 - 39	16	17.2%	0.7
Race/Ethnicity	Cases	% Total	Rate	40 - 49	15	16.1%	0.6
White, Non-Hispanic	38	40.9%	0.3	50 - 59	6	6.5%	0.2
Black, Non-Hispanic	7	7.5%	0.2	60+	17	18.3%	0.4
Hispanic	35	37.6%	0.8	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	5.4%	N/A	Total	93	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	8	8.6%	N/A				
Total	93	100.0%	0.5				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	44	50.6%	0.5	0 - 12	9	10.3%	0.3
Female	43	49.4%	0.4	13 - 19	6	6.9%	0.4
Other/Unknown	0	0.0%	N/A	20 - 24	8	9.2%	0.6
Total	87	100.0%	0.5	25 - 29	7	8.0%	0.6
				30 - 39	9	10.3%	0.4
Race/Ethnicity	Cases	% Total	Rate	40 - 49	16	18.4%	0.6
White, Non-Hispanic	44	50.6%	0.4	50 - 59	9	10.3%	0.3
Black, Non-Hispanic	4	4.6%	0.1	60+	23	26.4%	0.5
Hispanic	29	33.3%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	3	3.4%	N/A	Total	87	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	7	8.0%	N/A				
Total	87	100.0%	0.5				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Florida

2011							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	134	60.6%	1.4	0 - 12	1	0.5%	0.0
Female	87	39.4%	0.9	13 - 19	2	0.9%	0.1
Other/Unknown	0	0.0%	N/A	20 - 24	5	2.3%	0.4
Total	221	100.0%	1.2	25 - 29	12	5.4%	1.0
				30 - 39	64	29.0%	2.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	73	33.0%	2.8
White, Non-Hispanic	131	59.3%	1.2	50 - 59	32	14.5%	1.2
Black, Non-Hispanic	41	18.6%	1.4	60+	32	14.5%	0.7
Hispanic	32	14.5%	0.7	Unknown	0	0.0%	N/A
Asian/Pacific Islander	2	0.9%	N/A	Total	221	100.0%	1.2
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	15	6.8%	N/A				
Total	221	100.0%	1.2				
2012							
Gender	Cases	% Total	Rate	Age Groups	Cases	% Total	Rate
Male	138	56.8%	1.5	0 - 12	1	0.4%	0.0
Female	105	43.2%	1.1	13 - 19	2	0.8%	0.1
Other/Unknown	0	0.0%	N/A	20 - 24	2	0.8%	0.2
Total	243	100.0%	1.3	25 - 29	10	4.1%	0.8
				30 - 39	89	36.6%	3.8
Race/Ethnicity	Cases	% Total	Rate	40 - 49	75	30.9%	2.9
White, Non-Hispanic	157	64.6%	1.4	50 - 59	38	15.6%	1.4
Black, Non-Hispanic	40	16.5%	1.4	60+	26	10.7%	0.6
Hispanic	28	11.5%	0.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	2.1%	N/A	Total	243	100.0%	1.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	13	5.3%	N/A				
Total	243	100.0%	1.3				

2012 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA
Florida**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

2011 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	1,547	100	6.5	Male	181,331	3,358	1.9
Male Sex With Male	33,268	1,982	6.0	Female	227,247	1,180	0.5
Injecting Drug User	16,874	159	0.9	Unknown	4,101	90	2.2
Sex Partner at Risk	20,635	636	3.1	Total	412,679	4,628	1.1
Child of Woman with HIV/AIDS	1,251	12	1.0	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	63,843	352	0.6	White	114,918	1,018	0.9
Sex for Drugs or Money	4,669	43	0.9	Black	184,631	2,428	1.3
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	97,488	1,018	1.0
Victim of Sexual Assault	11,732	50	0.4	Asian	3,677	25	0.7
Health Care Exposure	0	0	#DIV/0!	Am. Native	815	6	0.7
Heterosexual	242,114	1,007	0.4	Other	3,151	29	0.9
No Acknowledged Risk	3,693	16	0.4	Unknown	7,999	104	1.3
Unknown	13,053	271	2.1	Total	412,679	4,628	1.1
Total	412,679	4,628	1.1	Total	412,679	4,628	1.1

2012 Exposure Category	Number of Tests	Number Positive	Percent Positive	Gender	Number of Tests	Number Positive	Percent Positive
Male Sex With Male/IDU	1,931	87	4.5	Male	179,450	2,926	1.6
Male Sex With Male	35,218	1,756	5.0	Female	216,638	993	0.5
Injecting Drug User	18,286	172	0.9	Unknown	6,949	75	1.1
Sex Partner at Risk	26,344	527	2.0	Total	403,037	3,994	1.0
Child of Woman with HIV/AIDS	910	19	2.1	Race/ Ethnicity	Number of Tests	Number Positive	Percent Positive
STD Diagnosis	60,079	292	0.5	White	110,706	853	0.8
Sex for Drugs or Money	3,752	36	1.0	Black	181,062	2,125	1.2
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	95,827	900	0.9
Victim of Sexual Assault	10,587	46	#DIV/0!	Asian	3,814	21	0.6
Health Care Exposure	0	0	0.0	Am. Native	746	10	1.3
Heterosexual	226,321	864	0.4	Other	3,119	30	1.0
No Acknowledged Risk	5,172	29	0.6	Unknown	7,763	55	0.7
Unknown	14,405	166	1.2	Total	403,037	3,994	1.0
Total	403,005	3,994	1.0	Total	403,037	3,994	1.0

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Florida

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/12.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/12.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Race/Ethnicity															
White, not Hispanic	737	23%	655	24%	-11.1%	1391	28%	1,645	31%	18.3%	514	28%	403	25%	-21.6%
Black, not Hispanic	1769	55%	1,441	53%	-18.5%	2309	47%	2,347	45%	1.6%	990	54%	917	57%	-7.4%
Hispanic	612	19%	570	21%	-6.9%	1154	23%	1,187	23%	2.9%	273	15%	240	15%	-12.1%
Asian/Pacific Islander	17	1%	11	0%	-35.3%	47	1%	52	1%	10.6%	4	0%	1	0%	-75.0%
American Indian/Alaskan Native	3	0%	1	0%	-66.7%	2	0%	5	0%	150.0%	1	0%	0	0%	-100.0%
Not Specified/Other	55	2%	47	2%	-14.5%	51	1%	30	1%	-41.2%	58	3%	37	2%	-36.2%
Total:	3,193	100%	2,725	100%	-14.7%	4,954	100%	5,266	100%	6.3%	1,840	100%	1,598	100%	-13.2%
Gender															
Male	2128	66.6%	1,936	71.0%	-9.0%	3687	74.4%	4,065	77.2%	10.3%	1,250	67.9%	1,077	67.4%	-13.8%
Female	1065	33.4%	789	29.0%	-25.9%	1267	25.6%	1,201	22.8%	-5.2%	590	32.1%	521	32.6%	-11.7%
Total:	3,193	100.0%	2,725	100.0%	-14.7%	4,954	100.0%	5,266	100.0%	6.3%	1,840	100.0%	1,598	100.0%	-13.2%
Age at Diagnosis (Years)															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	6	0.1%	8	0.2%	33.3%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	1	0.0%	2	0.1%	100.0%	10	0.2%	12	0.2%	20.0%	0	0.0%	1	0.1%	#DIV/0!
13-19 years	59	1.8%	32	1.2%	-45.8%	217	4.4%	191	3.6%	-12.0%	7	0.4%	4	0.3%	-42.9%
20-24 years	203	6.4%	164	6.0%	-19.2%	673	13.6%	707	13.4%	5.1%	28	1.5%	16	1.0%	-42.9%
25-29 years	261	8.2%	239	8.8%	-8.4%	657	13.3%	657	12.5%	0.0%	48	2.6%	47	2.9%	-2.1%
30-39 years	736	23.1%	681	25.0%	-7.5%	1,075	21.7%	1,180	22.4%	9.8%	213	11.6%	178	11.1%	-16.4%
40-44 years	497	15.6%	399	14.6%	-19.7%	616	12.4%	639	12.1%	3.7%	198	10.8%	162	10.1%	-18.2%
45-49 years	510	16.0%	392	14.4%	-23.1%	593	12.0%	678	12.9%	14.3%	302	16.4%	234	14.6%	-22.5%
50-59 years	666	20.9%	576	21.1%	-13.5%	786	15.9%	860	16.3%	9.4%	635	34.5%	531	33.2%	-16.4%
60+ years	260	8.1%	240	8.8%	-7.7%	321	6.5%	334	6.3%	4.0%	409	22.2%	425	26.6%	3.9%
Total:	3,193	100.0%	2,725	100.0%	-14.7%	4,954	100.0%	5,266	100.0%	6.3%	1,840	100.0%	1,598	100.0%	-13.2%

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/12.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/12.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
Male Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
MSM	1,280	60.2%	1,187	61.4%	-7.2%	2,632	71.5%	3,029	74.7%	15.1%	641	51.3%	523	48.6%	-18.4%
IDU	132	6.2%	135	7.0%	2.0%	126	3.4%	133	3.3%	5.4%	179	14.3%	144	13.4%	-19.6%
MSM/IDU	72	3.4%	88	4.5%	22.2%	75	2.0%	90	2.2%	19.1%	80	6.4%	81	7.5%	1.3%
Heterosexual	643	30.2%	524	27.1%	-18.5%	848	23.0%	802	19.8%	-5.5%	339	27.1%	317	29.4%	-6.5%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	11	0.9%	12	1.1%	9.1%
Total:	2,127	100.0%	1,934	100.0%	-9.1%	3,682	100.0%	4,053	100.0%	10.1%	1,250	100.0%	1,077	100.0%	-13.8%
Female Adult/Adolescent AIDS Exposure Category	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
IDU	126	11.8%	92	11.7%	-27.0%	97	7.7%	96	8.0%	-1.3%	130	22.0%	104	20.0%	-20.0%
Heterosexual	939	88.2%	697	88.3%	-25.8%	1,159	92.3%	1,097	92.0%	-5.3%	447	75.8%	408	78.6%	-8.7%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!	13	2.2%	7	1.3%	-46.2%
Total:	1,065	100.0%	789	100.0%	-25.9%	1,256	100.0%	1,193	100.0%	-5.0%	590	100.0%	519	100.0%	-12.0%
Pediatric AIDS Exposure Categories (ages 0-12)	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
Mother with/at risk for HIV infection	0	0%	0	0%	#DIV/0!	16	100%	19	95%	18.8%	0	#DIV/0!	1	100%	#DIV/0!
Risk not reported/Other	1	100%	2	100%	100.0%	0	0%	1	5%	#DIV/0!	0	#DIV/0!	0	0%	#DIV/0!
Total:	1	100%	2	100%	100.0%	16	100%	20	100%	25.0%	0	#DIV/0!	1	100%	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2011 & 2012					HIV Infection Cases Reported in 2011 & 2012					HIV/AIDS Case Deaths in 2011 & 2012				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/12.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/12.					HIV or AIDS cases that died (regardless of cause) in 2012, data as of 06/30/2013.				
Special Populations	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change	2011	% of Total	2012	% of Total	% change
White MSM*	476	N/A	427	N/A	-10.3%	993	N/A	1,127	N/A	13.5%	343	N/A	283	N/A	-17.5%
Black MSM*	423	N/A	394	N/A	-6.9%	751	N/A	799	N/A	6.4%	214	N/A	184	N/A	-14.0%
Hispanic MSM*	325	N/A	311	N/A	-4.3%	753	N/A	766	N/A	1.7%	135	N/A	120	N/A	-11.1%
white Male IDU**	52	N/A	63	N/A	21.2%	60	N/A	67	N/A	11.7%	77	N/A	58	N/A	-24.7%
Black Male IDU**	90	N/A	73	N/A	-18.9%	71	N/A	51	N/A	-28.2%	118	N/A	122	N/A	3.4%
Hispanic Male IDU**	41	N/A	53	N/A	29.3%	46	N/A	46	N/A	0.0%	51	N/A	40	N/A	-21.6%
white Female IDU**	35	N/A	30	N/A	-14.3%	40	N/A	32	N/A	-20.0%	36	N/A	26	N/A	-27.8%
Black Female IDU**	64	N/A	41	N/A	-35.9%	40	N/A	30	N/A	-25.0%	75	N/A	61	N/A	-18.7%
Hispanic Female IDU**	16	N/A	7	N/A	-56.3%	5	N/A	9	N/A	80.0%	14	N/A	16	N/A	14.3%
white Male Homeless	2	N/A	2	N/A	0.0%	11	N/A	7	N/A	-36.4%	0	N/A	6	N/A	#DIV/0!
Black Male Homeless	12	N/A	8	N/A	-33.3%	26	N/A	16	N/A	-38.5%	11	N/A	9	N/A	-18.2%
Hispanic Male Homeless	5	N/A	4	N/A	-20.0%	12	N/A	10	N/A	-16.7%	4	N/A	3	N/A	-25.0%
white Female Homeless	1	N/A	3	N/A	200.0%	2	N/A	2	N/A	0.0%	2	N/A	0	N/A	-100.0%
Black Female Homeless	2	N/A	3	N/A	50.0%	5	N/A	5	N/A	0.0%	5	N/A	0	N/A	-100.0%
Hispanic Female Homeless	2	N/A	0	N/A	-100.0%	2	N/A	3	N/A	50.0%	0	N/A	1	N/A	#DIV/0!
Male Haitian Born	151	N/A	118	N/A	-21.9%	167	N/A	151	N/A	-9.6%	79	N/A	50	N/A	-36.7%
Female Haitian Born	120	N/A	99	N/A	-17.5%	168	N/A	142	N/A	-15.5%	53	N/A	54	N/A	1.9%
white Male Youth (ages 13-24)	23	N/A	15	N/A	-34.8%	145	N/A	142	N/A	-2.1%	2	N/A	2	N/A	0.0%
Black Male Youth (ages 13-24)	135	N/A	88	N/A	-34.8%	396	N/A	397	N/A	0.3%	15	N/A	13	N/A	-13.3%
Hispanic Male Youth (ages 13-24)	34	N/A	42	N/A	23.5%	148	N/A	171	N/A	15.5%	1	N/A	2	N/A	100.0%
white Female Youth (ages 13-24)	6	N/A	3	N/A	-50.0%	22	N/A	29	N/A	31.8%	1	N/A	0	N/A	-100.0%
Black Female Youth (ages 13-24)	54	N/A	36	N/A	-33.3%	135	N/A	126	N/A	-6.7%	14	N/A	3	N/A	-78.6%
Hispanic Female Youth (ages 13-24)	5	N/A	6	N/A	20.0%	18	N/A	21	N/A	16.7%	1	N/A	0	N/A	-100.0%
White WCBA* (ages 15-44)	83	N/A	64	N/A	-22.9%	133	N/A	130	N/A	-2.3%	33	N/A	16	N/A	-51.5%
Black WCBA* (ages 15-44)	443	N/A	322	N/A	-27.3%	539	N/A	506	N/A	-6.1%	158	N/A	159	N/A	0.6%
Hispanic WCBA* (ages 15-44)	66	N/A	53	N/A	-19.7%	98	N/A	108	N/A	10.2%	20	N/A	10	N/A	-50.0%
White Ped Cases (ages 0-12)	1	N/A	0	N/A	-100.0%	2	N/A	3	N/A	50.0%	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	2	N/A	#DIV/0!	10	N/A	16	N/A	60.0%	0	N/A	1	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	3	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
DOC cases	106	N/A	50	N/A	-52.8%	146	N/A	122	N/A	-16.4%	69	N/A	71	N/A	2.9%

*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

*MSM includes MSM & MSM/IDU

**Male IDU includes IDU & MSM/IDU

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Florida

Documented Co-morbidity cases in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table In	Prevalence Rate of this Disease per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 101,564				
AIDS Cases diagnosed through 2012 with Tuberculosis diagnosed in 2012	36	35.4	5.3%	eHARS	Data through 2012 (data as of 06/30/2013)
Infectious Syphilis reported in 2012 among HIV/AIDS patients	573	564.2	41.8%	PRISM	Data through 2012 (data as of 03/2013)
Gonorrhea reported in 2012 among HIV/AIDS patients	917	902.9	4.7%	PRISM	Data through 2012 (data as of 03/2013)
Chlamydia reported in 2012 among HIV/AIDS patients	1,035	1,019.1	1.3%	PRISM	Data through 2012 (data as of 03/2013)
Hepatitis C (defined as <i>any</i> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in eHARS and/or MERLIN)	8,223	8,096.4	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2012 (data as of 06/30/2013)

Other Factors / Surrogate Markers Documented in 2012	Prevalence of the HIV/AIDS Population in this Area from the Care Table In	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	83	81.7	eHARS (address variable)	Data through 2012 (data as of 06/30/13)
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	13,582	13,372.8	eHARS (local use variable)	Data through 2012 (data as of 06/30/2013)
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	3,203	3,153.7	eHARS (local use variable)	Data through 2012 (data as of 06/30/13)
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	27,230	26,810.7	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	8,619	8,486.3	(PLWHA data)	Data through 2012 (data as of 06/30/2013)
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released	Data Source	Date of Data
		Number % HIV+		
Offenders who returned to the Area in 2012	32,726	844 2.6%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2012
Offenders who returned to the Area in 2012	34,135	1,046 3.1%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 03/2012
Offenders who returned to the Area in 2010	34,774	1,151 3.3%	Dept. of Corrections Offender-based Information System	CY 2010, data as of 02/2012

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	535,343	4.7%	1,374,093	9.6%	1,156,900	14.7%
Black	169,002	9.1%	623,982	23.4%	540,600	26.0%
Hispanic	150,390	5.4%	590,568	16.5%	1,057,700	33.2%
Other*	37,117	6.5%	137,200	18.2%	64,000	18.0%
Total	891,852	6.4%	2,725,843	16.9%	2,819,200	23.0%

Selected Socioeconomic Indicators for Florida, (U.S. Census 2000), *Other race includes Asian/Hawaiian, Native American/Alaska Native, ther & multiple races.

For more updated data:

<http://www.census.gov/did/www/saipe/data/statecounty/data/2009.html>
The first Excel file lists each state and its counties.

<http://www.census.gov/did/www/sahie/data/index.html>

<http://www.bls.gov/lau/#tables>

About 1/3 of the way down the page in the box for 'Tables and Maps Created by BLS' and then the zip file under County Data – Table.

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Florida.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Race/Ethnicity	# number	% of Total	# number	% of Total	# number	% of Total
White, not Hispanic	15,752	29.7%	12,462	30.2%	28,214	29.9%
Black, not Hispanic	25,733	48.6%	18,912	45.9%	44,645	47.4%
Hispanic	10,455	19.7%	9,118	22.1%	19,573	20.8%
Asian/Pacific Islander	187	0.4%	225	0.5%	412	0.4%
American Indian/Alaskan Native	26	0.0%	48	0.1%	74	0.1%
Not Specified/Other	824	1.6%	476	1.2%	1,300	1.4%
Total:	52,977	100.0%	41,241	100.0%	94,218	100.0%
Gender	# number	% of Total	# number	% of Total	# number	% of Total
Male	37,010	69.9%	28,463	69.0%	65,473	69.5%
Female	15,967	30.1%	12,778	31.0%	28,745	30.5%
Total:	52,977	100.0%	41,241	100.0%	94,218	100.0%
Current Age on 12/31/08 (Years)	# number	% of Total	# number	% of Total	# number	% of Total
0- 2 years	0	0.0%	16	0.0%	16	0.0%
3-12 years	42	0.1%	181	0.4%	223	0.2%
13-19 years	314	0.6%	475	1.2%	789	0.8%
20-24 years	909	1.7%	2,099	5.1%	3,008	3.2%
25-29 years	1,528	2.9%	3,480	8.4%	5,008	5.3%
30-39 years	6,826	12.9%	8,931	21.7%	15,757	16.7%
40-44 years	6,989	13.2%	5,755	14.0%	12,744	13.5%
45-49 years	10,488	19.8%	6,854	16.6%	17,342	18.4%
50-59 years	17,982	33.9%	9,440	22.9%	27,422	29.1%
60+ years	7,899	14.9%	4,010	9.7%	11,909	12.6%
Total:	52,977	100.0%	41,241	100.0%	94,218	100.0%

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Male Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
MSM	23,049	62.3%	20,825	73.4%	43,874	67.1%
IDU	3,304	8.9%	1,301	4.6%	4,605	7.0%
MSM/IDU	2,067	5.6%	1,044	3.7%	3,111	4.8%
Heterosexual	8,104	21.9%	4,993	17.6%	13,097	20.0%
Other	465	1.3%	208	0.7%	673	1.0%
Total:	36,989	100.0%	28,371	100.0%	65,360	100.0%
Female Adult/Adolescent AIDS Exposure Category	# number	% of Total	# number	% of Total	# number	% of Total
IDU	2,453	15.4%	1,301	10.3%	3,754	13.1%
Heterosexual	12,962	81.3%	11,120	87.7%	24,082	84.1%
Other	531	3.3%	252	2.0%	783	2.7%
Total:	15,946	100.0%	12,673	100.0%	28,619	100.0%
Pediatric AIDS Exposure Categories (current ages 0-12)	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	41	97.6%	194	98.5%	235	98.3%
Risk not reported/Other	1	2.4%	3	1.5%	4	1.7%
Total:	42	100.0%	197	100.0%	239	100.0%

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2012 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2012 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
Special Populations	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	11,903	N/A	9,621	N/A	21,524	N/A
Black MSM	6,448	N/A	5,605	N/A	12,053	N/A
Hispanic MSM	6,238	N/A	6,212	N/A	12,450	N/A
white Male IDU	1,596	N/A	784	N/A	2,380	N/A
Black Male IDU	2,494	N/A	966	N/A	3,460	N/A
Hispanic Male IDU	1,187	N/A	559	N/A	1,746	N/A
white Female IDU	745	N/A	503	N/A	1,248	N/A
Black Female IDU	1,347	N/A	599	N/A	1,946	N/A
Hispanic Female IDU	292	N/A	172	N/A	464	N/A
white Male Homeless	80	N/A	142	N/A	222	N/A
Black Male Homeless	196	N/A	247	N/A	443	N/A
Hispanic Male Homeless	92	N/A	193	N/A	285	N/A
white Female Homeless	22	N/A	41	N/A	63	N/A
Black Female Homeless	43	N/A	172	N/A	215	N/A
Hispanic Female Homeless	14	N/A	45	N/A	59	N/A
Male Haitian Born	2,798	N/A	1,205	N/A	4,003	N/A
Female Haitian Born	1,951	N/A	1,370	N/A	3,321	N/A
white Male Youth (current ages 13-24)	67	N/A	318	N/A	385	N/A
Black Male Youth (current ages 13-24)	524	N/A	1,085	N/A	1,609	N/A
Hispanic Male Youth (current ages 13-24)	108	N/A	351	N/A	459	N/A
white Female Youth (current ages 13-24)	48	N/A	98	N/A	146	N/A
Black Female Youth (current ages 13-24)	388	N/A	574	N/A	962	N/A
Hispanic Female Youth (current ages 13-24)	58	N/A	96	N/A	154	N/A
White WCBA* (current ages 15-44)	821	N/A	1,053	N/A	1,874	N/A
Black WCBA* (current ages 15-44)	4,514	N/A	4,865	N/A	9,379	N/A
Hispanic WCBA* (current ages 15-44)	760	N/A	902	N/A	1,662	N/A
White Ped Cases (current current ages 0-12)	5	N/A	20	N/A	25	N/A
Black Ped Cases (current ages 0-12)	35	N/A	151	N/A	186	N/A
Hispanic Ped Cases (current ages 0-12)	2	N/A	21	N/A	23	N/A
DOC Cases	2,457	N/A	1,855	N/A	4,312	N/A

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Florida

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWA IN care and NOT IN care in CY 2012			PLWH receiving primary medical services in a 12-month period.			Percent of PLWH IN care and NOT IN care in CY 2012			PLWHA receiving primary medical services in a 12-month period.			Percent of PLWHA IN care and NOT IN care in CY 2012																				
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			Percent of PLWA in care over number PLWA.			Percent of PLWA NOT in care over number PLWA.			Number of PLWA NOT in care (PLWA minus PLWA in care).			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			Percent of PLWH in care over number PLWA.			Percent of PLWH NOT in care over number PLWA.			Number of PLWH NOT in care (PLWH minus PLWH in care).			PLWHA in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012			Percent of PLWHA in care over number PLWA.			Percent of PLWHA NOT in care over number PLWA.			Number of PLWHA NOT in care (PLWHA minus PLWHA in care).		
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care																					
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care																					
White, not Hispanic	16,968	13,724	30,692	30.2%	10,895	28.4%	64%	36%	6,073	7,142	32.7%	52%	48%	6,582	18,037	29.9%	59%	41%	12,655																					
Black, not Hispanic	27,213	20,252	47,465	46.7%	19,297	50.2%	71%	29%	7,916	9,313	42.6%	46%	54%	10,939	28,610	47.5%	60%	40%	18,855																					
Hispanic	11,398	10,087	21,485	21.2%	7,420	19.3%	65%	35%	3,978	4,960	22.7%	49%	51%	5,127	12,380	20.6%	58%	42%	9,105																					
Asian/Pacific Islander	212	257	469	0.5%	122	0.3%	58%	42%	90	22	0.1%	9%	91%	235	144	0.2%	31%	69%	325																					
American Indian/Alaskan Native	28	48	76	0.1%	18	0.0%	64%	36%	10	106	0.5%	221%	-121%	-58	124	0.2%	163%	-63%	-48																					
Not Specified/Other	863	514	1,377	1.4%	653	1.7%	76%	24%	210	293	1.3%	57%	43%	221	946	1.6%	69%	31%	431																					
Total:	56,682	44,882	101,564	100.0%	38,405	100.0%	68%	32%	18,277	21,836	100.0%	49%	51%	23,046	60,241	100.0%	59%	41%	41,323																					
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care																					
Male	39,860	31,321	71,181	70.1%	26,010	67.7%	65%	35%	13,850	14,885	68.2%	48%	52%	16,436	40,895	67.9%	57%	43%	30,286																					
Female	16,822	13,561	30,383	29.9%	12,395	32.3%	74%	26%	4,427	6,951	31.8%	51%	49%	6,610	19,346	32.1%	64%	36%	11,037																					
Total:	56,682	44,882	101,564	100.0%	38,405	100.0%	68%	32%	18,277	21,836	100.0%	49%	51%	23,046	60,241	100.0%	59%	41%	41,323																					
Current Age on 12/31/2012 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care																					
0- 2 years	0	23	23	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	21	0.1%	91%	9%	2	21	0.0%	91%	9%	2																					
3-12 years	41	180	221	0.2%	40	0.1%	98%	2%	1	151	0.7%	84%	16%	29	191	0.3%	86%	14%	30																					
13-19 years	335	598	933	0.9%	282	0.7%	84%	16%	53	403	1.8%	67%	33%	195	685	1.1%	73%	27%	248																					
20-24 years	1,047	2,498	3,545	3.5%	824	2.1%	79%	21%	223	1,250	5.7%	50%	50%	1,248	2,074	3.4%	59%	41%	1,471																					
25-29 years	1,775	3,936	5,711	5.6%	1,370	3.6%	77%	23%	405	1,940	8.9%	49%	51%	1,996	3,310	5.5%	58%	42%	2,401																					
30-39 years	7,533	9,669	17,202	16.9%	5,456	14.2%	72%	28%	2,077	4,481	20.5%	46%	54%	5,188	9,937	16.5%	58%	42%	7,265																					
40-44 years	7,531	6,202	13,733	13.5%	5,144	13.4%	68%	32%	2,387	2,819	12.9%	45%	55%	3,383	7,963	13.2%	58%	42%	5,770																					
45-49 years	11,188	7,365	18,553	18.3%	7,529	19.6%	67%	33%	3,659	3,616	16.6%	49%	51%	3,749	11,145	18.5%	60%	40%	7,408																					
50-59 years	18,967	10,113	29,080	28.6%	12,773	33.3%	67%	33%	6,194	5,155	23.6%	51%	49%	4,958	17,928	29.8%	62%	38%	11,152																					
60+ years	8,265	4,298	12,563	12.4%	4,987	13.0%	60%	40%	3,278	2,000	9.2%	47%	53%	2,298	6,987	11.6%	56%	44%	5,576																					
Total:	56,682	44,882	101,564	100.0%	38,405	100.0%	68%	32%	18,277	21,836	100.0%	49%	51%	23,046	60,241	100.0%	59%	41%	41,323																					

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWH receiving primary medical services in a 12-month period.			PLWHA receiving primary medical services in a 12-month period.								
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2012								
Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWH	% of Total	Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHA	% of Total	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).
MSM	24,809	23,042	47,851	47.1%	16,048	41.8%	65%	35%	8,761	11,167	51.1%	48%	52%	11,875	27,215	45.2%	57%	43%	20,636
IDU	3,574	1,404	4,978	4.9%	2,211	5.8%	62%	38%	1,363	620	2.8%	44%	56%	784	2,831	4.7%	57%	43%	2,147
MSM/IDU	2,421	1,197	3,618	3.6%	1,626	4.2%	67%	33%	795	627	2.9%	52%	48%	570	2,253	3.7%	62%	38%	1,365
Heterosexual	8,542	5,360	13,902	13.7%	5,754	15.0%	67%	33%	2,788	2,243	10.3%	42%	58%	3,117	7,997	13.3%	58%	42%	5,905
Other	493	222	715	0.7%	351	0.9%	71%	29%	142	146	0.7%	66%	34%	76	497	0.8%	70%	30%	218
Total:	39,839	31,225	71,064	70.0%	25,990	67.7%	65%	35%	13,849	14,803	67.8%	47%	53%	16,422	40,793	67.7%	57%	43%	30,271
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
IDU	2,624	1,385	4,009	3.9%	1,909	5.0%	73%	27%	715	764	3.5%	55%	45%	621	2,673	4.4%	67%	33%	1,336
Heterosexual	13,631	11,806	25,437	25.0%	10,058	26.2%	74%	26%	3,573	5,913	27.1%	50%	50%	5,893	15,971	26.5%	63%	37%	9,466
Other	547	263	810	0.8%	408	1.1%	75%	25%	139	184	0.8%	70%	30%	79	592	1.0%	73%	27%	218
Total:	16,802	13,454	30,256	29.8%	12,375	32.2%	74%	26%	4,427	6,861	31.4%	51%	49%	6,593	19,236	31.9%	64%	36%	11,020
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care
Mother with/at risk for HIV infection	0	0	0	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	#DIV/0!	#DIV/0!	0
Risk not diagnosed/Other	41	203	244	0.2%	40	0.1%	98%	2%	1	172	0.8%	85%	15%	31	212	0.4%	87%	13%	32
Total:	41	203	244	0.2%	40	0.1%	98%	2%	1	172	0.8%	85%	15%	0	212	0.4%	87%	13%	32

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2012 as of 06/30/2013				PLWA receiving primary medical services in a 12-month period.			PLWH receiving primary medical services in a 12-month period.			PLWHA receiving primary medical services in a 12-month period.								
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2012.			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2012.			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with the HARS in 2012								
	PLWA	PLWH	PLWHA	% of Total	% in care	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	% in care	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	% in care	Percent of PLWHA NOT in care over number PLWA.	Number of PLWHA NOT in care (PLWHA minus PLWHA in care).						
Special Populations																			
White MSM	12,876	10,684	23,560	N/A	8,093	N/A	63%	37%	4,783	5,515	N/A	52%	48%	5,169	13,608	0	58%	42%	9,952
Black MSM	7,092	6,208	13,300	N/A	4,921	N/A	69%	31%	2,171	2,714	N/A	44%	56%	3,494	7,635	0	57%	43%	5,665
Hispanic MSM	6,689	6,868	13,557	N/A	4,272	N/A	64%	36%	2,417	3,334	N/A	49%	51%	3,534	7,606	0	56%	44%	5,951
White Male IDU	1,831	881	2,712	N/A	459	N/A	25%	75%	1,372	1,183	N/A	134%	-34%	-302	1,642	0	61%	39%	1,070
Black Male IDU	2,677	1,027	3,704	N/A	466	N/A	17%	83%	2,211	1,768	N/A	172%	-72%	-741	2,234	0	60%	40%	1,470
Hispanic Male IDU	1,385	654	2,039	N/A	303	N/A	22%	78%	1,082	806	N/A	123%	-23%	-152	1,109	0	54%	46%	930
White Female IDU	786	531	1,317	N/A	547	N/A	70%	30%	239	303	N/A	57%	43%	228	850	0	65%	35%	467
Black Female IDU	1,410	630	2,040	N/A	1,060	N/A	75%	25%	350	339	N/A	54%	46%	291	1,399	0	69%	31%	641
Hispanic Female IDU	358	194	552	N/A	245	N/A	68%	32%	113	102	N/A	53%	47%	92	347	0	63%	37%	205
White Male Homeless	18	21	39	N/A	8	N/A	44%	56%	10	6	N/A	29%	71%	15	14	0	36%	64%	25
Black Male Homeless	40	40	80	N/A	14	N/A	35%	65%	26	5	N/A	13%	88%	35	19	0	24%	76%	61
Hispanic Male Homeless	12	28	40	N/A	4	N/A	33%	67%	8	6	N/A	21%	79%	22	10	0	25%	75%	30
White Female Homeless	2	11	13	N/A	0	N/A	0%	100%	2	4	N/A	36%	64%	7	4	0	31%	69%	9
Black Female Homeless	9	16	25	N/A	4	N/A	44%	56%	5	2	N/A	13%	88%	14	6	0	24%	76%	19
Hispanic Female Homeless	2	3	5	N/A	0	N/A	0%	100%	2	0	N/A	0%	100%	3	0	0	0%	100%	5
Male Haitian Born	2,870	1,275	4,145	N/A	1,544	N/A	54%	46%	1,326	434	N/A	34%	66%	841	1,978	0	48%	52%	2,167
Female Haitian Born	2,011	1,422	3,433	N/A	1,293	N/A	64%	36%	718	646	N/A	45%	55%	776	1,939	0	56%	44%	1,494
White Male Youth (current ages 13-24)	81	398	479	N/A	111	N/A	137%	-37%	-30	228	N/A	57%	43%	170	339	0	71%	29%	140
Black Male Youth (current ages 13-24)	604	1,319	1,923	N/A	492	N/A	81%	19%	112	645	N/A	49%	51%	674	1,137	0	59%	41%	786
Hispanic Male Youth (current ages 13-24)	139	459	598	N/A	60	N/A	43%	57%	79	230	N/A	50%	50%	229	290	0	48%	52%	308
White Female Youth (current ages 13-24)	53	109	162	N/A	44	N/A	83%	17%	9	70	N/A	64%	36%	39	114	0	70%	30%	48
Black Female Youth (current ages 13-24)	409	633	1,042	N/A	325	N/A	79%	21%	84	377	N/A	60%	40%	256	702	0	67%	33%	340
Hispanic Female Youth (current ages 13-24)	73	114	187	N/A	54	N/A	74%	26%	19	64	N/A	56%	44%	50	118	0	63%	37%	69
White WCBA* (current ages 15-44)	881	1,114	1,995	N/A	659	N/A	75%	25%	222	615	N/A	55%	45%	499	1,274	0	64%	36%	721
Black WCBA* (current ages 15-44)	4,772	5,118	9,890	N/A	3,653	N/A	77%	23%	1,119	2,407	N/A	47%	53%	2,711	6,060	0	61%	39%	3,830
Hispanic WCBA* (current ages 15-44)	859	993	1,852	N/A	624	N/A	73%	27%	235	517	N/A	52%	48%	476	1,141	0	62%	38%	711
White Ped Cases (current ages 0-12)	4	19	23	N/A	4	N/A	100%	0%	0	18	N/A	95%	5%	1	22	0	96%	4%	1
Black Ped Cases (current ages 0-12)	35	157	192	N/A	35	N/A	100%	0%	0	137	N/A	87%	13%	20	172	0	90%	10%	20
Hispanic Ped Cases (current ages 0-12)	2	22	24	N/A	1	N/A	50%	50%	1	14	N/A	64%	36%	8	15	0	63%	38%	9
DOC Cases	2,402	1,852	4,254	N/A	1,739	N/A	72%	28%	663	1,009	N/A	54%	46%	843	2,748	0	65%	35%	1,506

*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU
Male IDU includes IDU & MSM/IDU

HIV/AIDS EPIDEMIOLOGY

Attachment 4: AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Florida, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	
Race/Ethnicity	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	2,129	24%	16,968	30%	13,724	31%	30,692	30%
Black, not Hispanic	4,910	54%	27,213	48%	20,252	45%	47,465	47%
Hispanic	1,790	20%	11,398	20%	10,087	22%	21,485	21%
Asian/Pacific Islander	43	0%	212	0%	257	1%	469	0%
American Indian/Alaskan Native	6	0%	28	0%	48	0%	76	0%
Not Specified/Other	169	2%	863	2%	514	1%	1,377	1%
Total:	9,047	100%	56,682	100%	44,882	100%	101,564	100%
Gender	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	6,165	68%	39,860	70%	31,321	70%	71,181	70%
Female	2,882	32%	16,822	30%	13,561	30%	30,383	30%
Total:	9,047	100%	56,682	100%	44,882	100%	101,564	100%
Age at Diagnosis (Incidence) / Current Age (Prevalence)	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	5	0%	41	0%	203	0%	244	0%
13-19 years	139	2%	335	1%	598	1%	933	1%
20-44 years	4,856	54%	17,886	32%	22,305	50%	40,191	40%
45+ years	4,047	45%	38,420	68%	21,776	49%	60,196	59%
Total:	9,047	100%	56,682	100%	44,882	100%	101,564	100%

Florida Department of Health
2013 Ryan White Application

HIV/AIDS EPIDEMIOLOGY page 2

Attachment 4: AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Florida, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Reported AIDS Cases 2010-2012		AIDS Prevalence through 2012 as of 06/30/2013		HIV (not AIDS) Prevalence through 2012 as of 06/30/2013		Total HIV Prevalence through 2012 as of 06/30/2013	
	Newly Reported AIDS Cases is defined as the number of new AIDS cases reported during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2012		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.	
Adult/Adolescent AIDS Exposure Category	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	3,708	41%	24,809	44%	23,042	52%	47,851	47%
IDU	784	9%	6,198	11%	2,789	6%	8,987	9%
MSM/IDU	248	3%	2,421	4%	1,197	3%	3,618	4%
Heterosexual	4,230	47%	22,173	39%	17,166	38%	39,339	39%
Other	72	1%	1,040	2%	485	1%	1,525	2%
Total:	9,042	100%	56,641	100%	44,679	100%	101,320	100%
Pediatric AIDS Exposure Categories (ages 0-12)	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	0%	0	0%	0	0%	0	0%
Risk not reported/Other	5	100%	41	100%	203	100%	244	100%
Total:	5	100%	41	100%	203	100%	244	100%

Florida Department of Health
2013 Ryan White Application

ATTACHMENT 6

FLORIDA
Unmet Need Framework Table, 2012

Column 1	Column 2	Column 3	Column 4	Column 5	Add extra 5% to catch missed cases in care via other sources	
Population Sizes		Value		Data Source(s)	5.0%	
Row A.	Number of persons living with AIDS (PLWA), for the period of 01/01/2012 - 12/31/2012	56,682		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2012 - 12/31/2012	44,882		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases		
Row C.	Total number of HIV+, for the period of 01/01/2012 - 12/31/2012	101,564				
Care Patterns		Value	Percent	Data Source(s)		
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	38,405	68%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	41,239	73%
Row E.	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	21,836	49%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases	24,080	54%
Row F.	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	60,241	59%		65,319	64%
Calculated Results		Value	Percent	Calculation		
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	18,277	32%	Value: Value A - Value D. Percent: Value G/Value A.	15,443	27%
Row H.	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	23,046	51%	Value: Value B - Value E. Percent: Value H/Value B.	20,802	46%
Row I.	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	41,323	41%	Value: Value G + Value H. Percent: Value I/Value C	36,245	36%

Florida Department of Health
2012-13 Ryan White Application

FLORIDA
Unmet Need Framework Table, 2009

FLORIDA
Unmet Need Framework Table, 2010

FLORIDA
Unmet Need Framework Table, 2011

Population Sizes		Value		Population Sizes		Value		Population Sizes		Value	
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2009 - 12/31/2009	50,412		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2010 - 12/31/2010	52,522		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011	54,889	
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2009 - 12/31/2009	38,671		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2010 - 12/31/2010	42,666		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011	43,809	
Row C.	Total number of HIV+aware, for the period of 01/01/2009 - 12/31/2009	89,083		Row C.	Total number of HIV+aware, for the period of 01/01/2010 - 12/31/2010	95,188		Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011	98,698	
Care Patterns		Value	Percent	Care Patterns		Value	Percent	Care Patterns		Value	Percent
Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	38,845	77%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	33,482	64%	Row D.	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	37,924	69%
Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	23,043	60%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	18,570	44%	Row E.	Number of PLWH/non-AIDS/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	21,594	49%
Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	61,887	69%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	52,052	55%	Row F.	Total number of HIV+/aware who <u>did</u> receive the specified HIV primary medical care services in 12-month period	59,518	60%
Calculated Results		Value	Percent	Calculated Results		Value	Percent	Calculated Results		Value	Percent
Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	11,567	23%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	19,040	36%	Row G.	Number of PLWA who <u>did NOT</u> receive primary medical services	16,965	31%
Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	15,628	40%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	24,096	56%	Row H.	Number of PLWH/non-AIDS/aware who <u>did NOT</u> receive primary medical services	22,215	51%
Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	27,196	31%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	43,136	45%	Row I.	Total HIV+/aware who <u>did NOT</u> receive specified primary medical care services (quantified estimate of unmet need)	39,180	40%