

SOIL BASICS

***ACT PRESENTATION 4
SEPTEMBER 2013***



***David Hammonds, Environmental Manager
Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Environmental Health
Onsite Sewage Programs
850-245-4570***

Review rule requirements to determine the SHWT



- **Called Seasonal High Saturation (SHS) by USDA NRCS**
- **See 64E-6.006(2), FAC for rule language.**



WHAT WE USE TO DETERMINE SHWT

- *County soil surveys and the information contained therein, plus any other soil interpretation records available through USDA NRCS. This includes the Web Soil Survey.*



- ***Redoximorphic features, formerly called “mottling” (see site evaluation form).***
- ***This is a term that USDA NRCS defines as the color change has been caused by the presence of water. The regulation therefore uses any types of (contemporary) redoximorphic features. This would actually be any soil-based feature used to determine an estimated seasonal high water table.***



- ***Impermeable layers - Please note this requirement is not just for impermeable or semi-permeable layers existing with the natural undisturbed soil. In many cases, fill material of some type has been placed either on top of a natural soil, or natural soil has been removed and fill material placed over it, or in place of it.
(continued next slide)***



- *The impermeable soil layers could just as easily be in the fill material, caused by the placement of the fill itself (compaction), dissimilar soil textures, and poor drainage. This could also include affects from artificial drainageways.*



- ***Onsite Vegetation - This is where you look at the plant ecological communities to determine the natural vegetation of the area. Since vegetation has differing nutrient and water requirements, an evaluation of the vegetation gives evidence of water levels based on the species of plants in the area.***

Note that the vegetation is present due to water/nutrient availability in the area, not the other way around.



- ***All required sources of information must be used as discussed in previous slides. The site evaluation must take into consideration things such as: drought or excessively wet time; is it the dry season or wet season; what happened during the past few days to weeks before the site evaluation was performed?? (next slide for more)***



- *For example, if the site evaluation was performed three weeks after the last significant rainfall in a “normal rainfall” year, and an observed water table was at 30 inches, this should be given a different weight of evidence when compared to a site if the observed water table was at 30 inches one day after significant rainfall during a normal rainfall year. This type of information must be included in the site evaluation in the remarks section to help validate the SHWT determination. DOCUMENT THIS INFORMATION!!*



Is there a time when the DOH can question the soil profiles/SHWT estimation of non-departmental evaluators?

**Yes - See s. 381.0065(4)(n),
FS**




- ***...The department shall accept evaluations submitted by professional engineers and such other persons as meet the expertise established by this section or by rule (persons certified per s. 381.0101, FS) unless the department has a reasonable scientific basis for questioning the accuracy or completeness of the evaluation.***

What does this mean?



- *If the site evaluation is not validated by appropriate information, the department cannot accept the evaluation. For example, if the SHWT were stated to be at 36” but no validation for that “conclusion” were present, the department has a reasonable scientific basis to question the evaluation. So, all work must be scientifically validated, and the work must be complete.*

QUESTIONS???





**Now that we've talked about
what the rule requires, let's talk
about
*SOIL.***

SOIL DEFINED



Definition of Soil. Soil is the collection of dynamic natural bodies, at or near the earth's surface, made up of earthly materials and supports or is capable of supporting plant growth. For the purpose of soil survey investigations, the soil is usually described to a depth of *80 inches*, or to hard bedrock, whichever comes first. - - derived from Soil Taxonomy





EXCLUSIONS TO THE DEFINITION

- **Potting soil**
- **Sediments at bottom of lakes, seas, oceans, etc.**
- **Fill material**


Essential Elements in the Definition:



- Landforms (hills, slopes, flatwoods)
- Soil Material (sands/clays)
- Soil Genesis (formation of soil)
- Soil Morphology (observable characteristics of the soil within soil horizons, including description of kind and arrangement of the soil horizons)
- Soil Horizons

Landforms/Topographic Relief


Whole Landscape Hydrology




A closer look at landscape hydrology:




- Leon – SHWT 0.5-1.5'; poorly to very poorly drained. Depressional areas are ponded
- Mandarin – SHWT 1.5-3.5'; somewhat poorly drained
- Cornelia – SHWT >6'; excessively drained




- **Cornelia – SHWT >6’; excessively drained**
- **Mandarin – SHWT 1.5-3.5’; somewhat poorly drained**
- **Maurepas – SHWT 0-+; Muck over mucky mineral, very poorly drained**



- Tisonia – SHWT 0” - +; Mucky peat over clay, very poorly drained
- Mandarin – SHWT 1.5-3.5’; somewhat poorly drained
- Fripp – SHWT >6’; excessively drained



- Corolla – SHWT 1.5-3’; moderately well to somewhat poorly drained
- Newhan – SHWT >6’; excessively drained





When determining the SHWT of the site in question, one must consider the ENTIRE LANDSCAPE HYDROLOGY. Look around the site. Use the soil surveys for clues to validate SHWT determination, especially where no observable redox features can be found.




***So, does landscape position
have anything to do with
SHWT ?***

Soil Horizons in Flatwoods area

Higher landscape position, better drainage, redder soil colors

Lower landscape position, poorer drainage, gray/black colors

Gradual Transition area over distance



Uniformity and Continuity



- **Due to how soils are formed via the soil forming factors, the principles of uniformity and continuity apply.**

Uniformity and Continuity



- This means that naturally formed soils should have mostly uniform and continuous properties when viewed in similar conditions.
- The distances over which we look at soils for drainfield installation is small (from a soil forming viewpoint), so the soil properties should be fairly uniform and continuous, especially the SHWT.

Uniformity and Continuity



- *This is why we are able to look at areas immediately surrounding the location of the drainfield and determine the most likely SHWT in the area of the drainfield.*

Uniformity and Continuity in Anthropogenic Soils



- Soil textures and morphology may vary over just a few feet, but SHWT should remain fairly consistent when considering whole landscape hydrology.
- Need to consider many more sample sites to properly determine anthropogenic soil properties.

Uniformity and Continuity in Anthropogenic Soils



- **Anthropogenic soils (soil changes that have been influenced by man, e.g. soil replacement) are routinely difficult.**
- **Given where the fill material came from, if it was parent material to begin with, the soil could have a fair amount of variability in its makeup.**
- **Judging Uniformity and Continuity should be done in light of these factors.**

Anthropogenic Soils



- Try and determine the amount of time that the fill material has been on site.
- May be able to use Google Earth's historic imagery feature to look back to approximately 1994.
- Could also use other aerial photography sites like Florida Aerial Photography at <http://ufdc.ufl.edu/aerials>.

What is texture of fill and how long has it been on site?



- **Some filled areas are much more recent.**
- **Filled areas present additional problems.**
- **It is advisable to conduct many more soil profiles in the area of the drainfield to properly view the possibly very different and complex soil properties.**

Anthropogenic Soils




- Many areas in Florida have been filled for decades.
- This occurred over large areas during the 1950's through the 1970's, especially in SW Florida.
- One of the reasons that they were filled is because they were VERY WET and unbuildable.

Use of Hydric Soils Technical Note 5 (updated April 2005)



- Use Hydric Soils Technical Note 5 (updated April 2005)
- Go to this website:
http://soils.usda.gov/use/hydric/ntchs/tech_notes/note5.html
- *SHWT indicator ramifications for filled areas and anthropogenic soils are discussed in Presentation 2.*


QUESTIONS???



Soil Horizons



Layers on layers




Soil Horizons and Soil Profiles




- **Soil:** has natural organization and is biologically active. This inherent organization results from climatic and biological forces altering the properties of the materials of the earth's surface (Sprecher. 2000). Because these soil-forming forces exert progressively less influence with depth, they result in more or less horizontal layers that are termed “soil horizons.” Individual kinds of soils are distinguished by their specific sequence of horizons, or “soil profile.” The characteristics and vertical sequence of these horizons vary in natural patterns across the landscape.

Horizons

- Individual layers, approximately parallel to the soil surface, distinguishable from adjacent layers by a distinctive set of properties produced by soil-forming processes.



Soils in Florida



USDA Horizon Designations



Soil Profiles - contain the sequence of horizons. USDA NRCS describe horizons by an alphabetic or alphanumeric symbol for the type of layer, upper and lower boundary depth, Munsell notation and texture. The parameters to describe a soil for OSTDS purposes are similar and will be discussed later.

Ex.

A1 -- 0 to 9 inches;(10YR 2/1)fine sand;



Master Horizons

- All master horizons are designated by a capital letter

Major Horizon Designations



- **O Horizon – Surface organic layer**
- **A Horizon – Surface mineral layer**
- **E Horizon- Leached layer**
- **B Horizon- Subsoil**
- **C Horizon- Underlying material**
- **R Horizon- Bedrock**

Major Horizon Designations




- **O Horizon** - surface layer in extreme wet soils comprised of organic matter, *muck, peat, mucky peat* (also the leaf, twigs, root material, etc. in drier soils, especially for OSTDS purposes)
- **A Horizon** - topsoil or surface layer, the surface layer in a mineral soil characterized by accumulation of organic matter and/or loss of materials (e.g., clays) to deeper layers
- **E Horizon** - a subsurface layer, the leached layer, materials are removed from this layer and deposited in the B horizon. Often lighter than layers above or below. *Always followed by a B horizon.*

Major Horizon Designations



- **B Horizon** - the subsoil layer, characterized by accumulation of clays or other materials such as aluminum, iron and organic matter and greater structural development. Can occur directly under an A horizon. (e.g., a spodic layer). Have not formed in all soils.
- **C Horizon** - the underlying material, unconsolidated parent material little influenced by soil-forming processes.
- **R Horizon** – bedrock, normally limestone in Florida



← **O horizon**

← **A horizon**

← **Bw horizon**

← **Bg horizon**

← **C horizon**




**Oa
Horizon
(Muck)**



**Oi Horizon
(Peat)-
formerly
called “root
mat”**

A Horizon






A


Horizon



**Florida
HEALTH**



E horizon




B Horizon






B Horizon



C horizons





C1

C2



C horizon





← **R horizon
(Limestone)**

*Transitional Horizons,
horizon subscripts, and
the classic soil profile*



Transitional Horizons



- Sometimes a layer of soil is similar to two master horizons. It is written in this format.
- AB – Mostly like A - some of B
- BA – Mostly like B - some of A
- Examples: AE EA AC BC



- E/B - Both E and B particles are present, more E than B percentage wise, **but are more distinct than merged.**
- *Horizons in which **distinct parts** have recognizable properties of the two kinds of master horizons indicated by the capital letters. The two capital letters are separated by a **virgule** (/), as E/B, B/E, or B/C. Most of the individual parts of one of the components are surrounded by the other.*



Notes on soil horizon designation in older soil surveys

- Before about 1981, soil surveys and other documents contained profile descriptions that used a slightly different group of horizon designations. Following is a list of some old designations and their equivalent designations in the new system.**



Old

New

O1

O_i or O_e

O2

O_a or O_e

A1

A

A2

E

A3

AB or EB

AC

AC

B1

AB or BA

B2

B or B_w

B3

BC or CB



Horizon numbering in the old system is the same as in the new system, however the inclusion of numbers in old master horizon designation makes interpretation somewhat confusing. Consider the following example:



Old

New



A11

A1

A12

A2

A21

E1

A22

E2

B21t

Bt1

B22t

Bt2

QUESTIONS???



Horizon subscripts

a.k.a. Subhorizon suffixes

(know the ones in **RED**)



Subhorizon Suffixes



- a** – highly decomposed organic material (**O only-Oa**)
- b** - buried layer (**A only-Ab**)
- e** – not fully decomposed organic matter; Hemic (**O only-Oe**)
- g** – *dominance of gley (gray) colors due to wetness (lack of oxygen, reduction of Fe) (e.g. Cg) This includes low chroma (chroma ≤ 2) colors.*
- h** - subsoil accumulation of organic acids and aluminum (**spodic layer**) (B only-Bh) **NOTE: Not an organic layer by definition, must be sandy.**

Subhorizon Suffixes



i - peat. O only. (Oi)

k - accumulation of calcium carbonate (CaCO_3)

m - cementation - hard – indurated

p- This symbol is used to indicate tillage or a disturbance of the surface layer by mechanical means, pasturing, or similar uses. A disturbed organic horizon is designated Op. A disturbed mineral horizon is designated Ap even though clearly once an E, B, or C horizon.)

q - silica accumulation - very weathered or old soil

Subhorizon Suffixes



r - soft or weathered bedrock. C only. (Cr)

t - subsoil *accumulation of clay particles*.
B only. (B**t**)

v - plinthite (soft iron nodules) accumulation.
(B**tv**)

w- subsoil this is more intensely developed than others in color or structure, without clay accumulation or spodic development. B only
(B**w**)

The "Classic Soil Profile"




A--Topsoil. Mineral horizon colored dark by organic matter.

AE--Transitional horizon. Has characteristics similar to both the A and E horizons.

E--Horizon of maximum leaching, or loss of substances such as clay particles.

Bt or Bh--Horizon of maximum soil development, usually the accumulation of organic acids or of clay particles

C--Horizon of geologic material that is relatively unaltered by soil forming processes.



Surface layer.

Subsurface layer.

Subsurface layer.

Subsoil layer.


Substratum or underlying layer.



Representative Profile Schematic

*Examples of
Horizons in Florida
Soils*





a
H



la
FH





EauGallie sand





Chobee muck



**Spodosol
(Myakka-
like)**




**A, AE, E
horizons**

E and Bh horizon interface



Myakka FS-Different ones






Pompano S



**Felda Soil,
Charlotte
county
SHWT +2 - 1**



**Terra Ceia
muck**

QUESTIONS???

End of
presentation

