Soil Components and Textures APRIL 2015

David Hammonds
Environmental Consultant
Florida Department of Health



OBJECTIVES

 Define and describe allowable methodology and proper use of USDA NRCS soil texturing methodology



NOTE

Additional information on certain slides will be found in the "NOTES" section and will only be visible in the "normal" view in PowerPoint. See ## to designate these slides.



The following are the soil textures employed by USDA NRCS (therefore by DOH)

The soils are divided by use of seasonal high water table (redoximorphic) features: those used for sandy soils versus finer textured soils



Soils using the Sandy Indicators

Very Coarse Sand VCOS

Coarse Sand COS

Sand

Fine Sand
 FS

Very Fine Sand VFS

Loamy Coarse Sand LCOS

Loamy Sand
 LS

Loamy Fine Sand LFS



Soils using the Fine Indicators

Loamy Very Fine Sand LVFS

Coarse sandy loam COSL

Sandy loam

Fine sandy loam

Very fine sandy loam VFSL

Loam

Silt loam

Soils using the Fine Indicators

SiltSI

Sandy clay loam SCL

Clay loam
 CL

Silty clay loam
 SICL

Sandy clay
 SC

Silty clay
 SICL

Clay



Other "textures"

- Muck
- Mucky (soil texture modifier) Mk
- Peat
- Peaty (soil texture modifier)
- Marl
- Soft or Hard rock
- Gravels
- Gravelly (soil texture modifier) GR



Organic Soil and Mineral Textures

- Texture refers only to mineral soil
- Organic soil names are used in place of textural class names when present in sufficient quantity
- They can also modify mineral soil names
- The organic soil type always modifies the mineral texture, e.g. mucky sand



****NOTE** **

THE TEXTURE OF LVFS IS CONSIDERED TO BE A LOAMY TEXTURED SOIL FOR PURPOSES OF REDOX FEATURE IDENTIFICATION



Why is Soil Texture Important?

Soil texture controls:

- Type/Color of redoximorphic features used to determine the seasonal high water table
- 2. Size of the drainfield/unobstructed area
- 3. Dosing requirements



Components of the Soil

There are 4 basic components of soil

- Minerals (particle size only)
- Organic Matter (abbreviated as OM)
- Water
- Gases



Soil Minerals: Particle Size

- For DOH purposes, only mineral particle size is considered, not mineral type
- Mineral size is broken down into three main categories




Three Mineral Particle Sizes

- Sand: 2.00-0.05 mm
- Silt: 0.05-0.002 mm
- Clay: <0.002 mm
 (this is <2 millionths of a meter)

Soil Particle Size Comparison

Sand



Clay particle (yes, the dot, but would really be a thin, platy or flaky structure)



Sand Facts (from natural grade)

- Largest mineral particle
- Broken down into five size groups
- Individual particles easily visible
- Gritty when rubbed (textured)
- Barely holds together when moist
- Water movement rapid/very rapid due to large pores



Note how the sand does not hold together



Division of Disease Control and Health Protection





Sand-Size Subdivisions

- Fine Sand and Medium Sand (medium sand is referred to as "sand") are the most common of the sand sizes that are found in Florida
- Sand is the only particle size that is subdivided into smaller categories for texturing purposes



Sand-Size Subdivisions

- Very Coarse Sand
- Coarse Sand
- Sand
- Fine Sand
- Very Fine Sand
- <u>SEE SOIL MANUAL FOR SAND</u> <u>GRADATION SIZES</u>



Silt Facts

- Smaller than sand, larger than clay
- When moist or dry it feels smooth and floury or silky
- Found mainly on floodplains of rivers and southern part of Florida
- Overall is rare in Florida, but is more abundant in SW Florida



Clay Facts

- Smallest mineral particle, is actually platy (flaky) in structure, not spherical
- Cannot see particle without powerful microscope
- Sticky when moist, easily malleable
- Water moves slowly through clay due to (many) small pores
- Rare to find pure clay in Florida



Soil Texture

The percentage of Sand, Silt and Clay particles in sample of soil material




Common Soil Textures in Florida

- Sand (s) and Fine Sand (fs)-most common
- Loamy Fine Sand (Ifs)
- Loamy Sand (Is)
- Fine Sandy Loam (fsl)
- Sandy Loam (sl)
- Sandy Clay Loam (scl)
- Sandy Clay (sc)



Comparison of Particle Size Classes in Different Systems



Division of Disease Control and Health Protection



QUESTIONS?



PROPER TEXTURING METHODOLOGY FOR MINERAL SOILS



Fine Earth Fraction

- Particle sizes ≤2 mm are soil particles, i.e. the Fine Earth Fraction, (including shell fragments) <u>used to determine the</u> <u>mineral soil texture</u>
- Particle size is what counts, not particle type (quartz, iron, etc.)
- Larger particles are coarse fragments (more later)





Touch Texture Method

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



CAUTIONS

- Ensure sample is only from the area you intend to sample
- Make sure the sample has not been contaminated from some other source



Contamination Sources

- Soil falling in from above the sample
- Soil translocated from above, such as the outside of the sample having soil material from above adhering to the auger
- Soil material <u>covering your hands from</u> <u>previous texturing</u>
- The sample <u>must</u> be from the horizon in question

- For loamy and clayey soils, it is best to get the sample from the interior of the auger sample (for <u>texturing and</u> <u>coloring</u>)
- Break the soil sample along the long axis and retrieve the sample from the middle
- See following picture





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



CLEAN YOUR HANDS FIRST!

- Misidentifying the texture can lead to using the wrong Redoximorphic Features
- Loamy Sand: Redox Concentrations
- Sandy Loam: Redox <u>Depletions</u>



Mineral Texture Determination

Mineral Texture Determination

- Mineral texture- the soil texture due to the particle size of the minerals that are present
- <u>DOES NOT</u> include any organic matter (OM) that may be in the soil sample
- If enough OM in the soil sample it may hold together because of OM, not from smaller mineral particle size, wouldn't be a ribbon
- Be careful when texturing soils with OM as a component



Amount of Soil for Texturing

- Enough to work with, depends on individual hand size
- Try a tablespoon or so
- Too much will take longer to properly process (break down soil particles)
- Too little will not allow the ribbon to be formed correctly



Forming the Ribbon

- Ribbon needs to be uniform thickness and width
- Thickness of ribbon should be about 2 mm for everyone-use a Presidential or Native American \$1 coin for a 2mm gauge (##)
- Ribbon width will vary between people due to width of the thumb



Sandy Soils

- Don't form ribbons
- Loamy Very Fine Sand (LVFS) will act more like a silt and be somewhat gritty and malleable, however it will not ribbon



Loamy and Clayey Soils

- All loamy and clayey soils form ribbons
- Length of ribbon is deciding factor to determine soil texture
- Loams form shorter ribbons
- Clays form longer ones



Loam

- Is a soil texture, not a particle size
- Feels like equal parts (or activity) of sand/silt/clay
- Feels gritty, yet smooth and slightly plastic
- Comprised of specific percentages of the different soil particles
- When moist will form a cast that can be freely handled without breaking



What about texturing Silt?

- Silt lacks grittiness
- Feels extremely floury or silky when moist or dry
- It will not ribbon and forms a weak ball that bears careful handling without breaking
- Malleable (able to be shaped/formed)



Organic Matter (OM) and Texturing

- OM <u>not included</u> in actual mineral texture
- Remove OM from consideration
- If enough OM in sample the name of the mineral texture <u>would be modified</u>
- Don't confuse a FS soil with some OM for a LFS, they <u>are not</u> the same



Organic soils/components##

- OM in mineral soils adds difficulty in texturing
- Near Saturated Rub Test is used to determine presence of muck, mucky peat or peat




Organic soils/components

- This information would then be added to the mineral component, if any, to properly name the soil texture
- The Near Saturated Rub Test will be discussed in the Hydric Soils Presentation



Texture-By-Feel Analysis




Texture-by-Feel Methodology Mineral Soil Only

se Control and Health Protection


f all people in Florida through integrated state, county, and community efforts.



Texture-By-Feel Analysis













Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Texturing: Sand



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Texturing: Clayey soil



Division of Disease Control and Health Protection

Ribbon Formation





<2 inch ribbon

>2 inch ribbon



Soil Ribbon Comparison



Division of Disease Control and Health Protection

Soil texture Naming Convention##

- Major component named LAST
- Loamy sand means that the sample is comprised mostly of sand with loam as a modifying influence
- Sandy clay loam means the sample is mostly loam with clay the next largest portion and sand the least prominent



- Sand is the only particle size divided into smaller subgroups
- When naming soils the same information is normally used
- Fine sandy loam means loam is the major fraction, however the sand part is fine sand
- Compare to Fine Loamy Sand —which does not exist because loam is not further divided, so fine loam cannot exist



Organic Soil Modified Textures


- When mineral soils contain organic parts in sufficient volume, the organic soil portion modifies the actual mineral texture
- Muck, mucky peat or muck would be added before to the mineral texture to name the soil
- Mucky sand would be allowed, sandy muck is not



The Textural Triangle


- Simplifies description of particle size mixtures when lab analysis performed
- Only scheme allowed by Chapter 64E-6
- 12 classes of soil texture shown on a 3axis graph
- NOTE: The graph has a single sand category, therefore it does not show what grade of sand exists in the sample, only that sand exists











70% Sand 25% Clay 5% Silt is SCL

Division of Disease Control and Health Protection



What if the texture falls on a line?

- By USDA NRCS methodology the more stringent (i.e. finer) soil texture is used
- Example: If the point falls on the line between loamy sand and sandy loam the texture of the sample must be classified as sandy loam



Sieve Analysis

 Can be used only if the texture of the sample material is coarser than loamy coarse sand (coarse sand, sand, fine sand, very fine sand, or one of these classes containing gravels)



Lab Analysis for OSTDS Use##

- Must use proper USDA NRCS sieve stack (see notes)
- The results <u>must</u> account for sand size gradation as well as silt and clay content
- Loamy sand and loamy fine sand have different loading rates (0.8 vs. 0.65 gal/sf/day in a trench)
- Ramifications?



QUESTIONS?

Coarse Fragments in the Soil

- Larger than soil-sized particles (>2mm)
- Are <u>non-soil particles</u>
- Once coarse fragments reach 15% of the volume of the horizon, the soil texture must be modified with the correct adjective
- Still need to know the texture of the fine earth fraction (i.e. mineral texture)



Coarse Fragments##

- Fragments can be shells, rocks, etc.
- The modifier gravelly or "GR" is used when the fragment content by volume is ≥15% to <35%. Gravels range in size up to 75mm (3 inches)
- See notes section for complete breakdown



Coarse Fragments##

- Shape and size of the coarse fragment determines description
- Shapes can be Spherical (including cube-like) or Flat
- See notes section for further information



Separate Non-Soil from Soil Particles

- If coarse fragments are ≥15% by volume of the soil horizon, must remove the nonsoil particles from consideration of the soil-size particles in order to get actual mineral soil texture
- Determine soil texture, then modify name as necessary



Mineral Texture

- Remove gravels from consideration as they are >2 mm in size and do not count as part of the mineral soil texture
- The remaining sieves with the VCOS, COS, S, FS, and VFS (plus the pan) comprise 100% of the mineral soil sample
- The gravel portion will modify the mineral texture name only if it occupied at least 15% of the volume of the soil horizon



Coarse Fragment Example


- 20% shell fragments that are 3-75mm in size and the soil texture is sand, the proper texture for that soil would be gravelly sand, or GR S
- Note: NOT "shelly sand"
- Use the "Charts for Estimating Proportions of Mottles and Coarse Fragments" found in the Munsell book to determine the percentage of fragments

Comparison of Particle Size Classes in Different Systems

	FINE EARTH MINERAL SOIL FRACTION									ROCK FRAGMENTS 150 380 600 mm						
										channers				flagst.	stones	boulders
USDA 1	Clay 2		Silt		Sand				Gravel			Col	o- e	tones	Boulders	
	fine	co.	fine	co.	v.fi.	fi.	med.	co.	V. CO.	fine	medium	coarse	ble	s	tones	Boulders
millimeters: U.S. Standard		0	02 mm .		05 .1			5 1		2 mm 5			76	250		00 mm
Sieve No. (ope	30	0 ³ 14	0 6	30 G	5 1	8 1	0 4	(3)	(3/4") (3		(10")	(2	5")			

- Mineral Soil Sizes in Green includes all mineral particles (quartz, shells, etc.)
- Coarse Fragments (non-soil particles) in Blue includes rock fragments





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Class Exercise on Texturing Please get your hands dirty!



Organic Matter (OM)

- The second solid component of soils
- Consists primarily of pieces and parts of plants that are in various states of decay
- Sometimes called humus
- Different types of OM based on amount of decomposition and amount present



Effects of OM on Mineral Soil

- Darkens soil color (black/brown)
- Increases water holding capacity, acts like a sponge
- Reduces compaction (adds tilth)
- OM accumulates more in wetter soils compared to dry soils



Types of Organic Matter

- Muck is well decomposed organic soil material (<u>Sapric</u> material)
- Peat consists of raw undecomposed organic soil material (*Fibric* material)
- Mucky peat designates materials intermediate in decomposition between muck and peat (<u>Hemic</u> material)





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Water: The Third Soil Component

- Water (or any liquid) moves through the soil (is mobile)
- Moves over and between soil particles in the pore spaces
- Most soils have approximately 50 percent pore space
- Filled with gases or liquid



Gases

- The fourth basic component of soil
- Occupies the pore space that does not have liquid in them
- Can be any type of gas



Porosity/Permeability of Soils

- Porosity the amount of pores in a given area
- Permeability the rate at which water moves through the soil
- Permeability and Porosity are linked
- The movement of liquids (and gases) through the soil is <u>VERY</u> important for OSTDS considerations



Compaction

- Decreases porosity
- Reduces permeability
- Effects may be limited to certain depths based on site-specific factors
- <u>Diminishes</u> the ability of the soil to transfer liquids and gases between soil particles
- No transfer means improper treatment



Soil Compaction



Division of Disease Control and Health Protection





The previous picture is a MOUND SYSTEM

End of Presentation

QUESTIONS?

