

Soil Profile Documentation

September 2020

Audra Burchfield

Environmental Consultant

Florida Department of Health

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

OBJECTIVES

- Define and describe requirements for correct soil profile documentation for OSTDS permitting

The Site Evaluation Form

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





STATE OF FLORIDA
DEPARTMENT OF HEALTH
ON-SITE SEWAGE TREATMENT AND DISPOSAL SYSTEM
SITE EVALUATION AND SYSTEM SPECIFICATIONS

PERMIT #: _____

APPLICANT: _____ AGENT: _____

LOT: _____ BLOCK: _____ SUBDIVISION: _____

PROPERTY ID #: _____ [Section/Township/Parcel No. or Tax ID Number]

TO BE COMPLETED BY ENGINEER, HEALTH DEPARTMENT EMPLOYEE, OR OTHER QUALIFIED PERSON. ENGINEERS MUST PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH PAGE OF SUBMITTAL. COMPLETE ALL ITEMS.

PROPERTY SIZE CONFORMS TO SITE PLAN: ☐ YES ☐ NO NET USABLE AREA AVAILABLE: _____ ACRES
TOTAL ESTIMATED SEWAGE FLOW: _____ GALLONS PER DAY [RESIDENCES-TABLE 1/OTHER-TABLE2]
AUTHORIZED SEWAGE FLOW: _____ GALLONS PER DAY [1500 GPD/ACRE OR 2500 GPD/ACRE]
UNOBSTRUCTED AREA AVAILABLE: _____ SQFT UNOBSTRUCTED AREA REQUIRED: _____ SQFT

BENCHMARK/REFERENCE POINT LOCATION: _____
ELEVATION OF PROPOSED SYSTEM SITE IS _____ [INCHES/FT] [ABOVE/BELOW] BENCHMARK/REFERENCE POINT

THE MINIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PROPOSED SYSTEM TO THE FOLLOWING FEATURES
SURFACE WATER: _____ FT DITCHES/SWALES: _____ FT NORMALLY WET? ☐ YES ☐ NO
WELLS: PUBLIC: _____ FT LIMITED USE: _____ FT PRIVATE: _____ FT NON-POTABLE: _____ FT
BUILDING FOUNDATIONS: _____ FT PROPERTY LINES: _____ FT POTABLE WATER LINES: _____ FT

SITE SUBJECT TO FREQUENT FLOODING: ☐ YES ☐ NO 10 YEAR FLOODING? ☐ YES ☐ NO
10 YEAR FLOOD ELEVATION FOR SITE: _____ FT MSL/NGVD SITE ELEVATION: _____ FT MSL/NGVD

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO

USDA SOIL SERIES: _____

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO
_____	_____	TO

USDA SOIL SERIES: _____

OBSERVED WATER TABLE: _____ INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
ESTIMATED WET SEASON WATER TABLE ELEVATION: _____ INCHES [ABOVE / BELOW] EXISTING GRADE
HIGH WATER TABLE VEGETATION: ☐ YES ☐ NO MOTTLING: ☐ YES ☐ NO DEPTH: _____ INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: _____ INCHES
DRAINFIELD CONFIGURATION: ☐ TRENCH ☐ BED ☐ OTHER (SPECIFY) _____
REMARKS/ADDITIONAL CRITERIA: _____

SITE EVALUATED BY: _____ DATE: _____

The Site Evaluation Form - Front side

The Site Evaluation Form- Back side

INSTRUCTIONS:

PERMIT #: Permit tracking number assigned by County Health Department.

APPLICANT: Property owner's full name.

AGENT: Property owner's legally authorized representative.

LOT, BLOCK, SUBDIVISION: Lot, block, and subdivision for lot.

PROPERTY ID#: 27 character number for property (property appraiser ID # or section/township/parcels/parcel number).

PROPERTY SIZE: Check if property size at site conforms to submitted site plan. Record net usable area available - lot area exclusive of all paved areas and prepared road beds within public rights-of-way or easements and exclusive of streams, lakes, normally wet drainage ditches, marshes, or other such bodies of water.

SEWAGE FLOW: Record the estimated sewage flow for the establishment from Table 1 (residential) or Table 2 (non-residential), Chapter 64E-6, FAC. Record the authorized sewage flow for the lot based on net usable area and water supply (1500 gallons per day per acre for private water supplies and 2500 gallons per day per acre for public water supplies). If authorized sewage flow does not equal or exceed the estimated sewage flow, the application must be denied.

UNOBSTRUCTED AREA: Record the square feet of unobstructed area available and the amount required. Unobstructed area must be at least 2 times as large as the drainfield absorption area and at least 75 percent of the unobstructed area must meet minimum setbacks in Chapter 64E-6, FAC. The unobstructed area must be contiguous to the drainfield.

BENCHMARK INFORMATION: Record the location of the benchmark. If using a surveyor's benchmark record the actual elevation. Record the elevation of the proposed system site in relation (above or below) to the benchmark.

MINIMUM SETBACKS: Record minimum setbacks which can be met to all listed features. Actual measurements must be recorded or "NA" for non applicable features. Features on site plan or within 75 feet of the applicant lot must be measured. The location of any public drinking well within 200 feet of the applicant's lot must also be verified.

FLOOD INFORMATION: Record information on lot's subject to flooding. For lots subject to flooding record 10 year flood elevation for site and actual site elevation.

SOIL PROFILE INFORMATION: Two soil profiles within the proposed absorption area to a minimum depth of 6 feet or refusal are required. Soil identification will use USDA Soil Classification methodology (Munsell colors and USDA soil textures). Refusals must be clearly documented. Provide USDA soil series if available, record "UNK" if the series cannot be determined.

WATER TABLE: Record the depth of the observed water table at the time of the evaluation. Mark "perched" or "apparent" as appropriate. Record the estimated wet season water table elevation based on site evaluation, USDA soil maps, and historical information. Indicate if there is high water table vegetation present. Indicate if mottling is present and depth.

SOIL TEXTURE: Record soil texture or loading rate for system sizing.

DEPTH OF EXCAVATION: If applicable record depth of excavation required. Record "NA" if not applicable.

DRAINFIELD CONFIGURATION: Check drainfield configuration required. If other, specify type.

ADDITIONAL CRITERIA: Record any additional remarks pertinent to site or installation. Etc. Dosing required.

SITE EVALUATED BY: Signature of evaluator, title, and date of evaluation. Professional engineers must seal all documentation submitted.

ELEVATION WORKSHEET		ELEVATION OF BENCHMARK / REFERENCE POINT IS: _____			
BENCHMARK	_____	SITE 1	_____	SITE 2	_____
[+] SHOT	_____	RL	_____	RL	_____
RL	_____	[+] SHOT	_____	[+] SHOT	_____
	_____		_____		_____

The part of the site evaluation form discussed in this presentation

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

OBSERVED WATER TABLE: _____ INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
ESTIMATED WET SEASON WATER TABLE ELEVATION: _____ INCHES [ABOVE / BELOW] EXISTING GRADE
HIGH WATER TABLE VEGETATION: [] YES [] NO MOTTLING: [] YES [] NO DEPTH: _____ INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: _____ INCHES
DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____
REMARKS/ADDITIONAL CRITERIA: _____

SITE EVALUATED BY: _____ DATE: _____

Each column must be completed with correct information including information format

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
7.5YR 2.5/1	Sand	0" TO 3"
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES:		

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Mottling=SHWT feature

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

OBSERVED WATER TABLE: _____ INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
ESTIMATED WET SEASON WATER TABLE ELEVATION: _____ INCHES [ABOVE / BELOW] EXISTING GRADE
HIGH WATER TABLE VEGETATION: [] YES [] NO MOTTLING: [] YES [] NO DEPTH: _____ INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: _____ INCHES
DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____
REMARKS/ADDITIONAL CRITERIA: _____

SITE EVALUATED BY: _____ DATE: _____

Soil Profile Documentation

- Everyone performing site evaluations is required to follow the same procedures
- State form referenced in rule must be used (DH Form 4015, current edition)
- The evaluator must use department approved/referenced methodologies

**Due to rule restriction, USDA
NRCS textures and
methodologies are the only ones
that are acceptable for DOH use**

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Texture Column

- Completed using the correct USDA NRCS texture for each horizon
- The use of non-standard abbreviations cannot be accepted. The use of the term "fill" in this column should be used when necessary, ***along with the corresponding texture(s) of the fill material***

Texture Column

- Note that ONLY the USDA NRCS particle sizes are used
- Textures given in any other particle size or texture classification system are not acceptable
- Some examples
 - Mucky Peat would be abbreviated as MK Peat. Note that the term "organic" is not listed
- Organic soils are listed as muck, mucky peat or peat

Soil Profile Documentation

- All soil profiles must be completely and correctly documented
- Department required information must be presented by the evaluator
- CHD personnel reviewing information must use the information presented by the evaluator as basis for review
- CHD personnel can use personal knowledge during review

Soil Profile Documentation

- The fully completed evaluation will be reviewed by the CHD using their knowledge of the area and required references to judge compliance of the information regarding the SHWT
- If information is not sufficient to validate the SHWT the CHD cannot presume other information

Soil Profile Documentation

- Remember that each drainfield must have at least two profiles
- Example - 15,000 square feet total absorption area
 - Designed for ten drainfields, each 1500 square feet
 - Need minimum two profiles for each drainfield area, so 20 profiles minimum

Each soil profile

- Establishes facts (something determined by evidence)
 - i.e. soil colors, textures, SHWT indicators, etc.
- Must be performed/documentated correctly
- Must use USDA NRCS methodology
- Indicated on site plan along with benchmark or reference point(s)
- Stands on its own (see next slide)

Stands on its own

- This means that each profile must be able to allow the system to be installed according to regulations when using the profile by itself
- Why?
 - The system is being installed where the profiles are performed
- Most restrictive conditions *must be used*

Point of Refusal

- Point of refusal (termination, etc.) indicates that the soil profile could not be advanced to the required 72” depth
- Once 72” is reached, point of refusal is not used due to required depth having been reached
- Point of refusal must be clearly documented as to reason for said “refusal”

Examples of Refusal

- Hole collapses due to:
 - excessive water, ironstone, excessive roots, excessive debris, etc.
- “Didn’t want to dig” is not a reason
- In all cases, the evaluator must not be able to proceed further
- The reason must be given and clearly recorded on the profile information or remarks section

Spatially Variability of Soil

- Cannot assume what lies below point of profile termination (Spodic, limestone, clay)

Note: Termination point influences bottom of the drainfield due to the effective soil depth requirements and could raise the system more than the separation to SHWT requirement

Example

- Soil Profile One has FS down to 72"
- Soil Profile Two has FS down to 42", refusal due to limestone
- Profile that goes down to 72" cannot be used to justify the effective soil depth in any other profile
- Profile with the 42" point of refusal is the more restrictive profile and therefore must be used to install the system

Spodic layers

- Definition of spodic layers are a sandy material coated with only a small percentage of organic coatings
- They can be any texture sand. Provided it has the word “sand” and is a REAL texture, it can be used
 - Proper Examples: LFS, S, FS, VFS
 - UNACCEPTABLE Examples: Muck, SiL, organics

Spodic layers

- Spodic (Bh) horizons should be noted as such
- While a spodic layer contains organic matter that coats mineral soil particles, it is not an organic soil layer nor mucky mineral due to the small amount (<5%) of organic matter (carbon)

Spodic layer documentation

- 10YR 2/1 FS Spodic 16-23 inches
 - This entry indicates a horizon of black fine sand that exists as a spodic layer from 16 to 23 inches
 - This is NOT an organic layer. Mucky mineral must have at least 5% organics and muck must have at least 12% organics, depending on percent clay
 - A spodic contains <5% organic matter (carbon), generally 1-3%

Particle Sizes Larger Than The Fine Earth Fraction (2mm)

- Soil texture name is modified when the volume of particles $>2\text{mm}$ in size in the horizon is $\geq 15\%$
 - *Note: this is a three-dimensional observation*
- Don't forget to use proper nomenclature such as Gravelly (GR), etc.

Redox Feature Identification

- The site evaluation form asks for indications of "mottles." What is required here are SHWT indicators (including hydric soil indicators)
- Includes all redox features

Redox Feature Identification

- Note that not all mottles are associated with the seasonal high-water table (SHWT).
- Do not put the depth of non-redox features in the “mottling” depth location
- Redoximorphic features must be described in quantity, contrast and color
- Where present, must be described in all profiles

Redox Feature Identification

- The department accepts the following abbreviations for quantity and visual contrast of redox features, which can be abbreviated as RF
- Quantity of feature:
 - Common – CMN
 - Many - write out
- Visual Contrast of feature:
 - Faint, write out (stripped matrix only)
 - Distinct – DST
 - Prominent - PRM

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



The presence of the redoximorphic features (if existing) must be indicated in the soil profile or must be listed in the remarks section of the profile

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



10YR 3/2	FS	0-5"
10YR 5/3	FS	5-14"
10YR 7/4	FS	14-20"
7.5YR 6/8	CMN/PRM RF	16-20"
10YR 8/1	FS	20-72"

- Alternately, the row with the redoximorphic information could be omitted in the soil profile information *if the information was placed in the remarks section*

“Mottling” Yes or No

- Mottling is synonymous with SHWT indicator

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

OBSERVED WATER TABLE: _____ INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
ESTIMATED WET SEASON WATER TABLE ELEVATION: _____ INCHES [ABOVE / BELOW] EXISTING GRADE
HIGH WATER TABLE VEGETATION: [] YES [] NO MOTTLING: [] YES [] NO DEPTH: _____ INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: _____ INCHES
DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____
REMARKS/ADDITIONAL CRITERIA: _____

SITE EVALUATED BY: _____ DATE: _____

Mottling

- Any indicator that is used to determine the SHWT is what goes in the blank
- Additional redox features, while documented as colors and depths in the profile, are not entered into the “mottle” area
- Can enter additional information in Remarks area
- The information in the “mottling” blank must correspond with the information in the profile and remarks section

Depth

- The beginning and ending depth of the soil horizon (layer) is recorded
- Requires soil profile description, not a soil log
 - Soil logs are NOT acceptable (specified increments such as 0-6", 6-12", etc.)
- While soil profiles may on occasion match, one should expect differences in the depths, thicknesses and colors of each horizon in individual profiles

Soil Profile

- Soil profile must contain all information to properly document and validate corresponding conclusions drawn from the profiles
- Includes estimated seasonal high-water table determination, soil textures and effective soil depth
- Lack of or inconsistency between any required information is scientific basis to question the evaluation

Example

- A profile that indicates no SHWT indicators
- Mottling indicated as "no"
- Site evaluator indicates an estimated seasonal high-water table at 10 inches
- Unacceptable by department standards as there is no scientific basis for the estimation of the seasonal high-water table

Another Improper Phrase

- Using a phrase such as “Seasonal high-water table determined to be X inches above spodic layer” when no data is present to validate that claim is unacceptable
- Must validate all SHWT determinations

Can a soil that is not mapped in the county still occur in the county?

YES

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soils Mapped by Counties

- Just because a soil is not actually mapped in the county DOES NOT mean that the soil cannot be found there
 - assuming same temperature region
- Therefore you may find a soil (or be given a soil name) that you do not recognize as mapped in the county
- Look name up using the Official Soils Series Description to find out more about the soil

What to do when there is a lack of SHWT (REDOX) FEATURES

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



No SHWT Features

- SHWT (redox) features need certain conditions in which to form
- In certain cases, these conditions will not be present and redox features will not be found
- This can happen in naturally occurring soils where there is very little organic matter or iron content, such as in beach areas, or in the situation where fill material has been moved on top of an otherwise natural soil

No SHWT Features

- Fill material can be anywhere from a few inches to several feet thick, and have been in place for a few days to decades (anthropogenic soils), and can vary greatly in texture
- These soils can be very problematic
- The SHWT can still be higher in the profile, even within the fill material

Contemporary Features

- Soil morphological features that reflect current hydrologic conditions of saturation and anaerobiosis
- *These are the features used to determine SHWT*

Relict Features

- Soil morphological features that reflect past hydrologic conditions of saturation and anaerobiosis
- These would normally occur in natural conditions and are NOT used to determine SHWT
- Would also include any SHWT indicators that have been transported in fill material

Absence of SHWT indicators

- Evaluator's experience and judgment comes into play
- Observed water table could be clue
 - Where observed water table found compare when last significant rainfall occurred, including amount
 - Three days or three weeks
 - Longer without rain means water could have been higher

Absence of SHWT indicators

- Amount of consideration based on the individual evaluator's experience and judgment
- Evaluator with years of experience in the physical area where the evaluation is being performed may have knowledge that water tables exist for several days or weeks at a time even though no redox features are present

Absence of SHWT indicators

- An evaluator with less experience may not reach same conclusion
- Would have to fall back on their limited experience
- Use all sources required by rule, document same
- May need to ask for soil scientist assistance
- SHWT must still be validated using all available information

Absence of SHWT indicators

- Historically is not uncommon for some indicators to be missed or misused
- Common issue is not using USDA NRCS methodology
- Results in improper documentation and SHWT determinations

VALIDATION OF SHWT

- Where no indicators are found still can have a SHWT within the soil profile
- Validation includes all sources required by rule along with the professional judgment of the evaluator to explain why the SHWT was determined to be at a specific level

VALIDATION OF SHWT

- No specific statements that have been used to cover all scenarios
- Trying to guard against the evaluator that is not using contemporary indicators (when present) and from stating a depth and "the call was based on my professional experience"

Consider the following information

10YR 3/1; 5/4; 6/3	FS Fill	0-21"
10YR 4/1	FS	21-27"
10YR 4/1; 5/2	FS	27-35"
10YR 2/1	Spodic Material	35-50"
REFUSAL	REFUSAL	50"

- REMARKS: Observed water table at 34", refusal due to hole caving in. No rain in 5 weeks. SHWT 21".

Example of WRONG reasoning for previous slide:

No clear indicators of seasonal high water could be observed.
Due to filled nature of lot, 21” represents “natural grade.” Set SHWT at natural grade; this is conservative call for SHWT.

Proper Statement

SHWT based on combination of following:

No specific redox features were observed, the several inches of generally grayer (low chroma) soils that exist in the upper part of the natural soils is normally indicative of SHWT being closer to the ground surface when viewed in relation to the spodic horizon, and considering the observed water table of 34" during this time of year, also no rainfall has occurred in the last 5 weeks (continued next slide)

Proper Statement continued

Landscape position was indicative of [make statement – was area fairly flat, no water outlets?]. The soils that are mapped in this area indicates that seasonal high water tables would normally be within a few inches of the natural soil surface. Using all available information, my professional judgment is that the SHWT is most likely to be at the top of what was determined to be the natural soil.

Proper Statement

- **Preceding was example only**
- Not the only format that could be approved
- Note that using the soil profile stripped matrix could have been present, just not identified

DOH PERSONNEL MUST REQUIRE FULL DOCUMENTATION AND VALIDATION OF SHWT DETERMINATIONS

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



For example, the following statements DO NOT validate SHWT determinations:

- “Redox feature found at X inches” (when no RF are documented in the evaluation)
- SHWT based on Florida Administrative Code rule 64E-6.004(2)(a)

USDA NRCS Determinations

**What happens when a USDA
NRCS Soil Scientist reviews the
site**

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



DOH USES MOST RESTRICTIVE SHWT DETERMINATION

- Get a report if at all possible
- Where the USDA NRCS Soil Scientist gives a range for the SHWT the more restrictive measurement must be used
- Example: “SHS at 7-10 inches below soil surface” would mean that a 7 inch SHWT would be used by DOH
- Cannot average the depths

DEPTH TO INDICATORS

- Where SHWT indicators exist in a profile, depth to indicators must be shown for all profiles (should it be routine to only find them in one profile?)

DEPTH TO INDICATORS

- Use proper methodology
- Document correctly and completely
- Verify soil color contrast is correct for indicator use
- If not correct must be fixed

The Correct Soil Profile (Field Copy)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



EXAMPLE 1. HIGH CHROMA REDOXIMORPHIC FEATURE IN SAND

10YR 3/1	S	0-3"
10YR 4/4	S	3-9"
10YR 6/6	S	9-31"
7.5YR 6/8	CMN/DST RF	27-30"
10YR 7/2	S	31-54"
10YR 8/1	S	54-72"

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



EXAMPLE 1

- Shows entry for redox feature within the soil profile
- RF entry follows the horizon in which it is located
- The 10YR 6/6 sandy soil matrix has common ($\geq 2\%$, but $< 20\%$) 7.5YR 6/8 mottles
- Mottles qualify as redox features based on RF criteria

EXAMPLE 2A. STRIPPED MATRIX

2.5Y 2.5/1	FS	0-2"
2.5Y 4/1	FS	2-5"
2.5Y 5/1	FS	5-12"
2.5Y 7/2	FS	5-12"
2.5Y 8/1	FS	12-25"
N 8/	FS	25-72"

- REMARKS: Splotchy colors with diffuse boundaries from 5-12" exist as faint soil color contrast and the lighter areas are at least 10% of the volume, meeting the definition of stripped matrix beginning at 5".

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



EXAMPLE 2A

- The above example shows the entry for the redox feature in the soil profile occurring on two lines
- The redox feature is stripped matrix, documented/validated in remarks
- Compare with the following example

EXAMPLE 2B. STRIPPED MATRIX

2.5Y 2.5/1	FS	0-2"
2.5Y 4/1	FS	2-5"
2.5Y 5/1; 7/2	FS	5-12"
2.5Y 8/1	FS	12-25"
N 8/	FS	25-72"

- REMARKS: Splotchy colors with diffuse boundaries from 5-12" exist as faint soil color contrast and the lighter areas are at least 10% of the volume, meeting the definition of stripped matrix beginning at 5".

EXAMPLE 2B

- Only difference from 2A is how the soil colors were written for the 5-12” horizon
- This example has one hue shown with 2 different colors on the same line
- Both colors therefore have a hue of 2.5Y (note this can't be done in EHD)
- The remarks are the same

EXAMPLE 3. LOW CHROMA REDOX DEPLETIONS

7.5YR 3/1	FS	0-4"
7.5YR 4/2	LFS	4-9"
5YR 5/6	FSL	9-43"
5YR 5/8	FSL	43-72"
5YR 6/3	MANY/PRM RF	65-72"

- REMARKS: SHWT at 65" due to low chroma depletions as noted

EXAMPLE 3

- Exemplifies entry for low chroma redox depletions in the soil profile
- The 5YR 5/8 FSL soil matrix has many (>20%) 5YR 6/3 redox depletions
- The indicated feature is acceptable in this soil at a depth of below one meter (39.37")

EXAMPLE 4. LOW CHROMA REDOX AS A MATRIX

7.5YR 2.5/1	FS	0-3"
7.5YR 4/1	FS	3-7"
7.5YR 6/6	FSL	7-34"
7.5YR 7/1	FSL	34-72"

- REMARKS: The horizon beginning at 34" is the redox feature in that the colors meet value ≥ 5 *and chroma* ≤ 2 *above one meter*

EXAMPLE 5. MUCK SOIL SURFACE (SAMPLE IN LRR U)

N 2.5/	MUCK	0-0.25"
5Y 4/1	FS	0.25-6"
5Y 7/1;8/1	FS	6-15"
10BG 6/1	FS	15-22"
Refusal	Refusal	22-22"

EXAMPLE 5. MUCK SOIL SURFACE (SAMPLE IN LRR U)

- REMARKS: Refusal due to hole caving in and filling with water. Muck is the SHWT indicator as it qualifies as a hydric soil indicator A8 (Muck Presence). Site is level, not depressional. Also of note is stripped matrix indicator is met beginning at 6", and gleyed matrix is met at 15"

EXAMPLE 6: H₂S SMELL

N 2.5/	FS	0-1"
5Y 4/1	FS	1-6"
5Y 7/1	FS	6-15"
10BG 6/1	SCL	15-22"

Refusal due to hole caving in and filling with water.

EXAMPLE 6: H₂S SMELL

REMARKS: Hydrogen sulfide (H₂S) smell observed at 2” which is hydric soil indicator A4, hydrogen sulfide. Also of note is gleyed matrix is met at 15”. Seasonal high water table is determined to be at 2”

Anything wrong with the following profile?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 5/2	FS & GRAVEL FILL	0 TO 8"
10YR 5/1	FS	8 TO 15"
10YR 7/3	FS	15 TO 24"
10YR 5/4	FS	24 TO 30"
10YR 6/2	*RF 10YR 5/6 FS	30 TO 35"
10YR 4/4	FS	35 TO 41"
10YR 5/8	SC	41 TO 53"
10YR 8/3	SAND & SHELL	53 TO 72"
		TO
USDA SOIL SERIES: <u>Eugallie / Myakka FS</u> (mapped as similar to)		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 5/2	FS & GRAVEL (FILL)	0 TO 10"
10YR 5/1	FS	10 TO 17"
10YR 7/3	FS	17 TO 25"
10YR 5/4	FS	25 TO 29"
10YR 6/2	*RF 10YR 5/6 FS	29 TO 36"
10YR 4/4	FS	36 TO 42"
10YR 5/8	SC	42 TO 54"
10YR 8/3	SAND & SHELL	54 TO 72"
		TO
USDA SOIL SERIES: <u>Eugallie / Myakka FS</u> (mapped as similar to)		

OBSERVED WATER TABLE: NOT FOUND INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
 ESTIMATED WET SEASON WATER TABLE ELEVATION: 32 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE
 HIGH WATER TABLE VEGETATION: [] YES [X] NO MOTTLING: [X] YES [] NO DEPTH: 32 & 35 INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: 53 INCHES
 DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____
 REMARKS/ADDITIONAL CRITERIA: *RF - Redoximorphic features observed at 10YR 5/6 inclusions, common & distinct @ 32-35 inches

SITE EVALUATED BY: _____ DATE: _____

Problems

- RFs were prominent, not distinct
- What is actual depth to redox features-Inconsistent data presented
- FS and gravel fill – what is actual texture?

Problems

- Sand and Shell? Need correct soil texture, may be severely limited
- Myakka or EauGallie required to have spodic, not identified here
- EauGallie has Btg horizon, Myakka doesn't

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 5/2	FS & GRAVEL FILL	0 TO 8"
10YR 5/1	FS	8 TO 15"
10YR 7/3	FS	15 TO 24"
10YR 5/4	FS	24 TO 30"
10YR 6/2	*RF 10YR 5/6 FS	30 TO 35"
10YR 4/4	FS	35 TO 41"
10YR 5/8	SC	41 TO 53"
10YR 8/3	SAND & SHELL	53 TO 72"
		TO
USDA SOIL SERIES: <u>Fau Gallie / Myakka FS</u> (mapped as & similar to)		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 5/2	FS & GRAVEL (FILL)	0 TO 10"
10YR 5/1	FS	10 TO 17"
10YR 7/3	FS	17 TO 25"
10YR 5/4	FS	25 TO 29"
10YR 6/2	*RF 10YR 5/6 FS	29 TO 36"
10YR 4/4	FS	36 TO 42"
10YR 5/8	SC	42 TO 54"
10YR 8/3	SAND & SHELL	54 TO 72"
		TO
USDA SOIL SERIES: <u>Fau Gallie / Myakka FS</u> (mapped as & similar to)		

OBSERVED WATER TABLE: NOT FOUND INCHES [ABOVE / BELOW] EXISTING GRADE. TYPE: [PERCHED / APPARENT]
 ESTIMATED WET SEASON WATER TABLE ELEVATION: 32 INCHES [ABOVE / BELOW] EXISTING GRADE
 HIGH WATER TABLE VEGETATION: [] YES [X] NO MOTTLING: [X] YES [] NO DEPTH: 32 INCHES
35

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: 53 INCHES
 DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____
 REMARKS/ADDITIONAL CRITERIA: *RF - Redoximorphic features observed as 10YR 5/6 inclusions,
Common & DISTINCT @ 32-35 inches

SITE EVALUATED BY: _____ DATE: _____

Documentation of Lamellae

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 4/2	LS	0 TO 8"
10YR 6/4	S	3 TO 31"
10YR 7/4	S	31 TO 42"
10YR 8/3	S	42 TO 68"
10YR 8/2	S	68 TO 72"
		TO
		TO
		TO
		TO
USDA SOIL SERIES: <u>Similar to Alpin</u>		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 4/2	LS	0 TO 8"
10YR 6/4	S	3 TO 30"
10YR 7/4	S	30 TO 43"
10YR 8/3	S	43 TO 69"
10YR 8/2	S	69 TO 72"
		TO
		TO
		TO
		TO
USDA SOIL SERIES: <u>Similar to Alpin</u>		

OBSERVED WATER TABLE: 72 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE. TYPE: [~~PERCHED~~ / APPARENT]
 ESTIMATED WET SEASON WATER TABLE ELEVATION: 72 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE
 HIGH WATER TABLE VEGETATION: [] YES ☒ NO MOTTLING: [] YES ☒ NO DEPTH: INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: 0.8 DEPTH OF EXCAVATION: 0 INCHES
 DRAINFIELD CONFIGURATION: [☒] TRENCH, [] BED [] OTHER (SPECIFY)
 REMARKS/ADDITIONAL CRITERIA: 42-68" has few 10YR 5/8 LFS lamellae about 1/8" thick (as well as 43-69" on SP2); 68-72 on SP1 & 69-72" on SP2 have common 10YR 5/8 LFS lamellae, also about 1/8" thick.

SITE EVALUATED BY:

James Young, CEHP 11-0213

DATE:

05/11/11

DH 4015, 08/09 (Obsoletes previous editions which may not be used) Incorporated: 64E-6.001, FAC

Page 3 of 4

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



SHWT features documented after completed soil profile

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
2.5Y 4/2	S	0 TO 8"
2.5Y 5/2	S	8 TO 31"
2.5Y 8/2	S	31 TO 48"
10YR 6/4	S	48 TO 72
		TO
10YR 6/8 RF	CMV / PRM	46 TO 72"
		TO
		TO
		TO
USDA SOIL SERIES: <u>Unknown</u>		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
10YR 4/3	S	0 TO 9"
10YR 5/3	S	9 TO 32"
10YR 7/2	S	32 TO 46"
10YR 8/4	S	46 TO 72
		TO
10YR 6/8 RF	MANV / PRM	44 TO 72"
		TO
		TO
		TO
USDA SOIL SERIES: <u>Unknown</u>		

OBSERVED WATER TABLE: 68 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE. TYPE: [~~PERCHED~~ / APPARENT]
 ESTIMATED WET SEASON WATER TABLE ELEVATION: 44 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE
 HIGH WATER TABLE VEGETATION: [] YES [X] NO MOTTLING: [X] YES [] NO DEPTH: 44 INCHES

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: 0.8 DEPTH OF EXCAVATION: -0- INCHES

DRAINFIELD CONFIGURATION: [X] TRENCH [] BED [] OTHER (SPECIFY)

REMARKS/ADDITIONAL CRITERIA: Bottom of df not lower than 42.5" below BM. Soil profile & BM marked on site plan. Site evaluation VOID if location moves. No easements known; 1.5% slope from West to East.

SITE EVALUATED BY: JAMES YOUNG LEHP 11-02/13

DATE: 9/1/11

Example of SHWT above the ground surface

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
N 2.5/	MUCK	0 TO 27"
5YR 2/1 w/ 10YR 2.5/1	MK FSL	27 TO
STREAKS		TO 35"
10YR 4/1 w/ 10YR 3/1	LFS	35 TO
STREAKS		TO 41"
10YR 6/1; 4/1; 3/1	FS	41 TO 47"
10YR 4/1; 3/1; 8/1	FS	47 TO 72"
		TO
		TO
USDA SOIL SERIES: <u>DIREGO-LIKE</u>		

SOIL PROFILE INFORMATION SITE 2

MUNSELL #/COLOR	TEXTURE	DEPTH
N 2.5/	MUCK	0 TO 28"
5YR 2/1 w/		28 TO
10YR 3/1 streaks	MK FSL	TO 36"
10YR 4/1 w/		36 TO
10YR 3/1 streaks	FS	TO 42"
10YR 6/1; 4/1; 3/1	FS	42 TO 44"
10YR 4/1; 3/1; 8/1	FS	44 TO 72"
		TO
		TO
USDA SOIL SERIES: <u>DIREGO-LIKE</u>		

OBSERVED WATER TABLE: 68 INCHES [~~ABOVE~~ / BELOW] EXISTING GRADE. TYPE: [~~PERCHED~~ / APPARENT]
 ESTIMATED WET SEASON WATER TABLE ELEVATION: 8 INCHES [ABOVE / ~~BELOW~~] EXISTING GRADE
 HIGH WATER TABLE VEGETATION: [☒] YES [] NO MOTTLING: [] YES [] NO DEPTH: _____ INCHES

TITI; BAY; CYPRESS; WAX MYRTLE

SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: _____ DEPTH OF EXCAVATION: 36 INCHES

DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____

REMARKS/ADDITIONAL CRITERIA: SHWT based on water stains & lichen lines in immediate area color
muok. DEP jurisdictional? Check if surface water. HYDRIK SOLZ - A9 1cm muok.
Muck is indicator, area is depressional, accounts for "+" SHWT.

SITE EVALUATED BY: _____ DATE: _____

Note Special Requirements in Remarks Section

- Requirements such as specific percentages of features
- 70% masked criterion
- Amount of stripped matrix, must be at least 10%
- Any other comments necessary

Where No Observable SHWT Features:

- *Other factual information must be used to validate the SHWT* where determined to be at or above 72 inches (or actual termination of the profile)

Water Tables

- Observed: the actual observed water in the auger hole after the water level has had time to equilibrate, measured from top of profile
- Seasonal: the point at which water will stay for at least 30 days during a year
- Either can be below or above existing grade

MUNSELL #/ COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES:		

[illegible]

HIGH WATER TABLE VEGETATION: ☐ YES ☐ NO MOTTLING: ☐ YES ☐ NO DEPTH: _____ INCHES

REMARKS/ADDITIONAL CRITERIA:

SITE EVALUATED BY: _____ DATE: _____

USDA Soil Series

- Input name of soil series immediately below the soil profiles using “like” or “similar to”, e.g. “Lakeland-like” or “Similar to Myakka”
- Can put Unknown
- Can be transitional
- What soil is mapped as is not as important as what you find

SOIL PROFILE INFORMATION SITE 1

MUNSELL #/COLOR	TEXTURE	DEPTH
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
		TO
USDA SOIL SERIES: _____		

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

End of Presentation

QUESTIONS?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

