

Soil Components and Textures

MARCH 2014

David Hammonds

Environmental Consultant

Florida Department of Health

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



OBJECTIVES

- Define and describe allowable methodology for determination of soil textures
- Describe proper use of USDA NRCS texturing methodology for soils

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



NOTE

Additional information on certain slides will be found in the “NOTES” section and will only be visible in the “normal” view in PowerPoint

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



The following are the soil textures employed by USDA NRCS (therefore by DOH)

The soils are divided by use of seasonal high water table (redoximorphic) features: those used for sandy soils versus finer textured soils

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soils using the Sandy Indicators

- Very Coarse Sand VCOS
- Coarse Sand COS
- Sand S
- Fine Sand FS
- Very Fine Sand VFS
- Loamy Coarse Sand LCOS
- Loamy Sand LS
- Loamy Fine Sand LFS

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Soils using the Fine Indicators

- Loamy Very Fine Sand LVFS
- Coarse sandy loam COSL
- Sandy loam SL
- Fine sandy loam FSL
- Very fine sandy loam VFSL
- Loam L
- Silt loam SIL

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soils using the Fine Indicators

- Silt SI
- Sandy clay loam SCL
- Clay loam CL
- Silty clay loam SICL
- Sandy clay SC
- Silty clay SICL
- Clay C

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Other “textures”

- Muck
- Mucky (soil texture modifier) Mk
- Peat
- Peaty (soil texture modifier) Pt
- Marl
- Soft or Hard rock
- Gravels GR
- Gravelly (soil texture modifier) GR

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Organic Soil and Mineral Textures

- Texture refers only to mineral soil
- Organic soil names are used in place of textural class names when present in sufficient quantity
- They can also modify mineral soil names
- The organic soil type always modifies the mineral texture, e.g. mucky sand

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

****NOTE****

THE TEXTURE OF LVFS IS
CONSIDERED TO BE A LOAMY
TEXTURED SOIL FOR PURPOSES
OF REDOX FEATURE
IDENTIFICATION

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Why is Soil Texture Important?

- Soil texture controls which redoximorphic features are used to determine the seasonal high water table
- Soil texture also controls the size of the drainfield/unobstructed area (assuming same estimated daily sewage flow)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Components of the Soil

There are 4 basic components of soil

- Minerals (particle size only)
- Organic Matter
- Water
- Gases

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Minerals: Particle Size

- For DOH purposes, only mineral particle size is considered, not type of
- Mineral size is broken down into three main categories

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Three Mineral Particle Sizes

- *Sand*: 2.00-0.05 mm
- *Silt*: 0.05-0.002 mm
- *Clay*: <0.002 mm
(this is 2 millionths of a meter)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Particle Size Comparison

Sand

Silt

Clay

Clay particle
(yes, the dot)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Sand Facts

- Largest mineral particle
- Individual particles easily visible
- Gritty when rubbed (textured)
- Barely holds together when moist
- Water movement rapid/very rapid due to large pores

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Note how the sand does not hold together



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Sand-Size Subdivisions

- Fine Sand and Medium Sand (medium sand is referred to as “sand”) are the most common of the sand sizes that are found in Florida
- Sand is the only particle size that is subdivided into smaller categories for texturing purposes

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Sand-Size Subdivisions

- Very Coarse Sand: 2.00 - 1.00 mm
- Coarse Sand: 1.00 – 0.50 mm
- Sand: 0.50 – 0.25 mm
- Fine Sand: 0.25 – 0.10 mm
- Very Fine Sand: 0.10 – 0.05 mm

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Silt Facts

- Smaller than sand, larger than clay
- Size is 0.05 mm to 0.002 mm
- When moist or dry it feels smooth and floury or silky
- Found mainly on floodplains of rivers and southern part of Florida
- As a whole is rare in Florida, but is more abundant in SW Florida

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Clay Facts

- Smallest mineral particle, <0.002 mm, is actually platy in structure, not spherical
- Cannot see particle without powerful microscope
- Sticky when moist, easily malleable
- Water moves slowly through clay due to small pores
- Rare to find pure clay in Florida

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Texture

The percentage of *Sand*, *Silt* and *Clay* particles in sample of soil material

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Common Soil Textures in Florida

- *Sand (S) and Fine Sand (FS)-most common*
- Loamy Fine Sand (LFS)
- Loamy Sand (LS)
- Fine Sandy Loam (FSL)
- Sandy Loam (SL)
- Sandy Clay Loam (SCL)
- Sandy Clay (SC)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



QUESTIONS?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



PROPER TEXTURING METHODOLOGY FOR MINERAL SOILS

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Fine Earth Fraction

- Particle sizes ≤ 2 mm are soil particles, i.e. the Fine Earth Fraction, (including shell fragments) is used to determine the mineral soil texture
- Particle size is what counts, not particle type (quartz, iron, etc.)
- Larger particles are coarse fragments (more later)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Touch Texture Method

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



CAUTIONS

- Ensure sample is only from the area you intend to sample
- Make sure the sample has not been contaminated from some other source

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Contamination Sources

- Soil falling in from above the sample
- Soil translocated from above, such as the outside of the sample having soil material from above adhering to the auger
- Soil material covering your hands from previous texturing
- The sample must be from the horizon in question

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



- For loamy and clayey soils, it is best to get the sample from the interior of the auger sample (for texturing and coloring)
- Break the soil sample along the long axis and retrieve the sample from the middle
- See following picture

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

CLEAN YOUR HANDS FIRST!

- *Misidentifying the texture can lead to using the wrong Redoximorphic Features*
- Loamy Sand: Redox Concentrations
- Sandy Loam: Redox Depletions

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Mineral Texture Determination

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Mineral Texture Determination

- Mineral texture- the *soil texture due to the particle size of the minerals that are present*
- DOES NOT include any organic portions that may be in the soil sample
- If enough OM in the soil sample it may hold together, but is not from smaller mineral particle size
- Be careful when texturing soils with OM as a component

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Amount of Soil for Texturing

- Enough to work with, depends on individual hand size
- Try a tablespoon or so
- Too much will take longer to properly process (break down soil particles)
- Too little will not allow the ribbon to be formed correctly

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Forming the Ribbon

- Ribbon needs to be uniform thickness and width
- Thickness of ribbon should be about 2 mm for everyone (use a nickel for a gauge)
- Ribbon width will vary between people due to width of the thumb

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Sandy Soils

- *Don't form ribbons*
- Loamy Very Fine Sand (LVFS) will act more like a silt and be somewhat gritty and malleable, however it will not ribbon

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Loamy and Clayey Soils

- All loamy and clayey soils form ribbons
- Length is deciding factor to determine soil texture
- *Loams form shorter ribbons*
- *Clays form longer ones*

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Loam

- Is a soil texture, not a particle size
- Feels like equal parts (or activity) of sand/silt/clay
- Feels gritty, yet smooth and slightly plastic
- Comprised of specific percentages of the different soil particles
- When moist will form a cast that can be freely handled without breaking

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



What about texturing Silt?

- Silt lacks grittiness
- Feels extremely floury or silky when moist or dry
- It will not ribbon and forms a weak ball that bears careful handling without breaking
- Malleable (able to be shaped/formed)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Organic Matter (OM) and Texturing

- OM not included in mineral texture
- Remove OM from consideration
- If enough OM in sample the name of the mineral texture would be modified
- Don't confuse a FS soil with some OM for a LFS, they aren't the same

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Organic soils/components

- OM in mineral soils adds difficulty in texturing
- Near Saturated Rub Test is used to determine presence of muck, mucky peat or peat

Division of Disease Control and Health Protection


To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Organic soils/components

- This information would then be added to the mineral component, if any, to properly name the soil texture
- The Near Saturated Rub Test will be discussed in the Hydric Soils Presentation

Texture-By-Feel Analysis




Texture-by-Feel Methodology Mineral Soil Only

se Control and Health Protection

f all people in Florida through integrated state, county, and community efforts.




Texture-By-Feel Analysis



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





Note how the ribbon extends past the finger

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Texturing: Sand



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Texturing: Clayey soil



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Ribbon Formation



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Clayey soil >2" ribbon



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Ribbon Comparison



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil texture Naming Convention

- Major component named LAST
- Loamy sand means that the sample is comprised mostly of sand with loam as a modifying influence
- Sandy clay loam means the sample is mostly loam with clay the next largest portion and sand the least prominent

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



- Sand is the only particle size divided into smaller subgroups
- When naming soils the same information is used
- Fine sandy loam means loam is the major fraction, however the sand part is fine sand
- Compare to Fine Loamy Sand –which does not exist because loam is not further divided, so fine loam cannot exist

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Organic Soil Modified Textures

- When mineral soils contain organic parts in sufficient volume, the organic soil modifies the mineral texture name
- Muck, mucky peat or muck would be added before to the mineral texture to name the soil
- Mucky sand would be allowed, sandy muck is not

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Comparison of Particle Size Classes in Different Systems

	FINE EARTH										ROCK FRAGMENTS												
	Clay ²		Silt		Sand						Gravel			Cob- bles	Stones	Boulders							
USDA ¹	fine	co.	fine	co.	v. fi.	fi.	med.	co.	v. co.		fine	medium	coarse										
millimeters:	0.0002	.002	.02	.05	.1	.25	.5	1	2	5	20	76	250	600									
U.S. Standard Sieve No. (opening):			30	140	60	35	18	10	4	(3/4")	(3")	(10")	(25")										
International ⁴	Clay		Silt		Sand						Gravel			Stones									
millimeters:	.002		.02		.20						2			20									
U.S. Standard Sieve No. (opening):					10						4			(3/4")									
Unified ⁵	Silt or Clay				Sand						Gravel		Cobbles	Boulders									
millimeters:					.074						2	4.8	19	76	300								
U.S. Standard Sieve No. (opening):					200						10	4	(3/4")	(3")									
AASHTO ^{6,7}	Clay		Silt		Sand						Gravel or Stones			Broken Rock (angular), or Boulders (rounded)									
millimeters:	.005		.074		.42						2	9.5	25	75									
U.S. Standard Sieve No.:			200		40						10	(3/8")	(1")	(3")									
phi #:	12	10	9	8	7	6	5	4	3	2	1	0	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-12
Modified Wentworth ⁸	clay		silt		sand						pebbles			cobbles	boulders								
millimeters:	.002	.004	.008	.016	.031	.062	.125	.25	.5	1	2	8	16	32	64	256	4092						
U.S. Standard Sieve No.:					20	40	60	35	18	10	5												

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.




The Textural Triangle

- Simplifies description of particle size mixtures when lab analysis performed
- Only scheme allowed by Chapter 64E-6
- 12 classes of soil texture shown on a 3-axis graph
- NOTE: The graph has a single sand category, therefore it does not show what grade of sand exists in the sample, only that sand exists

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.






Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





70% **Sand**
 25% **Clay**
 5% **Silt**
 is SCL

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



What if the texture falls on a line?

- By USDA NRCS methodology the more stringent (i.e. finer) soil texture is used
- Example: If the point falls on the line between loamy sand and sandy loam the texture of the sample must be classified as sandy loam

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Sieve Analysis

- Can be used only if the texture of the sample material is coarser than loamy coarse sand (coarse sand, sand, fine sand, very fine sand, or one of these classes containing gravels)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Lab Analysis for OSTDS Use

- Must use proper USDA NRCS sieve stack (see notes)
- The results must account for sand size gradation as well as silt and clay content
- Loamy sand and loamy fine sand have different loading rates (0.8 vs. 0.65 gal/sf/day in a trench)
- Ramifications?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



QUESTIONS?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Coarse Fragments in the Soil

- Larger than soil particles
- Non-soil particles
- Once coarse fragments reach 15% of the volume of the horizon, the soil texture must be modified with the correct adjective
- Still need to know the texture of the fine earth fraction

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Coarse Fragments

- Fragments can be shells, rocks, etc.
- The modifier *gravelly* or "GR" is used when the fragment content by volume is $\geq 15\%$ to $< 35\%$. Gravels range in size up to 75mm (3 inches)
- See notes section* for complete breakdown

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Coarse Fragments

- Shape of the coarse fragment determines description
- Shapes can be Spherical (including cube-like) or Flat
- Size and shape determines description
- See notes section*

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Separate Non-Soil from Soil Particles

- Must remove the non-soil particles from consideration of the soil-size particles in order to get actual soil texture (if $\geq 15\%$ by volume of the soil horizon)
- Determine soil texture, then modify name as necessary

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Mineral Texture

- Remove gravels from consideration as they are >2 mm in size and do not count as part of the mineral soil texture
- The remaining sieves with the VCOS, COS, S, FS, and VFS (plus the pan) comprise 100% of the mineral soil sample
- The gravel portion will modify the mineral texture name only if it occupied at least 15% of the volume of the soil horizon

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.




Coarse Fragment Example

- 20% shell fragments that are 3-75mm in size and the soil texture is sand, the proper texture for that soil would be gravelly sand, or GR S
- Note: NOT “shelly sand”
- Use the "Charts for Estimating Proportions of Mottles and Coarse Fragments" found in the Munsell book to determine the percentage of fragments

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Class Exercise
on
Texturing
Please get your hands
dirty!

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Organic Matter (OM)

- The second solid component of soils
- Consists primarily of pieces and parts of plants that are in various states of decay. Sometimes called humus
- Different types based on amount of decomposition and amount present

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Effects of OM on Mineral Soil

- Darkens soil color (black/brown)
- Increases water holding capacity, acts like a sponge
- Reduces compaction (adds tilth)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



- Muck is well decomposed organic soil material
- Peat consists of raw undecomposed organic soil material
- Mucky peat designates materials intermediate in decomposition between muck and peat.

Organic Matter in Dry vs. Wet Soils

- Which has more?? Wet
- Kinds of Organic Material (Most to Least decomposed)
 - Muck (*Sapric*)
 - Mucky Peat (*Hemic*)
 - Peat (*Fibric*)

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

**NOTE REDDISH
COLORATION**



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.





*Mucky Peat
Soil Sample*

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Water: The Third Soil Component

- Water moves through the soil (is mobile)
- Moves over and between soil particles in the pore spaces
- Most soils have approximately 50 percent pore space
- Filled with gases or liquid.

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Porosity/Permeability of Soils

- Porosity - the amount of pores in a given area
- Permeability - the rate at which water moves through the soil
- Permeability and Porosity are linked
- The movement of liquids (and gases) through the soil is VERY important for OSTDS considerations

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Compaction

- Decreases porosity
- Reduces permeability
- Effects may be limited to specific depth based on specific factors
- Diminishes the ability of the soil to transfer liquids and gases between soil particles

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

Gases

- The fourth basic component of soil
- Occupies the pore space that does not have liquid in them
- Can be any type of gas

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Soil Compaction



Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



The previous picture is a MOUND SYSTEM

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



End of Presentation

QUESTIONS?

Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.

