

**Hydric Soil Indicators -
Remainder
March 2014**

David Hammonds
Environmental Consultant
Florida Department of Health

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



3/10/2014 1

OBJECTIVES

- Define and describe seasonal high water table indicators for hydric soils
- Provide correct methodology for hydric soil indicator identification

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



3/10/2014 2

NOTE

Additional information on certain slides will be found in the “NOTES” section and will only be visible in the “normal” view in PowerPoint

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



3/10/2014 3

**Remainder of the Field Indicators
(Not on test)**

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



4

S4. Sandy Gleyed Matrix

- For use in all of Florida
- A gleyed matrix which occupies 60% or more of a layer starting within 15 cm (6 inches) of the soil surface
- Gleyed matrix has already been defined in the previous presentation

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



5



Indicator S4 (Sandy Gleyed Matrix). The gleyed matrix begins at the soil surface. Scale is inches (R) and cm (L).

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



6

A1. Histosol

- *For use in all LRRs*
- Soil classifies as a Histosol (except Folist)
- Normally $\geq 16''$ (40 cm) of top 32'' (80 cm) is organic material such as muck, mucky peat and peat

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



7



- Indicator A1 (Histosols). Muck is >1 meter thick
- This soil has an organic carbon content of 17 percent in the upper 30 cm and 23 percent to a depth of 1 meter
- The field estimated percent organic carbon content (by experienced soil scientists) was 40 percent in the 2 layers

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



8

A2. Histic Epipedon

- *For use in all Florida LRRs*
- A histic epipedon (according to Soil Taxonomy) underlain by mineral soil material with a chroma of 2 or less
- User Notes: Most histic epipedons are surface horizons 20 cm (8 inches) or more thick of organic soil material
- Aquic conditions or artificial drainage are required, see Keys to Soil Taxonomy (2007) for complete definition

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



9



- Indicator A2 (Histic Epipedon)
- Proof of aquic conditions is required
- Generally, Histosols have more than 16 inches of organic soil material and Histic epipedons have 8 to 16 inches of organic materials

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



10

A3. Black Histic

- *For use in all LRRs*
- A layer of peat, mucky peat, or muck 20 cm (8 inches) or more thick starting within the upper 15 cm (6 inches) of the soil surface having hue 10YR or yellower, value 3 or less, and chroma 1 or less underlain by mineral soil material with a chroma of 2 or less
- Does not require proof of aquic conditions

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



11



- Indicator A3 (Black Histic)
- Proof of aquic conditions is not required
- Scale is inches (R) and cm (L)

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



12

A4. Hydrogen Sulfide

- *For use in all LRRs*
- A hydrogen sulfide odor within 30 cm (12 inches) of the soil surface
- Must be a “rotten egg” odor
- Other “unpleasant” odors exist such as mercaptans which contain sulfur compounds (e.g. smell placed in natural gas) but is not hydrogen sulfide

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts





- **Indicator A4 (Hydrogen Sulfide) would most likely occur here**
- **Anaerobic conditions would probably occur in this salt marsh throughout the year**

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



A11 Depleted Below Dark Surface

- *For use in all of Florida*
- A layer with a depleted or gleyed matrix that has 60% or more chroma 2 or less starting within 30 cm (12 inches) of the soil surface that has a minimum thickness of either:
 - a. 15 cm (6 inches), or
 - b. 5 cm (2 inches) if the 5 cm (2 inches) consists of fragmental soil material

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



A11 Depleted Below Dark Surface

- Loamy/clayey layer(s) above the depleted or gleyed matrix must have value 3 or less and chroma 2 or less
- Any sandy material above the depleted or gleyed matrix must have value 3 or less, chroma 1 or less and meet 70% masked criterion

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



3/10/2014

16



- Indicator A11 (Depleted Below Dark Surface)
- This indicator is similar to F3 (Depleted Matrix)

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



17

A12 Thick Dark Surface

- *For use in all LRRs*
- A layer at least 15cm (6") thick with a depleted or gleyed matrix that has 60% or more chroma ≤ 2 starting below 30cm (12") of the surface
- The layer(s) above the depleted or gleyed matrix must have value ≤ 2.5 and chroma ≤ 1 to a depth of at least 30cm (12") and value ≤ 3 and chroma ≤ 1 in any remaining layers above the depleted or gleyed matrix

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



18

A12 Thick Dark Surface

- Any sandy material above the depleted or gleyed matrix must meet the 70 % masked criterion

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



3/10/2014

19

A12 Thick Dark Surface



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



20



Indicator A12 (Thick Dark Surface)
Deep observation is often necessary

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



21



**Indicator A12
(Thick Dark Surface)**
A depleted matrix is below the mollic epipedon

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



22

F3. Depleted Matrix

- Term has been previously defined
- *For use in all of Florida*
- A layer with a depleted matrix that has 60% or more chroma 2 or less that has a minimum thickness of either:
 - a. 5 cm (2 inches) if 5 cm (2 inches) is entirely within the upper 15 cm (6 inches) of the soil, or
 - b. 15 cm (6 inches) and starts within 25 cm (10 inches) of the soil surface

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



23



**Indicator F3
(Depleted Matrix)**
The chroma is 1
Redox concentrations are present but not required

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



24



Indicator F3
(Depleted Matrix)
The chroma is 2
Redox
concentrations are
present as required

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts

25 Florida HEALTH



Indicator F3
(Depleted Matrix)
The chroma is 1
within a depth of
about 10 to 15 cm
Redox
concentrations are
absent
Scale is inches

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts

26 Florida HEALTH



Indicator F3 (Depleted Matrix)
The chroma is 2 below
a depth of about 15 cm
Redox concentrations
are present as required
Scale is inches

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts

27 Florida HEALTH

F6. Redox Dark Surface

- For use in all of Florida
- A layer at least 10 cm (4") thick entirely within the upper 30 cm (12") of the mineral soil that has:
 - a. matrix value ≤ 3 and chroma ≤ 1 with $\geq 2\%$ distinct or prominent redox concentrations as soft masses or pore linings, or
 - b. matrix value ≤ 3 and chroma 2 with $\geq 5\%$ distinct or prominent redox concentrations as soft masses or pore linings

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



Redox Dark Surface User Notes:

- Very common indicator used to delineate wetlands in soils with dark-colored surface layers
- Redox concentrations in high organic-content mineral soils with dark surfaces are often small and difficult to see as it can mask some/all of the concentrations
- Careful examination is required to see what are often brownish redox concentrations in the darkened materials

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



Redox in Dark Colored Soils

- Where the matrix has Value ≤ 3 and Chroma ≤ 1 , redox concentrations may have sharp (not diffuse) boundaries
- Caused by organic material masking the redox concentration

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts





Indicator F6 (Redox Dark Surface)
 Prominent redox concentrations as soft masses and pore linings are present
 Below the dark epipedon is indicator A11 (Depleted Below Dark Surface)
 Scale is cm

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



31



Indicator F6 (Redox Dark Surface)
 Prominent redox concentrations as soft masses and pore linings are present
 Often, as in this soil the redox concentrations are small (fine)

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



32

F7. Depleted Dark Surface

- *For use in all of Florida*
- Redox depletions, with value ≥ 5 and chroma ≤ 2 , in a layer at least 10 cm (4") thick entirely within the upper 30 cm (12") of the mineral soil that has:
 - a. matrix value 3 or less and chroma 1 or less and $\geq 10\%$ redox depletions, or
 - b. matrix value ≤ 3 and chroma 2 and $\geq 20\%$ redox depletions

Division of Disease Control and Health Protection
 To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



33

Indicator F7 (Depleted Dark Surface).
Depletions as they occur within a dark surface layer.



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



34

F8. Redox Depressions

- For use in all of Florida
- In closed depressions subject to ponding, $\geq 5\%$ distinct or prominent redox concentrations as soft masses or pore linings in a layer 5 cm (2 inches) or more thick entirely within the upper 15 cm (6") of the soil surface
- This indicator is restricted to depressional landforms

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts




35



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



36



F8. REDOX DEPRESSIONS
The areas between the green (upper 2) bars and the blue (lower 2) bars meet the indicator by having more than 5% redox concentrations of iron and redox concentrations of iron/manganese, respectively

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



37

F10. Marl (new info highlighted)

- For use in LRR U
- A layer of marl with a value ≥ 5 and chroma < 2 starting within 10 cm (4 inches) of the soil surface
- The chroma of < 2 is a newer standard

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



38



Indicator F10 (Marl)
This indicator is known to occur only in south Florida
Scale is cm

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



39

F12. Iron/Manganese Masses

- For use in LRRs P and T
- On flood plains, a layer ≥ 10 cm (4") thick with $\geq 40\%$ chroma ≤ 2 , and $\geq 2\%$ distinct or prominent redox concentrations as soft iron/manganese masses with diffuse boundaries


F12. Iron/Manganese Masses

- The layer occurs entirely within 30 cm (12 inches) of the soil surface
- Most commonly Iron/manganese masses have value and chroma of 3; sometimes they are black
- The thickness requirement is waived if the layer is the mineral surface layer
- Note landform restriction (floodplains)



Indicator F12.
(Iron/Manganese
Masses) in a 40
percent depleted
(gray) matrix
Scale is inches

F12. Iron/Manganese Masses



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



F13. Umbric Surface

- For use in all Florida
- In depressions and other concave landforms
- A layer ≥ 25 cm (10") thick starting within 15 cm (6") of the soil surface
- Upper 15 cm (6") must have value ≤ 3 and chroma ≤ 1 , and the lower 10 cm (4") of the layer must have the same colors as above or any other color that has a chroma ≤ 2

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts





Indicator F13 (Umbric Surface)
This umbric surface is about 30 cm. thick (green bar)
Scale is inches

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



Problem Hydric Soil?

Has Umbric Surface and Redox Dark Surface

Glistening/sheen shows reduced iron oxidizing as it is exposed to air on the surface of the water in the pit



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



46

Combining HSI

- It is permissible to combine certain hydric soil indicators
- All requirements of the indicators are met except for thickness
- The most restrictive requirements for thickness of layers in any indicators used must be met

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



47

Combining HSI

- Not all indicators are possible candidates for combination
- For example, indicator F2 (Loamy Gleyed Matrix) has no thickness requirement and is not a candidate for combination

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts




48


3/10/2014

WHERE THE NATURAL SOIL SURFACE HAS BEEN ALTERED BY THE ACTION OF MAN VIA SOIL ADDITION OR REMOVAL, THE INDICATORS **MUST BE JUDGED** USING NATURAL SOIL SURFACE CRITERIA, **ACCOUNTING FOR WHAT WAS ADDED OR REMOVED**

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts







REDOX FEATURES MAY FORM IN FILL MATERIAL AND EXTRA CARE MUST BE TAKEN DURING THEIR EVALUATION

Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



52



Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



53


Soil Pits


Division of Disease Control and Health Protection
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



54







THE END

QUESTIONS?



Division of Disease Control and Health
To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts



58
