DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

#### RECOMMENDATIONS

BOARD DOH FINAL MOTION VOTE ACTION

				M	ITOI	ON	VOT	ſΕ	ACT	'ION			
AP #	APPLICANT'S NAME AND ADDRESS	COUNTY OF PROJECT	SECTION OF LAW OR RULE AND SPECIFIC VARIANCE(S) REQUESTED	T a b l e	A P R V	D E N Y	Y E S	N O	A P R V	D E N Y	PROVISOS RECOMMENDED BY BOARD	PROVISOS REQUIRED BY DOH	DATE LETTER MAILED
Rehear 2716	Gentile Glass Holloway O'Mahoney Assoc. for Loftin Place Cypress Realty of FL, LLC 1907 Commerce Lane Suite 103 Jupiter, FL 33458	Palm Beach	64E-9.006(1)(a) Floors and walls shall be white or light pastel in color and shall have the characteristic of reflecting rather than absorbing light.										
Rehear 2736	Costa d' Este Beach Resort Pool Anthony Onorato 3244 Ocean Drive Vero Beach, FL 32963	Indian River	64E-9.006(1)(a) Floors and walls shall be white or light pastel in color and shall have the characteristic of reflecting rather than absorbing light.										
Rehear 2737	Costa d' Este Beach Resort Spa Anthony Onorato 3244 Ocean Drive Vero Beach, FL 32963	Indian River	64E-9.006(1)(a) Floors and walls shall be white or light pastel in color and shall have the characteristic of reflecting rather than absorbing light.										
2738	CC Kendall Residential LLC 135 Lorenzo Ave#770 Coral Gables, FL 33146 Residence at Kendall Pool 8881 SW 172 <sup>nd</sup> Ave Miami, FL 33196	Dade	454.1.6.5.17FBC All water features that utilize water from the pool shall be designed to return the water to the pool.										

Present \_\_JK \_\_CW \_\_MK \_\_AP \_\_JL \_\_DG \_\_AU

DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

#### RECOMMENDATIONS

AP #	APPLICANT'S NAME	COUNTY	SECTION OF LAW OR	Т	А	D	Y	N	Α	D	PROVISOS	PROVISOS	DATE
	AND ADDRESS	OF	RULE	а	P	Ε	E	0	P	E	RECOMMENDED	REQUIRED	LETTER
		PROJECT	AND SPECIFIC	b	R	N	S		R	N	BY BOARD	BY DOH	MAILED
			VARIANCE(S) REQUESTED	1	V	Y			V	Y			
				е									

D - f1 M J:1-1 -	D-1-	454 1 1 1 EDC C:-: TI									
Rafael Mendible	Dade	454.1.1.1 FBC Sizing: The									
Miami, FL 33126											
Doral, FL 33172											
	Leon										
Tallahassee, FL 32301											
		pool 0-2,500 Square Feet.									
		*									
		(7620 mm) of each restroom.									
		sanitary facilities shall slope to									
		floor drains.									
Peloro Spa	Dade										
Meir Srebernik		walls shall be white or light									
3100 NW 72 <sup>nd</sup> Avenue		pastel in color and shall have									
Suite 113		the characteristic of reflecting									
Miami, FL 33122		rather than absorbing light.									
	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 105 South Adams Street Tallahassee, FL 32301  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  Leon 454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.3 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 105 Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  Leon 454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.3 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19th Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 105 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  Peloro Spa Meir Srebernik 3100 NW 72nd Avenue Suite 113  Miami, FL 33126  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.3 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72nd Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 105 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113  Miami, FL 33126  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  Leon 454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.3 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 105 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113  Miami, FL 33126  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  Leon  454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19 <sup>th</sup> Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 1050 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113  Miami, FL 33126  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool urnover period used cannot be less than 3 hours.  Leon 454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72 <sup>nd</sup> Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Miami, FL 33126  Double Tree Hotel 10250 NW 19th Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Leon  Leon  454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  Peloro Spa Meir Srebernik 3100 NW 72nd Avenue Suite 113  filtration system for swimming pools shall be capable of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  Leon  454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.3 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72nd Avenue Suite 113	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19th Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Peloro Spa Meir Srebernik 3100 NW 72th Adams Doade  Doade  Meir Srebernik 3100 NW 72th Adams Doade  Doade  Meir Srebernik 3100 NW 72th Adams Sured Suite 130  Dade  filtration system for swimming pools shall be with requirements of meeting all other requirements of these rules while providing a flow rate of at least 1 gpm (0.06 L/s) for each living unit at transient facilities For the purpose of determining minimum pool size only, the pool turnover period used cannot be less than 3 hours.  454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Srebernik 3100 NW 72th Avenue Suite 113  Dade  64E-9.006(1)(a) Floors and walls shall be white or light pastel in color and shall have the characteristic of reflecting	Hospitality Doral, LLC 6205 Blue Lagoon Drive Suite 130 Miami, FL 33126  Double Tree Hotel 10250 NW 19th Street Doral, FL 33172  Double Tree Spa 101 South Adams Street Tallahassee, FL 32301  Leon 2454.1.6.1 FBC PUBLIC SWIMMING POOL— REQUIRED FIXTURE COUNT: 1 Urinal requires for pool 0-2,500 Square Feet.  454.1.6.1.4 FBC: A hose bib with vacuum breaker shall be provided in or within 25 feet (7620 mm) of each restroom.  454.1.6.1.3 FBC: Floors of sanitary facilities shall slope to floor drains.  Peloro Spa Meir Stebernik 3100 NW 72th Avenue Suite 113

DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

#### RECOMMENDATIONS

		_				ON							_
AP #	APPLICANT'S NAME	COUNTY	SECTION OF LAW OR	Т	А	D	Y	N	А	D	PROVISOS	PROVISOS	DATE
	AND ADDRESS	OF	RULE	a	P	Ε	E	0	Р	E	RECOMMENDED	REQUIRED	LETTER
	THIS TIDDICESS	PROJECT		b	R	N	S	~	R	N	BY BOARD	BY DOH	MAILE
		PRODECT	AND SPECIFIC	D		IA	5			IN	BI BOARD	BI DON	MATTEI
			VARIANCE(S) REQUESTED	1	V	Y			V	Y			
				е									
				1				l					1
				L				L					
												•	
													1
	+			1									-
				1				l					
				1				l					
		İ		1		l				l			1

DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

#### RECOMMENDATIONS

AP #	APPLICANT'S NAME AND ADDRESS	COUNTY OF PROJECT	SECTION OF LAW OR RULE AND SPECIFIC VARIANCE(S) REQUESTED	T a b l e	A P R V	D E N Y	Y E S	N O	A P R V	D E N Y	RECOMMENDED	PROVISOS REQUIRED BY DOH	DATE LETTER MAILED

DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

### RECOMMENDATIONS

AP #	APPLICANT'S NAME AND ADDRESS	COUNTY OF PROJECT	SECTION OF LAW OR RULE AND SPECIFIC VARIANCE(S) REQUESTED	T a b l e	A P R V	D E N Y	Y E S	О	A P R V	D E N Y	PROVISOS RECOMMENDED BY BOARD	PROVISOS REQUIRED BY DOH	DATE LETTER MAILED

DATE: May 11, 2016 MEETING LOCATION: Orlando, DOH-Orange County

#### RECOMMENDATIONS

				M	ITO	NC		ľΕ	ACT	'ION			
AP #	APPLICANT'S NAME AND ADDRESS	COUNTY OF PROJECT	SECTION OF LAW OR RULE AND SPECIFIC VARIANCE(S) REQUESTED	T a b l e	A P R V	D E N Y	Y E S	N O	A P R V	D E N Y	PROVISOS RECOMMENDED BY BOARD	PROVISOS REQUIRED BY DOH	DATE LETTER MAILED
Г		1		T		ı				1		1	