Department of Health Public Swimming Pool Variance Application Submission Checklist

(Send one copy only of this checklist.)

To be placed on the next variance board meeting and to avoid any delay in processing your variance application(s) please use this checklist to ensure your application is complete.

The Variance Application DH 4080 is available for download by clicking this link: DH Form 4080.

If you have any questions, send an email to DOHPoolVariances@flhealth.gov.

Send one (1) original paper application with 7 additional copies of the application (for a total of 8 sets) for each separately permitted facility on the same property, even for identical request(s).

sets) for <u>each separatel</u>	y permitted to	<u>acility on the same</u>	<u>property</u> , even for identical request(s).
APPLICATION FORM D	H 4080:		
☐ DH 4080 form – Page One: Fields 1 through 8 are to be completed by the applicant. (N/A if blank.)			
☐ Signed by the Owner -OR-			
☐ Signed by Agent for the	e Owner ("Age	nt" is anyone who is n	ot the Owner)
If signed by Agent for the	ne Owner:		
☐ Include a letter from owner granting permission to act on their behalf. (One copy only, please.)			
	etion to provi		lemental materials. Additional materials application when submitting.
□ Photographs or graphi□ Plans are no larger that	•	•	
APPLICATION FEE (app	olicable for eac	ch separately permitt	ed facility for which a Variance is applied) able to Florida Department of Health, enclosed
☐ Proof of payment (rece	ipt) from the le	ocal County Health [Department Engineering Office
SUBMITTING THE COM	PLETED APP	LICATION(S)	
	complete and	collated. Do not sta	ole the application sets. Secure each of the bands.
★ DH 4080 – Page Two	is completed a	& signed by Regiona	I or CHD Engineering contact
	C	ONTACT INFORMA	ATION
Final Pool Owner Name (Co	rporate or Individua	ıl):	
Company Name:			
			9SS:
			Phone:
	ole (Contractor, Engineer, etc.):Company Name:		
			nail Address:
City:	\$1:		Phone:
List email address(es) for Emails regarding the Varia		Stakeholder(s) who	should be included in the distribution for

SHIPPING ADDRESS: Florida Department of Health ~ Bureau of Environmental Health ~ 4025 Esplanade Way, Floor 2, Room 220-A ~ Tallahassee, FL 32399