

STATE OF FLORIDA DEPARTMENT OF HEALTH INVESTIGATIVE SERVICES

Moderate Sedation – Initial Inspection



File # Insp #

NAME	PERMIT NUMBER	DATE OF INSPECT	TION
DOING BUSINESS AS	l		
STREET ADDRESS	1	TELEPHONE #	EXT
СІТУ	COUNTY	STATE/ZIP	
Additional Info	rmation		
Sedation Procedure Information			
Others Auth to Perform Sedation at Loc			
Basic License Data - PSD	_		
Moderate Sedation	Requirements		
OPERATORY – Rule The operatory where anesthes			
Be of adequate size and design to permit physical access of emergency equipment a	nd personnel and to permit effective emerge	ency management	
Be equipped with a chair or table adequate for emergency treatment, including a chair	<u> </u>		
Be equipped with suction and backup suction equipment, also including suction cathe	· · · · · · · · · · · · · · · · · · ·		
RECOVERY ROOM - Ru			
If a recovery room is present, it shall be equipped with suction and back up suction e emergency treatment. The recovery room shall also be of adequate size and design t shall be situated to allow the patient to be observed by the dentist or an office team m	o allow emergency access and managemen	ficient light to provide it. The recovery room	
STANDARD EQUIPMENT – The following equipment must be readily availabl maintained in good v	le to the operatory and recovery room and	3	
A positive pressure oxygen delivery system and backup system, including full face material treated	ask for adults and for pediatric patients, if ped	diatric patients are	
Oral and nasal airways of various sizes			
Blood pressure cuff and stethoscope			
A pulse oximeter which provides continuous monitoring of pulse and rate of oxygen s	aturation of the blood shall be used during e	ach procedure	
Precordial stethoscope			
Capnograph			
Suction with backup suction, including suction catheters and tonsil suction			
Thermometer			
A backup lighting system			
A scale to weigh patients			
EMERGENCY EQUIPMENT The following emergency equipment must be prese working or	ent, readily available and maintained in go	ood	
Appropriate I.V. set-up, including appropriate supplies and fluids			
Laryngoscope with spare batteries and spare bulbs			
McGill forceps, endotracheal tubes, and stylet			
Appropriate syringes			
Tourniquet and tape			

Insp# File #

MEDICINAL DRUGS – Rule 64B5-14.009(5) The following drugs or type of drugs with a current shelf life must be maintained and easily accessible from the operatory and recovery room:

Epinephrine	
A narcotic (e.g., Naloxone) and benzodiazepine (e.g., Flumazenil) antagonist, if these agents are used	
An antihistamine (e.g., Diphenhydramine)	
A corticosteroid (e.g., Dexamethasone)	
Nitroglycerin	
A bronchodilator (e.g., Albuterol inhaler)	
An antihypoglycemic agent (e.g., D50W IV solution)	
Amiodarone	
A vasopressor (e.g., Ephedrine)	
An anticonvulsant (e.g., Valium or Versed)	
Antihypertensive (e.g., Labetalol)	
Anticholinergic (e.g., atropine)	
Antiemetic	
A muscle relaxant (e.g., Succinylcholine)	
An appropriate antiarrhythmic medication (e.g., Lidocaine)	
Adenosine	

EMERGENCY PROTOCOLS – Rule 64B5-14.009(6)

The applicant shall provide written emergency protocols, and shall provide training to familiarize office personnel in the treatment of the following clinical emergencies:

Language Control of the Control of t	
Laryngospasm	
Bronchospasm	
Emesis and aspiration	
Airway blockage by foreign body	
Angina pectoris	
Myocardial infarction	
Hypertension/Hypotension	
Hypertensive crisis	
Allergic and toxicity reactions	
Seizures	
Syncope	
Phlebitis	
Intra-arterial injection	
Hyperventilation/Hypoventilation	
Cardiac arrest	
Cardiac arrhythmias	
The applicant or permit holder shall maintain for inspection a permanent record, which reflects the date, time, duration, and type of training provided to named personnel.	

Has the applicant met all requirements above? If no, do not move forward with technique demonstration.

Has the applicant met all the requirements above? If no, do not move forward with technique demonstration.

SIMULATION – Rule 64B5-14.007(2)(b) - Were the following simulated emergency responses demonstrated correctly:

Airway obstruction	
Bronchospasm	
Aspiration of foreign object	
Angina pectoris	
Myocardial infarction	

Moderate Sedation - Initial Inspection

Insp# File # Hypotension Hypertension Cardiac arrest Allergic reaction Convulsions Hypoglycemia Syncope Respiratory depression Required Anesthesia Records - Rule 64B5-14.009(7) Were the following records adequate during administration of general anesthesia: Patient's current written medical history, including known allergies and previous surgery Base line vital signs, including blood pressure, and pulse Continuous monitoring of vital signs taken at appropriate intervals during the procedure Drugs administered during the procedure, including route of administration, dosage, time and sequence of administration Duration of the procedure Documentation of complications or morbidity Status of patient upon discharge, and to whom the patient is discharged

Rule 64B5-14.009(8)

Was the sedation procedure performed adequately?

Names of participating personnel

Was the sedation procedure performed adequately?

Continuous Monitoring: The patient who is administered drug(s) for general anesthesia or deep sedation must be continuously monitored intra-operatively by electrocardiograph (EKG), pulse oximeter, and capnograph to provide heart rhythm and rate, oxygen saturation of the blood, and ventilations (endtidal carbon dioxide). This equipment shall be used for each procedure.

Was the patient monitored adequately?	
Anesthesia Office Team	
Anesthesia office team has current CPR with AED Training; Dentist – Current ACLS/ATLS [64b5-14.003(1)]	

Remarks:

I have read and have had this inspection report and the laws and regulations concerned herein explained and do affirm that the information given herein is true and correct to the best of my knowledge.

Inspector Signature:	Representative:	
Date:	Date:	