

Florida Trauma Registry Manual

DATA DICTIONARY

2017 Edition

January 2017

DOCUMENT CONTENTS

DOCUMENT CONTENTS	2
DICTIONARY OVERVIEW	3
DICTIONARY DESIGN	
REPORTING REQUIREMENTS	3
REPORTING OVERVIEW	
DEFINITIONS	5
DEMOGRAPHIC INFORMATION	6
DF_01 LOCAL TRAUMA REGISTRY NUMBER 7 DF_02 EVENT SPECIFIC PATIENT TRACKING NUMBER (ESPTN) 8 DF_03 SOCIAL SECURITY NUMBER 9 DF_04 FIRST NAME 10 DF_05 MIDDLE NAME 11 DF_06 LAST NAME 12 DF_07 MEDICAL RECORD NUMBER 13	
REFERRING HOSPITAL INFORMATION	14
RF_01 REFERRING HOSPITAL ID	
EMERGENCY DEPARTMENT INFORMATION	20
EDF_01 TRAUMA ALERT TYPE21EDF_02 TRAUMA TEAM ACTIVATION LEVEL22EDF_03 TRAUMA TEAM ACTIVATION DATE23EDF_04 TRAUMA TEAM ACTIVATION TIME24EDF_05 TRAUMA SPECIALIST TYPE25EDF_06 TRAUMA SPECIALIST CALLED DATE26EDF_07 TRAUMA SPECIALIST CALLED TIME27EDF_08 TRAUMA SPECIALIST ARRIVAL DATE28EDF_09 TRAUMA SPECIALIST ARRIVAL TIME29	
END OF DOCUMENT	30
CHANCELOC	31

Dictionary Overview

Welcome to the Florida Department of Health's *Trauma Registry Manual Data Dictionary 2017 Edition*. This manual serves as the data submission requirements for the Florida Trauma Registry referred to as Florida Trauma Data Standard (FTDS).

Dictionary Design

The FTDS is designed as a supplement to the National Trauma Data Standard, (NTDS), published by the American College of Surgeons, National Trauma Data Bank and can be found at: http://www.ntdsdictionary.org/dataElements/datasetDictionary.html. Field contents, NTDS required fields, and TQIP fields can be found in the NTDS Data Dictionary, 2017 Admissions. However, verified and provisional trauma centers may opt to send in the Florida specific elements. The Florida specific elements are entirely optional and trauma centers may send in a standard TQIP file. All verified and provisional trauma centers shall submit data in either the TQIP file format or the FTDS file format.

Reporting Requirements

Reporting Overview

Florida verified and provisional trauma centers are required to submit data to the Department. Trauma centers must submit data based on the submission schedule outlined in the Submission Details section. However, data may be submitted more frequently (i.e., daily, weekly, or monthly). The submission must be through the web at www.fltraumaregistry.com. The data file(s) submitted shall contain (in total) the data for all discharged trauma cases meeting inclusion criteria, which were admitted during that quarter as outlined in the Submission Details' section. All submitted data files received by the Department are imported and stored within the NGTR.

Inclusion Criteria

The inclusion criteria used by Florida will be the NTDS inclusion criteria. The local trauma registry inclusion criteria for Florida shall be inpatient admission with a length of stay greater than or equal to 24 hours. Trauma centers that are sending in a FTDS record may include trauma alert patients that would otherwise not be included in submissions NTDB/TQIP submissions. For records that indicate a trauma alert, the Department will disregard NTDS edit checks 8703.

Submission Details

- A. All data shall be submitted electronically to the Department at the www.fltraumaregistry.com website.
- B. Accounts to submit data are set up for each Florida verified or provisional trauma center by the Florida Department of Health as part of the trauma center application and approval process.
- C. Data verification: Data reported to the NGTR must be verified (checked for completeness and accuracy) by the reporting trauma center before submitting to the Department.
- D. Data may be submitted on a daily, weekly, monthly, or quarterly basis. Records submitted to the Department must follow the call for data periods outlined below except in the case of delayed discharge or if the record contains a Level 1 or Level 2 error.

Version January 2017 Page 3 of 36

Reporting Quarter	Reporting Dates	Submission Window
Quarter 1	January 1- March 31	May 2-June 1
Quarter 2	April 1 - June 30	August 1- September 1
Quarter 3	July 1 - September 30	November 1- December 31
Quarter 4	October 1- December 31	February 1- March 1

- E. Data submitted to the Department must be a valid record in order to be used in the determination of a hospital's trauma caseload volume. All 2017 records that are going to be used for the purposes of caseload volume must be received by July 1, 2018. The data dictionary section of this manual, and that of the NTDB, details the field requirements of each data element and values that are accepted.
- F. Suggested naming convention: Hospital ID_Reporting-Period (Q1, Q2, Jan) _date (MM/DD/YY) (add _resubmission for files being resubmitted). The NGTR will only allow 50 characters in the file name including spaces, special characters and the .XML extension.
- G. The Department will only accept data in an XML file format based upon the NTDS Data Dictionary, 2017 Admissions or the FTDS. Records may not be submitted in another format or medium.
- H. File Acceptance: Must be the appropriate XML schema and in the acceptable format. Files that cannot be recognized as a valid format will not be processed and will not receive a submission report. In this case, the submitting hospital will receive notification from Department staff that a problem occurred in processing the submission. The problem will need to be corrected and the file resubmitted no later than the final due date for that quarter.
- I. Record Acceptance: Records that contain Level 1 or Level 2 errors will cause that record to be rejected. The trauma center will be required to correct these errors and resubmit the record to the NGTR in order to be loaded into the database. Individual records may contain Level 3 and Level 4 errors. The Level 3 and Level 4 errors are intended to be informational in nature and to aid data quality improvement. A report with details on records containing any errors will be returned to the hospital. Level 1 and Level 2 errors in a record will need to be corrected and resubmitted by the <u>final submission due date (July 1, 2018) to be considered as valid</u>. Records submitted past the final submission due date may not be included in the trauma caseload volume and may not be used for the purposes of reporting.
- J. The Department may audit (by site visit, desk audit or through an agent) a trauma center's medical records at any time.
- K. When files are resubmitted, the NGTR will verify if a record already exists. If the record has previously been submitted, the newly submitted file will overwrite the previous submission. It is recommended that only flagged records be resubmitted to prevent overwriting a valid record with incorrect data.

Extension Requests

Extensions to the final submission due date in the FTDS may be granted by the Department for a maximum of 30 days from the final submission due date. A written request signed by the hospital's chief executive officer (or designee) and trauma medical director must be received by the Department 30 days prior to the final submission due date (scanned image sent via email acceptable). These requests may be mailed to: Bureau of Emergency Medical Oversight, 4052 Bald Cypress Way Bin A-22, Tallahassee, FL, 32399 or by email to Trauma.Registry@flhealth.gov.

Extension requests are only granted for unforeseen factors beyond the control of the reporting facility. These factors must be specified in the written request for the extension along with documentation of efforts undertaken to meet the submission requirements. Staff vacations, maternity leave, a failure to appropriately plan a timeframe

Version January 2017 Page 4 of 36

of a software upgrade are not considered "unforeseen" requests. Extensions must be approved by the Department and will not be granted verbally.

Definitions

ACS NTDB National Trauma Data Standard: Data Dictionary 2017Admissions ("NTDS") – A manual that is developed by the American College of Surgeons (ACS) in order to create a standardized national trauma database. This manual is incorporated into Florida Administrative Rule by reference.

American College of Surgeons ("ACS") - Nationally recognized scientific association of surgeons that improve the quality of care for the surgical patient by setting high standards for surgical education and practice.

Business Rule – A condition used to identify a data error. The business rule will have an associated Rule ID. The term "edit checks" is used by the NTDS and can be used interchangeably.

Data Element – Single category of information reported in a given trauma record that contains field values or other related points of data.

Department – The Department of Health.

Field Value – The data entered into a data element.

Florida Trauma Registry Manual, Data Dictionary 2017 Edition ("FTDS") – A manual that is developed by the Department to act as a supplement to the NTDS. This manual identifies the requirements of the FTDS and state specific administrative components not covered by the NTDS. This manual is incorporated into Florida Administrative Rule by reference.

Next Generation Trauma Registry ("NGTR") – The electronic data collection and reporting system used by the Department to obtain records from provisional/verified trauma centers and acute care hospitals.

Trauma Admission ("Admission") - Trauma patient admitted as an inpatient, per physician's orders, as a result of traumatic injuries and the patient's ED/Hospital Arrival Time and Hospital Discharged Time of greater than or equal to 24 hours.

Valid Record ("Valid") – A trauma record that meets Department standards for timeliness, completeness and meets the inclusion criteria.

XML Schema Definition ("XSD") – A document that specifies how to formally describe the elements in an Extensible Markup Language (XML). The XSD is used by NGTR to verify the data in a file. The current XSD is the FLTDS_2017.XSD Version 1.0 and is incorporated into rule by reference.

Version January 2017 Page 5 of 36

Demographic Information

Version January 2017 Page 6 of 36

DF_01 Local Trauma Registry Number		
Field Definition	Unique identifier generated for a patient within the trauma center software application at your facility. It should be sequentially generated for each trauma patient for each trauma incident, and it should be unique from your facility's Medical Record Number.	
Data Format	[number]	
XSD Type	xs:integer	
XSD Element	LocalRegNumber	
Multiple Entry	No – A trauma patient may have only one reported unique Local Trauma Registry Number for an incident	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Up to 30 digits	
Field Values	Relevant value for data element	
Field Constraints	The field must contain a minimum of one character	
Additional Info	The local trauma registry number may not be unique statewide, but it should be unique for a given combination of a particular patient at a particular facility for a particular incident.	
Related Fields		

Rule ID	Level	Rule Description
50101	1	Invalid value (element must conform to data specification)

Version January 2017 Page 7 of 36

DF_02 Event Sp	ecific Patient Tracking Number (ESPTN)
Field Definition	Unique identifier for this patient for this event, generated by the first Florida state-licensed agency, which renders service to the patient for the event.
Data Format	[text]
XSD Data Type	xs:String
XSD Element	ESPTN
Multiple Entry	No – A trauma record may have only one ESPTN
Accepts Nulls	Yes
Required Field	No
Field Format	44 characters in the form: XXX_MMDDYYYY_LicNum_PatNum
Field Values	The ESPTN is comprised of the following information: XXX A three character code indicating the type of agency: the code is either "EMS" for EMS agency, "HOS" for hospital agency, or "LAW" for law enforcement agency MM The two-digit month DD The two-digit day of the month YYYY The four-digit year LicNum The Florida state-issued license number of the agency PatNum The agency-assigned patient number
Field Constraints	This field should consist of the three-character agency type (1-3), the first underscore (4), the eight-digit date (5-12), the second underscore (13), a minimum/maximum ten characters for the Florida state-issued license number (padded with leading zeroes, if necessary) (14-23), the third underscore (24), and a minimum/maximum of 20 characters agency-assigned patient number (padded with leading zeroes, if necessary) (25-44).
Additional Info	 The state-issued license number should be unique within an agency type, but may not be unique across agency types. The agency-assigned patient number should be unique for that patient within the context of that agency, but may not be unique across multiple events for the same patient within the agency. Use the date the trauma patient arrived at your facility. This could be the ED or Hospital Arrival Date. If the patient arrives at your facility without an ESPTN number, it is the reporting facility's responsibility to create one. This field is intended to be autogenerated by user action when a prior ESPTN is not documented by EMS or law enforcement agency.
References	

Rule ID	Level	Rule Description
50201	1	Invalid value (element must conform to data specification)

Version January 2017 Page 8 of 36

DF_03 Social Security Number		
Field Definition	The U.S Government issued Social Security Number for the patient	
Data Format	[text]	
XSD Data Type	xs:string	
XSD Element	PatientSsn	
Multiple Entry	No – A trauma patient may have only one reported Social Security Number	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Eleven characters formatted as "nnn-nn-nnnn" where "n" is a number between 0 and 9. (Note that this element is encrypted by the state)	
Field Values	Relevant value for data element. If the Social Security Number is unknown, use the following that pertain: 000-00-0000 = Infants who are 1 year old or less 555-55-5555 = Non-Citizens 777-77-7777 = Not Available	
Field Constraints		
Additional Info		
References		

Rule ID	Level	Rule Description
50301	1	Invalid value (element must conform to data specification)

Version January 2017 Page 9 of 36

DF_04 First Name		
Field Definition	The patient's first name, given as stated on birth certificate or change-of-name affidavit.	
Data Format	[text]	
XSD Data Type	xs:string	
XSD Element	FirstName	
Multiple Entry	No – A trauma patient may have only one reported First Name	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Up to 30 characters (Note that this element is encrypted by the state)	
Field Values	Relevant value for data element	
Field Constraints	If the element contains a field value, that value must contain at least one alphabetic character.	
Additional Info	If the First Name is unknown, and a Common Null Value of "Not Known/Not Recorded" is not utilized, then the trauma center's internal naming policies and standard should be followed.	
References		

Rule ID	Level	Rule Description
50401	1	Invalid value (element must conform to data specification)

Version January 2017 Page 10 of 36

DF_05 Middle Name		
Field Definition	The patient's middle name or middle initial, given as stated on birth certificate or change-of-name affidavit.	
Data Format	[text]	
XSD Data Type	xs:string	
XSD Element	MiddleName	
Multiple Entry	No – A trauma patient may have only one reported Middle Name	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Up to 30 characters (Note that this element is encrypted by the state)	
Field Values	Relevant value for data element	
Field Constraints	If the element contains a field value, that value must contain at least one alphabetic character.	
Additional Info	If the Middle Name is unknown, and a Common Null Value is not utilized, then the trauma center's internal naming policies and standard should be followed.	
References		

Rule ID	Level	Rule Description
50501	1	Invalid value (element must conform to data specification)

Version January 2017 Page 11 of 36

DF_06 Last Name	
Field Definition	The patient's last name, given as stated on birth certificate or change-of-name affidavit.
Data Format	[text]
XSD Data Type	xs:string
XSD Element	LastName
Multiple Entry	No – A trauma patient may have only one reported Last Name
Accepts Nulls	Yes
Required Field	No
Field Format	Up to 50 characters (Note that this element is encrypted by the state)
Field Values	Relevant value for data element
Field Constraints	If the element contains a field value, that value must contain at least one alphabetic character.
Additional Info	If the Last Name is unknown, and a Common Null Value of "Not Known/Not Recorded" is not utilized, then the trauma center's internal naming policies and standard should be followed.
References	

Rule ID	Level	Rule Description
50601	1	Invalid value (element must conform to data specification)

Version January 2017 Page 12 of 36

DF_07 Medical Record Number	
Field Definition	The medical record number or other patient identifier on the transcript of the medical information about the patient.
Data Format	[text]
XSD Data Type	xs:AlphaDash
XSD Element	MedicalRecNum
Multiple Entry	No – A trauma patient may have only one reported Medical Record Number
Accepts Nulls	Yes
Required Field	No
Field Format	Up to 20 characters (Note that this element is encrypted by the state)
Field Values	Relevant value for data element. If this number is unknown, a temporary number may be assigned.
Field Constraints	
Additional Info	The medical record number is unique to a given patient, but not unique to a particular incident. The other patient identifier will be your internal defined unique tracking number.
References	

Rule ID	Level	Rule Description
50701	1	Invalid value (element must conform to data specification)

Version January 2017 Page 13 of 36

Referring Hospital Information

Version January 2017 Page 14 of 36

RF_01 Referring Hospital ID	
Field Definition	The hospital from which the patient was referred, as selected from a list of hospitals in the state of Florida and additional hospitals. The Referring Hospital is the facility where the patient was given care before reaching your hospital. Admission to the Referring Hospital is not necessary.
Data Format	[combo] single-choice
XSD Data Type	xs:string
XSD Element	ReferringHospitalId
Multiple Entry	No
Accepts Nulls	Yes
Required Field	No
Field Format	Twenty characters
Field Values	For hospitals in Florida the AHCA file number is used. For hospitals outside of FL use 999999 and for a VA hospital use 555555.
Field Constraints	A biu of "1" for N/A is only reported if NTDS Interfacility Transfer is "2" (No); if NTDS Inter-Facility Transfer is "1" (Yes) than the field must be valued or a biu of "2" for not known/not recorded can be used.
Additional Info	

Rule ID	Level	Rule Description
50801	1	Invalid value (element must conform to data specification)

Version January 2017 Page 15 of 36

RF_02 Referring Hospital Arrival Date	
Field Definition	The date of the patient's arrival at the referring hospital (the hospital where the patient was given care before reaching your hospital). Admission to the referring hospital is not necessary.
Data Format	[date]
XSD Data Type	xs:date
XSD Element	ReferringHospitalArrivalDate
Multiple Entry	No
Accepts Nulls	Yes
Required Field	No
Field Format	Ten characters formatted as YYYY-MM-DD.
Field Values	Valid calendar date
Field Constraints	From 1990-01-01 to 2030-12-31
Additional Info	
References	

Rule ID	Level	Rule Description
50901	1	Invalid value (element must conform to data specification)

Version January 2017 Page 16 of 36

RF_03 Referring Hospital Arrival Time	
Field Definition	The time the patient arrived at the referring hospital.
Data Format	[time]
XSD Data Type	xs:time
XSD Element	ReferringHospitalArrivalTime
Multiple Entry	No
Accepts Nulls	Yes
Required Field	No
Field Format	Five characters formatted as HH:MM, HHMM or HH:MM:SS (add to all time fields)
Field Values	Valid 24-hour time
Field Constraints	From 00:00 to 23:59
Additional Info	
References	

Rule ID	Level	Rule Description
51001	1	Invalid value (element must conform to data specification)

Version January 2017 Page 17 of 36

RF_04 Referring Hospital Discharge Date	
Field Definition	The date of the patient's discharge order from the referring hospital was written.
Data Format	[date]
XSD Data Type	xs:date
XSD Element	ReferringHospitalDischargeDate
Multiple Entry	No
Accepts Nulls	Yes
Required Field	No
Field Format	Ten characters formatted as YYYY-MM-DD
Field Values	Valid calendar date
Field Constraints	From 1990-01-01 to 2030-12-31
Additional Info	
References	

Rule ID	Level	Rule Description
51101	1	Invalid value (element must conform to data specification)

Version January 2017 Page 18 of 36

RF_05 Referring Hospital Discharge Time		
Field Definition	The time of the patient's discharge order from the referring hospital was written.	
Data Format	[time]	
XSD Data Type	xs:time	
XSD Element	ReferringHospitalDischargeTime	
Multiple Entry	No	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Five characters formatted as HH:MM	
Field Values	Valid 24-hour time	
Field Constraints	From 00:00 to 23:59	
Additional Info		
References		

Rule ID	Level	Rule Description
51201	1	Invalid value (element must conform to data specification)

Version January 2017 Page 19 of 36

Emergency Department Information

Version January 2017 Page 20 of 36

EDF_01 Trauma Alert Type		
Field Definition	Type of trauma alert called in accordance with the state trauma scorecard criteria.	
Data Format	[combo] single-choice	
XSD Data Type	xs:nonNegativeInteger	
XSD Element	TraumaAlertType	
Multiple Entry	No	
Accepts Nulls	Yes	
Required Field	No	
Field Format	One numeric digit	
Field Values	See below	
Field Constraints	From 1-7	
Additional Info		
References		

Field Values		
1 Red (single criterion)	2 Blue (two criteria)	
3 GCS ≤ 12	4 Judgment EMT	
5 Judgment Hospital	6 Local (local criteria)	
7 NTA (Not a Trauma Alert)	8 Trauma Center Criteria Retired 2017	

Rule ID	Level	Rule Description
51301	1	Invalid value (element must conform to data specification)
51305	2	If NTDS Age is < 16 years then Trauma Alert Type cannot be '3' (GCS ≤ 12)
51306	3	If Trauma Alert Type is not '7' (NTA) then Trauma Team Activation Level must be "1", "2", or "3"

Version January 2017 Page 21 of 36

EDF_02 Trauma Team Activation Level		
Field Definition	Trauma Team Activation - Announcement of incoming trauma patient via pager system to assemble all members of the trauma team in the ED resuscitation area.	
Data Format	[combo] multiple-choice	
XSD Data Type	xs:nonNegativeInteger	
XSD Element	TeamActivationLevel	
Multiple Entry	No	
Accepts Nulls	Yes	
Required Field	No	
Field Format	One numeric digit	
Field Values	See below	
Field Constraints	From 1 to 4	
Additional Info		
References		

Field Values	
1 Level 1 - Highest level of team activation at your institution using defined trauma triage guidelines.	2 Level 2 - Secondary level of team activation, if applicable, at your institution, using defined trauma triage guidelines.
3 Level 3 - The last type of notification / communication to the Trauma Team as defined in the user's Tertiary Activation system plan.	4 Trauma team not activated

Rule ID	Level	Rule Description
51401	1	Invalid value (element must conform to data specification)
51405	2	If Trauma Team Activation Level is "4" (Not Activated) then Trauma Alert Type must be "7" (NTA)

Version January 2017 Page 22 of 36

EDF_03 Trauma Team Activation Date		
Field Definition	The date that the trauma team corresponding to Level 1, 2, or 3 was activated.	
Data Format	[date]	
XSD Data Type	xs:date	
XSD Element	TeamActivationDate	
Multiple Entry	No	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Ten characters formatted as YYYY-MM-DD	
Field Values	Valid calendar date	
Field Constraints	From 1990-01-01 to 2030-12-31	
Additional Info		
References		

Rule ID	Level	Rule Description
51501	1	Invalid value (element must conform to data specification)

Version January 2017 Page 23 of 36

EDF_04 Trauma Team Activation Time		
Field Definition	The time that the trauma team corresponding to Level 1, 2, or 3 was activated.	
Data Format	[time]	
XSD Data Type	xs:time	
XSD Element	TeamActivationTime	
Multiple Entry	No	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Five characters formatted as HH:MM	
Field Values	Valid 24-hour time	
Field Constraints	From 00:00 to 23:59	
Additional Info		
References		

Rule ID	Level	Rule Description
51601	1	Invalid value (element must conform to data specification)
51603	4	If Trauma Team Activation Time is completed, then Trauma Team Activation Date must also be completed

Version January 2017 Page 24 of 36

EDF_05 Trauma Specialist Type			
Field Definition	The type of specialist requested for the trauma alert.		
Data Format	[combo] multiple-choice		
XSD Data Type	xs:nonNegativeInteger		
XSD Element	SpecialistType		
Multiple Entry	Yes – Maximum of 20		
Accepts Nulls	Yes		
Required Field	No		
Field Format	One numeric digit		
Field Values See below, If specialist is not listed, the specialist field should have a bi			
Field Constraints	From 1 to 7		
A LEC and Lucia	A max of 20 Trauma Specialist 'records' may be specified. If there is a Trauma Alert, then a minimum of one Trauma Specialist 'record' must be specified with a type of ('1' Trauma Surgeon, '2' Neurosurgeon, or '3' Orthopedic Surgeon) and it should consist of the following data elements for each record:		
Additional Info	Trauma Specialist Type Trauma Specialist Called Date Trauma Specialist Called Time Trauma Specialist Arrival Date Trauma Specialist Arrival Time		
References			

Field Values			
1 Trauma Surgeon	2 Neurosurgeon		
3 Orthopedic Surgeon	4 ED Physician		
5 Anesthesiologist	6 Medical Doctor		
7 Chief Resident	8 Other		

Rule ID	Level	Rule Description	
51701	1	Invalid value (element must conform to data specification)	

Version January 2017 Page 25 of 36

EDF_06 Trauma Specialist Called Date		
Field Definition The date at which assistance was requested. Corresponds to the value of Trauma Specialist Type.		
Data Format	[date]	
XSD Data Type	xs:date	
XSD Element	SpecialistCalledDate	
Multiple Entry	Yes – Maximum of 20	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Ten characters formatted as YYYY-MM-DD	
Field Values	Valid calendar date	
Field Constraints	From 1990-01-01 to 2030-12-31	
Additional Info	When the specialist is at the patient's bedside at the time of the trauma alert, the trauma specialist call and trauma specialist arrival dates should be the same.	
References		

Rule ID	Level	Rule Description	
51801	1	Invalid value (element must conform to data specification)	
51804 3 Trauma Specialist Called Date / Time must be earlier than or equal to the Trauma Specialist Arrival Date / Time, respectively		Trauma Specialist Called Date / Time must be earlier than or equal to the Trauma Specialist Arrival Date / Time, respectively	

Version January 2017 Page 26 of 36

EDF_07 Trauma Specialist Called Time		
Field Definition The time at which assistance was requested. Corresponds to the value of Trauma Specialist Type.		
Data Format	[time]	
XSD Data Type	xs:time	
XSD Element	SpecialistCalledTime	
Multiple Entry	Yes – Maximum of 20	
Accepts Nulls	Yes	
Required Field	No	
Field Format	Five characters formatted as HH:MM	
Field Values	Valid 24-hour time	
Field Constraints	From 00:00 to 23:59	
Additional Info	When the specialist is at the patient's bedside at the time of the trauma alert, the trauma specialist call and trauma specialist arrival times should be the same.	
References		

Rule ID	Level	Rule Description	
51901	1	Invalid value (element must conform to data specification)	
51903 4 If <i>Trauma Specialist Called Time</i> is completed, then <i>Trauma Specialist Date</i> must also be completed		If Trauma Specialist Called Time is completed, then Trauma Specialist Called Date must also be completed	

Version January 2017 Page 27 of 36

EDF_08 Trauma Specialist Arrival Date			
Field Definition The earliest date of arrival of the specialist at the patient's bedside, whether the ED, OR, or ICU. Corresponds to the value of the Trauma Specialist Trau			
Data Format	[date]		
XSD Data Type	xs:date		
XSD Element	SpecialistArrivalDate		
Multiple Entry	Yes – Maximum of 20		
Accepts Nulls	Yes		
Required Field	No		
Field Format	Ten characters formatted as YYYY-MM-DD		
Field Values	Valid calendar date		
Field Constraints	From 1990-01-01 to 2030-12-31		
Additional Info When the specialist is at the patient's bedside at the time of the trauma aler trauma specialist call and trauma specialist arrival dates should be the same			
References			

Rule ID	Level	Rule Description	
52001	1	Invalid value (element must conform to data specification)	

Version January 2017 Page 28 of 36

EDF_09 Trauma Specialist Arrival Time			
Field Definition The earliest time of arrival of the specialist at the patient's bedside, whet the ED, OR, or ICU. Corresponds to the value of the Trauma Specialist			
Data Format	[time]		
XSD Data Type	xs:time		
XSD Element	SpecialistArrivalTime		
Multiple Entry	Yes – Maximum of 20		
Accepts Nulls	Yes		
Required Field	No		
Field Format	Five characters formatted as HH:MM		
Field Values	Valid 24-hour time		
Field Constraints	From 00:00 to 23:59		
Additional Info	When the specialist is at the patient's bedside at the time of the trauma alert, the trauma specialist call and trauma specialist arrival times should be the same.		
References			

Rule ID	Level	Rule Description	
52101	1	Invalid value (element must conform to data specification)	
52103 4 If <i>Trauma Specialist Arrival Time</i> is completed, then <i>Trauma Specialis Date</i> must also be completed		If Trauma Specialist Arrival Time is completed, then Trauma Specialist Arrival Date must also be completed	

Version January 2017 Page 29 of 36

END OF DOCUMENT

Version January 2017 Page 30 of 36

Change Log

Change Date	Discharge Year	Change Location	Field Name	Content Change
Aug-15	2016	Dictionary Edition		Updated to reflect 2016
Aug-15	2016	Dictionary Overview		Updated dictionary overview section to reflect current acronyms
Aug-15	2016	Dictionary Design		Updated dictionary design section to reflect current acronyms and identified supplemental material(s) and web address
Aug-15	2016	Dictionary Content		Deleted
Aug-15	2016	Field Contents		Updated acronyms
Aug-15	2016	Required Fields		Updated acronyms, requirements, removed excessive verbiage and added new TQIP fields
Aug-15	2016	Reporting Overview		Provided clarification of this section and removed extraneous information
Aug-15	2016	Inclusion Criteria		Updated to provide specific guidance on how to determine inclusion in the registry. Clarified definition of an admission and provided a flow chart
Aug-15	2016	Submission Details		Refined section to provide clarification
Aug-15	2016	Definitions		Added a definitions page
Aug-15	2016	Data Fields		Updated business rules to match current NTDB standards on various fields
Aug-15	2016	Demographics	ESPTN	Updated with clarifying information
Aug-15	2016	Demographics	First Name	Added business rule to prevent blanks
Aug-15	2016	Demographics	Middle Name	Added business rule to prevent blanks

Version January 2017 Page 31 of 36

Aug-15	2016	Demographics	Last Name	Added business rule to
Aug-15	2016	Referring Hospital	Referring hospital ID	prevent blanks Clarified the Field
Aug-13	2010	Information	Keletting nospital iD	Constraints of this field.
				Added business rules to
				prevent blanks/
				erroneous data
Aug-15	2016	Referring Hospital	Referring hospital	Added additional
		Information	Arrival date	business rule
Aug-15	2016	Referring Hospital	Referring Hospital	Added additional
		Information	Arrival Time	business rule
Aug-15	2016	Referring Hospital	Referring Hospital	Added additional
		Information	Discharge Date	business rule
Aug-15	2016	Referring Hospital	Referring Hospital	Added additional
		Information	Discharge Time	business rule
Aug-15	2016	Emergency	Trauma Alert Type	Updated to remove old
		Department		requirements listed in
		Information		Rules 64J-2.004 and
				64J-2.005 F.A.C. Added business rule to
				ensure data quality
Aug-15	2016	Emergency	Trauma Team Activation	Added business rule to
1145 15	2010	Department	Date	prevent blanks
		Information		
Aug-15	2016	Emergency	Trauma Team Activation	Added business rule to
		Department	Time	prevent blanks
		Information		
Aug-15	2016	Emergency	Trauma Specialist Type	Added business rule to
		Department		prevent blanks
Aug-15	2016	Information	Trouma Specialist Called	Added business rule to
Aug-13	2010	Emergency Department	Trauma Specialist Called Date	prevent blanks
		Information	Date	prevent blanks
Aug-15	2016	Emergency	Trauma Specialist Called	Added business rule to
		Department	Time	prevent blanks
		Information		
Aug-15	2016	Emergency	Trauma Specialist	Added business rule to
		Department	Arrival Date	prevent blanks
	2016	Information		
Aug-15	2016	Emergency	Trauma Specialist	Added business rule to
		Department	Arrival Time	prevent blanks
Δυς 15	2016	Information Additional		Added a Florida
Aug-15	2010	Validation Rules		specific rule to check
		, andation Rules		records for inclusion
				criteria

Version January 2017 Page 32 of 36

Sep-16	2016	Inclusion Criteria		Changed inclusion criteria to better define trauma admissions
Sep-16	2016	Definitions		Updated the definition for Trauma Admission
Sep-16	2016	Submission Details		Updated to reflect new error thresholds and to add message about PII/Null values
Sep-16	2016	Title		Updated to show version 2
Sep-16	2016	Document		Corrected formatting errors.
Jan-17	2017	Entire Document	Change Data Dictionary Edition	Update to reflect 2017
Jan-17	2017	Dictionary Overview	Required Fields Table	Deleted Required Fields Table and left verbiage only
Jan-17	2017	Dictionary Overview	TQIP Fields	Deleted TQIP fields table
Jan-17	2017	Reporting Requirements	Reporting Overview	Updated admission vs. discharge
Jan-17	2017	Reporting Requirements	Inclusion Criteria	Deleted Inclusion Diagram and left verbiage only
Jan-17	2017	Reporting Requirements	Submission Details	Change submission calendar
Jan-17	2017	Reporting Requirements	Submission Details	Removed language of Department submitting data to TQIP
Jan-17	2017	Reporting Requirements	Submission Details	Updated deadline for records to be submitted and valid for determination of trauma caseload volume.
Jan-17	2017	Reporting Requirements	Extension Requirements	Removed language of Department submitting data to TQIP

Version January 2017 Page 33 of 36

Jan-17	2017	Definitions	Trauma Admission	Update Trauma Admission to reflect 24 hrs or greater
Jan-17	2017	Definitions	Trauma Patient Discharge	Clarified to align with NTDB's definition
Jan-17	2017	Definitions	Valid Record	Removed error threshold language
Jan-17	2017	Entire Document	Removed ICD 9 text	Removed any ICD 9 code references throughout the document- only ICD 10 accepted as January 2017
Jan-17	2017	Demographic- Business Rule	ESPTN	Deleted Business Rule 50204
Jan-17	2017	Demographic- Business Rule	Social Security Number	Deleted Business Rule 50304
Jan-17	2017	Demographic- Accepts Nulls	Social Security Number	Change to "Partial – A Common Null Value (CNV) of "Not Known/Not Recorded" is valid".
Jan-17	2017	Demographic- Business Rule	Middle Name	Deleted Business Rule 50502
Jan-17	2017	Demographic- Business Rule	Medical Record Number	Deleted Business Rule 50704
Jan-17	2017	Demographic- Accepts Nulls	Medical Record Number	Updated verbiage to: "Partial – A Common Null Value (CNV) of "Not Known/Not Recorded" is valid".
Jan-17	2017	Referring Hospital- Business Rule	Referring Hospital ID	Deleted Business Rule 50803
Jan-17	2017	Emergency Department Information- Field Values	Trauma Alert Type	Reinstated previous trauma alert type field values to reflect current trauma alert criteria

Version January 2017 Page 34 of 36

Jan-17	2017	Emergency Department Information- Business Rule	Trauma Alert Type	Deleted Business Rule 51307 and 51308. Reinstated 51305 and 51306
Jan-17	2017	Emergency Department Information- Field Constraints	Trauma Alert Type	Updated Field Constraints to 1 thru 7
Jan-17	2017	Emergency Department Information- Additional Information	Trauma Alert Type	Deleted additional information
Jan-17	2017	Emergency Department Information- Accepts Nulls	Trauma Team Activation Level	Updated verbiage to: "Partial – A Common Null Value (CNV) of "Not Known/Not Recorded" is valid".
Jan-17	2017	Emergency Department Information- Business Rule	Trauma Team Activation Level	Deleted Business Rule 51404
Jan-17	2017	Emergency Department Information-Field Definition	Trauma Team Activation Date	Updated verbiage to: "The date that the trauma team corresponding to level 1, 2, or 3 was activated".
Jan-17	2017	Emergency Department Information- Field Definition	Trauma Team Activation Time	Updated verbiage to: "The time that the trauma team corresponding to level 1, 2, or 3 was activated".
Jan-17	2017	Emergency Department Information- Business Rule	Trauma Specialist Type	Update verbiage to: "Not Applicable, field must be valued or "Not Known" if Trauma Team Activation Level is "1", "2", or "3"" and changed error level to a 3

Version January 2017 Page 35 of 36

Jan-17	2017	Emergency Department Information- Business Rule	Trauma Specialist Arrival Time	Change Business Rule 52102 verbiage to: "Not Applicable, field must be valued or "Not Known" if Trauma Team Activation Level is "1", "2", or "3"."
Jan-17	2017	Emergency Department Information- Business Rule	Trauma Team Activation Level	Deleted Business Rule 51404
Jan-17	2017	Emergency Department Information- Additional Information	Trauma Specialist Date and Time fields	Add clarification on how to document specific scenarios to the additional information section of each field.
Mar-17	2017	Dictionary Design	Field Contents, Required Fields, & TQIP Fields	Updated Dictionary Design to reference NTDS Data Dictionary, 2017 Admissions
Mar-17	2017	Reporting Requirements		Updated to reflect changes in submission process
Mar-17	2017	Registry Conventions		Deleted
Mar-17	2017	Definitions		Removed un-necessary definitions or terms defined elsewhere
Mar-17	2017	Florida Specific Fields		Updated all fields to show as not required, accepts nulls, removed multiple business rules from each field

Version January 2017 Page 36 of 36