

Your Guide To Eating Fish Caught In Florida

May 2020 v2

Fish Consumption Advisories are published periodically by the State of Florida to alert consumers about the possibility of chemically contaminated fish in Florida waters. The advisories are meant to inform the public of potential health risks of specific fish species from specific water bodies.

2020



Florida Department of Health

Prepared in cooperation with the Florida Department of Environmental Protection and Agriculture and Consumer Services, and the Florida Fish and Wildlife Conservation Commission



2020 Florida Fish Advisories



- **Table 1:** Eating Guidelines for Fresh Water Fish from Florida Waters (based on mercury levels)
page 1-53
- **Table 2:** Eating Guidelines for Marine and Estuarine Fish from Florida Waters (based on mercury levels)
page 54-55
- **Table 3:** Eating Guidelines for species from Florida Waters with Heavy Metals (other than mercury), Dioxin, Pesticides, Polychlorinated biphenyls (PCBs), or Saxitoxin Contamination
page 56-57

Eat Healthy, Eat Smart

Eating Fish is an important part of a healthy diet. Rich in vitamins and low in fat, fish contains protein we need for strong bodies. It is also an excellent source of nutrition for proper growth and development. In fact, the American Heart Association recommends that you eat two meals of fish or seafood every week.

At the same time, most Florida seafood has low to medium levels of mercury.

Depending on the age of the fish, the type of fish, and the condition of the water the fish lives in, the levels of mercury found in fish are different.

While mercury in rivers, creeks, ponds, and lakes can build up in some fish to levels that can be harmful, most fish caught in Florida can be eaten without harm.

Florida specific guidelines make eating choices easier. To lower the risk of harm from mercury found in fish caught in Florida, guidelines based on tests of various freshwater, marine and estuarine water bodies are enclosed. This information should be used by everyone to determine the type and amount of fish to eat or avoid.

Extra guidelines for women and young children. For most people, the risk of eating fish exposed to mercury is not a health concern. However, developing fetuses and young children are more sensitive to the harmful effects mercury has on the brain than other people. As a result, women of childbearing age and young children should eat less fish than all others to avoid the higher health risks.

Eating fish from commercial, untested or unknown sources. Some fish you eat may not have been caught from water bodies tested for mercury. In cases where women of childbearing age, and young children do not know if the fish has been tested, or when it has been purchased from a store or restaurant, they should:


- Not eat Shark, Swordfish, King Mackerel, or Tilefish because they contain high levels of mercury.
- Eat up to 12 ounces a week of a variety of fish and shellfish that are lower in mercury. Commonly eaten seafood that are low in mercury include Shrimp, canned Light Tuna, Salmon, Pollock, and Catfish **OR**
- Only eat one 6 ounce meal per month of Largemouth bass, Bowfin and Gar **OR**
- Eat up to 6 ounces of Albacore Tuna per week and a second meal of a fish low in mercury, since Albacore ("White Tuna") has more mercury than canned Light Tuna **OR**
- Eat up to 6 ounces of fish per week from local water bodies not listed in the brochure.

How much fish is considered a meal portion? A meal is 6 ounces of cooked fish.

How would I determine the maximum amount of fish to eat each month? Based on recommendations in the charts, the amount of fish eaten from each water body should be added together to figure the maximum amount of fish to eat monthly. Fish from commercial, untested, or unknown sources should also be included when figuring the total amount of fish consumed each month.

Most freshwater fish caught in Florida can be eaten without harm. Bream (such as Bluegill, Redear sunfish, Redbreast sunfish or Spotted sunfish) and marine fish such as Mullet, Snappers, Pompano, Flounder, and Dolphin are generally low in mercury. Review the list of water bodies in this brochure to learn which fish can be consumed regularly and which should be avoided.

AVOID PUFFER OR SUFFER



Do not eat puffer fish caught in the Indian River Lagoon and from waters in Volusia, Brevard, Indian River, St. Lucie and Martin Counties. These include the southern puffer, northern puffer, marbled puffer, bandtail puffer, checkered puffer and least puffer. Eating Puffer fish (also called Blowfish) can cause saxitoxin poisoning which can lead to neurological symptoms such as tingling, burning, numbness, drowsiness, incoherent speech and difficulty breathing. In severe cases, the poisoning can cause death. **Cooking or cleaning the fish will not destroy**

the toxin. This toxin also has no taste, color or smell. If you experience any of the symptoms mentioned, contact your physician or visit the emergency room immediately.

The Florida Fish and Wildlife Conservation Commission prohibits the harvesting of puffer fish from the Indian River Lagoon and all other Florida waters of Brevard, Martin, Indian River, Volusia, and St. Lucie Counties.




Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Aerojet Canal [see Canal C-111]	Miami-Dade			
Alafia River	Hillsborough, Polk	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Spotted sunfish	One per week	Two per week
Alapaha River	Hamilton	Black crappie	One per month	One per month
		Bluegill	One per month	One per week
		Brown bullhead catfish	One per month	One per week
		Channel catfish	One per month	One per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Spotted bullhead catfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per week	Two per week
		Alligator Alley (I-75) Canals	Broward	Mayan cichlid
Bluegill	One per month			One per week
Blue tilapia	Two per week			One per week
Butterfly peacock	One per month			Two per week
Largemouth bass	DO NOT EAT			One per month
Oscar	One per month			One per week
Redear sunfish	One per month			One per week
Spotted sunfish	One per month			One per week
Warmouth	One per month			One per week
Yellow bullhead catfish	One per month			One per month
Alligator Lake	Columbia	Black Crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Alligator Lake	Osceola	Black crappie	One per month	One per month
		Bluegill	One per month	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
		Warmouth	Two per week	Two per week
Anclote River	Pasco	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Apalachicola River [see separate advisory for Lake Seminole]	Calhoun, Franklin, Gadsden, Gulf, Jackson, Liberty	Blue catfish	Two per week	Two per week
		Bluegill	One per week	Two per week
		Channel catfish	Two per week	Two per week
		Flathead catfish	One per month	One per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per week	Two per week
		Striped bass	One per month	One per week
		Warmouth	One per month	Two per week
Aucilla River	Jefferson, Madison, Taylor	Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	Two per week
		Spotted sunfish	One per month	One per month
Banana Lake	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	One per week	Two per week
Barron River	Collier	Largemouth bass	One per month	Two per week
Basin Bayou	Walton	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
Bear Lake Fish Management Area	Santa Rosa	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Bear Lake	Orange	Bluegill	One per week	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Bethel Lake	Volusia	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Big Cypress Preserve	Collier	Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	One per month
Big Sand Lake (see advisory in Table 3 for lead [Pb])	Orange	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Black Creek (South Fork)	Clay	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Black Creek Canal (C-1)	Miami-Dade	Bluegill	Two per week	Two per week
		Butterfly peacock bass	One per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
Blackwater Creek	Lake	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	Two per week
		Spotted sunfish	One per month	One per week
		White catfish	Two per week	Two per week
Blackwater River and tributaries (including Alligator Creek, Big Coldwater Creek, Big Juniper Creek, and Sweetwater Creek)	Okaloosa, Santa Rosa	Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
		Longear sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Shadow bass	One per month	One per month
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	One per week
Blue Cypress Lake	Indian River	Black crappie	One per month	One per month
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		White catfish	One per month	Two per week
Bonnet Lake	Polk	Largemouth bass	One per month	Two per week
Brick Lake	Osceola	Bluegill	One per month	One per month
		Chain pickerel	DO NOT EAT	DO NOT EAT
		Channel Catfish	One per month	One per month
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Warmouth	One per month	One per week
Buck Lake	Brevard	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per week	Two per week
Bulow Creek	Flagler	Bluegill	Two per week	Two per week
Butler Lake Chain (including Lakes Bessie, Butler, Chase, Down, Little Fish, Louise, Palmer, Pocket, Sheen, and Tibet)	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Bystre Lake	Hernando	Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	One per month	One per week
C-13 Canal	Broward	Bullseye snakehead	One per week	Two per week
C-14 Canal [see Cypress Creek Canal System]	Broward			
C-16 Canal (Boynton Canal)	Palm Beach	Bluegill	Two per week	Two per week
		Butterfly peacock bass	One per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted Tilapia	Two per week	Two per week
C-17 Canal [see Earman River Canal System]	Palm Beach			
C-44 Canal (St. Lucie Canal)	Martin	Black crappie	One per month	One per month
		Bluegill	One per month	Two per week
		Blue tilapia	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		White Catfish	One per week	Two per week
C-51 Canal (West Palm Beach Canal)	Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
C-100 Canal [see Cutler Drain Canal System]	Miami-Dade			
C-111 Canal (Aerojet Canal)	Miami-Dade	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Caloosa Fish Management Area	Palm Beach	Channel catfish	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
Caloosahatchee River and tributaries (including Lake Hicpochee)	Glades, Hendry, Lee	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Campbell Lake	Walton	Largemouth bass	DO NOT EAT	One per month
Chassahowitzka River	Citrus	Largemouth bass	One per month	One per month
Chattahoochee River	Jackson	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Cherry Lake	Lake	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Cherry Lake	Madison	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
Chipola River and tributaries (including Juniper Creek and Dead Lakes)	Calhoun, Gulf, Jackson	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Shadow bass	One per month	One per week
		Spotted bullhead catfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
Choctawhatchee River and tributaries	Bay, Holmes, Walton, Washington	Bluegill	One per month	Two per week
		Flathead Catfish	One per month	One per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	One per week
Clear Lake	Orange	Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Colt Creek	Polk	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Compass Lake	Jackson	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	One per month
Conway Chain (Lake Conway, Little Lake Conway)	Orange	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Corbett WMA-all ponds on property	Palm Beach	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Cowpen Lake	Putnam	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	One per week
Crescent Lake/Dunns Creek	Flagler, Putnam	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast sunfish	Two per week	Two per week
		Spotted Sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Crescent Lake	Escambia	Chain pickerel	DO NOT EAT	One per month
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Redear sunfish	One per month	Two per week
Crooked Lake	Polk	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Crooked River	Franklin	Bluegill	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		Largemouth bass	One per month	One per week
Crystal River	Citrus		One per month	One per week
Cue Lake	Putnam	Largemouth bass	One per month	One per month
Cutler Drain Canal (C-100) System	Miami-Dade	Bluegill	Two per week	Two per week
		Butterfly peacock	One per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear Sunfish	Two per week	Two per week
Cypress Creek	Calhoun	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	Two per week
		Yellow perch	One per month	One per week
Cypress Creek Canal (C-14) System	Broward	Bluegill	Two per week	Two per week
		Bullseye snakehead	One per month	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Dead Lake	Flagler	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		White catfish	Two per week	Two per week
Dead Lakes [see Chipola River and tributaries]	Calhoun, Gulf, Jackson			
Deerpoint Reservoir	Bay	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per month	Two per week
Dinners Lake	Highlands	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Doctors Lake	Clay	Bluegill	One per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		Red drum	Two per week	Two per week
Doe Lake	Marion	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per month
		Warmouth	One per month	One per week
Double Pond	Holmes	Largemouth bass	One per month	One per week
Dunns Creek	Putnam	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
White Catfish	Two per week	Two per week		
E-4 Canal System (Lake Ida, Lake Osborne, Canals)	Broward, Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Eagle Lake FMA	Hamilton	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Sunshine bass	One per month	One per week
Eagle Lake	Polk	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Earman River Canal (C-17) System	Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
East Lake Tohopekaliga	Osceola	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Econfina Creek	Bay, Washington	Spotted sunfish	One per month	Two per week
Econfina River	Taylor	Largemouth bass	DO NOT EAT	One per week
		Redbreast sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
Econlockhatchee River	Orange, Seminole	Black crappie	One per month	One per week
		Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	Two per week
		White catfish	One per week	Two per week
Emeralda Marsh Wildlife Management Area (WMA) Areas 2, 3 and 4 (see also Ocklawaha Lake Chain listing)	Lake, Orange	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	One per week	Two per week
Emeralda Marsh Wildlife Management Areas (WMA) Area 7 (see advisory in Table 3 for pesticides)	Lake			
Equaloxic Creek	Liberty	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Escambia River and tributaries [see advisory in Table 3 for PCBs]	Escambia, Santa Rosa	Bluegill	One per month	Two per week
		Channel catfish	One per month	One per week
		Largemouth bass	One per month	Two per week
		Longear sunfish	One per week	Two per week
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Everglades National Park West: All drainages West of Shark Slough and South of Tamiami Trail to Park boundary (includes Broad River, Rogers River, Lostman's River, New River, Turner River, Halfway Creek, and Barron River).	Monroe	Common snook	One per month	One per week
		Gray snapper	One per month	Two per week
		Largemouth bass	One per month	One per month
		Mayan cichlid	One per month	Two per week
		Red drum	One per month	One per week
		Redear sunfish	One per month	Two per week
Everglades National Park: Shark River Slough south of Tamiami Trail, including Harney and Shark Rivers and Tarpon Bay and its tributaries (Squawk, Rookery, North Prong, & Otter Creeks)	Miami-Dade, Monroe	Bluegill	One per month	One per week
		Common snook	DO NOT EAT	One per month
		Gray snapper	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	One per month
		Red drum	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per month	One per week
Everglades National Park: Nine Mile Pond	Miami-Dade	Largemouth bass	One per month	One per month
		Mayan cichlid	One per month	One per week
Evers Reservoir/Ward Lake	Manatee	Bluegill	One per month	Two per week
		Largemouth bass	One per week	Two per week
Faka Union Canal	Collier	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per month
		Mayan cichlid	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per month	One per week
Farles Lake	Marion	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
Farm 13 Reservoir (including Stick Marsh)	Indian River	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		White catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Fellsmere WMA	Indian River	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Fenholloway River	Taylor	Largemouth bass	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	Two per week	Two per week
		White catfish	Two per week	Two per week
Fisheating Creek	Glades, Highlands	Bluegill	One per month	One per month
		Blue tilapia	One per week	Two per week
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Spotted sunfish	DO NOT EAT	One per month
		White catfish	One per month	One per week
Floral City Pool of the Tsala Apopka Chain of Lakes (Hampton, Tussock, and Floral City Lakes)	Citrus	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Fox/South Lakes	Brevard	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Chain pickerel	One per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	Two per week	Two per week
Gadsden Park, Tampa	Hillsborough	Bluegill	One per week	One per week
		Largemouth bass	DO NOT EAT	One per month
Gap Lake	Washington	Black crappie	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
Georges Lake	Putnam	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Grasshopper Lake	Lake	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per month
		Warmouth	One per month	One per month
Grassy Lake	Highlands	Bluegill	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Halfmoon Lake	Marion	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		White Catfish	Two per week	Two per week
Hardee Lakes FMA	Hardee	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Channel catfish	One per week	One per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Harold Campbell Fish Management Area (FMA)	Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per month	Two per week
		Warmouth	One per month	Two per week
Henderson Lake	Citrus	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Hernando Pool of the Tsala Apopka Chain of Lakes (Bellamy, Dodd, Todd, Croft, Van Ness and Hernando Lakes)	Citrus	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Higginbotham Lake	Putnam	Largemouth bass	DO NOT EAT	DO NOT EAT
Hillsboro Canal	Palm Beach	Bluegill	One per week	Two per week
		Bullseye snakehead	One per week	Two per week
		Largemouth bass	One per month	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Hillsborough River and tributaries	Hillsborough	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per month	One per month
		Warmouth	One per month	One per week
Holeyland Wildlife Management Area (WMA)	Palm Beach	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	One per week
		Redear sunfish	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Holly Chain of Lakes (Including Lake Ella, Lake Holly, and connected small ponds)	Lake	Black crappie	One per month	Two per week
		Bluegill	One per week	One per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Holmes Creek	Washington	Bluegill	One per month	Two per week
		Flathead catfish	One per month	One per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	One per week
Homosassa River	Citrus	Bluegill	One per month	Two per week
		Gray snapper	One per week	Two per week
		Largemouth bass	One per month	One per month
Huguenot Pond	Duval	Bluegill	Two per week	Two per week
Hungryland Wildlife and Environmental Area (WEA) Canal	Palm Beach	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear Sunfish	Two per week	Two per week
Hunters Lake	Hernando	Black crappie	DO NOT EAT	DO NOT EAT
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Hurricane Lake Fish Management Area (FMA)	Okaloosa	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Ichetucknee River	Suwanee	Largemouth bass	One per month	One per week
		Spotted sunfish	One per week	Two per week
Inverness Pool of the Tsala Apopka Chain of Lakes (Henderson, Big Henderson, Tsala Apopka, Spivey, and Davis Lakes)	Citrus	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Jacks Lake	Lake	Largemouth bass	One per month	One per month
Joe Budd Pond	Leon	Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Sunshine bass	Two per week	Two per week
Johns Lake	Lake	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Juniper Creek	Calhoun	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Shadow bass	One per month	One per week
		Spotted bullhead catfish	One per month	Two per week
		Spotted sunfish	One per month	Two per week
Juniper Lake	Walton	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Juniper Run	Marion	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per month	Two per week
Karick Lake Fish Management Area (FMA)	Okaloosa	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Kenansville Lake	Brevard	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Kissimmee River System (all Pools)	Highlands, Okeechobee, Osceola, Polk	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Channel catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	Two per week	Two per week
Koch Property	Sarasota	Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Koon Lake	Lafayette	Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Krome Avenue Canal (L-30)	Miami-Dade	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	One per week
		Redear sunfish	One per month	One per week
L-7 Canal	Palm Beach	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	Two per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
L-8 Canal	Palm Beach	Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
L-13 (Ocean Canal)	Palm Beach	Largemouth bass	Two per week	Two per week
L-30 Canal (see Krome Ave. Canal)	Miami-Dade			
L-31W Canal	Miami-Dade	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	One per week
		Redear sunfish	One per week	Two per week
L-35A Canal	Broward	Bluegill	Two per week	Two per week
		Bullseye snakehead	One per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
L-35B Canal	Broward	Bluegill	One per week	Two per week
		Butterfly peacock bass	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		Warmouth	One per month	One per week
Yellow bullhead catfish	One per month	One per week		
L36 North Canal	Palm Beach	Bullseye snakehead	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
L-38E Canal	Broward	Bluegill	One per week	Two per week
		Butterfly peacock bass	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		Spotted tilapia	Two per week	Two per week
		Warmouth	One per month	One per week
		Yellow bullhead catfish	One per month	One per week
		L-38W Canal	Broward	Bluegill
Blue tilapia	Two per week			Two per week
Butterfly peacock bass	One per month			Two per week
Largemouth bass	DO NOT EAT			One per month
Mayan cichlid	One per month			Two per week
Oscar	One per month			One per week
Redear sunfish	One per month			One per week
Spotted sunfish	One per month			One per week
Spotted tilapia	One per week			Two per week
Warmouth	One per month			One per week
Yellow bullhead catfish	One per month			One per month
L-39 Canal	Palm Beach			Largemouth bass
L-40 Canal	Palm Beach	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	Two per week
		Redear sunfish	One per month	One per week
		Spotted tilapia	Two per week	Two per week
		Warmouth	One per month	One per week
L-67A Canal	Broward	Bluegill	One per month	One per week
		Blue tilapia	Two per week	Two per week
		Butterfly peacock bass	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	Two per week
		Oscar	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Spotted tilapia	One per week	Two per week
		Warmouth	One per month	One per week
		Yellow bullhead catfish	One per month	One per month
Lake Agnes	Polk	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Alfred	Polk	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Alto	Alachua	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Lake Annie	Highlands	Largemouth bass	DO NOT EAT	DO NOT EAT
Lake Apopka [see pesticide advisory separately in Table 3; the most conservative advisory is given here regarding both mercury and pesticides].	Lake, Orange	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Lake Apthorpe	Highlands	Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Lake Arbuckle	Polk	Black crappie	One per month	One per week
		Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
		White catfish	One per week	Two per week
Lake Ariana	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Chain pickerel	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Ashby	Volusia	Black crappie	One per month	One per week
		Bluegill	One per month	Two per week
		Brown Hoplo catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Avalon	Collier	Largemouth bass	One per week	Two per week
Lake Baldwin	Orange	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Beauclair	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Lake Berry	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Bessie	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Bradford	Leon	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per week	Two per week
Lake Broward	Putnam	Largemouth bass	One per month	One per month
Lake Bryant	Marion	Black crappie	Two per week	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Buffum	Polk	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	One per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Butler	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Butler	Union	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
Lake Cannon	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Carlton	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Lake Catherine	Marion	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Lake Charlotte	Highlands	Largemouth bass	DO NOT EAT	One per month
Lake Charles	Marion	Bluegill	One per month	Two per week
		Redear sunfish	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Chase	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Clinch	Polk	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Lake Cone	Orange	Black crappie	One per month	One per week
		Bluegill	One per month	One per week
		Largemouth bass	One per month	One per month
		White catfish	Two per week	Two per week
Lake Conine	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Conway	Orange	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Crosby	Bradford	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Cypress	Osceola	Bluegill	Two per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Dalhousie	Lake	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Daugharty	Volusia	Black crappie	One per month	One per month
		Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	One per week
		Warmouth	One per month	One per week
Lake Deaton	Sumter	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Delancy	Marion	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
Lake Delevoe	Broward	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	One per week
Lake Dexter	Polk	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	One per month	One per week
Lake Dias	Volusia	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Disston	Flagler	Black crappie	One per month	One per week
		Bluegill	One per month	One per week
		Channel catfish	One per month	One per week
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Redear sunfish	One per month	Two per week
		Warmouth	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Dora	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White Catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Lake Dorr	Lake	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per month
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Lake Down	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Eaton	Marion	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Eldorado	Lake	Largemouth bass	DO NOT EAT	One per month
Lake Ella	Lake, Marion	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Ellen	Wakulla	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Eloise	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Emma	Lake	Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per month	Two per week
Lake Estelle	Orange	Largemouth bass	One per month	One per week
Lake Eustis	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Lake Eva	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Fairview	Orange	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Francis	Highlands	Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Lake Frederica	Orange	Largemouth bass	DO NOT EAT	One per month
Lake Garfield	Polk	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Gentry	Osceola	Black crappie	One per month	One per week
		Bluegill	One per month	Two per week
		Chain pickerel	DO NOT EAT	One per month
		Channel catfish	One per month	One per week
		Largemouth bass	DO NOT EAT	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Lake George	Lake, Marion, Putnam, Volusia	Black Crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast Sunfish	One per week	Two per week
		Redear Sunfish	Two per week	Two per week
		Spotted Sunfish	Two per week	Two per week
		Striped bass	Two per week	Two per week
		Sunshine bass	One per week	Two per week
		Warmouth	One per week	Two per week
Lake Glenada	Highlands	Largemouth bass	One per month	One per week
Lake Glona	Lake	Largemouth bass	DO NOT EAT	One per month
Lake Griffin	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Yellow bullhead catfish	Two per week	Two per week		
Lake Haines	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Hamilton	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Hampton	Bradford	Black crappie	One per month	One per month
		Bluegill	One per month	One per week
		Chain pickerel	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per week	Two per week
Lake Hancock	Polk	Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
Lake Harney	Seminole, Volusia	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Harris	Lake	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Hartridge	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Hatchineha	Osceola	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted Sunfish	One per month	Two per week
		Warmouth	One per month	One per week
Lake Hellen Blazes	Brevard	Black Crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast Sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Hicpochee	Glades	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	One per week	Two per week
Lake Holly	Lake	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Howard	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Huntley	Highlands	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Iamonia	Leon	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Lake Ida [see E-4 Canal System]	Broward, Palm Beach			
Lake Idylwild	Polk	Black Crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Istokpoga	Highlands	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	One per month	Two per week
Lake Ivanhoe	Orange	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Jackson	Highlands	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Lake Jackson	Leon	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Chain pickerel	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Jackson	Walton	Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Jessie	Polk	Black Crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Jesup	Seminole	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Joanna	Lake	Largemouth bass	One per month	One per month
Lake Josephine	Highlands	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Lake Juliana	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake June-in-Winter	Highlands	Bluegill	One per week	Two per week
		Chain Pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Kerr	Marion	Black crappie	One per month	Two per week
		Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Lake Kissimmee	Osceola, Polk	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain Pickerel	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Lancaster	Orange	Largemouth bass	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Lang	Hamilton	Largemouth bass	One per week	Two per week
		Redear sunfish	One per week	Two per week
Lake Lillian	Highlands	Largemouth bass	One per month	One per month
Lake Livingston	Polk	Black crappie	One per month	Two per week
		Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	One per month	Two per week
Lake Lochloosa	Alachua	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
Lake Lotela	Highlands	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Louisa	Lake	Black crappie	One per month	One per week
		Bluegill	One per month	One per week
		Brown bullhead catfish	One per month	Two per week
		Channel catfish	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
		Warmouth	One per month	One per week
		White catfish	One per month	One per week
		Yellow bullhead catfish	DO NOT EAT	One per month
Lake Louise	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Lowery	Polk	Largemouth bass	One per month	One per week
Lake Lucien	Orange	Largemouth bass	One per month	One per month
Lake Lucy	Lake	Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Lulu	Polk	Black Crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Maitland	Orange	Black crappie	One per week	One per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Manatee	Manatee	Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Mann	Orange	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
Lake Margaret	Putnam	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Redear sunfish	One per month	One per week
Lake Marian	Osceola	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Marion	Polk	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Warmouth	One per month	Two per week
Lake Mary	Marion	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per week
		Redear sunfish	One per month	One per week
		Warmouth	One per month	One per month

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Mary Jane/Lake Hart	Orange	Black crappie	One per month	One per month
		Bluegill	One per month	One per week
		Chain pickerel	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	One per week
Lake Mattie	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Lake McLeod	Polk	Bluegill	One per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Lake Medard (Edward Medard Reservoir)	Hillsborough	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Miccosukee	Jefferson, Leon	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
Lake Minnehaha	Lake	Bluegill	One per month	One per week
		Channel catfish	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
		Yellow bullhead catfish	One per month	One per month
Lake Minnehaha	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Minneola	Lake	Bluegill	One per week	Two per week
		Channel catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Lake Miona	Sumter	Bluegill	One per month	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Mirror	Polk	Black Crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Mizell	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Monroe	Seminole, Volusia	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	Two per week	Two per week
		Striped bass	Two per week	Two per week
		Sunshine bass	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Munson (See Table 3 for PCBs advisory)	Leon	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Myrtle	Polk	Largemouth bass	One per month	One per month
Lake Norris	Lake	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per month	Two per week
		Warmouth	One per month	One per week
Lake Octahatchee	Hamilton	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	DO NOT EAT

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Okahumpka	Sumter	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Okeechobee and Rim Canals	Glades, Hendry, Martin, Okeechobee, Palm Beach	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		White catfish	One per week	Two per week
Lake Olivia	Highlands	Largemouth bass	DO NOT EAT	One per month
Lake Osborne [see E-4 Canal System]	Broward, Palm Beach			
Lake Osceola	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Palmer	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Panasoffkee	Sumter	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Parker	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Pasadena	Pasco	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Pierce	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Placid	Highlands	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per week	Two per week
Lake Poinsett	Brevard, Orange, Osceola	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Ponte Vedra	St. Johns	Red drum	Two per week	Two per week
Lake Renfroe (St. Marks Wildlife Refuge)	Wakulla	Largemouth bass	One per month	One per month
Lake Rochelle	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Rosalie	Polk	Bluegill	One per week	Two per week
Lake Rousseau	Citrus	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain pickerel	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Rowell	Bradford	Bluegill	Two per week	Two per week
		Chain pickerel	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Roy	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Russell	Osceola	Black crappie	DO NOT EAT	One per month
		Bluegill	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per month	One per week
Lake Sampson	Bradford	Black crappie	One per month	One per month
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Santa Fe	Alachua	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Lake Sawgrass	Brevard	Black crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Sebring	Highlands	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Lake Seminole (Jim Woodruff Reservoir)	Jackson	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Seminole	Pinellas	Black Crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Shangri-La	Hillsborough	Largemouth bass	One per month	One per week
Lake Sheen	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Shipp	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Smart	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Stone FMA	Escambia	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Lake Streety	Polk	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear Sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
Lake Sue	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Summit	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lake Sylvan	Seminole	Largemouth bass	DO NOT EAT	One per month
Lake Talquin	Gadsden, Leon	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown Bullhead Catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted bullhead catfish	Two per week	Two per week
Lake Tarpon	Pinellas	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Lake Thonotosassa	Hillsborough	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Tibet	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Lake Tohopekaliga	Orange, Osceola	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain pickerel	One per month	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Lake Tom John	Leon	Largemouth bass	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Tracy	Polk	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Lake Trafford	Collier	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	Two per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
Lake Tsala Apopka	Citrus	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
Lake Victor	Holmes	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Virginia	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Lake Wales	Polk	Largemouth bass	One per week	Two per week
Lake Walk-in-Water (Weohyakapka)	Polk	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Washington	Brevard	Black Crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast Sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Wauberg	Alachua	Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Lake Weir	Marion	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Lake Wilson	Hillsborough	Largemouth bass	DO NOT EAT	One per month
Lake Winder	Brevard, Osceola	Black Crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast Sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Lake Winterset	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Lakes Woodruff System (including Lakes Dexter, Woodruff, and Spring Garden Lake)	Lake, Volusia	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	Two per week	Two per week
		Striped bass	Two per week	Two per week
		Sunshine bass	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Lake Yale	Lake	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Little Econlockhatchee River	Orange, Seminole	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	One per week
Little Fish Lake	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
Little Manatee River	Hillsborough	Bluegill	One per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
Little Orange Lake	Alachua	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Little River	Gadsden	Spotted sunfish	One per month	Two per week
Little Shark River	Monroe	Gray snapper	Two per week	Two per week
Loughman Lake	Brevard	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
Lowry Lake	Clay	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
Loxahatchee Slough Canal (C-18)	Palm Beach	Bluegill	One per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	One per month	Two per week
		Spotted tilapia	Two per week	Two per week
Magnolia Lake	Clay	Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
Martin Lake	Bay	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Medard Reservoir	Hillsborough	Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Meritt's Mill Pond	Jackson	Bluegill	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Miami Canal (East of WCA 3)	Dade	Bluegill	Two per week	Two per week
		Butterfly peacock bass	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
Middle Lake	Pasco	Bluegill	One per week	One per week
		Largemouth bass	One per month	One per week
Milldam Lake	Marion	Bluegill	One per week	Two per week
		Black crappie	One per month	One per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
Montgomery Lake	Columbia	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Moore Lake	Leon	Largemouth bass	One per month	One per month
Mosaic Fish Management Area (FMA) - all lakes on property	Polk	Black crappie	One per month	One per week
		Bluegill	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Myakka River	Charlotte, Manatee, Sarasota	Bluegill	One per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Spotted sunfish	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	One per week	Two per week
Mystic Lake	Liberty	Largemouth bass	One per month	One per month
Nassau River	Nassau	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per month	Two per week
		White catfish	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
New River	Franklin, Liberty	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	One per week
New River, North Fork	Broward	Big mouth sleeper	One per week	Two per week
		Black mullet	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Common snook	Two per week	Two per week
		Mayan cichlid	One per week	Two per week
		Spotted tilapia	Two per week	Two per week
Newnans Lake	Alachua	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	One per week	Two per week
North New River Canal (G-15)	Broward	Bluegill	One per week	Two per week
		Bullseye snakehead	One per week	Two per week
		Butterfly peacock bass	One per week	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted tilapia	Two per week	Two per week
Ocean Pond	Baker	Black crappie	DO NOT EAT	One per month
		Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
Oceanway Pond FMA	Duval	Bluegill	Two per week	Two per week
Ocheesee Pond	Jackson	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Ochlockonee River and tributaries (see separate advisory for Lake Talquin)	Franklin, Gadsden, Leon, Liberty, Wakulla	Bluegill	One per month	Two per week
		Channel catfish	One per month	One per week
		Flathead catfish	One per month	One per month
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	Two per week
		Striped bass	One per month	One per week
		Warmouth	One per month	One per week
Ochlockonee River north of US 90 bridge	Gadsden, Leon	Black crappie	One per month	One per month
		Bluegill	One per month	Two per week
		Flathead catfish	DO NOT EAT	One per month
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	One per week
Ocklawaha (Harris) Lake Chain (including Lakes Apopka, Beauclair, Carlton, Dora, Eustis, Griffin, and Harris and connected waters of Emerald Marsh Conservation Areas 2, 3, and 4)	Lake, Orange	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted Sunfish	Two per week	Two per week
		Sunshine bass	One per month	Two per week
		Warmouth	Two per week	Two per week
		White Catfish	Two per week	Two per week
		Yellow bullhead catfish	Two per week	Two per week
Ocklawaha River-Upper section from Lake Griffin outflow to Rodman Reservoir Dam	Lake, Marion, Putnam	Blue tilapia	Two per week	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Ocklawaha River-Lower Section from below Rodman Reservoir Dam to the confluence with the St. Johns River	Marion, Putnam	Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Chain pickerel	One per month	One per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per month	One per week
		Warmouth	One per month	Two per week
		White catfish	Two per week	Two per week
Old Lake Davenport	Polk	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Warmouth	One per month	One per week
Orange Lake	Alachua	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
Otter Creek	Levy	Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per month	One per week
Otter Creek (See Table 3 for arsenic advisory)	Bay	Largemouth bass	DO NOT EAT	DO NOT EAT
Otter Lake	Wakulla	Bluegill	One per month	One per week
		Largemouth bass	One per month	One per month
		Warmouth	One per month	One per week
Palestine Lake	Union	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Palm Beach (E1WN) Canal	Palm Beach	Bullseye snakehead	One per week	Two per week
Palm Lake FMA	St. Lucie	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Channel catfish	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Pate Lake	Washington	Bluegill	DO NOT EAT	One per month
		Largemouth bass	DO NOT EAT	DO NOT EAT

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Peace River and tributaries	Charlotte, Desoto, Hardee, Polk	Bluegill	One per month	Two per week
		Brown bullhead catfish	One per week	Two per week
		Channel catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
		White catfish	One per month	Two per week
		Yellow bullhead catfish	One per month	Two per week
Pellicer Creek	St. Johns	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Warmouth	One per month	Two per week
Perdido River and tributaries	Escambia	Bluegill	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redear sunfish	One per month	Two per week
		Spotted sunfish	One per month	Two per week
Pine Meadows Conservation Area (See Table 3 for arsenic and pesticides advisories)	Lake			
Piney Z Lake	Leon	Bluegill	One per week	Two per week
		Brown bullhead catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Plantation Heritage Pond	Broward	Bluegill	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
Pocket Lake	Orange	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Redear sunfish	Two per week	Two per week
Warmouth	One per week	Two per week		
Pope Duval Pond (FMA)	Duval	Bluegill	One per week	Two per week
Porter Lake	Washington	Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per month
		Largemouth bass	One per month	One per week
		Warmouth	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Puzzle Lake	Seminole, Volusia	Black Crappie	One per month	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast Sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		White catfish	Two per week	Two per week
Red Beach Lake	Highlands	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per month
		Redear sunfish	One per week	Two per week
Red Bug Slough	Sarasota	Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Reedy Lake	Polk	Black crappie	Two per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Rodman Reservoir	Putnam	Bluegill	One per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Sand Hammock Pond	Holmes	Largemouth bass	One per month	One per week
Santa Fe River (Lower-downstream of "rise")	Alachua, Columbia, Gilchrist, Suwannee	Bluegill	One per week	Two per week
		Brown bullhead catfish	One per month	One per week
		Channel catfish	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted bullhead catfish	One per month	Two per week
		Spotted sunfish	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Santa Fe River (Upper-upstream of "sink")	Alachua, Bradford, Columbia, Union	Black crappie	One per month	One per week
		Bluegill	One per week	Two per week
		Channel catfish	One per month	One per week
		Largemouth bass	One per month	One per month
		Spotted sunfish	One per month	Two per week
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Warmouth	One per month	One per week
Sebastian River	Indian River	Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Gray snapper	Two per week	Two per week
		Largemouth bass	One per month	Two per week
Shell Creek	Charlotte	Bluegill	One per week	Two per week
		Redear sunfish	One per week	Two per week
Shoal River	Okaloosa, Santa Rosa	Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per week
		Longear sunfish	One per week	Two per week
		Redear sunfish	One per month	One per week
		Shadow bass	One per month	One per month
		Spotted sunfish	One per month	Two per week
		Warmouth	One per month	One per week
Six Mile Creek	Hillsborough	Largemouth bass	One per month	One per week
		Spotted sunfish	One per week	Two per week
Smith Lake	Marion	Largemouth bass	DO NOT EAT	One per month
Snake Creek Canal (C-9)	Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Swamp eel	One per week	Two per week
Sopchoppy River	Wakulla	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
South New River Canal	Broward	Bluegill	Two per week	Two per week
		Butterfly peacock bass	Two per week	Two per week
		Jaguar Guapote	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Spring Lake	Seminole	Black crappie	One per week	Two per week
		Bluegill	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Warmouth	One per month	Two per week
		White catfish	Two per week	Two per week
		Yellow bullhead catfish	One per month	One per week
St. Augustine FMA	Duval	Largemouth bass	One per week	Two per week
St. Augustine Road Pond	Duval	Bluegill	Two per week	Two per week
St. Johns River North of SR 415 including Lakes George and Monroe (Lower River)	Clay, Flagler, Lake, Marion, Putnam, Seminole, St. Johns, Volusia	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	Two per week	Two per week
		Striped bass	Two per week	Two per week
		Sunshine bass	One per week	Two per week
		Warmouth	One per week	Two per week
		White catfish	Two per week	Two per week
		St. Johns River South of SR 415, including Lakes Harney, Puzzle, Poinsett, Winder, Washington, Sawgrass & Hellen Blazes (Upper River)	Brevard, Orange, Osceola, Seminole, Volusia	Black crappie
Bluegill	One per week			Two per week
Brown bullhead catfish	Two per week			Two per week
Channel catfish	Two per week			Two per week
Largemouth bass	One per month			One per week
Redbreast sunfish	Two per week			Two per week
Redear sunfish	One per week			Two per week
White catfish	Two per week			Two per week
St. Marks River (St Marks Wildlife Refuge)	Leon, Wakulla	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	Two per week	Two per week
		Striped mullet	Two per week	Two per week
		Warmouth	One per month	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
St. Mary's River and tributaries	Baker, Nassau	Bluegill	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		White catfish	One per month	One per month
Starke Lake	Orange	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
Steinhatchee River	Dixie, Lafayette, Taylor	Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
Suwannee Lake	Suwannee	Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redear sunfish	Two per week	Two per week
Suwannee River System (Including Alapaha, Suwannee, and Withlacoochee Rivers; See separate advisory for Santa Fe River)	Alachua, Bradford, Columbia, Dixie, Gilchrist, Hamilton, Lafayette, Levy, Madison, Suwannee, Union	Black crappie	One per month	One per month
		Bluegill	One per month	One per week
		Brown bullhead catfish	One per month	One per week
		Channel catfish	One per month	One per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Spotted bullhead catfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per week	Two per week
Sweet Water Creek	Calhoun, Liberty	Largemouth bass	DO NOT EAT	One per month
Swift Creek Pond	Union	Black crappie	One per month	One per week
		Bluegill	One per month	One per week
		Flier	One per month	One per week
		Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	One per week
Tamiami Canal-East (Krome Avenue to Big Cypress boundary)	Miami-Dade	Bluegill	One per month	One per week
		Blue tilapia	Two per week	One per week
		Butterfly peacock bass	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	Two per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Spotted tilapia	One per week	Two per week
		Warmouth	One per month	One per week
Yellow bullhead catfish	One per month	One per month		

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Tamiami Canal-West (Big Cypress to Naples)	Collier	Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	One per month
Tampa-Bypass Canal	Hillsborough	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per month
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
Taylor Creek	Okeechobee	Largemouth bass	One per month	One per week
Telogia Creek	Liberty	Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
Tenoroc FMA including: Lake 2, Lake 5, Lake A, Lake B, Derby Lake, Hydrilla Lake, Legs Lake, Picnic Lake, and Shop Lake	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	Two per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Channel catfish	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Tiger Lake	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
		White Catfish	Two per week	Two per week
Tiger Tail Lake	Broward	Bullseye snakehead	One per week	Two per week
Tomoka River	Volusia	Bluegill	One per week	Two per week
		Gray snapper	One per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Tropical Park FMA	Miami-Dade	Bluegill	Two per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted tilapia	Two per week	Two per week
Trout Lake	Lake	Largemouth bass	One per month	One per week
Tsala Apopka Chain of Lakes	Citrus	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
Turkey Lake	Orange	Black crappie	One per week	Two per week
Turner River Canal	Collier	Largemouth bass	DO NOT EAT	One per month

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Waccasassa River and tributaries (Including Otter Creek and Wekiva River)	Levy	Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per month	Two per week
Wacissa River	Jefferson	Largemouth bass	One per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
Wakulla River	Wakulla	Black crappie	One per month	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
Walsingham Lake	Pinellas	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	Two per week	Two per week
Waters Lake	Gilchrist	Bluegill	One per week	Two per week
		Largemouth bass	One per month	One per week
Watertown Lake	Columbia	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
Water Conservation Area (WCA) 2A (Including the L-35B and L-38E Canals)	Broward, Palm Beach	Bluegill	One per week	Two per week
		Butterfly peacock bass	One per month	One per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per week	Two per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		Spotted tilapia	Two per week	Two per week
		Warmouth	One per month	One per week
		Yellow bullhead catfish	One per month	One per week
Water Conservation Area (WCA) 2B	Broward	Bluegill	One per week	Two per week
		Butterfly peacock bass	One per month	Two per week
		Largemouth bass	One per month	One per week
		Mayan cichlid	One per month	One per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per month	Two per week
		Yellow bullhead catfish	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Water Conservation Area (WCA) 3A (Including Alligator Alley Canals, Tamiami Canal, L-38W Canal, and L-67 Canal)	Broward, Miami-Dade	Bluegill	One per month	One per week
		Blue tilapia	Two per week	Two per week
		Butterfly peacock bass	One per month	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Mayan cichlid	One per month	Two per week
		Oscar	One per month	One per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
		Spotted tilapia	One per week	Two per week
		Warmouth	One per month	One per week
		Yellow bullhead catfish	One per month	One per month
Water Conservation Area (WCA) 3B (Including L-67C and Miami Canals)	Broward, Miami-Dade	Bluegill	One per week	Two per week
		Blue tilapia	Two per week	Two per week
		Largemouth bass	DO NOT EAT	One per week
		Mayan cichlid	One per month	Two per week
		Redear Sunfish	One per month	Two per week
		Spotted tilapia	Two per week	Two per week
		Swamp Eel	One per week	Two per week
Webb Lake	Charlotte	Bluegill	One per month	Two per week
		Largemouth bass	One per month	One per week
		Nile tilapia	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
Weeki Wachee River	Hernando	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redear sunfish	One per week	Two per week
		Spotted sunfish	One per week	Two per week
Wekiva River	Lake, Orange, Seminole	Bluegill	Two per week	Two per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Spotted sunfish	One per week	Two per week
		Warmouth	One per week	Two per week
Wekiva River (Waccasassa River tributary)	Levy	Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per month	One per week
West Palm Beach Canal (C-51 Canal)	Palm Beach	Bluegill	Two per week	Two per week
		Largemouth bass	Two per week	Two per week
		Mayan cichlid	Two per week	Two per week
		Redear sunfish	Two per week	Two per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Wildcat Lake	Lake	Bluegill	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Warmouth	One per month	One per week
Winter Haven Lake Chain (Including Lakes Cannon, Conine, Eloise, Hartridge, Howard, Idylwild, Jessie, Lulu, Mirror, Rochelle, Roy, Shipp, Smart, Summit, and Winterset)	Polk	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Blue tilapia	One per week	Two per week
		Brown bullhead catfish	Two per week	Two per week
		Largemouth bass	One per month	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
		White catfish	Two per week	Two per week
Winter Park Lake Chain (Including Lakes Berry, Maitland, Minnehaha, Mizell, Osceola, Sue, and Virginia)	Orange	Black crappie	One per week	Two per week
		Bluegill	Two per week	Two per week
		Largemouth bass	One per week	Two per week
		Redbreast sunfish	Two per week	Two per week
		Redear sunfish	Two per week	Two per week
		Warmouth	Two per week	Two per week
Withlacoochee River North (Suwannee tributary)	Hamilton, Madison	Black crappie	One per month	One per month
		Bluegill	One per month	One per week
		Brown bullhead catfish	One per month	One per week
		Channel catfish	One per month	One per week
		Largemouth bass	One per month	One per week
		Redbreast sunfish	One per month	Two per week
		Redear sunfish	One per month	Two per week
		Spotted bullhead catfish	One per week	Two per week
		Spotted sunfish	One per month	Two per week
		White catfish	One per week	Two per week
Withlacoochee River South	Citrus, Hernando, Levy, Marion, Pasco, Polk, Sumter	Bluegill	One per month	Two per week
		Brown bullhead catfish	One per week	Two per week
		Largemouth bass	DO NOT EAT	One per month
		Redbreast sunfish	One per week	Two per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	One per week
Wolf Lake	Highlands	Bluegill	One per month	Two per week
Woodbine Spring Lake	Santa Rosa	Bluegill	One per month	One per week
		Channel catfish	One per month	Two per week
		Largemouth bass	DO NOT EAT	DO NOT EAT
		Redear sunfish	One per month	One per week

Table 1. Eating Guidelines for Freshwater Fish from Florida Waters

LOCATION	COUNTY	SPECIES	Women of childbearing age, young children NUMBER OF MEALS*	All other individuals NUMBER OF MEALS*
Yellow River and tributaries	Escambia, Okaloosa, Santa Rosa	Bluegill	One per month	Two per week
		Chain pickerel	One per month	One per week
		Largemouth bass	One per month	One per month
		Longear sunfish	One per week	Two per week
		Redear sunfish	One per month	One per week
		Spotted sunfish	One per month	Two per week
		Warmouth	One per month	One per week

Table 2: Eating Guidelines for Marine and Estuarine Fish from Florida Waters

Water Body	Species	Women of childbearing age, young children Number of Meals	All other individuals Number of Meals
All coastal waters	Almaco jack	One per month	One per month
All coastal waters	Atlantic croaker	Two per week	Two per week
All coastal waters	Atlantic spadefish	One per week	One per week
All coastal waters	Atlantic stingray	One per month	One per week
All coastal waters	Atlantic thread herring	One per week	Two per week
All coastal waters	Atlantic weakfish	One per week	Two per week
All coastal waters	Black drum	One per week	Two per week
All coastal waters	Black grouper	One per month	One per week
All coastal waters	Blackfin tuna	DO NOT EAT	One per month
All coastal waters	Bluefish	One per month	One per week
All coastal waters	Bluntnose sting ray	One per week	Two per week
All coastal waters	Bonefish	One per month	One per week
Florida Bay, Biscayne Bay, and Florida Keys	Crevalle jack	DO NOT EAT	One per month
Remaining coastal waters	Crevalle jack	One per month	One per week
All coastal waters	Cobia	DO NOT EAT	One per month
All coastal waters	Dolphin	One per week	Two per week
All coastal waters	Fantail mullet	Two per week	Two per week
All coastal waters	Florida pompano	One per week	Two per week
All coastal waters	Gafftopsail catfish	One per month	One per week
All coastal waters	Gag	One per month	One per week
Florida Bay, Biscayne Bay, and Florida Keys	Gray snapper	One per month	Two per week
Remaining coastal waters	Gray snapper	One per week	Two per week
All coastal waters	Greater amberjack	One per month	One per week
Florida Bay, Biscayne Bay, and Florida Keys	Great barracuda	DO NOT EAT	One per month
Remaining coastal waters	Great barracuda	One per month	Two per week
All coastal waters	Gulf flounder	One per month	One per week
All coastal waters	Hardhead catfish	One per week	Two per week
All coastal waters	Hogfish	One per week	Two per week
All coastal waters	King mackerel less than 31 inches fork length	DO NOT EAT	One per month
All coastal waters	King mackerel 31 or more inches fork length	DO NOT EAT	DO NOT EAT
All coastal waters	Ladyfish	One per month	One per week
All coastal waters	Lane snapper	One per month	Two per week
All coastal waters	Little tunny	DO NOT EAT	One per month
All coastal waters	Lookdown	One per week	Two per week
All coastal waters	Mutton snapper	One per month	One per week
All coastal waters	Pigfish	One per week	Two per week

Table 2: Eating Guidelines for Marine and Estuarine Fish from Florida Waters

Water Body	Species	Women of childbearing age, young children Number of Meals	All other individuals Number of Meals
All coastal waters	Pinfish	One per week	Two per week
Florida Bay, Biscayne Bay, and Florida Keys	Red drum	One per month	One per week
Remaining coastal waters	Red drum	One per month	Two per week
All coastal waters	Red grouper	One per month	One per week
All coastal waters	Red snapper	One per week	Two per week
All coastal waters	Sand seatrout	One per month	One per week
All coastal waters	Scamp	One per month	One per week
All coastal waters	Shark, all species less than 43 inches	DO NOT EAT	One per month
All coastal waters	Shark, all species 43 inches or more	DO NOT EAT	DO NOT EAT
All coastal waters	Sheepshead	One per month	Two per week
All coastal waters	Silver perch	One per month	One per week
All coastal waters	Skipjack tuna	One per month	Two per week
Florida Bay, Biscayne Bay, and Florida Keys	Snook	One per month	One per month
Remaining coastal waters	Snook	One per month	One per week
All coastal waters	Snowy grouper	One per month	One per month
All coastal waters	Southern flounder	One per week	Two per week
All coastal waters	Spanish mackerel	One per month	One per week
All coastal waters	Spot	One per week	Two per week
Florida Bay, Biscayne Bay, and Florida Keys	Spotted seatrout	One per month	One per month
Remaining coastal waters	Spotted seatrout	One per month	One per week
All coastal waters	Southern kingfish	One per month	Two per week
All coastal waters	Striped mullet	Two per week	Two per week
All coastal waters	Striped mojarra	Two per week	Two per week
All coastal waters	Tarpon	One per week	Two per week
Florida Bay, Biscayne Bay, and Florida Keys	Tripletail	One per month	One per week
Remaining coastal waters	Tripletail	One per month	Two per week
All coastal waters	Vermillion snapper	One per week	Two per week
All coastal waters	Wahoo	One per month	One per week
All coastal waters	White grunt	One per month	One per week
All coastal waters	White mullet	Two per week	Two per week
All coastal waters	Yellow-edge grouper	One per month	Two per week
All coastal waters	Yellowfin tuna	One per month	Two per week
All coastal waters	Yellowtail Snapper	One per week	Two per week

Table 3. Fish Consumption Advisories for dioxin, PCBs, pesticides, heavy metals, and saxitoxin

WATERBODY	CONTAMINANT	COUNTY	SPECIES	WOMEN OF	
				CHILD BEARING AGE, YOUNG CHILDREN	ALL OTHER INDIVIDUALS
Escambia River south of SR 184 to mouth of river	PCBs	Santa Rosa	Striped mullet (prepared without skin)	ONE MEAL PER WEEK	ONE MEAL PER WEEK
Escambia Bay; Upper and Lower Emeraldal Marsh WMA Area 7	PCBs	Santa Rosa	Striped mullet (prepared without skin)	ONE MEAL PER WEEK	ONE MEAL PER WEEK
	Pesticides	Lake	Warmouth	ONE MEAL PER WEEK	TWO MEALS PER WEEK
			Redear sunfish	ONE MEAL PER WEEK	ONE MEAL PER WEEK
			Golden shiner	ONE MEAL PER MONTH	ONE MEAL PER MONTH
			Bluegill	ONE MEAL PER MONTH	ONE MEAL PER MONTH
			Largemouth bass	ONE MEAL PER MONTH	ONE MEAL PER MONTH
	Pesticides	Orange	Black crappie	ONE MEAL PER WEEK	TWO MEALS PER WEEK
		Lake	Bluegill	ONE MEAL PER WEEK	TWO MEALS PER WEEK
			Blue tilapia	ONE MEAL PER WEEK	TWO MEALS PER WEEK
			Brown bullhead catfish	ONE MEAL PER MONTH	ONE MEAL PER WEEK
			Largemouth bass	ONE MEAL PER WEEK	TWO MEALS PER WEEK
Lake Munson	PCBs	Leon	Brown bullhead catfish	TWO MEALS PER WEEK	TWO MEALS PER WEEK
			Largemouth bass	TWO MEALS PER WEEK	TWO MEALS PER WEEK
			White Catfish	TWO MEALS PER WEEK	TWO MEALS PER WEEK
Oriskany Reef	PCBs	Escambia	Bank seabass	DO NOT EAT	TWO MEALS PER WEEK
			Scamp grouper	DO NOT EAT	ONE MEAL PER MONTH
Otter Creek	Arsenic	Bay	Bluegill	ONE MEAL PER MONTH	ONE MEAL PER MONTH
Pine Meadows Conservation Areas	Arsenic, Pesticides	Lake	Bluegill	TWO MEALS PER WEEK	TWO MEALS PER WEEK
			Hoplo catfish	TWO MEALS PER WEEK	TWO MEALS PER WEEK
			Largemouth bass	TWO MEALS PER WEEK	TWO MEALS PER WEEK
			Yellow bullhead catfish	TWO MEALS PER WEEK	TWO MEALS PER WEEK

Table 3. Fish Consumption Advisories for dioxin, PCBs, pesticides, heavy metals, and saxitoxin

WATERBODY	CONTAMINANT	COUNTY	SPECIES	WOMEN OF		
				CHILD BEARING AGE, YOUNG CHILDREN	ALL OTHER INDIVIDUALS	DO NOT EAT
Wagner Creek	Dioxin	Miami-Dade	Checker puffer fish or Striped mojarra	DO NOT EAT	DO NOT EAT	DO NOT EAT
Indian River Lagoon & all marine waters of the listed counties	Saxitoxin	Brevard, St. Lucie, Martin, Volusia, Indian River	All puffer fish	DO NOT EAT	DO NOT EAT	DO NOT EAT
St. Johns River from north of the Route 115 Bridge (Mathews Bridge) to south of E 21 St (Center Point Terminal Co).	Pesticides, PCBs	Duval	Weakfish	DO NOT EAT	DO NOT EAT	DO NOT EAT