

There is a link between certain birth defects & Zika.

We know how Zika spreads.

ZIKA-INFECTED MOSQUITOES The mosquito bites someone.

MEN INFECTED WITH ZIKA A man may pass Zika to his partner during vaginal, oral or anal sex.

PREGNANT WOMEN WITH ZIKA
A pregnant woman may pass Zika to her fetus.

4 out of 5 people with Zika do not get sick so travel history is important.

WWW.CDC.GOV Check this site for the most up-to-date list of areas with Zika.

FEVER, RASH, JOINT PAIN, RED EYES If you—or friends and family—have traveled to an area with Zika, and have these symptoms, see your health care provider right away.

Men: Protect Your Partner & Baby

If you—or friends and family—have traveled to an area where Zika is spreading, take extra care. If your partner is pregnant, **EVERY TIME** you have sex, use a condom **CORRECTLY**, or do not have sex.

Everyone: Don't Get Bit by Mosquitoes

MOSQUITO-PROOF SKIN OUTDOORS Wear long-sleeve shirts and pants. Use Environmental Protection Agency (EPA)-registered insect repellents.

MOSQUITO-PROOF BUILDINGS & HOMES Mosquitoes can live indoors and bite day or night. Keep doors and windows shut or covered with undamaged screens.

MOSQUITO-PROOF YARDS Every week drain standing water around buildings and homes—a bottle cap holds enough water for mosquitoes to lay eggs. Drain flower pots, pet bowls, buckets, toys, etc.

