

## Title: Ten Leading Causes of Non-Fatal Injury Hospitalizations by Age Group, Florida Residents — 2011

**Produced by:** Injury Prevention Program, Bureau of Emergency Medical Oversight, Division of Emergency Preparedness & Community Support, Florida Department of Health, Tallahassee, Florida 32399, (850)245-4440, March 2013

**Data Source:** Hospital Discharge Data, Florida Center for Health Information and Policy Analysis, Florida Agency for Health Care Administration

**Data Notes:** Injury Hospitalization: Principal Diagnosis ICD-9 CM 800-909.2, 909.4, 909.9-994.9, 995.5-995.59, 995.80-995.85

### ***First Ranking Cause***

For under 1 year old is **fall (279)**, for 1-4 years old is **fall (612)**, for 5-9 years old is **fall (650)**, for 10-14 years old is **fall (552)**, for 15-24 years old is **motor vehicle traffic (2,685)**, for 25-34 years old is **poisoning (3,338)**, for 35-44 years old is **poisoning (3,480)**, for 45-54 years old is **poisoning (4,654)**, for 55-64 years old is **fall (6,140)**, and for 65 years old and older is **fall (42,286)**.

For all ages the **first ranking** cause of non-fatal hospitalizations in Florida is **fall (61,121)**.

### ***Second Ranking Cause***

For under 1 year old is **poisoning (46)**, for 1-4 years old is **poisoning (438)**, for 5-9 years old is **motor vehicle traffic (208)**, for 10-14 years old is **motor vehicle traffic (272)**, for 15-24 years old is **poisoning (2,678)**, for 25-34 years old is **motor vehicle traffic (2,291)**, for 35-44 years old is **motor vehicle traffic (1,875)**, for 45-54 years old is **fall (3,794)**, for 55-64 years old is **poisoning (3,060)**, and for 65 years old and older is **poisoning (2,785)**.

For all ages the **second ranking** cause of non-fatal hospitalizations in Florida is **poisoning (20,734)**.

### ***Third Ranking Cause***

For under 1 year old is **hot object/substance (40)**, for 1-4 years old is **hot object/substance (176)**, for 5-9 years old is **struck by, against (115)**, for 10-14 years old is **struck by, against (257)**, for 15-24 years old is **fall (886)**, for 25-34 years old is **fall (1,166)**, for 35-44 years old is **fall (1,756)**, for 45-54 years old is **motor vehicle traffic (2,330)**, for 55-64 years old is **motor vehicle traffic (1,786)**, and for 65 years old and older is **motor vehicle traffic (2,357)**.

For all ages the **third ranking** cause of non-fatal hospitalizations in Florida is **motor vehicle traffic (13,956)**.

### ***Fourth Ranking Cause***

For under 1 year old is **struck by, against (27)**, for 1-4 years old is **motor vehicle traffic (141)**, for 5-9 years old is **bites and stings (67) (tied)**, for 10-14 years old is **poisoning (201)**, for 15-24 years old is **struck by, against (839)**, for 25-34 years old is **struck by, against (711)**, for 35-44 years old is **struck by, against (567)**, for 45-54 years old is **struck by, against (700)**, for 55-64 years old is **struck by, against (351)**, and for 65 years old and older is **struck by, against (556)**.

For all ages the **fourth ranking** cause of non–fatal hospitalizations in Florida is [struck by, against \(4,234\)](#).

### ***Fifth Ranking Cause***

For under 1 year old is [suffocation \(18\)](#), for 1–4 years old is [drowning \(140\)](#), for 5–9 years old is [pedalcyclist, other \(67\)](#) (tied), for 10–14 years old is [transport, other \(124\)](#), for 15–24 years old is [firearm \(654\)](#), for 25–34 years old is [cut, pierce \(609\)](#), for 35–44 years old is [cut, pierce \(484\)](#), for 45–54 years old is [cut, pierce \(486\)](#), for 55–64 years old is [pedalcyclist, other \(268\)](#), and for 65 years old and older is [overexertion \(550\)](#).

For all ages the **fifth ranking** cause of non–fatal hospitalizations in Florida is [cut, pierce \(2,619\)](#).

### ***Sixth Ranking Cause***

For under 1 year old is [drowning \(14\)](#), for 1–4 years old is [struck by, against \(111\)](#), for 5–9 years old is [transport, other \(66\)](#), for 10–14 years old is [pedalcyclist, other \(105\)](#), for 15–24 years old is [cut, pierce \(496\)](#), for 25–34 years old is [firearm \(443\)](#), for 35–44 years old is [transport, other \(222\)](#), for 45–54 years old is [pedalcyclist, other \(335\)](#), for 55–64 years old is [cut, pierce \(249\)](#), and for 65 years old and older is [transport, other \(329\)](#).

For all ages the **sixth ranking** cause of non–fatal hospitalizations in Florida is [transport, other \(1,864\)](#).

### ***Seventh Ranking Cause***

For under 1 year old is [motor vehicle traffic \(11\)](#), for 1–4 years old is [bites and stings \(91\)](#), for 5–9 years old is [poisoning \(54\)](#), for 10–14 years old is [cut, pierce \(51\)](#), for 15–24 years old is [transport, other \(329\)](#), for 25–34 years old is [transport, other \(259\)](#), for 35–44 years old is [firearm \(220\)](#), for 45–54 years old is [transport, other \(297\)](#), for 55–64 years old is [transport, other \(222\)](#), and for 65 years old and older is [pedalcyclist, other \(284\)](#).

For all ages the **seventh ranking** cause of non–fatal hospitalizations in Florida is [firearm \(1,658\)](#).

### ***Eighth Ranking Cause***

For under 1 year old is [other natural/environment \(8\)](#) (tied), for 1–4 years old is [suffocation \(35\)](#), for 5–9 years old is [hot object/substance \(42\)](#), for 10–14 years old is [bites and stings \(46\)](#), for 15–24 years old is [pedalcyclist, other \(133\)](#), for 25–34 years old is [overexertion \(152\)](#), for 35–44 years old is [pedalcyclist, other \(153\)](#), for 45–54 years old is [bites and stings \(187\)](#), for 55–64 years old is [overexertion \(175\)](#), and for 65 years old and older is [cut, pierce \(185\)](#).

For all ages the **eighth ranking** cause of non–fatal hospitalizations in Florida is [pedalcyclist, other \(1,460\)](#).

### ***Ninth Ranking Cause***

For under 1 year old is [bites and stings \(8\)](#) (tied), for 1–4 years old is [fire, flame \(27\)](#), for 5–9 years old is [drowning \(32\)](#), for 10–14 years old is [overexertion \(44\)](#), for 15–24 years old is [overexertion \(111\)](#), for 25–34 years old is [bites and stings \(142\)](#), for 35–44 years old is [bites and stings \(144\)](#)

(tied), for 45–54 years old is [overexertion \(184\)](#), for 55–64 years old is [bites and stings \(146\)](#), and for 65 years old and older is [bites and stings \(152\)](#).

For all ages the **ninth ranking** cause of non–fatal hospitalizations in Florida is [overexertion \(1,379\)](#).

### ***Tenth Ranking Cause***

For under 1 year old is [three tied](#), for 1–4 years old is [cut, pierce \(26\)](#), for 5–9 years old is [cut, pierce \(31\)](#), for 10–14 years old is [hot object/substance \(25\)](#), for 15–24 years old is [bites and stings \(104\)](#), for 25–34 years old is [hot object/substance \(96\)](#), for 35–44 years old is [overexertion \(144\) \(tied\)](#), for 45–54 years old is [firearm \(164\)](#), for 55–64 years old is [two tied](#), and for 65 years old and older is [other natural/environment \(142\)](#).

For all ages the **tenth ranking** cause of non–fatal hospitalizations in Florida is [bites and stings \(1,087\)](#).