

FLORIDA

2016 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE

PAGE

	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36828	16,517,305	6407	21.0	20.0-22.0	10596	29.2	28.2-30.2	11443	30.2	29.2-31.2	5790	14.1	13.3-14.9	2592	5.4	4.8- 6.0
Male	15553	7,983,026	2820	22.0	20.6-23.4	4436	29.6	28.2-31.0	4943	29.9	28.5-31.3	2300	13.2	12.0-14.4	1054	5.4	4.6- 6.2
Female	21272	8,532,536	3585	20.2	19.0-21.4	6159	28.9	27.5-30.3	6500	30.6	29.2-32.0	3490	15.0	13.8-16.2	1538	5.3	4.7- 5.9
White/Non-Hisp	26503	9,275,115	4591	20.9	19.9-21.9	8264	32.9	31.7-34.1	7902	28.5	27.3-29.7	3854	12.5	11.7-13.3	1892	5.3	4.7- 5.9
Black or Afr. Am./Non-Hisp	3736	2,313,296	571	22.2	19.1-25.3	865	25.0	22.1-27.9	1393	34.0	30.9-37.1	656	12.5	10.1-14.9	251	6.3	4.5- 8.1
Oth. Race/Non-Hisp.	1044	596,928	210	24.8	19.3-30.3	275	26.1	20.8-31.4	339	36.0	29.7-42.3	143	7.9	4.8-11.0	77	5.2	1.1- 9.3
MultiRacial/Non-Hisp.	455	152,311	77	18.1	11.0-25.2	114	31.4	21.6-41.2	120	27.2	18.2-36.2	84	11.3	6.0-16.6	60	12.0	5.7-18.3
Hispanic	4414	3,829,315	819	20.1	17.9-22.3	916	23.3	20.9-25.7	1470	31.3	28.9-33.7	959	20.6	18.4-22.8	250	4.8	3.6- 6.0
18-24	1874	1,811,393	506	29.1	25.6-32.6	641	33.2	29.9-36.5	546	28.2	25.1-31.3	154	8.0	6.2- 9.8	27	1.5	0.5- 2.5
25-34	3492	2,608,499	798	23.2	20.7-25.7	1109	32.6	29.9-35.3	1117	30.7	28.2-33.2	396	11.5	9.3-13.7	72	2.0	1.2- 2.8
35-44	3693	2,381,467	774	25.3	22.6-28.0	1111	28.7	26.2-31.2	1151	28.3	25.8-30.8	499	14.0	11.5-16.5	158	3.7	2.5- 4.9
45-54	5281	2,598,486	1011	21.7	19.5-23.9	1388	25.6	23.2-28.0	1620	31.8	29.3-34.3	842	13.9	11.9-15.9	420	7.0	5.6- 8.4
55-64	7272	2,694,630	1116	17.4	15.4-19.4	1991	27.8	25.4-30.2	2156	29.2	26.8-31.6	1325	17.4	15.4-19.4	684	8.1	6.5- 9.7
65+	14635	4,087,830	2072	15.0	13.8-16.2	4173	28.8	27.2-30.4	4678	31.9	30.1-33.7	2513	16.9	15.5-18.3	1199	7.4	6.2- 8.6
Less Than H.S.	3869	2,246,648	350	12.5	10.0-15.0	521	14.3	12.1-16.5	1213	30.6	27.5-33.7	1160	29.8	26.5-33.1	625	12.9	10.4-15.4
H.S. or G.E.D.	11040	4,868,827	1452	18.1	16.3-19.9	2791	26.2	24.4-28.0	3870	34.5	32.5-36.5	2031	15.4	14.0-16.8	896	5.7	4.7- 6.7
Some Post-H.S.	10653	5,182,740	1745	20.2	18.6-21.8	3302	33.2	31.4-35.0	3322	29.8	28.0-31.6	1597	12.5	11.1-13.9	687	4.3	3.7- 4.9
College Graduate	11045	4,092,002	2820	30.4	28.6-32.2	3927	35.9	34.1-37.7	2966	25.7	24.1-27.3	966	5.9	5.1- 6.7	366	2.2	1.8- 2.6
Less than \$15,000	3359	1,298,059	249	8.3	6.3-10.3	460	16.6	13.7-19.5	971	28.3	25.0-31.6	1018	30.4	26.9-33.9	661	16.4	13.3-19.5
\$15,000- 24,999	6691	2,846,284	746	13.8	11.8-15.8	1479	23.7	21.5-25.9	2264	33.5	31.0-36.0	1523	20.5	18.3-22.7	679	8.5	7.1- 9.9
\$25,000- 34,999	3777	1,549,445	521	17.8	15.1-20.5	1057	26.4	23.5-29.3	1375	36.1	32.8-39.4	615	16.1	13.2-19.0	209	3.7	2.5- 4.9
\$35,000- 49,999	4418	1,921,355	771	20.0	17.5-22.5	1407	34.1	31.2-37.0	1472	31.5	28.8-34.2	573	11.0	9.2-12.8	195	3.5	2.3- 4.7
\$50,000- 74,999	4088	1,804,732	863	23.2	20.5-25.9	1488	36.9	33.8-40.0	1213	28.1	25.4-30.8	387	8.0	6.2- 9.8	137	3.7	2.3- 5.1
\$75,000+	6947	3,495,432	1955	32.0	29.8-34.2	2682	36.8	34.6-39.0	1704	24.6	22.6-26.6	466	5.1	4.1- 6.1	140	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15553	7,983,026	2820	22.0	20.6-23.4	4436	29.6	28.2-31.0	4943	29.9	28.5-31.3	2300	13.2	12.0-14.4	1054	5.4	4.6- 6.2
White/Non-Hisp	10984	4,492,477	1928	20.9	19.3-22.5	3351	32.6	31.0-34.2	3388	29.0	27.4-30.6	1544	12.3	10.9-13.7	773	5.3	4.5- 6.1
Black or Afr. Am./Non-Hisp	1497	1,087,220	265	25.5	20.6-30.4	354	25.1	20.8-29.4	550	31.3	26.8-35.8	236	11.1	7.8-14.4	92	7.1	4.4- 9.8
Oth. Race/Non-Hisp.	533	278,473	107	20.1	13.6-26.6	139	28.4	20.6-36.2	182	34.9	26.9-42.9	72	8.7	4.4-13.0	33	8.0	0.0-16.4
MultiRacial/Non-Hisp.	222	69,227	40	25.3	13.9-36.7	53	30.1	19.3-40.9	64	31.6	17.9-45.3	36	9.7	2.4-17.0	29	3.3	0.2- 6.4
Hispanic	1957	1,856,106	402	22.5	19.4-25.6	449	24.8	21.5-28.1	642	30.6	27.1-34.1	372	17.9	14.8-21.0	92	4.2	2.6- 5.8
18-24	960	932,481	272	30.5	25.4-35.6	318	33.4	28.7-38.1	276	27.2	22.7-31.7	82	7.6	5.2-10.0	12	1.3	0.3- 2.3
25-34	1619	1,320,475	401	26.0	22.3-29.7	520	33.0	29.1-36.9	493	27.3	23.8-30.8	179	11.7	8.6-14.8	26	1.9	0.5- 3.3
35-44	1626	1,178,096	345	24.2	20.5-27.9	472	29.3	25.4-33.2	545	29.5	25.8-33.2	203	14.3	10.2-18.4	61	2.8	1.4- 4.2
45-54	2307	1,282,228	456	23.3	20.2-26.4	631	27.5	24.2-30.8	726	30.7	27.4-34.0	330	12.1	9.6-14.6	164	6.5	4.7- 8.3
55-64	3090	1,277,209	455	17.2	14.3-20.1	820	27.1	24.0-30.2	978	30.5	27.0-34.0	529	15.8	13.1-18.5	308	9.3	6.6-12.0
65+	5721	1,851,095	842	15.3	13.3-17.3	1601	28.2	25.8-30.6	1855	32.5	29.8-35.2	953	15.8	13.6-18.0	470	8.2	6.2-10.2
Less Than H.S.	1702	1,156,512	178	13.2	9.7-16.7	245	15.5	12.4-18.6	567	31.5	27.0-36.0	462	26.0	21.3-30.7	250	13.9	10.0-17.8
H.S. or G.E.D.	4628	2,432,501	666	20.8	18.3-23.3	1109	25.4	22.9-27.9	1670	34.2	31.5-36.9	816	14.6	12.6-16.6	367	5.0	3.8- 6.2
Some Post-H.S.	4142	2,332,185	723	20.4	18.0-22.8	1299	34.8	32.1-37.5	1272	28.6	26.1-31.1	590	11.9	9.7-14.1	258	4.3	3.3- 5.3
College Graduate	4996	2,013,949	1238	30.3	27.8-32.8	1760	36.1	33.6-38.6	1408	25.5	23.3-27.7	421	5.9	4.9- 6.9	169	2.1	1.5- 2.7
Less than \$15,000	1190	563,512	110	9.1	6.0-12.2	151	16.2	11.3-21.1	328	24.2	19.5-28.9	357	30.1	24.6-35.6	244	20.5	15.0-26.0
\$15,000- 24,999	2555	1,288,271	286	15.1	12.0-18.2	537	23.0	19.9-26.1	883	32.9	29.2-36.6	582	22.5	19.0-26.0	267	6.6	5.0- 8.2
\$25,000- 34,999	1553	733,177	227	17.1	13.4-20.8	408	24.4	20.5-28.3	584	37.5	32.4-42.6	246	16.7	11.6-21.8	88	4.2	2.6- 5.8
\$35,000- 49,999	2020	956,647	345	21.8	17.9-25.7	602	34.7	30.4-39.0	684	28.0	24.1-31.9	290	11.4	8.9-13.9	99	4.1	2.7- 5.5
\$50,000- 74,999	1914	927,713	378	22.3	18.6-26.0	649	36.2	32.1-40.3	614	29.8	25.9-33.7	199	6.8	5.0- 8.6	74	4.9	2.4- 7.4
\$75,000+	3558	1,958,183	957	29.5	26.8-32.2	1369	36.8	33.9-39.7	933	26.8	24.1-29.5	221	5.3	3.9- 6.7	78	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21272	8,532,536	3585	20.2	19.0-21.4	6159	28.9	27.5-30.3	6500	30.6	29.2-32.0	3490	15.0	13.8-16.2	1538	5.3	4.7- 5.9
White/Non-Hisp	15517	4,781,492	2662	20.9	19.5-22.3	4912	33.3	31.7-34.9	4514	27.9	26.3-29.5	2310	12.6	11.4-13.8	1119	5.2	4.6- 5.8
Black or Afr. Am./Non-Hisp	2238	1,225,479	305	19.2	15.3-23.1	511	25.0	21.1-28.9	843	36.4	31.9-40.9	420	13.8	10.3-17.3	159	5.6	3.2- 8.0
Oth. Race/Non-Hisp.	511	318,455	103	28.9	20.3-37.5	136	24.2	17.3-31.1	157	36.9	27.7-46.1	71	7.2	2.7-11.7	44	2.8	0.4- 5.2
MultiRacial/Non-Hisp.	233	83,084	37	12.2	3.8-20.6	61	32.4	16.9-47.9	56	23.5	12.1-34.9	48	12.6	5.0-20.2	31	19.3	8.5-30.1
Hispanic	2457	1,973,210	417	17.8	14.9-20.7	467	21.9	18.8-25.0	828	31.9	28.6-35.2	587	23.1	20.0-26.2	158	5.3	3.5- 7.1
18-24	914	878,911	234	27.6	22.7-32.5	323	33.0	28.3-37.7	270	29.2	24.7-33.7	72	8.3	5.6-11.0	15	1.8	0.0- 3.6
25-34	1871	1,286,533	396	20.3	17.0-23.6	588	32.2	28.5-35.9	624	34.2	30.3-38.1	217	11.4	8.7-14.1	46	2.0	1.2- 2.8
35-44	2067	1,203,372	429	26.4	22.7-30.1	639	28.1	24.6-31.6	606	27.1	23.6-30.6	296	13.8	10.5-17.1	97	4.6	2.8- 6.4
45-54	2974	1,316,259	555	20.3	17.2-23.4	757	23.7	20.6-26.8	894	32.8	28.9-36.7	512	15.8	12.9-18.7	256	7.4	5.4- 9.4
55-64	4182	1,417,421	661	17.5	14.8-20.2	1171	28.5	25.4-31.6	1178	28.1	25.0-31.2	796	18.9	16.0-21.8	376	7.1	5.1- 9.1
65+	8913	2,236,483	1229	14.7	13.1-16.3	2572	29.4	27.2-31.6	2823	31.3	28.9-33.7	1560	17.9	15.9-19.9	729	6.7	5.3- 8.1
Less Than H.S.	2166	1,089,539	171	11.6	8.1-15.1	276	13.1	10.0-16.2	646	29.6	25.1-34.1	698	33.9	29.0-38.8	375	11.8	8.5-15.1
H.S. or G.E.D.	6412	2,436,326	786	15.4	13.2-17.6	1682	27.0	24.5-29.5	2200	34.8	32.1-37.5	1215	16.3	14.3-18.3	529	6.4	5.0- 7.8
Some Post-H.S.	6511	2,850,555	1022	20.1	17.9-22.3	2003	32.0	29.6-34.4	2050	30.7	28.3-33.1	1007	12.9	11.3-14.5	429	4.3	3.5- 5.1
College Graduate	6047	2,076,907	1581	30.4	27.9-32.9	2166	35.6	33.1-38.1	1558	25.8	23.4-28.2	545	5.9	4.9- 6.9	197	2.2	1.6- 2.8
Less than \$15,000	2169	734,547	139	7.8	5.3-10.3	309	16.8	13.1-20.5	643	31.5	26.8-36.2	661	30.6	26.1-35.1	417	13.3	10.0-16.6
\$15,000- 24,999	4136	1,558,013	460	12.7	10.3-15.1	942	24.4	21.5-27.3	1381	34.0	30.7-37.3	941	18.9	16.4-21.4	412	10.0	7.8-12.2
\$25,000- 34,999	2223	815,374	294	18.5	14.6-22.4	648	28.1	24.0-32.2	791	34.8	30.5-39.1	369	15.5	12.0-19.0	121	3.2	1.6- 4.8
\$35,000- 49,999	2398	964,708	426	18.2	14.9-21.5	805	33.5	29.4-37.6	788	34.9	30.8-39.0	283	10.5	7.8-13.2	96	2.8	1.0- 4.6
\$50,000- 74,999	2174	877,019	485	24.2	20.3-28.1	839	37.8	33.3-42.3	599	26.3	22.4-30.2	188	9.3	6.0-12.6	63	2.5	1.5- 3.5
\$75,000+	3388	1,536,997	997	35.1	31.8-38.4	1313	36.9	33.6-40.2	771	21.7	18.8-24.6	245	5.0	3.6- 6.4	62	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																	
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36003	16,170,018	23138	67.8	66.8-68.8	2861	8.2	7.6- 8.8	3213	8.8	8.2- 9.4	3026	7.4	6.8- 8.0	3765	7.8	7.2- 8.4
Male	15247	7,817,369	10277	70.0	68.6-71.4	1176	8.1	7.3- 8.9	1195	7.9	6.9- 8.9	1077	6.6	5.8- 7.4	1522	7.5	6.7- 8.3
Female	20753	8,350,907	12858	65.8	64.4-67.2	1685	8.3	7.5- 9.1	2018	9.6	8.8-10.4	1949	8.3	7.5- 9.1	2243	8.1	7.3- 8.9
White/Non-Hisp	25923	9,110,452	16402	65.5	64.3-66.7	2173	9.0	8.2- 9.8	2303	8.8	8.0- 9.6	2224	8.0	7.2- 8.8	2821	8.6	8.0- 9.2
Black or Afr. Am./Non-Hisp	3626	2,226,377	2339	67.3	64.0-70.6	275	8.5	6.5-10.5	370	10.9	8.5-13.3	311	6.7	4.7- 8.7	331	6.6	4.8- 8.4
Oth. Race/Non-Hisp.	1021	585,135	669	75.1	69.2-81.0	77	9.2	5.3-13.1	86	8.8	4.3-13.3	70	2.9	1.1- 4.7	119	4.0	1.6- 6.4
MultiRacial/Non-Hisp.	443	148,674	233	59.6	50.0-69.2	35	6.5	3.2- 9.8	51	12.0	6.3-17.7	47	9.8	4.5-15.1	77	12.1	5.2-19.0
Hispanic	4329	3,753,010	3068	72.8	70.4-75.2	239	6.1	4.7- 7.5	350	7.1	5.7- 8.5	322	7.0	5.8- 8.2	350	6.9	5.5- 8.3
18-24	1838	1,765,613	1309	71.9	68.8-75.0	206	10.3	8.3-12.3	193	10.1	8.1-12.1	81	4.7	3.1- 6.3	49	3.1	1.9- 4.3
25-34	3438	2,562,528	2445	69.5	66.8-72.2	333	10.1	8.3-11.9	341	10.5	8.7-12.3	174	6.5	4.7- 8.3	145	3.5	2.5- 4.5
35-44	3635	2,347,532	2482	71.1	68.4-73.8	332	7.8	6.4- 9.2	325	9.2	7.0-11.4	262	6.5	4.9- 8.1	234	5.4	4.2- 6.6
45-54	5205	2,552,089	3214	65.0	62.5-67.5	431	8.6	7.0-10.2	453	8.3	6.7- 9.9	489	8.1	6.7- 9.5	618	9.9	8.3-11.5
55-64	7134	2,646,717	4234	63.7	61.2-66.2	586	7.9	6.5- 9.3	601	7.6	6.0- 9.2	719	9.1	7.7-10.5	994	11.8	10.0-13.6
65+	14185	3,963,777	9036	66.6	64.8-68.4	926	6.1	5.3- 6.9	1259	8.2	7.2- 9.2	1275	8.8	7.6-10.0	1689	10.3	9.1-11.5
Less Than H.S.	3728	2,170,431	2075	61.8	58.3-65.3	179	5.7	3.9- 7.5	333	9.1	6.6-11.6	473	11.2	9.2-13.2	668	12.2	10.0-14.4
H.S. or G.E.D.	10754	4,740,614	6754	67.7	65.7-69.7	772	7.5	6.3- 8.7	998	9.1	7.9-10.3	963	6.9	5.9- 7.9	1267	8.7	7.7- 9.7
Some Post-H.S.	10418	5,079,349	6543	66.2	64.4-68.0	874	9.1	7.9-10.3	941	8.6	7.6- 9.6	932	8.0	6.8- 9.2	1128	8.1	7.1- 9.1
College Graduate	10890	4,051,381	7618	73.0	71.4-74.6	1023	9.2	8.2-10.2	927	8.5	7.5- 9.5	644	5.3	4.5- 6.1	678	3.9	3.3- 4.5
Less than \$15,000	3265	1,247,771	1451	47.1	43.2-51.0	192	6.8	4.8- 8.8	345	12.7	9.6-15.8	491	13.5	11.0-16.0	786	20.0	17.1-22.9
\$15,000- 24,999	6561	2,801,959	3778	61.7	59.2-64.2	444	7.2	5.8- 8.6	666	9.4	8.0-10.8	731	10.8	9.0-12.6	942	11.0	9.4-12.6
\$25,000- 34,999	3697	1,496,903	2327	68.3	65.2-71.4	296	7.8	6.0- 9.6	375	9.9	7.5-12.3	338	7.0	5.4- 8.6	361	7.1	5.5- 8.7
\$35,000- 49,999	4330	1,881,796	2919	69.6	66.9-72.3	397	9.4	7.6-11.2	377	8.1	6.5- 9.7	289	6.4	4.8- 8.0	348	6.5	5.1- 7.9
\$50,000- 74,999	4044	1,793,897	2817	71.6	68.9-74.3	404	10.0	8.2-11.8	323	7.4	6.0- 8.8	249	5.7	4.1- 7.3	251	5.3	3.9- 6.7
\$75,000+	6864	3,464,727	5037	73.3	71.1-75.5	648	10.2	8.8-11.6	544	8.9	7.5-10.3	349	4.7	3.7- 5.7	286	2.9	2.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																	
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15247	7,817,369	10277	70.0	68.6-71.4	1176	8.1	7.3- 8.9	1195	7.9	6.9- 8.9	1077	6.6	5.8- 7.4	1522	7.5	6.7- 8.3
White/Non-Hisp	10784	4,420,415	7157	67.6	65.8-69.4	866	8.9	7.9- 9.9	846	7.6	6.6- 8.6	778	7.3	6.1- 8.5	1137	8.5	7.5- 9.5
Black or Afr. Am./Non-Hisp	1446	1,032,401	994	70.2	65.3-75.1	96	7.4	4.9- 9.9	119	9.9	6.6-13.2	110	4.9	2.5- 7.3	127	7.5	4.8-10.2
Oth. Race/Non-Hisp.	525	274,672	362	77.0	68.4-85.6	34	4.2	1.8- 6.6	43	10.2	2.4-18.0	31	3.8	0.9- 6.7	55	4.8	0.9- 8.7
MultiRacial/Non-Hisp.	217	66,749	117	69.8	59.0-80.6	20	9.0	3.3-14.7	21	10.0	2.2-17.8	17	4.8	0.5- 9.1	42	6.4	2.3-10.5
Hispanic	1922	1,826,905	1411	73.7	70.4-77.0	117	7.0	5.0- 9.0	146	7.3	5.1- 9.5	120	6.1	4.3- 7.9	128	5.8	4.0- 7.6
18-24	937	905,364	682	73.7	69.4-78.0	101	9.8	7.1-12.5	89	8.8	6.1-11.5	38	4.2	2.2- 6.2	27	3.5	1.9- 5.1
25-34	1595	1,303,146	1181	71.2	67.3-75.1	144	9.1	6.7-11.5	141	10.4	7.7-13.1	72	6.1	3.7- 8.5	57	3.1	1.7- 4.5
35-44	1594	1,156,744	1137	71.9	67.8-76.0	134	8.0	6.0-10.0	111	7.5	4.6-10.4	100	6.8	4.1- 9.5	112	5.9	3.9- 7.9
45-54	2281	1,263,384	1521	68.5	65.0-72.0	195	9.3	6.9-11.7	159	6.3	4.7- 7.9	168	6.9	4.9- 8.9	238	9.0	6.8-11.2
55-64	3033	1,248,964	1883	65.7	62.0-69.4	232	7.3	5.5- 9.1	223	8.3	5.6-11.0	259	7.6	5.8- 9.4	436	11.1	8.7-13.5
65+	5584	1,799,331	3711	68.8	66.3-71.3	347	6.3	4.9- 7.7	456	7.0	5.6- 8.4	433	7.4	5.8- 9.0	637	10.5	8.7-12.3
Less Than H.S.	1645	1,116,836	979	63.9	59.0-68.8	81	5.2	3.2- 7.2	138	8.8	5.1-12.5	181	10.0	7.5-12.5	266	12.2	9.1-15.3
H.S. or G.E.D.	4529	2,370,958	2974	69.8	67.3-72.3	320	7.8	6.2- 9.4	365	8.3	6.7- 9.9	347	6.2	4.8- 7.6	523	7.9	6.5- 9.3
Some Post-H.S.	4055	2,282,756	2703	68.6	65.9-71.3	338	9.2	7.4-11.0	308	7.3	5.7- 8.9	292	7.0	5.2- 8.8	414	7.9	6.3- 9.5
College Graduate	4934	1,994,472	3560	74.7	72.5-76.9	431	8.8	7.4-10.2	381	7.7	6.3- 9.1	253	4.7	3.5- 5.9	309	4.1	3.3- 4.9
Less than \$15,000	1156	543,009	521	46.4	40.3-52.5	69	8.9	5.2-12.6	127	13.6	8.1-19.1	156	11.0	7.5-14.5	283	20.1	15.6-24.6
\$15,000- 24,999	2516	1,276,048	1509	64.5	60.8-68.2	165	7.0	5.0- 9.0	222	8.1	5.9-10.3	257	9.8	7.4-12.2	363	10.5	8.1-12.9
\$25,000- 34,999	1518	702,119	1020	69.5	64.4-74.6	109	7.3	4.8- 9.8	124	9.0	5.1-12.9	112	5.8	3.6- 8.0	153	8.3	5.4-11.2
\$35,000- 49,999	1974	932,344	1372	71.4	67.7-75.1	178	9.2	6.8-11.6	143	6.1	4.1- 8.1	111	5.7	3.7- 7.7	170	7.6	5.4- 9.8
\$50,000- 74,999	1896	919,763	1342	72.8	69.1-76.5	179	9.0	6.6-11.4	140	7.6	5.4- 9.8	115	5.3	3.3- 7.3	120	5.3	3.3- 7.3
\$75,000+	3514	1,938,254	2670	74.7	72.0-77.4	297	9.5	7.7-11.3	249	8.2	6.2-10.2	150	5.0	3.4- 6.6	148	2.7	1.9- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20753	8,350,907	12858	65.8	64.4-67.2	1685	8.3	7.5- 9.1	2018	9.6	8.8-10.4	1949	8.3	7.5- 9.1	2243	8.1	7.3- 8.9
White/Non-Hisp	15137	4,688,892	9243	63.4	61.8-65.0	1307	9.1	8.1-10.1	1457	10.0	9.0-11.0	1446	8.7	7.7- 9.7	1684	8.8	8.0- 9.6
Black or Afr. Am./Non-Hisp	2179	1,193,379	1344	64.7	60.0-69.4	179	9.4	6.3-12.5	251	11.8	8.5-15.1	201	8.3	5.4-11.2	204	5.8	3.6- 8.0
Oth. Race/Non-Hisp.	496	310,463	307	73.5	65.3-81.7	43	13.6	6.7-20.5	43	7.5	3.0-12.0	39	2.1	0.3- 3.9	64	3.3	0.8- 5.8
MultiRacial/Non-Hisp.	226	81,925	116	51.3	36.6-66.0	15	4.4	0.9- 7.9	30	13.7	5.7-21.7	30	13.8	5.0-22.6	35	16.8	5.2-28.4
Hispanic	2407	1,926,105	1657	72.0	68.7-75.3	122	5.2	3.4- 7.0	204	7.0	5.4- 8.6	202	7.9	6.1- 9.7	222	7.9	5.7-10.1
18-24	901	860,249	627	69.9	65.2-74.6	105	10.8	7.7-13.9	104	11.4	8.3-14.5	43	5.1	2.7- 7.5	22	2.7	0.7- 4.7
25-34	1841	1,257,892	1262	67.6	63.7-71.5	189	11.1	8.2-14.0	200	10.6	8.2-13.0	102	6.9	4.5- 9.3	88	3.8	2.6- 5.0
35-44	2041	1,190,788	1345	70.4	66.7-74.1	198	7.5	5.5- 9.5	214	10.9	7.8-14.0	162	6.2	4.4- 8.0	122	5.0	3.4- 6.6
45-54	2924	1,288,705	1693	61.6	57.9-65.3	236	7.8	5.8- 9.8	294	10.3	7.9-12.7	321	9.3	7.1-11.5	380	10.9	8.7-13.1
55-64	4101	1,397,754	2351	61.9	58.4-65.4	354	8.4	6.4-10.4	378	7.0	5.6- 8.4	460	10.4	8.2-12.6	558	12.3	9.8-14.8
65+	8600	2,164,193	5324	64.8	62.4-67.2	579	6.0	5.0- 7.0	803	9.1	7.5-10.7	842	9.9	8.3-11.5	1052	10.1	8.5-11.7
Less Than H.S.	2082	1,052,997	1095	59.7	54.6-64.8	98	6.2	3.5- 8.9	195	9.4	5.9-12.9	292	12.6	9.5-15.7	402	12.1	9.0-15.2
H.S. or G.E.D.	6225	2,369,656	3780	65.6	62.9-68.3	452	7.3	5.7- 8.9	633	10.0	8.4-11.6	616	7.6	6.2- 9.0	744	9.5	7.9-11.1
Some Post-H.S.	6363	2,796,592	3840	64.2	61.8-66.6	536	9.0	7.6-10.4	633	9.7	8.3-11.1	640	8.9	7.3-10.5	714	8.2	7.0- 9.4
College Graduate	5954	2,055,763	4056	71.4	69.2-73.6	592	9.7	8.3-11.1	546	9.3	7.7-10.9	391	5.9	4.7- 7.1	369	3.8	3.0- 4.6
Less than \$15,000	2109	704,762	930	47.5	42.4-52.6	123	5.1	3.1- 7.1	218	12.0	8.3-15.7	335	15.4	11.9-18.9	503	19.9	16.0-23.8
\$15,000- 24,999	4045	1,525,911	2269	59.3	55.8-62.8	279	7.3	5.3- 9.3	444	10.5	8.5-12.5	474	11.5	9.1-13.9	579	11.3	9.1-13.5
\$25,000- 34,999	2178	793,891	1306	67.1	63.0-71.2	187	8.2	5.7-10.7	251	10.6	8.1-13.1	226	8.0	5.8-10.2	208	6.0	4.2- 7.8
\$35,000- 49,999	2356	949,452	1547	67.8	63.7-71.9	219	9.6	6.9-12.3	234	10.0	7.5-12.5	178	7.1	4.7- 9.5	178	5.4	3.4- 7.4
\$50,000- 74,999	2148	874,134	1475	70.4	66.3-74.5	225	11.0	8.6-13.4	183	7.2	5.2- 9.2	134	6.1	3.4- 8.8	131	5.3	3.5- 7.1
\$75,000+	3349	1,526,221	2366	71.6	68.7-74.5	351	11.0	8.8-13.2	295	9.9	7.9-11.9	199	4.4	3.4- 5.4	138	3.1	2.1- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.																	
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36165	16,210,340	26139	70.6	69.6-71.6	2176	6.6	6.0- 7.2	2710	8.5	7.9- 9.1	2790	8.3	7.7- 8.9	2350	6.0	5.4- 6.6
Male	15278	7,838,586	11671	74.2	72.8-75.6	856	6.6	5.8- 7.4	932	7.3	6.5- 8.1	966	6.7	5.9- 7.5	853	5.2	4.4- 6.0
Female	20884	8,370,010	14467	67.3	65.9-68.7	1320	6.6	5.8- 7.4	1777	9.5	8.5-10.5	1824	9.9	8.9-10.9	1496	6.7	5.9- 7.5
White/Non-Hisp	26027	9,115,534	18856	69.0	67.8-70.2	1608	7.2	6.6- 7.8	1897	8.8	8.0- 9.6	1978	8.5	7.7- 9.3	1688	6.5	5.9- 7.1
Black or Afr. Am./Non-Hisp	3678	2,258,366	2626	71.2	67.9-74.5	218	5.4	4.0- 6.8	308	8.7	6.5-10.9	306	9.2	7.0-11.4	220	5.5	3.7- 7.3
Oth. Race/Non-Hisp.	1020	581,917	720	74.2	68.5-79.9	69	10.0	5.3-14.7	78	6.7	4.0- 9.4	71	6.4	3.5- 9.3	82	2.7	1.5- 3.9
MultiRacial/Non-Hisp.	442	146,436	276	53.9	43.5-64.3	29	7.8	2.1-13.5	32	9.8	4.5-15.1	54	11.4	5.9-16.9	51	17.0	6.8-27.2
Hispanic	4336	3,757,940	3166	73.8	71.4-76.2	218	5.4	4.0- 6.8	346	8.1	6.7- 9.5	338	7.6	6.2- 9.0	268	5.1	3.9- 6.3
18-24	1849	1,782,623	1068	58.9	55.4-62.4	190	10.1	8.1-12.1	281	14.9	12.4-17.4	208	10.8	8.6-13.0	102	5.3	3.7- 6.9
25-34	3441	2,564,005	2147	61.6	58.7-64.5	289	9.7	7.9-11.5	387	11.2	9.2-13.2	373	11.4	9.2-13.6	245	6.1	4.7- 7.5
35-44	3637	2,341,993	2448	69.7	66.8-72.6	266	6.7	5.1- 8.3	335	8.7	6.7-10.7	329	8.5	6.9-10.1	259	6.5	4.7- 8.3
45-54	5195	2,561,965	3417	68.1	65.6-70.6	356	6.2	5.0- 7.4	418	8.5	6.9-10.1	520	9.4	7.8-11.0	484	7.9	6.5- 9.3
55-64	7141	2,640,000	4984	71.7	69.3-74.1	412	5.8	4.6- 7.0	531	7.6	6.2- 9.0	613	7.8	6.6- 9.0	601	7.2	5.8- 8.6
65+	14336	3,990,414	11609	81.8	80.4-83.2	643	4.3	3.7- 4.9	736	4.7	3.9- 5.5	717	5.1	4.3- 5.9	631	4.1	3.3- 4.9
Less Than H.S.	3751	2,176,829	2526	67.4	63.9-70.9	162	6.1	4.1- 8.1	281	7.9	5.9- 9.9	356	9.8	7.6-12.0	426	8.9	6.9-10.9
H.S. or G.E.D.	10831	4,780,414	7780	70.1	68.3-71.9	586	6.5	5.5- 7.5	788	8.2	7.0- 9.4	901	8.4	7.2- 9.6	776	6.8	5.8- 7.8
Some Post-H.S.	10462	5,089,653	7398	69.5	67.7-71.3	638	6.0	5.2- 6.8	812	9.0	7.8-10.2	904	9.5	8.3-10.7	710	6.1	5.1- 7.1
College Graduate	10906	4,041,277	8255	73.8	72.2-75.4	786	8.0	7.0- 9.0	825	8.6	7.4- 9.8	618	6.2	5.2- 7.2	422	3.4	2.8- 4.0
Less than \$15,000	3283	1,273,948	1851	54.4	50.5-58.3	184	7.6	5.1-10.1	284	11.0	8.5-13.5	449	13.2	10.8-15.6	515	13.8	11.3-16.3
\$15,000- 24,999	6559	2,775,291	4454	67.6	65.1-70.1	320	5.9	4.5- 7.3	541	7.6	6.4- 8.8	645	10.8	9.0-12.6	599	8.1	6.7- 9.5
\$25,000- 34,999	3705	1,520,474	2648	71.3	68.2-74.4	217	6.2	4.6- 7.8	313	7.6	6.0- 9.2	300	8.9	6.9-10.9	227	6.0	4.2- 7.8
\$35,000- 49,999	4365	1,899,309	3180	68.8	65.9-71.7	290	7.7	5.9- 9.5	339	7.5	6.1- 8.9	345	10.3	8.3-12.3	211	5.7	4.1- 7.3
\$50,000- 74,999	4046	1,786,749	3078	72.5	69.6-75.4	282	7.5	5.9- 9.1	300	9.5	7.3-11.7	226	6.4	4.8- 8.0	160	4.2	3.0- 5.4
\$75,000+	6880	3,472,029	5350	74.0	72.0-76.0	501	7.2	6.2- 8.2	489	9.1	7.7-10.5	355	6.3	5.1- 7.5	185	3.5	2.5- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																	
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15278	7,838,586	11671	74.2	72.8-75.6	856	6.6	5.8- 7.4	932	7.3	6.5- 8.1	966	6.7	5.9- 7.5	853	5.2	4.4- 6.0
White/Non-Hisp	10797	4,422,408	8327	73.6	72.0-75.2	595	6.8	5.8- 7.8	631	7.2	6.2- 8.2	642	6.4	5.6- 7.2	602	5.9	4.9- 6.9
Black or Afr. Am./Non-Hisp	1467	1,051,790	1102	75.0	70.5-79.5	75	4.1	2.5- 5.7	103	8.2	5.3-11.1	116	8.2	5.3-11.1	71	4.5	2.3- 6.7
Oth. Race/Non-Hisp.	523	272,799	380	71.9	62.9-80.9	43	11.8	3.6-20.0	22	4.6	0.7- 8.5	34	8.4	3.5-13.3	44	3.3	1.5- 5.1
MultiRacial/Non-Hisp.	219	68,223	145	65.4	53.2-77.6	14	5.5	1.4- 9.6	14	12.7	3.9-21.5	23	8.9	1.8-16.0	23	7.4	1.3-13.5
Hispanic	1923	1,824,248	1443	75.2	71.9-78.5	108	6.9	4.7- 9.1	142	7.6	5.6- 9.6	132	6.4	4.6- 8.2	98	3.9	2.5- 5.3
18-24	944	914,909	575	61.6	56.7-66.5	103	10.8	7.9-13.7	125	13.7	10.4-17.0	98	9.6	7.1-12.1	43	4.3	2.3- 6.3
25-34	1591	1,290,394	1056	66.2	62.3-70.1	130	8.1	5.9-10.3	168	11.1	8.4-13.8	147	8.7	6.2-11.2	90	5.9	3.9- 7.9
35-44	1595	1,157,580	1169	72.8	68.5-77.1	101	6.8	4.1- 9.5	112	7.5	5.3- 9.7	114	7.2	5.2- 9.2	99	5.6	2.9- 8.3
45-54	2277	1,269,796	1662	73.5	70.2-76.8	155	7.1	5.1- 9.1	133	6.6	4.8- 8.4	176	6.9	5.1- 8.7	151	5.8	4.2- 7.4
55-64	3026	1,254,414	2276	74.8	71.3-78.3	156	6.0	3.8- 8.2	162	5.6	3.6- 7.6	202	7.2	5.4- 9.0	230	6.4	4.4- 8.4
65+	5622	1,812,116	4741	85.7	83.9-87.5	204	3.8	2.8- 4.8	224	3.4	2.4- 4.4	221	3.2	2.4- 4.0	232	3.9	2.9- 4.9
Less Than H.S.	1650	1,126,389	1168	70.9	66.2-75.6	88	7.8	4.5-11.1	103	6.3	3.9- 8.7	131	7.8	5.4-10.2	160	7.3	4.9- 9.7
H.S. or G.E.D.	4541	2,380,213	3355	71.9	69.4-74.4	243	6.9	5.3- 8.5	303	7.8	6.2- 9.4	334	7.2	5.6- 8.8	306	6.3	4.9- 7.7
Some Post-H.S.	4069	2,290,591	3071	74.0	71.5-76.5	223	5.4	4.2- 6.6	254	8.0	6.4- 9.6	283	7.4	6.0- 8.8	238	5.2	3.6- 6.8
College Graduate	4933	1,989,591	4003	78.4	76.2-80.6	301	7.2	5.8- 8.6	272	6.8	5.4- 8.2	214	4.7	3.7- 5.7	143	2.9	2.1- 3.7
Less than \$15,000	1168	549,442	695	54.6	48.5-60.7	71	11.4	6.3-16.5	97	11.9	7.6-16.2	128	10.0	6.7-13.3	177	12.1	9.0-15.2
\$15,000- 24,999	2499	1,264,221	1779	70.7	67.0-74.4	124	7.0	4.6- 9.4	174	5.2	4.0- 6.4	210	10.5	7.8-13.2	212	6.6	5.0- 8.2
\$25,000- 34,999	1520	718,816	1141	77.0	73.1-80.9	93	5.6	3.6- 7.6	98	5.1	3.5- 6.7	111	7.6	5.2-10.0	77	4.7	2.3- 7.1
\$35,000- 49,999	1994	943,172	1544	73.4	69.7-77.1	113	7.7	5.0-10.4	124	6.4	4.6- 8.2	129	7.8	5.8- 9.8	84	4.6	2.8- 6.4
\$50,000- 74,999	1893	914,637	1534	78.7	75.2-82.2	106	6.8	4.4- 9.2	98	6.1	4.1- 8.1	82	4.1	2.7- 5.5	73	4.3	2.5- 6.1
\$75,000+	3520	1,942,505	2882	77.4	74.7-80.1	209	6.0	4.8- 7.2	193	8.3	6.3-10.3	150	5.1	3.7- 6.5	86	3.2	2.0- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20884	8,370,010	14467	67.3	65.9-68.7	1320	6.6	5.8- 7.4	1777	9.5	8.5-10.5	1824	9.9	8.9-10.9	1496	6.7	5.9- 7.5
White/Non-Hisp	15228	4,691,981	10528	64.7	63.1-66.3	1013	7.5	6.5- 8.5	1265	10.3	9.1-11.5	1336	10.4	9.2-11.6	1086	7.1	6.3- 7.9
Black or Afr. Am./Non-Hisp	2210	1,205,979	1524	67.9	63.2-72.6	143	6.6	4.4- 8.8	205	9.2	6.1-12.3	190	10.0	6.9-13.1	148	6.3	3.8- 8.8
Oth. Race/Non-Hisp.	497	309,119	340	76.2	69.1-83.3	26	8.4	3.3-13.5	56	8.6	4.5-12.7	37	4.7	1.4- 8.0	38	2.2	0.4- 4.0
MultiRacial/Non-Hisp.	223	78,213	131	43.9	29.6-58.2	15	9.8	0.0-19.8	18	7.3	1.0-13.6	31	13.6	5.4-21.8	28	25.5	8.6-42.4
Hispanic	2413	1,933,691	1723	72.5	69.2-75.8	110	4.0	2.6- 5.4	204	8.6	6.6-10.6	206	8.7	6.5-10.9	170	6.2	4.4- 8.0
18-24	905	867,713	493	56.1	51.0-61.2	87	9.2	6.3-12.1	156	16.2	12.5-19.9	110	12.0	8.7-15.3	59	6.4	3.9- 8.9
25-34	1848	1,272,120	1091	56.9	52.8-61.0	159	11.3	8.4-14.2	218	11.3	8.8-13.8	226	14.2	11.1-17.3	154	6.2	4.4- 8.0
35-44	2042	1,184,413	1279	66.5	62.4-70.6	165	6.5	4.7- 8.3	223	9.8	6.9-12.7	215	9.7	7.3-12.1	160	7.4	5.0- 9.8
45-54	2918	1,292,169	1755	62.8	59.1-66.5	201	5.2	3.8- 6.6	285	10.4	8.0-12.8	344	11.8	9.3-14.3	333	9.9	7.7-12.1
55-64	4115	1,385,586	2708	68.8	65.7-71.9	256	5.5	4.1- 6.9	369	9.4	7.4-11.4	411	8.3	6.5-10.1	371	8.0	6.2- 9.8
65+	8713	2,178,046	6867	78.6	76.4-80.8	439	4.7	3.7- 5.7	512	5.9	4.7- 7.1	496	6.6	5.2- 8.0	399	4.2	3.2- 5.2
Less Than H.S.	2100	1,049,842	1358	63.7	58.6-68.8	74	4.3	2.3- 6.3	178	9.6	6.3-12.9	225	11.8	8.1-15.5	265	10.5	7.6-13.4
H.S. or G.E.D.	6290	2,400,201	4425	68.4	65.7-71.1	343	6.0	4.6- 7.4	485	8.6	7.0-10.2	567	9.6	8.0-11.2	470	7.4	5.8- 9.0
Some Post-H.S.	6393	2,799,062	4327	65.7	63.3-68.1	415	6.4	5.2- 7.6	558	9.9	8.3-11.5	621	11.2	9.4-13.0	472	6.8	5.6- 8.0
College Graduate	5971	2,050,540	4251	69.4	67.0-71.8	485	8.8	7.4-10.2	552	10.2	8.6-11.8	404	7.7	6.3- 9.1	279	3.8	2.8- 4.8
Less than \$15,000	2115	724,505	1156	54.3	49.4-59.2	113	4.8	2.8- 6.8	187	10.3	7.2-13.4	321	15.6	12.1-19.1	338	15.0	11.5-18.5
\$15,000- 24,999	4060	1,511,069	2675	65.0	61.7-68.3	196	5.1	3.7- 6.5	367	9.5	7.5-11.5	435	11.0	8.8-13.2	387	9.4	7.2-11.6
\$25,000- 34,999	2184	800,765	1507	66.3	61.8-70.8	124	6.8	4.3- 9.3	214	9.7	7.2-12.2	189	10.1	7.2-13.0	150	7.2	4.7- 9.7
\$35,000- 49,999	2371	956,137	1636	64.3	60.0-68.6	177	7.8	5.3-10.3	215	8.6	6.6-10.6	216	12.6	9.3-15.9	127	6.8	4.3- 9.3
\$50,000- 74,999	2153	872,112	1544	66.0	61.5-70.5	176	8.2	5.8-10.6	202	13.0	9.3-16.7	144	8.8	5.9-11.7	87	4.1	2.7- 5.5
\$75,000+	3359	1,529,271	2467	69.7	66.6-72.8	292	8.6	6.8-10.4	296	10.0	7.8-12.2	205	7.8	5.6-10.0	99	3.9	2.5- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		N	1-2 days		N	3-7 days		N	8-29 days		N	30 days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	17390	7,545,586	9487	56.0	54.4-57.6	1436	10.1	9.1-11.1	1837	11.0	10.0-12.0	2370	12.4	11.4-13.4	2260	10.4	9.4-11.4
Male	6715	3,423,207	3739	58.2	55.8-60.6	556	10.0	8.4-11.6	654	9.5	8.1-10.9	830	11.4	9.8-13.0	936	10.9	9.5-12.3
Female	10673	4,120,889	5747	54.3	52.1-56.5	880	10.2	8.8-11.6	1182	12.3	10.9-13.7	1540	13.2	11.8-14.6	1324	10.0	8.8-11.2
White/Non-Hisp	12726	4,515,190	6907	55.2	53.4-57.0	1074	10.9	9.7-12.1	1322	10.4	9.4-11.4	1761	12.6	11.4-13.8	1662	10.9	9.9-11.9
Black or Afr. Am./Non-Hisp	1743	1,012,713	960	53.3	48.0-58.6	120	8.1	5.2-11.0	200	15.7	11.4-20.0	249	12.4	8.9-15.9	214	10.5	7.2-13.8
Oth. Race/Non-Hisp.	504	236,121	276	66.3	56.3-76.3	41	12.3	5.8-18.8	44	6.4	3.1- 9.7	64	9.3	0.3-18.3	79	5.7	1.8- 9.6
MultiRacial/Non-Hisp.	259	85,874	119	38.6	26.3-50.9	19	11.4	1.8-21.0	34	17.0	8.2-25.8	39	20.4	6.1-34.7	48	12.6	3.8-21.4
Hispanic	1850	1,551,740	1054	59.8	55.9-63.7	167	9.6	7.2-12.0	212	10.2	8.0-12.4	210	10.8	8.3-13.3	207	9.6	7.2-12.0
18-24	1003	941,352	631	60.7	56.2-65.2	143	15.3	12.0-18.6	112	11.2	8.5-13.9	89	9.9	7.2-12.6	28	2.9	1.1- 4.7
25-34	1734	1,325,876	1042	58.7	54.6-62.8	192	11.6	8.9-14.3	231	15.2	12.1-18.3	188	10.6	7.9-13.3	81	4.0	2.6- 5.4
35-44	1733	1,041,783	941	56.3	51.8-60.8	204	13.8	10.3-17.3	191	9.0	7.0-11.0	218	11.3	8.6-14.0	179	9.6	7.2-12.0
45-54	2678	1,239,039	1338	51.3	47.4-55.2	228	9.3	6.9-11.7	288	11.9	9.4-14.4	415	13.3	10.8-15.8	409	14.3	11.6-17.0
55-64	3695	1,273,550	1800	51.1	47.4-54.8	270	7.3	5.5- 9.1	362	8.4	6.6-10.2	619	16.2	13.5-18.9	644	17.0	14.1-19.9
65+	6351	1,634,507	3614	58.3	55.4-61.2	384	6.2	4.8- 7.6	635	10.3	8.3-12.3	825	12.9	10.9-14.9	893	12.3	10.7-13.9
Less Than H.S.	2071	1,103,778	1017	49.6	44.5-54.7	108	6.1	3.9- 8.3	191	11.2	7.7-14.7	321	16.3	12.4-20.2	434	16.7	13.0-20.4
H.S. or G.E.D.	5319	2,262,968	2927	58.5	55.8-61.2	368	8.1	6.3- 9.9	527	9.5	7.9-11.1	787	13.1	11.1-15.1	710	10.7	8.9-12.5
Some Post-H.S.	5230	2,440,225	2723	53.2	50.5-55.9	432	12.1	9.9-14.3	605	12.2	10.4-14.0	770	12.3	10.5-14.1	700	10.1	8.7-11.5
College Graduate	4695	1,704,801	2781	60.9	58.2-63.6	523	12.8	11.0-14.6	509	11.2	9.4-13.0	481	8.8	7.4-10.2	401	6.2	5.0- 7.4
Less than \$15,000	2160	805,540	806	36.7	32.2-41.2	94	5.4	3.0- 7.8	232	12.4	9.3-15.5	486	19.2	15.3-23.1	542	26.3	21.8-30.8
\$15,000- 24,999	3563	1,465,380	1699	52.3	48.6-56.0	268	7.9	6.3- 9.5	397	11.1	8.9-13.3	603	15.8	13.1-18.5	596	13.0	10.8-15.2
\$25,000- 34,999	1868	724,288	1074	54.1	48.8-59.4	144	9.7	6.4-13.0	199	12.0	8.3-15.7	245	15.2	11.3-19.1	206	8.9	6.2-11.6
\$35,000- 49,999	2034	879,543	1192	57.0	52.5-61.5	202	13.2	9.9-16.5	210	9.7	7.5-11.9	234	12.0	8.7-15.3	196	8.2	5.7-10.7
\$50,000- 74,999	1739	765,171	1068	62.9	58.4-67.4	184	11.4	8.3-14.5	173	10.3	7.4-13.2	180	10.3	7.6-13.0	134	5.2	3.4- 7.0
\$75,000+	2683	1,425,528	1711	64.0	60.7-67.3	307	13.4	10.7-16.1	286	11.2	9.0-13.4	236	6.5	5.1- 7.9	143	4.9	3.3- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6715	3,423,207	3739	58.2	55.8-60.6	556	10.0	8.4-11.6	654	9.5	8.1-10.9	830	11.4	9.8-13.0	936	10.9	9.5-12.3
White/Non-Hisp	4799	2,032,853	2653	57.5	54.8-60.2	402	10.9	8.7-13.1	452	8.9	7.5-10.3	616	11.5	9.9-13.1	676	11.3	9.7-12.9
Black or Afr. Am./Non-Hisp	625	443,956	364	57.5	49.1-65.9	38	4.5	2.1- 6.9	64	14.5	7.8-21.2	78	12.4	6.3-18.5	81	11.1	6.6-15.6
Oth. Race/Non-Hisp.	244	109,530	141	58.4	42.5-74.3	20	10.8	2.8-18.8	18	5.7	1.6- 9.8	28	16.7	0.0-34.5	37	8.5	0.7-16.3
MultiRacial/Non-Hisp.	117	30,853	56	57.2	40.9-73.5	9	10.4	1.0-19.8	13	14.8	0.9-28.7	9	6.0	0.0-13.6	30	11.6	3.2-20.0
Hispanic	776	737,304	434	60.2	54.3-66.1	79	11.6	7.7-15.5	97	8.5	6.0-11.0	77	9.6	6.1-13.1	89	10.1	6.6-13.6
18-24	499	469,754	328	63.6	57.3-69.9	64	13.8	9.3-18.3	51	10.5	6.6-14.4	40	9.1	5.2-13.0	16	3.0	1.0- 5.0
25-34	754	644,619	467	63.9	58.0-69.8	89	11.1	7.2-15.0	92	12.0	8.3-15.7	72	9.2	5.1-13.3	34	3.8	1.4- 6.2
35-44	678	505,151	392	60.6	53.5-67.7	75	13.2	7.3-19.1	56	5.2	3.2- 7.2	72	9.7	6.2-13.2	83	11.4	7.5-15.3
45-54	1016	550,434	513	53.8	48.1-59.5	94	10.2	6.7-13.7	99	8.8	5.9-11.7	143	11.2	8.1-14.3	167	16.0	11.7-20.3
55-64	1449	552,700	734	52.8	47.1-58.5	90	5.4	3.2- 7.6	131	8.0	5.5-10.5	212	16.6	11.7-21.5	282	17.2	12.9-21.5
65+	2249	670,624	1261	54.4	49.7-59.1	137	7.8	5.3-10.3	218	11.6	7.9-15.3	286	12.6	9.5-15.7	347	13.6	10.7-16.5
Less Than H.S.	854	548,650	425	48.0	40.6-55.4	42	5.3	2.2- 8.4	83	11.3	6.6-16.0	117	16.5	10.8-22.2	187	18.8	13.3-24.3
H.S. or G.E.D.	2112	1,087,300	1179	61.2	57.1-65.3	156	7.3	5.3- 9.3	176	8.2	6.0-10.4	294	13.3	10.2-16.4	307	9.9	7.7-12.1
Some Post-H.S.	1844	1,016,953	1002	57.9	53.6-62.2	145	13.6	9.7-17.5	201	9.6	7.2-12.0	236	9.2	7.2-11.2	260	9.7	7.5-11.9
College Graduate	1881	762,824	1121	61.7	57.8-65.6	210	12.6	9.9-15.3	191	9.8	7.4-12.2	179	7.8	6.0- 9.6	180	8.1	5.7-10.5
Less than \$15,000	759	355,515	287	34.0	26.9-41.1	42	7.5	3.0-12.0	79	14.6	9.1-20.1	152	19.3	12.2-26.4	199	24.7	18.4-31.0
\$15,000- 24,999	1295	625,199	625	53.5	47.8-59.2	91	6.7	4.7- 8.7	131	8.7	5.8-11.6	206	17.5	12.6-22.4	242	13.6	10.3-16.9
\$25,000- 34,999	688	314,226	410	59.6	51.4-67.8	53	6.5	3.6- 9.4	56	10.4	3.9-16.9	87	12.5	7.2-17.8	82	11.0	5.5-16.5
\$35,000- 49,999	848	405,807	503	61.0	54.9-67.1	82	12.3	8.0-16.6	82	6.9	4.5- 9.3	84	10.4	6.3-14.5	97	9.3	6.2-12.4
\$50,000- 74,999	747	360,049	466	66.0	59.9-72.1	66	8.6	4.9-12.3	69	9.7	6.2-13.2	77	10.2	6.3-14.1	69	5.5	3.1- 7.9
\$75,000+	1223	745,842	800	67.9	63.2-72.6	117	11.7	8.0-15.4	130	9.9	7.2-12.6	96	5.3	3.7- 6.9	80	5.1	2.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10673	4,120,889	5747	54.3	52.1-56.5	880	10.2	8.8-11.6	1182	12.3	10.9-13.7	1540	13.2	11.8-14.6	1324	10.0	8.8-11.2
White/Non-Hisp	7926	2,481,444	4253	53.3	50.9-55.7	672	10.9	9.3-12.5	870	11.7	10.3-13.1	1145	13.5	11.9-15.1	986	10.6	9.2-12.0
Black or Afr. Am./Non-Hisp	1117	568,160	596	50.0	42.9-57.1	82	10.9	6.2-15.6	135	16.7	10.8-22.6	171	12.4	8.3-16.5	133	10.0	5.5-14.5
Oth. Race/Non-Hisp.	260	126,592	135	73.2	62.2-84.2	21	13.7	4.1-23.3	26	7.0	2.1-11.9	36	2.9	0.4- 5.4	42	3.3	0.6- 6.0
MultiRacial/Non-Hisp.	142	55,021	63	28.1	13.0-43.2	10	11.9	0.0-25.8	21	18.2	6.6-29.8	30	28.6	8.0-49.2	18	13.2	0.5-25.9
Hispanic	1074	814,436	620	59.4	53.9-64.9	88	7.8	5.1-10.5	115	11.8	8.3-15.3	133	11.9	8.4-15.4	118	9.2	5.9-12.5
18-24	504	471,597	303	57.9	51.2-64.6	79	16.8	11.9-21.7	61	11.8	7.9-15.7	49	10.7	6.8-14.6	12	2.8	0.0- 5.9
25-34	978	679,767	574	53.8	47.9-59.7	103	12.0	8.1-15.9	138	18.1	13.0-23.2	116	12.0	8.5-15.5	47	4.1	2.3- 5.9
35-44	1055	536,632	549	52.2	46.3-58.1	129	14.3	10.2-18.4	135	12.7	9.6-15.8	146	12.8	8.9-16.7	96	8.0	5.3-10.7
45-54	1662	688,604	825	49.2	43.9-54.5	134	8.6	5.7-11.5	189	14.3	10.6-18.0	272	14.9	11.0-18.8	242	12.9	9.4-16.4
55-64	2246	720,851	1066	49.7	45.0-54.4	180	8.8	6.3-11.3	231	8.8	6.6-11.0	407	15.9	12.6-19.2	362	16.9	12.8-21.0
65+	4102	963,883	2353	61.0	57.5-64.5	247	5.1	3.7- 6.5	417	9.4	7.4-11.4	539	13.1	10.4-15.8	546	11.4	9.4-13.4
Less Than H.S.	1216	554,531	592	51.3	44.0-58.6	66	6.8	3.7- 9.9	107	11.1	6.2-16.0	204	16.1	11.0-21.2	247	14.7	9.6-19.8
H.S. or G.E.D.	3207	1,175,668	1748	56.0	52.1-59.9	212	8.8	6.3-11.3	351	10.8	8.4-13.2	493	12.9	10.5-15.3	403	11.5	9.0-14.0
Some Post-H.S.	3386	1,423,272	1721	49.8	46.3-53.3	287	11.0	8.6-13.4	404	14.0	11.6-16.4	534	14.6	12.1-17.1	440	10.5	8.5-12.5
College Graduate	2813	941,084	1659	60.3	56.8-63.8	313	13.0	10.5-15.5	318	12.4	10.0-14.8	302	9.6	7.6-11.6	221	4.7	3.5- 5.9
Less than \$15,000	1401	450,026	519	38.8	32.7-44.9	52	3.7	1.9- 5.5	153	10.8	7.5-14.1	334	19.1	14.6-23.6	343	27.6	21.3-33.9
\$15,000- 24,999	2268	840,180	1074	51.4	46.7-56.1	177	8.8	6.4-11.2	266	12.8	9.9-15.7	397	14.5	11.4-17.6	354	12.5	9.6-15.4
\$25,000- 34,999	1179	409,168	663	49.8	43.3-56.3	91	12.2	6.9-17.5	143	13.3	9.0-17.6	158	17.4	11.9-22.9	124	7.3	5.1- 9.5
\$35,000- 49,999	1186	473,736	689	53.5	47.0-60.0	120	13.9	9.0-18.8	128	12.0	8.5-15.5	150	13.3	8.4-18.2	99	7.2	3.5-10.9
\$50,000- 74,999	992	405,121	602	60.1	53.4-66.8	118	13.9	9.0-18.8	104	10.9	6.2-15.6	103	10.3	6.4-14.2	65	4.8	2.3- 7.3
\$75,000+	1460	679,686	911	59.6	54.7-64.5	190	15.2	11.5-18.9	156	12.7	9.2-16.2	140	7.8	5.6-10.0	63	4.7	2.7- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 3: HEALTH CARE ACCESS CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36765	16,461,404	32182	83.7	82.9-84.5	4583	16.3	15.5-17.1
Male	15493	7,930,517	13231	82.0	80.6-83.4	2262	18.0	16.6-19.4
Female	21269	8,529,144	18949	85.3	84.1-86.5	2320	14.7	13.5-15.9
White/Non-Hisp	26453	9,240,509	24150	89.7	88.9-90.5	2303	10.3	9.5-11.1
Black or Afr. Am./Non-Hisp	3735	2,308,205	3171	80.9	78.0-83.8	564	19.1	16.2-22.0
Oth. Race/Non-Hisp.	1041	593,400	882	84.2	79.7-88.7	159	15.8	11.3-20.3
MultiRacial/Non-Hisp.	456	152,440	389	75.8	66.4-85.2	67	24.2	14.8-33.6
Hispanic	4413	3,818,095	3006	71.0	68.6-73.4	1407	29.0	26.6-31.4
18-24	1818	1,758,339	1359	77.4	74.5-80.3	459	22.6	19.7-25.5
25-34	3483	2,604,287	2550	70.7	68.0-73.4	933	29.3	26.6-32.0
35-44	3693	2,383,802	2803	75.9	73.2-78.6	890	24.1	21.4-26.8
45-54	5273	2,588,404	4307	81.5	79.3-83.7	966	18.5	16.3-20.7
55-64	7287	2,707,009	6306	86.5	84.7-88.3	981	13.5	11.7-15.3
65+	14642	4,087,298	14335	98.1	97.5-98.7	307	1.9	1.3- 2.5
Less Than H.S.	3871	2,240,210	2706	64.7	61.4-68.0	1165	35.3	32.0-38.6
H.S. or G.E.D.	11009	4,842,178	9375	80.6	78.8-82.4	1634	19.4	17.6-21.2
Some Post-H.S.	10632	5,170,231	9526	87.1	85.7-88.5	1106	12.9	11.5-14.3
College Graduate	11036	4,078,316	10397	93.5	92.5-94.5	639	6.5	5.5- 7.5
Less than \$15,000	3368	1,298,538	2499	70.2	66.7-73.7	869	29.8	26.3-33.3
\$15,000- 24,999	6691	2,839,790	5382	71.3	68.8-73.8	1309	28.7	26.2-31.2
\$25,000- 34,999	3779	1,548,646	3270	79.5	76.6-82.4	509	20.5	17.6-23.4
\$35,000- 49,999	4408	1,917,163	4015	88.0	86.0-90.0	393	12.0	10.0-14.0
\$50,000- 74,999	4086	1,804,482	3843	91.5	89.5-93.5	243	8.5	6.5-10.5
\$75,000+	6944	3,496,376	6689	95.9	94.9-96.9	255	4.1	3.1- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15493	7,930,517	13231	82.0	80.8-83.2	2262	18.0	16.8-19.2
White/Non-Hisp	10941	4,461,645	9823	88.5	87.3-89.7	1118	11.5	10.3-12.7
Black or Afr. Am./Non-Hisp	1490	1,079,794	1202	77.6	73.1-82.1	288	22.4	17.9-26.9
Oth. Race/Non-Hisp.	531	277,337	444	83.2	77.1-89.3	87	16.8	10.7-22.9
MultiRacial/Non-Hisp.	223	69,356	190	76.9	62.6-91.2	33	23.1	8.8-37.4
Hispanic	1956	1,847,788	1269	68.9	65.4-72.4	687	31.1	27.6-34.6
18-24	915	890,565	668	77.7	73.6-81.8	247	22.3	18.2-26.4
25-34	1611	1,314,531	1127	69.5	65.6-73.4	484	30.5	26.6-34.4
35-44	1626	1,179,528	1191	71.6	67.3-75.9	435	28.4	24.1-32.7
45-54	2301	1,274,394	1824	80.5	77.6-83.4	477	19.5	16.6-22.4
55-64	3094	1,278,906	2642	85.5	83.0-88.0	452	14.5	12.0-17.0
65+	5722	1,853,170	5579	97.6	96.8-98.4	143	2.4	1.6- 3.2
Less Than H.S.	1708	1,157,127	1100	60.7	55.8-65.6	608	39.3	34.4-44.2
H.S. or G.E.D.	4590	2,399,097	3741	78.6	76.2-81.0	849	21.4	19.0-23.8
Some Post-H.S.	4128	2,320,766	3629	86.1	84.1-88.1	499	13.9	11.9-15.9
College Graduate	4982	2,001,240	4699	93.8	92.6-95.0	283	6.2	5.0- 7.4
Less than \$15,000	1193	563,786	806	65.8	60.3-71.3	387	34.2	28.7-39.7
\$15,000- 24,999	2553	1,285,127	1917	65.5	61.6-69.4	636	34.5	30.6-38.4
\$25,000- 34,999	1553	732,882	1299	76.9	72.2-81.6	254	23.1	18.4-27.8
\$35,000- 49,999	2011	953,378	1790	86.0	82.9-89.1	221	14.0	10.9-17.1
\$50,000- 74,999	1909	926,039	1772	90.3	87.8-92.8	137	9.7	7.2-12.2
\$75,000+	3556	1,953,950	3402	95.5	94.3-96.7	154	4.5	3.3- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21269	8,529,144	18949	85.3	84.1-86.5	2320	14.7	13.5-15.9
White/Non-Hisp	15510	4,777,718	14325	90.7	89.7-91.7	1185	9.3	8.3-10.3
Black or Afr. Am./Non-Hisp	2244	1,227,814	1969	83.8	80.1-87.5	275	16.2	12.5-19.9
Oth. Race/Non-Hisp.	510	316,063	438	85.1	78.2-92.0	72	14.9	8.0-21.8
MultiRacial/Non-Hisp.	233	83,084	199	74.8	62.1-87.5	34	25.2	12.5-37.9
Hispanic	2457	1,970,308	1737	72.9	69.6-76.2	720	27.1	23.8-30.4
18-24	903	867,774	691	77.0	72.5-81.5	212	23.0	18.5-27.5
25-34	1870	1,288,265	1422	71.9	67.8-76.0	448	28.1	24.0-32.2
35-44	2067	1,204,274	1612	80.2	76.9-83.5	455	19.8	16.5-23.1
45-54	2972	1,314,009	2483	82.6	79.5-85.7	489	17.4	14.3-20.5
55-64	4193	1,428,103	3664	87.4	85.0-89.8	529	12.6	10.2-15.0
65+	8919	2,233,876	8755	98.4	97.8-99.0	164	1.6	1.0- 2.2
Less Than H.S.	2162	1,082,486	1606	68.9	64.2-73.6	556	31.1	26.4-35.8
H.S. or G.E.D.	6419	2,443,080	5634	82.6	80.2-85.0	785	17.4	15.0-19.8
Some Post-H.S.	6504	2,849,465	5897	87.9	86.1-89.7	607	12.1	10.3-13.9
College Graduate	6052	2,075,930	5696	93.2	91.8-94.6	356	6.8	5.4- 8.2
Less than \$15,000	2175	734,751	1693	73.5	69.2-77.8	482	26.5	22.2-30.8
\$15,000- 24,999	4138	1,554,663	3465	76.2	73.1-79.3	673	23.8	20.7-26.9
\$25,000- 34,999	2225	814,870	1970	81.9	78.0-85.8	255	18.1	14.2-22.0
\$35,000- 49,999	2397	963,785	2225	90.1	87.4-92.8	172	9.9	7.2-12.6
\$50,000- 74,999	2177	878,443	2071	92.8	89.7-95.9	106	7.2	4.1-10.3
\$75,000+	3387	1,542,174	3286	96.2	94.6-97.8	101	3.8	2.2- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36801	16,489,372	26400	64.7	63.7-65.7	3030	7.3	6.7- 7.9	7371	28.0	27.0-29.0
Male	15539	7,972,161	10292	59.5	57.9-61.1	1266	7.0	6.2- 7.8	3981	33.5	31.9-35.1
Female	21259	8,515,469	16106	69.5	68.1-70.9	1764	7.5	6.7- 8.3	3389	22.9	21.5-24.3
White/Non-Hisp	26492	9,270,394	20000	70.1	68.9-71.3	2342	8.7	7.9- 9.5	4150	21.2	20.2-22.2
Black or Afr. Am./Non-Hisp	3730	2,302,656	2658	64.5	61.2-67.8	277	6.2	4.8- 7.6	795	29.4	26.1-32.7
Oth. Race/Non-Hisp.	1042	595,786	669	57.9	51.6-64.2	66	6.7	2.6-10.8	307	35.4	29.5-41.3
MultiRacial/Non-Hisp.	455	152,115	294	55.4	45.6-65.2	50	9.5	4.0-15.0	111	35.1	25.5-44.7
Hispanic	4413	3,819,498	2338	53.4	50.9-55.9	226	4.2	3.2- 5.2	1849	42.5	40.0-45.0
18-24	1855	1,787,779	801	43.1	39.4-46.8	85	5.3	3.5- 7.1	969	51.6	47.9-55.3
25-34	3477	2,600,599	1676	45.3	42.4-48.2	174	4.3	3.3- 5.3	1627	50.4	47.5-53.3
35-44	3696	2,382,480	2255	59.0	56.1-61.9	179	4.1	2.9- 5.3	1262	36.9	34.0-39.8
45-54	5272	2,596,546	3619	66.5	64.0-69.0	386	6.4	5.2- 7.6	1267	27.2	24.7-29.7
55-64	7272	2,694,290	5571	74.4	72.0-76.8	607	8.7	6.9-10.5	1094	16.9	14.9-18.9
65+	14655	4,094,099	12078	82.0	80.6-83.4	1544	11.3	10.1-12.5	1033	6.7	5.7- 7.7
Less Than H.S.	3869	2,248,314	2278	50.9	47.4-54.4	310	6.6	4.8- 8.4	1281	42.5	39.0-46.0
H.S. or G.E.D.	11027	4,850,645	7725	61.5	59.5-63.5	853	7.0	6.0- 8.0	2449	31.5	29.5-33.5
Some Post-H.S.	10646	5,176,787	7766	67.5	65.7-69.3	922	7.6	6.6- 8.6	1958	24.9	23.1-26.7
College Graduate	11041	4,085,966	8493	72.8	71.2-74.4	924	7.2	6.4- 8.0	1624	20.0	18.4-21.6
Less than \$15,000	3366	1,298,185	2178	54.8	50.9-58.7	276	9.0	6.3-11.7	912	36.2	32.5-39.9
\$15,000- 24,999	6696	2,841,939	4502	58.6	56.1-61.1	547	6.8	5.6- 8.0	1647	34.7	32.2-37.2
\$25,000- 34,999	3770	1,543,509	2684	63.2	59.7-66.7	292	6.3	4.7- 7.9	794	30.5	27.2-33.8
\$35,000- 49,999	4411	1,917,345	3232	67.8	64.9-70.7	366	6.9	5.5- 8.3	813	25.3	22.6-28.0
\$50,000- 74,999	4087	1,804,381	3123	68.7	65.8-71.6	323	7.0	5.6- 8.4	641	24.3	21.4-27.2
\$75,000+	6944	3,500,853	5468	74.7	72.7-76.7	558	7.0	5.8- 8.2	918	18.3	16.3-20.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15539	7,972,161	10292	59.5	57.9-61.1	1266	7.0	6.2- 7.8	3981	33.5	31.9-35.1
White/Non-Hisp	10977	4,495,696	7795	65.5	63.7-67.3	995	9.0	7.8-10.2	2187	25.6	24.0-27.2
Black or Afr. Am./Non-Hisp	1496	1,080,126	961	57.3	52.2-62.4	91	5.3	3.5- 7.1	444	37.4	32.3-42.5
Oth. Race/Non-Hisp.	532	277,189	303	53.1	44.1-62.1	32	7.1	0.0-14.9	197	39.8	31.4-48.2
MultiRacial/Non-Hisp.	223	69,356	131	43.9	31.4-56.4	23	4.6	0.9- 8.3	69	51.5	38.6-64.4
Hispanic	1957	1,853,527	886	48.8	44.9-52.7	84	2.8	1.8- 3.8	987	48.4	44.5-52.3
18-24	946	915,882	346	37.6	32.5-42.7	49	6.0	3.3- 8.7	551	56.4	51.1-61.7
25-34	1615	1,318,056	642	39.3	35.2-43.4	71	4.0	2.4- 5.6	902	56.7	52.6-60.8
35-44	1625	1,178,951	850	51.5	47.0-56.0	62	2.8	1.4- 4.2	713	45.7	41.2-50.2
45-54	2308	1,286,162	1471	62.1	58.4-65.8	141	5.7	4.1- 7.3	696	32.2	28.7-35.7
55-64	3091	1,277,583	2228	71.2	67.5-74.9	271	8.3	5.9-10.7	592	20.5	17.2-23.8
65+	5728	1,854,936	4612	80.1	77.7-82.5	653	12.0	10.0-14.0	463	7.9	6.3- 9.5
Less Than H.S.	1711	1,164,726	877	44.9	39.8-50.0	120	6.2	3.5- 8.9	714	48.9	43.8-54.0
H.S. or G.E.D.	4622	2,420,811	2881	55.0	52.1-57.9	346	6.4	5.0- 7.8	1395	38.5	35.6-41.4
Some Post-H.S.	4133	2,325,701	2767	62.7	60.0-65.4	374	7.9	6.3- 9.5	992	29.3	26.8-31.8
College Graduate	4987	2,008,889	3723	70.1	67.7-72.5	417	6.7	5.5- 7.9	847	23.1	20.7-25.5
Less than \$15,000	1191	562,240	669	49.9	43.8-56.0	104	9.7	5.0-14.4	418	40.5	34.6-46.4
\$15,000- 24,999	2558	1,291,323	1510	50.8	46.9-54.7	204	7.3	5.3- 9.3	844	41.9	38.0-45.8
\$25,000- 34,999	1551	732,307	983	54.1	48.8-59.4	129	7.3	4.9- 9.7	439	38.6	33.3-43.9
\$35,000- 49,999	2015	955,096	1363	60.5	56.2-64.8	175	6.9	5.1- 8.7	477	32.6	28.3-36.9
\$50,000- 74,999	1913	926,643	1369	64.4	60.3-68.5	154	6.8	4.8- 8.8	390	28.8	24.7-32.9
\$75,000+	3555	1,958,248	2718	73.0	70.3-75.7	261	5.8	4.4- 7.2	576	21.2	18.7-23.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21259	8,515,469	16106	69.5	68.1-70.9	1764	7.5	6.7- 8.3	3389	22.9	21.5-24.3
White/Non-Hisp	15513	4,773,553	12204	74.6	73.0-76.2	1347	8.4	7.4- 9.4	1962	17.0	15.6-18.4
Black or Afr. Am./Non-Hisp	2233	1,221,933	1696	70.8	66.5-75.1	186	6.9	4.7- 9.1	351	22.3	18.2-26.4
Oth. Race/Non-Hisp.	510	318,597	366	62.0	53.2-70.8	34	6.4	2.5-10.3	110	31.6	23.2-40.0
MultiRacial/Non-Hisp.	232	82,759	163	65.0	51.5-78.5	27	13.7	4.3-23.1	42	21.4	10.2-32.6
Hispanic	2456	1,965,971	1452	57.6	53.9-61.3	142	5.5	3.7- 7.3	862	36.9	33.4-40.4
18-24	909	871,897	455	48.9	43.8-54.0	36	4.5	2.7- 6.3	418	46.6	41.3-51.9
25-34	1860	1,281,052	1033	51.5	47.4-55.6	103	4.5	3.1- 5.9	724	43.9	39.8-48.0
35-44	2071	1,203,529	1405	66.3	62.4-70.2	117	5.4	3.6- 7.2	549	28.3	24.6-32.0
45-54	2964	1,310,384	2148	70.8	67.1-74.5	245	7.0	5.2- 8.8	571	22.2	18.7-25.7
55-64	4181	1,416,707	3343	77.3	74.2-80.4	336	9.1	6.7-11.5	502	13.6	11.2-16.0
65+	8926	2,238,911	7465	83.6	81.8-85.4	891	10.7	9.1-12.3	570	5.7	4.5- 6.9
Less Than H.S.	2157	1,082,991	1400	57.4	52.3-62.5	190	7.0	4.6- 9.4	567	35.6	30.7-40.5
H.S. or G.E.D.	6405	2,429,835	4844	68.0	65.3-70.7	507	7.5	5.9- 9.1	1054	24.5	22.0-27.0
Some Post-H.S.	6513	2,851,087	4999	71.4	69.0-73.8	548	7.2	6.0- 8.4	966	21.3	19.1-23.5
College Graduate	6052	2,075,931	4769	75.5	73.1-77.9	507	7.7	6.5- 8.9	776	16.9	14.7-19.1
Less than \$15,000	2175	735,945	1509	58.5	53.4-63.6	172	8.6	5.5-11.7	494	32.9	28.2-37.6
\$15,000- 24,999	4138	1,550,616	2992	65.0	61.7-68.3	343	6.3	4.9- 7.7	803	28.6	25.5-31.7
\$25,000- 34,999	2218	810,309	1701	71.4	67.1-75.7	163	5.4	3.6- 7.2	354	23.2	19.1-27.3
\$35,000- 49,999	2396	962,249	1869	75.1	71.4-78.8	191	6.9	4.7- 9.1	336	18.0	14.7-21.3
\$50,000- 74,999	2174	877,738	1754	73.3	69.0-77.6	169	7.3	5.1- 9.5	251	19.4	15.3-23.5
\$75,000+	3388	1,542,353	2749	77.0	73.9-80.1	297	8.4	6.4-10.4	342	14.6	11.9-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36814	16,496,376	5205	16.6	15.8-17.4	31609	83.4	82.6-84.2
Male	15537	7,959,490	2026	14.4	13.2-15.6	13511	85.6	84.4-86.8
Female	21274	8,535,143	3178	18.7	17.5-19.9	18096	81.3	80.1-82.5
White/Non-Hisp	26505	9,281,589	3155	13.8	13.0-14.6	23350	86.2	85.4-87.0
Black or Afr. Am./Non-Hisp	3724	2,296,529	599	19.4	16.5-22.3	3125	80.6	77.7-83.5
Oth. Race/Non-Hisp.	1042	593,183	189	14.4	10.1-18.7	853	85.6	81.3-89.9
MultiRacial/Non-Hisp.	455	152,405	101	25.4	16.8-34.0	354	74.6	66.0-83.2
Hispanic	4415	3,823,200	1048	21.5	19.3-23.7	3367	78.5	76.3-80.7
18-24	1870	1,803,168	350	19.9	17.0-22.8	1520	80.1	77.2-83.0
25-34	3486	2,594,205	794	24.5	22.0-27.0	2692	75.5	73.0-78.0
35-44	3698	2,382,499	845	21.5	19.0-24.0	2853	78.5	76.0-81.0
45-54	5273	2,599,724	1121	21.3	19.1-23.5	4152	78.7	76.5-80.9
55-64	7279	2,699,838	1202	16.3	14.3-18.3	6077	83.7	81.7-85.7
65+	14631	4,087,954	826	5.1	4.3- 5.9	13805	94.9	94.1-95.7
Less Than H.S.	3873	2,249,772	966	26.8	23.7-29.9	2907	73.2	70.1-76.3
H.S. or G.E.D.	11039	4,861,021	1706	18.1	16.5-19.7	9333	81.9	80.3-83.5
Some Post-H.S.	10647	5,174,598	1565	16.5	15.1-17.9	9082	83.5	82.1-84.9
College Graduate	11038	4,083,214	943	9.6	8.4-10.8	10095	90.4	89.2-91.6
Less than \$15,000	3360	1,288,845	978	29.5	26.2-32.8	2382	70.5	67.2-73.8
\$15,000- 24,999	6689	2,847,778	1459	26.9	24.5-29.3	5230	73.1	70.7-75.5
\$25,000- 34,999	3776	1,550,632	620	19.4	16.7-22.1	3156	80.6	77.9-83.3
\$35,000- 49,999	4414	1,917,385	513	14.8	12.6-17.0	3901	85.2	83.0-87.4
\$50,000- 74,999	4088	1,804,605	351	12.7	10.3-15.1	3737	87.3	84.9-89.7
\$75,000+	6950	3,502,610	344	6.3	5.1- 7.5	6606	93.7	92.5-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15537	7,959,490	2026	14.4	13.2-15.6	13511	85.6	84.4-86.8
White/Non-Hisp	10979	4,495,775	1187	12.1	10.9-13.3	9792	87.9	86.7-89.1
Black or Afr. Am./Non-Hisp	1491	1,074,024	237	16.0	12.3-19.7	1254	84.0	80.3-87.7
Oth. Race/Non-Hisp.	533	277,595	76	8.2	4.1-12.3	457	91.8	87.7-95.9
MultiRacial/Non-Hisp.	222	69,321	46	15.9	7.9-23.9	176	84.1	76.1-92.1
Hispanic	1957	1,848,337	434	20.1	17.2-23.0	1523	79.9	77.0-82.8
18-24	957	927,778	156	15.5	12.2-18.8	801	84.5	81.2-87.8
25-34	1613	1,305,427	317	19.5	16.2-22.8	1296	80.5	77.2-83.8
35-44	1624	1,173,078	331	19.4	15.9-22.9	1293	80.6	77.1-84.1
45-54	2310	1,286,224	438	18.4	15.7-21.1	1872	81.6	78.9-84.3
55-64	3093	1,274,573	444	13.7	11.2-16.2	2649	86.3	83.8-88.8
65+	5713	1,853,873	312	5.1	3.9- 6.3	5401	94.9	93.7-96.1
Less Than H.S.	1708	1,157,037	437	25.1	21.0-29.2	1271	74.9	70.8-79.0
H.S. or G.E.D.	4624	2,422,994	735	16.2	14.0-18.4	3889	83.8	81.6-86.0
Some Post-H.S.	4134	2,318,126	499	13.1	11.1-15.1	3635	86.9	84.9-88.9
College Graduate	4984	2,008,860	346	7.6	6.2- 9.0	4638	92.4	91.0-93.8
Less than \$15,000	1188	550,893	365	31.1	25.8-36.4	823	68.9	63.6-74.2
\$15,000- 24,999	2556	1,292,636	577	26.1	22.6-29.6	1979	73.9	70.4-77.4
\$25,000- 34,999	1552	733,838	229	15.7	12.2-19.2	1323	84.3	80.8-87.8
\$35,000- 49,999	2016	953,601	233	13.8	11.1-16.5	1783	86.2	83.5-88.9
\$50,000- 74,999	1912	926,924	149	10.1	7.4-12.8	1763	89.9	87.2-92.6
\$75,000+	3559	1,959,721	162	5.6	4.0- 7.2	3397	94.4	92.8-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21274	8,535,143	3178	18.7	17.5-19.9	18096	81.3	80.1-82.5
White/Non-Hisp	15524	4,784,667	1968	15.4	14.2-16.6	13556	84.6	83.4-85.8
Black or Afr. Am./Non-Hisp	2232	1,221,907	361	22.4	17.9-26.9	1871	77.6	73.1-82.1
Oth. Race/Non-Hisp.	509	315,588	113	19.9	12.6-27.2	396	80.1	72.8-87.4
MultiRacial/Non-Hisp.	233	83,084	55	33.2	19.5-46.9	178	66.8	53.1-80.5
Hispanic	2458	1,974,863	614	22.8	19.9-25.7	1844	77.2	74.3-80.1
18-24	913	875,390	194	24.6	19.9-29.3	719	75.4	70.7-80.1
25-34	1871	1,287,288	476	29.5	25.6-33.4	1395	70.5	66.6-74.4
35-44	2074	1,209,422	514	23.5	19.8-27.2	1560	76.5	72.8-80.2
45-54	2963	1,313,500	683	24.2	20.9-27.5	2280	75.8	72.5-79.1
55-64	4186	1,425,265	758	18.6	15.7-21.5	3428	81.4	78.5-84.3
65+	8917	2,233,828	514	5.2	4.2- 6.2	8403	94.8	93.8-95.8
Less Than H.S.	2164	1,092,138	528	28.5	23.6-33.4	1636	71.5	66.6-76.4
H.S. or G.E.D.	6415	2,438,027	971	20.0	17.6-22.4	5444	80.0	77.6-82.4
Some Post-H.S.	6513	2,856,472	1066	19.2	17.2-21.2	5447	80.8	78.8-82.8
College Graduate	6052	2,073,209	597	11.6	9.8-13.4	5455	88.4	86.6-90.2
Less than \$15,000	2172	737,952	613	28.4	24.1-32.7	1559	71.6	67.3-75.9
\$15,000- 24,999	4133	1,555,142	882	27.5	24.2-30.8	3251	72.5	69.2-75.8
\$25,000- 34,999	2223	815,901	391	22.7	18.8-26.6	1832	77.3	73.4-81.2
\$35,000- 49,999	2398	963,785	280	15.7	12.4-19.0	2118	84.3	81.0-87.6
\$50,000- 74,999	2176	877,681	202	15.3	11.4-19.2	1974	84.7	80.8-88.6
\$75,000+	3390	1,542,636	182	7.0	5.2- 8.8	3208	93.0	91.2-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36410	16,317,449	29611	76.5	75.5-77.5	2930	10.4	9.6-11.2	1618	5.4	5.0- 5.8	1878	6.4	5.8- 7.0	373	1.3	1.1- 1.5
Male	15350	7,875,148	11790	72.0	70.6-73.4	1366	11.0	10.0-12.0	862	6.7	5.9- 7.5	1112	8.7	7.7- 9.7	220	1.6	1.2- 2.0
Female	21057	8,440,558	17820	80.8	79.6-82.0	1564	9.9	8.9-10.9	755	4.1	3.5- 4.7	765	4.1	3.5- 4.7	153	1.0	0.6- 1.4
White/Non-Hisp	26237	9,171,308	21680	77.8	76.8-78.8	1974	9.6	8.8-10.4	1063	5.3	4.7- 5.9	1344	6.6	6.0- 7.2	176	0.7	0.5- 0.9
Black or Afr. Am./Non-Hisp	3695	2,277,368	3168	80.3	77.4-83.2	253	9.4	7.0-11.8	130	5.0	3.4- 6.6	120	4.6	3.0- 6.2	24	0.7	0.1- 1.3
Oth. Race/Non-Hisp.	1029	588,033	791	75.7	70.6-80.8	100	11.5	7.8-15.2	57	6.5	3.8- 9.2	66	5.1	2.9- 7.3	15	1.2	0.0- 2.4
MultiRacial/Non-Hisp.	444	147,190	334	67.2	57.4-77.0	40	12.6	4.2-21.0	22	5.6	1.7- 9.5	42	13.6	7.1-20.1	6	1.0	0.0- 2.2
Hispanic	4345	3,785,272	3128	72.0	69.5-74.5	496	12.7	10.7-14.7	306	5.8	4.6- 7.0	274	6.6	5.0- 8.2	141	2.9	2.1- 3.7
18-24	1829	1,770,442	1119	60.1	56.4-63.8	330	20.1	17.0-23.2	208	10.8	8.6-13.0	138	7.3	5.3- 9.3	34	1.8	0.8- 2.8
25-34	3397	2,544,276	2129	60.6	57.7-63.5	477	16.3	13.9-18.7	353	9.5	8.1-10.9	370	11.9	9.9-13.9	68	1.7	0.9- 2.5
35-44	3650	2,355,959	2538	69.6	66.7-72.5	458	12.9	10.7-15.1	259	5.6	4.4- 6.8	313	9.7	7.7-11.7	82	2.2	1.4- 3.0
45-54	5217	2,577,477	3930	74.5	72.1-76.9	540	11.1	9.5-12.7	310	6.1	4.9- 7.3	377	6.6	5.2- 8.0	60	1.7	0.9- 2.5
55-64	7236	2,682,750	5936	82.8	80.8-84.8	553	7.2	5.8- 8.6	279	4.1	2.9- 5.3	413	5.3	4.3- 6.3	55	0.6	0.2- 1.0
65+	14517	4,058,162	13488	94.2	93.4-95.0	530	2.9	2.3- 3.5	188	1.1	0.7- 1.5	241	1.3	0.9- 1.7	70	0.5	0.3- 0.7
Less Than H.S.	3795	2,220,153	2862	69.7	66.4-73.0	326	11.9	9.2-14.6	207	6.4	4.8- 8.0	291	9.3	7.1-11.5	109	2.7	1.9- 3.5
H.S. or G.E.D.	10903	4,800,608	8712	74.2	72.4-76.0	832	10.3	8.9-11.7	559	6.0	5.2- 6.8	659	7.9	6.7- 9.1	141	1.5	0.9- 2.1
Some Post-H.S.	10548	5,129,200	8646	78.1	76.5-79.7	892	10.8	9.6-12.0	445	5.2	4.4- 6.0	500	4.9	4.1- 5.7	65	1.0	0.6- 1.4
College Graduate	10959	4,047,852	9226	80.8	79.2-82.4	869	9.6	8.4-10.8	397	4.4	3.6- 5.2	417	4.7	3.9- 5.5	50	0.5	0.3- 0.7
Less than \$15,000	3317	1,280,769	2580	72.3	68.8-75.8	272	10.6	8.1-13.1	189	7.4	5.2- 9.6	216	6.8	5.0- 8.6	60	2.8	1.4- 4.2
\$15,000- 24,999	6623	2,821,617	5224	72.7	70.3-75.1	533	10.5	8.9-12.1	352	6.4	5.2- 7.6	426	8.7	7.1-10.3	88	1.7	1.1- 2.3
\$25,000- 34,999	3746	1,533,702	2999	74.8	71.9-77.7	323	10.6	8.6-12.6	178	5.6	4.2- 7.0	226	8.3	6.1-10.5	20	0.8	0.2- 1.4
\$35,000- 49,999	4362	1,892,761	3493	76.3	73.6-79.0	351	10.8	8.8-12.8	215	6.3	4.7- 7.9	240	5.6	4.4- 6.8	63	1.1	0.5- 1.7
\$50,000- 74,999	4057	1,782,996	3323	76.1	73.2-79.0	356	11.0	8.6-13.4	169	5.7	4.3- 7.1	183	6.6	4.8- 8.4	26	0.6	0.2- 1.0
\$75,000+	6914	3,480,257	5842	80.1	78.1-82.1	568	11.3	9.7-12.9	229	4.1	3.1- 5.1	246	4.1	3.3- 4.9	29	0.4	0.2- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15350	7,875,148	11790	72.0	70.6-73.4	1366	11.0	10.0-12.0	862	6.7	5.9- 7.5	1112	8.7	7.7- 9.7	220	1.6	1.2- 2.0
White/Non-Hisp	10864	4,438,344	8614	74.6	73.0-76.2	897	10.0	8.8-11.2	513	6.1	5.3- 6.9	744	8.4	7.4- 9.4	96	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	1473	1,061,328	1169	73.7	69.0-78.4	121	10.5	7.2-13.8	87	7.3	4.6-10.0	86	7.3	4.6-10.0	10	1.1	0.1- 2.1
Oth. Race/Non-Hisp.	522	269,882	382	73.9	67.0-80.8	56	11.8	6.9-16.7	37	7.0	3.3-10.7	40	6.6	3.1-10.1	7	0.8	0.0- 1.8
MultiRacial/Non-Hisp.	217	68,164	150	54.5	41.0-68.0	27	19.3	5.4-33.2	15	8.4	1.1-15.7	22	15.8	7.0-24.6	3	1.9	0.0- 4.3
Hispanic	1923	1,840,287	1212	65.3	61.6-69.0	225	12.9	10.4-15.4	190	7.7	5.9- 9.5	200	10.5	7.8-13.2	96	3.6	2.4- 4.8
18-24	925	899,245	516	58.9	53.8-64.0	159	17.0	12.9-21.1	135	13.8	10.5-17.1	91	8.8	5.9-11.7	24	1.4	0.6- 2.2
25-34	1571	1,288,608	852	53.9	49.8-58.0	234	17.7	14.4-21.0	195	11.0	8.8-13.2	247	15.5	12.4-18.6	43	1.8	0.8- 2.8
35-44	1604	1,167,363	1001	62.0	57.7-66.3	210	13.1	10.2-16.0	140	6.9	4.9- 8.9	201	14.7	11.0-18.4	52	3.3	1.9- 4.7
45-54	2278	1,270,041	1609	69.4	66.1-72.7	256	12.4	10.0-14.8	154	7.3	5.3- 9.3	217	8.2	6.4-10.0	42	2.7	1.3- 4.1
55-64	3072	1,265,821	2411	78.8	75.7-81.9	262	8.4	6.0-10.8	143	4.9	3.1- 6.7	228	7.4	5.6- 9.2	28	0.6	0.2- 1.0
65+	5678	1,845,032	5224	93.5	92.3-94.7	229	3.2	2.4- 4.0	81	1.2	0.6- 1.8	115	1.7	1.1- 2.3	29	0.4	0.0- 0.8
Less Than H.S.	1671	1,144,408	1116	63.4	58.5-68.3	145	11.2	8.1-14.3	117	7.5	5.1- 9.9	208	13.6	9.9-17.3	85	4.3	2.7- 5.9
H.S. or G.E.D.	4557	2,386,379	3330	68.5	65.8-71.2	423	11.7	9.5-13.9	308	7.5	6.1- 8.9	421	11.1	9.1-13.1	75	1.3	0.7- 1.9
Some Post-H.S.	4095	2,299,749	3211	75.0	72.5-77.5	372	10.5	8.7-12.3	231	7.0	5.4- 8.6	251	6.2	5.0- 7.4	30	1.3	0.5- 2.1
College Graduate	4946	1,994,867	4072	77.6	75.2-80.0	422	10.8	9.0-12.6	200	5.3	4.1- 6.5	227	5.8	4.4- 7.2	25	0.5	0.1- 0.9
Less than \$15,000	1175	554,040	839	69.5	64.0-75.0	99	10.2	6.1-14.3	94	6.9	4.5- 9.3	111	9.7	6.6-12.8	32	3.8	1.3- 6.3
\$15,000- 24,999	2529	1,283,757	1828	64.2	60.3-68.1	225	11.4	8.9-13.9	166	8.3	6.3-10.3	252	13.6	10.5-16.7	58	2.6	1.6- 3.6
\$25,000- 34,999	1536	722,497	1139	66.9	61.8-72.0	157	13.5	10.2-16.8	95	6.6	4.4- 8.8	131	11.7	7.8-15.6	14	1.3	0.1- 2.5
\$35,000- 49,999	1991	939,093	1520	72.3	68.4-76.2	171	11.0	8.3-13.7	115	8.0	5.3-10.7	156	7.3	5.3- 9.3	29	1.2	0.4- 2.0
\$50,000- 74,999	1895	920,071	1492	72.4	68.3-76.5	183	12.1	9.0-15.2	96	6.9	4.7- 9.1	107	7.8	5.4-10.2	17	0.8	0.2- 1.4
\$75,000+	3538	1,945,133	2924	78.5	75.8-81.2	309	11.1	8.9-13.3	139	5.4	3.8- 7.0	151	4.6	3.4- 5.8	15	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21057	8,440,558	17820	80.8	79.6-82.0	1564	9.9	8.9-10.9	755	4.1	3.5- 4.7	765	4.1	3.5- 4.7	153	1.0	0.6- 1.4
White/Non-Hisp	15371	4,731,818	13065	80.8	79.4-82.2	1077	9.2	8.2-10.2	550	4.4	3.8- 5.0	599	5.0	4.2- 5.8	80	0.6	0.4- 0.8
Black or Afr. Am./Non-Hisp	2221	1,215,444	1999	86.0	82.3-89.7	132	8.5	5.0-12.0	42	2.8	1.2- 4.4	34	2.3	0.9- 3.7	14	0.4	0.0- 0.8
Oth. Race/Non-Hisp.	507	318,151	409	77.3	70.0-84.6	44	11.3	5.8-16.8	20	6.1	2.2-10.0	26	3.8	1.1- 6.5	8	1.5	0.0- 3.5
MultiRacial/Non-Hisp.	227	79,026	184	78.1	65.2-91.0	13	6.8	0.0-16.2	7	3.1	0.0- 7.0	20	11.8	2.2-21.4	3	0.2	0.0- 0.6
Hispanic	2422	1,944,985	1916	78.3	75.2-81.4	271	12.6	9.9-15.3	116	4.0	2.6- 5.4	74	2.8	1.6- 4.0	45	2.3	1.1- 3.5
18-24	904	871,197	603	61.4	56.1-66.7	171	23.2	18.3-28.1	73	7.6	5.1-10.1	47	5.6	3.4- 7.8	10	2.1	0.1- 4.1
25-34	1824	1,254,178	1277	67.5	63.6-71.4	243	15.0	11.5-18.5	157	7.9	5.9- 9.9	122	8.0	5.8-10.2	25	1.7	0.7- 2.7
35-44	2046	1,188,596	1537	77.0	73.3-80.7	248	12.8	9.5-16.1	119	4.2	2.8- 5.6	112	4.8	3.4- 6.2	30	1.1	0.3- 1.9
45-54	2939	1,307,436	2321	79.5	76.4-82.6	284	9.9	7.7-12.1	156	4.8	3.2- 6.4	160	5.1	3.3- 6.9	18	0.8	0.2- 1.4
55-64	4164	1,416,929	3525	86.4	84.2-88.6	291	6.1	4.5- 7.7	136	3.4	2.0- 4.8	185	3.5	2.5- 4.5	27	0.6	0.2- 1.0
65+	8838	2,212,878	8263	94.8	93.8-95.8	301	2.7	2.1- 3.3	107	1.0	0.6- 1.4	126	0.9	0.5- 1.3	41	0.5	0.1- 0.9
Less Than H.S.	2123	1,075,148	1746	76.5	71.8-81.2	181	12.6	8.3-16.9	89	5.2	3.0- 7.4	83	4.8	3.0- 6.6	24	0.9	0.3- 1.5
H.S. or G.E.D.	6346	2,414,228	5382	80.0	77.6-82.4	409	8.9	7.1-10.7	251	4.6	3.6- 5.6	238	4.8	3.6- 6.0	66	1.7	0.9- 2.5
Some Post-H.S.	6453	2,829,451	5435	80.7	78.7-82.7	520	11.0	9.2-12.8	214	3.8	2.8- 4.8	249	3.8	3.0- 4.6	35	0.8	0.4- 1.2
College Graduate	6011	2,051,839	5153	84.0	82.0-86.0	447	8.5	6.9-10.1	197	3.6	2.8- 4.4	189	3.5	2.5- 4.5	25	0.5	0.1- 0.9
Less than \$15,000	2142	726,729	1741	74.5	70.0-79.0	173	11.0	7.7-14.3	95	7.8	4.7-10.9	105	4.7	2.9- 6.5	28	2.1	0.7- 3.5
\$15,000- 24,999	4094	1,537,860	3396	79.8	77.1-82.5	308	9.7	7.5-11.9	186	4.9	3.7- 6.1	174	4.7	3.3- 6.1	30	0.9	0.3- 1.5
\$25,000- 34,999	2209	810,312	1860	81.9	78.6-85.2	166	8.0	5.6-10.4	83	4.7	2.7- 6.7	94	5.1	3.1- 7.1	6	0.3	0.0- 0.7
\$35,000- 49,999	2371	953,668	1973	80.1	76.6-83.6	180	10.5	7.4-13.6	100	4.6	2.8- 6.4	84	3.9	2.5- 5.3	34	1.0	0.2- 1.8
\$50,000- 74,999	2162	862,926	1831	80.1	76.0-84.2	173	9.8	6.5-13.1	73	4.4	2.6- 6.2	76	5.4	3.0- 7.8	9	0.4	0.0- 0.8
\$75,000+	3375	1,534,872	2917	82.2	79.5-84.9	259	11.5	9.0-14.0	90	2.4	1.6- 3.2	95	3.5	2.3- 4.7	14	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 4: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 4: EXERCISE

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36868	16,548,910	24620	70.2	69.2-71.2	12248	29.8	28.8-30.8
Male	15560	7,994,737	10903	72.9	71.5-74.3	4657	27.1	25.7-28.5
Female	21305	8,552,430	13714	67.7	66.3-69.1	7591	32.3	30.9-33.7
White/Non-Hisp	26516	9,288,821	18086	74.0	73.0-75.0	8430	26.0	25.0-27.0
Black or Afr. Am./Non-Hisp	3748	2,313,353	2372	68.1	64.8-71.4	1376	31.9	28.6-35.2
Oth. Race/Non-Hisp.	1046	599,132	698	72.3	66.6-78.0	348	27.7	22.0-33.4
MultiRacial/Non-Hisp.	450	151,054	315	73.6	64.8-82.4	135	26.4	17.6-35.2
Hispanic	4425	3,839,320	2670	61.4	58.9-63.9	1755	38.6	36.1-41.1
18-24	1874	1,811,622	1472	81.3	78.6-84.0	402	18.7	16.0-21.4
25-34	3490	2,606,666	2627	76.7	74.2-79.2	863	23.3	20.8-25.8
35-44	3702	2,391,448	2638	71.2	68.3-74.1	1064	28.8	25.9-31.7
45-54	5285	2,603,770	3510	68.3	65.8-70.8	1775	31.7	29.2-34.2
55-64	7292	2,707,972	4739	65.4	62.9-67.9	2553	34.6	32.1-37.1
65+	14645	4,096,854	9206	64.3	62.5-66.1	5439	35.7	33.9-37.5
Less Than H.S.	3885	2,256,623	1751	50.5	47.0-54.0	2134	49.5	46.0-53.0
H.S. or G.E.D.	11047	4,871,805	6558	63.6	61.6-65.6	4489	36.4	34.4-38.4
Some Post-H.S.	10660	5,193,333	7372	73.9	72.3-75.5	3288	26.1	24.5-27.7
College Graduate	11054	4,095,562	8807	84.2	83.0-85.4	2247	15.8	14.6-17.0
Less than \$15,000	3369	1,302,687	1629	52.4	48.5-56.3	1740	47.6	43.7-51.5
\$15,000- 24,999	6708	2,854,226	3787	59.6	57.1-62.1	2921	40.4	37.9-42.9
\$25,000- 34,999	3778	1,548,528	2391	63.3	59.8-66.8	1387	36.7	33.2-40.2
\$35,000- 49,999	4419	1,920,475	3129	72.7	70.0-75.4	1290	27.3	24.6-30.0
\$50,000- 74,999	4091	1,808,043	3178	80.6	78.2-83.0	913	19.4	17.0-21.8
\$75,000+	6946	3,499,760	5728	85.2	83.6-86.8	1218	14.8	13.2-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15560	7,994,737	10903	72.9	71.5-74.3	4657	27.1	25.7-28.5
White/Non-Hisp	10982	4,497,794	7829	75.7	74.1-77.3	3153	24.3	22.7-25.9
Black or Afr. Am./Non-Hisp	1501	1,087,171	1023	72.6	67.9-77.3	478	27.4	22.7-32.1
Oth. Race/Non-Hisp.	533	278,660	367	71.2	63.8-78.6	166	28.8	21.4-36.2
MultiRacial/Non-Hisp.	219	68,024	156	70.7	56.6-84.8	63	29.3	15.2-43.4
Hispanic	1963	1,862,924	1260	66.2	62.5-69.9	703	33.8	30.1-37.5
18-24	957	931,289	783	84.3	81.0-87.6	174	15.7	12.4-19.0
25-34	1620	1,319,399	1250	77.9	74.4-81.4	370	22.1	18.6-25.6
35-44	1630	1,182,166	1188	72.5	68.2-76.8	442	27.5	23.2-31.8
45-54	2310	1,286,194	1600	71.5	68.2-74.8	710	28.5	25.2-31.8
55-64	3097	1,278,633	2056	67.2	63.7-70.7	1041	32.8	29.3-36.3
65+	5717	1,855,666	3850	68.3	65.6-71.0	1867	31.7	29.0-34.4
Less Than H.S.	1712	1,163,024	839	55.9	51.0-60.8	873	44.1	39.2-49.0
H.S. or G.E.D.	4625	2,431,314	2923	67.2	64.5-69.9	1702	32.8	30.1-35.5
Some Post-H.S.	4140	2,332,406	2982	76.7	74.3-79.1	1158	23.3	20.9-25.7
College Graduate	4996	2,015,316	4102	85.2	83.4-87.0	894	14.8	13.0-16.6
Less than \$15,000	1190	563,885	599	54.5	48.4-60.6	591	45.5	39.4-51.6
\$15,000- 24,999	2564	1,296,532	1484	64.0	60.3-67.7	1080	36.0	32.3-39.7
\$25,000- 34,999	1554	732,851	1014	63.0	57.5-68.5	540	37.0	31.5-42.5
\$35,000- 49,999	2019	955,496	1466	73.2	69.1-77.3	553	26.8	22.7-30.9
\$50,000- 74,999	1913	928,918	1497	80.5	77.2-83.8	416	19.5	16.2-22.8
\$75,000+	3557	1,957,581	2979	85.6	83.6-87.6	578	14.4	12.4-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21305	8,552,430	13714	67.7	66.3-69.1	7591	32.3	30.9-33.7
White/Non-Hisp	15532	4,789,881	10255	72.4	71.0-73.8	5277	27.6	26.2-29.0
Black or Afr. Am./Non-Hisp	2246	1,225,585	1348	64.1	59.6-68.6	898	35.9	31.4-40.4
Oth. Race/Non-Hisp.	513	320,472	331	73.3	65.1-81.5	182	26.7	18.5-34.9
MultiRacial/Non-Hisp.	231	83,029	159	76.0	65.4-86.6	72	24.0	13.4-34.6
Hispanic	2462	1,976,396	1410	56.9	53.2-60.6	1052	43.1	39.4-46.8
18-24	917	880,333	689	78.2	73.9-82.5	228	21.8	17.5-26.1
25-34	1868	1,285,777	1375	75.4	71.9-78.9	493	24.6	21.1-28.1
35-44	2072	1,209,281	1450	70.0	66.3-73.7	622	30.0	26.3-33.7
45-54	2975	1,317,576	1910	65.3	61.4-69.2	1065	34.7	30.8-38.6
55-64	4195	1,429,339	2683	63.9	60.4-67.4	1512	36.1	32.6-39.6
65+	8927	2,240,936	5355	60.9	58.5-63.3	3572	39.1	36.7-41.5
Less Than H.S.	2172	1,093,002	911	44.8	39.7-49.9	1261	55.2	50.1-60.3
H.S. or G.E.D.	6422	2,440,491	3635	60.0	57.3-62.7	2787	40.0	37.3-42.7
Some Post-H.S.	6520	2,860,927	4390	71.5	69.3-73.7	2130	28.5	26.3-30.7
College Graduate	6056	2,079,100	4703	83.2	81.4-85.0	1353	16.8	15.0-18.6
Less than \$15,000	2179	738,802	1030	50.7	45.8-55.6	1149	49.3	44.4-54.2
\$15,000- 24,999	4144	1,557,694	2303	56.0	52.5-59.5	1841	44.0	40.5-47.5
\$25,000- 34,999	2223	814,783	1376	63.6	59.1-68.1	847	36.4	31.9-40.9
\$35,000- 49,999	2400	964,979	1663	72.1	68.2-76.0	737	27.9	24.0-31.8
\$50,000- 74,999	2178	879,125	1681	80.7	77.4-84.0	497	19.3	16.0-22.6
\$75,000+	3388	1,541,926	2748	84.6	82.2-87.0	640	15.4	13.0-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1 MALES AND FEMALES	34
2 MALES ONLY	35
3 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 5: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36253	16,326,371	12135	34.5	33.5-35.5	22413	61.5	60.5-62.5	1705	4.0	3.6- 4.4
Male	15365	7,901,351	5171	34.8	33.2-36.4	9487	61.4	59.8-63.0	707	3.8	3.2- 4.4
Female	20885	8,423,277	6962	34.2	32.8-35.6	12925	61.6	60.0-63.2	998	4.2	3.6- 4.8
White/Non-Hisp	26160	9,199,088	8344	32.6	31.4-33.8	16687	63.7	62.5-64.9	1129	3.8	3.4- 4.2
Black or Afr. Am./Non-Hisp	3614	2,254,321	1477	43.2	39.7-46.7	1863	52.0	48.5-55.5	274	4.8	3.4- 6.2
Oth. Race/Non-Hisp.	1027	592,775	420	36.3	30.0-42.6	547	59.1	52.6-65.6	60	4.6	1.9- 7.3
MultiRacial/Non-Hisp.	447	151,172	188	46.1	36.1-56.1	232	51.0	41.0-61.0	27	2.8	0.6- 5.0
Hispanic	4349	3,781,168	1443	32.2	29.7-34.7	2726	63.8	61.3-66.3	180	4.0	3.0- 5.0
18-24	1853	1,785,153	605	32.9	29.6-36.2	1158	62.2	58.7-65.7	90	4.9	3.1- 6.7
25-34	3455	2,582,955	1356	37.5	34.8-40.2	1987	59.9	57.0-62.8	112	2.6	1.8- 3.4
35-44	3671	2,372,978	1463	39.9	36.8-43.0	2092	57.5	54.4-60.6	116	2.7	1.9- 3.5
45-54	5219	2,556,820	2130	40.0	37.5-42.5	2929	57.5	54.8-60.2	160	2.5	1.7- 3.3
55-64	7162	2,664,045	2594	34.5	32.0-37.0	4270	60.8	58.3-63.3	298	4.6	3.4- 5.8
65+	14329	4,033,375	3813	26.2	24.4-28.0	9617	67.9	66.1-69.7	899	5.8	4.8- 6.8
Less Than H.S.	3720	2,174,384	1425	37.9	34.4-41.4	1989	54.8	51.1-58.5	306	7.3	5.3- 9.3
H.S. or G.E.D.	10814	4,805,826	3824	35.4	33.4-37.4	6379	59.7	57.7-61.7	611	4.9	4.1- 5.7
Some Post-H.S.	10539	5,146,800	3693	35.2	33.4-37.0	6390	61.6	59.8-63.4	456	3.2	2.6- 3.8
College Graduate	10979	4,077,655	3127	30.7	28.9-32.5	7526	67.1	65.3-68.9	326	2.2	1.8- 2.6
Less than \$15,000	3252	1,258,001	1445	41.4	37.7-45.1	1538	51.1	47.2-55.0	269	7.5	5.3- 9.7
\$15,000- 24,999	6600	2,811,510	2465	37.9	35.4-40.4	3733	56.6	54.1-59.1	402	5.4	4.2- 6.6
\$25,000- 34,999	3731	1,535,346	1260	37.2	33.7-40.7	2299	59.3	55.8-62.8	172	3.5	2.1- 4.9
\$35,000- 49,999	4391	1,913,458	1445	33.5	30.6-36.4	2771	62.8	59.9-65.7	175	3.7	2.5- 4.9
\$50,000- 74,999	4073	1,801,625	1276	33.1	30.0-36.2	2677	64.0	60.9-67.1	120	2.9	1.9- 3.9
\$75,000+	6926	3,493,480	1968	30.6	28.4-32.8	4791	67.5	65.3-69.7	167	1.9	1.3- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 5: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15365	7,901,351	5171	34.8	33.2-36.4	9487	61.4	59.8-63.0	707	3.8	3.2- 4.4
White/Non-Hisp	10877	4,459,516	3468	32.5	30.7-34.3	6948	63.8	62.0-65.6	461	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	1446	1,056,362	594	43.2	38.1-48.3	744	51.5	46.4-56.6	108	5.3	3.3- 7.3
Oth. Race/Non-Hisp.	530	278,187	206	36.9	27.9-45.9	293	60.3	51.3-69.3	31	2.9	1.1- 4.7
MultiRacial/Non-Hisp.	218	68,404	99	43.9	31.0-56.8	106	54.6	41.7-67.5	13	1.5	0.0- 3.5
Hispanic	1940	1,839,622	661	34.0	30.3-37.7	1206	62.6	58.9-66.3	73	3.5	2.1- 4.9
18-24	948	916,918	317	34.6	29.7-39.5	591	61.1	56.0-66.2	40	4.2	2.0- 6.4
25-34	1610	1,313,240	635	36.5	32.6-40.4	930	61.2	57.3-65.1	45	2.3	1.1- 3.5
35-44	1616	1,175,967	680	42.9	38.4-47.4	885	55.1	50.6-59.6	51	2.0	1.2- 2.8
45-54	2283	1,262,836	937	40.0	36.5-43.5	1286	57.4	53.7-61.1	60	2.6	1.4- 3.8
55-64	3046	1,261,670	1085	34.6	30.9-38.3	1831	60.9	57.2-64.6	130	4.5	2.7- 6.3
65+	5638	1,831,591	1446	24.6	22.2-27.0	3825	69.4	66.9-71.9	367	6.0	4.6- 7.4
Less Than H.S.	1657	1,129,409	625	36.6	31.5-41.7	889	56.3	51.2-61.4	143	7.1	4.7- 9.5
H.S. or G.E.D.	4556	2,402,975	1664	36.7	34.0-39.4	2650	58.8	55.9-61.7	242	4.5	3.5- 5.5
Some Post-H.S.	4105	2,313,876	1424	33.2	30.5-35.9	2508	63.7	61.0-66.4	173	3.1	2.1- 4.1
College Graduate	4967	2,008,138	1430	33.5	31.0-36.0	3390	64.6	62.1-67.1	147	1.9	1.3- 2.5
Less than \$15,000	1151	549,199	505	40.4	34.3-46.5	547	49.8	43.5-56.1	99	9.8	6.3-13.3
\$15,000- 24,999	2530	1,272,297	937	37.7	34.0-41.4	1434	57.9	54.0-61.8	159	4.4	3.0- 5.8
\$25,000- 34,999	1535	732,103	510	36.5	31.2-41.8	955	60.0	54.7-65.3	70	3.4	1.2- 5.6
\$35,000- 49,999	2005	951,307	675	34.5	30.4-38.6	1240	61.2	56.9-65.5	90	4.3	2.3- 6.3
\$50,000- 74,999	1902	923,825	597	33.9	29.6-38.2	1245	63.2	58.9-67.5	60	2.9	1.5- 4.3
\$75,000+	3549	1,955,150	1061	31.6	28.9-34.3	2409	66.8	64.1-69.5	79	1.6	1.0- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 5: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20885	8,423,277	6962	34.2	32.8-35.6	12925	61.6	60.0-63.2	998	4.2	3.6- 4.8
White/Non-Hisp	15281	4,738,426	4875	32.6	31.0-34.2	9738	63.5	61.9-65.1	668	3.8	3.2- 4.4
Black or Afr. Am./Non-Hisp	2167	1,197,362	882	43.1	38.4-47.8	1119	52.6	47.9-57.3	166	4.3	2.3- 6.3
Oth. Race/Non-Hisp.	497	314,588	214	35.8	27.0-44.6	254	58.0	48.8-67.2	29	6.2	1.3-11.1
MultiRacial/Non-Hisp.	229	82,768	89	47.9	33.2-62.6	126	48.1	33.4-62.8	14	4.0	0.3- 7.7
Hispanic	2409	1,941,546	782	30.6	27.3-33.9	1520	64.9	61.4-68.4	107	4.5	2.9- 6.1
18-24	905	868,235	288	31.0	26.5-35.5	567	63.4	58.5-68.3	50	5.6	3.1- 8.1
25-34	1843	1,268,225	719	38.5	34.4-42.6	1057	58.5	54.4-62.6	67	3.0	2.0- 4.0
35-44	2055	1,197,012	783	36.9	32.8-41.0	1207	59.7	55.6-63.8	65	3.4	2.0- 4.8
45-54	2936	1,293,985	1193	40.0	36.3-43.7	1643	57.7	53.8-61.6	100	2.3	1.3- 3.3
55-64	4116	1,402,375	1509	34.5	31.2-37.8	2439	60.8	57.3-64.3	168	4.7	2.9- 6.5
65+	8690	2,201,532	2367	27.7	25.3-30.1	5791	66.7	64.3-69.1	532	5.7	4.3- 7.1
Less Than H.S.	2062	1,044,379	799	39.4	34.3-44.5	1100	53.2	47.9-58.5	163	7.5	4.6-10.4
H.S. or G.E.D.	6258	2,402,851	2160	34.0	31.3-36.7	3729	60.6	57.9-63.3	369	5.4	4.0- 6.8
Some Post-H.S.	6434	2,832,924	2269	36.8	34.3-39.3	3882	59.9	57.4-62.4	283	3.2	2.4- 4.0
College Graduate	6010	2,068,371	1696	27.9	25.5-30.3	4135	69.6	67.2-72.0	179	2.5	1.7- 3.3
Less than \$15,000	2101	708,802	940	42.1	37.4-46.8	991	52.2	47.3-57.1	170	5.7	2.8- 8.6
\$15,000- 24,999	4070	1,539,212	1528	38.1	34.8-41.4	2299	55.6	52.3-58.9	243	6.3	4.3- 8.3
\$25,000- 34,999	2195	802,349	749	37.7	33.0-42.4	1344	58.8	54.1-63.5	102	3.6	2.0- 5.2
\$35,000- 49,999	2386	962,151	770	32.6	28.5-36.7	1531	64.3	60.2-68.4	85	3.2	1.8- 4.6
\$50,000- 74,999	2171	877,800	679	32.3	27.8-36.8	1432	64.7	60.2-69.2	60	3.0	1.4- 4.6
\$75,000+	3376	1,538,078	907	29.3	26.0-32.6	2381	68.4	65.1-71.7	88	2.3	1.5- 3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36756	16,478,445	2749	5.2	4.8- 5.6	34007	94.8	94.4-95.2
Male	15514	7,955,784	1540	7.1	6.3- 7.9	13974	92.9	92.1-93.7
Female	21239	8,520,918	1209	3.3	2.7- 3.9	20030	96.7	96.1-97.3
White/Non-Hisp	26457	9,262,090	2175	6.2	5.6- 6.8	24282	93.8	93.2-94.4
Black or Afr. Am./Non-Hisp	3730	2,299,737	207	5.1	3.3- 6.9	3523	94.9	93.1-96.7
Oth. Race/Non-Hisp.	1038	595,623	81	1.8	0.4- 3.2	957	98.2	96.8-99.6
MultiRacial/Non-Hisp.	451	152,211	42	3.6	1.2- 6.0	409	96.4	94.0-98.8
Hispanic	4411	3,822,785	176	2.9	2.1- 3.7	4235	97.1	96.3-97.9
18-24	1875	1,810,663	11	0.9	0.1- 1.7	1864	99.1	98.3-99.9
25-34	3488	2,603,457	30	0.6	0.2- 1.0	3458	99.4	99.0-99.8
35-44	3694	2,380,945	83	2.3	1.3- 3.3	3611	97.7	96.7-98.7
45-54	5263	2,587,973	259	4.3	3.1- 5.5	5004	95.7	94.5-96.9
55-64	7270	2,699,989	526	5.7	4.5- 6.9	6744	94.3	93.1-95.5
65+	14598	4,076,439	1815	12.1	10.9-13.3	12783	87.9	86.7-89.1
Less Than H.S.	3850	2,237,280	452	8.6	6.6-10.6	3398	91.4	89.4-93.4
H.S. or G.E.D.	11024	4,869,940	871	4.8	4.0- 5.6	10153	95.2	94.4-96.0
Some Post-H.S.	10642	5,177,281	795	5.2	4.4- 6.0	9847	94.8	94.0-95.6
College Graduate	11028	4,083,837	612	3.7	3.1- 4.3	10416	96.3	95.7-96.9
Less than \$15,000	3350	1,297,631	420	9.7	7.3-12.1	2930	90.3	87.9-92.7
\$15,000- 24,999	6674	2,850,168	641	6.5	5.3- 7.7	6033	93.5	92.3-94.7
\$25,000- 34,999	3777	1,549,628	318	5.4	4.2- 6.6	3459	94.6	93.4-95.8
\$35,000- 49,999	4418	1,918,116	301	5.3	3.9- 6.7	4117	94.7	93.3-96.1
\$50,000- 74,999	4076	1,799,921	220	3.4	2.6- 4.2	3856	96.6	95.8-97.4
\$75,000+	6937	3,494,822	297	3.4	2.6- 4.2	6640	96.6	95.8-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15514	7,955,784	1540	7.1	6.3- 7.9	13974	92.9	92.1-93.7
White/Non-Hisp	10959	4,486,995	1226	8.8	7.8- 9.8	9733	91.2	90.2-92.2
Black or Afr. Am./Non-Hisp	1487	1,072,499	93	6.1	3.4- 8.8	1394	93.9	91.2-96.6
Oth. Race/Non-Hisp.	532	277,017	48	3.1	0.4- 5.8	484	96.9	94.2-99.6
MultiRacial/Non-Hisp.	220	69,155	25	3.9	1.2- 6.6	195	96.1	93.4-98.8
Hispanic	1958	1,856,868	101	4.5	3.1- 5.9	1857	95.5	94.1-96.9
18-24	960	932,381	9	1.7	0.1- 3.3	951	98.3	96.7-99.9
25-34	1618	1,314,309	18	0.8	0.0- 1.6	1600	99.2	98.4- 100
35-44	1623	1,172,430	48	3.0	1.6- 4.4	1575	97.0	95.6-98.4
45-54	2302	1,277,000	126	5.1	3.5- 6.7	2176	94.9	93.3-96.5
55-64	3090	1,277,011	318	8.4	6.4-10.4	2772	91.6	89.6-93.6
65+	5698	1,849,534	1008	17.9	15.7-20.1	4690	82.1	79.9-84.3
Less Than H.S.	1697	1,160,174	222	10.2	7.3-13.1	1475	89.8	86.9-92.7
H.S. or G.E.D.	4618	2,427,467	475	6.7	5.5- 7.9	4143	93.3	92.1-94.5
Some Post-H.S.	4134	2,320,070	429	7.2	5.8- 8.6	3705	92.8	91.4-94.2
College Graduate	4980	2,006,176	407	5.9	4.9- 6.9	4573	94.1	93.1-95.1
Less than \$15,000	1184	560,000	197	13.8	9.7-17.9	987	86.2	82.1-90.3
\$15,000- 24,999	2551	1,291,525	333	9.0	7.0-11.0	2218	91.0	89.0-93.0
\$25,000- 34,999	1554	733,145	184	7.8	5.6-10.0	1370	92.2	90.0-94.4
\$35,000- 49,999	2017	953,278	205	7.6	5.4- 9.8	1812	92.4	90.2-94.6
\$50,000- 74,999	1904	923,658	159	5.1	3.7- 6.5	1745	94.9	93.5-96.3
\$75,000+	3549	1,953,258	218	5.1	3.7- 6.5	3331	94.9	93.5-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21239	8,520,918	1209	3.3	2.7- 3.9	20030	96.7	96.1-97.3
White/Non-Hisp	15496	4,773,949	949	3.9	3.3- 4.5	14547	96.1	95.5-96.7
Black or Afr. Am./Non-Hisp	2242	1,226,641	114	4.2	1.8- 6.6	2128	95.8	93.4-98.2
Oth. Race/Non-Hisp.	506	318,606	33	0.7	0.1- 1.3	473	99.3	98.7-99.9
MultiRacial/Non-Hisp.	231	83,057	17	3.4	0.0- 7.3	214	96.6	92.7- 100
Hispanic	2453	1,965,918	75	1.3	0.9- 1.7	2378	98.7	98.3-99.1
18-24	915	878,282	2	0.1	0.0- 0.3	913	99.9	99.7- 100
25-34	1868	1,287,658	12	0.4	0.0- 0.8	1856	99.6	99.2- 100
35-44	2071	1,208,515	35	1.7	0.5- 2.9	2036	98.3	97.1-99.5
45-54	2961	1,310,973	133	3.4	1.8- 5.0	2828	96.6	95.0-98.2
55-64	4180	1,422,978	208	3.4	2.2- 4.6	3972	96.6	95.4-97.8
65+	8899	2,226,653	807	7.2	5.8- 8.6	8092	92.8	91.4-94.2
Less Than H.S.	2152	1,076,509	230	6.9	4.2- 9.6	1922	93.1	90.4-95.8
H.S. or G.E.D.	6406	2,442,474	396	2.9	2.1- 3.7	6010	97.1	96.3-97.9
Some Post-H.S.	6508	2,857,211	366	3.5	2.7- 4.3	6142	96.5	95.7-97.3
College Graduate	6046	2,076,515	205	1.6	1.2- 2.0	5841	98.4	98.0-98.8
Less than \$15,000	2166	737,631	223	6.5	3.6- 9.4	1943	93.5	90.6-96.4
\$15,000- 24,999	4123	1,558,643	308	4.4	3.0- 5.8	3815	95.6	94.2-97.0
\$25,000- 34,999	2222	815,590	134	3.3	2.1- 4.5	2088	96.7	95.5-97.9
\$35,000- 49,999	2401	964,839	96	3.0	1.4- 4.6	2305	97.0	95.4-98.6
\$50,000- 74,999	2172	876,263	61	1.7	0.7- 2.7	2111	98.3	97.3-99.3
\$75,000+	3387	1,541,312	79	1.3	0.7- 1.9	3308	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36636	16,445,844	2600	4.7	4.3- 5.1	34036	95.3	94.9-95.7
Male	15456	7,948,962	1361	5.7	5.1- 6.3	14095	94.3	93.7-94.9
Female	21177	8,495,140	1239	3.9	3.3- 4.5	19938	96.1	95.5-96.7
White/Non-Hisp	26348	9,236,204	2108	5.7	5.1- 6.3	24240	94.3	93.7-94.9
Black or Afr. Am./Non-Hisp	3725	2,303,098	184	3.2	1.8- 4.6	3541	96.8	95.4-98.2
Oth. Race/Non-Hisp.	1043	594,068	65	4.6	0.3- 8.9	978	95.4	91.1-99.7
MultiRacial/Non-Hisp.	452	152,177	43	5.3	0.0-10.6	409	94.7	89.4- 100
Hispanic	4405	3,812,635	145	2.9	2.1- 3.7	4260	97.1	96.3-97.9
18-24	1877	1,812,096	9	0.3	0.0- 0.7	1868	99.7	99.3- 100
25-34	3488	2,601,846	27	0.8	0.2- 1.4	3461	99.2	98.6-99.8
35-44	3697	2,383,450	57	1.7	0.9- 2.5	3640	98.3	97.5-99.1
45-54	5262	2,594,004	211	3.1	2.3- 3.9	5051	96.9	96.1-97.7
55-64	7256	2,689,483	524	6.1	4.7- 7.5	6732	93.9	92.5-95.3
65+	14488	4,048,887	1745	11.3	10.1-12.5	12743	88.7	87.5-89.9
Less Than H.S.	3834	2,223,474	370	7.0	5.0- 9.0	3464	93.0	91.0-95.0
H.S. or G.E.D.	10979	4,856,392	749	4.2	3.4- 5.0	10230	95.8	95.0-96.6
Some Post-H.S.	10605	5,171,283	812	5.1	4.3- 5.9	9793	94.9	94.1-95.7
College Graduate	11004	4,077,055	647	3.8	3.2- 4.4	10357	96.2	95.6-96.8
Less than \$15,000	3342	1,289,915	404	9.6	7.1-12.1	2938	90.4	87.9-92.9
\$15,000- 24,999	6648	2,836,008	555	5.7	4.5- 6.9	6093	94.3	93.1-95.5
\$25,000- 34,999	3755	1,541,578	291	4.8	3.8- 5.8	3464	95.2	94.2-96.2
\$35,000- 49,999	4405	1,916,522	297	4.8	3.6- 6.0	4108	95.2	94.0-96.4
\$50,000- 74,999	4077	1,805,323	234	3.6	2.8- 4.4	3843	96.4	95.6-97.2
\$75,000+	6930	3,491,862	310	3.1	2.3- 3.9	6620	96.9	96.1-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15456	7,948,962	1361	5.7	5.1- 6.3	14095	94.3	93.7-94.9
White/Non-Hisp	10910	4,474,010	1139	7.4	6.6- 8.2	9771	92.6	91.8-93.4
Black or Afr. Am./Non-Hisp	1491	1,084,181	62	3.7	1.5- 5.9	1429	96.3	94.1-98.5
Oth. Race/Non-Hisp.	532	276,737	34	7.3	0.0-15.9	498	92.7	84.1- 100
MultiRacial/Non-Hisp.	221	69,183	24	2.5	0.5- 4.5	197	97.5	95.5-99.5
Hispanic	1950	1,852,272	68	2.4	1.4- 3.4	1882	97.6	96.6-98.6
18-24	961	932,105	8	0.6	0.0- 1.2	953	99.4	98.8- 100
25-34	1615	1,312,094	12	0.7	0.0- 1.5	1603	99.3	98.5- 100
35-44	1627	1,178,421	34	2.0	1.0- 3.0	1593	98.0	97.0-99.0
45-54	2307	1,286,466	89	3.0	1.8- 4.2	2218	97.0	95.8-98.2
55-64	3080	1,274,145	293	8.3	5.8-10.8	2787	91.7	89.2-94.2
65+	5642	1,831,726	916	14.5	12.5-16.5	4726	85.5	83.5-87.5
Less Than H.S.	1686	1,152,113	163	7.1	4.2-10.0	1523	92.9	90.0-95.8
H.S. or G.E.D.	4598	2,422,204	381	5.1	3.9- 6.3	4217	94.9	93.7-96.1
Some Post-H.S.	4118	2,322,313	383	5.7	4.7- 6.7	3735	94.3	93.3-95.3
College Graduate	4970	2,006,262	427	5.5	4.5- 6.5	4543	94.5	93.5-95.5
Less than \$15,000	1183	562,247	152	10.7	6.0-15.4	1031	89.3	84.6-94.0
\$15,000- 24,999	2538	1,288,762	241	6.4	4.6- 8.2	2297	93.6	91.8-95.4
\$25,000- 34,999	1539	725,767	165	6.5	4.7- 8.3	1374	93.5	91.7-95.3
\$35,000- 49,999	2012	953,271	189	5.9	4.3- 7.5	1823	94.1	92.5-95.7
\$50,000- 74,999	1906	927,049	171	5.3	3.9- 6.7	1735	94.7	93.3-96.1
\$75,000+	3546	1,953,371	230	4.7	3.3- 6.1	3316	95.3	93.9-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21177	8,495,140	1239	3.9	3.3- 4.5	19938	96.1	95.5-96.7
White/Non-Hisp	15436	4,761,049	969	4.1	3.5- 4.7	14467	95.9	95.3-96.5
Black or Afr. Am./Non-Hisp	2233	1,218,320	122	2.8	1.2- 4.4	2111	97.2	95.6-98.8
Oth. Race/Non-Hisp.	511	317,331	31	2.2	0.0- 4.7	480	97.8	95.3- 100
MultiRacial/Non-Hisp.	231	82,994	19	7.5	0.0-16.9	212	92.5	83.1- 100
Hispanic	2455	1,960,363	77	3.3	1.9- 4.7	2378	96.7	95.3-98.1
18-24	916	879,990	1	0.1	0.0- 0.3	915	99.9	99.7- 100
25-34	1871	1,288,262	15	1.0	0.2- 1.8	1856	99.0	98.2-99.8
35-44	2070	1,205,029	23	1.4	0.2- 2.6	2047	98.6	97.4-99.8
45-54	2955	1,307,538	122	3.2	2.0- 4.4	2833	96.8	95.6-98.0
55-64	4176	1,415,338	231	4.1	2.7- 5.5	3945	95.9	94.5-97.3
65+	8845	2,216,909	829	8.6	7.0-10.2	8016	91.4	89.8-93.0
Less Than H.S.	2147	1,070,764	207	6.9	4.4- 9.4	1940	93.1	90.6-95.6
H.S. or G.E.D.	6381	2,434,188	368	3.3	2.3- 4.3	6013	96.7	95.7-97.7
Some Post-H.S.	6487	2,848,971	429	4.5	3.5- 5.5	6058	95.5	94.5-96.5
College Graduate	6032	2,069,648	220	2.1	1.5- 2.7	5812	97.9	97.3-98.5
Less than \$15,000	2159	727,668	252	8.9	6.0-11.8	1907	91.1	88.2-94.0
\$15,000- 24,999	4110	1,547,246	314	5.1	3.5- 6.7	3796	94.9	93.3-96.5
\$25,000- 34,999	2215	814,918	126	3.2	2.0- 4.4	2089	96.8	95.6-98.0
\$35,000- 49,999	2393	963,251	108	3.7	1.9- 5.5	2285	96.3	94.5-98.1
\$50,000- 74,999	2171	878,273	63	1.7	0.9- 2.5	2108	98.3	97.5-99.1
\$75,000+	3383	1,538,239	80	1.1	0.7- 1.5	3303	98.9	98.5-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36825	16,504,004	2002	3.5	3.1- 3.9	34823	96.5	96.1-96.9
Male	15538	7,968,792	858	3.7	3.1- 4.3	14680	96.3	95.7-96.9
Female	21284	8,533,469	1143	3.3	2.9- 3.7	20141	96.7	96.3-97.1
White/Non-Hisp	26499	9,276,351	1531	4.2	3.8- 4.6	24968	95.8	95.4-96.2
Black or Afr. Am./Non-Hisp	3741	2,314,396	233	3.9	2.7- 5.1	3508	96.1	94.9-97.3
Oth. Race/Non-Hisp.	1046	597,632	66	1.9	0.5- 3.3	980	98.1	96.7-99.5
MultiRacial/Non-Hisp.	453	151,245	43	6.5	1.0-12.0	410	93.5	88.0-99.0
Hispanic	4411	3,816,244	95	1.8	1.2- 2.4	4316	98.2	97.6-98.8
18-24	1876	1,808,769	8	0.3	0.1- 0.5	1868	99.7	99.5-99.9
25-34	3485	2,596,989	33	0.7	0.3- 1.1	3452	99.3	98.9-99.7
35-44	3700	2,388,197	66	1.8	1.0- 2.6	3634	98.2	97.4-99.0
45-54	5278	2,601,675	203	3.3	2.3- 4.3	5075	96.7	95.7-97.7
55-64	7275	2,702,890	424	4.3	3.5- 5.1	6851	95.7	94.9-96.5
65+	14636	4,076,976	1250	7.4	6.4- 8.4	13386	92.6	91.6-93.6
Less Than H.S.	3869	2,238,897	313	4.5	3.3- 5.7	3556	95.5	94.3-96.7
H.S. or G.E.D.	11043	4,871,137	668	4.1	3.3- 4.9	10375	95.9	95.1-96.7
Some Post-H.S.	10653	5,178,894	575	3.5	2.9- 4.1	10078	96.5	95.9-97.1
College Graduate	11041	4,089,663	437	2.3	1.9- 2.7	10604	97.7	97.3-98.1
Less than \$15,000	3354	1,291,399	342	7.4	5.6- 9.2	3012	92.6	90.8-94.4
\$15,000- 24,999	6688	2,846,931	494	4.7	3.9- 5.5	6194	95.3	94.5-96.1
\$25,000- 34,999	3778	1,550,348	228	4.3	3.1- 5.5	3550	95.7	94.5-96.9
\$35,000- 49,999	4417	1,919,187	201	2.8	2.0- 3.6	4216	97.2	96.4-98.0
\$50,000- 74,999	4087	1,806,377	142	2.2	1.2- 3.2	3945	97.8	96.8-98.8
\$75,000+	6943	3,496,835	174	1.7	1.1- 2.3	6769	98.3	97.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15538	7,968,792	858	3.7	3.1- 4.3	14680	96.3	95.7-96.9
White/Non-Hisp	10975	4,490,416	677	4.6	3.8- 5.4	10298	95.4	94.6-96.2
Black or Afr. Am./Non-Hisp	1494	1,083,854	78	3.6	1.8- 5.4	1416	96.4	94.6-98.2
Oth. Race/Non-Hisp.	535	278,592	30	1.6	0.4- 2.8	505	98.4	97.2-99.6
MultiRacial/Non-Hisp.	221	69,065	18	3.2	0.5- 5.9	203	96.8	94.1-99.5
Hispanic	1955	1,853,968	37	2.1	1.1- 3.1	1918	97.9	96.9-98.9
18-24	960	928,778	4	0.2	0.0- 0.6	956	99.8	99.4- 100
25-34	1615	1,310,099	14	0.5	0.1- 0.9	1601	99.5	99.1-99.9
35-44	1626	1,179,365	26	1.9	0.7- 3.1	1600	98.1	96.9-99.3
45-54	2307	1,286,526	72	3.1	1.7- 4.5	2235	96.9	95.5-98.3
55-64	3086	1,276,331	196	4.7	3.5- 5.9	2890	95.3	94.1-96.5
65+	5718	1,852,015	538	8.7	7.1-10.3	5180	91.3	89.7-92.9
Less Than H.S.	1703	1,159,427	140	5.1	3.5- 6.7	1563	94.9	93.3-96.5
H.S. or G.E.D.	4624	2,424,812	276	4.1	3.1- 5.1	4348	95.9	94.9-96.9
Some Post-H.S.	4135	2,324,434	217	3.5	2.5- 4.5	3918	96.5	95.5-97.5
College Graduate	4989	2,012,776	222	2.8	2.0- 3.6	4767	97.2	96.4-98.0
Less than \$15,000	1184	560,199	120	8.1	5.2-11.0	1064	91.9	89.0-94.8
\$15,000- 24,999	2551	1,286,515	208	5.5	3.9- 7.1	2343	94.5	92.9-96.1
\$25,000- 34,999	1552	734,216	96	3.8	2.4- 5.2	1456	96.2	94.8-97.6
\$35,000- 49,999	2019	954,946	110	3.5	2.3- 4.7	1909	96.5	95.3-97.7
\$50,000- 74,999	1910	927,267	81	3.1	1.3- 4.9	1829	96.9	95.1-98.7
\$75,000+	3554	1,954,215	93	2.0	1.2- 2.8	3461	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21284	8,533,469	1143	3.3	2.9- 3.7	20141	96.7	96.3-97.1
White/Non-Hisp	15522	4,784,789	853	3.8	3.2- 4.4	14669	96.2	95.6-96.8
Black or Afr. Am./Non-Hisp	2246	1,229,945	155	4.1	2.5- 5.7	2091	95.9	94.3-97.5
Oth. Race/Non-Hisp.	511	319,040	36	2.1	0.0- 4.3	475	97.9	95.7- 100
MultiRacial/Non-Hisp.	232	82,180	25	9.2	0.0-18.8	207	90.8	81.2- 100
Hispanic	2456	1,962,276	58	1.6	0.8- 2.4	2398	98.4	97.6-99.2
18-24	916	879,990	4	0.3	0.0- 0.7	912	99.7	99.3- 100
25-34	1868	1,285,400	19	0.9	0.3- 1.5	1849	99.1	98.5-99.7
35-44	2074	1,208,831	40	1.6	0.6- 2.6	2034	98.4	97.4-99.4
45-54	2971	1,315,149	131	3.4	2.2- 4.6	2840	96.6	95.4-97.8
55-64	4189	1,426,558	228	3.9	2.9- 4.9	3961	96.1	95.1-97.1
65+	8917	2,224,709	711	6.4	5.2- 7.6	8206	93.6	92.4-94.8
Less Than H.S.	2165	1,078,873	173	4.0	2.6- 5.4	1992	96.0	94.6-97.4
H.S. or G.E.D.	6419	2,446,325	392	4.1	3.1- 5.1	6027	95.9	94.9-96.9
Some Post-H.S.	6518	2,854,460	358	3.5	2.7- 4.3	6160	96.5	95.7-97.3
College Graduate	6050	2,075,741	214	1.9	1.5- 2.3	5836	98.1	97.7-98.5
Less than \$15,000	2170	731,199	222	7.0	4.8- 9.2	1948	93.0	90.8-95.2
\$15,000- 24,999	4137	1,560,416	286	4.0	3.0- 5.0	3851	96.0	95.0-97.0
\$25,000- 34,999	2225	815,238	132	4.7	2.7- 6.7	2093	95.3	93.3-97.3
\$35,000- 49,999	2398	964,241	91	2.1	1.3- 2.9	2307	97.9	97.1-98.7
\$50,000- 74,999	2177	879,110	61	1.2	0.6- 1.8	2116	98.8	98.2-99.4
\$75,000+	3388	1,542,368	80	1.3	0.5- 2.1	3308	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36846	16,518,509	4335	11.0	10.4-11.6	32511	89.0	88.4-89.6
Male	15560	7,982,514	1407	9.8	8.8-10.8	14153	90.2	89.2-91.2
Female	21283	8,534,252	2927	12.2	11.2-13.2	18356	87.8	86.8-88.8
White/Non-Hisp	26509	9,274,187	3094	10.7	9.9-11.5	23415	89.3	88.5-90.1
Black or Afr. Am./Non-Hisp	3747	2,315,518	479	11.8	9.6-14.0	3268	88.2	86.0-90.4
Oth. Race/Non-Hisp.	1045	595,841	141	8.0	3.7-12.3	904	92.0	87.7-96.3
MultiRacial/Non-Hisp.	456	152,440	83	18.2	10.0-26.4	373	81.8	73.6-90.0
Hispanic	4414	3,830,912	471	11.9	10.1-13.7	3943	88.1	86.3-89.9
18-24	1871	1,811,493	277	14.1	11.7-16.5	1594	85.9	83.5-88.3
25-34	3488	2,606,425	435	12.4	10.4-14.4	3053	87.6	85.6-89.6
35-44	3699	2,386,782	424	10.9	8.9-12.9	3275	89.1	87.1-91.1
45-54	5283	2,603,384	642	10.0	8.6-11.4	4641	90.0	88.6-91.4
55-64	7286	2,699,728	944	12.0	10.2-13.8	6342	88.0	86.2-89.8
65+	14647	4,083,968	1547	9.0	8.0-10.0	13100	91.0	90.0-92.0
Less Than H.S.	3880	2,244,500	588	14.2	11.7-16.7	3292	85.8	83.3-88.3
H.S. or G.E.D.	11053	4,875,039	1239	10.4	9.2-11.6	9814	89.6	88.4-90.8
Some Post-H.S.	10657	5,187,843	1354	11.4	10.2-12.6	9303	88.6	87.4-89.8
College Graduate	11038	4,086,056	1135	9.5	8.5-10.5	9903	90.5	89.5-91.5
Less than \$15,000	3372	1,300,469	632	17.7	14.6-20.8	2740	82.3	79.2-85.4
\$15,000- 24,999	6701	2,850,293	901	11.7	10.1-13.3	5800	88.3	86.7-89.9
\$25,000- 34,999	3781	1,551,342	412	12.5	9.8-15.2	3369	87.5	84.8-90.2
\$35,000- 49,999	4414	1,917,779	442	9.4	7.6-11.2	3972	90.6	88.8-92.4
\$50,000- 74,999	4086	1,807,297	422	10.9	9.1-12.7	3664	89.1	87.3-90.9
\$75,000+	6944	3,497,389	662	10.0	8.6-11.4	6282	90.0	88.6-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15560	7,982,514	1407	9.8	8.8-10.8	14153	90.2	89.2-91.2
White/Non-Hisp	10984	4,492,705	978	9.2	8.2-10.2	10006	90.8	89.8-91.8
Black or Afr. Am./Non-Hisp	1501	1,086,838	145	10.3	7.0-13.6	1356	89.7	86.4-93.0
Oth. Race/Non-Hisp.	533	277,170	53	7.5	0.0-15.3	480	92.5	84.7- 100
MultiRacial/Non-Hisp.	223	69,356	32	21.8	7.7-35.9	191	78.2	64.1-92.3
Hispanic	1960	1,862,047	172	11.3	8.8-13.8	1788	88.7	86.2-91.2
18-24	962	934,549	146	14.7	11.0-18.4	816	85.3	81.6-89.0
25-34	1617	1,318,938	185	11.9	9.2-14.6	1432	88.1	85.4-90.8
35-44	1627	1,178,011	155	10.8	7.7-13.9	1472	89.2	86.1-92.3
45-54	2311	1,286,891	194	7.5	5.5- 9.5	2117	92.5	90.5-94.5
55-64	3096	1,275,756	280	9.2	6.5-11.9	2816	90.8	88.1-93.5
65+	5722	1,854,095	425	7.2	5.8- 8.6	5297	92.8	91.4-94.2
Less Than H.S.	1713	1,163,717	211	14.1	10.0-18.2	1502	85.9	81.8-90.0
H.S. or G.E.D.	4630	2,432,247	427	9.4	7.8-11.0	4203	90.6	89.0-92.2
Some Post-H.S.	4142	2,329,444	377	9.8	8.0-11.6	3765	90.2	88.4-92.0
College Graduate	4988	2,009,764	388	7.7	6.3- 9.1	4600	92.3	90.9-93.7
Less than \$15,000	1193	561,066	170	15.6	9.9-21.3	1023	84.4	78.7-90.1
\$15,000- 24,999	2561	1,294,210	265	9.7	7.5-11.9	2296	90.3	88.1-92.5
\$25,000- 34,999	1556	735,392	125	11.7	7.4-16.0	1431	88.3	84.0-92.6
\$35,000- 49,999	2016	953,447	171	8.7	6.2-11.2	1845	91.3	88.8-93.8
\$50,000- 74,999	1912	928,601	148	9.1	6.7-11.5	1764	90.9	88.5-93.3
\$75,000+	3557	1,956,786	289	10.3	8.1-12.5	3268	89.7	87.5-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21283	8,534,252	2927	12.2	11.2-13.2	18356	87.8	86.8-88.8
White/Non-Hisp	15523	4,780,336	2116	12.1	11.1-13.1	13407	87.9	86.9-88.9
Black or Afr. Am./Non-Hisp	2245	1,228,082	333	13.0	10.3-15.7	1912	87.0	84.3-89.7
Oth. Race/Non-Hisp.	512	318,671	88	8.4	4.3-12.5	424	91.6	87.5-95.7
MultiRacial/Non-Hisp.	233	83,084	51	15.2	6.8-23.6	182	84.8	76.4-93.2
Hispanic	2454	1,968,865	299	12.4	10.0-14.8	2155	87.6	85.2-90.0
18-24	909	876,943	131	13.4	10.3-16.5	778	86.6	83.5-89.7
25-34	1869	1,285,996	249	12.9	10.2-15.6	1620	87.1	84.4-89.8
35-44	2072	1,208,771	269	11.1	8.9-13.3	1803	88.9	86.7-91.1
45-54	2972	1,316,493	448	12.5	10.3-14.7	2524	87.5	85.3-89.7
55-64	4190	1,423,972	664	14.4	12.0-16.8	3526	85.6	83.2-88.0
65+	8924	2,229,621	1122	10.5	8.9-12.1	7802	89.5	87.9-91.1
Less Than H.S.	2166	1,080,186	376	14.3	11.2-17.4	1790	85.7	82.6-88.8
H.S. or G.E.D.	6423	2,442,792	812	11.4	9.8-13.0	5611	88.6	87.0-90.2
Some Post-H.S.	6515	2,858,399	977	12.7	11.1-14.3	5538	87.3	85.7-88.9
College Graduate	6048	2,075,146	747	11.2	9.6-12.8	5301	88.8	87.2-90.4
Less than \$15,000	2179	739,403	462	19.3	15.6-23.0	1717	80.7	77.0-84.4
\$15,000- 24,999	4140	1,556,083	636	13.3	11.1-15.5	3504	86.7	84.5-88.9
\$25,000- 34,999	2224	815,056	287	13.2	9.9-16.5	1937	86.8	83.5-90.1
\$35,000- 49,999	2398	964,332	271	10.0	7.6-12.4	2127	90.0	87.6-92.4
\$50,000- 74,999	2174	878,697	274	12.8	9.9-15.7	1900	87.2	84.3-90.1
\$75,000+	3386	1,540,352	373	9.7	7.9-11.5	3013	90.3	88.5-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4231	1,789,959	2910	62.0	58.9-65.1	1321	38.0	34.9-41.1
Male	1363	765,464	792	54.2	48.7-59.7	571	45.8	40.3-51.3
Female	2867	1,023,898	2118	67.9	64.0-71.8	749	32.1	28.2-36.0
White/Non-Hisp	3019	972,582	2123	65.8	62.3-69.3	896	34.2	30.7-37.7
Black or Afr. Am./Non-Hisp	469	265,920	344	66.8	57.0-76.6	125	33.2	23.4-43.0
Oth. Race/Non-Hisp.	135	46,972	93	68.6	47.8-89.4	42	31.4	10.6-52.2
MultiRacial/Non-Hisp.	83	27,759	58	60.3	36.8-83.8	25	39.7	16.2-63.2
Hispanic	460	446,368	251	50.7	42.7-58.7	209	49.3	41.3-57.3
18-24	273	249,939	135	50.7	41.3-60.1	138	49.3	39.9-58.7
25-34	422	317,712	239	56.1	47.9-64.3	183	43.9	35.7-52.1
35-44	414	256,200	262	56.6	46.8-66.4	152	43.4	33.6-53.2
45-54	626	253,558	461	70.9	63.8-78.0	165	29.1	22.0-36.2
55-64	928	321,777	686	68.1	60.5-75.7	242	31.9	24.3-39.5
65+	1503	356,503	1083	66.6	60.3-72.9	420	33.4	27.1-39.7
Less Than H.S.	570	308,171	430	64.5	54.1-74.9	140	35.5	25.1-45.9
H.S. or G.E.D.	1207	499,276	842	65.6	59.7-71.5	365	34.4	28.5-40.3
Some Post-H.S.	1322	581,526	894	58.5	53.0-64.0	428	41.5	36.0-47.0
College Graduate	1113	381,225	734	63.0	57.5-68.5	379	37.0	31.5-42.5
Less than \$15,000	612	223,604	484	70.4	60.6-80.2	128	29.6	19.8-39.4
\$15,000- 24,999	882	328,973	644	66.2	59.3-73.1	238	33.8	26.9-40.7
\$25,000- 34,999	403	191,108	265	51.9	39.9-63.9	138	48.1	36.1-60.1
\$35,000- 49,999	431	175,654	273	57.9	48.1-67.7	158	42.1	32.3-51.9
\$50,000- 74,999	413	192,165	260	53.4	44.4-62.4	153	46.6	37.6-55.6
\$75,000+	649	343,870	410	61.9	54.5-69.3	239	38.1	30.7-45.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1363	765,464	792	54.2	48.7-59.7	571	45.8	40.3-51.3
White/Non-Hisp	951	402,257	577	59.4	53.7-65.1	374	40.6	34.9-46.3
Black or Afr. Am./Non-Hisp	141	111,049	86	59.5	42.6-76.4	55	40.5	23.6-57.4
Hispanic	165	204,633	68	40.0	27.8-52.2	97	60.0	47.8-72.2
18-24	143	134,365	58	42.6	29.1-56.1	85	57.4	43.9-70.9
25-34	178	153,545	85	49.5	37.5-61.5	93	50.5	38.5-62.5
35-44	151	125,408	71	43.6	28.5-58.7	80	56.4	41.3-71.5
45-54	185	90,240	117	70.2	57.1-83.3	68	29.8	16.7-42.9
55-64	274	117,128	183	66.9	53.0-80.8	91	33.1	19.2-47.0
65+	411	129,735	267	61.2	51.2-71.2	144	38.8	28.8-48.8
Less Than H.S.	200	159,034	134	57.2	40.7-73.7	66	42.8	26.3-59.3
H.S. or G.E.D.	410	221,845	248	57.6	48.0-67.2	162	42.4	32.8-52.0
Some Post-H.S.	367	223,497	204	53.4	44.2-62.6	163	46.6	37.4-55.8
College Graduate	382	153,228	205	49.8	41.0-58.6	177	50.2	41.4-59.0
Less than \$15,000	164	86,933	119	65.0	45.8-84.2	45	35.0	15.8-54.2
\$15,000- 24,999	258	124,641	165	57.8	47.0-68.6	93	42.2	31.4-53.0
\$25,000- 34,999	121	84,527	63	42.3	22.9-61.7	58	57.7	38.3-77.1
\$35,000- 49,999	165	81,396	87	47.6	32.7-62.5	78	52.4	37.5-67.3
\$50,000- 74,999	143	80,530	77	48.8	36.3-61.3	66	51.2	38.7-63.7
\$75,000+	282	197,137	153	54.2	43.8-64.6	129	45.8	35.4-56.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2867	1,023,898	2118	67.9	64.2-71.6	749	32.1	28.4-35.8
White/Non-Hisp	2068	570,325	1546	70.3	66.0-74.6	522	29.7	25.4-34.0
Black or Afr. Am./Non-Hisp	327	154,273	258	72.3	60.7-83.9	69	27.7	16.1-39.3
Oth. Race/Non-Hisp.	86	26,535	60	63.5	40.0-87.0	26	36.5	13.0-60.0
MultiRacial/Non-Hisp.	51	12,618	40	62.7	33.3-92.1	11	37.3	7.9-66.7
Hispanic	295	241,735	183	59.8	50.0-69.6	112	40.2	30.4-50.0
18-24	130	115,574	77	60.1	47.6-72.6	53	39.9	27.4-52.4
25-34	243	163,569	154	62.6	51.4-73.8	89	37.4	26.2-48.6
35-44	263	130,791	191	69.1	58.5-79.7	72	30.9	20.3-41.5
45-54	441	163,318	344	71.3	62.9-79.7	97	28.7	20.3-37.1
55-64	654	204,649	503	68.7	59.9-77.5	151	31.3	22.5-40.1
65+	1092	226,769	816	69.7	62.1-77.3	276	30.3	22.7-37.9
Less Than H.S.	369	148,540	296	72.7	60.5-84.9	73	27.3	15.1-39.5
H.S. or G.E.D.	797	277,432	594	72.0	65.1-78.9	203	28.0	21.1-34.9
Some Post-H.S.	955	358,029	690	61.6	54.7-68.5	265	38.4	31.5-45.3
College Graduate	731	227,997	529	71.9	66.0-77.8	202	28.1	22.2-34.0
Less than \$15,000	448	136,671	365	73.8	63.8-83.8	83	26.2	16.2-36.2
\$15,000- 24,999	624	204,332	479	71.4	63.2-79.6	145	28.6	20.4-36.8
\$25,000- 34,999	282	106,581	202	59.4	45.9-72.9	80	40.6	27.1-54.1
\$35,000- 49,999	266	94,258	186	66.8	55.2-78.4	80	33.2	21.6-44.8
\$50,000- 74,999	270	111,634	183	56.8	44.1-69.5	87	43.2	30.5-55.9
\$75,000+	367	146,733	257	72.4	63.2-81.6	110	27.6	18.4-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36819	16,515,171	5368	9.1	8.5- 9.7	31451	90.9	90.3-91.5
Male	15543	7,976,139	2475	9.9	9.1-10.7	13068	90.1	89.3-90.9
Female	21273	8,537,290	2893	8.4	7.8- 9.0	18380	91.6	91.0-92.2
White/Non-Hisp	26480	9,270,750	5021	14.6	13.8-15.4	21459	85.4	84.6-86.2
Black or Afr. Am./Non-Hisp	3745	2,316,132	41	0.8	0.0- 1.6	3704	99.2	98.4- 100
Oth. Race/Non-Hisp.	1043	597,074	77	1.9	0.9- 2.9	966	98.1	97.1-99.1
MultiRacial/Non-Hisp.	455	152,432	40	4.5	1.6- 7.4	415	95.5	92.6-98.4
Hispanic	4422	3,830,269	115	2.3	1.5- 3.1	4307	97.7	96.9-98.5
18-24	1877	1,811,464	9	0.4	0.0- 0.8	1868	99.6	99.2- 100
25-34	3490	2,606,593	34	0.8	0.4- 1.2	3456	99.2	98.8-99.6
35-44	3701	2,388,316	103	3.6	2.4- 4.8	3598	96.4	95.2-97.6
45-54	5271	2,597,457	382	5.7	4.7- 6.7	4889	94.3	93.3-95.3
55-64	7281	2,697,609	952	10.5	9.1-11.9	6329	89.5	88.1-90.9
65+	14630	4,087,566	3814	22.9	21.3-24.5	10816	77.1	75.5-78.7
Less Than H.S.	3874	2,248,052	414	6.4	4.6- 8.2	3460	93.6	91.8-95.4
H.S. or G.E.D.	11042	4,871,459	1526	7.8	6.8- 8.8	9516	92.2	91.2-93.2
Some Post-H.S.	10653	5,184,659	1548	9.6	8.6-10.6	9105	90.4	89.4-91.4
College Graduate	11033	4,086,197	1865	11.9	10.9-12.9	9168	88.1	87.1-89.1
Less than \$15,000	3369	1,302,369	401	6.3	4.7- 7.9	2968	93.7	92.1-95.3
\$15,000- 24,999	6693	2,851,392	801	6.5	5.5- 7.5	5892	93.5	92.5-94.5
\$25,000- 34,999	3777	1,545,893	555	8.3	6.7- 9.9	3222	91.7	90.1-93.3
\$35,000- 49,999	4418	1,918,324	677	11.2	9.4-13.0	3741	88.8	87.0-90.6
\$50,000- 74,999	4083	1,805,269	656	10.3	8.7-11.9	3427	89.7	88.1-91.3
\$75,000+	6937	3,493,815	1129	11.7	10.3-13.1	5808	88.3	86.9-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15543	7,976,139	2475	9.9	9.1-10.7	13068	90.1	89.3-90.9
White/Non-Hisp	10970	4,492,207	2301	16.0	14.6-17.4	8669	84.0	82.6-85.4
Black or Afr. Am./Non-Hisp	1498	1,085,919	20	1.6	0.0- 3.4	1478	98.4	96.6- 100
Oth. Race/Non-Hisp.	532	276,959	47	1.9	0.9- 2.9	485	98.1	97.1-99.1
MultiRacial/Non-Hisp.	222	69,348	17	2.1	0.1- 4.1	205	97.9	95.9-99.9
Hispanic	1963	1,858,378	43	1.8	1.0- 2.6	1920	98.2	97.4-99.0
18-24	963	934,568	4	0.2	0.0- 0.4	959	99.8	99.6- 100
25-34	1618	1,317,192	19	0.8	0.2- 1.4	1599	99.2	98.6-99.8
35-44	1628	1,179,582	45	3.7	1.9- 5.5	1583	96.3	94.5-98.1
45-54	2305	1,282,484	163	5.3	3.7- 6.9	2142	94.7	93.1-96.3
55-64	3092	1,271,399	435	12.6	10.1-15.1	2657	87.4	84.9-89.9
65+	5714	1,857,033	1778	26.7	24.2-29.2	3936	73.3	70.8-75.8
Less Than H.S.	1709	1,165,825	180	7.3	4.4-10.2	1529	92.7	89.8-95.6
H.S. or G.E.D.	4628	2,426,260	632	7.5	6.1- 8.9	3996	92.5	91.1-93.9
Some Post-H.S.	4138	2,327,317	663	10.5	8.9-12.1	3475	89.5	87.9-91.1
College Graduate	4982	2,009,660	998	13.9	12.3-15.5	3984	86.1	84.5-87.7
Less than \$15,000	1195	564,400	128	5.7	3.5- 7.9	1067	94.3	92.1-96.5
\$15,000- 24,999	2554	1,292,570	330	6.7	4.9- 8.5	2224	93.3	91.5-95.1
\$25,000- 34,999	1556	730,133	244	9.4	6.9-11.9	1312	90.6	88.1-93.1
\$35,000- 49,999	2018	954,832	339	12.7	9.8-15.6	1679	87.3	84.4-90.2
\$50,000- 74,999	1907	926,657	359	11.5	9.1-13.9	1548	88.5	86.1-90.9
\$75,000+	3552	1,954,227	647	12.7	10.9-14.5	2905	87.3	85.5-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21273	8,537,290	2893	8.4	7.8- 9.0	18380	91.6	91.0-92.2
White/Non-Hisp	15508	4,777,398	2720	13.3	12.3-14.3	12788	86.7	85.7-87.7
Black or Afr. Am./Non-Hisp	2246	1,229,616	21	0.2	0.0- 0.4	2225	99.8	99.6- 100
Oth. Race/Non-Hisp.	511	320,115	30	2.0	0.4- 3.6	481	98.0	96.4-99.6
MultiRacial/Non-Hisp.	233	83,084	23	6.6	1.3-11.9	210	93.4	88.1-98.7
Hispanic	2459	1,971,892	72	2.7	1.5- 3.9	2387	97.3	96.1-98.5
18-24	914	876,896	5	0.6	0.0- 1.2	909	99.4	98.8- 100
25-34	1870	1,287,911	15	0.9	0.3- 1.5	1855	99.1	98.5-99.7
35-44	2073	1,208,734	58	3.5	1.9- 5.1	2015	96.5	94.9-98.1
45-54	2966	1,314,972	219	6.0	4.4- 7.6	2747	94.0	92.4-95.6
55-64	4189	1,426,210	517	8.6	7.2-10.0	3672	91.4	90.0-92.8
65+	8915	2,230,281	2036	19.7	17.9-21.5	6879	80.3	78.5-82.1
Less Than H.S.	2164	1,081,629	234	5.4	3.6- 7.2	1930	94.6	92.8-96.4
H.S. or G.E.D.	6414	2,445,199	894	8.1	6.9- 9.3	5520	91.9	90.7-93.1
Some Post-H.S.	6515	2,857,342	885	8.8	7.6-10.0	5630	91.2	90.0-92.4
College Graduate	6049	2,075,391	867	10.0	8.6-11.4	5182	90.0	88.6-91.4
Less than \$15,000	2174	737,969	273	6.7	4.5- 8.9	1901	93.3	91.1-95.5
\$15,000- 24,999	4139	1,558,822	471	6.3	5.1- 7.5	3668	93.7	92.5-94.9
\$25,000- 34,999	2220	814,867	311	7.3	5.7- 8.9	1909	92.7	91.1-94.3
\$35,000- 49,999	2400	963,492	338	9.7	7.5-11.9	2062	90.3	88.1-92.5
\$50,000- 74,999	2176	878,612	297	9.1	7.3-10.9	1879	90.9	89.1-92.7
\$75,000+	3384	1,539,336	482	10.3	8.5-12.1	2902	89.7	87.9-91.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36841	16,523,117	3986	7.5	6.9- 8.1	32855	92.5	91.9-93.1
Male	15551	7,983,025	1497	6.8	6.0- 7.6	14054	93.2	92.4-94.0
Female	21287	8,538,350	2489	8.1	7.3- 8.9	18798	91.9	91.1-92.7
White/Non-Hisp	26510	9,275,109	3335	9.6	9.0-10.2	23175	90.4	89.8-91.0
Black or Afr. Am./Non-Hisp	3743	2,315,127	225	4.7	2.9- 6.5	3518	95.3	93.5-97.1
Oth. Race/Non-Hisp.	1044	598,592	91	5.1	1.2- 9.0	953	94.9	91.0-98.8
MultiRacial/Non-Hisp.	455	152,432	44	5.4	1.9- 8.9	411	94.6	91.1-98.1
Hispanic	4419	3,835,883	232	4.6	3.6- 5.6	4187	95.4	94.4-96.4
18-24	1876	1,812,542	25	1.1	0.3- 1.9	1851	98.9	98.1-99.7
25-34	3494	2,609,246	74	1.7	1.1- 2.3	3420	98.3	97.7-98.9
35-44	3697	2,387,410	134	3.0	2.0- 4.0	3563	97.0	96.0-98.0
45-54	5281	2,603,531	338	5.2	3.8- 6.6	4943	94.8	93.4-96.2
55-64	7277	2,702,507	719	8.4	7.0- 9.8	6558	91.6	90.2-93.0
65+	14645	4,087,463	2654	17.8	16.4-19.2	11991	82.2	80.8-83.6
Less Than H.S.	3878	2,250,416	412	8.6	6.2-11.0	3466	91.4	89.0-93.8
H.S. or G.E.D.	11048	4,872,859	1195	7.4	6.4- 8.4	9853	92.6	91.6-93.6
Some Post-H.S.	10655	5,186,327	1174	6.9	6.1- 7.7	9481	93.1	92.3-93.9
College Graduate	11044	4,088,792	1186	7.9	7.1- 8.7	9858	92.1	91.3-92.9
Less than \$15,000	3369	1,302,637	416	9.3	6.6-12.0	2953	90.7	88.0-93.4
\$15,000- 24,999	6695	2,849,489	766	7.8	6.4- 9.2	5929	92.2	90.8-93.6
\$25,000- 34,999	3775	1,547,885	403	6.4	5.0- 7.8	3372	93.6	92.2-95.0
\$35,000- 49,999	4419	1,918,992	479	7.9	6.1- 9.7	3940	92.1	90.3-93.9
\$50,000- 74,999	4088	1,807,711	406	6.5	5.1- 7.9	3682	93.5	92.1-94.9
\$75,000+	6945	3,498,399	639	6.6	5.6- 7.6	6306	93.4	92.4-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15551	7,983,025	1497	6.8	6.0- 7.6	14054	93.2	92.4-94.0
White/Non-Hisp	10982	4,490,903	1243	8.8	7.8- 9.8	9739	91.2	90.2-92.2
Black or Afr. Am./Non-Hisp	1497	1,085,689	98	4.8	2.6- 7.0	1399	95.2	93.0-97.4
Oth. Race/Non-Hisp.	532	278,475	28	6.4	0.0-14.2	504	93.6	85.8- 100
MultiRacial/Non-Hisp.	222	69,348	23	7.4	0.7-14.1	199	92.6	85.9-99.3
Hispanic	1963	1,864,681	76	3.5	2.1- 4.9	1887	96.5	95.1-97.9
18-24	961	933,713	12	0.9	0.1- 1.7	949	99.1	98.3-99.9
25-34	1622	1,320,837	19	1.0	0.4- 1.6	1603	99.0	98.4-99.6
35-44	1627	1,179,545	21	1.4	0.4- 2.4	1606	98.6	97.6-99.6
45-54	2310	1,286,412	85	3.8	2.2- 5.4	2225	96.2	94.6-97.8
55-64	3091	1,277,932	222	7.2	4.8- 9.6	2869	92.8	90.4-95.2
65+	5715	1,851,565	1122	19.7	17.3-22.1	4593	80.3	77.9-82.7
Less Than H.S.	1710	1,162,800	136	7.0	3.9-10.1	1574	93.0	89.9-96.1
H.S. or G.E.D.	4628	2,433,548	432	6.8	5.4- 8.2	4196	93.2	91.8-94.6
Some Post-H.S.	4141	2,329,323	406	6.6	5.4- 7.8	3735	93.4	92.2-94.6
College Graduate	4987	2,010,359	517	7.2	6.0- 8.4	4470	92.8	91.6-94.0
Less than \$15,000	1196	564,804	101	8.1	3.6-12.6	1095	91.9	87.4-96.4
\$15,000- 24,999	2554	1,293,409	234	5.6	4.0- 7.2	2320	94.4	92.8-96.0
\$25,000- 34,999	1551	732,171	148	6.2	4.0- 8.4	1403	93.8	91.6-96.0
\$35,000- 49,999	2018	954,153	224	8.2	5.7-10.7	1794	91.8	89.3-94.3
\$50,000- 74,999	1913	928,798	193	7.1	4.7- 9.5	1720	92.9	90.5-95.3
\$75,000+	3557	1,956,389	316	6.7	5.3- 8.1	3241	93.3	91.9-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21287	8,538,350	2489	8.1	7.3- 8.9	18798	91.9	91.1-92.7
White/Non-Hisp	15526	4,783,060	2092	10.4	9.4-11.4	13434	89.6	88.6-90.6
Black or Afr. Am./Non-Hisp	2245	1,228,842	127	4.7	2.2- 7.2	2118	95.3	92.8-97.8
Oth. Race/Non-Hisp.	512	320,117	63	3.9	1.7- 6.1	449	96.1	93.9-98.3
MultiRacial/Non-Hisp.	233	83,084	21	3.7	0.6- 6.8	212	96.3	93.2-99.4
Hispanic	2456	1,971,202	156	5.7	4.1- 7.3	2300	94.3	92.7-95.9
18-24	915	878,828	13	1.3	0.0- 2.9	902	98.7	97.1- 100
25-34	1870	1,286,918	55	2.4	1.4- 3.4	1815	97.6	96.6-98.6
35-44	2070	1,207,865	113	4.6	3.0- 6.2	1957	95.4	93.8-97.0
45-54	2971	1,317,119	253	6.7	4.5- 8.9	2718	93.3	91.1-95.5
55-64	4186	1,424,575	497	9.5	7.7-11.3	3689	90.5	88.7-92.3
65+	8929	2,235,646	1532	16.2	14.4-18.0	7397	83.8	82.0-85.6
Less Than H.S.	2167	1,087,019	276	10.3	7.0-13.6	1891	89.7	86.4-93.0
H.S. or G.E.D.	6420	2,439,311	763	8.0	6.6- 9.4	5657	92.0	90.6-93.4
Some Post-H.S.	6514	2,857,004	768	7.1	6.1- 8.1	5746	92.9	91.9-93.9
College Graduate	6055	2,077,288	669	8.7	7.3-10.1	5386	91.3	89.9-92.7
Less than \$15,000	2173	737,833	315	10.2	6.9-13.5	1858	89.8	86.5-93.1
\$15,000- 24,999	4141	1,556,080	532	9.7	7.5-11.9	3609	90.3	88.1-92.5
\$25,000- 34,999	2223	814,820	255	6.5	4.7- 8.3	1968	93.5	91.7-95.3
\$35,000- 49,999	2401	964,839	255	7.7	5.3-10.1	2146	92.3	89.9-94.7
\$50,000- 74,999	2175	878,913	213	5.9	4.5- 7.3	1962	94.1	92.7-95.5
\$75,000+	3387	1,541,758	323	6.4	5.0- 7.8	3064	93.6	92.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36766	16,486,947	3879	7.1	6.5- 7.7	32887	92.9	92.3-93.5
Male	15504	7,947,195	1420	6.3	5.5- 7.1	14084	93.7	92.9-94.5
Female	21259	8,538,009	2459	7.8	7.0- 8.6	18800	92.2	91.4-93.0
White/Non-Hisp	26461	9,260,189	3108	8.7	8.1- 9.3	23353	91.3	90.7-91.9
Black or Afr. Am./Non-Hisp	3737	2,309,880	266	4.8	3.4- 6.2	3471	95.2	93.8-96.6
Oth. Race/Non-Hisp.	1042	597,383	122	5.6	1.5- 9.7	920	94.4	90.3-98.5
MultiRacial/Non-Hisp.	451	151,508	79	7.9	4.0-11.8	372	92.1	88.2-96.0
Hispanic	4407	3,818,651	236	5.0	3.8- 6.2	4171	95.0	93.8-96.2
18-24	1872	1,810,258	50	2.5	1.5- 3.5	1822	97.5	96.5-98.5
25-34	3485	2,602,493	116	3.7	2.5- 4.9	3369	96.3	95.1-97.5
35-44	3686	2,378,761	163	3.8	2.8- 4.8	3523	96.2	95.2-97.2
45-54	5261	2,587,256	435	5.6	4.6- 6.6	4826	94.4	93.4-95.4
55-64	7276	2,701,236	949	10.8	9.2-12.4	6327	89.2	87.6-90.8
65+	14615	4,081,600	2130	12.0	10.8-13.2	12485	88.0	86.8-89.2
Less Than H.S.	3859	2,237,833	632	10.6	8.6-12.6	3227	89.4	87.4-91.4
H.S. or G.E.D.	11015	4,860,216	1293	7.5	6.5- 8.5	9722	92.5	91.5-93.5
Some Post-H.S.	10643	5,184,949	1220	7.7	6.7- 8.7	9423	92.3	91.3-93.3
College Graduate	11033	4,082,732	716	4.2	3.6- 4.8	10317	95.8	95.2-96.4
Less than \$15,000	3355	1,295,667	710	16.2	13.1-19.3	2645	83.8	80.7-86.9
\$15,000- 24,999	6685	2,842,989	998	8.9	7.7-10.1	5687	91.1	89.9-92.3
\$25,000- 34,999	3770	1,545,283	394	7.0	5.4- 8.6	3376	93.0	91.4-94.6
\$35,000- 49,999	4417	1,918,379	428	7.7	6.1- 9.3	3989	92.3	90.7-93.9
\$50,000- 74,999	4081	1,803,328	270	5.9	4.3- 7.5	3811	94.1	92.5-95.7
\$75,000+	6937	3,492,725	322	3.1	2.3- 3.9	6615	96.9	96.1-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15504	7,947,195	1420	6.3	5.5- 7.1	14084	93.7	92.9-94.5
White/Non-Hisp	10957	4,477,848	1153	8.1	7.1- 9.1	9804	91.9	90.9-92.9
Black or Afr. Am./Non-Hisp	1489	1,080,056	89	4.6	2.8- 6.4	1400	95.4	93.6-97.2
Oth. Race/Non-Hisp.	533	278,588	41	5.8	0.0-13.6	492	94.2	86.4- 100
MultiRacial/Non-Hisp.	221	69,107	30	6.7	1.0-12.4	191	93.3	87.6-99.0
Hispanic	1949	1,847,326	84	3.4	2.2- 4.6	1865	96.6	95.4-97.8
18-24	956	930,268	30	3.0	1.4- 4.6	926	97.0	95.4-98.6
25-34	1613	1,313,338	52	3.4	1.8- 5.0	1561	96.6	95.0-98.2
35-44	1616	1,172,899	62	4.3	2.5- 6.1	1554	95.7	93.9-97.5
45-54	2299	1,275,391	130	3.8	2.6- 5.0	2169	96.2	95.0-97.4
55-64	3091	1,273,977	331	9.3	6.9-11.7	2760	90.7	88.3-93.1
65+	5705	1,848,716	805	11.4	9.8-13.0	4900	88.6	87.0-90.2
Less Than H.S.	1697	1,154,790	236	9.1	6.4-11.8	1461	90.9	88.2-93.6
H.S. or G.E.D.	4606	2,417,086	466	6.8	5.6- 8.0	4140	93.2	92.0-94.4
Some Post-H.S.	4134	2,327,568	413	6.6	5.4- 7.8	3721	93.4	92.2-94.6
College Graduate	4983	2,004,735	298	4.0	3.0- 5.0	4685	96.0	95.0-97.0
Less than \$15,000	1184	559,366	215	14.4	9.7-19.1	969	85.6	80.9-90.3
\$15,000- 24,999	2546	1,285,420	348	8.0	6.4- 9.6	2198	92.0	90.4-93.6
\$25,000- 34,999	1546	728,450	151	6.6	4.4- 8.8	1395	93.4	91.2-95.6
\$35,000- 49,999	2019	954,627	198	7.1	5.3- 8.9	1821	92.9	91.1-94.7
\$50,000- 74,999	1909	925,213	122	5.6	3.6- 7.6	1787	94.4	92.4-96.4
\$75,000+	3549	1,950,683	158	3.2	2.2- 4.2	3391	96.8	95.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21259	8,538,009	2459	7.8	7.0- 8.6	18800	92.2	91.4-93.0
White/Non-Hisp	15502	4,781,195	1955	9.2	8.4-10.0	13547	90.8	90.0-91.6
Black or Afr. Am./Non-Hisp	2247	1,229,227	177	4.9	3.1- 6.7	2070	95.1	93.3-96.9
Oth. Race/Non-Hisp.	509	318,795	81	5.4	2.1- 8.7	428	94.6	91.3-97.9
MultiRacial/Non-Hisp.	230	82,401	49	8.9	3.2-14.6	181	91.1	85.4-96.8
Hispanic	2458	1,971,324	152	6.5	4.5- 8.5	2306	93.5	91.5-95.5
18-24	916	879,990	20	1.9	0.7- 3.1	896	98.1	96.9-99.3
25-34	1870	1,287,665	64	4.0	2.0- 6.0	1806	96.0	94.0-98.0
35-44	2070	1,205,862	101	3.4	2.2- 4.6	1969	96.6	95.4-97.8
45-54	2962	1,311,866	305	7.4	5.8- 9.0	2657	92.6	91.0-94.2
55-64	4185	1,427,259	618	12.1	9.7-14.5	3567	87.9	85.5-90.3
65+	8909	2,232,632	1325	12.5	10.9-14.1	7584	87.5	85.9-89.1
Less Than H.S.	2161	1,082,446	396	12.1	9.0-15.2	1765	87.9	84.8-91.0
H.S. or G.E.D.	6409	2,443,130	827	8.2	6.8- 9.6	5582	91.8	90.4-93.2
Some Post-H.S.	6509	2,857,381	807	8.6	7.2-10.0	5702	91.4	90.0-92.8
College Graduate	6048	2,076,852	418	4.3	3.5- 5.1	5630	95.7	94.9-96.5
Less than \$15,000	2171	736,301	495	17.6	13.5-21.7	1676	82.4	78.3-86.5
\$15,000- 24,999	4139	1,557,570	650	9.7	7.9-11.5	3489	90.3	88.5-92.1
\$25,000- 34,999	2223	815,940	243	7.4	5.4- 9.4	1980	92.6	90.6-94.6
\$35,000- 49,999	2398	963,752	230	8.2	5.8-10.6	2168	91.8	89.4-94.2
\$50,000- 74,999	2172	878,114	148	6.1	3.6- 8.6	2024	93.9	91.4-96.4
\$75,000+	3387	1,541,790	164	3.0	2.0- 4.0	3223	97.0	96.0-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36771	16,470,977	13073	24.8	24.0-25.6	23698	75.2	74.4-76.0
Male	15507	7,946,921	4591	20.2	19.0-21.4	10916	79.8	78.6-81.0
Female	21261	8,522,314	8482	29.0	27.8-30.2	12779	71.0	69.8-72.2
White/Non-Hisp	26479	9,258,712	10394	31.0	30.0-32.0	16085	69.0	68.0-70.0
Black or Afr. Am./Non-Hisp	3724	2,296,791	1129	18.6	16.1-21.1	2595	81.4	78.9-83.9
Oth. Race/Non-Hisp.	1037	597,422	287	10.6	7.3-13.9	750	89.4	86.1-92.7
MultiRacial/Non-Hisp.	453	150,761	189	25.8	17.6-34.0	264	74.2	66.0-82.4
Hispanic	4411	3,820,077	868	15.9	14.1-17.7	3543	84.1	82.3-85.9
18-24	1870	1,799,590	72	3.3	2.1- 4.5	1798	96.7	95.5-97.9
25-34	3482	2,601,244	272	6.3	4.9- 7.7	3210	93.7	92.3-95.1
35-44	3689	2,382,607	569	10.9	9.3-12.5	3120	89.1	87.5-90.7
45-54	5267	2,592,776	1463	22.9	20.7-25.1	3804	77.1	74.9-79.3
55-64	7273	2,697,292	2977	36.3	33.9-38.7	4296	63.7	61.3-66.1
65+	14620	4,070,598	7563	48.3	46.5-50.1	7057	51.7	49.9-53.5
Less Than H.S.	3861	2,244,614	1595	28.6	25.5-31.7	2266	71.4	68.3-74.5
H.S. or G.E.D.	11026	4,855,069	4181	25.9	24.3-27.5	6845	74.1	72.5-75.7
Some Post-H.S.	10638	5,166,045	3947	25.7	24.1-27.3	6691	74.3	72.7-75.9
College Graduate	11030	4,080,675	3288	20.5	19.1-21.9	7742	79.5	78.1-80.9
Less than \$15,000	3360	1,301,073	1658	35.7	32.2-39.2	1702	64.3	60.8-67.8
\$15,000- 24,999	6694	2,845,252	2707	27.1	24.9-29.3	3987	72.9	70.7-75.1
\$25,000- 34,999	3763	1,541,706	1446	29.1	26.0-32.2	2317	70.9	67.8-74.0
\$35,000- 49,999	4406	1,908,403	1470	24.8	22.3-27.3	2936	75.2	72.7-77.7
\$50,000- 74,999	4083	1,799,252	1279	24.1	21.6-26.6	2804	75.9	73.4-78.4
\$75,000+	6940	3,491,784	1823	18.1	16.5-19.7	5117	81.9	80.3-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15507	7,946,921	4591	20.2	19.0-21.4	10916	79.8	78.6-81.0
White/Non-Hisp	10967	4,484,819	3654	26.1	24.5-27.7	7313	73.9	72.3-75.5
Black or Afr. Am./Non-Hisp	1482	1,074,190	368	16.0	12.5-19.5	1114	84.0	80.5-87.5
Oth. Race/Non-Hisp.	528	278,077	119	6.7	3.8- 9.6	409	93.3	90.4-96.2
MultiRacial/Non-Hisp.	222	69,321	86	19.1	10.5-27.7	136	80.9	72.3-89.5
Hispanic	1955	1,848,030	271	10.6	8.4-12.8	1684	89.4	87.2-91.6
18-24	957	930,412	26	3.0	1.4- 4.6	931	97.0	95.4-98.6
25-34	1617	1,317,957	100	4.0	2.8- 5.2	1517	96.0	94.8-97.2
35-44	1621	1,174,448	201	9.1	7.1-11.1	1420	90.9	88.9-92.9
45-54	2300	1,280,700	528	18.0	15.5-20.5	1772	82.0	79.5-84.5
55-64	3089	1,270,998	1131	31.5	28.0-35.0	1958	68.5	65.0-72.0
65+	5698	1,837,514	2552	41.6	38.9-44.3	3146	58.4	55.7-61.1
Less Than H.S.	1700	1,159,780	531	22.2	18.3-26.1	1169	77.8	73.9-81.7
H.S. or G.E.D.	4608	2,410,854	1435	20.7	18.5-22.9	3173	79.3	77.1-81.5
Some Post-H.S.	4131	2,320,708	1284	20.6	18.6-22.6	2847	79.4	77.4-81.4
College Graduate	4981	2,008,238	1322	18.4	16.6-20.2	3659	81.6	79.8-83.4
Less than \$15,000	1188	563,599	484	29.2	24.1-34.3	704	70.8	65.7-75.9
\$15,000- 24,999	2555	1,292,968	854	21.2	18.5-23.9	1701	78.8	76.1-81.5
\$25,000- 34,999	1542	727,074	501	22.9	19.0-26.8	1041	77.1	73.2-81.0
\$35,000- 49,999	2012	945,791	583	22.4	18.7-26.1	1429	77.6	73.9-81.3
\$50,000- 74,999	1910	925,132	541	20.6	17.5-23.7	1369	79.4	76.3-82.5
\$75,000+	3552	1,949,605	878	17.5	15.3-19.7	2674	82.5	80.3-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21261	8,522,314	8482	29.0	27.8-30.2	12779	71.0	69.8-72.2
White/Non-Hisp	15510	4,772,747	6740	35.6	34.0-37.2	8770	64.4	62.8-66.0
Black or Afr. Am./Non-Hisp	2241	1,222,004	761	20.8	17.3-24.3	1480	79.2	75.7-82.7
Oth. Race/Non-Hisp.	509	319,345	168	14.0	8.3-19.7	341	86.0	80.3-91.7
MultiRacial/Non-Hisp.	231	81,440	103	31.6	18.3-44.9	128	68.4	55.1-81.7
Hispanic	2456	1,972,048	597	21.0	18.1-23.9	1859	79.0	76.1-81.9
18-24	913	869,178	46	3.7	2.3- 5.1	867	96.3	94.9-97.7
25-34	1863	1,281,797	172	8.7	6.3-11.1	1691	91.3	88.9-93.7
35-44	2068	1,208,160	368	12.6	10.2-15.0	1700	87.4	85.0-89.8
45-54	2967	1,312,076	935	27.7	24.2-31.2	2032	72.3	68.8-75.8
55-64	4184	1,426,295	1846	40.5	37.2-43.8	2338	59.5	56.2-62.8
65+	8921	2,232,831	5011	53.7	51.3-56.1	3910	46.3	43.9-48.7
Less Than H.S.	2160	1,084,237	1064	35.5	30.8-40.2	1096	64.5	59.8-69.2
H.S. or G.E.D.	6418	2,444,215	2746	30.9	28.5-33.3	3672	69.1	66.7-71.5
Some Post-H.S.	6507	2,845,337	2663	29.9	27.7-32.1	3844	70.1	67.9-72.3
College Graduate	6047	2,071,291	1966	22.5	20.5-24.5	4081	77.5	75.5-79.5
Less than \$15,000	2172	737,475	1174	40.6	35.7-45.5	998	59.4	54.5-64.3
\$15,000- 24,999	4139	1,552,283	1853	32.1	29.2-35.0	2286	67.9	65.0-70.8
\$25,000- 34,999	2220	813,738	945	34.8	30.3-39.3	1275	65.2	60.7-69.7
\$35,000- 49,999	2394	962,612	887	27.3	23.8-30.8	1507	72.7	69.2-76.2
\$50,000- 74,999	2173	874,120	738	28.0	24.1-31.9	1435	72.0	68.1-75.9
\$75,000+	3387	1,541,927	945	19.0	16.8-21.2	2442	81.0	78.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36786	16,493,597	5835	14.2	13.4-15.0	30951	85.8	85.0-86.6
Male	15533	7,979,124	1806	10.4	9.4-11.4	13727	89.6	88.6-90.6
Female	21250	8,512,730	4027	17.8	16.6-19.0	17223	82.2	81.0-83.4
White/Non-Hisp	26479	9,272,159	4438	16.5	15.5-17.5	22041	83.5	82.5-84.5
Black or Afr. Am./Non-Hisp	3739	2,314,940	451	9.8	7.6-12.0	3288	90.2	88.0-92.4
Oth. Race/Non-Hisp.	1043	597,826	145	6.1	2.2-10.0	898	93.9	90.0-97.8
MultiRacial/Non-Hisp.	452	152,083	115	25.3	16.7-33.9	337	74.7	66.1-83.3
Hispanic	4407	3,813,741	573	12.1	10.3-13.9	3834	87.9	86.1-89.7
18-24	1863	1,799,826	240	12.6	10.2-15.0	1623	87.4	85.0-89.8
25-34	3483	2,601,999	536	14.0	11.8-16.2	2947	86.0	83.8-88.2
35-44	3692	2,384,415	617	13.6	11.6-15.6	3075	86.4	84.4-88.4
45-54	5273	2,595,084	1050	17.3	15.3-19.3	4223	82.7	80.7-84.7
55-64	7273	2,702,626	1486	18.0	16.0-20.0	5787	82.0	80.0-84.0
65+	14632	4,085,894	1854	11.9	10.7-13.1	12778	88.1	86.9-89.3
Less Than H.S.	3865	2,244,620	808	19.3	16.6-22.0	3057	80.7	78.0-83.4
H.S. or G.E.D.	11030	4,867,035	1801	14.7	13.3-16.1	9229	85.3	83.9-86.7
Some Post-H.S.	10644	5,175,764	1881	15.3	13.9-16.7	8763	84.7	83.3-86.1
College Graduate	11030	4,081,849	1325	9.8	8.8-10.8	9705	90.2	89.2-91.2
Less than \$15,000	3363	1,302,009	1037	28.7	25.2-32.2	2326	71.3	67.8-74.8
\$15,000- 24,999	6692	2,851,962	1367	16.8	15.0-18.6	5325	83.2	81.4-85.0
\$25,000- 34,999	3771	1,546,975	600	16.4	13.5-19.3	3171	83.6	80.7-86.5
\$35,000- 49,999	4413	1,919,052	623	13.7	11.5-15.9	3790	86.3	84.1-88.5
\$50,000- 74,999	4086	1,807,293	484	12.2	10.0-14.4	3602	87.8	85.6-90.0
\$75,000+	6935	3,491,270	684	8.7	7.5- 9.9	6251	91.3	90.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15533	7,979,124	1806	10.4	9.4-11.4	13727	89.6	88.6-90.6
White/Non-Hisp	10975	4,498,254	1349	12.4	11.2-13.6	9626	87.6	86.4-88.8
Black or Afr. Am./Non-Hisp	1495	1,084,843	139	7.5	4.8-10.2	1356	92.5	89.8-95.2
Oth. Race/Non-Hisp.	533	277,772	59	7.2	0.0-15.0	474	92.8	85.0- 100
MultiRacial/Non-Hisp.	220	69,324	45	14.6	6.2-23.0	175	85.4	77.0-93.8
Hispanic	1956	1,858,391	171	8.1	6.1-10.1	1785	91.9	89.9-93.9
18-24	956	932,110	81	8.4	6.0-10.8	875	91.6	89.2-94.0
25-34	1615	1,317,819	179	10.9	8.2-13.6	1436	89.1	86.4-91.8
35-44	1624	1,178,393	188	10.2	7.3-13.1	1436	89.8	86.9-92.7
45-54	2305	1,282,204	302	10.9	8.9-12.9	2003	89.1	87.1-91.1
55-64	3092	1,278,219	458	13.4	10.5-16.3	2634	86.6	83.7-89.5
65+	5715	1,856,228	579	9.2	7.6-10.8	5136	90.8	89.2-92.4
Less Than H.S.	1701	1,161,380	256	15.4	11.5-19.3	1445	84.6	80.7-88.5
H.S. or G.E.D.	4627	2,433,957	591	10.3	8.7-11.9	4036	89.7	88.1-91.3
Some Post-H.S.	4136	2,327,584	509	11.3	9.3-13.3	3627	88.7	86.7-90.7
College Graduate	4982	2,008,862	442	6.9	5.7- 8.1	4540	93.1	91.9-94.3
Less than \$15,000	1190	563,501	293	27.7	21.6-33.8	897	72.3	66.2-78.4
\$15,000- 24,999	2559	1,293,030	388	11.8	9.4-14.2	2171	88.2	85.8-90.6
\$25,000- 34,999	1552	733,338	183	10.1	6.6-13.6	1369	89.9	86.4-93.4
\$35,000- 49,999	2017	954,721	211	9.3	7.1-11.5	1806	90.7	88.5-92.9
\$50,000- 74,999	1911	928,725	171	8.3	6.1-10.5	1740	91.7	89.5-93.9
\$75,000+	3552	1,956,993	248	6.6	5.0- 8.2	3304	93.4	91.8-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21250	8,512,730	4027	17.8	16.6-19.0	17223	82.2	81.0-83.4
White/Non-Hisp	15502	4,772,760	3088	20.3	18.9-21.7	12414	79.7	78.3-81.1
Black or Afr. Am./Non-Hisp	2243	1,229,500	311	11.8	8.5-15.1	1932	88.2	84.9-91.5
Oth. Race/Non-Hisp.	510	320,054	86	5.2	2.3- 8.1	424	94.8	91.9-97.7
MultiRacial/Non-Hisp.	232	82,759	70	34.1	20.4-47.8	162	65.9	52.2-79.6
Hispanic	2451	1,955,350	402	16.0	13.3-18.7	2049	84.0	81.3-86.7
18-24	907	867,715	159	17.2	13.3-21.1	748	82.8	78.9-86.7
25-34	1866	1,282,690	355	17.0	13.9-20.1	1511	83.0	79.9-86.1
35-44	2068	1,206,023	429	16.8	14.1-19.5	1639	83.2	80.5-85.9
45-54	2968	1,312,880	748	23.5	20.2-26.8	2220	76.5	73.2-79.8
55-64	4181	1,424,406	1028	22.1	19.2-25.0	3153	77.9	75.0-80.8
65+	8916	2,229,413	1275	14.1	12.1-16.1	7641	85.9	83.9-87.9
Less Than H.S.	2163	1,082,643	551	23.4	19.3-27.5	1612	76.6	72.5-80.7
H.S. or G.E.D.	6403	2,433,078	1210	19.2	16.8-21.6	5193	80.8	78.4-83.2
Some Post-H.S.	6508	2,848,180	1372	18.5	16.5-20.5	5136	81.5	79.5-83.5
College Graduate	6046	2,071,842	882	12.7	10.9-14.5	5164	87.3	85.5-89.1
Less than \$15,000	2173	738,508	744	29.5	25.4-33.6	1429	70.5	66.4-74.6
\$15,000- 24,999	4133	1,558,932	979	21.0	18.3-23.7	3154	79.0	76.3-81.7
\$25,000- 34,999	2218	812,744	416	22.0	17.7-26.3	1802	78.0	73.7-82.3
\$35,000- 49,999	2396	964,330	412	18.1	14.6-21.6	1984	81.9	78.4-85.4
\$50,000- 74,999	2175	878,568	313	16.4	12.7-20.1	1862	83.6	79.9-87.3
\$75,000+	3382	1,534,024	436	11.4	9.4-13.4	2946	88.6	86.6-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36804	16,527,201	1598	3.2	2.8- 3.6	35206	96.8	96.4-97.2
Male	15536	7,985,017	641	2.9	2.5- 3.3	14895	97.1	96.7-97.5
Female	21265	8,540,441	957	3.5	2.9- 4.1	20308	96.5	95.9-97.1
White/Non-Hisp	26479	9,279,931	1210	3.9	3.3- 4.5	25269	96.1	95.5-96.7
Black or Afr. Am./Non-Hisp	3736	2,312,971	141	2.0	1.2- 2.8	3595	98.0	97.2-98.8
Oth. Race/Non-Hisp.	1046	597,770	31	0.9	0.0- 1.9	1015	99.1	98.1- 100
MultiRacial/Non-Hisp.	454	152,398	31	5.2	1.9- 8.5	423	94.8	91.5-98.1
Hispanic	4415	3,835,011	162	2.6	1.8- 3.4	4253	97.4	96.6-98.2
18-24	1875	1,813,583	18	0.6	0.2- 1.0	1857	99.4	99.0-99.8
25-34	3489	2,604,677	48	1.4	0.8- 2.0	3441	98.6	98.0-99.2
35-44	3697	2,388,736	79	1.9	1.1- 2.7	3618	98.1	97.3-98.9
45-54	5280	2,604,477	164	3.5	2.5- 4.5	5116	96.5	95.5-97.5
55-64	7283	2,703,067	293	2.8	2.0- 3.6	6990	97.2	96.4-98.0
65+	14606	4,084,635	971	6.2	5.4- 7.0	13635	93.8	93.0-94.6
Less Than H.S.	3860	2,245,629	251	4.8	3.4- 6.2	3609	95.2	93.8-96.6
H.S. or G.E.D.	11038	4,880,026	487	2.9	2.3- 3.5	10551	97.1	96.5-97.7
Some Post-H.S.	10642	5,188,666	474	3.3	2.7- 3.9	10168	96.7	96.1-97.3
College Graduate	11045	4,087,801	375	2.4	1.8- 3.0	10670	97.6	97.0-98.2
Less than \$15,000	3355	1,302,237	256	5.8	4.2- 7.4	3099	94.2	92.6-95.8
\$15,000- 24,999	6691	2,852,734	342	3.8	3.0- 4.6	6349	96.2	95.4-97.0
\$25,000- 34,999	3773	1,550,043	175	3.2	1.8- 4.6	3598	96.8	95.4-98.2
\$35,000- 49,999	4413	1,920,083	170	2.7	1.9- 3.5	4243	97.3	96.5-98.1
\$50,000- 74,999	4085	1,803,675	142	2.6	1.6- 3.6	3943	97.4	96.4-98.4
\$75,000+	6946	3,499,985	172	1.8	1.2- 2.4	6774	98.2	97.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15536	7,985,017	641	2.9	2.5- 3.3	14895	97.1	96.7-97.5
White/Non-Hisp	10973	4,499,039	485	3.6	3.0- 4.2	10488	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	1495	1,083,850	58	2.9	1.5- 4.3	1437	97.1	95.7-98.5
Oth. Race/Non-Hisp.	534	278,580	11	0.4	0.0- 0.8	523	99.6	99.2- 100
MultiRacial/Non-Hisp.	221	69,314	16	4.6	0.7- 8.5	205	95.4	91.5-99.3
Hispanic	1955	1,859,864	56	1.5	0.7- 2.3	1899	98.5	97.7-99.3
18-24	960	933,728	6	0.6	0.0- 1.2	954	99.4	98.8- 100
25-34	1616	1,315,829	20	1.3	0.3- 2.3	1596	98.7	97.7-99.7
35-44	1625	1,180,620	31	1.6	0.6- 2.6	1594	98.4	97.4-99.4
45-54	2309	1,288,099	58	2.7	1.5- 3.9	2251	97.3	96.1-98.5
55-64	3096	1,277,933	124	3.0	1.6- 4.4	2972	97.0	95.6-98.4
65+	5703	1,853,107	394	6.0	4.8- 7.2	5309	94.0	92.8-95.2
Less Than H.S.	1698	1,160,935	102	4.3	2.5- 6.1	1596	95.7	93.9-97.5
H.S. or G.E.D.	4627	2,436,189	187	2.4	1.6- 3.2	4440	97.6	96.8-98.4
Some Post-H.S.	4134	2,329,829	171	2.7	1.9- 3.5	3963	97.3	96.5-98.1
College Graduate	4990	2,010,723	180	2.8	2.0- 3.6	4810	97.2	96.4-98.0
Less than \$15,000	1187	564,140	80	5.7	3.3- 8.1	1107	94.3	91.9-96.7
\$15,000- 24,999	2559	1,295,562	131	3.6	2.4- 4.8	2428	96.4	95.2-97.6
\$25,000- 34,999	1548	734,261	68	3.2	1.0- 5.4	1480	96.8	94.6-99.0
\$35,000- 49,999	2018	957,052	82	3.1	1.9- 4.3	1936	96.9	95.7-98.1
\$50,000- 74,999	1910	925,628	79	2.2	1.2- 3.2	1831	97.8	96.8-98.8
\$75,000+	3556	1,957,364	89	1.7	1.1- 2.3	3467	98.3	97.7-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21265	8,540,441	957	3.5	2.9- 4.1	20308	96.5	95.9-97.1
White/Non-Hisp	15504	4,779,746	725	4.2	3.4- 5.0	14779	95.8	95.0-96.6
Black or Afr. Am./Non-Hisp	2240	1,228,524	83	1.2	0.8- 1.6	2157	98.8	98.4-99.2
Oth. Race/Non-Hisp.	512	319,190	20	1.4	0.0- 3.4	492	98.6	96.6- 100
MultiRacial/Non-Hisp.	233	83,084	15	5.7	0.6-10.8	218	94.3	89.2-99.4
Hispanic	2460	1,975,147	106	3.6	2.4- 4.8	2354	96.4	95.2-97.6
18-24	915	879,855	12	0.6	0.2- 1.0	903	99.4	99.0-99.8
25-34	1871	1,287,358	28	1.4	0.6- 2.2	1843	98.6	97.8-99.4
35-44	2072	1,208,116	48	2.3	1.1- 3.5	2024	97.7	96.5-98.9
45-54	2971	1,316,378	106	4.2	2.4- 6.0	2865	95.8	94.0-97.6
55-64	4187	1,425,135	169	2.7	1.9- 3.5	4018	97.3	96.5-98.1
65+	8902	2,231,276	577	6.4	5.2- 7.6	8325	93.6	92.4-94.8
Less Than H.S.	2161	1,084,097	149	5.4	3.4- 7.4	2012	94.6	92.6-96.6
H.S. or G.E.D.	6411	2,443,837	300	3.4	2.4- 4.4	6111	96.6	95.6-97.6
Some Post-H.S.	6508	2,858,837	303	3.7	2.9- 4.5	6205	96.3	95.5-97.1
College Graduate	6053	2,075,933	195	1.9	1.3- 2.5	5858	98.1	97.5-98.7
Less than \$15,000	2168	738,097	176	5.9	3.9- 7.9	1992	94.1	92.1-96.1
\$15,000- 24,999	4132	1,557,172	211	4.0	2.8- 5.2	3921	96.0	94.8-97.2
\$25,000- 34,999	2224	814,889	107	3.2	1.6- 4.8	2117	96.8	95.2-98.4
\$35,000- 49,999	2395	963,030	88	2.2	1.4- 3.0	2307	97.8	97.0-98.6
\$50,000- 74,999	2175	878,047	63	3.1	1.3- 4.9	2112	96.9	95.1-98.7
\$75,000+	3389	1,542,370	83	1.9	1.1- 2.7	3306	98.1	97.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36878	16,537,523	5749	11.8	11.2-12.4	432	1.2	1.0- 1.4	30031	85.5	84.7-86.3	666	1.6	1.4- 1.8
Male	15571	7,988,604	2543	12.5	11.5-13.5				12724	86.0	85.0-87.0	304	1.5	1.1- 1.9
Female	21304	8,547,176	3206	11.0	10.0-12.0	432	2.3	1.9- 2.7	17304	85.0	84.0-86.0	362	1.7	1.3- 2.1
White/Non-Hisp	26543	9,292,074	4021	11.6	10.8-12.4	305	1.2	1.0- 1.4	21744	85.6	84.8-86.4	473	1.5	1.3- 1.7
Black or Afr. Am./Non-Hisp	3744	2,314,577	854	14.6	12.2-17.0	45	1.2	0.2- 2.2	2768	81.6	78.9-84.3	77	2.5	1.1- 3.9
Oth. Race/Non-Hisp.	1045	596,286	159	11.7	7.4-16.0	13	0.8	0.0- 1.6	859	86.8	82.5-91.1	14	0.8	0.0- 1.6
MultiRacial/Non-Hisp.	455	152,415	72	6.7	3.8- 9.6	8	1.3	0.1- 2.5	352	89.0	84.5-93.5	23	3.0	0.0- 6.1
Hispanic	4417	3,833,033	552	11.0	9.4-12.6	56	1.1	0.5- 1.7	3740	86.5	84.7-88.3	69	1.4	0.8- 2.0
18-24	1877	1,814,159	23	1.4	0.6- 2.2	20	0.7	0.1- 1.3	1822	97.2	96.0-98.4	12	0.7	0.1- 1.3
25-34	3489	2,608,062	87	2.3	1.3- 3.3	53	1.8	0.8- 2.8	3313	95.3	93.9-96.7	36	0.7	0.3- 1.1
35-44	3701	2,388,194	236	5.6	4.4- 6.8	69	1.7	1.1- 2.3	3349	90.9	89.1-92.7	47	1.8	0.4- 3.2
45-54	5283	2,602,378	670	10.3	8.7-11.9	83	1.4	0.8- 2.0	4448	86.5	84.7-88.3	82	1.9	1.1- 2.7
55-64	7295	2,706,828	1282	16.6	14.6-18.6	68	0.9	0.5- 1.3	5797	80.4	78.2-82.6	148	2.1	1.3- 2.9
65+	14660	4,091,510	3372	23.7	22.1-25.3	129	0.8	0.6- 1.0	10825	73.5	71.7-75.3	334	2.0	1.6- 2.4
Less Than H.S.	3876	2,244,956	883	18.6	15.9-21.3	52	1.8	0.8- 2.8	2853	76.8	73.7-79.9	88	2.8	1.2- 4.4
H.S. or G.E.D.	11062	4,883,024	1909	12.6	11.4-13.8	112	0.9	0.5- 1.3	8846	85.3	83.9-86.7	195	1.3	0.9- 1.7
Some Post-H.S.	10671	5,194,021	1636	11.0	9.8-12.2	137	1.4	0.8- 2.0	8688	85.9	84.7-87.1	210	1.7	1.3- 2.1
College Graduate	11051	4,090,543	1298	7.9	7.1- 8.7	129	0.9	0.7- 1.1	9455	89.9	88.9-90.9	169	1.2	0.8- 1.6
Less than \$15,000	3370	1,303,472	773	19.9	16.8-23.0	45	1.6	0.6- 2.6	2487	77.1	74.0-80.2	65	1.5	0.7- 2.3
\$15,000- 24,999	6703	2,849,497	1302	15.1	13.3-16.9	89	1.2	0.6- 1.8	5169	82.1	80.1-84.1	143	1.5	1.1- 1.9
\$25,000- 34,999	3784	1,550,930	681	13.5	11.3-15.7	35	0.9	0.3- 1.5	2987	83.6	81.2-86.0	81	2.0	1.0- 3.0
\$35,000- 49,999	4420	1,920,849	655	10.7	8.7-12.7	50	1.6	0.6- 2.6	3661	86.7	84.5-88.9	54	1.0	0.4- 1.6
\$50,000- 74,999	4090	1,807,520	523	9.7	7.9-11.5	49	1.4	0.4- 2.4	3443	87.5	85.3-89.7	75	1.4	0.8- 2.0
\$75,000+	6951	3,501,534	656	7.1	5.9- 8.3	75	0.9	0.5- 1.3	6117	90.5	89.3-91.7	103	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15571	7,988,604	2543	12.5	11.5-13.5	12724	86.0	85.0-87.0	304	1.5	1.1- 1.9
White/Non-Hisp	11001	4,503,865	1856	13.2	12.0-14.4	8927	85.3	84.1-86.5	218	1.5	1.1- 1.9
Black or Afr. Am./Non-Hisp	1498	1,085,820	297	15.3	11.8-18.8	1173	82.9	79.2-86.6	28	1.8	0.8- 2.8
Oth. Race/Non-Hisp.	532	276,129	75	11.2	5.1-17.3	449	88.1	81.8-94.4	8	0.7	0.0- 1.5
MultiRacial/Non-Hisp.	222	69,331	34	7.5	3.2-11.8	178	91.6	87.1-96.1	10	0.9	0.1- 1.7
Hispanic	1960	1,859,072	229	10.0	7.6-12.4	1695	88.6	86.2-91.0	36	1.4	0.6- 2.2
18-24	962	934,275	9	1.1	0.1- 2.1	943	97.7	96.3-99.1	10	1.2	0.2- 2.2
25-34	1619	1,319,991	33	2.3	0.9- 3.7	1570	97.4	96.0-98.8	16	0.3	0.1- 0.5
35-44	1627	1,179,363	109	6.2	4.2- 8.2	1496	92.5	90.3-94.7	22	1.3	0.3- 2.3
45-54	2308	1,286,391	297	10.4	8.2-12.6	1973	87.9	85.5-90.3	38	1.7	0.9- 2.5
55-64	3102	1,279,657	579	18.7	15.6-21.8	2460	78.9	75.6-82.2	63	2.4	1.0- 3.8
65+	5727	1,854,866	1488	27.1	24.6-29.6	4086	71.1	68.6-73.6	153	1.8	1.2- 2.4
Less Than H.S.	1709	1,159,251	336	17.4	13.5-21.3	1332	80.7	76.8-84.6	41	1.9	0.9- 2.9
H.S. or G.E.D.	4635	2,435,264	779	12.1	10.3-13.9	3768	86.8	85.0-88.6	88	1.1	0.7- 1.5
Some Post-H.S.	4148	2,333,954	717	12.7	10.9-14.5	3348	85.5	83.5-87.5	83	1.8	1.0- 2.6
College Graduate	4993	2,012,892	704	10.2	8.8-11.6	4198	88.4	86.8-90.0	91	1.4	1.0- 1.8
Less than \$15,000	1194	565,105	258	20.5	16.0-25.0	919	78.8	74.1-83.5	17	0.7	0.1- 1.3
\$15,000- 24,999	2561	1,291,618	504	14.9	12.0-17.8	2002	83.6	80.7-86.5	55	1.5	0.7- 2.3
\$25,000- 34,999	1555	733,964	309	14.9	11.6-18.2	1207	84.0	80.5-87.5	39	1.1	0.5- 1.7
\$35,000- 49,999	2021	956,101	331	12.0	9.5-14.5	1659	86.9	84.4-89.4	31	1.0	0.4- 1.6
\$50,000- 74,999	1913	928,522	296	11.9	9.2-14.6	1571	86.2	83.5-88.9	46	1.9	0.7- 3.1
\$75,000+	3559	1,958,637	422	9.5	7.7-11.3	3082	88.8	86.8-90.8	55	1.7	0.9- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21304	8,547,176	3206	11.0	10.0-12.0	432	2.3	1.9- 2.7	17304	85.0	84.0-86.0	362	1.7	1.3- 2.1
White/Non-Hisp	15540	4,787,064	2165	10.1	9.1-11.1	305	2.4	1.8- 3.0	12815	86.0	85.0-87.0	255	1.5	1.1- 1.9
Black or Afr. Am./Non-Hisp	2245	1,228,160	557	14.1	11.2-17.0	45	2.3	0.7- 3.9	1594	80.5	76.6-84.4	49	3.1	0.6- 5.6
Oth. Race/Non-Hisp.	513	320,157	84	12.1	6.2-18.0	13	1.5	0.0- 3.1	410	85.6	79.5-91.7	6	0.8	0.0- 2.0
MultiRacial/Non-Hisp.	233	83,084	38	6.1	2.0-10.2	8	2.3	0.0- 4.7	174	86.9	79.6-94.2	13	4.7	0.0-10.2
Hispanic	2457	1,973,961	323	12.0	9.6-14.4	56	2.1	1.1- 3.1	2045	84.5	82.0-87.0	33	1.4	0.6- 2.2
18-24	915	879,884	14	1.7	0.5- 2.9	20	1.5	0.3- 2.7	879	96.7	95.1-98.3	2	0.2	0.0- 0.6
25-34	1868	1,286,581	54	2.3	1.1- 3.5	53	3.6	1.6- 5.6	1741	93.0	90.6-95.4	20	1.0	0.4- 1.6
35-44	2074	1,208,831	127	5.0	3.4- 6.6	69	3.3	2.1- 4.5	1853	89.3	86.4-92.2	25	2.4	0.0- 4.9
45-54	2975	1,315,987	373	10.1	8.1-12.1	83	2.7	1.3- 4.1	2475	85.1	82.6-87.6	44	2.1	0.9- 3.3
55-64	4193	1,427,170	703	14.8	12.3-17.3	68	1.7	0.9- 2.5	3337	81.7	79.0-84.4	85	1.8	1.0- 2.6
65+	8932	2,236,392	1884	20.9	18.7-23.1	129	1.4	0.8- 2.0	6738	75.5	73.3-77.7	181	2.2	1.6- 2.8
Less Than H.S.	2166	1,085,107	547	19.9	16.2-23.6	52	3.6	1.6- 5.6	1520	72.7	68.0-77.4	47	3.7	0.8- 6.6
H.S. or G.E.D.	6427	2,447,759	1130	13.0	11.2-14.8	112	1.7	1.1- 2.3	5078	83.8	81.8-85.8	107	1.4	0.8- 2.0
Some Post-H.S.	6523	2,860,067	919	9.7	8.3-11.1	137	2.6	1.6- 3.6	5340	86.1	84.5-87.7	127	1.6	1.0- 2.2
College Graduate	6056	2,076,506	594	5.7	4.7- 6.7	129	1.8	1.2- 2.4	5255	91.4	90.2-92.6	78	1.1	0.7- 1.5
Less than \$15,000	2176	738,368	515	19.4	15.3-23.5	45	2.8	1.2- 4.4	1568	75.7	71.4-80.0	48	2.1	0.7- 3.5
\$15,000- 24,999	4142	1,557,879	798	15.3	12.9-17.7	89	2.3	1.3- 3.3	3167	80.9	78.4-83.4	88	1.5	0.9- 2.1
\$25,000- 34,999	2228	816,073	372	12.2	9.5-14.9	35	1.6	0.4- 2.8	1779	83.2	79.9-86.5	42	2.9	1.1- 4.7
\$35,000- 49,999	2399	964,749	324	9.3	6.6-12.0	50	3.2	1.0- 5.4	2002	86.5	83.2-89.8	23	1.0	0.2- 1.8
\$50,000- 74,999	2177	878,998	227	7.5	5.1- 9.9	49	2.9	0.7- 5.1	1872	88.8	85.7-91.9	29	0.8	0.2- 1.4
\$75,000+	3391	1,542,645	234	4.0	3.0- 5.0	75	2.0	1.2- 2.8	3034	92.7	91.3-94.1	48	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5346	1,828,241	114	3.6	2.2- 5.0	443	10.5	8.5-12.5	1193	26.3	23.6-29.0	2216	37.0	34.1-39.9	1380	22.6	20.1-25.1
Male	2433	956,208	52	3.1	1.7- 4.5	189	9.9	7.0-12.8	549	26.6	22.7-30.5	1032	38.2	34.1-42.3	611	22.1	18.6-25.6
Female	2913	872,034	62	4.1	1.6- 6.6	254	11.2	8.5-13.9	644	26.0	21.9-30.1	1184	35.7	31.6-39.8	769	23.1	19.6-26.6
White/Non-Hisp	3769	1,026,683	66	2.7	1.5- 3.9	253	7.9	6.1- 9.7	746	23.8	20.9-26.7	1608	38.6	35.5-41.7	1096	27.0	24.1-29.9
Black or Afr. Am./Non-Hisp	762	307,398	17	7.1	0.6-13.6	94	16.0	9.3-22.7	221	28.9	21.1-36.7	291	32.9	25.1-40.7	139	15.1	9.4-20.8
Oth. Race/Non-Hisp.	151	67,656	5	5.3	0.0-14.1	14	15.3	1.8-28.8	37	24.0	7.9-40.1	68	38.4	19.2-57.6	27	17.0	0.0-34.1
MultiRacial/Non-Hisp.	68	10,061	2	1.7	0.0- 5.0	6	13.9	0.2-27.6	16	33.2	13.0-53.4	30	49.4	27.8-71.0	14	1.8	0.2- 3.4
Hispanic	517	395,072	18	3.0	1.2- 4.8	71	12.5	6.8-18.2	154	30.6	22.6-38.6	187	35.4	27.6-43.2	87	18.5	12.2-24.8
25-34	86	58,832	11	14.2	0.0-28.9	64	77.6	60.7-94.5	11	8.2	0.0-18.0						
35-44	234	133,580	21	7.9	3.0-12.8	68	29.6	19.2-40.0	145	62.5	51.7-73.3						
45-54	648	260,178	19	3.2	0.5- 5.9	92	9.7	6.4-13.0	324	53.1	45.5-60.7	213	34.0	26.7-41.3			
55-64	1229	429,069	20	1.1	0.1- 2.1	81	6.7	2.2-11.2	326	28.3	21.8-34.8	746	60.7	53.8-67.6	56	3.2	1.6- 4.8
65+	3078	896,726	25	0.8	0.2- 1.4	123	4.5	2.7- 6.3	376	14.4	11.1-17.7	1240	36.1	32.2-40.0	1314	44.2	40.1-48.3
Less Than H.S.	780	379,719	14	0.8	0.0- 1.6	80	9.5	3.8-15.2	186	30.0	21.8-38.2	321	33.9	26.3-41.5	179	25.9	18.5-33.3
H.S. or G.E.D.	1743	564,766	38	6.0	2.3- 9.7	144	11.0	7.3-14.7	405	23.0	18.9-27.1	710	38.1	32.8-43.4	446	22.0	17.9-26.1
Some Post-H.S.	1565	556,842	38	3.4	1.4- 5.4	141	11.5	8.0-15.0	333	25.3	20.6-30.0	642	38.3	33.4-43.2	411	21.5	17.4-25.6
College Graduate	1240	314,061	24	3.1	0.7- 5.5	76	9.4	6.3-12.5	264	27.2	21.5-32.9	534	37.8	32.5-43.1	342	22.4	17.7-27.1
Less than \$15,000	710	246,406	23	4.0	1.5- 6.5	77	11.5	5.8-17.2	170	31.9	22.9-40.9	279	33.7	25.5-41.9	161	18.8	12.5-25.1
\$15,000- 24,999	1228	400,275	24	3.8	1.1- 6.5	111	12.3	7.0-17.6	278	26.2	20.3-32.1	504	36.1	30.2-42.0	311	21.6	15.9-27.3
\$25,000- 34,999	640	195,517	11	2.3	0.1- 4.5	54	14.1	7.2-21.0	157	25.8	18.9-32.7	257	36.3	27.5-45.1	161	21.5	14.2-28.8
\$35,000- 49,999	634	200,598	16	11.0	1.4-20.6	38	9.0	3.5-14.5	138	23.7	16.3-31.1	265	35.3	27.1-43.5	177	21.0	14.1-27.9
\$50,000- 74,999	510	164,961	6	0.1	0.0- 0.3	33	6.2	2.1-10.3	107	29.5	19.9-39.1	232	39.8	30.6-49.0	132	24.4	16.4-32.4
\$75,000+	641	245,062	18	2.4	0.8- 4.0	50	11.5	6.2-16.8	159	26.0	18.7-33.3	260	42.7	34.3-51.1	154	17.4	11.9-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2433	956,208	52	3.1	1.7- 4.5	189	9.9	7.0-12.8	549	26.6	22.7-30.5	1032	38.2	34.1-42.3	611	22.1	18.6-25.6
White/Non-Hisp	1786	572,335	30	2.6	1.2- 4.0	116	7.6	5.1-10.1	368	24.8	20.7-28.9	777	40.4	35.9-44.9	495	24.6	20.7-28.5
Black or Afr. Am./Non-Hisp	280	161,210	8	5.1	0.0-10.8	32	13.5	5.1-21.9	82	27.5	15.7-39.3	106	34.9	22.6-47.2	52	19.0	9.2-28.8
Oth. Race/Non-Hisp.	70	30,491	1	1.6	0.0- 4.9	5	3.3	0.0- 7.8	14	35.5	6.3-64.7	34	23.7	5.5-41.9	16	35.8	4.4-67.2
Hispanic	218	172,346	10	3.5	0.6- 6.4	31	15.9	4.5-27.3	63	29.1	16.9-41.3	80	36.3	24.5-48.1	34	15.2	7.0-23.4
35-44	108	72,854	12	10.8	2.8-18.8	33	20.1	8.7-31.5	63	69.1	55.6-82.6						
45-54	286	131,285	9	3.3	0.4- 6.2	34	7.2	3.7-10.7	152	54.2	43.2-65.2	91	35.2	24.6-45.8			
55-64	565	236,699	7	0.8	0.0- 2.2	26	7.1	0.0-14.9	162	26.4	18.8-34.0	344	62.3	53.1-71.5	26	3.3	1.1- 5.5
65+	1412	469,118	11	0.7	0.1- 1.3	65	5.5	3.1- 7.9	161	14.0	9.1-18.9	594	36.5	31.2-41.8	581	43.3	37.4-49.2
Less Than H.S.	311	183,022	5	0.5	0.0- 1.3	32	11.3	0.9-21.7	74	29.8	17.1-42.5	126	33.2	21.6-44.8	74	25.2	14.4-36.0
H.S. or G.E.D.	735	282,662	20	4.6	1.9- 7.3	71	11.0	6.1-15.9	169	22.2	16.9-27.5	309	41.7	34.4-49.0	166	20.5	14.6-26.4
Some Post-H.S.	693	289,651	16	4.4	0.9- 7.9	54	9.6	4.9-14.3	153	28.7	21.4-36.0	296	37.3	30.2-44.4	174	20.0	13.9-26.1
College Graduate	687	200,067	11	1.7	0.3- 3.1	32	7.7	3.8-11.6	152	26.7	19.6-33.8	297	39.4	32.5-46.3	195	24.6	18.3-30.9
Less than \$15,000	239	112,165	9	5.0	0.7- 9.3	28	9.7	3.8-15.6	64	30.0	17.8-42.2	93	37.7	25.4-50.0	45	17.5	8.1-26.9
\$15,000- 24,999	487	185,514	9	1.2	0.0- 2.8	42	12.0	1.8-22.2	111	29.4	18.8-40.0	194	32.1	23.9-40.3	131	25.3	16.1-34.5
\$25,000- 34,999	289	99,018	6	3.8	0.0- 8.1	28	11.3	5.0-17.6	63	26.3	15.7-36.9	117	33.8	21.6-46.0	75	24.7	12.7-36.7
\$35,000- 49,999	325	111,863	10	8.8	0.4-17.2	18	7.6	0.7-14.5	77	26.6	17.4-35.8	130	31.1	21.3-40.9	90	26.0	15.6-36.4
\$50,000- 74,999	290	101,459	2	0.0	0.0- 0.0	14	3.8	0.9- 6.7	66	28.9	17.9-39.9	131	38.5	27.7-49.3	77	28.8	17.6-40.0
\$75,000+	416	184,579	10	2.7	0.5- 4.9	27	11.1	4.8-17.4	95	23.9	15.3-32.5	182	48.5	38.1-58.9	102	13.8	8.9-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	872,034	62	4.1	1.6- 6.6	254	11.2	8.5-13.9	644	26.0	22.1-29.9	1184	35.7	31.6-39.8	769	23.1	19.6-26.6
White/Non-Hisp	1983	454,348	36	2.8	0.8- 4.8	137	8.2	5.7-10.7	378	22.4	17.9-26.9	831	36.3	31.8-40.8	601	30.2	25.7-34.7
Black or Afr. Am./Non-Hisp	482	146,188	9	9.3	0.0-21.3	62	18.8	8.4-29.2	139	30.4	20.4-40.4	185	30.8	21.4-40.2	87	10.7	6.0-15.4
Oth. Race/Non-Hisp.	81	37,165	4	8.3	0.0-23.6	9	25.1	2.2-48.0	23	14.5	1.4-27.6	34	50.5	24.0-77.0	11	1.6	0.0- 3.6
Hispanic	299	222,726	8	2.5	0.1- 4.9	40	9.8	4.9-14.7	91	31.8	21.2-42.4	107	34.7	24.3-45.1	53	21.1	11.9-30.3
25-34	54	29,947	7	8.9	0.0-18.3	40	77.7	57.5-97.9	7	13.4	0.0-31.8						
35-44	126	60,726	9	4.4	0.1- 8.7	35	41.0	24.9-57.1	82	54.5	38.6-70.4						
45-54	362	128,893	10	3.1	0.0- 7.6	58	12.2	6.5-17.9	172	52.0	41.4-62.6	122	32.7	22.5-42.9			
55-64	664	192,369	13	1.4	0.0- 2.8	55	6.3	3.2- 9.4	164	30.6	20.0-41.2	402	58.7	48.7-68.7	30	3.0	0.8- 5.2
65+	1666	427,608	14	0.9	0.0- 1.9	58	3.5	1.1- 5.9	215	14.8	10.3-19.3	646	35.6	29.7-41.5	733	45.2	39.1-51.3
Less Than H.S.	469	196,697	9	1.0	0.0- 2.2	48	7.7	3.0-12.4	112	30.2	19.6-40.8	195	34.5	24.3-44.7	105	26.5	16.3-36.7
H.S. or G.E.D.	1008	282,104	18	7.4	0.5-14.3	73	10.9	5.4-16.4	236	23.8	17.5-30.1	401	34.4	27.3-41.5	280	23.5	17.6-29.4
Some Post-H.S.	872	267,191	22	2.3	0.5- 4.1	87	13.6	8.1-19.1	180	21.6	15.7-27.5	346	39.4	32.3-46.5	237	23.0	17.7-28.3
College Graduate	553	113,994	13	5.7	0.0-11.4	44	12.4	6.9-17.9	112	28.2	18.8-37.6	237	35.1	27.1-43.1	147	18.5	12.0-25.0
Less than \$15,000	471	134,241	14	3.2	0.3- 6.1	49	13.0	4.0-22.0	106	33.5	20.4-46.6	186	30.4	19.2-41.6	116	19.9	11.3-28.5
\$15,000- 24,999	741	214,761	15	6.1	1.4-10.8	69	12.5	7.4-17.6	167	23.4	17.3-29.5	310	39.6	31.8-47.4	180	18.4	11.3-25.5
\$25,000- 34,999	351	96,499	5	0.7	0.0- 1.7	26	17.0	5.0-29.0	94	25.2	16.4-34.0	140	38.8	26.3-51.3	86	18.3	11.0-25.6
\$35,000- 49,999	309	88,736	6	13.8	0.0-32.4	20	10.8	1.8-19.8	61	20.0	7.8-32.2	135	40.7	26.4-55.0	87	14.7	7.3-22.1
\$50,000- 74,999	220	63,502	4	0.3	0.0- 0.7	19	10.0	0.4-19.6	41	30.6	13.0-48.2	101	41.8	26.9-56.7	55	17.4	8.4-26.4
\$75,000+	225	60,484	8	1.4	0.0- 3.0	23	12.5	3.7-21.3	64	32.5	19.6-45.4	78	25.3	15.5-35.1	52	28.3	14.2-42.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 7: ORAL HEALTH CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36295	16,296,887	22711	63.0	62.0-64.0	4346	12.9	12.1-13.7	3447	9.7	9.1-10.3	5337	12.6	11.8-13.4	454	1.8	1.4- 2.2
Male	15300	7,852,133	9137	60.4	58.8-62.0	1894	13.8	12.6-15.0	1533	9.8	8.8-10.8	2491	13.9	12.9-14.9	245	2.1	1.5- 2.7
Female	20993	8,443,609	13573	65.5	64.1-66.9	2452	12.1	11.1-13.1	1913	9.6	8.6-10.6	2846	11.4	10.4-12.4	209	1.5	1.1- 1.9
White/Non-Hisp	26189	9,189,929	17008	66.1	64.9-67.3	2852	11.2	10.4-12.0	2341	9.2	8.4-10.0	3819	12.9	12.1-13.7	169	0.7	0.5- 0.9
Black or Afr. Am./Non-Hisp	3631	2,264,497	2065	57.2	53.7-60.7	560	17.4	14.7-20.1	390	10.6	8.4-12.8	553	12.6	10.2-15.0	63	2.3	1.1- 3.5
Oth. Race/Non-Hisp.	1020	585,071	585	67.6	61.5-73.7	124	11.0	6.7-15.3	98	7.3	4.8- 9.8	179	10.4	6.5-14.3	34	3.7	1.3- 6.1
MultiRacial/Non-Hisp.	448	150,260	227	53.0	43.0-63.0	70	12.8	7.1-18.5	54	15.2	8.3-22.1	94	18.2	10.4-26.0	3	0.9	0.0- 2.5
Hispanic	4345	3,759,851	2394	58.6	56.1-61.1	668	14.9	12.9-16.9	505	10.7	9.1-12.3	603	11.9	10.3-13.5	175	4.0	3.0- 5.0
18-24	1838	1,781,910	1126	64.8	61.3-68.3	277	14.0	11.5-16.5	215	11.3	9.1-13.5	185	8.0	6.2- 9.8	35	2.0	1.0- 3.0
25-34	3437	2,563,446	1913	55.2	52.3-58.1	544	15.0	12.8-17.2	403	12.7	10.5-14.9	498	14.3	12.3-16.3	79	2.7	1.5- 3.9
35-44	3662	2,360,820	2173	60.9	58.0-63.8	541	15.6	13.2-18.0	410	9.6	8.0-11.2	465	11.5	9.5-13.5	73	2.4	1.4- 3.4
45-54	5218	2,573,258	3109	60.6	58.1-63.1	675	13.9	11.9-15.9	596	11.0	9.4-12.6	789	13.1	11.3-14.9	49	1.3	0.7- 1.9
55-64	7200	2,675,074	4452	64.0	61.5-66.5	836	11.6	9.8-13.4	659	9.3	7.7-10.9	1174	13.7	11.9-15.5	79	1.4	0.8- 2.0
65+	14385	4,025,058	9536	68.5	66.7-70.3	1416	10.1	8.9-11.3	1131	6.7	5.9- 7.5	2167	13.4	12.0-14.8	135	1.3	0.7- 1.9
Less Than H.S.	3746	2,159,837	1398	45.2	41.5-48.9	510	14.0	11.5-16.5	478	11.2	9.0-13.4	1177	24.1	21.2-27.0	183	5.4	3.8- 7.0
H.S. or G.E.D.	10841	4,808,564	5843	55.5	53.5-57.5	1479	14.6	13.0-16.2	1283	12.2	10.8-13.6	2082	15.8	14.4-17.2	154	1.9	1.3- 2.5
Some Post-H.S.	10524	5,130,726	6704	65.7	63.9-67.5	1329	13.0	11.6-14.4	1011	9.5	8.3-10.7	1417	10.9	9.7-12.1	63	0.9	0.5- 1.3
College Graduate	10986	4,076,431	8642	77.7	76.1-79.3	1003	10.4	9.2-11.6	662	6.3	5.3- 7.3	637	4.9	4.1- 5.7	42	0.7	0.3- 1.1
Less than \$15,000	3283	1,266,815	1209	42.6	38.7-46.5	460	12.4	9.9-14.9	488	13.4	11.0-15.8	1050	26.8	23.5-30.1	76	4.8	2.8- 6.8
\$15,000- 24,999	6577	2,807,098	3069	49.3	46.8-51.8	1009	16.0	14.0-18.0	867	13.2	11.4-15.0	1511	18.7	16.7-20.7	121	2.7	1.7- 3.7
\$25,000- 34,999	3721	1,517,714	2137	55.6	52.1-59.1	532	18.1	15.0-21.2	417	11.5	9.5-13.5	590	13.4	11.2-15.6	45	1.4	0.6- 2.2
\$35,000- 49,999	4374	1,894,408	2837	64.8	61.9-67.7	525	11.6	9.6-13.6	409	9.4	7.8-11.0	542	12.8	10.6-15.0	61	1.4	0.6- 2.2
\$50,000- 74,999	4069	1,800,663	2978	68.6	65.7-71.5	439	12.3	10.1-14.5	309	8.4	6.6-10.2	323	10.0	8.0-12.0	20	0.6	0.0- 1.2
\$75,000+	6926	3,495,909	5763	80.1	78.1-82.1	532	9.4	7.8-11.0	320	5.9	4.7- 7.1	299	4.1	3.3- 4.9	12	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15300	7,852,133	9137	60.4	58.8-62.0	1894	13.8	12.6-15.0	1533	9.8	8.8-10.8	2491	13.9	12.9-14.9	245	2.1	1.5- 2.7
White/Non-Hisp	10838	4,448,590	6773	63.9	62.1-65.7	1209	11.7	10.5-12.9	1029	9.3	8.3-10.3	1744	14.3	13.1-15.5	83	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	1449	1,061,328	766	54.3	49.0-59.6	236	18.6	14.1-23.1	164	10.0	6.9-13.1	255	14.4	11.1-17.7	28	2.7	0.9- 4.5
Oth. Race/Non-Hisp.	521	269,590	284	64.4	56.2-72.6	73	15.5	8.4-22.6	45	6.8	3.5-10.1	95	9.7	5.6-13.8	24	3.7	1.3- 6.1
MultiRacial/Non-Hisp.	220	68,747	108	48.8	35.7-61.9	36	11.6	4.5-18.7	26	13.4	5.2-21.6	47	24.3	10.2-38.4	3	1.9	0.0- 5.4
Hispanic	1921	1,809,907	985	55.0	51.3-58.7	301	16.3	13.4-19.2	236	11.3	8.9-13.7	299	12.5	10.1-14.9	100	4.9	3.3- 6.5
18-24	938	910,110	566	64.6	59.5-69.7	137	14.9	10.8-19.0	108	10.4	7.3-13.5	104	7.5	5.3- 9.7	23	2.6	1.2- 4.0
25-34	1587	1,287,575	820	53.5	49.4-57.6	256	15.1	12.2-18.0	210	13.7	10.6-16.8	251	14.1	11.6-16.6	50	3.7	1.7- 5.7
35-44	1609	1,161,800	858	55.8	51.5-60.1	270	19.3	15.4-23.2	191	9.2	7.0-11.4	252	12.8	10.3-15.3	38	2.9	1.1- 4.7
45-54	2280	1,273,224	1274	57.3	53.6-61.0	299	13.8	11.3-16.3	273	11.2	9.2-13.2	405	15.9	13.2-18.6	29	1.7	0.5- 2.9
55-64	3047	1,263,831	1792	61.3	57.6-65.0	359	11.7	9.0-14.4	287	9.6	7.2-12.0	568	16.2	13.5-18.9	41	1.1	0.3- 1.9
65+	5622	1,823,354	3677	66.9	64.2-69.6	550	10.7	8.5-12.9	445	6.3	5.3- 7.3	888	14.8	12.8-16.8	62	1.3	0.5- 2.1
Less Than H.S.	1646	1,104,028	586	44.7	39.6-49.8	211	14.7	10.8-18.6	199	9.6	6.9-12.3	536	23.9	20.0-27.8	114	7.0	4.5- 9.5
H.S. or G.E.D.	4531	2,391,033	2255	53.1	50.2-56.0	640	15.3	13.1-17.5	583	12.0	10.2-13.8	986	17.9	15.9-19.9	67	1.7	0.9- 2.5
Some Post-H.S.	4088	2,305,014	2469	62.2	59.3-65.1	543	14.5	12.1-16.9	411	10.3	8.5-12.1	631	11.7	10.1-13.3	34	1.3	0.3- 2.3
College Graduate	4954	2,002,310	3782	75.5	73.3-77.7	486	10.8	9.0-12.6	330	6.8	5.6- 8.0	331	6.0	4.8- 7.2	25	0.8	0.4- 1.2
Less than \$15,000	1157	545,680	369	39.4	33.1-45.7	166	12.7	9.0-16.4	156	12.2	8.5-15.9	424	29.1	24.0-34.2	42	6.7	3.0-10.4
\$15,000- 24,999	2501	1,271,588	1025	45.2	41.1-49.3	384	17.5	14.6-20.4	352	13.4	10.7-16.1	675	20.9	18.0-23.8	65	3.0	1.6- 4.4
\$25,000- 34,999	1518	708,923	812	51.5	46.4-56.6	234	20.9	15.8-26.0	165	11.0	8.3-13.7	280	14.5	11.6-17.4	27	2.1	0.5- 3.7
\$35,000- 49,999	1994	936,996	1173	58.5	54.2-62.8	256	12.1	9.2-15.0	217	11.0	8.6-13.4	315	16.1	12.8-19.4	33	2.2	0.6- 3.8
\$50,000- 74,999	1904	924,117	1303	66.2	62.1-70.3	228	13.0	10.3-15.7	168	8.6	6.4-10.8	193	11.6	8.9-14.3	12	0.5	0.0- 1.1
\$75,000+	3539	1,953,607	2824	76.8	74.1-79.5	301	10.0	7.8-12.2	201	6.4	4.6- 8.2	204	6.1	4.7- 7.5	9	0.7	0.0- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20993	8,443,609	13573	65.5	64.1-66.9	2452	12.1	11.1-13.1	1913	9.6	8.6-10.6	2846	11.4	10.4-12.4	209	1.5	1.1- 1.9
White/Non-Hisp	15349	4,740,194	10234	68.1	66.5-69.7	1643	10.7	9.7-11.7	1311	9.1	8.1-10.1	2075	11.6	10.4-12.8	86	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	2182	1,203,169	1299	59.8	55.1-64.5	324	16.2	12.7-19.7	226	11.1	8.0-14.2	298	10.9	7.4-14.4	35	1.9	0.5- 3.3
Oth. Race/Non-Hisp.	499	315,481	301	70.3	61.7-78.9	51	7.2	1.9-12.5	53	7.7	4.0-11.4	84	11.0	4.5-17.5	10	3.8	0.1- 7.5
MultiRacial/Non-Hisp.	228	81,513	119	56.5	42.4-70.6	34	13.9	5.3-22.5	28	16.6	5.8-27.4	47	13.0	6.1-19.9			
Hispanic	2424	1,949,944	1409	61.9	58.4-65.4	367	13.6	11.1-16.1	269	10.0	8.0-12.0	304	11.3	8.9-13.7	75	3.2	2.0- 4.4
18-24	900	871,799	560	65.1	60.4-69.8	140	13.0	9.9-16.1	107	12.1	9.0-15.2	81	8.4	5.5-11.3	12	1.4	0.0- 2.8
25-34	1849	1,274,978	1093	57.1	53.0-61.2	288	14.9	11.8-18.0	192	11.7	8.8-14.6	247	14.6	11.5-17.7	29	1.8	0.6- 3.0
35-44	2053	1,199,020	1315	65.8	61.7-69.9	271	12.0	9.5-14.5	219	10.0	7.5-12.5	213	10.3	7.4-13.2	35	1.9	0.7- 3.1
45-54	2938	1,300,034	1835	63.9	60.2-67.6	376	14.1	11.2-17.0	323	10.8	8.3-13.3	384	10.4	8.2-12.6	20	0.9	0.3- 1.5
55-64	4153	1,411,243	2660	66.4	63.1-69.7	477	11.5	9.1-13.9	372	9.0	7.0-11.0	606	11.4	9.2-13.6	38	1.6	0.6- 2.6
65+	8762	2,201,452	5858	69.8	67.4-72.2	866	9.6	8.0-11.2	686	7.1	5.9- 8.3	1279	12.2	10.4-14.0	73	1.3	0.5- 2.1
Less Than H.S.	2100	1,055,809	812	45.8	40.5-51.1	299	13.3	10.0-16.6	279	12.8	9.3-16.3	641	24.3	19.8-28.8	69	3.8	2.0- 5.6
H.S. or G.E.D.	6310	2,417,531	3588	57.9	55.2-60.6	839	13.8	11.8-15.8	700	12.4	10.6-14.2	1096	13.7	11.7-15.7	87	2.1	1.3- 2.9
Some Post-H.S.	6436	2,825,712	4235	68.6	66.2-71.0	786	11.8	10.2-13.4	600	8.8	7.4-10.2	786	10.2	8.6-11.8	29	0.6	0.2- 1.0
College Graduate	6030	2,072,976	4859	79.9	77.7-82.1	517	10.0	8.4-11.6	331	5.7	4.5- 6.9	306	3.8	2.8- 4.8	17	0.5	0.0- 1.1
Less than \$15,000	2126	721,134	840	45.0	40.1-49.9	294	12.3	9.0-15.6	332	14.3	11.2-17.4	626	25.1	20.6-29.6	34	3.3	1.1- 5.5
\$15,000- 24,999	4076	1,535,510	2044	52.7	49.2-56.2	625	14.8	12.4-17.2	515	13.1	10.9-15.3	836	16.8	14.3-19.3	56	2.5	1.3- 3.7
\$25,000- 34,999	2202	807,897	1325	59.1	54.4-63.8	298	15.6	11.9-19.3	251	11.8	8.9-14.7	310	12.5	9.4-15.6	18	0.9	0.3- 1.5
\$35,000- 49,999	2380	957,412	1664	70.8	67.1-74.5	269	11.1	8.6-13.6	192	7.9	5.9- 9.9	227	9.6	7.2-12.0	28	0.6	0.2- 1.0
\$50,000- 74,999	2165	876,546	1675	71.2	66.7-75.7	211	11.6	8.3-14.9	141	8.3	5.4-11.2	130	8.3	5.4-11.2	8	0.6	0.0- 1.6
\$75,000+	3386	1,542,050	2938	84.4	81.9-86.9	231	8.6	6.6-10.6	119	5.3	3.7- 6.9	95	1.7	1.1- 2.3	3	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35735	16,130,134	11050	29.6	28.6-30.6	5602	11.8	11.2-12.4	3315	5.9	5.3- 6.5	15768	52.7	51.5-53.9
Male	15148	7,833,167	4741	30.1	28.7-31.5	2301	11.6	10.6-12.6	1304	5.4	4.6- 6.2	6802	52.9	51.3-54.5
Female	20585	8,295,821	6308	29.1	27.7-30.5	3301	12.0	11.0-13.0	2011	6.4	5.6- 7.2	8965	52.5	50.9-54.1
White/Non-Hisp	25685	9,082,438	7916	28.4	27.2-29.6	4119	13.1	12.3-13.9	2590	7.0	6.4- 7.6	11060	51.5	50.3-52.7
Black or Afr. Am./Non-Hisp	3633	2,254,420	1172	32.9	29.6-36.2	702	12.4	10.4-14.4	362	5.3	3.9- 6.7	1397	49.4	45.9-52.9
Oth. Race/Non-Hisp.	1014	578,207	259	22.3	16.8-27.8	155	10.1	5.4-14.8	108	3.1	1.7- 4.5	492	64.4	58.1-70.7
MultiRacial/Non-Hisp.	440	149,659	113	23.9	15.9-31.9	81	12.0	4.0-20.0	51	5.2	2.1- 8.3	195	58.9	48.9-68.9
Hispanic	4331	3,732,375	1415	32.1	29.6-34.6	447	8.4	7.0- 9.8	156	4.3	2.9- 5.7	2313	55.2	52.5-57.9
18-24	1864	1,805,637	217	11.1	8.9-13.3	26	0.9	0.3- 1.5	11	0.8	0.0- 1.6	1610	87.2	84.8-89.6
25-34	3475	2,594,232	852	24.2	21.7-26.7	124	3.0	2.0- 4.0	32	0.5	0.3- 0.7	2467	72.3	69.8-74.8
35-44	3659	2,367,292	1138	30.9	28.2-33.6	276	6.1	4.7- 7.5	88	2.4	1.2- 3.6	2157	60.6	57.7-63.5
45-54	5198	2,537,574	1786	34.4	31.9-36.9	649	10.9	9.1-12.7	268	3.2	2.4- 4.0	2495	51.5	48.8-54.2
55-64	7085	2,622,229	2381	35.0	32.5-37.5	1326	17.9	15.7-20.1	714	8.8	7.2-10.4	2664	38.3	35.8-40.8
65+	13943	3,917,140	4503	33.4	31.6-35.2	3136	22.7	21.1-24.3	2180	14.2	12.8-15.6	4124	29.6	27.8-31.4
Less Than H.S.	3750	2,171,061	1059	32.5	29.2-35.8	843	18.0	15.3-20.7	770	13.3	10.8-15.8	1078	36.1	32.6-39.6
H.S. or G.E.D.	10623	4,735,889	3362	31.5	29.5-33.5	2096	13.4	12.2-14.6	1338	7.2	6.4- 8.0	3827	47.9	45.7-50.1
Some Post-H.S.	10360	5,085,081	3322	29.1	27.3-30.9	1617	11.4	10.2-12.6	841	4.5	3.7- 5.3	4580	55.0	53.0-57.0
College Graduate	10812	4,031,175	3255	26.1	24.5-27.7	1021	7.2	6.2- 8.2	346	2.2	1.6- 2.8	6190	64.6	62.8-66.4
Less than \$15,000	3259	1,252,943	865	31.5	27.8-35.2	870	21.4	18.3-24.5	639	12.6	10.4-14.8	885	34.5	30.8-38.2
\$15,000- 24,999	6514	2,773,488	1985	32.3	29.8-34.8	1372	15.4	13.8-17.0	927	9.0	7.4-10.6	2230	43.3	40.8-45.8
\$25,000- 34,999	3676	1,522,332	1260	31.5	28.4-34.6	625	12.0	9.8-14.2	375	7.0	5.4- 8.6	1416	49.5	46.0-53.0
\$35,000- 49,999	4310	1,890,843	1451	32.3	29.4-35.2	685	12.3	10.3-14.3	318	5.0	3.8- 6.2	1856	50.4	47.3-53.5
\$50,000- 74,999	4012	1,778,617	1394	29.4	26.7-32.1	449	10.5	8.3-12.7	182	2.9	2.1- 3.7	1987	57.2	54.1-60.3
\$75,000+	6859	3,469,142	1984	24.7	22.7-26.7	533	6.6	5.4- 7.8	156	1.7	1.1- 2.3	4186	67.0	64.8-69.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15148	7,833,167	4741	30.1	28.7-31.5	2301	11.6	10.6-12.6	1304	5.4	4.8- 6.0	6802	52.9	51.3-54.5
White/Non-Hisp	10699	4,417,207	3358	29.4	27.8-31.0	1757	13.3	12.1-14.5	1028	6.8	5.8- 7.8	4556	50.5	48.7-52.3
Black or Afr. Am./Non-Hisp	1454	1,068,166	476	32.6	27.7-37.5	251	11.0	8.5-13.5	125	5.1	3.1- 7.1	602	51.3	46.2-56.4
Oth. Race/Non-Hisp.	521	270,265	138	26.2	18.2-34.2	68	11.4	3.0-19.8	43	3.0	1.0- 5.0	272	59.4	50.0-68.8
MultiRacial/Non-Hisp.	214	68,665	51	18.7	8.9-28.5	40	14.5	1.4-27.6	19	1.8	0.2- 3.4	104	65.0	51.3-78.7
Hispanic	1926	1,824,270	631	32.1	28.6-35.6	149	7.9	5.7-10.1	59	3.0	1.4- 4.6	1087	57.0	53.1-60.9
18-24	956	930,237	113	11.8	8.7-14.9	11	1.1	0.1- 2.1	4	0.4	0.0- 0.8	828	86.7	83.4-90.0
25-34	1608	1,307,894	353	22.4	18.9-25.9	45	1.8	0.8- 2.8	8	0.3	0.0- 0.7	1202	75.5	71.8-79.2
35-44	1609	1,171,337	510	31.9	27.8-36.0	111	5.6	3.8- 7.4	38	3.1	0.9- 5.3	950	59.5	55.0-64.0
45-54	2280	1,274,405	841	38.0	34.3-41.7	252	10.4	8.2-12.6	112	3.1	1.9- 4.3	1075	48.4	44.7-52.1
55-64	3010	1,248,960	1039	37.1	33.4-40.8	558	17.8	14.7-20.9	306	8.3	6.1-10.5	1107	36.8	33.3-40.3
65+	5480	1,777,202	1820	32.8	30.1-35.5	1303	25.3	22.6-28.0	828	13.4	11.4-15.4	1529	28.4	25.9-30.9
Less Than H.S.	1664	1,141,929	478	33.5	28.6-38.4	368	19.9	15.8-24.0	285	10.8	7.7-13.9	533	35.8	30.9-40.7
H.S. or G.E.D.	4477	2,382,949	1444	31.5	28.8-34.2	807	11.9	10.3-13.5	524	6.3	5.1- 7.5	1702	50.3	47.4-53.2
Some Post-H.S.	4042	2,286,994	1312	29.7	27.0-32.4	606	10.2	8.6-11.8	322	4.5	3.5- 5.5	1802	55.6	52.7-58.5
College Graduate	4890	1,980,664	1486	27.0	24.8-29.2	512	8.3	6.9- 9.7	167	2.5	1.7- 3.3	2725	62.2	59.7-64.7
Less than \$15,000	1155	544,635	306	32.0	26.3-37.7	285	19.7	14.6-24.8	221	12.0	8.7-15.3	343	36.3	30.2-42.4
\$15,000- 24,999	2492	1,268,100	747	31.4	27.7-35.1	496	14.4	12.0-16.8	366	9.2	6.7-11.7	883	44.9	41.0-48.8
\$25,000- 34,999	1511	723,874	513	31.9	26.8-37.0	256	12.1	8.8-15.4	154	6.5	4.1- 8.9	588	49.6	44.3-54.9
\$35,000- 49,999	1973	939,918	674	33.3	29.0-37.6	331	13.9	11.0-16.8	155	5.5	3.7- 7.3	813	47.3	43.0-51.6
\$50,000- 74,999	1873	912,826	658	29.9	26.2-33.6	239	11.0	8.1-13.9	106	3.3	2.1- 4.5	870	55.8	51.5-60.1
\$75,000+	3509	1,942,446	1068	26.9	24.2-29.6	323	8.1	6.5- 9.7	87	2.2	1.0- 3.4	2031	62.8	59.9-65.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20585	8,295,821	6308	29.1	27.7-30.5	3301	12.0	11.0-13.0	2011	6.4	5.6- 7.2	8965	52.5	50.9-54.1
White/Non-Hisp	14984	4,664,086	4557	27.4	26.0-28.8	2362	12.9	11.7-14.1	1562	7.2	6.4- 8.0	6503	52.5	50.9-54.1
Black or Afr. Am./Non-Hisp	2179	1,186,254	696	33.2	28.7-37.7	451	13.7	10.8-16.6	237	5.4	3.4- 7.4	795	47.6	42.9-52.3
Oth. Race/Non-Hisp.	493	307,942	121	18.9	11.8-26.0	87	9.0	4.5-13.5	65	3.2	1.2- 5.2	220	68.8	60.6-77.0
MultiRacial/Non-Hisp.	226	80,993	62	28.3	15.8-40.8	41	9.9	0.5-19.3	32	8.1	2.2-14.0	91	53.7	39.0-68.4
Hispanic	2405	1,908,105	784	32.1	28.6-35.6	298	8.8	6.8-10.8	97	5.6	3.6- 7.6	1226	53.5	49.8-57.2
18-24	908	875,399	104	10.3	7.2-13.4	15	0.7	0.1- 1.3	7	1.2	0.0- 2.6	782	87.8	84.5-91.1
25-34	1866	1,285,444	499	26.0	22.3-29.7	79	4.3	2.7- 5.9	24	0.7	0.3- 1.1	1264	69.0	65.3-72.7
35-44	2050	1,195,955	628	30.0	26.3-33.7	165	6.7	4.7- 8.7	50	1.7	0.9- 2.5	1207	61.7	57.8-65.6
45-54	2918	1,263,169	945	30.8	27.3-34.3	397	11.4	8.9-13.9	156	3.3	2.1- 4.5	1420	54.5	50.6-58.4
55-64	4075	1,373,269	1342	33.0	29.5-36.5	768	17.9	15.2-20.6	408	9.3	6.9-11.7	1557	39.8	36.3-43.3
65+	8462	2,139,685	2682	33.9	31.5-36.3	1833	20.5	18.5-22.5	1352	14.9	12.9-16.9	2595	30.6	28.4-32.8
Less Than H.S.	2086	1,029,132	581	31.5	26.6-36.4	475	15.9	12.8-19.0	485	16.2	12.5-19.9	545	36.5	31.2-41.8
H.S. or G.E.D.	6146	2,352,940	1918	31.6	28.9-34.3	1289	14.8	13.0-16.6	814	8.2	6.8- 9.6	2125	45.4	42.5-48.3
Some Post-H.S.	6318	2,798,087	2010	28.7	26.5-30.9	1011	12.5	10.7-14.3	519	4.5	3.5- 5.5	2778	54.4	51.9-56.9
College Graduate	5920	2,049,366	1768	25.2	23.0-27.4	509	6.1	4.9- 7.3	179	1.8	1.2- 2.4	3464	66.9	64.5-69.3
Less than \$15,000	2104	708,308	559	31.1	26.2-36.0	585	22.8	18.9-26.7	418	13.1	10.0-16.2	542	33.0	28.3-37.7
\$15,000- 24,999	4022	1,505,388	1238	33.1	29.8-36.4	876	16.2	13.8-18.6	561	8.7	6.7-10.7	1347	42.0	38.7-45.3
\$25,000- 34,999	2164	797,564	747	31.1	27.0-35.2	369	12.0	9.1-14.9	221	7.4	5.0- 9.8	827	49.4	44.7-54.1
\$35,000- 49,999	2337	950,925	777	31.3	27.2-35.4	354	10.8	8.4-13.2	163	4.5	3.1- 5.9	1043	53.5	49.2-57.8
\$50,000- 74,999	2139	865,791	736	29.0	25.1-32.9	210	9.9	6.8-13.0	76	2.4	1.2- 3.6	1117	58.7	54.2-63.2
\$75,000+	3349	1,526,444	915	21.9	19.4-24.4	210	4.7	3.3- 6.1	69	1.0	0.6- 1.4	2155	72.4	69.5-75.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE	PAGE
INDICATE SEX OF RESPONDENT. (SEX)	
1 MALES AND FEMALES	89
WHAT IS YOUR AGE? (AGE)	
4 MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7 MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10 MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13 MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	146
59 MALES ONLY	147
60 FEMALES ONLY	148
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	152
65 MALES ONLY	153
66 FEMALES ONLY	154
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE	PAGE
68 MALES ONLY	156
69 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
70 MALES AND FEMALES	158
71 MALES ONLY	159
72 FEMALES ONLY	160
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
73 MALES AND FEMALES	161
74 MALES ONLY	162
75 FEMALES ONLY	163
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
76 MALES AND FEMALES	164
77 MALES ONLY	165
78 FEMALES ONLY	166
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
79 MALES AND FEMALES	167
80 MALES ONLY	168
81 FEMALES ONLY	169

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Males		Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36952	16,572,664	15607	48.3	47.1-49.5	21345	51.7	50.5-52.9
White/Non-Hisp	26573	9,302,778	11013	48.4	47.2-49.6	15560	51.6	50.4-52.8
Black or Afr. Am./Non-Hisp	3755	2,318,549	1504	46.9	43.4-50.4	2251	53.1	49.6-56.6
Oth. Race/Non-Hisp.	1050	599,235	536	46.5	40.2-52.8	514	53.5	47.2-59.8
MultiRacial/Non-Hisp.	456	152,440	223	45.5	35.7-55.3	233	54.5	44.7-64.3
Hispanic	4432	3,841,921	1967	48.5	45.8-51.2	2465	51.5	48.8-54.2
18-24	1880	1,814,901	963	51.5	47.8-55.2	917	48.5	44.8-52.2
25-34	3496	2,609,782	1623	50.6	47.7-53.5	1873	49.4	46.5-52.3
35-44	3706	2,392,253	1631	49.4	46.5-52.3	2075	50.6	47.7-53.5
45-54	5296	2,607,169	2317	49.5	46.8-52.2	2979	50.5	47.8-53.2
55-64	7303	2,709,231	3103	47.2	44.7-49.7	4200	52.8	50.3-55.3
65+	14687	4,103,027	5739	45.3	43.3-47.3	8948	54.7	52.7-56.7
Less Than H.S.	3897	2,260,046	1720	51.6	48.1-55.1	2177	48.4	44.9-51.9
H.S. or G.E.D.	11080	4,886,929	4645	49.9	47.9-51.9	6435	50.1	48.1-52.1
Some Post-H.S.	10685	5,197,613	4152	44.9	42.9-46.9	6533	55.1	53.1-57.1
College Graduate	11063	4,095,723	5000	49.2	47.4-51.0	6063	50.8	49.0-52.6
Less than \$15,000	3380	1,305,029	1199	43.3	39.4-47.2	2181	56.7	52.8-60.6
\$15,000- 24,999	6719	2,858,430	2568	45.4	42.9-47.9	4151	54.6	52.1-57.1
\$25,000- 34,999	3787	1,552,125	1558	47.4	43.9-50.9	2229	52.6	49.1-56.1
\$35,000- 49,999	4425	1,922,651	2023	49.8	46.7-52.9	2402	50.2	47.1-53.3
\$50,000- 74,999	4094	1,808,414	1916	51.4	48.3-54.5	2178	48.6	45.5-51.7
\$75,000+	6952	3,502,601	3561	56.0	53.6-58.4	3391	44.0	41.6-46.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36371	16,238,105	1880	11.2	10.4-12.0	3498	16.1	15.3-16.9	3706	14.7	13.9-15.5	5296	16.1	15.3-16.9	7303	16.7	15.9-17.5	14688	25.3	24.5-26.1
Male	15376	7,866,644	963	11.9	10.7-13.1	1623	16.8	15.6-18.0	1631	15.0	13.8-16.2	2317	16.4	15.2-17.6	3103	16.3	15.1-17.5	5739	23.6	22.4-24.8
Female	20992	8,369,718	917	10.5	9.5-11.5	1873	15.4	14.2-16.6	2075	14.5	13.3-15.7	2979	15.7	14.5-16.9	4200	17.1	15.9-18.3	8948	26.8	25.6-28.0
White/Non-Hisp	26229	9,145,330	918	8.6	7.8- 9.4	1843	12.5	11.7-13.3	2081	11.8	11.0-12.6	3558	15.4	14.4-16.4	5592	19.1	18.1-20.1	12237	32.5	31.5-33.5
Black or Afr. Am./Non-Hisp	3696	2,273,195	298	16.4	13.7-19.1	487	20.9	18.0-23.8	506	17.3	14.6-20.0	632	17.0	14.5-19.5	717	12.8	10.6-15.0	1056	15.6	13.2-18.0
Oth. Race/Non-Hisp.	1026	582,060	85	15.4	10.7-20.1	148	18.0	13.9-22.1	143	19.1	14.0-24.2	169	15.8	10.7-20.9	206	15.5	10.0-21.0	275	16.1	11.2-21.0
MultiRacial/Non-Hisp.	450	149,758	36	14.7	8.0-21.4	65	29.5	19.1-39.9	61	25.5	16.7-34.3	49	10.6	4.3-16.9	90	9.3	5.4-13.2	149	10.3	6.2-14.4
Hispanic	4392	3,800,564	509	13.5	11.7-15.3	897	20.9	18.7-23.1	854	18.9	16.7-21.1	804	17.4	15.4-19.4	598	13.6	11.6-15.6	730	15.6	13.6-17.6
Less Than H.S.	3868	2,251,802	196	8.6	6.8-10.4	428	15.6	13.1-18.1	475	16.8	13.9-19.7	612	15.6	13.1-18.1	713	17.5	14.6-20.4	1444	25.9	22.8-29.0
H.S. or G.E.D.	10945	4,799,440	770	15.3	13.7-16.9	1003	16.1	14.5-17.7	921	12.1	10.7-13.5	1501	15.5	14.1-16.9	2268	16.1	14.7-17.5	4482	25.0	23.4-26.6
Some Post-H.S.	10525	5,104,444	661	13.3	11.9-14.7	1041	16.3	14.7-17.9	1025	13.5	12.1-14.9	1482	15.0	13.6-16.4	2152	17.2	15.8-18.6	4164	24.8	23.4-26.2
College Graduate	10855	3,989,874	244	4.9	3.9- 5.9	1008	16.2	14.8-17.6	1278	18.6	17.0-20.2	1682	18.6	17.0-20.2	2135	16.2	15.0-17.4	4508	25.6	24.2-27.0
Less than \$15,000	3361	1,299,989	173	11.4	8.9-13.9	300	14.8	11.9-17.7	295	11.1	8.9-13.3	528	18.4	15.3-21.5	836	19.4	16.3-22.5	1229	25.0	21.9-28.1
\$15,000- 24,999	6671	2,835,344	379	10.8	9.2-12.4	724	18.5	16.3-20.7	705	15.7	13.7-17.7	835	14.1	12.3-15.9	1230	15.9	13.9-17.9	2798	25.0	23.0-27.0
\$25,000- 34,999	3760	1,533,581	212	11.8	9.6-14.0	411	18.7	15.8-21.6	367	13.4	10.7-16.1	458	13.8	11.3-16.3	670	15.5	13.1-17.9	1642	26.9	24.0-29.8
\$35,000- 49,999	4385	1,901,006	202	9.7	7.5-11.9	490	18.3	15.8-20.8	421	13.2	11.0-15.4	593	14.2	12.2-16.2	844	17.4	15.0-19.8	1835	27.1	24.6-29.6
\$50,000- 74,999	4059	1,789,606	130	7.5	5.3- 9.7	434	18.8	16.1-21.5	462	16.0	13.6-18.4	630	15.9	13.5-18.3	844	16.7	14.5-18.9	1559	25.1	22.6-27.6
\$75,000+	6881	3,452,605	204	7.6	6.2- 9.0	540	13.2	11.6-14.8	926	19.2	17.2-21.2	1453	22.9	20.9-24.9	1665	19.0	17.2-20.8	2093	18.1	16.7-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15376	7,866,644	963	11.9	10.7-13.1	1623	16.8	15.6-18.0	1631	15.0	13.8-16.2	2317	16.4	15.2-17.6	3103	16.3	15.1-17.5	5739	23.6	22.4-24.8
White/Non-Hisp	10888	4,447,640	479	9.0	7.8-10.2	826	13.1	11.7-14.5	914	12.3	10.9-13.7	1518	15.8	14.4-17.2	2366	19.2	17.8-20.6	4785	30.6	29.0-32.2
Black or Afr. Am./Non-Hisp	1494	1,079,004	138	18.9	14.4-23.4	205	22.8	18.1-27.5	217	13.2	10.3-16.1	270	16.1	12.8-19.4	298	14.3	11.0-17.6	366	14.8	11.3-18.3
Oth. Race/Non-Hisp.	524	269,827	44	12.9	7.2-18.6	94	18.7	13.2-24.2	76	22.1	14.7-29.5	81	12.9	7.8-18.0	99	16.8	7.6-26.0	130	16.6	9.7-23.5
MultiRacial/Non-Hisp.	219	66,927	20	17.1	7.7-26.5	37	26.0	15.2-36.8	24	29.9	15.2-44.6	34	13.6	5.8-21.4	39	4.5	1.4- 7.6	65	9.0	4.5-13.5
Hispanic	1946	1,845,934	262	14.7	12.0-17.4	429	21.7	18.6-24.8	364	20.5	17.2-23.8	373	18.8	15.9-21.7	252	10.8	8.4-13.2	266	13.5	10.8-16.2
Less Than H.S.	1710	1,163,785	118	10.0	7.5-12.5	205	14.4	11.1-17.7	231	18.1	14.0-22.2	277	15.6	12.5-18.7	354	19.7	15.4-24.0	525	22.2	17.9-26.5
H.S. or G.E.D.	4588	2,401,761	429	18.2	15.7-20.7	503	18.2	15.7-20.7	470	12.9	10.9-14.9	708	15.9	13.9-17.9	997	14.7	12.9-16.5	1481	20.1	17.9-22.3
Some Post-H.S.	4101	2,307,022	297	12.5	10.3-14.7	451	18.0	15.6-20.4	431	15.2	13.0-17.4	595	14.9	12.9-16.9	820	16.1	14.1-18.1	1507	23.4	21.2-25.6
College Graduate	4907	1,960,630	113	4.3	3.1- 5.5	452	15.0	13.0-17.0	498	15.9	13.7-18.1	731	19.2	17.0-21.4	918	16.5	14.7-18.3	2195	29.1	26.9-31.3
Less than \$15,000	1192	563,329	78	11.6	7.3-15.9	102	13.9	9.4-18.4	107	10.1	7.0-13.2	206	21.3	16.4-26.2	338	21.7	16.6-26.8	361	21.4	16.7-26.1
\$15,000- 24,999	2554	1,289,750	176	12.4	9.9-14.9	299	17.9	14.8-21.0	288	16.8	13.7-19.9	328	13.6	11.1-16.1	505	16.5	13.6-19.4	958	22.8	19.9-25.7
\$25,000- 34,999	1549	731,137	103	11.6	8.3-14.9	188	19.7	15.2-24.2	172	15.4	11.1-19.7	202	13.7	10.4-17.0	253	14.8	11.3-18.3	631	24.9	20.6-29.2
\$35,000- 49,999	2004	950,285	102	9.0	6.3-11.7	252	19.9	16.4-23.4	197	14.1	11.0-17.2	270	14.8	12.1-17.5	362	15.1	12.0-18.2	821	27.2	23.5-30.9
\$50,000- 74,999	1903	918,836	69	7.0	4.3- 9.7	222	19.8	16.1-23.5	202	17.0	13.5-20.5	281	14.0	11.1-16.9	337	14.4	11.5-17.3	792	27.8	24.1-31.5
\$75,000+	3526	1,931,300	124	7.5	5.5- 9.5	279	13.2	10.8-15.6	439	16.8	14.4-19.2	695	22.2	19.7-24.7	835	19.9	17.5-22.3	1154	20.5	18.3-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 4: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20992	8,369,718	917	10.5	9.5-11.5	1873	15.4	14.2-16.6	2075	14.5	13.3-15.7	2979	15.7	14.5-16.9	4200	17.1	15.9-18.3	8948	26.8	25.6-28.0
White/Non-Hisp	15339	4,696,544	439	8.2	7.0- 9.4	1016	12.0	10.8-13.2	1167	11.3	10.1-12.5	2040	15.1	13.9-16.3	3226	19.0	17.8-20.2	7451	34.4	33.0-35.8
Black or Afr. Am./Non-Hisp	2201	1,193,594	160	14.1	11.0-17.2	281	19.1	15.4-22.8	289	21.0	16.7-25.3	362	17.9	14.0-21.8	419	11.5	8.8-14.2	690	16.3	13.2-19.4
Oth. Race/Non-Hisp.	502	312,233	41	17.6	10.5-24.7	54	17.5	11.2-23.8	67	16.5	9.6-23.4	88	18.4	10.4-26.4	107	14.4	7.9-20.9	145	15.7	8.8-22.6
MultiRacial/Non-Hisp.	231	82,832	16	12.8	3.6-22.0	28	32.4	16.3-48.5	37	22.0	12.0-32.0	15	8.2	0.0-17.8	51	13.2	6.5-19.9	84	11.4	4.9-17.9
Hispanic	2446	1,954,631	247	12.5	10.0-15.0	468	20.2	17.3-23.1	490	17.4	14.9-19.9	431	16.1	13.4-18.8	346	16.2	13.3-19.1	464	17.6	14.9-20.3
Less Than H.S.	2157	1,087,420	78	7.2	4.7- 9.7	222	17.0	13.1-20.9	244	15.3	11.4-19.2	335	15.6	11.9-19.3	359	15.2	11.5-18.9	919	29.7	25.4-34.0
H.S. or G.E.D.	6357	2,397,679	341	12.4	10.4-14.4	500	13.9	11.9-15.9	451	11.3	9.3-13.3	793	15.0	12.8-17.2	1271	17.5	15.3-19.7	3001	29.9	27.5-32.3
Some Post-H.S.	6424	2,797,422	364	14.0	12.0-16.0	590	14.9	12.9-16.9	594	12.1	10.5-13.7	887	15.0	13.2-16.8	1332	18.1	16.1-20.1	2657	25.9	23.9-27.9
College Graduate	5946	2,028,098	131	5.5	4.1- 6.9	555	17.3	15.1-19.5	780	21.2	18.8-23.6	951	17.9	15.7-20.1	1217	15.8	14.0-17.6	2312	22.2	20.4-24.0
Less than \$15,000	2169	736,660	95	11.2	7.9-14.5	198	15.5	12.0-19.0	188	11.9	8.8-15.0	322	16.2	12.5-19.9	498	17.5	13.6-21.4	868	27.7	23.4-32.0
\$15,000- 24,999	4117	1,545,594	203	9.5	7.5-11.5	425	19.0	16.3-21.7	417	14.8	12.3-17.3	507	14.4	11.9-16.9	725	15.4	12.9-17.9	1840	26.9	24.2-29.6
\$25,000- 34,999	2210	801,551	109	11.9	9.0-14.8	222	17.7	13.8-21.6	195	11.6	8.5-14.7	256	13.9	10.2-17.6	417	16.2	12.9-19.5	1011	28.8	25.1-32.5
\$35,000- 49,999	2381	950,721	100	10.5	7.4-13.6	238	16.7	13.4-20.0	224	12.4	9.9-14.9	323	13.6	10.7-16.5	482	19.8	16.3-23.3	1014	27.0	23.7-30.3
\$50,000- 74,999	2156	870,770	61	8.0	4.7-11.3	212	17.7	13.8-21.6	260	14.9	11.8-18.0	349	17.9	14.2-21.6	507	19.1	15.8-22.4	767	22.3	19.2-25.4
\$75,000+	3354	1,521,053	80	7.8	5.4-10.2	261	13.2	10.8-15.6	487	22.2	19.1-25.3	758	23.9	20.8-27.0	830	17.8	15.4-20.2	938	15.1	13.3-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36650	16,407,336	1064	3.4	3.0- 3.8	819	3.8	3.4- 4.2	688	5.5	4.9- 6.1	1838	10.6	9.8-11.4	23	0.1	0.1- 0.1	32218	76.6	75.6-77.6
Male	15443	7,911,889	503	3.9	3.1- 4.7	332	3.6	3.0- 4.2	335	5.5	4.7- 6.3	787	10.4	9.2-11.6	10	0.1	0.0- 0.3	13476	76.4	74.8-78.0
Female	21204	8,493,704	561	2.9	2.5- 3.3	487	4.0	3.4- 4.6	353	5.6	4.6- 6.6	1051	10.7	9.7-11.7	13	0.1	0.1- 0.1	18739	76.7	75.3-78.1
18-24	1861	1,799,702	141	4.0	2.8- 5.2	98	5.4	3.8- 7.0	53	5.6	3.4- 7.8	212	13.4	10.7-16.1	5	0.2	0.0- 0.4	1352	71.4	67.9-74.9
25-34	3475	2,596,968	272	6.5	5.1- 7.9	136	4.5	3.3- 5.7	116	5.6	4.0- 7.2	365	13.7	11.5-15.9	8	0.3	0.0- 0.7	2578	69.4	66.7-72.1
35-44	3683	2,366,209	258	6.4	4.6- 8.2	131	4.7	3.3- 6.1	98	4.6	3.2- 6.0	363	14.6	12.2-17.0	4	0.0	0.0- 0.0	2829	69.6	66.7-72.5
45-54	5256	2,585,693	180	3.2	2.2- 4.2	129	3.7	2.7- 4.7	142	6.4	4.6- 8.2	350	12.2	10.2-14.2	3	0.1	0.1- 0.1	4452	74.4	71.9-76.9
55-64	7269	2,692,879	113	1.7	1.1- 2.3	120	2.6	1.8- 3.4	112	6.1	4.3- 7.9	251	8.7	6.7-10.7	2	0.0	0.0- 0.0	6671	80.8	78.3-83.3
65+	14590	4,080,665	94	0.8	0.4- 1.2	197	3.1	2.3- 3.9	160	5.1	3.9- 6.3	278	5.5	4.3- 6.7	1	0.0	0.0- 0.0	13860	85.5	83.7-87.3
Less Than H.S.	3866	2,247,600	555	13.3	10.9-15.7	148	6.1	4.7- 7.5	118	8.6	6.2-11.0	404	17.3	14.4-20.2	5	0.2	0.0- 0.4	2636	54.6	51.1-58.1
H.S. or G.E.D.	11014	4,850,871	259	2.8	2.2- 3.4	220	4.7	3.7- 5.7	210	5.9	4.7- 7.1	490	10.5	9.1-11.9	4	0.1	0.0- 0.3	9831	76.0	74.0-78.0
Some Post-H.S.	10607	5,142,042	140	1.2	0.8- 1.6	248	3.1	2.5- 3.7	180	4.9	3.9- 5.9	441	9.5	8.1-10.9	6	0.0	0.0- 0.0	9592	81.2	79.4-83.0
College Graduate	10973	4,066,223	96	1.4	0.8- 2.0	197	2.4	1.8- 3.0	176	4.1	3.1- 5.1	490	8.4	7.2- 9.6	7	0.1	0.1- 0.1	10007	83.7	82.1-85.3
Less than \$15,000	3359	1,300,749	145	4.3	2.9- 5.7	104	6.3	4.5- 8.1	87	8.4	5.7-11.1	214	12.8	9.9-15.7	4	0.2	0.0- 0.4	2805	67.9	64.2-71.6
\$15,000- 24,999	6688	2,844,688	373	6.6	5.2- 8.0	207	5.4	4.2- 6.6	150	5.7	4.3- 7.1	480	15.4	13.2-17.6	3	0.2	0.0- 0.4	5475	66.8	64.3-69.3
\$25,000- 34,999	3767	1,548,878	119	4.3	2.3- 6.3	80	4.1	2.5- 5.7	69	4.7	2.9- 6.5	200	11.2	8.8-13.6	1	0.0	0.0- 0.0	3298	75.8	72.5-79.1
\$35,000- 49,999	4401	1,907,300	71	1.9	1.1- 2.7	95	4.0	2.6- 5.4	66	4.9	2.9- 6.9	163	8.7	6.7-10.7	5	0.1	0.0- 0.3	4001	80.4	77.5-83.3
\$50,000- 74,999	4076	1,797,733	57	1.9	0.9- 2.9	62	2.7	1.3- 4.1	53	3.9	2.3- 5.5	140	7.3	5.1- 9.5	4	0.1	0.0- 0.3	3760	84.2	81.3-87.1
\$75,000+	6922	3,491,139	74	1.6	1.0- 2.2	89	1.7	1.1- 2.3	86	3.1	2.1- 4.1	208	7.2	5.6- 8.8	3	0.0	0.0- 0.0	6462	86.4	84.4-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15443	7,911,889	503	3.9	3.1- 4.7	332	3.6	3.0- 4.2	335	5.5	4.7- 6.3	787	10.4	9.2-11.6	10	0.1	0.0- 0.3	13476	76.4	75.0-77.8
18-24	953	927,887	81	4.7	3.1- 6.3	46	5.0	2.6- 7.4	26	4.8	2.3- 7.3	107	14.4	10.5-18.3	2	0.2	0.0- 0.6	691	70.8	65.9-75.7
25-34	1611	1,314,577	124	5.9	4.1- 7.7	58	4.4	2.8- 6.0	73	7.9	5.2-10.6	170	12.0	9.3-14.7	4	0.4	0.0- 1.0	1182	69.6	65.7-73.5
35-44	1618	1,164,508	123	8.5	5.2-11.8	55	5.1	2.9- 7.3	44	4.2	2.2- 6.2	141	14.6	11.1-18.1	1	0.0	0.0- 0.0	1254	67.5	63.0-72.0
45-54	2296	1,274,991	80	3.8	2.4- 5.2	60	3.7	2.3- 5.1	74	6.7	4.3- 9.1	157	13.0	10.1-15.9	2	0.1	0.0- 0.3	1923	72.8	69.3-76.3
55-64	3085	1,273,540	61	2.5	1.1- 3.9	40	1.8	0.8- 2.8	52	4.4	2.4- 6.4	98	6.9	4.4- 9.4	1	0.0	0.0- 0.0	2833	84.4	81.1-87.7
65+	5687	1,844,556	29	0.4	0.2- 0.6	71	2.8	1.6- 4.0	62	5.0	3.2- 6.8	104	5.5	3.7- 7.3				5421	86.4	83.9-88.9
Less Than H.S.	1701	1,154,705	263	15.2	11.5-18.9	58	5.6	3.6- 7.6	53	7.0	4.1- 9.9	179	14.4	10.7-18.1	2	0.1	0.0- 0.3	1146	57.7	52.6-62.8
H.S. or G.E.D.	4607	2,412,669	121	2.9	1.9- 3.9	105	5.4	3.8- 7.0	107	6.2	4.4- 8.0	211	10.4	8.2-12.6	2	0.2	0.0- 0.6	4061	75.0	72.3-77.7
Some Post-H.S.	4117	2,309,339	67	1.3	0.9- 1.7	89	2.2	1.4- 3.0	89	5.1	3.5- 6.7	188	10.8	8.6-13.0	2	0.0	0.0- 0.0	3682	80.5	78.0-83.0
College Graduate	4947	2,001,618	43	1.6	0.8- 2.4	80	2.0	1.4- 2.6	85	4.4	3.0- 5.8	203	7.6	6.0- 9.2	4	0.1	0.1- 0.1	4532	84.4	82.2-86.6
Less than \$15,000	1192	563,421	58	5.1	2.6- 7.6	33	6.6	3.5- 9.7	34	9.1	4.8-13.4	84	11.2	7.5-14.9	1	0.0	0.0- 0.0	982	67.9	62.0-73.8
\$15,000- 24,999	2551	1,288,479	169	8.2	5.7-10.7	81	5.7	3.9- 7.5	72	6.3	4.1- 8.5	203	15.4	12.3-18.5	1	0.3	0.0- 0.9	2025	64.1	60.2-68.0
\$25,000- 34,999	1551	734,526	61	6.0	2.5- 9.5	34	3.9	1.9- 5.9	38	4.9	2.4- 7.4	93	10.4	7.3-13.5	1	0.0	0.0- 0.0	1324	74.8	69.9-79.7
\$35,000- 49,999	2009	950,071	35	2.5	0.9- 4.1	45	4.4	2.0- 6.8	38	4.9	2.5- 7.3	78	8.9	6.0-11.8	1	0.2	0.0- 0.6	1812	79.3	75.2-83.4
\$50,000- 74,999	1902	922,824	29	2.3	0.7- 3.9	32	3.1	0.7- 5.5	31	5.5	2.8- 8.2	82	8.7	5.8-11.6	2	0.1	0.0- 0.3	1726	80.3	76.0-84.6
\$75,000+	3541	1,950,611	42	1.9	0.9- 2.9	50	1.7	1.1- 2.3	53	3.2	1.8- 4.6	99	7.9	5.5-10.3	2	0.1	0.1- 0.1	3295	85.2	82.7-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21204	8,493,704	561	2.9	2.5- 3.3	487	4.0	3.4- 4.6	353	5.6	4.6- 6.6	1051	10.7	9.7-11.7	13	0.1	0.1- 0.1	18739	76.7	75.3-78.1
18-24	908	871,815	60	3.2	1.8- 4.6	52	5.7	3.5- 7.9	27	6.4	3.1- 9.7	105	12.4	8.7-16.1	3	0.2	0.0- 0.4	661	72.0	67.1-76.9
25-34	1862	1,280,901	148	7.2	5.0- 9.4	78	4.7	2.9- 6.5	43	3.3	1.5- 5.1	195	15.5	12.2-18.8	4	0.2	0.0- 0.4	1394	69.2	65.3-73.1
35-44	2065	1,201,701	135	4.4	3.0- 5.8	76	4.3	2.7- 5.9	54	5.0	3.0- 7.0	222	14.7	11.6-17.8	3	0.0	0.0- 0.0	1575	71.6	67.9-75.3
45-54	2960	1,310,702	100	2.7	1.7- 3.7	69	3.7	2.3- 5.1	68	6.2	3.8- 8.6	193	11.5	8.8-14.2	1	0.0	0.0- 0.0	2529	76.0	72.5-79.5
55-64	4184	1,419,339	52	1.0	0.4- 1.6	80	3.3	1.9- 4.7	60	7.7	4.8-10.6	153	10.3	7.6-13.0	1	0.1	0.0- 0.3	3838	77.6	73.9-81.3
65+	8902	2,235,857	65	1.1	0.5- 1.7	126	3.4	2.4- 4.4	98	5.2	3.6- 6.8	174	5.6	4.2- 7.0	1	0.0	0.0- 0.0	8438	84.6	82.4-86.8
Less Than H.S.	2164	1,092,298	292	11.3	8.6-14.0	90	6.5	4.3- 8.7	65	10.2	6.3-14.1	225	20.4	16.1-24.7	3	0.2	0.0- 0.4	1489	51.4	46.3-56.5
H.S. or G.E.D.	6407	2,438,202	138	2.7	1.9- 3.5	115	4.0	2.8- 5.2	103	5.7	4.1- 7.3	279	10.6	8.6-12.6	2	0.1	0.1- 0.1	5770	77.0	74.5-79.5
Some Post-H.S.	6490	2,832,703	73	1.2	0.6- 1.8	159	3.8	2.8- 4.8	91	4.7	3.3- 6.1	253	8.5	6.7-10.3	4	0.0	0.0- 0.0	5910	81.8	79.6-84.0
College Graduate	6024	2,063,460	53	1.1	0.5- 1.7	117	2.8	1.8- 3.8	91	3.9	2.7- 5.1	287	9.1	7.5-10.7	3	0.1	0.0- 0.3	5473	82.9	80.7-85.1
Less than \$15,000	2167	737,329	87	3.7	2.3- 5.1	71	6.1	3.9- 8.3	53	7.9	4.4-11.4	130	14.0	9.9-18.1	3	0.3	0.0- 0.7	1823	67.9	63.0-72.8
\$15,000- 24,999	4137	1,556,209	204	5.3	3.9- 6.7	126	5.1	3.5- 6.7	78	5.2	3.4- 7.0	277	15.4	12.5-18.3	2	0.1	0.1- 0.1	3450	69.0	65.7-72.3
\$25,000- 34,999	2215	813,459	58	2.9	1.5- 4.3	46	4.2	2.0- 6.4	31	4.4	1.7- 7.1	107	11.9	8.4-15.4				1973	76.6	72.1-81.1
\$35,000- 49,999	2392	957,229	36	1.3	0.5- 2.1	50	3.6	2.0- 5.2	28	4.9	2.0- 7.8	85	8.6	5.9-11.3	4	0.0	0.0- 0.0	2189	81.6	77.7-85.5
\$50,000- 74,999	2174	874,909	28	1.5	0.5- 2.5	30	2.2	1.0- 3.4	22	2.2	0.6- 3.8	58	5.8	2.5- 9.1	2	0.1	0.0- 0.3	2034	88.2	84.5-91.9
\$75,000+	3380	1,540,276	32	1.1	0.3- 1.9	39	1.6	0.6- 2.6	33	3.1	1.5- 4.7	109	6.3	4.3- 8.3	1	0.0	0.0- 0.0	3166	88.0	85.3-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35875	15,876,488	34156	92.9	92.3-93.5	481	1.1	0.9- 1.3	24	0.1	0.0- 0.3	1	0.0	0.0- 0.0	5	0.1	0.1- 0.1	1208	5.8	5.2- 6.4
Male	15089	7,657,106	14235	92.7	91.7-93.7	242	1.2	0.8- 1.6	10	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4	0.1	0.0- 0.3	597	5.9	5.1- 6.7
Female	20783	8,217,639	19918	93.1	92.3-93.9	239	1.0	0.8- 1.2	14	0.2	0.0- 0.4				1	0.0	0.0- 0.0	611	5.6	4.8- 6.4
18-24	1798	1,729,117	1650	92.6	90.6-94.6	43	1.9	0.9- 2.9	1	0.0	0.0- 0.0							104	5.5	3.7- 7.3
25-34	3333	2,488,236	2991	88.5	86.5-90.5	76	1.7	1.1- 2.3	3	0.4	0.0- 1.0							263	9.4	7.4-11.4
35-44	3556	2,267,623	3242	89.9	87.9-91.9	61	1.6	1.0- 2.2	7	0.3	0.1- 0.5				1	0.1	0.0- 0.3	245	8.2	6.4-10.0
45-54	5126	2,515,900	4860	92.6	91.0-94.2	59	1.1	0.5- 1.7	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	203	6.0	4.6- 7.4
55-64	7146	2,610,863	6877	94.7	93.3-96.1	88	0.8	0.2- 1.4	5	0.0	0.0- 0.0				1	0.0	0.0- 0.0	175	4.4	3.2- 5.6
65+	14434	3,994,192	14073	96.4	95.4-97.4	149	0.4	0.2- 0.6	7	0.1	0.1- 0.1							205	3.1	2.3- 3.9
Less Than H.S.	3625	2,078,603	3137	83.9	81.2-86.6	64	1.1	0.5- 1.7	1	0.0	0.0- 0.0							423	15.0	12.5-17.5
H.S. or G.E.D.	10818	4,690,924	10364	92.5	91.3-93.7	132	1.2	0.8- 1.6	6	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	314	6.1	4.9- 7.3
Some Post-H.S.	10437	5,023,435	10024	94.4	93.4-95.4	166	1.3	0.9- 1.7	11	0.3	0.1- 0.5				3	0.1	0.0- 0.3	233	4.0	3.2- 4.8
College Graduate	10835	3,997,611	10485	96.4	95.8-97.0	116	0.8	0.4- 1.2	6	0.1	0.1- 0.1				1	0.0	0.0- 0.0	227	2.7	2.1- 3.3
Less than \$15,000	3265	1,241,891	3037	90.3	87.8-92.8	68	1.6	0.8- 2.4	4	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	154	7.8	5.4-10.2
\$15,000- 24,999	6504	2,735,304	6040	89.4	87.6-91.2	99	1.3	0.7- 1.9	4	0.2	0.0- 0.4				1	0.0	0.0- 0.0	360	9.2	7.6-10.8
\$25,000- 34,999	3706	1,504,854	3517	90.8	88.4-93.2	52	1.5	0.7- 2.3	1	0.0	0.0- 0.0							136	7.7	5.5- 9.9
\$35,000- 49,999	4349	1,873,775	4185	93.8	92.0-95.6	56	1.4	0.6- 2.2	2	0.4	0.0- 1.2							106	4.3	2.9- 5.7
\$50,000- 74,999	4037	1,755,225	3908	95.2	93.4-97.0	48	0.8	0.4- 1.2	6	0.0	0.0- 0.0				1	0.1	0.0- 0.3	74	3.9	2.3- 5.5
\$75,000+	6850	3,426,658	6694	97.6	96.8-98.4	66	0.7	0.3- 1.1	3	0.1	0.0- 0.3							87	1.7	1.1- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15089	7,657,106	14235	92.7	91.7-93.7	242	1.2	0.8- 1.6	10	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4	0.1	0.0- 0.3	597	5.9	5.1- 6.7
18-24	918	895,142	841	93.0	90.5-95.5	25	2.2	0.8- 3.6	1	0.0	0.0- 0.0							51	4.8	2.6- 7.0
25-34	1545	1,265,824	1355	89.0	86.5-91.5	44	1.8	1.0- 2.6	1	0.0	0.0- 0.0							145	9.1	6.6-11.6
35-44	1562	1,111,360	1408	88.4	85.3-91.5	29	2.0	0.8- 3.2	2	0.1	0.0- 0.3							123	9.5	6.6-12.4
45-54	2238	1,240,544	2092	91.3	88.9-93.7	39	1.2	0.4- 2.0	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	2	0.4	0.0- 1.2	103	6.9	4.7- 9.1
55-64	3033	1,234,414	2899	95.5	93.9-97.1	36	0.5	0.1- 0.9	3	0.0	0.0- 0.0				1	0.0	0.0- 0.0	94	4.1	2.7- 5.5
65+	5618	1,810,771	5474	96.7	95.3-98.1	66	0.5	0.3- 0.7	2	0.0	0.0- 0.0							76	2.8	1.4- 4.2
Less Than H.S.	1601	1,081,734	1351	83.6	79.7-87.5	31	1.3	0.1- 2.5	1	0.0	0.0- 0.0							218	15.1	11.4-18.8
H.S. or G.E.D.	4514	2,329,524	4274	91.8	90.0-93.6	77	1.6	1.0- 2.2	3	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	158	6.4	4.8- 8.0
Some Post-H.S.	4049	2,261,874	3864	94.8	93.6-96.0	80	1.2	0.8- 1.6	4	0.1	0.0- 0.3				2	0.2	0.0- 0.6	99	3.7	2.5- 4.9
College Graduate	4869	1,961,372	4697	96.4	95.4-97.4	53	0.8	0.4- 1.2	2	0.0	0.0- 0.0				1	0.0	0.0- 0.0	116	2.8	2.0- 3.6
Less than \$15,000	1154	530,292	1063	92.4	89.3-95.5	28	0.9	0.0- 2.1	1	0.0	0.0- 0.0	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	60	6.2	3.5- 8.9
\$15,000- 24,999	2458	1,227,671	2240	88.4	85.7-91.1	51	1.6	0.8- 2.4	1	0.0	0.0- 0.0				1	0.1	0.0- 0.3	165	9.9	7.2-12.6
\$25,000- 34,999	1518	703,972	1412	89.5	86.2-92.8	30	1.7	0.1- 3.3										76	8.7	5.8-11.6
\$35,000- 49,999	1986	940,024	1885	91.8	89.1-94.5	29	2.1	0.7- 3.5	1	0.1	0.0- 0.3							71	5.9	3.5- 8.3
\$50,000- 74,999	1885	899,555	1807	93.3	90.6-96.0	26	1.1	0.5- 1.7	4	0.0	0.0- 0.0							48	5.5	3.0- 8.0
\$75,000+	3497	1,910,275	3409	97.6	96.6-98.6	32	0.5	0.1- 0.9	1	0.0	0.0- 0.0							55	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20783	8,217,639	19918	93.1	92.3-93.9	239	1.0	0.8- 1.2	14	0.2	0.0- 0.4	1	0.0	0.0- 0.0	611	5.6	4.8- 6.4
18-24	880	833,975	809	92.2	89.5-94.9	18	1.5	0.5- 2.5							53	6.4	3.9- 8.9
25-34	1786	1,220,921	1634	87.9	84.8-91.0	32	1.6	0.8- 2.4	2	0.8	0.0- 2.0				118	9.7	6.8-12.6
35-44	1994	1,156,263	1834	91.4	89.2-93.6	32	1.2	0.6- 1.8	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	122	6.9	4.7- 9.1
45-54	2888	1,275,356	2768	93.8	91.6-96.0	20	1.1	0.1- 2.1							100	5.1	3.1- 7.1
55-64	4113	1,376,449	3978	94.0	91.8-96.2	52	1.2	0.4- 2.0	2	0.1	0.0- 0.3				81	4.8	2.8- 6.8
65+	8815	2,183,169	8598	96.2	95.0-97.4	83	0.4	0.2- 0.6	5	0.1	0.0- 0.3				129	3.3	2.1- 4.5
Less Than H.S.	2023	996,271	1785	84.1	80.4-87.8	33	0.9	0.3- 1.5							205	15.0	11.3-18.7
H.S. or G.E.D.	6304	2,361,400	6090	93.2	91.4-95.0	55	0.8	0.2- 1.4	3	0.2	0.0- 0.4				156	5.8	4.2- 7.4
Some Post-H.S.	6388	2,761,561	6160	94.0	92.6-95.4	86	1.3	0.7- 1.9	7	0.4	0.0- 1.0	1	0.1	0.0- 0.3	134	4.2	3.0- 5.4
College Graduate	5964	2,035,093	5786	96.4	95.4-97.4	63	0.9	0.5- 1.3	4	0.1	0.0- 0.3				111	2.6	1.8- 3.4
Less than \$15,000	2111	711,599	1974	88.8	85.1-92.5	40	2.1	0.9- 3.3	3	0.1	0.0- 0.3				94	9.0	5.5-12.5
\$15,000- 24,999	4046	1,507,633	3800	90.2	88.0-92.4	48	1.0	0.2- 1.8	3	0.3	0.0- 0.7				195	8.5	6.5-10.5
\$25,000- 34,999	2187	799,989	2104	91.9	88.8-95.0	22	1.2	0.2- 2.2	1	0.0	0.0- 0.0				60	6.8	3.7- 9.9
\$35,000- 49,999	2363	933,751	2300	95.9	93.7-98.1	27	0.7	0.3- 1.1	1	0.7	0.0- 2.1				35	2.7	0.9- 4.5
\$50,000- 74,999	2152	855,670	2101	97.1	95.1-99.1	22	0.5	0.1- 0.9	2	0.0	0.0- 0.0	1	0.2	0.0- 0.6	26	2.2	0.2- 4.2
\$75,000+	3352	1,516,131	3284	97.6	96.6-98.6	34	0.9	0.3- 1.5	2	0.2	0.0- 0.4				32	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			N	Asian		N	Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	366	124,405	253	51.9	41.1-62.7	62	30.9	21.5-40.3	40	7.0	1.7-12.3	4	3.9	0.0-10.0	7	6.4	0.3-12.5
Male	175	60,504	113	44.1	31.6-56.6	34	40.3	26.4-54.2	22	5.6	0.3-10.9	2	0.3	0.0- 0.7	4	9.8	0.0-21.2
Female	191	63,902	140	59.2	42.7-75.7	28	22.0	10.8-33.2	18	8.3	0.0-17.5	2	7.3	0.0-18.9	3	3.1	0.0- 7.0
25-34	57	39,261	36	66.4	46.2-86.6	15	18.8	5.3-32.3	2	5.7	0.0-14.3	1	0.3	0.0- 0.9	3	8.8	0.0-21.5
55-64	76	14,909	54	63.8	36.4-91.2	11	8.6	0.0-20.6	9	5.8	0.3-11.3				2	21.8	0.0-52.0
65+	123	14,723	103	74.5	61.8-87.2	8	18.6	8.8-28.4	11	2.0	0.4- 3.6				1	4.8	0.0-14.0
Less Than H.S.	53	15,903	30	35.4	10.7-60.1	10	43.6	13.8-73.4	12	3.3	0.0- 7.0				1	17.7	0.0-47.9
H.S. or G.E.D.	95	29,720	67	51.2	31.6-70.8	17	30.0	11.8-48.2	8	4.0	0.0- 9.1	2	13.2	0.0-35.9	1	1.5	0.0- 4.4
Some Post-H.S.	130	55,631	92	57.4	39.6-75.2	23	33.0	16.7-49.3	13	8.2	0.0-18.2				2	1.4	0.0- 3.9
College Graduate	86	23,105	62	50.5	29.3-71.7	12	18.2	6.6-29.8	7	10.5	0.0-23.6	2	4.0	0.0-10.9	3	16.9	0.0-36.7
Less than \$15,000	56	14,350	31	37.8	13.3-62.3	11	39.5	11.1-67.9	14	22.7	0.0-55.0						
\$15,000- 24,999	68	19,930	53	46.3	24.3-68.3	9	46.9	23.2-70.6	6	6.8	0.0-15.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		N	Black or African American		N	Am. Indian or Alaskan Native		N	Asian		N	Other	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	175	60,504	113	44.1	31.9-56.3	34	40.3	26.4-54.2	22	5.6	0.1-11.1	2	0.3	0.0- 0.7	4	9.8	0.0-21.6
65+	51	6,695	41	73.1	51.1-95.1	3	14.2	0.0-31.6	6	2.0	0.8- 3.2				1	10.7	0.0-29.5
H.S. or G.E.D.	50	18,811	34	60.2	37.7-82.7	9	37.7	15.0-60.4	6	1.7	0.0- 3.7	1	0.4	0.0- 1.2			
Some Post-H.S.	61	21,498	40	38.0	19.2-56.8	13	53.0	32.4-73.6	6	5.4	0.1-10.7				2	3.5	0.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			N	Asian		N	Other	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	191	63,902	140	59.2	42.1-76.3	28	22.0	10.8-33.2	18	8.3	0.0-17.7	2	7.3	0.0-19.1	3	3.1	0.0- 7.0
65+	72	8,028	62	75.7	63.4-88.0	5	22.3	11.1-33.5	5	2.0	0.0- 4.0						
Some Post-H.S.	69	34,133	52	69.6	46.5-92.7	10	20.4	3.3-37.5	7	10.0	0.0-26.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married		N	Divorced		N	Widowed		N	Separated		N	Never married		N	Unmarried couple	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	36609	16,386,816	18036	48.4	47.2-49.6	5623	12.7	12.1-13.3	5694	8.3	7.7- 8.9	1002	2.9	2.5- 3.3	5091	22.7	21.7-23.7	1163	4.9	4.3- 5.5
Male	15445	7,915,070	8337	50.4	48.8-52.0	2337	11.8	10.8-12.8	1178	4.4	3.8- 5.0	399	2.6	2.0- 3.2	2631	25.6	24.0-27.2	563	5.2	4.4- 6.0
Female	21162	8,470,600	9699	46.6	45.0-48.2	3285	13.6	12.6-14.6	4516	12.0	11.2-12.8	603	3.1	2.5- 3.7	2460	20.0	18.8-21.2	599	4.7	4.1- 5.3
White/Non-Hisp	26400	9,227,467	13699	53.0	51.8-54.2	4157	13.6	12.8-14.4	4690	10.1	9.5-10.7	519	1.8	1.6- 2.0	2723	17.6	16.6-18.6	612	3.9	3.3- 4.5
Black or Afr. Am./Non-Hisp	3718	2,293,098	1279	35.1	31.8-38.4	592	10.6	9.0-12.2	463	7.4	5.4- 9.4	194	4.2	2.6- 5.8	1105	38.4	35.1-41.7	85	4.3	2.7- 5.9
Oth. Race/Non-Hisp.	1039	589,865	521	53.2	46.7-59.7	152	10.7	6.8-14.6	125	5.2	2.5- 7.9	29	3.3	0.0- 6.6	194	26.5	21.0-32.0	18	1.0	0.2- 1.8
MultiRacial/Non-Hisp.	450	151,976	186	42.0	32.0-52.0	79	12.9	5.6-20.2	70	5.1	2.2- 8.0	10	1.0	0.0- 2.2	80	31.0	21.8-40.2	25	8.0	3.5-12.5
Hispanic	4409	3,817,826	2049	44.5	42.0-47.0	548	11.9	10.1-13.7	261	5.5	4.3- 6.7	242	4.8	3.8- 5.8	899	24.6	22.2-27.0	410	8.6	7.0-10.2
18-24	1858	1,791,416	179	6.8	5.2- 8.4	21	0.7	0.3- 1.1	2	0.0	0.0- 0.0	13	0.4	0.2- 0.6	1475	84.1	81.6-86.6	168	7.9	5.9- 9.9
25-34	3469	2,595,357	1426	38.9	36.2-41.6	242	6.3	4.9- 7.7	20	0.7	0.1- 1.3	121	2.4	1.6- 3.2	1310	41.6	38.7-44.5	350	10.1	8.3-11.9
35-44	3684	2,379,775	2086	54.6	51.5-57.7	552	14.2	12.0-16.4	46	1.0	0.4- 1.6	184	5.3	3.5- 7.1	589	16.6	14.2-19.0	227	8.3	6.5-10.1
45-54	5262	2,594,209	3043	58.6	55.9-61.3	1033	16.9	14.9-18.9	195	3.2	2.2- 4.2	235	4.3	3.1- 5.5	600	13.0	11.0-15.0	156	4.0	2.8- 5.2
55-64	7252	2,679,252	4090	59.2	56.7-61.7	1597	19.7	17.7-21.7	661	7.1	5.9- 8.3	231	3.3	2.3- 4.3	539	8.4	7.0- 9.8	134	2.3	1.5- 3.1
65+	14589	4,061,929	6915	54.1	52.3-55.9	2121	14.3	12.9-15.7	4706	25.3	23.7-26.9	212	1.7	1.3- 2.1	516	3.6	2.8- 4.4	119	0.9	0.5- 1.3
Less Than H.S.	3874	2,249,680	1421	39.3	35.8-42.8	635	14.6	12.2-17.0	777	11.6	9.4-13.8	228	6.0	4.2- 7.8	557	20.3	17.6-23.0	256	8.3	6.3-10.3
H.S. or G.E.D.	11011	4,842,859	4830	42.6	40.6-44.6	1672	11.9	10.7-13.1	2102	10.5	9.3-11.7	348	3.5	2.7- 4.3	1738	26.6	24.6-28.6	321	5.1	4.1- 6.1
Some Post-H.S.	10600	5,152,712	5148	47.5	45.5-49.5	1797	14.0	12.8-15.2	1608	7.3	6.5- 8.1	242	2.2	1.6- 2.8	1491	24.8	23.0-26.6	314	4.4	3.6- 5.2
College Graduate	10972	4,049,631	6563	61.7	59.9-63.5	1506	11.2	10.2-12.2	1174	5.2	4.6- 5.8	179	1.3	0.9- 1.7	1285	16.9	15.3-18.5	265	3.7	2.9- 4.5
Less than \$15,000	3361	1,295,959	591	22.1	18.6-25.6	998	22.6	19.7-25.5	700	10.9	8.7-13.1	234	6.6	4.6- 8.6	721	32.6	28.9-36.3	117	5.2	3.6- 6.8
\$15,000- 24,999	6672	2,831,477	2237	35.7	33.2-38.2	1334	15.6	13.8-17.4	1449	12.3	10.7-13.9	282	4.7	3.5- 5.9	1072	25.4	23.0-27.8	298	6.2	5.0- 7.4
\$25,000- 34,999	3776	1,551,186	1562	42.0	38.5-45.5	670	14.4	12.2-16.6	757	10.4	8.4-12.4	87	1.9	1.3- 2.5	565	25.5	22.4-28.6	135	5.9	3.7- 8.1
\$35,000- 49,999	4405	1,909,778	2257	48.7	45.6-51.8	678	13.9	11.9-15.9	603	7.3	5.7- 8.9	108	2.4	1.6- 3.2	620	22.9	20.2-25.6	139	4.7	3.3- 6.1
\$50,000- 74,999	4079	1,801,030	2584	58.5	55.4-61.6	543	12.9	10.9-14.9	380	4.4	3.4- 5.4	49	1.0	0.2- 1.8	410	17.6	14.9-20.3	113	5.6	3.8- 7.4
\$75,000+	6930	3,489,869	5356	71.2	69.0-73.4	510	6.9	5.7- 8.1	326	2.9	2.1- 3.7	63	1.0	0.6- 1.4	519	14.5	12.7-16.3	156	3.6	2.6- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																					
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	15445	7,915,070	8337	50.4	48.8-52.0	2337	11.8	10.8-12.8	1178	4.4	3.8- 5.0	399	2.6	2.0- 3.2	2631	25.6	24.0-27.2	563	5.2	4.4- 6.0	
White/Non-Hisp	10931	4,468,456	6228	55.5	53.7-57.3	1758	12.8	11.6-14.0	954	5.2	4.4- 6.0	210	1.6	1.2- 2.0	1489	20.6	19.0-22.2	292	4.3	3.5- 5.1	
Black or Afr. Am./Non-Hisp	1489	1,078,886	613	36.6	31.9-41.3	204	8.8	6.6-11.0	95	4.9	2.2- 7.6	78	3.5	1.9- 5.1	461	43.1	37.8-48.4	38	3.1	1.7- 4.5	
Oth. Race/Non-Hisp.	528	271,361	295	57.9	49.3-66.5	66	10.1	5.0-15.2	38	3.0	1.0- 5.0	11	2.3	0.0- 5.6	107	25.2	18.1-32.3	11	1.4	0.0- 2.8	
MultiRacial/Non-Hisp.	218	68,986	95	37.8	25.6-50.0	45	20.1	6.2-34.0	21	2.4	0.4- 4.4	2	0.9	0.0- 2.7	41	28.2	17.0-39.4	14	10.7	3.1-18.3	
Hispanic	1955	1,852,497	923	45.8	41.9-49.7	218	10.3	7.9-12.7	43	2.4	1.0- 3.8	92	4.5	2.9- 6.1	478	27.6	24.1-31.1	201	9.4	7.0-11.8	
18-24	950	919,331	70	5.8	3.8- 7.8	8	0.4	0.0- 0.8	1	0.0	0.0- 0.0	4	0.2	0.0- 0.4	785	85.7	82.6-88.8	82	7.9	5.4-10.4	
25-34	1606	1,309,880	614	34.4	30.7-38.1	99	5.8	4.0- 7.6	8	0.8	0.0- 1.8	41	2.2	1.0- 3.4	675	47.4	43.3-51.5	169	9.5	7.3-11.7	
35-44	1616	1,173,144	879	51.7	47.2-56.2	236	15.5	12.0-19.0	13	0.7	0.1- 1.3	73	4.7	2.9- 6.5	309	18.7	15.2-22.2	106	8.7	5.8-11.6	
45-54	2303	1,281,655	1362	61.6	58.1-65.1	423	15.8	13.3-18.3	41	1.1	0.5- 1.7	93	3.0	1.8- 4.2	314	14.1	11.6-16.6	70	4.4	2.8- 6.0	
55-64	3079	1,270,042	1814	63.1	59.6-66.6	689	16.9	14.5-19.3	151	3.8	2.4- 5.2	81	3.5	1.7- 5.3	276	10.2	7.8-12.6	68	2.5	1.3- 3.7	
65+	5695	1,843,128	3467	65.3	62.6-68.0	864	13.7	11.9-15.5	953	14.2	12.0-16.4	107	1.9	1.3- 2.5	242	3.7	2.7- 4.7	62	1.2	0.8- 1.6	
Less Than H.S.	1705	1,158,686	692	40.8	35.7-45.9	291	13.4	10.1-16.7	181	7.7	4.8-10.6	99	5.3	3.3- 7.3	316	24.6	20.3-28.9	126	8.1	5.4-10.8	
H.S. or G.E.D.	4611	2,413,214	2168	43.1	40.4-45.8	782	11.5	9.9-13.1	385	4.5	3.5- 5.5	148	3.2	2.2- 4.2	952	31.8	28.9-34.7	176	5.9	4.5- 7.3	
Some Post-H.S.	4119	2,312,984	2196	49.5	46.6-52.4	663	12.9	11.1-14.7	294	3.7	2.7- 4.7	88	1.8	1.0- 2.6	734	27.3	24.6-30.0	144	4.8	3.6- 6.0	
College Graduate	4946	1,989,866	3250	65.9	63.4-68.4	594	10.1	8.7-11.5	311	3.2	2.4- 4.0	62	1.2	0.6- 1.8	615	16.6	14.6-18.6	114	3.1	2.1- 4.1	
Less than \$15,000	1185	556,736	262	25.0	19.3-30.7	359	21.1	16.6-25.6	106	5.3	2.6- 8.0	82	5.1	2.7- 7.5	326	37.4	31.5-43.3	50	6.1	3.4- 8.8	
\$15,000- 24,999	2548	1,284,334	992	38.1	34.2-42.0	530	14.4	11.7-17.1	299	8.8	6.6-11.0	91	3.2	1.8- 4.6	495	27.9	24.2-31.6	141	7.6	5.4- 9.8	
\$25,000- 34,999	1552	734,407	712	42.5	37.4-47.6	275	13.7	10.6-16.8	174	6.9	3.6-10.2	35	1.7	0.7- 2.7	289	27.2	22.5-31.9	67	7.8	3.9-11.7	
\$35,000- 49,999	2012	949,995	1095	50.9	46.6-55.2	296	12.4	9.9-14.9	151	3.3	2.3- 4.3	62	2.8	1.6- 4.0	334	26.0	21.9-30.1	74	4.7	2.9- 6.5	
\$50,000- 74,999	1908	927,258	1221	57.9	53.6-62.2	249	13.1	10.4-15.8	118	2.7	1.5- 3.9	26	1.4	0.0- 2.8	231	19.1	15.4-22.8	63	5.7	3.3- 8.1	
\$75,000+	3549	1,953,438	2713	70.5	67.6-73.4	293	7.9	6.3- 9.5	109	1.8	1.0- 2.6	31	1.1	0.5- 1.7	320	15.2	12.7-17.7	83	3.6	2.4- 4.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																					
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Married		N	Divorced		N	Widowed		N	Separated		N	Never married		N	Unmarried couple		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	
Female	21162	8,470,600	9699	46.6	45.0-48.2	3285	13.6	12.6-14.6	4516	12.0	11.2-12.8	603	3.1	2.5- 3.7	2460	20.0	18.8-21.2	599	4.7	4.1- 5.3	
White/Non-Hisp	15467	4,757,864	7471	50.7	49.1-52.3	2398	14.3	13.1-15.5	3736	14.6	13.6-15.6	309	1.9	1.5- 2.3	1234	14.9	13.5-16.3	319	3.5	2.9- 4.1	
Black or Afr. Am./Non-Hisp	2229	1,214,212	666	33.8	29.1-38.5	388	12.1	9.7-14.5	368	9.7	6.8-12.6	116	4.9	2.2- 7.6	644	34.2	29.9-38.5	47	5.3	2.8- 7.8	
Oth. Race/Non-Hisp.	511	318,503	226	49.2	40.0-58.4	86	11.2	5.5-16.9	87	7.0	2.1-11.9	18	4.2	0.0- 9.5	87	27.7	19.7-35.7	7	0.7	0.0- 1.5	
MultiRacial/Non-Hisp.	232	82,990	91	45.6	30.9-60.3	34	6.9	2.0-11.8	49	7.3	2.2-12.4	8	1.0	0.0- 2.4	39	33.4	19.3-47.5	11	5.8	0.5-11.1	
Hispanic	2454	1,965,329	1126	43.3	39.6-47.0	330	13.5	11.0-16.0	218	8.4	6.4-10.4	150	5.1	3.7- 6.5	421	21.8	18.7-24.9	209	7.8	5.8- 9.8	
18-24	908	872,085	109	7.9	5.2-10.6	13	1.1	0.3- 1.9	1	0.0	0.0- 0.0	9	0.6	0.0- 1.2	690	82.5	78.8-86.2	86	7.9	5.2-10.6	
25-34	1862	1,284,584	812	43.5	39.4-47.6	143	6.9	4.7- 9.1	12	0.5	0.0- 1.1	80	2.7	1.7- 3.7	635	35.8	31.9-39.7	180	10.6	7.9-13.3	
35-44	2068	1,206,631	1207	57.4	53.3-61.5	316	12.9	10.5-15.3	33	1.3	0.5- 2.1	111	5.9	3.2- 8.6	280	14.6	11.7-17.5	121	7.9	5.7-10.1	
45-54	2959	1,312,554	1681	55.7	51.8-59.6	610	18.0	15.3-20.7	154	5.3	3.5- 7.1	142	5.5	3.3- 7.7	286	11.9	9.0-14.8	86	3.7	2.1- 5.3	
55-64	4173	1,409,210	2276	55.7	52.2-59.2	908	22.3	19.4-25.2	510	10.0	8.0-12.0	150	3.1	1.9- 4.3	263	6.7	4.9- 8.5	66	2.2	1.2- 3.2	
65+	8893	2,218,548	3448	44.7	42.3-47.1	1256	14.8	13.0-16.6	3753	34.6	32.2-37.0	105	1.6	1.0- 2.2	274	3.5	2.5- 4.5	57	0.7	0.3- 1.1	
Less Than H.S.	2169	1,090,994	729	37.7	32.6-42.8	344	15.8	12.3-19.3	596	15.7	12.6-18.8	129	6.7	3.8- 9.6	241	15.8	12.1-19.5	130	8.4	5.5-11.3	
H.S. or G.E.D.	6400	2,429,645	2662	42.0	39.3-44.7	890	12.2	10.4-14.0	1717	16.4	14.4-18.4	200	3.7	2.5- 4.9	786	21.5	19.1-23.9	145	4.2	3.0- 5.4	
Some Post-H.S.	6481	2,839,727	2952	45.9	43.4-48.4	1134	14.8	13.0-16.6	1314	10.1	8.9-11.3	154	2.5	1.7- 3.3	757	22.7	20.3-25.1	170	4.0	3.0- 5.0	
College Graduate	6024	2,058,619	3313	57.6	55.1-60.1	911	12.3	10.7-13.9	863	7.1	6.1- 8.1	117	1.5	0.9- 2.1	670	17.2	15.0-19.4	150	4.3	3.1- 5.5	
Less than \$15,000	2176	739,223	329	19.9	15.6-24.2	639	23.7	19.8-27.6	594	15.1	12.2-18.0	152	7.7	5.0-10.4	395	29.0	24.3-33.7	67	4.6	3.0- 6.2	
\$15,000- 24,999	4124	1,547,143	1245	33.7	30.4-37.0	804	16.6	14.2-19.0	1150	15.3	13.1-17.5	191	6.0	4.0- 8.0	577	23.3	20.4-26.2	157	5.1	3.7- 6.5	
\$25,000- 34,999	2223	815,885	850	41.7	37.0-46.4	395	14.9	12.0-17.8	583	13.5	11.0-16.0	52	2.0	1.0- 3.0	276	23.9	19.6-28.2	67	4.0	2.2- 5.8	
\$35,000- 49,999	2393	959,783	1162	46.6	42.3-50.9	382	15.5	12.6-18.4	452	11.2	8.3-14.1	46	2.1	0.9- 3.3	286	20.0	16.3-23.7	65	4.6	2.8- 6.4	
\$50,000- 74,999	2171	873,773	1363	59.1	54.6-63.6	294	12.7	10.0-15.4	262	6.1	4.7- 7.5	23	0.6	0.2- 1.0	179	16.1	12.0-20.2	50	5.3	2.8- 7.8	
\$75,000+	3380	1,536,179	2643	72.1	68.8-75.4	216	5.6	4.0- 7.2	217	4.3	2.9- 5.7	32	0.8	0.4- 1.2	199	13.6	10.9-16.3	73	3.5	2.1- 4.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36728	16,442,053	169	0.5	0.3- 0.7	1269	4.4	3.8- 5.0	2460	8.8	8.0- 9.6	11080	29.7	28.7-30.7	10685	31.6	30.6-32.6	11065	24.9	24.1-25.7
Male	15517	7,955,305	91	0.6	0.4- 0.8	588	4.9	4.1- 5.7	1041	9.1	7.9-10.3	4645	30.7	29.3-32.1	4152	29.3	27.9-30.7	5000	25.3	24.1-26.5
Female	21208	8,485,005	78	0.4	0.2- 0.6	680	3.9	3.3- 4.5	1419	8.6	7.6- 9.6	6435	28.9	27.5-30.3	6533	33.7	32.3-35.1	6063	24.5	23.3-25.7
White/Non-Hisp	26485	9,269,079	31	0.2	0.0- 0.4	444	1.4	1.0- 1.8	1426	6.6	5.8- 7.4	7996	28.8	27.6-30.0	8053	34.6	33.4-35.8	8535	28.4	27.4-29.4
Black or Afr. Am./Non-Hisp	3729	2,302,980	9	0.4	0.0- 1.0	117	2.3	1.5- 3.1	415	14.4	11.5-17.3	1349	33.6	30.3-36.9	1003	30.7	27.6-33.8	836	18.6	16.2-21.0
Oth. Race/Non-Hisp.	1039	589,243	3	0.0	0.0- 0.0	41	3.7	0.0- 7.6	64	4.7	2.2- 7.2	267	23.5	18.0-29.0	268	24.8	19.5-30.1	396	43.3	37.0-49.6
MultiRacial/Non-Hisp.	453	151,999	1	0.0	0.0- 0.0	17	2.6	0.0- 5.5	44	10.6	3.2-18.0	123	28.2	19.6-36.8	154	41.2	31.2-51.2	114	17.5	11.0-24.0
Hispanic	4394	3,813,519	123	1.5	0.9- 2.1	627	13.3	11.3-15.3	480	11.9	9.9-13.9	1183	30.5	28.0-33.0	1015	25.3	22.9-27.7	966	17.4	15.6-19.2
18-24	1871	1,801,563	8	0.5	0.0- 1.1	45	2.3	1.3- 3.3	143	8.0	6.0-10.0	770	40.7	37.0-44.4	661	37.7	34.2-41.2	244	10.8	8.8-12.8
25-34	3480	2,601,293	21	0.6	0.2- 1.0	140	3.4	2.2- 4.6	267	9.5	7.5-11.5	1003	29.6	26.9-32.3	1041	32.0	29.3-34.7	1008	24.8	22.4-27.2
35-44	3699	2,387,416	21	0.3	0.1- 0.5	176	6.1	4.3- 7.9	278	9.4	7.2-11.6	921	24.4	21.9-26.9	1025	28.8	26.1-31.5	1278	31.0	28.3-33.7
45-54	5277	2,597,255	29	0.4	0.2- 0.6	193	4.2	3.0- 5.4	390	8.9	7.1-10.7	1501	28.6	26.1-31.1	1482	29.4	26.9-31.9	1682	28.5	26.1-30.9
55-64	7268	2,689,644	33	0.4	0.2- 0.6	187	4.0	2.4- 5.6	493	10.2	8.0-12.4	2268	28.7	26.3-31.1	2152	32.6	30.2-35.0	2135	24.0	22.0-26.0
65+	14598	4,068,388	56	0.7	0.3- 1.1	516	5.6	4.4- 6.8	872	8.1	6.7- 9.5	4482	29.5	27.7-31.3	4164	31.1	29.3-32.9	4508	25.1	23.7-26.5
Less than \$15,000	3365	1,298,438	33	1.0	0.2- 1.8	310	11.8	8.7-14.9	580	21.7	18.4-25.0	1329	32.8	29.3-36.3	785	24.0	20.9-27.1	328	8.7	6.7-10.7
\$15,000- 24,999	6699	2,852,606	54	0.8	0.4- 1.2	400	8.3	6.7- 9.9	754	15.3	13.1-17.5	2633	38.3	35.8-40.8	1932	27.2	25.0-29.4	926	10.1	8.7-11.5
\$25,000- 34,999	3776	1,549,392	20	0.9	0.0- 1.9	112	5.5	3.1- 7.9	219	7.7	5.3-10.1	1387	34.0	30.7-37.3	1280	36.1	32.8-39.4	758	15.8	13.6-18.0
\$35,000- 49,999	4417	1,922,004	4	0.1	0.0- 0.3	45	0.9	0.3- 1.5	152	6.3	4.3- 8.3	1352	32.8	29.9-35.7	1494	36.4	33.5-39.3	1370	23.4	21.0-25.8
\$50,000- 74,999	4092	1,803,937	4	0.1	0.0- 0.3	14	0.4	0.0- 0.8	78	3.3	1.9- 4.7	947	26.0	23.1-28.9	1322	38.6	35.5-41.7	1727	31.5	28.8-34.2
\$75,000+	6948	3,500,779	3	0.1	0.0- 0.3	27	0.2	0.0- 0.4	87	2.3	1.3- 3.3	993	16.4	14.6-18.2	1796	30.6	28.4-32.8	4042	50.4	48.0-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15517	7,955,305	91	0.6	0.4- 0.8	588	4.9	4.1- 5.7	1041	9.1	7.9-10.3	4645	30.7	29.3-32.1	4152	29.3	27.9-30.7	5000	25.3	24.1-26.5
White/Non-Hisp	10983	4,496,851	19	0.3	0.1- 0.5	191	1.6	1.0- 2.2	587	6.8	5.6- 8.0	3219	28.8	27.2-30.4	3057	32.2	30.4-34.0	3910	30.4	28.8-32.0
Black or Afr. Am./Non-Hisp	1494	1,080,239	6	0.8	0.0- 2.0	63	3.2	1.6- 4.8	171	16.1	11.6-20.6	586	37.6	32.7-42.5	376	27.3	22.8-31.8	292	15.0	12.1-17.9
Oth. Race/Non-Hisp.	532	277,943	2	0.0	0.0- 0.0	23	6.8	0.0-14.6	39	7.8	2.9-12.7	139	20.9	14.0-27.8	130	24.5	17.1-31.9	199	39.9	31.5-48.3
MultiRacial/Non-Hisp.	222	68,961	1	0.1	0.0- 0.3	8	0.7	0.0- 1.5	21	15.4	1.1-29.7	69	36.1	23.9-48.3	71	31.4	20.2-42.6	52	16.4	8.8-24.0
Hispanic	1951	1,855,163	62	1.7	0.9- 2.5	289	13.6	10.7-16.5	204	11.0	8.5-13.5	546	32.6	28.9-36.3	435	24.2	20.9-27.5	415	16.9	14.4-19.4
18-24	957	923,140	5	0.9	0.0- 1.9	30	2.9	1.3- 4.5	83	8.8	6.1-11.5	429	47.3	42.0-52.6	297	31.1	26.4-35.8	113	9.0	6.5-11.5
25-34	1611	1,314,643	10	0.6	0.0- 1.4	68	3.3	1.7- 4.9	127	8.8	6.4-11.2	503	33.3	29.2-37.4	451	31.6	27.7-35.5	452	22.4	19.5-25.3
35-44	1630	1,181,804	11	0.5	0.1- 0.9	86	8.0	4.9-11.1	134	9.4	6.5-12.3	470	26.3	22.6-30.0	431	29.6	25.5-33.7	498	26.3	22.6-30.0
45-54	2311	1,284,739	11	0.3	0.1- 0.5	91	5.3	3.3- 7.3	175	8.5	6.3-10.7	708	29.8	26.5-33.1	595	26.7	23.4-30.0	731	29.4	26.1-32.7
55-64	3089	1,277,539	21	0.8	0.2- 1.4	96	5.0	2.5- 7.5	237	12.2	8.9-15.5	997	27.7	24.6-30.8	820	29.1	25.8-32.4	918	25.3	22.6-28.0
65+	5708	1,851,333	32	0.9	0.1- 1.7	210	4.9	3.3- 6.5	283	8.2	5.8-10.6	1481	26.0	23.5-28.5	1507	29.2	26.7-31.7	2195	30.8	28.4-33.2
Less than \$15,000	1193	563,947	20	1.8	0.0- 3.6	137	15.5	10.0-21.0	218	22.5	17.4-27.6	446	31.1	25.6-36.6	249	21.4	16.7-26.1	123	7.6	5.1-10.1
\$15,000- 24,999	2561	1,294,681	31	1.1	0.5- 1.7	212	9.9	7.4-12.4	330	17.2	13.9-20.5	1013	38.2	34.3-42.1	628	24.1	20.8-27.4	347	9.4	7.4-11.4
\$25,000- 34,999	1552	733,253	10	1.5	0.0- 3.3	62	8.1	3.8-12.4	103	10.2	6.1-14.3	601	35.1	30.2-40.0	463	30.7	26.2-35.2	313	14.4	11.7-17.1
\$35,000- 49,999	2019	956,933	3	0.1	0.0- 0.3	28	1.6	0.6- 2.6	95	8.9	5.6-12.2	671	35.9	31.6-40.2	639	32.0	28.1-35.9	583	21.6	18.5-24.7
\$50,000- 74,999	1916	929,289	2	0.2	0.0- 0.6	8	0.3	0.0- 0.7	51	4.0	1.8- 6.2	470	29.0	24.7-33.3	623	38.8	34.5-43.1	762	27.6	24.1-31.1
\$75,000+	3557	1,957,908	1	0.1	0.0- 0.3	14	0.2	0.0- 0.4	47	2.6	1.0- 4.2	553	18.1	15.6-20.6	846	29.2	26.3-32.1	2096	49.7	46.6-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21208	8,485,005	78	0.4	0.2- 0.6	680	3.9	3.3- 4.5	1419	8.6	7.6- 9.6	6435	28.9	27.5-30.3	6533	33.7	32.3-35.1	6063	24.5	23.3-25.7
White/Non-Hisp	15500	4,771,082	12	0.1	0.1- 0.1	253	1.1	0.7- 1.5	839	6.5	5.5- 7.5	4777	28.9	27.3-30.5	4996	36.9	35.3-38.5	4623	26.5	25.1-27.9
Black or Afr. Am./Non-Hisp	2234	1,222,144	3	0.0	0.0- 0.0	53	1.5	0.7- 2.3	244	12.9	8.8-17.0	763	30.1	25.8-34.4	627	33.7	29.4-38.0	544	21.7	18.2-25.2
Oth. Race/Non-Hisp.	507	311,300	1	0.0	0.0- 0.0	18	0.8	0.2- 1.4	25	1.9	0.1- 3.7	128	25.9	17.5-34.3	138	25.1	17.5-32.7	197	46.2	37.0-55.4
MultiRacial/Non-Hisp.	231	83,038				9	4.2	0.0- 9.5	23	6.5	1.2-11.8	54	21.6	9.3-33.9	83	49.3	34.6-64.0	62	18.4	8.4-28.4
Hispanic	2443	1,958,355	61	1.4	0.8- 2.0	338	13.0	10.5-15.5	276	12.7	10.0-15.4	637	28.6	25.3-31.9	580	26.4	23.3-29.5	551	18.0	15.5-20.5
18-24	914	878,423	3	0.1	0.0- 0.3	15	1.7	0.3- 3.1	60	7.1	4.2-10.0	341	33.8	28.9-38.7	364	44.5	39.4-49.6	131	12.7	9.6-15.8
25-34	1867	1,285,160	11	0.6	0.0- 1.2	71	3.5	1.9- 5.1	140	10.3	7.2-13.4	500	25.9	22.4-29.4	590	32.5	28.6-36.4	555	27.3	24.0-30.6
35-44	2069	1,205,613	10	0.2	0.0- 0.4	90	4.2	2.2- 6.2	144	9.4	6.3-12.5	451	22.5	18.8-26.2	594	28.0	24.5-31.5	780	35.7	31.8-39.6
45-54	2966	1,312,516	18	0.5	0.1- 0.9	102	3.2	1.8- 4.6	215	9.2	6.3-12.1	793	27.4	23.9-30.9	887	32.0	28.5-35.5	951	27.7	24.4-31.0
55-64	4179	1,412,105	12	0.1	0.0- 0.3	91	3.2	1.4- 5.0	256	8.5	6.0-11.0	1271	29.7	26.4-33.0	1332	35.8	32.5-39.1	1217	22.7	20.2-25.2
65+	8889	2,216,802	24	0.6	0.2- 1.0	306	6.1	4.5- 7.7	589	7.9	6.3- 9.5	3001	32.4	30.0-34.8	2657	32.7	30.5-34.9	2312	20.3	18.7-21.9
Less than \$15,000	2172	734,491	13	0.4	0.0- 1.0	173	8.9	5.6-12.2	362	21.1	16.6-25.6	883	34.1	29.6-38.6	536	26.0	21.7-30.3	205	9.5	6.8-12.2
\$15,000- 24,999	4138	1,557,925	23	0.6	0.2- 1.0	188	7.0	5.0- 9.0	424	13.7	11.0-16.4	1620	38.3	35.0-41.6	1304	29.7	26.8-32.6	579	10.7	8.9-12.5
\$25,000- 34,999	2223	815,245	10	0.4	0.0- 1.0	50	3.1	1.3- 4.9	116	5.4	2.9- 7.9	786	33.0	28.7-37.3	817	41.0	36.3-45.7	444	17.0	13.7-20.3
\$35,000- 49,999	2398	965,071	1	0.0	0.0- 0.0	17	0.3	0.1- 0.5	57	3.8	1.6- 6.0	681	29.8	25.5-34.1	855	40.8	36.5-45.1	787	25.3	22.0-28.6
\$50,000- 74,999	2176	874,647	2	0.0	0.0- 0.0	6	0.4	0.0- 0.8	27	2.6	1.0- 4.2	477	22.9	19.0-26.8	699	38.5	33.8-43.2	965	35.6	31.5-39.7
\$75,000+	3390	1,542,618	2	0.1	0.0- 0.3	13	0.1	0.1- 0.1	40	2.0	0.6- 3.4	440	14.1	11.4-16.8	950	32.4	29.3-35.5	1945	51.3	47.8-54.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36674	16,409,616	26695	67.1	66.1-68.1	8882	29.3	28.3-30.3	1097	3.7	3.3- 4.1
Male	15501	7,928,648	11048	66.6	65.2-68.0	3947	29.4	28.0-30.8	506	4.0	3.4- 4.6
Female	21170	8,479,226	15646	67.5	66.1-68.9	4934	29.1	27.7-30.5	590	3.3	2.7- 3.9
18-24	1847	1,784,985	493	32.1	28.4-35.8	1061	52.7	49.0-56.4	293	15.2	12.7-17.7
25-34	3481	2,599,617	1364	43.7	40.8-46.6	1963	52.0	49.1-54.9	154	4.3	3.1- 5.5
35-44	3692	2,384,448	2159	62.5	59.8-65.2	1455	36.1	33.4-38.8	78	1.4	0.8- 2.0
45-54	5271	2,594,814	3705	72.2	69.8-74.6	1422	25.5	23.3-27.7	144	2.2	1.6- 2.8
55-64	7261	2,685,234	5831	80.6	78.6-82.6	1272	17.1	15.3-18.9	158	2.2	1.4- 3.0
65+	14613	4,079,401	12728	86.7	85.3-88.1	1619	11.7	10.5-12.9	266	1.7	1.3- 2.1
Less Than H.S.	3875	2,244,943	2068	50.3	46.8-53.8	1598	44.3	40.8-47.8	209	5.5	3.9- 7.1
H.S. or G.E.D.	11010	4,840,677	7739	62.9	60.9-64.9	2868	32.5	30.7-34.3	403	4.7	3.9- 5.5
Some Post-H.S.	10625	5,165,902	7798	68.3	66.5-70.1	2506	28.2	26.6-29.8	321	3.5	2.9- 4.1
College Graduate	11020	4,079,095	8999	79.9	78.5-81.3	1862	18.4	17.0-19.8	159	1.7	1.1- 2.3
Less than \$15,000	3373	1,303,742	1760	45.5	41.6-49.4	1435	49.0	45.1-52.9	178	5.5	3.7- 7.3
\$15,000- 24,999	6693	2,847,020	4066	52.0	49.5-54.5	2402	44.8	42.3-47.3	225	3.2	2.4- 4.0
\$25,000- 34,999	3777	1,548,577	2672	61.0	57.7-64.3	1019	36.4	33.1-39.7	86	2.6	1.6- 3.6
\$35,000- 49,999	4417	1,917,012	3375	69.4	66.7-72.1	969	28.0	25.3-30.7	73	2.6	1.4- 3.8
\$50,000- 74,999	4087	1,802,216	3358	76.8	74.3-79.3	666	21.4	18.9-23.9	63	1.8	0.8- 2.8
\$75,000+	6942	3,497,172	6178	87.0	85.6-88.4	670	11.0	9.6-12.4	94	2.0	1.4- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15501	7,928,648	11048	66.6	65.2-68.0	3947	29.4	28.0-30.8	506	4.0	3.4- 4.6
18-24	941	913,489	252	32.3	27.0-37.6	520	51.0	45.7-56.3	169	16.7	13.2-20.2
25-34	1615	1,318,001	612	43.7	39.6-47.8	924	51.2	47.1-55.3	79	5.1	3.1- 7.1
35-44	1625	1,178,265	922	62.6	58.5-66.7	666	36.0	32.1-39.9	37	1.5	0.7- 2.3
45-54	2308	1,283,337	1596	70.5	67.2-73.8	652	27.6	24.3-30.9	60	1.9	0.9- 2.9
55-64	3090	1,269,832	2470	81.6	78.9-84.3	556	16.2	13.8-18.6	64	2.2	1.0- 3.4
65+	5721	1,853,550	5040	88.4	86.6-90.2	588	10.0	8.2-11.8	93	1.6	0.8- 2.4
Less Than H.S.	1708	1,159,980	896	51.5	46.4-56.6	716	42.1	37.2-47.0	96	6.5	4.1- 8.9
H.S. or G.E.D.	4615	2,408,423	3087	61.6	58.9-64.3	1319	33.2	30.5-35.9	209	5.2	4.0- 6.4
Some Post-H.S.	4135	2,323,246	2989	67.7	65.2-70.2	1018	28.8	26.3-31.3	128	3.5	2.5- 4.5
College Graduate	4982	2,007,912	4047	80.5	78.5-82.5	864	17.7	15.9-19.5	71	1.7	0.9- 2.5
Less than \$15,000	1195	564,581	597	43.9	37.8-50.0	533	50.4	44.3-56.5	65	5.7	2.8- 8.6
\$15,000- 24,999	2561	1,293,105	1439	52.9	49.0-56.8	1018	43.6	39.7-47.5	104	3.5	2.3- 4.7
\$25,000- 34,999	1552	732,365	1036	58.0	52.9-63.1	483	39.7	34.6-44.8	33	2.3	0.9- 3.7
\$35,000- 49,999	2018	953,423	1484	67.2	63.1-71.3	493	30.1	26.2-34.0	41	2.7	1.1- 4.3
\$50,000- 74,999	1912	927,850	1517	74.2	70.5-77.9	363	23.8	20.3-27.3	32	2.1	0.7- 3.5
\$75,000+	3553	1,954,636	3125	86.1	84.1-88.1	376	12.0	10.2-13.8	52	1.9	1.1- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21170	8,479,226	15646	67.5	66.1-68.9	4934	29.1	27.7-30.5	590	3.3	2.7- 3.9
18-24	906	871,497	241	31.8	26.7-36.9	541	54.5	49.2-59.8	124	13.7	10.2-17.2
25-34	1864	1,280,125	752	43.7	39.6-47.8	1038	52.9	48.8-57.0	74	3.5	1.9- 5.1
35-44	2067	1,206,183	1237	62.5	58.6-66.4	789	36.2	32.5-39.9	41	1.3	0.5- 2.1
45-54	2963	1,311,477	2109	73.9	70.8-77.0	770	23.5	20.6-26.4	84	2.6	1.6- 3.6
55-64	4171	1,415,401	3361	79.8	77.1-82.5	716	18.0	15.5-20.5	94	2.2	1.0- 3.4
65+	8891	2,225,598	7687	85.2	83.4-87.0	1031	13.1	11.3-14.9	173	1.7	1.1- 2.3
Less Than H.S.	2166	1,084,366	1172	49.0	43.9-54.1	882	46.6	41.5-51.7	112	4.3	2.5- 6.1
H.S. or G.E.D.	6395	2,432,254	4652	64.1	61.4-66.8	1549	31.7	29.2-34.2	194	4.2	3.0- 5.4
Some Post-H.S.	6490	2,842,657	4809	68.9	66.7-71.1	1488	27.7	25.5-29.9	193	3.4	2.6- 4.2
College Graduate	6036	2,070,037	4951	79.3	77.3-81.3	997	19.0	17.0-21.0	88	1.7	0.9- 2.5
Less than \$15,000	2178	739,161	1163	46.7	41.8-51.6	902	47.9	43.0-52.8	113	5.4	3.0- 7.8
\$15,000- 24,999	4132	1,553,916	2627	51.3	48.0-54.6	1384	45.8	42.5-49.1	121	2.9	1.7- 4.1
\$25,000- 34,999	2224	815,318	1636	63.7	59.4-68.0	535	33.4	29.1-37.7	53	2.8	1.6- 4.0
\$35,000- 49,999	2399	963,589	1891	71.6	67.7-75.5	476	25.9	22.2-29.6	32	2.5	0.9- 4.1
\$50,000- 74,999	2175	874,366	1841	79.7	76.0-83.4	303	18.8	15.3-22.3	31	1.5	0.3- 2.7
\$75,000+	3388	1,542,284	3052	88.3	86.1-90.5	294	9.7	7.7-11.7	42	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35473	14,795,313	34165	94.6	94.0-95.2	50	0.2	0.0- 0.4	1258	5.2	4.6- 5.8
Male	14860	7,105,519	14234	94.4	93.6-95.2	31	0.2	0.0- 0.4	595	5.4	4.6- 6.2
Female	20613	7,689,794	19931	94.8	94.0-95.6	19	0.1	0.0- 0.3	663	5.1	4.3- 5.9
White/Non-Hisp	25441	8,147,556	24814	96.9	96.5-97.3	18	0.0	0.0- 0.0	609	3.1	2.7- 3.5
Black or Afr. Am./Non-Hisp	3672	2,155,033	3542	94.5	92.7-96.3	6	0.1	0.1- 0.1	124	5.4	3.6- 7.2
Oth. Race/Non-Hisp.	985	509,466	933	91.5	87.2-95.8	2	0.7	0.0- 2.1	50	7.9	3.8-12.0
MultiRacial/Non-Hisp.	439	126,028	422	96.1	93.0-99.2				17	3.9	0.8- 7.0
Hispanic	4280	3,547,611	3912	91.0	89.4-92.6	22	0.5	0.1- 0.9	346	8.5	6.9-10.1
18-24	1733	1,554,478	1606	91.6	89.2-94.0	4	0.1	0.0- 0.3	123	8.3	5.9-10.7
25-34	3262	2,260,841	3091	94.7	93.3-96.1	9	0.3	0.0- 0.7	162	5.1	3.9- 6.3
35-44	3538	2,171,133	3416	95.5	94.1-96.9	5	0.2	0.0- 0.4	117	4.4	3.0- 5.8
45-54	5127	2,399,690	4968	96.7	95.7-97.7	5	0.1	0.0- 0.3	154	3.2	2.2- 4.2
55-64	7047	2,458,427	6861	95.7	94.5-96.9	7	0.1	0.0- 0.3	179	4.1	2.9- 5.3
65+	14219	3,677,390	13813	94.6	93.4-95.8	20	0.3	0.0- 0.7	386	5.1	4.1- 6.1
Less Than H.S.	3840	2,108,620	3580	91.6	89.6-93.6	16	0.6	0.0- 1.2	244	7.7	5.9- 9.5
H.S. or G.E.D.	10778	4,465,892	10431	94.9	93.9-95.9	12	0.1	0.1- 0.1	335	5.0	4.0- 6.0
Some Post-H.S.	10269	4,639,451	9961	95.5	94.5-96.5	13	0.1	0.0- 0.3	295	4.4	3.4- 5.4
College Graduate	10366	3,462,442	10057	95.9	95.1-96.7	7	0.1	0.0- 0.3	302	3.9	3.1- 4.7
Less than \$15,000	3301	1,184,051	3185	94.3	92.3-96.3	6	0.7	0.0- 1.7	110	5.0	3.2- 6.8
\$15,000- 24,999	6533	2,639,314	6338	95.1	93.9-96.3	14	0.4	0.0- 0.8	181	4.5	3.3- 5.7
\$25,000- 34,999	3666	1,408,673	3563	95.1	93.5-96.7	4	0.1	0.0- 0.3	99	4.8	3.2- 6.4
\$35,000- 49,999	4219	1,681,809	4156	97.6	96.4-98.8	3	0.0	0.0- 0.0	60	2.4	1.2- 3.6
\$50,000- 74,999	3877	1,589,621	3800	97.2	96.0-98.4	2	0.0	0.0- 0.0	75	2.8	1.6- 4.0
\$75,000+	6517	3,008,777	6402	97.7	96.9-98.5	3	0.0	0.0- 0.0	112	2.3	1.5- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14860	7,105,519	14234	94.4	93.6-95.2	31	0.2	0.0- 0.4	595	5.4	4.6- 6.2
White/Non-Hisp	10442	3,895,242	10171	96.8	96.2-97.4	13	0.1	0.1- 0.1	258	3.1	2.5- 3.7
Black or Afr. Am./Non-Hisp	1468	1,021,710	1407	93.7	90.8-96.6	2	0.1	0.0- 0.3	59	6.2	3.3- 9.1
Oth. Race/Non-Hisp.	503	239,153	476	92.8	87.1-98.5	1	0.0	0.0- 0.0	26	7.1	1.4-12.8
MultiRacial/Non-Hisp.	215	64,891	203	93.7	87.8-99.6				12	6.3	0.4-12.2
Hispanic	1888	1,721,611	1695	90.6	88.4-92.8	13	0.7	0.0- 1.5	180	8.8	6.6-11.0
18-24	883	796,014	804	90.5	87.2-93.8	4	0.1	0.0- 0.3	75	9.4	6.1-12.7
25-34	1489	1,121,605	1385	94.3	92.3-96.3	6	0.2	0.0- 0.4	98	5.5	3.5- 7.5
35-44	1552	1,083,240	1486	95.3	93.3-97.3	5	0.3	0.0- 0.7	61	4.4	2.4- 6.4
45-54	2240	1,191,054	2160	96.9	95.7-98.1	3	0.0	0.0- 0.0	77	3.1	1.9- 4.3
55-64	2988	1,171,175	2904	96.0	94.2-97.8	1	0.0	0.0- 0.0	83	4.0	2.2- 5.8
65+	5498	1,636,639	5346	94.6	93.0-96.2	12	0.6	0.0- 1.4	140	4.8	3.2- 6.4
Less Than H.S.	1691	1,090,478	1534	89.9	87.2-92.6	8	1.0	0.0- 2.2	149	9.1	6.6-11.6
H.S. or G.E.D.	4492	2,225,281	4341	95.3	93.9-96.7	8	0.1	0.1- 0.1	143	4.6	3.2- 6.0
Some Post-H.S.	3971	2,055,557	3831	95.2	93.8-96.6	10	0.1	0.0- 0.3	130	4.7	3.3- 6.1
College Graduate	4618	1,688,382	4476	95.7	94.5-96.9	3	0.0	0.0- 0.0	139	4.3	3.1- 5.5
Less than \$15,000	1166	510,218	1107	91.2	87.3-95.1	4	1.5	0.0- 3.7	55	7.3	4.0-10.6
\$15,000- 24,999	2485	1,202,691	2379	94.3	92.3-96.3	9	0.3	0.0- 0.7	97	5.4	3.4- 7.4
\$25,000- 34,999	1497	666,280	1448	94.9	92.9-96.9	3	0.1	0.1- 0.1	46	5.0	3.0- 7.0
\$35,000- 49,999	1916	818,864	1882	97.3	95.7-98.9	2	0.0	0.0- 0.0	32	2.6	1.0- 4.2
\$50,000- 74,999	1807	812,331	1763	97.0	95.4-98.6	2	0.0	0.0- 0.0	42	3.0	1.4- 4.6
\$75,000+	3310	1,687,890	3251	98.4	97.8-99.0	2	0.1	0.1- 0.1	57	1.6	1.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20613	7,689,794	19931	94.8	94.0-95.6	19	0.1	0.0- 0.3	663	5.1	4.3- 5.9
White/Non-Hisp	14999	4,252,314	14643	96.9	96.1-97.7	5	0.0	0.0- 0.0	351	3.1	2.3- 3.9
Black or Afr. Am./Non-Hisp	2204	1,133,323	2135	95.2	93.2-97.2	4	0.1	0.0- 0.3	65	4.7	2.7- 6.7
Oth. Race/Non-Hisp.	482	270,313	457	90.2	83.9-96.5	1	1.3	0.0- 3.8	24	8.5	2.8-14.2
MultiRacial/Non-Hisp.	224	61,137	219	98.7	97.1- 100				5	1.3	0.0- 2.9
Hispanic	2392	1,826,000	2217	91.4	89.2-93.6	9	0.4	0.0- 0.8	166	8.3	6.1-10.5
18-24	850	758,463	802	92.7	89.6-95.8				48	7.3	4.2-10.4
25-34	1773	1,139,236	1706	95.0	93.2-96.8	3	0.3	0.0- 0.9	64	4.7	2.9- 6.5
35-44	1986	1,087,892	1930	95.7	93.7-97.7				56	4.3	2.3- 6.3
45-54	2887	1,208,636	2808	96.6	95.2-98.0	2	0.2	0.0- 0.4	77	3.2	1.8- 4.6
55-64	4059	1,287,252	3957	95.5	93.7-97.3	6	0.2	0.0- 0.6	96	4.2	2.4- 6.0
65+	8721	2,040,752	8467	94.5	93.1-95.9	8	0.1	0.0- 0.3	246	5.4	4.0- 6.8
Less Than H.S.	2149	1,018,142	2046	93.4	90.7-96.1	8	0.3	0.0- 0.7	95	6.3	3.8- 8.8
H.S. or G.E.D.	6286	2,240,612	6090	94.5	93.1-95.9	4	0.0	0.0- 0.0	192	5.4	4.0- 6.8
Some Post-H.S.	6298	2,583,893	6130	95.8	94.6-97.0	3	0.1	0.0- 0.3	165	4.1	2.9- 5.3
College Graduate	5748	1,774,060	5581	96.1	94.9-97.3	4	0.2	0.0- 0.6	163	3.6	2.6- 4.6
Less than \$15,000	2135	673,834	2078	96.7	94.7-98.7	2	0.1	0.0- 0.3	55	3.2	1.2- 5.2
\$15,000- 24,999	4048	1,436,624	3959	95.8	94.2-97.4	5	0.4	0.0- 1.0	84	3.8	2.2- 5.4
\$25,000- 34,999	2169	742,392	2115	95.3	92.9-97.7	1	0.1	0.0- 0.3	53	4.6	2.2- 7.0
\$35,000- 49,999	2303	862,945	2274	97.9	96.3-99.5	1	0.0	0.0- 0.0	28	2.1	0.5- 3.7
\$50,000- 74,999	2070	777,290	2037	97.4	95.8-99.0				33	2.6	1.0- 4.2
\$75,000+	3207	1,320,887	3151	96.8	95.4-98.2	1	0.0	0.0- 0.0	55	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36955	16,574,407	33844	88.2	87.4-89.0	2	0.0	0.0- 0.0	1119	4.2	3.8- 4.6	1990	7.6	7.0- 8.2
Male	15607	8,008,448	14163	88.0	87.0-89.0	1	0.0	0.0- 0.0	582	4.6	4.0- 5.2	861	7.4	6.6- 8.2
Female	21345	8,564,216	19678	88.4	87.4-89.4	1	0.0	0.0- 0.0	537	3.8	3.2- 4.4	1129	7.8	7.0- 8.6
White/Non-Hisp	26575	9,303,923	24886	91.4	90.6-92.2	1	0.0	0.0- 0.0	510	2.3	1.9- 2.7	1178	6.2	5.6- 6.8
Black or Afr. Am./Non-Hisp	3756	2,319,146	3437	87.7	85.3-90.1				110	3.9	2.5- 5.3	209	8.5	6.5-10.5
Oth. Race/Non-Hisp.	1050	599,235	930	85.9	81.6-90.2				43	3.8	1.8- 5.8	77	10.3	6.6-14.0
MultiRacial/Non-Hisp.	456	152,440	409	87.2	80.3-94.1				13	5.3	0.4-10.2	34	7.5	2.2-12.8
Hispanic	4432	3,841,921	3701	83.5	81.5-85.5	1	0.1	0.0- 0.3	409	8.9	7.3-10.5	321	7.5	6.1- 8.9
18-24	1880	1,814,901	1655	86.3	83.8-88.8	1	0.2	0.0- 0.6	108	5.8	4.2- 7.4	116	7.7	5.7- 9.7
25-34	3498	2,611,273	3103	87.7	85.9-89.5	1	0.0	0.0- 0.0	148	3.9	2.9- 4.9	246	8.3	6.7- 9.9
35-44	3706	2,392,253	3397	88.4	86.4-90.4				100	3.6	2.6- 4.6	209	8.0	6.2- 9.8
45-54	5296	2,607,169	4916	90.7	89.1-92.3				124	3.3	2.3- 4.3	256	6.0	4.6- 7.4
55-64	7303	2,709,231	6834	90.6	88.8-92.4				158	3.9	2.5- 5.3	311	5.5	4.3- 6.7
65+	14688	4,103,279	13606	89.1	87.9-90.3				454	4.7	3.7- 5.7	628	6.2	5.2- 7.2
Less Than H.S.	3898	2,260,643	3352	83.7	81.2-86.2				369	10.6	8.4-12.8	177	5.6	3.8- 7.4
H.S. or G.E.D.	11080	4,886,929	10234	88.9	87.5-90.3				334	4.6	3.8- 5.4	512	6.5	5.5- 7.5
Some Post-H.S.	10685	5,197,613	9949	90.2	89.0-91.4	1	0.0	0.0- 0.0	187	2.5	1.9- 3.1	548	7.3	6.3- 8.3
College Graduate	11065	4,096,868	10201	88.8	87.6-90.0	1	0.1	0.0- 0.3	209	2.2	1.6- 2.8	654	8.9	7.7-10.1
Less than \$15,000	3380	1,305,029	3122	87.0	83.9-90.1	1	0.3	0.0- 0.9	154	7.7	5.3-10.1	103	5.0	2.8- 7.2
\$15,000- 24,999	6719	2,858,430	6230	88.7	86.9-90.5				237	5.5	4.1- 6.9	252	5.7	4.3- 7.1
\$25,000- 34,999	3788	1,553,018	3555	91.1	89.1-93.1				97	3.5	2.3- 4.7	136	5.4	3.8- 7.0
\$35,000- 49,999	4425	1,922,651	4212	92.9	91.3-94.5				70	2.0	1.2- 2.8	143	5.1	3.7- 6.5
\$50,000- 74,999	4094	1,808,414	3916	93.0	91.2-94.8	1	0.0	0.0- 0.0	43	1.0	0.4- 1.6	134	6.0	4.4- 7.6
\$75,000+	6953	3,502,853	6626	93.6	92.4-94.8				93	1.4	1.0- 1.8	234	5.0	4.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15607	8,008,448	14163	88.0	87.0-89.0	1	0.0	0.0- 0.0	582	4.6	4.0- 5.2	861	7.4	6.6- 8.2
White/Non-Hisp	11013	4,506,433	10290	90.9	89.9-91.9	1	0.0	0.0- 0.0	246	2.9	2.3- 3.5	476	6.2	5.4- 7.0
Black or Afr. Am./Non-Hisp	1504	1,088,256	1359	87.6	84.1-91.1				65	4.8	2.6- 7.0	80	7.6	4.7-10.5
Oth. Race/Non-Hisp.	536	278,734	477	90.1	85.6-94.6				25	3.0	0.5- 5.5	34	6.9	3.0-10.8
MultiRacial/Non-Hisp.	223	69,356	198	91.0	84.1-97.9				7	5.0	0.0-10.7	18	4.1	0.0- 8.2
Hispanic	1967	1,865,138	1589	83.8	81.3-86.3				222	8.9	6.9-10.9	156	7.3	5.3- 9.3
18-24	963	934,568	819	84.4	80.7-88.1				74	6.9	4.5- 9.3	70	8.7	5.8-11.6
25-34	1623	1,321,338	1401	86.2	83.5-88.9	1	0.0	0.0- 0.0	100	5.2	3.6- 6.8	121	8.6	6.2-11.0
35-44	1631	1,182,268	1475	86.7	83.8-89.6				60	4.9	3.1- 6.7	96	8.4	5.9-10.9
45-54	2317	1,289,482	2131	91.7	89.7-93.7				73	4.1	2.5- 5.7	113	4.2	3.0- 5.4
55-64	3103	1,279,683	2882	92.2	90.2-94.2				86	3.4	2.0- 4.8	135	4.4	3.0- 5.8
65+	5739	1,859,306	5338	90.5	88.7-92.3				179	3.9	2.7- 5.1	222	5.6	4.2- 7.0
Less Than H.S.	1720	1,166,770	1397	82.3	78.8-85.8				230	12.2	9.3-15.1	93	5.5	3.3- 7.7
H.S. or G.E.D.	4645	2,438,396	4256	88.7	86.9-90.5				163	4.5	3.3- 5.7	226	6.9	5.3- 8.5
Some Post-H.S.	4152	2,334,287	3850	90.2	88.4-92.0	1	0.0	0.0- 0.0	85	2.7	1.7- 3.7	216	7.0	5.4- 8.6
College Graduate	5000	2,015,851	4621	89.0	87.2-90.8				96	2.6	1.8- 3.4	283	8.3	6.7- 9.9
Less than \$15,000	1199	565,599	1072	85.6	81.3-89.9				82	11.5	7.2-15.8	45	2.9	1.5- 4.3
\$15,000- 24,999	2568	1,296,686	2314	87.2	84.5-89.9				139	6.1	4.1- 8.1	115	6.7	4.5- 8.9
\$25,000- 34,999	1558	735,697	1440	90.2	87.5-92.9				63	5.4	3.4- 7.4	55	4.4	2.4- 6.4
\$35,000- 49,999	2023	957,469	1924	92.0	89.5-94.5				38	2.7	1.1- 4.3	61	5.2	3.0- 7.4
\$50,000- 74,999	1916	929,289	1820	92.3	89.8-94.8	1	0.1	0.0- 0.3	26	1.5	0.5- 2.5	69	6.2	3.8- 8.6
\$75,000+	3561	1,959,955	3395	94.0	92.6-95.4				43	1.4	0.8- 2.0	123	4.6	3.4- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21345	8,564,216	19678	88.4	87.4-89.4	1	0.0	0.0- 0.0	537	3.8	3.2- 4.4	1129	7.8	7.0- 8.6
White/Non-Hisp	15560	4,796,345	14594	91.9	90.9-92.9				264	1.8	1.4- 2.2	702	6.3	5.5- 7.1
Black or Afr. Am./Non-Hisp	2251	1,230,293	2077	87.7	84.8-90.6				45	3.1	1.3- 4.9	129	9.2	6.7-11.7
Oth. Race/Non-Hisp.	514	320,500	453	82.2	75.3-89.1				18	4.5	1.6- 7.4	43	13.3	7.0-19.6
MultiRacial/Non-Hisp.	233	83,084	211	84.1	72.9-95.3				6	5.6	0.0-13.0	16	10.3	1.3-19.3
Hispanic	2465	1,976,783	2112	83.2	80.3-86.1	1	0.2	0.0- 0.6	187	8.8	6.6-11.0	165	7.8	5.6-10.0
18-24	917	880,333	836	88.3	84.8-91.8	1	0.4	0.0- 1.2	34	4.7	2.5- 6.9	46	6.6	3.9- 9.3
25-34	1873	1,288,444	1700	89.2	86.8-91.6				48	2.7	1.5- 3.9	125	8.1	5.9-10.3
35-44	2075	1,209,985	1922	90.0	87.5-92.5				40	2.3	1.1- 3.5	113	7.7	5.5- 9.9
45-54	2979	1,317,687	2785	89.6	86.9-92.3				51	2.5	1.1- 3.9	143	7.8	5.4-10.2
55-64	4200	1,429,548	3952	89.2	86.5-91.9				72	4.4	2.2- 6.6	176	6.4	4.4- 8.4
65+	8948	2,243,721	8267	88.0	86.2-89.8				275	5.4	4.0- 6.8	406	6.6	5.2- 8.0
Less Than H.S.	2177	1,093,276	1954	85.2	81.1-89.3				139	9.0	5.9-12.1	84	5.7	2.8- 8.6
H.S. or G.E.D.	6435	2,448,532	5978	89.1	87.3-90.9				171	4.7	3.5- 5.9	286	6.2	4.8- 7.6
Some Post-H.S.	6533	2,863,326	6099	90.1	88.5-91.7				102	2.3	1.5- 3.1	332	7.6	6.2- 9.0
College Graduate	6063	2,079,871	5578	88.6	86.8-90.4	1	0.2	0.0- 0.6	113	1.9	1.3- 2.5	371	9.4	7.8-11.0
Less than \$15,000	2181	739,430	2050	88.0	83.9-92.1	1	0.5	0.0- 1.5	72	4.8	2.4- 7.2	58	6.7	3.0-10.4
\$15,000- 24,999	4151	1,561,744	3916	90.0	87.8-92.2				98	5.0	3.2- 6.8	137	5.0	3.4- 6.6
\$25,000- 34,999	2229	816,428	2114	91.9	89.2-94.6				34	1.7	0.5- 2.9	81	6.4	3.9- 8.9
\$35,000- 49,999	2402	965,181	2288	93.8	91.8-95.8				32	1.2	0.6- 1.8	82	5.0	3.0- 7.0
\$50,000- 74,999	2178	879,125	2096	93.7	91.3-96.1				17	0.5	0.1- 0.9	65	5.8	3.4- 8.2
\$75,000+	3391	1,542,645	3230	93.1	91.1-95.1				50	1.4	0.6- 2.2	111	5.6	3.8- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	19286	4,402,012	2143	9.7	8.7-10.7	17143	90.3	89.3-91.3
Male	6912	1,772,310	886	11.4	9.4-13.4	6026	88.6	86.6-90.6
Female	12374	2,629,701	1257	8.6	7.4- 9.8	11117	91.4	90.2-92.6
White/Non-Hisp	15576	3,055,952	1742	9.8	8.8-10.8	13834	90.2	89.2-91.2
Black or Afr. Am./Non-Hisp	1621	556,891	190	12.7	8.4-17.0	1431	87.3	83.0-91.6
Oth. Race/Non-Hisp.	410	118,646	53	18.3	5.0-31.6	357	81.7	68.4-95.0
MultiRacial/Non-Hisp.	215	20,751	22	7.8	1.7-13.9	193	92.2	86.1-98.3
Hispanic	1138	559,444	92	4.8	2.4- 7.2	1046	95.2	92.8-97.6
18-24	196	116,873	22	15.3	1.4-29.2	174	84.7	70.8-98.6
25-34	623	241,733	60	6.3	2.8- 9.8	563	93.7	90.2-97.2
35-44	1115	372,713	118	10.9	6.6-15.2	997	89.1	84.8-93.4
45-54	2193	617,508	235	9.2	6.3-12.1	1958	90.8	87.9-93.7
55-64	4073	902,809	465	10.3	7.9-12.7	3608	89.7	87.3-92.1
65+	10796	2,061,055	1188	9.6	8.2-11.0	9608	90.4	89.0-91.8
Less Than H.S.	1812	494,145	123	5.9	3.4- 8.4	1689	94.1	91.6-96.6
H.S. or G.E.D.	5998	1,253,966	539	7.9	6.1- 9.7	5459	92.1	90.3-93.9
Some Post-H.S.	5618	1,434,275	628	10.1	8.1-12.1	4990	89.9	87.9-91.9
College Graduate	5755	1,175,035	833	12.3	10.1-14.5	4922	87.7	85.5-89.9
Less than \$15,000	1757	308,001	127	11.2	5.1-17.3	1630	88.8	82.7-94.9
\$15,000- 24,999	3438	687,343	283	6.8	4.4- 9.2	3155	93.2	90.8-95.6
\$25,000- 34,999	2043	408,369	193	7.8	5.4-10.2	1850	92.2	89.8-94.6
\$35,000- 49,999	2332	539,013	256	8.3	6.1-10.5	2076	91.7	89.5-93.9
\$50,000- 74,999	2165	493,040	273	9.4	7.0-11.8	1892	90.6	88.2-93.0
\$75,000+	3501	970,329	551	13.6	10.9-16.3	2950	86.4	83.7-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6912	1,772,310	886	11.4	9.4-13.4	6026	88.6	86.6-90.6
White/Non-Hisp	5640	1,278,004	733	11.4	9.4-13.4	4907	88.6	86.6-90.6
Black or Afr. Am./Non-Hisp	490	222,708	71	19.6	10.8-28.4	419	80.4	71.6-89.2
Oth. Race/Non-Hisp.	166	31,354	21	11.2	1.2-21.2	145	88.8	78.8-98.8
MultiRacial/Non-Hisp.	95	10,659	9	6.2	0.0-14.0	86	93.8	86.0- 100
Hispanic	371	185,499	30	2.9	0.9- 4.9	341	97.1	95.1-99.1
18-24	96	61,015	13	22.9	0.0-46.6	83	77.1	53.4- 100
25-34	206	96,815	22	5.4	1.3- 9.5	184	94.6	90.5-98.7
35-44	390	141,402	45	10.8	2.6-19.0	345	89.2	81.0-97.4
45-54	798	246,546	93	9.8	4.5-15.1	705	90.2	84.9-95.5
55-64	1493	396,598	175	10.9	7.2-14.6	1318	89.1	85.4-92.8
65+	3843	805,216	514	11.9	9.7-14.1	3329	88.1	85.9-90.3
Less Than H.S.	602	206,161	50	8.2	2.9-13.5	552	91.8	86.5-97.1
H.S. or G.E.D.	1993	446,326	212	12.3	8.0-16.6	1781	87.7	83.4-92.0
Some Post-H.S.	1905	564,246	238	10.9	7.6-14.2	1667	89.1	85.8-92.4
College Graduate	2373	549,412	378	12.4	9.5-15.3	1995	87.6	84.7-90.5
Less than \$15,000	489	110,906	35	19.1	4.6-33.6	454	80.9	66.4-95.4
\$15,000- 24,999	1080	261,921	98	4.8	2.3- 7.3	982	95.2	92.7-97.7
\$25,000- 34,999	690	156,576	78	7.8	3.7-11.9	612	92.2	88.1-96.3
\$35,000- 49,999	955	223,796	120	11.3	7.0-15.6	835	88.7	84.4-93.0
\$50,000- 74,999	918	211,317	128	12.2	8.3-16.1	790	87.8	83.9-91.7
\$75,000+	1602	484,131	260	13.7	9.6-17.8	1342	86.3	82.2-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12374	2,629,701	1257	8.6	7.4- 9.8	11117	91.4	90.2-92.6
White/Non-Hisp	9936	1,777,948	1009	8.6	7.4- 9.8	8927	91.4	90.2-92.6
Black or Afr. Am./Non-Hisp	1131	334,183	119	8.0	4.7-11.3	1012	92.0	88.7-95.3
Oth. Race/Non-Hisp.	244	87,292	32	20.8	3.4-38.2	212	79.2	61.8-96.6
MultiRacial/Non-Hisp.	120	10,091	13	9.6	0.2-19.0	107	90.4	81.0-99.8
Hispanic	767	373,945	62	5.8	2.3- 9.3	705	94.2	90.7-97.7
18-24	100	55,858	9	6.9	0.0-15.3	91	93.1	84.7- 100
25-34	417	144,918	38	6.9	1.8-12.0	379	93.1	88.0-98.2
35-44	725	231,311	73	11.0	6.3-15.7	652	89.0	84.3-93.7
45-54	1395	370,962	142	8.8	5.3-12.3	1253	91.2	87.7-94.7
55-64	2580	506,212	290	9.7	6.8-12.6	2290	90.3	87.4-93.2
65+	6953	1,255,839	674	8.0	6.4- 9.6	6279	92.0	90.4-93.6
Less Than H.S.	1210	287,984	73	4.2	2.0- 6.4	1137	95.8	93.6-98.0
H.S. or G.E.D.	4005	807,639	327	5.5	4.1- 6.9	3678	94.5	93.1-95.9
Some Post-H.S.	3713	870,029	390	9.6	7.4-11.8	3323	90.4	88.2-92.6
College Graduate	3382	625,623	455	12.2	9.5-14.9	2927	87.8	85.1-90.5
Less than \$15,000	1268	197,096	92	6.7	3.0-10.4	1176	93.3	89.6-97.0
\$15,000- 24,999	2358	425,422	185	8.0	4.7-11.3	2173	92.0	88.7-95.3
\$25,000- 34,999	1353	251,794	115	7.8	5.1-10.5	1238	92.2	89.5-94.9
\$35,000- 49,999	1377	315,216	136	6.2	4.0- 8.4	1241	93.8	91.6-96.0
\$50,000- 74,999	1247	281,723	145	7.2	4.7- 9.7	1102	92.8	90.3-95.3
\$75,000+	1899	486,199	291	13.5	10.0-17.0	1608	86.5	83.0-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2072	413,404	1426	80.5	76.4-84.6	488	16.0	12.5-19.5	122	2.0	1.4- 2.6	15	0.2	0.0- 0.4	10	1.1	0.0- 2.9	11	0.2	0.0- 0.4
Male	859	197,716	570	79.9	74.0-85.8	210	15.1	10.6-19.6	61	2.3	1.1- 3.5	7	0.1	0.0- 0.3	3	2.2	0.0- 5.9	8	0.4	0.0- 0.8
Female	1213	215,688	856	81.1	75.4-86.8	278	16.7	11.2-22.2	61	1.7	0.9- 2.5	8	0.4	0.0- 0.8	7	0.1	0.1- 0.1	3	0.0	0.0- 0.0
White/Non-Hisp	1692	286,741	1154	78.8	74.7-82.9	398	16.4	13.1-19.7	112	2.7	1.7- 3.7	12	0.2	0.0- 0.4	9	1.6	0.0- 4.1	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	179	67,771	124	84.6	74.6-94.6	49	14.9	4.9-24.9	4	0.5	0.0- 1.1	1	0.0	0.0- 0.0				1	0.0	0.0- 0.0
Hispanic	89	26,889	65	88.4	77.4-99.4	18	9.5	0.0-19.7	2	0.1	0.0- 0.3	2	1.4	0.0- 4.1	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5
25-34	58	14,335	54	98.1	95.7- 100	1	0.1	0.0- 0.3	3	1.8	0.0- 4.2									
35-44	116	39,869	97	90.6	83.0-98.2	11	8.3	0.9-15.7	5	0.7	0.0- 1.5	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.3	0.0- 1.1
45-54	227	54,857	164	76.4	60.3-92.5	51	22.1	6.0-38.2	5	0.6	0.0- 1.6	3	0.7	0.0- 2.1	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
55-64	449	91,114	326	84.9	79.0-90.8	95	13.3	7.6-19.0	20	0.7	0.1- 1.3	3	0.4	0.0- 1.2	2	0.7	0.0- 1.9	3	0.1	0.1- 0.1
65+	1153	187,581	740	76.7	71.4-82.0	313	19.8	14.9-24.7	84	3.2	1.8- 4.6	8	0.1	0.0- 0.3	4	0.1	0.1- 0.1	4	0.1	0.0- 0.3
Less Than H.S.	113	26,554	82	72.6	48.5-96.7	25	11.6	0.2-23.0	4	1.1	0.0- 2.9				2	14.7	0.0-39.4			
H.S. or G.E.D.	521	96,078	377	82.5	74.9-90.1	106	14.7	7.3-22.1	31	2.7	1.1- 4.3	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	2	0.1	0.1- 0.1
Some Post-H.S.	609	141,339	416	79.1	73.2-85.0	154	18.3	12.6-24.0	31	1.6	0.6- 2.6	2	0.2	0.0- 0.6	4	0.5	0.0- 1.3	2	0.3	0.0- 0.9
College Graduate	813	139,872	540	81.1	75.2-87.0	200	16.0	10.3-21.7	54	2.2	0.8- 3.6	9	0.4	0.0- 1.0	3	0.0	0.0- 0.0	7	0.3	0.1- 0.5
Less than \$15,000	122	34,089	81	66.1	39.4-92.8	35	22.0	2.8-41.2	2	0.4	0.0- 1.2	1	0.0	0.0- 0.0	2	11.3	0.0-31.9	1	0.1	0.0- 0.3
\$15,000- 24,999	280	46,259	185	85.7	78.3-93.1	70	10.5	4.0-17.0	22	3.4	0.7- 6.1	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9
\$25,000- 34,999	189	30,992	134	76.9	64.4-89.4	45	21.2	8.7-33.7	10	1.9	0.1- 3.7									
\$35,000- 49,999	242	39,173	169	86.1	79.4-92.8	55	11.9	5.8-18.0	15	0.7	0.1- 1.3				1	0.2	0.0- 0.6	2	1.1	0.0- 3.1
\$50,000- 74,999	265	45,527	194	82.8	74.8-90.8	49	14.7	7.1-22.3	16	2.3	0.0- 4.8	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
\$75,000+	539	129,865	354	79.8	72.0-87.6	138	17.2	9.4-25.0	36	1.9	0.7- 3.1	5	0.6	0.0- 1.4	3	0.5	0.0- 1.3	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	859	197,716	570	79.9	74.0-85.8	210	15.1	10.6-19.6	61	2.3	1.1- 3.5	7	0.1	0.0- 0.3	3	2.2	0.0- 5.9	8	0.4	0.0- 0.8
White/Non-Hisp	714	140,822	467	77.3	70.8-83.8	175	15.7	11.4-20.0	58	3.2	1.6- 4.8	6	0.2	0.0- 0.4	3	3.2	0.0- 8.5	5	0.4	0.0- 1.0
Black or Afr. Am./Non-Hisp	66	43,304	44	84.5	70.6-98.4	21	15.5	1.6-29.4	1	0.0	0.0- 0.0									
45-54	90	23,635	62	82.1	66.6-97.6	25	17.7	2.2-33.2	1	0.1	0.0- 0.3							2	0.2	0.0- 0.4
55-64	170	42,908	124	86.7	78.3-95.1	33	10.9	3.1-18.7	9	0.9	0.1- 1.7	2	0.1	0.0- 0.3	1	1.3	0.0- 3.8	1	0.0	0.0- 0.0
65+	502	93,783	307	74.7	67.1-82.3	143	21.3	14.0-28.6	43	3.6	1.4- 5.8	5	0.2	0.0- 0.4	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4
H.S. or G.E.D.	208	54,386	144	83.0	71.2-94.8	47	13.3	2.3-24.3	16	3.6	0.7- 6.5	1	0.1	0.0- 0.3						
Some Post-H.S.	230	58,783	152	77.2	67.0-87.4	61	19.9	10.3-29.5	12	1.2	0.2- 2.2	1	0.0	0.0- 0.0	2	1.0	0.0- 3.0	2	0.7	0.0- 2.1
College Graduate	369	67,621	236	82.2	75.3-89.1	92	14.3	8.2-20.4	30	2.6	0.4- 4.8	5	0.3	0.0- 0.7				6	0.5	0.0- 1.1
\$15,000- 24,999	97	12,307	63	83.9	72.1-95.7	26	8.7	2.4-15.0	6	5.7	0.0-13.7	1	0.6	0.0- 1.8				1	1.1	0.0- 3.5
\$25,000- 34,999	77	12,047	50	87.8	78.8-96.8	22	9.5	1.9-17.1	5	2.7	0.0- 6.6									
\$35,000- 49,999	117	23,528	81	87.9	79.5-96.3	25	9.7	2.3-17.1	10	0.7	0.1- 1.3							1	1.7	0.0- 5.0
\$50,000- 74,999	123	25,240	84	76.3	63.6-89.0	27	20.4	8.1-32.7	7	2.9	0.0- 7.2	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3			
\$75,000+	253	64,737	159	82.2	74.4-90.0	67	14.1	7.2-21.0	23	2.5	0.7- 4.3				1	0.9	0.0- 2.7	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1213	215,688	856	81.1	75.6-86.6	278	16.7	11.2-22.2	61	1.7	0.9- 2.5	8	0.4	0.0- 0.8	7	0.1	0.1- 0.1	3	0.0	0.0- 0.0
White/Non-Hisp	978	145,918	687	80.2	75.7-84.7	223	17.1	12.8-21.4	54	2.3	1.1- 3.5	6	0.3	0.0- 0.7	6	0.1	0.0- 0.3	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	113	24,467	80	84.9	72.7-97.1	28	13.8	1.8-25.8	3	1.2	0.0- 3.2	1	0.1	0.0- 0.3				1	0.0	0.0- 0.0
Hispanic	60	21,471	45	87.2	73.3- 100	11	10.8	0.0-23.7	2	0.2	0.0- 0.4	1	1.7	0.0- 5.2	1	0.1	0.0- 0.3			
35-44	71	24,567	59	89.5	78.7- 100	7	9.8	0.0-20.4	3	0.6	0.0- 1.6	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3			
45-54	137	31,222	102	72.1	47.8-96.4	26	25.5	0.8-50.2	4	1.0	0.0- 2.8	3	1.2	0.0- 3.6	2	0.2	0.0- 0.4			
55-64	279	48,206	202	83.2	75.4-91.0	62	15.4	7.8-23.0	11	0.6	0.0- 1.2	1	0.7	0.0- 2.1	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
65+	651	93,799	433	78.7	72.0-85.4	170	18.2	11.9-24.5	41	2.9	1.1- 4.7	3	0.0	0.0- 0.0	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	66	9,981	47	78.6	58.2-99.0	16	18.5	0.0-38.5	2	2.2	0.0- 6.5				1	0.7	0.0- 2.1			
H.S. or G.E.D.	313	41,693	233	81.7	72.3-91.1	59	16.6	7.2-26.0	15	1.5	0.5- 2.5	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Some Post-H.S.	379	82,557	264	80.5	73.4-87.6	93	17.1	10.4-23.8	19	1.9	0.3- 3.5	1	0.4	0.0- 1.2	2	0.1	0.1- 0.1			
College Graduate	444	72,251	304	80.1	70.7-89.5	108	17.5	8.3-26.7	24	1.8	0.4- 3.2	4	0.5	0.0- 1.5	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less than \$15,000	88	13,021	58	71.5	52.1-90.9	26	27.0	8.2-45.8	1	0.9	0.0- 2.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9
\$15,000- 24,999	183	33,952	122	86.3	77.5-95.1	44	11.1	2.9-19.3	16	2.6	0.2- 5.0				1	0.0	0.0- 0.0			
\$25,000- 34,999	112	18,945	84	70.0	52.6-87.4	23	28.6	11.0-46.2	5	1.4	0.0- 3.2									
\$35,000- 49,999	125	15,644	88	83.4	72.8-94.0	30	15.2	4.8-25.6	5	0.8	0.0- 2.0				1	0.5	0.0- 1.5	1	0.1	0.0- 0.3
\$50,000- 74,999	142	20,287	110	90.8	85.1-96.5	22	7.6	2.3-12.9	9	1.5	0.1- 2.9							1	0.1	0.0- 0.3
\$75,000+	286	65,128	195	77.4	63.9-90.9	71	20.3	6.6-34.0	13	1.2	0.0- 2.6	5	1.1	0.0- 2.7	2	0.1	0.1- 0.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	19271	4,375,241	15658	77.0	75.2-78.8	3613	23.0	21.2-24.8
Male	6911	1,759,205	5618	77.8	75.3-80.3	1293	22.2	19.7-24.7
Female	12360	2,616,035	10040	76.6	74.4-78.8	2320	23.4	21.2-25.6
White/Non-Hisp	15569	3,045,085	12945	79.3	77.7-80.9	2624	20.7	19.1-22.3
Black or Afr. Am./Non-Hisp	1619	552,601	1210	77.5	72.0-83.0	409	22.5	17.0-28.0
Oth. Race/Non-Hisp.	408	117,381	282	72.0	57.9-86.1	126	28.0	13.9-42.1
MultiRacial/Non-Hisp.	213	20,588	164	69.0	51.9-86.1	49	31.0	13.9-48.1
Hispanic	1137	552,699	819	66.9	60.2-73.6	318	33.1	26.4-39.8
18-24	196	116,873	157	87.2	78.2-96.2	39	12.8	3.8-21.8
25-34	624	239,293	513	75.3	66.1-84.5	111	24.7	15.5-33.9
35-44	1116	374,158	969	89.3	85.6-93.0	147	10.7	7.0-14.4
45-54	2193	617,945	1857	84.0	79.7-88.3	336	16.0	11.7-20.3
55-64	4065	885,216	3387	81.5	78.0-85.0	678	18.5	15.0-22.0
65+	10789	2,055,828	8548	70.7	68.3-73.1	2241	29.3	26.9-31.7
Less Than H.S.	1803	487,889	1101	57.3	50.0-64.6	702	42.7	35.4-50.0
H.S. or G.E.D.	6004	1,247,907	4610	71.7	68.6-74.8	1394	28.3	25.2-31.4
Some Post-H.S.	5612	1,432,433	4721	81.1	78.6-83.6	891	18.9	16.4-21.4
College Graduate	5755	1,170,768	5167	86.9	84.7-89.1	588	13.1	10.9-15.3
Less than \$15,000	1759	308,984	1105	50.9	44.0-57.8	654	49.1	42.2-56.0
\$15,000- 24,999	3433	685,970	2445	61.9	57.4-66.4	988	38.1	33.6-42.6
\$25,000- 34,999	2044	408,766	1654	71.3	65.0-77.6	390	28.7	22.4-35.0
\$35,000- 49,999	2336	539,327	2017	80.9	76.6-85.2	319	19.1	14.8-23.4
\$50,000- 74,999	2166	492,692	1976	89.8	86.3-93.3	190	10.2	6.7-13.7
\$75,000+	3501	969,025	3312	93.3	91.3-95.3	189	6.7	4.7- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6911	1,759,205	5618	77.8	75.3-80.3	1293	22.2	19.7-24.7
White/Non-Hisp	5640	1,270,057	4653	78.4	75.7-81.1	987	21.6	18.9-24.3
Black or Afr. Am./Non-Hisp	490	218,519	386	77.1	66.3-87.9	104	22.9	12.1-33.7
Oth. Race/Non-Hisp.	166	31,354	113	67.7	50.8-84.6	53	32.3	15.4-49.2
MultiRacial/Non-Hisp.	95	10,659	75	79.9	64.6-95.2	20	20.1	4.8-35.4
Hispanic	372	185,658	281	76.4	67.2-85.6	91	23.6	14.4-32.8
18-24	96	61,015	80	82.8	67.1-98.5	16	17.2	1.5-32.9
25-34	207	96,933	168	77.0	63.1-90.9	39	23.0	9.1-36.9
35-44	390	141,402	329	86.5	79.6-93.4	61	13.5	6.6-20.4
45-54	799	247,010	664	86.8	82.1-91.5	135	13.2	8.5-17.9
55-64	1491	384,894	1230	82.6	78.5-86.7	261	17.4	13.3-21.5
65+	3842	804,654	3077	70.9	66.8-75.0	765	29.1	25.0-33.2
Less Than H.S.	600	201,674	382	62.9	51.3-74.5	218	37.1	25.5-48.7
H.S. or G.E.D.	1995	441,567	1542	71.9	66.8-77.0	453	28.1	23.0-33.2
Some Post-H.S.	1904	563,719	1582	79.9	75.6-84.2	322	20.1	15.8-24.4
College Graduate	2376	546,688	2088	85.8	82.5-89.1	288	14.2	10.9-17.5
Less than \$15,000	490	111,329	306	49.9	36.6-63.2	184	50.1	36.8-63.4
\$15,000- 24,999	1080	261,823	746	62.5	55.1-69.9	334	37.5	30.1-44.9
\$25,000- 34,999	691	156,928	550	67.5	55.5-79.5	141	32.5	20.5-44.5
\$35,000- 49,999	958	224,098	793	78.7	72.8-84.6	165	21.3	15.4-27.2
\$50,000- 74,999	917	210,735	810	88.9	84.6-93.2	107	11.1	6.8-15.4
\$75,000+	1601	481,326	1492	90.8	87.5-94.1	109	9.2	5.9-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12360	2,616,035	10040	76.6	74.4-78.8	2320	23.4	21.2-25.6
White/Non-Hisp	9929	1,775,028	8292	80.0	77.8-82.2	1637	20.0	17.8-22.2
Black or Afr. Am./Non-Hisp	1129	334,082	824	77.7	71.4-84.0	305	22.3	16.0-28.6
Oth. Race/Non-Hisp.	242	86,027	169	73.6	55.4-91.8	73	26.4	8.2-44.6
MultiRacial/Non-Hisp.	118	9,929	89	57.3	30.8-83.8	29	42.7	16.2-69.2
Hispanic	765	367,041	538	62.1	53.7-70.5	227	37.9	29.5-46.3
18-24	100	55,858	77	91.9	85.4-98.4	23	8.1	1.6-14.6
25-34	417	142,359	345	74.2	62.0-86.4	72	25.8	13.6-38.0
35-44	726	232,756	640	91.0	86.9-95.1	86	9.0	4.9-13.1
45-54	1394	370,935	1193	82.2	75.7-88.7	201	17.8	11.3-24.3
55-64	2574	500,322	2157	80.6	75.5-85.7	417	19.4	14.3-24.5
65+	6947	1,251,174	5471	70.6	67.7-73.5	1476	29.4	26.5-32.3
Less Than H.S.	1203	286,215	719	53.3	44.1-62.5	484	46.7	37.5-55.9
H.S. or G.E.D.	4009	806,340	3068	71.6	67.5-75.7	941	28.4	24.3-32.5
Some Post-H.S.	3708	868,715	3139	81.8	78.5-85.1	569	18.2	14.9-21.5
College Graduate	3379	624,080	3079	87.8	84.9-90.7	300	12.2	9.3-15.1
Less than \$15,000	1269	197,654	799	51.5	43.9-59.1	470	48.5	40.9-56.1
\$15,000- 24,999	2353	424,147	1699	61.5	55.6-67.4	654	38.5	32.6-44.4
\$25,000- 34,999	1353	251,837	1104	73.6	66.9-80.3	249	26.4	19.7-33.1
\$35,000- 49,999	1378	315,229	1224	82.5	76.2-88.8	154	17.5	11.2-23.8
\$50,000- 74,999	1249	281,957	1166	90.4	85.3-95.5	83	9.6	4.5-14.7
\$75,000+	1900	487,699	1820	95.7	93.7-97.7	80	4.3	2.3- 6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36858	16,524,342	5718	12.0	11.4-12.6	31140	88.0	87.4-88.6
Male	15542	7,967,502	5145	22.7	21.5-23.9	10397	77.3	76.1-78.5
Female	21313	8,555,097	573	2.1	1.7- 2.5	20740	97.9	97.5-98.3
18-24	1877	1,807,521	77	2.8	2.0- 3.6	1800	97.2	96.4-98.0
25-34	3492	2,605,522	268	7.7	6.1- 9.3	3224	92.3	90.7-93.9
35-44	3696	2,385,183	298	6.9	5.7- 8.1	3398	93.1	91.9-94.3
45-54	5283	2,602,600	588	8.4	7.2- 9.6	4695	91.6	90.4-92.8
55-64	7287	2,704,763	930	11.8	10.2-13.4	6357	88.2	86.6-89.8
65+	14660	4,093,651	3459	24.1	22.5-25.7	11201	75.9	74.3-77.5
Less Than H.S.	3895	2,258,413	259	6.1	4.1- 8.1	3636	93.9	91.9-95.9
H.S. or G.E.D.	11061	4,880,108	1507	11.0	10.0-12.0	9554	89.0	88.0-90.0
Some Post-H.S.	10668	5,183,276	1891	14.3	13.1-15.5	8777	85.7	84.5-86.9
College Graduate	11043	4,085,348	2041	13.8	12.6-15.0	9002	86.2	85.0-87.4
Less than \$15,000	3375	1,304,692	287	6.5	4.9- 8.1	3088	93.5	91.9-95.1
\$15,000- 24,999	6708	2,850,568	854	8.7	7.5- 9.9	5854	91.3	90.1-92.5
\$25,000- 34,999	3786	1,552,976	605	11.6	9.8-13.4	3181	88.4	86.6-90.2
\$35,000- 49,999	4421	1,919,657	866	15.7	13.5-17.9	3555	84.3	82.1-86.5
\$50,000- 74,999	4091	1,807,351	872	16.9	14.7-19.1	3219	83.1	80.9-85.3
\$75,000+	6945	3,497,472	1313	15.5	13.9-17.1	5632	84.5	82.9-86.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15542	7,967,502	5145	22.7	21.5-23.9	10397	77.3	76.1-78.5
18-24	961	927,219	66	4.9	3.3- 6.5	895	95.1	93.5-96.7
25-34	1619	1,316,464	213	12.1	9.6-14.6	1406	87.9	85.4-90.4
35-44	1624	1,176,006	230	11.7	9.3-14.1	1394	88.3	85.9-90.7
45-54	2310	1,285,866	480	14.2	12.0-16.4	1830	85.8	83.6-88.0
55-64	3089	1,276,237	792	22.0	18.9-25.1	2297	78.0	74.9-81.1
65+	5722	1,852,267	3276	51.4	48.5-54.3	2446	48.6	45.7-51.5
Less Than H.S.	1718	1,164,743	252	11.7	8.2-15.2	1466	88.3	84.8-91.8
H.S. or G.E.D.	4629	2,431,758	1409	20.8	18.8-22.8	3220	79.2	77.2-81.2
Some Post-H.S.	4139	2,320,909	1662	28.5	26.1-30.9	2477	71.5	69.1-73.9
College Graduate	4983	2,007,812	1805	24.6	22.6-26.6	3178	75.4	73.4-77.4
Less than \$15,000	1196	565,413	265	13.8	10.3-17.3	931	86.2	82.7-89.7
\$15,000- 24,999	2561	1,289,315	764	17.7	15.3-20.1	1797	82.3	79.9-84.7
\$25,000- 34,999	1557	735,658	544	21.9	18.4-25.4	1013	78.1	74.6-81.6
\$35,000- 49,999	2020	955,195	783	28.6	24.7-32.5	1237	71.4	67.5-75.3
\$50,000- 74,999	1913	928,227	782	30.4	26.7-34.1	1131	69.6	65.9-73.3
\$75,000+	3554	1,956,114	1186	24.8	22.3-27.3	2368	75.2	72.7-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21313	8,555,097	573	2.1	1.7- 2.5	20740	97.9	97.5-98.3
18-24	916	880,302	11	0.7	0.1- 1.3	905	99.3	98.7-99.9
25-34	1871	1,287,567	55	3.1	1.5- 4.7	1816	96.9	95.3-98.5
35-44	2072	1,209,177	68	2.2	1.2- 3.2	2004	97.8	96.8-98.8
45-54	2973	1,316,733	108	2.7	1.7- 3.7	2865	97.3	96.3-98.3
55-64	4198	1,428,526	138	2.7	1.9- 3.5	4060	97.3	96.5-98.1
65+	8937	2,241,132	183	1.4	0.8- 2.0	8754	98.6	98.0-99.2
Less Than H.S.	2176	1,093,073	7	0.1	0.0- 0.3	2169	99.9	99.7- 100
H.S. or G.E.D.	6432	2,448,351	98	1.2	0.6- 1.8	6334	98.8	98.2-99.4
Some Post-H.S.	6529	2,862,366	229	2.7	1.9- 3.5	6300	97.3	96.5-98.1
College Graduate	6058	2,076,390	236	3.5	2.7- 4.3	5822	96.5	95.7-97.3
Less than \$15,000	2179	739,279	22	1.0	0.0- 2.0	2157	99.0	98.0- 100
\$15,000- 24,999	4147	1,561,252	90	1.2	0.6- 1.8	4057	98.8	98.2-99.4
\$25,000- 34,999	2228	816,424	61	2.4	1.4- 3.4	2167	97.6	96.6-98.6
\$35,000- 49,999	2401	964,463	83	3.0	1.4- 4.6	2318	97.0	95.4-98.6
\$50,000- 74,999	2178	879,125	90	2.7	1.9- 3.5	2088	97.3	96.5-98.1
\$75,000+	3390	1,541,105	127	3.7	2.5- 4.9	3263	96.3	95.1-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36514	16,298,513	15047	52.0	51.0-53.0	1577	5.2	4.8- 5.6	1955	5.8	5.2- 6.4	845	5.1	4.5- 5.7	13629	24.4	23.6-25.2	3461	7.6	7.0- 8.2
Male	15408	7,858,864	7420	59.2	57.6-60.8	624	4.8	4.0- 5.6	61	0.4	0.2- 0.6	363	5.0	4.2- 5.8	5620	23.8	22.6-25.0	1320	7.0	6.2- 7.8
Female	21103	8,437,906	7626	45.3	43.7-46.9	953	5.6	4.8- 6.4	1894	10.8	9.8-11.8	481	5.3	4.5- 6.1	8008	24.9	23.7-26.1	2141	8.2	7.4- 9.0
White/Non-Hisp	26353	9,231,154	10006	48.3	47.1-49.5	919	4.0	3.4- 4.6	1292	4.8	4.4- 5.2	412	3.9	3.3- 4.5	11450	32.0	31.0-33.0	2274	7.1	6.5- 7.7
Black or Afr. Am./Non-Hisp	3691	2,245,123	1689	56.5	53.2-59.8	246	7.5	5.9- 9.1	100	2.5	1.5- 3.5	147	8.2	6.2-10.2	976	15.4	13.0-17.8	533	9.8	7.8-11.8
Oth. Race/Non-Hisp.	1038	592,454	473	54.7	48.2-61.2	59	4.8	2.4- 7.2	48	7.1	3.8-10.4	68	11.3	7.6-15.0	260	14.5	10.0-19.0	130	7.6	3.3-11.9
MultiRacial/Non-Hisp.	449	149,698	170	55.6	45.8-65.4	25	6.1	1.6-10.6	21	6.2	0.5-11.9	17	8.4	2.9-13.9	125	9.6	5.9-13.3	91	14.1	7.6-20.6
Hispanic	4357	3,773,873	2441	57.5	55.0-60.0	300	6.6	5.2- 8.0	472	10.0	8.2-11.8	179	5.3	4.1- 6.5	590	13.1	11.3-14.9	375	7.5	6.1- 8.9
18-24	1826	1,767,087	984	50.3	46.6-54.0	163	7.4	5.6- 9.2	59	2.4	1.4- 3.4	557	36.4	32.7-40.1	5	0.1	0.1- 0.1	58	3.4	2.0- 4.8
25-34	3447	2,560,522	2492	73.3	70.8-75.8	263	7.0	5.6- 8.4	355	9.3	7.5-11.1	166	5.0	3.8- 6.2	12	0.2	0.0- 0.4	159	5.2	3.6- 6.8
35-44	3659	2,345,010	2724	77.4	74.9-79.9	240	6.1	4.7- 7.5	309	8.0	6.4- 9.6	63	1.4	0.8- 2.0	27	0.7	0.3- 1.1	296	6.4	5.0- 7.8
45-54	5220	2,565,624	3540	72.1	69.7-74.5	357	6.8	5.4- 8.2	335	6.0	4.8- 7.2	27	0.9	0.3- 1.5	226	3.1	2.3- 3.9	735	11.1	9.5-12.7
55-64	7247	2,696,866	3459	51.5	49.0-54.0	377	6.1	4.7- 7.5	319	5.3	3.9- 6.7	8	0.1	0.1- 0.1	1734	21.3	19.3-23.3	1350	15.7	13.7-17.7
65+	14591	4,073,116	1611	12.3	11.1-13.5	149	1.0	0.6- 1.4	558	4.1	3.3- 4.9	18	0.1	0.1- 0.1	11423	78.2	76.6-79.8	832	4.3	3.5- 5.1
Less Than H.S.	3841	2,202,645	1195	41.5	38.0-45.0	230	7.1	5.3- 8.9	420	11.4	9.0-13.8	52	3.0	1.8- 4.2	1059	21.3	18.4-24.2	885	15.7	13.2-18.2
H.S. or G.E.D.	10946	4,806,053	4009	47.8	45.8-49.8	595	6.8	5.8- 7.8	693	6.0	5.0- 7.0	226	5.9	4.7- 7.1	4135	24.8	23.2-26.4	1288	8.6	7.4- 9.8
Some Post-H.S.	10574	5,141,921	4371	52.6	50.6-54.6	437	4.5	3.7- 5.3	506	4.7	3.9- 5.5	363	6.6	5.6- 7.6	4013	24.5	22.9-26.1	884	7.0	6.0- 8.0
College Graduate	10984	4,057,570	5406	62.1	60.3-63.9	309	3.1	2.5- 3.7	324	3.7	2.9- 4.5	200	3.3	2.5- 4.1	4359	25.0	23.6-26.4	386	2.6	2.0- 3.2
Less than \$15,000	3338	1,290,948	611	25.6	22.3-28.9	388	13.5	11.0-16.0	199	5.9	4.1- 7.7	112	8.2	5.8-10.6	1008	21.4	18.5-24.3	1020	25.5	22.0-29.0
\$15,000- 24,999	6663	2,824,253	2115	44.8	42.3-47.3	433	8.1	6.7- 9.5	425	6.8	5.4- 8.2	174	4.8	3.6- 6.0	2530	24.9	22.7-27.1	986	10.6	9.2-12.0
\$25,000- 34,999	3758	1,536,313	1521	51.6	48.1-55.1	150	5.0	3.4- 6.6	192	6.2	4.2- 8.2	84	5.5	3.7- 7.3	1537	25.4	22.7-28.1	274	6.3	4.5- 8.1
\$35,000- 49,999	4397	1,905,164	2009	54.9	51.8-58.0	113	3.8	2.4- 5.2	180	3.3	2.3- 4.3	80	4.4	3.0- 5.8	1818	28.4	25.7-31.1	197	5.1	3.7- 6.5
\$50,000- 74,999	4074	1,799,934	2127	63.3	60.4-66.2	74	1.9	1.1- 2.7	151	3.9	2.7- 5.1	58	3.2	1.6- 4.8	1540	24.2	21.8-26.6	124	3.5	2.1- 4.9
\$75,000+	6910	3,485,040	4275	69.8	67.8-71.8	100	2.0	1.2- 2.8	292	4.6	3.6- 5.6	106	3.8	2.8- 4.8	2008	18.1	16.7-19.5	129	1.7	1.1- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15408	7,858,864	7420	59.2	57.6-60.8	624	4.8	4.0- 5.6	61	0.4	0.2- 0.6	363	5.0	4.2- 5.8	5620	23.8	22.6-25.0	1320	7.0	6.2- 7.8
White/Non-Hisp	10923	4,472,239	4793	54.6	52.8-56.4	351	3.4	2.8- 4.0	37	0.4	0.2- 0.6	180	3.6	2.8- 4.4	4722	31.5	29.9-33.1	840	6.5	5.7- 7.3
Black or Afr. Am./Non-Hisp	1473	1,051,891	747	58.4	53.3-63.5	108	8.0	5.6-10.4	6	0.5	0.0- 1.3	57	9.2	5.7-12.7	350	14.5	11.0-18.0	205	9.4	6.5-12.3
Oth. Race/Non-Hisp.	528	277,361	286	61.1	51.9-70.3	25	5.8	1.7- 9.9	4	1.1	0.0- 2.5	30	8.5	4.0-13.0	128	13.5	7.8-19.2	55	10.0	1.8-18.2
MultiRacial/Non-Hisp.	219	67,594	91	64.9	53.1-76.7	12	8.0	0.4-15.6	2	0.4	0.0- 1.0	8	9.0	1.6-16.4	61	8.8	4.5-13.1	45	9.0	3.9-14.1
Hispanic	1935	1,831,097	1349	70.2	66.7-73.7	118	6.2	4.2- 8.2	10	0.1	0.1- 0.1	75	5.3	3.5- 7.1	234	12.0	9.5-14.5	149	6.2	4.4- 8.0
18-24	929	911,420	551	54.4	49.1-59.7	80	6.8	4.4- 9.2	2	0.3	0.0- 0.9	265	34.7	29.4-40.0	2	0.1	0.1- 0.1	29	3.7	1.9- 5.5
25-34	1594	1,281,852	1352	86.2	83.3-89.1	86	4.7	3.1- 6.3	16	0.5	0.1- 0.9	64	4.1	2.7- 5.5	9	0.2	0.0- 0.4	67	4.2	2.2- 6.2
35-44	1611	1,165,390	1335	86.4	83.5-89.3	95	5.8	3.4- 8.2	11	0.5	0.0- 1.1	18	0.9	0.3- 1.5	17	0.8	0.2- 1.4	135	5.7	3.9- 7.5
45-54	2284	1,270,817	1718	78.5	75.6-81.4	140	6.2	4.6- 7.8	9	0.5	0.1- 0.9	9	0.9	0.0- 1.9	123	4.2	2.8- 5.6	285	9.7	7.5-11.9
55-64	3082	1,274,593	1632	56.3	52.6-60.0	160	6.6	4.4- 8.8	14	0.3	0.1- 0.5				740	21.3	18.6-24.0	536	15.5	12.6-18.4
65+	5705	1,843,239	724	14.0	12.0-16.0	54	1.0	0.4- 1.6	8	0.1	0.1- 0.1	5	0.1	0.1- 0.1	4656	81.2	78.8-83.6	258	3.6	2.4- 4.8
Less Than H.S.	1696	1,143,007	770	53.7	48.6-58.8	91	6.8	4.1- 9.5	20	1.2	0.4- 2.0	29	3.3	1.5- 5.1	443	19.7	15.6-23.8	343	15.3	11.6-19.0
H.S. or G.E.D.	4575	2,390,503	2149	57.8	54.9-60.7	253	6.2	4.8- 7.6	21	0.3	0.1- 0.5	114	6.5	4.5- 8.5	1512	21.3	19.1-23.5	526	7.8	6.4- 9.2
Some Post-H.S.	4112	2,307,601	1949	59.4	56.7-62.1	166	4.3	3.1- 5.5	12	0.2	0.0- 0.4	135	5.6	4.2- 7.0	1552	24.7	22.3-27.1	298	5.8	4.4- 7.2
College Graduate	4961	1,992,510	2520	63.9	61.5-66.3	114	2.5	1.7- 3.3	8	0.1	0.0- 0.3	82	3.0	2.0- 4.0	2089	28.0	26.0-30.0	148	2.5	1.7- 3.3
Less than \$15,000	1182	560,516	271	27.6	22.1-33.1	153	14.8	10.7-18.9	8	0.7	0.0- 1.7	42	8.2	4.3-12.1	330	20.1	15.6-24.6	378	28.6	22.9-34.3
\$15,000- 24,999	2543	1,273,223	981	52.7	48.8-56.6	157	7.5	5.5- 9.5	14	0.5	0.1- 0.9	63	4.8	2.8- 6.8	932	23.8	20.7-26.9	396	10.6	8.2-13.0
\$25,000- 34,999	1548	730,387	724	59.8	54.7-64.9	54	4.8	2.8- 6.8	4	0.7	0.0- 1.7	38	4.2	2.0- 6.4	620	24.6	20.3-28.9	108	5.9	3.4- 8.4
\$35,000- 49,999	2008	949,545	990	57.8	53.5-62.1	48	4.0	1.6- 6.4	5	0.4	0.0- 0.8	36	4.2	2.0- 6.4	847	28.3	24.6-32.0	82	5.3	3.3- 7.3
\$50,000- 74,999	1903	921,808	993	65.9	61.8-70.0	39	1.4	0.6- 2.2	6	0.2	0.0- 0.4	21	2.7	0.5- 4.9	793	27.3	23.6-31.0	51	2.5	1.3- 3.7
\$75,000+	3536	1,947,621	2295	73.7	71.2-76.2	49	1.9	0.7- 3.1	9	0.1	0.0- 0.3	52	3.1	1.9- 4.3	1073	19.8	17.8-21.8	58	1.4	0.8- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21103	8,437,906	7626	45.3	43.7-46.9	953	5.6	4.8- 6.4	1894	10.8	9.8-11.8	481	5.3	4.5- 6.1	8008	24.9	23.7-26.1	2141	8.2	7.4- 9.0
White/Non-Hisp	15428	4,757,769	5213	42.3	40.7-43.9	568	4.6	3.8- 5.4	1255	9.0	8.0-10.0	231	4.1	3.3- 4.9	6727	32.4	31.0-33.8	1434	7.5	6.7- 8.3
Black or Afr. Am./Non-Hisp	2217	1,192,635	941	54.9	50.4-59.4	138	7.2	4.8- 9.6	94	4.1	2.3- 5.9	90	7.4	5.4- 9.4	626	16.2	13.1-19.3	328	10.3	7.4-13.2
Oth. Race/Non-Hisp.	510	315,094	187	49.2	39.8-58.6	34	4.0	1.6- 6.4	44	12.3	6.2-18.4	38	13.8	7.9-19.7	132	15.3	8.6-22.0	75	5.4	1.9- 8.9
MultiRacial/Non-Hisp.	230	82,104	79	48.0	33.1-62.9	13	4.6	0.0- 9.5	19	11.0	0.8-21.2	9	7.9	0.3-15.5	64	10.2	4.3-16.1	46	18.3	7.5-29.1
Hispanic	2422	1,942,776	1092	45.6	41.9-49.3	182	7.0	5.2- 8.8	462	19.4	16.3-22.5	104	5.4	3.6- 7.2	356	14.0	11.5-16.5	226	8.7	6.5-10.9
18-24	897	855,667	433	46.0	40.9-51.1	83	8.0	5.3-10.7	57	4.6	2.6- 6.6	292	38.2	33.1-43.3	3	0.1	0.0- 0.3	29	3.1	0.7- 5.5
25-34	1851	1,277,179	1139	60.5	56.4-64.6	177	9.2	6.8-11.6	339	18.0	14.9-21.1	101	5.9	3.9- 7.9	3	0.2	0.0- 0.4	92	6.1	3.9- 8.3
35-44	2048	1,179,620	1389	68.6	64.9-72.3	145	6.4	4.4- 8.4	298	15.5	12.4-18.6	45	2.0	1.2- 2.8	10	0.5	0.1- 0.9	161	7.0	5.0- 9.0
45-54	2936	1,294,807	1822	65.7	62.0-69.4	217	7.4	5.0- 9.8	326	11.5	9.1-13.9	18	0.9	0.1- 1.7	103	2.1	1.3- 2.9	450	12.5	10.1-14.9
55-64	4165	1,422,274	1827	47.3	43.8-50.8	217	5.8	4.2- 7.4	305	9.8	7.3-12.3	8	0.1	0.0- 0.3	994	21.3	18.6-24.0	814	15.8	13.3-18.3
65+	8885	2,229,624	887	10.9	9.5-12.3	95	1.0	0.4- 1.6	550	7.5	6.1- 8.9	13	0.1	0.1- 0.1	6766	75.7	73.5-77.9	574	4.9	3.7- 6.1
Less Than H.S.	2144	1,059,040	424	28.4	23.7-33.1	139	7.3	4.9- 9.7	400	22.4	17.9-26.9	23	2.6	1.0- 4.2	616	23.2	19.1-27.3	542	16.1	12.8-19.4
H.S. or G.E.D.	6371	2,415,550	1860	37.9	35.2-40.6	342	7.4	5.8- 9.0	672	11.6	9.8-13.4	112	5.3	3.9- 6.7	2623	28.3	25.9-30.7	762	9.5	7.9-11.1
Some Post-H.S.	6462	2,834,320	2422	47.1	44.6-49.6	271	4.8	3.6- 6.0	494	8.4	7.0- 9.8	228	7.4	6.0- 8.8	2461	24.4	22.4-26.4	586	7.9	6.5- 9.3
College Graduate	6021	2,063,914	2886	60.4	57.9-62.9	195	3.8	2.8- 4.8	316	7.2	5.8- 8.6	117	3.6	2.6- 4.6	2269	22.1	20.3-23.9	238	2.8	2.0- 3.6
Less than \$15,000	2156	730,432	340	24.1	19.8-28.4	235	12.4	9.3-15.5	191	9.9	7.0-12.8	70	8.1	5.2-11.0	678	22.4	18.5-26.3	642	23.1	18.8-27.4
\$15,000- 24,999	4120	1,551,030	1134	38.4	34.9-41.9	276	8.5	6.7-10.3	411	11.9	9.5-14.3	111	4.9	3.3- 6.5	1598	25.7	23.0-28.4	590	10.6	8.8-12.4
\$25,000- 34,999	2209	805,033	797	44.2	39.5-48.9	96	5.3	2.8- 7.8	188	11.2	7.7-14.7	45	6.5	3.8- 9.2	917	26.2	22.5-29.9	166	6.7	4.2- 9.2
\$35,000- 49,999	2389	955,618	1019	52.0	47.7-56.3	65	3.6	2.0- 5.2	175	6.2	4.2- 8.2	44	4.7	2.7- 6.7	971	28.5	24.8-32.2	115	4.9	2.7- 7.1
\$50,000- 74,999	2171	878,126	1134	60.5	56.2-64.8	35	2.5	0.9- 4.1	145	7.8	5.4-10.2	37	3.8	1.6- 6.0	747	20.9	17.8-24.0	73	4.5	2.1- 6.9
\$75,000+	3373	1,537,167	1980	64.9	61.8-68.0	51	2.2	1.0- 3.4	283	10.3	8.3-12.3	54	4.7	2.9- 6.5	934	15.8	13.8-17.8	71	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36260	16,170,038	3638	13.7	12.9-14.5	2935	11.0	10.2-11.8	1195	4.2	3.8- 4.6	442	1.5	1.3- 1.7	204	0.6	0.4- 0.8	27846	69.0	68.0-70.0
Male	15262	7,789,046	1450	12.2	11.2-13.2	1174	10.5	9.5-11.5	467	4.0	3.4- 4.6	168	1.1	0.9- 1.3	68	0.5	0.1- 0.9	11935	71.8	70.4-73.2
Female	20995	8,379,249	2188	15.2	14.0-16.4	1761	11.5	10.5-12.5	727	4.3	3.7- 4.9	274	1.8	1.4- 2.2	136	0.8	0.6- 1.0	15909	66.4	65.0-67.8
White/Non-Hisp	26171	9,149,505	2167	11.3	10.5-12.1	1682	8.5	7.9- 9.1	636	2.9	2.5- 3.3	231	1.0	0.8- 1.2	100	0.4	0.2- 0.6	21355	75.9	74.9-76.9
Black or Afr. Am./Non-Hisp	3657	2,224,150	527	17.5	14.6-20.4	380	14.2	11.7-16.7	167	6.4	4.6- 8.2	71	2.8	1.6- 4.0	43	1.8	0.6- 3.0	2469	57.2	53.7-60.7
Oth. Race/Non-Hisp.	1019	576,562	141	14.8	10.9-18.7	103	15.4	10.5-20.3	34	5.7	2.2- 9.2	8	2.2	0.0- 4.6	8	0.7	0.0- 1.5	725	61.3	54.8-67.8
MultiRacial/Non-Hisp.	450	151,336	58	19.4	9.8-29.0	42	13.4	6.7-20.1	20	8.9	4.0-13.8	3	0.3	0.0- 0.7	3	0.6	0.0- 1.4	324	57.5	47.3-67.7
Hispanic	4342	3,751,277	678	16.9	14.9-18.9	691	14.8	13.0-16.6	328	5.6	4.4- 6.8	122	1.8	1.2- 2.4	45	0.5	0.1- 0.9	2478	60.3	57.8-62.8
18-24	1836	1,764,348	358	20.6	17.5-23.7	183	9.5	7.3-11.7	70	2.5	1.5- 3.5	24	1.0	0.4- 1.6	11	1.1	0.0- 2.5	1190	65.2	61.7-68.7
25-34	3414	2,531,781	671	20.2	17.8-22.6	688	19.0	16.6-21.4	345	8.4	6.8-10.0	147	2.9	1.9- 3.9	69	1.2	0.8- 1.6	1494	48.3	45.4-51.2
35-44	3610	2,327,304	739	21.5	18.8-24.2	997	27.3	24.8-29.8	449	11.2	9.4-13.0	161	3.7	2.7- 4.7	73	1.6	1.0- 2.2	1191	34.8	31.9-37.7
45-54	5167	2,543,072	965	19.3	17.1-21.5	654	13.8	11.8-15.8	182	3.8	2.6- 5.0	64	1.2	0.6- 1.8	27	0.5	0.1- 0.9	3275	61.4	58.7-64.1
55-64	7182	2,656,338	499	7.6	6.2- 9.0	217	3.1	2.3- 3.9	83	1.3	0.7- 1.9	25	0.5	0.1- 0.9	8	0.0	0.0- 0.0	6350	87.4	85.6-89.2
65+	14534	4,051,131	364	2.9	2.3- 3.5	169	1.2	0.8- 1.6	57	0.4	0.2- 0.6	17	0.3	0.0- 0.7	15	0.1	0.1- 0.1	13912	95.2	94.4-96.0
Less Than H.S.	3840	2,220,104	406	14.5	11.8-17.2	322	9.7	7.7-11.7	224	6.6	5.0- 8.2	101	2.6	1.6- 3.6	44	0.8	0.4- 1.2	2743	65.8	62.5-69.1
H.S. or G.E.D.	10859	4,754,976	1122	13.5	12.1-14.9	791	10.4	9.0-11.8	358	4.4	3.6- 5.2	146	1.6	1.0- 2.2	62	0.7	0.1- 1.3	8380	69.5	67.5-71.5
Some Post-H.S.	10492	5,066,990	1088	14.1	12.7-15.5	807	10.1	8.9-11.3	301	3.7	2.9- 4.5	121	1.3	0.9- 1.7	52	0.6	0.4- 0.8	8123	70.2	68.4-72.0
College Graduate	10889	4,019,066	1011	13.2	11.8-14.6	1007	13.7	12.3-15.1	309	3.2	2.6- 3.8	71	1.0	0.6- 1.4	43	0.5	0.3- 0.7	8448	68.3	66.5-70.1
Less than \$15,000	3349	1,293,982	333	12.2	9.8-14.6	195	7.1	5.1- 9.1	99	3.5	2.1- 4.9	46	2.1	0.7- 3.5	25	0.7	0.3- 1.1	2651	74.3	71.0-77.6
\$15,000- 24,999	6678	2,844,873	717	14.6	12.4-16.8	532	11.2	9.4-13.0	281	5.6	4.4- 6.8	126	1.8	1.2- 2.4	53	0.6	0.4- 0.8	4969	66.2	63.7-68.7
\$25,000- 34,999	3764	1,542,682	381	12.9	10.5-15.3	304	12.8	10.3-15.3	140	4.4	3.0- 5.8	39	1.1	0.5- 1.7	15	0.6	0.0- 1.2	2885	68.2	64.9-71.5
\$35,000- 49,999	4399	1,909,891	409	13.4	11.0-15.8	362	10.2	8.4-12.0	136	3.4	2.4- 4.4	56	1.9	1.1- 2.7	27	0.5	0.1- 0.9	3409	70.5	67.8-73.2
\$50,000- 74,999	4071	1,801,842	414	12.9	10.5-15.3	364	11.9	9.7-14.1	122	3.7	2.7- 4.7	44	1.9	0.7- 3.1	21	0.8	0.4- 1.2	3106	68.7	65.6-71.8
\$75,000+	6903	3,483,485	833	15.9	14.1-17.7	762	14.4	12.8-16.0	242	4.4	3.4- 5.4	76	1.3	0.7- 1.9	33	0.5	0.3- 0.7	4957	63.6	61.4-65.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15262	7,789,046	1450	12.2	11.2-13.2	1174	10.5	9.5-11.5	467	4.0	3.4- 4.6	168	1.1	0.9- 1.3	68	0.5	0.1- 0.9	11935	71.8	70.4-73.2
White/Non-Hisp	10819	4,421,193	874	10.3	9.1-11.5	674	8.1	7.1- 9.1	237	2.7	2.1- 3.3	86	0.7	0.5- 0.9	37	0.2	0.0- 0.4	8911	78.0	76.4-79.6
Black or Afr. Am./Non-Hisp	1456	1,025,676	163	13.2	9.7-16.7	140	14.9	10.8-19.0	60	5.6	3.4- 7.8	28	2.4	1.0- 3.8	13	1.7	0.0- 4.1	1052	62.3	57.0-67.6
Oth. Race/Non-Hisp.	516	264,398	77	15.5	9.6-21.4	54	15.2	8.9-21.5	23	7.4	1.9-12.9	3	1.0	0.0- 2.2	2	0.7	0.0- 1.7	357	60.4	51.6-69.2
MultiRacial/Non-Hisp.	218	68,304	29	19.7	9.9-29.5	24	14.4	6.0-22.8	7	5.2	0.5- 9.9	2	0.4	0.0- 1.0				156	60.3	48.0-72.6
Hispanic	1922	1,831,225	269	15.3	12.4-18.2	266	13.6	11.1-16.1	133	5.7	4.1- 7.3	46	1.5	0.7- 2.3	14	0.3	0.1- 0.5	1194	63.5	59.8-67.2
18-24	935	900,137	161	17.6	13.7-21.5	80	8.8	5.5-12.1	30	2.6	1.4- 3.8	15	1.6	0.4- 2.8	4	1.4	0.0- 3.9	645	67.9	62.8-73.0
25-34	1578	1,267,934	267	15.3	12.4-18.2	223	14.1	11.4-16.8	105	6.4	4.2- 8.6	52	2.2	1.2- 3.2	18	0.7	0.3- 1.1	913	61.4	57.5-65.3
35-44	1580	1,145,527	287	21.0	17.3-24.7	384	24.6	20.9-28.3	178	9.5	7.3-11.7	60	2.6	1.6- 3.6	23	0.8	0.4- 1.2	648	41.6	37.1-46.1
45-54	2260	1,265,075	364	16.6	13.7-19.5	315	15.9	13.0-18.8	90	5.2	3.2- 7.2	29	1.0	0.4- 1.6	14	0.4	0.0- 0.8	1448	60.8	57.1-64.5
55-64	3044	1,260,791	217	6.6	5.0- 8.2	100	3.1	1.9- 4.3	40	1.7	0.7- 2.7	6	0.1	0.1- 0.1	2	0.0	0.0- 0.0	2679	88.5	86.3-90.7
65+	5672	1,832,002	142	2.9	1.9- 3.9	61	1.5	0.5- 2.5	18	0.4	0.0- 0.8	5	0.2	0.0- 0.4	6	0.0	0.0- 0.0	5440	95.1	93.7-96.5
Less Than H.S.	1689	1,144,578	174	13.4	9.9-16.9	130	8.6	6.4-10.8	84	5.3	3.3- 7.3	32	1.6	0.8- 2.4	18	0.9	0.3- 1.5	1251	70.1	65.8-74.4
H.S. or G.E.D.	4525	2,355,540	507	13.2	11.2-15.2	327	9.9	7.9-11.9	146	4.3	3.3- 5.3	70	1.5	0.9- 2.1	15	0.7	0.0- 1.7	3460	70.4	67.7-73.1
Some Post-H.S.	4073	2,273,823	375	10.9	9.1-12.7	294	10.1	8.1-12.1	109	4.2	2.8- 5.6	38	1.0	0.4- 1.6	17	0.2	0.0- 0.4	3240	73.7	71.0-76.4
College Graduate	4906	1,972,715	390	11.8	10.0-13.6	420	12.5	10.5-14.5	127	2.8	2.0- 3.6	26	0.6	0.2- 1.0	17	0.3	0.1- 0.5	3926	72.1	69.6-74.6
Less than \$15,000	1190	564,082	85	8.1	5.0-11.2	46	5.3	2.0- 8.6	27	3.2	0.7- 5.7	11	0.5	0.0- 1.3	1	0.0	0.0- 0.0	1020	82.9	78.0-87.8
\$15,000- 24,999	2554	1,291,884	238	12.4	9.3-15.5	172	9.5	7.1-11.9	86	4.5	3.1- 5.9	39	1.5	0.7- 2.3	18	0.6	0.2- 1.0	2001	71.6	67.9-75.3
\$25,000- 34,999	1544	727,454	133	7.1	5.1- 9.1	128	13.4	9.3-17.5	58	4.3	2.3- 6.3	14	1.2	0.4- 2.0	6	0.4	0.0- 0.8	1205	73.6	68.9-78.3
\$35,000- 49,999	2011	949,353	194	13.3	10.2-16.4	159	9.6	7.1-12.1	56	3.9	2.3- 5.5	26	2.2	1.0- 3.4	12	0.3	0.0- 0.7	1564	70.7	66.8-74.6
\$50,000- 74,999	1903	924,700	200	13.0	10.1-15.9	146	11.0	8.3-13.7	47	3.4	2.0- 4.8	24	1.1	0.3- 1.9	7	0.4	0.0- 0.8	1479	71.3	67.4-75.2
\$75,000+	3528	1,946,816	400	14.6	12.4-16.8	378	14.1	11.7-16.5	122	4.2	2.8- 5.6	38	0.9	0.5- 1.3	13	0.3	0.1- 0.5	2577	65.9	63.0-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20995	8,379,249	2188	15.2	14.0-16.4	1761	11.5	10.5-12.5	727	4.3	3.7- 4.9	274	1.8	1.4- 2.2	136	0.8	0.6- 1.0	15909	66.4	65.0-67.8
White/Non-Hisp	15350	4,727,165	1293	12.4	11.2-13.6	1008	8.8	8.0- 9.6	399	3.2	2.6- 3.8	145	1.2	0.8- 1.6	63	0.5	0.3- 0.7	12442	73.9	72.3-75.5
Black or Afr. Am./Non-Hisp	2200	1,197,877	364	21.2	16.9-25.5	240	13.7	10.4-17.0	106	7.0	4.5- 9.5	43	3.2	1.2- 5.2	30	2.0	1.0- 3.0	1417	52.9	48.0-57.8
Oth. Race/Non-Hisp.	503	312,164	64	14.2	8.7-19.7	49	15.7	8.4-23.0	11	4.2	0.0- 8.7	5	3.2	0.0- 7.5	6	0.7	0.0- 1.7	368	62.0	52.8-71.2
MultiRacial/Non-Hisp.	232	83,032	29	19.2	3.7-34.7	18	12.5	2.3-22.7	13	11.9	3.9-19.9	1	0.1	0.0- 0.3	3	1.1	0.0- 2.5	168	55.3	40.2-70.4
Hispanic	2420	1,920,052	409	18.5	15.6-21.4	425	16.0	13.5-18.5	195	5.5	4.1- 6.9	76	2.1	1.3- 2.9	31	0.7	0.1- 1.3	1284	57.2	53.7-60.7
18-24	901	864,211	197	23.7	19.0-28.4	103	10.1	7.2-13.0	40	2.5	1.1- 3.9	9	0.4	0.0- 0.8	7	0.8	0.0- 1.6	545	62.4	57.3-67.5
25-34	1834	1,262,356	404	25.2	21.5-28.9	465	23.9	20.4-27.4	239	10.5	8.0-13.0	95	3.6	1.8- 5.4	51	1.8	1.0- 2.6	580	35.1	31.2-39.0
35-44	2030	1,181,777	452	21.9	18.0-25.8	613	29.9	26.2-33.6	271	13.0	10.1-15.9	101	4.7	2.9- 6.5	50	2.4	1.2- 3.6	543	28.1	24.4-31.8
45-54	2907	1,277,998	601	21.9	18.6-25.2	339	11.7	9.2-14.2	92	2.3	1.5- 3.1	35	1.4	0.4- 2.4	13	0.7	0.1- 1.3	1827	61.9	58.0-65.8
55-64	4138	1,395,547	282	8.6	6.4-10.8	117	3.1	2.1- 4.1	43	1.0	0.4- 1.6	19	1.0	0.2- 1.8	6	0.0	0.0- 0.0	3671	86.4	83.9-88.9
65+	8861	2,218,877	222	2.9	2.1- 3.7	108	0.9	0.5- 1.3	39	0.5	0.1- 0.9	12	0.4	0.0- 1.0	9	0.1	0.0- 0.3	8471	95.2	94.0-96.4
Less Than H.S.	2150	1,074,929	232	15.6	11.3-19.9	192	10.8	7.7-13.9	139	7.9	5.4-10.4	69	3.7	1.9- 5.5	26	0.7	0.3- 1.1	1492	61.1	56.0-66.2
H.S. or G.E.D.	6334	2,399,436	615	13.8	11.8-15.8	464	10.9	8.9-12.9	212	4.5	3.1- 5.9	76	1.6	0.8- 2.4	47	0.8	0.4- 1.2	4920	68.5	65.8-71.2
Some Post-H.S.	6419	2,793,168	713	16.8	14.6-19.0	513	10.1	8.5-11.7	192	3.3	2.5- 4.1	83	1.6	0.8- 2.4	35	0.9	0.5- 1.3	4883	67.4	64.9-69.9
College Graduate	5981	2,045,205	621	14.6	12.6-16.6	587	15.0	13.0-17.0	182	3.7	2.5- 4.9	45	1.4	0.4- 2.4	26	0.8	0.2- 1.4	4520	64.6	62.1-67.1
Less than \$15,000	2159	729,900	248	15.5	12.2-18.8	149	8.6	6.2-11.0	72	3.8	2.2- 5.4	35	3.3	0.9- 5.7	24	1.2	0.4- 2.0	1631	67.6	63.1-72.1
\$15,000- 24,999	4124	1,552,989	479	16.5	13.8-19.2	360	12.6	10.1-15.1	195	6.5	4.7- 8.3	87	2.1	1.3- 2.9	35	0.6	0.2- 1.0	2968	61.6	58.3-64.9
\$25,000- 34,999	2219	814,334	248	18.1	14.2-22.0	176	12.2	9.1-15.3	82	4.5	2.3- 6.7	25	1.1	0.1- 2.1	9	0.8	0.0- 2.0	1679	63.3	58.6-68.0
\$35,000- 49,999	2388	960,537	215	13.6	10.3-16.9	203	10.8	8.4-13.2	80	3.0	1.8- 4.2	30	1.6	0.8- 2.4	15	0.8	0.0- 1.6	1845	70.4	66.5-74.3
\$50,000- 74,999	2168	877,142	214	12.9	9.2-16.6	218	12.9	9.8-16.0	75	4.1	2.5- 5.7	20	2.8	0.4- 5.2	14	1.3	0.3- 2.3	1627	66.0	61.3-70.7
\$75,000+	3374	1,536,417	433	17.6	14.7-20.5	384	14.8	12.4-17.2	120	4.6	3.0- 6.2	38	1.7	0.5- 2.9	20	0.8	0.2- 1.4	2379	60.6	57.1-64.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS
TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	29359	12,950,394	1524	5.0	4.4- 5.6	1856	5.1	4.5- 5.7	2839	9.0	8.2- 9.8	3880	13.0	12.2-13.8	3788	12.0	11.2-12.8	15472	55.9	54.7-57.1
Male	12825	6,444,695	549	4.4	3.6- 5.2	650	4.4	3.6- 5.2	1024	7.8	6.8- 8.8	1544	12.3	11.1-13.5	1558	11.4	10.2-12.6	7500	59.7	57.9-61.5
Female	16532	6,504,553	975	5.6	4.8- 6.4	1206	5.8	5.0- 6.6	1815	10.3	9.3-11.3	2336	13.7	12.5-14.9	2229	12.6	11.4-13.8	7971	52.1	50.3-53.9
White/Non-Hisp	21423	7,559,407	844	3.4	2.8- 4.0	1209	4.1	3.5- 4.7	1749	6.4	5.8- 7.0	2544	10.2	9.4-11.0	2701	10.9	10.1-11.7	12376	65.0	63.8-66.2
Black or Afr. Am./Non-Hisp	2969	1,749,334	287	7.7	5.7- 9.7	255	5.8	4.2- 7.4	381	10.8	8.4-13.2	456	16.5	13.4-19.6	435	15.6	12.9-18.3	1155	43.6	39.7-47.5
Oth. Race/Non-Hisp.	812	473,605	69	6.1	1.2-11.0	50	5.7	1.8- 9.6	87	9.5	5.2-13.8	119	15.2	9.9-20.5	90	11.2	6.9-15.5	397	52.4	45.0-59.8
MultiRacial/Non-Hisp.	372	122,964	25	5.6	0.0-11.3	41	6.8	2.7-10.9	38	9.8	3.5-16.1	55	13.9	7.0-20.8	45	15.3	6.3-24.3	168	48.5	37.3-59.7
Hispanic	3412	2,869,339	282	7.4	5.8- 9.0	272	7.1	5.5- 8.7	551	14.9	12.7-17.1	662	18.1	15.9-20.3	469	13.1	11.1-15.1	1176	39.4	36.5-42.3
18-24	1300	1,215,013	96	6.9	4.7- 9.1	77	5.3	3.3- 7.3	146	9.8	7.4-12.2	233	15.3	12.4-18.2	212	14.8	11.9-17.7	536	47.9	43.6-52.2
25-34	2899	2,145,163	157	5.1	3.5- 6.7	143	3.9	2.9- 4.9	296	9.8	7.8-11.8	428	14.7	12.3-17.1	411	13.3	11.1-15.5	1464	53.2	50.1-56.3
35-44	3176	1,993,762	161	4.3	3.1- 5.5	134	2.9	1.9- 3.9	297	10.0	7.8-12.2	408	12.3	10.1-14.5	367	10.3	8.1-12.5	1809	60.1	57.0-63.2
45-54	4497	2,195,696	266	6.0	4.4- 7.6	262	4.9	3.7- 6.1	377	7.5	6.1- 8.9	458	10.7	8.7-12.7	458	9.6	7.8-11.4	2676	61.3	58.4-64.2
55-64	6089	2,225,386	408	5.3	3.9- 6.7	428	6.0	4.6- 7.4	562	9.3	7.3-11.3	668	11.0	9.2-12.8	670	10.7	8.9-12.5	3353	57.7	55.0-60.4
65+	11156	3,037,112	427	3.8	2.8- 4.8	802	6.9	5.7- 8.1	1141	8.6	7.4- 9.8	1657	14.8	13.2-16.4	1642	13.6	12.0-15.2	5487	52.4	50.2-54.6
Less Than H.S.	2896	1,662,817	469	14.5	11.6-17.4	454	12.4	9.9-14.9	624	20.2	17.1-23.3	584	21.6	18.3-24.9	351	13.1	10.0-16.2	414	18.1	14.8-21.4
H.S. or G.E.D.	8641	3,718,027	586	5.4	4.4- 6.4	743	6.1	5.1- 7.1	1137	12.6	11.0-14.2	1496	16.8	15.0-18.6	1387	14.2	12.6-15.8	3292	45.0	42.6-47.4
Some Post-H.S.	8609	4,114,568	316	3.6	2.8- 4.4	469	4.0	3.2- 4.8	750	6.7	5.7- 7.7	1182	12.1	10.7-13.5	1280	13.6	12.2-15.0	4612	60.0	58.0-62.0
College Graduate	9151	3,431,743	146	1.5	1.1- 1.9	182	1.8	1.2- 2.4	317	2.5	1.9- 3.1	609	6.0	5.0- 7.0	758	7.1	6.1- 8.1	7139	81.1	79.5-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12825	6,444,695	549	4.4	3.6- 5.2	650	4.4	3.6- 5.2	1024	7.8	6.8- 8.8	1544	12.3	11.1-13.5	1558	11.4	10.2-12.6	7500	59.7	57.9-61.5
White/Non-Hisp	9229	3,742,006	297	3.2	2.4- 4.0	402	3.2	2.6- 3.8	597	4.9	4.1- 5.7	972	9.6	8.4-10.8	1040	9.7	8.5-10.9	5921	69.4	67.6-71.2
Black or Afr. Am./Non-Hisp	1201	816,841	103	6.8	4.3- 9.3	92	5.8	3.3- 8.3	123	8.1	5.2-11.0	162	15.9	11.4-20.4	194	17.5	12.8-22.2	527	45.9	40.2-51.6
Oth. Race/Non-Hisp.	424	225,572	29	7.6	0.0-17.2	18	5.9	0.8-11.0	37	8.8	2.3-15.3	61	14.4	7.7-21.1	50	12.0	5.5-18.5	229	51.3	40.7-61.9
MultiRacial/Non-Hisp.	183	56,850	12	4.7	0.0-11.8	17	1.7	0.3- 3.1	20	8.7	2.6-14.8	26	18.2	6.6-29.8	24	19.6	3.9-35.3	84	47.0	32.5-61.5
Hispanic	1582	1,495,630	101	5.7	3.7- 7.7	109	6.4	4.4- 8.4	230	14.3	11.2-17.4	296	16.6	13.7-19.5	227	12.4	9.7-15.1	619	44.6	40.3-48.9
18-24	652	603,096	44	5.4	2.9- 7.9	34	5.4	2.1- 8.7	64	10.6	7.1-14.1	112	15.9	11.6-20.2	103	14.1	10.0-18.2	295	48.7	42.4-55.0
25-34	1342	1,080,117	52	4.1	1.9- 6.3	50	3.2	1.6- 4.8	100	7.1	4.7- 9.5	199	14.3	11.0-17.6	188	13.3	10.2-16.4	753	58.0	53.5-62.5
35-44	1405	999,978	64	3.8	2.2- 5.4	43	1.8	1.0- 2.6	126	10.4	7.1-13.7	162	11.3	8.6-14.0	172	11.2	7.9-14.5	838	61.5	56.8-66.2
45-54	1982	1,092,676	98	5.6	3.6- 7.6	108	5.3	3.3- 7.3	136	5.6	4.0- 7.2	192	10.5	7.8-13.2	202	9.1	6.9-11.3	1246	63.8	59.9-67.7
55-64	2630	1,102,618	157	5.5	3.1- 7.9	181	5.6	4.0- 7.2	215	7.9	5.2-10.6	290	11.4	8.9-13.9	253	9.8	7.4-12.2	1534	59.8	55.7-63.9
65+	4717	1,506,153	130	3.0	1.8- 4.2	231	5.1	3.5- 6.7	378	7.2	5.6- 8.8	580	12.3	10.1-14.5	631	12.1	9.9-14.3	2767	60.4	57.3-63.5
Less Than H.S.	1372	936,450	186	12.5	8.8-16.2	189	11.5	8.4-14.6	275	17.6	13.5-21.7	298	21.4	17.3-25.5	175	15.5	10.8-20.2	249	21.5	16.6-26.4
H.S. or G.E.D.	3754	1,896,063	205	4.4	3.2- 5.6	241	4.9	3.5- 6.3	427	10.9	8.9-12.9	586	15.2	12.8-17.6	601	13.6	11.4-15.8	1694	51.1	48.0-54.2
Some Post-H.S.	3448	1,896,137	101	3.2	2.0- 4.4	148	3.2	2.2- 4.2	208	5.3	3.7- 6.9	420	11.2	9.2-13.2	463	11.9	9.9-13.9	2108	65.3	62.4-68.2
College Graduate	4224	1,707,361	54	1.3	0.7- 1.9	69	1.3	0.7- 1.9	109	1.6	1.0- 2.2	238	5.5	4.3- 6.7	313	6.2	5.0- 7.4	3441	84.1	82.1-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	16532	6,504,553	975	5.6	4.8- 6.4	1206	5.8	5.0- 6.6	1815	10.3	9.3-11.3	2336	13.7	12.5-14.9	2229	12.6	11.4-13.8	7971	52.1	50.5-53.7
White/Non-Hisp	12192	3,816,255	547	3.7	2.9- 4.5	807	5.0	4.2- 5.8	1152	7.8	6.8- 8.8	1572	10.8	9.8-11.8	1660	12.0	10.8-13.2	6454	60.8	59.0-62.6
Black or Afr. Am./Non-Hisp	1768	932,493	184	8.4	5.7-11.1	163	5.8	4.0- 7.6	258	13.1	9.6-16.6	294	17.2	13.1-21.3	241	13.9	10.6-17.2	628	41.6	36.3-46.9
Oth. Race/Non-Hisp.	388	248,033	40	4.7	1.4- 8.0	32	5.5	0.0-11.4	50	10.1	4.4-15.8	58	15.9	7.7-24.1	40	10.4	4.5-16.3	168	53.4	42.8-64.0
MultiRacial/Non-Hisp.	189	66,113	13	6.4	0.0-15.0	24	11.2	3.6-18.8	18	10.8	0.2-21.4	29	10.2	2.9-17.5	21	11.7	2.5-20.9	84	49.8	33.3-66.3
Hispanic	1830	1,373,709	181	9.3	6.9-11.7	163	7.9	5.5-10.3	321	15.4	12.5-18.3	366	19.7	16.4-23.0	242	13.8	10.9-16.7	557	33.8	29.7-37.9
18-24	648	611,917	52	8.3	5.0-11.6	43	5.2	2.8- 7.6	82	9.1	6.4-11.8	121	14.8	10.7-18.9	109	15.6	11.7-19.5	241	47.1	40.8-53.4
25-34	1556	1,064,153	105	6.1	3.7- 8.5	93	4.6	3.2- 6.0	196	12.6	9.7-15.5	229	15.1	12.0-18.2	222	13.3	10.2-16.4	711	48.3	43.8-52.8
35-44	1771	993,784	97	4.8	3.0- 6.6	91	4.1	2.5- 5.7	171	9.7	7.2-12.2	246	13.3	10.2-16.4	195	9.4	6.9-11.9	971	58.8	54.5-63.1
45-54	2515	1,103,020	168	6.4	4.0- 8.8	154	4.4	3.0- 5.8	241	9.3	6.9-11.7	266	10.9	7.8-14.0	256	10.1	7.4-12.8	1430	58.9	54.6-63.2
55-64	3459	1,122,768	251	5.2	3.8- 6.6	247	6.3	3.9- 8.7	347	10.7	8.0-13.4	378	10.5	8.1-12.9	417	11.6	9.2-14.0	1819	55.7	51.8-59.6
65+	6438	1,530,707	297	4.6	3.2- 6.0	571	8.7	6.9-10.5	763	10.0	8.2-11.8	1077	17.2	14.8-19.6	1011	15.1	13.1-17.1	2719	44.5	41.8-47.2
Less Than H.S.	1524	726,367	283	17.2	12.7-21.7	265	13.6	9.9-17.3	349	23.6	18.9-28.3	286	21.9	16.8-27.0	176	10.0	6.5-13.5	165	13.7	9.4-18.0
H.S. or G.E.D.	4887	1,821,964	381	6.4	5.0- 7.8	502	7.4	5.8- 9.0	710	14.4	12.0-16.8	910	18.4	15.9-20.9	786	14.8	12.6-17.0	1598	38.7	35.4-42.0
Some Post-H.S.	5161	2,218,431	215	3.9	2.7- 5.1	321	4.7	3.7- 5.7	542	8.0	6.8- 9.2	762	12.9	11.1-14.7	817	15.1	13.1-17.1	2504	55.4	52.7-58.1
College Graduate	4925	1,723,236	92	1.8	1.0- 2.6	113	2.3	1.3- 3.3	208	3.3	2.3- 4.3	371	6.4	5.2- 7.6	444	8.1	6.5- 9.7	3697	78.2	75.8-80.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36260	16,166,494	28021	82.2	81.4-83.0	8239	17.8	17.0-18.6
Male	15293	7,801,495	11975	82.8	81.6-84.0	3318	17.2	16.0-18.4
Female	20964	8,363,256	16044	81.7	80.5-82.9	4920	18.3	17.1-19.5
18-24	1828	1,769,179	1741	96.1	94.7-97.5	87	3.9	2.5- 5.3
25-34	3421	2,547,660	3163	92.6	91.0-94.2	258	7.4	5.8- 9.0
35-44	3619	2,337,365	3298	92.2	90.2-94.2	321	7.8	5.8- 9.8
45-54	5171	2,528,335	4419	84.9	82.7-87.1	752	15.1	12.9-17.3
55-64	7175	2,644,962	5689	79.2	76.8-81.6	1486	20.8	18.4-23.2
65+	14501	4,032,174	9286	64.0	62.0-66.0	5215	36.0	34.0-38.0
Less Than H.S.	3817	2,203,467	1599	51.4	47.7-55.1	2218	48.6	44.9-52.3
H.S. or G.E.D.	10832	4,740,505	7462	78.9	77.3-80.5	3370	21.1	19.5-22.7
Some Post-H.S.	10516	5,088,414	8837	88.8	87.6-90.0	1679	11.2	10.0-12.4
College Graduate	10909	4,031,379	10011	95.0	94.2-95.8	898	5.0	4.2- 5.8
Less than \$15,000	3356	1,298,639	1762	58.5	54.6-62.4	1594	41.5	37.6-45.4
\$15,000- 24,999	6669	2,831,567	4357	70.2	67.7-72.7	2312	29.8	27.3-32.3
\$25,000- 34,999	3776	1,543,519	2874	80.5	77.6-83.4	902	19.5	16.6-22.4
\$35,000- 49,999	4416	1,920,626	3757	88.0	85.8-90.2	659	12.0	9.8-14.2
\$50,000- 74,999	4083	1,803,915	3730	93.2	91.6-94.8	353	6.8	5.2- 8.4
\$75,000+	6945	3,494,094	6632	97.1	96.5-97.7	313	2.9	2.3- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15293	7,801,495	11975	82.8	81.6-84.0	3318	17.2	16.0-18.4
18-24	934	908,666	891	96.3	94.7-97.9	43	3.7	2.1- 5.3
25-34	1585	1,279,799	1468	92.7	90.5-94.9	117	7.3	5.1- 9.5
35-44	1590	1,151,664	1424	91.4	88.5-94.3	166	8.6	5.7-11.5
45-54	2256	1,251,162	1854	83.5	80.8-86.2	402	16.5	13.8-19.2
55-64	3040	1,244,763	2307	76.8	73.1-80.5	733	23.2	19.5-26.9
65+	5674	1,834,380	3854	67.0	64.1-69.9	1820	33.0	30.1-35.9
Less Than H.S.	1674	1,123,996	723	52.2	47.1-57.3	951	47.8	42.7-52.9
H.S. or G.E.D.	4537	2,370,056	3209	81.3	79.1-83.5	1328	18.7	16.5-20.9
Some Post-H.S.	4084	2,280,369	3463	89.3	87.5-91.1	621	10.7	8.9-12.5
College Graduate	4921	1,985,866	4530	94.5	93.3-95.7	391	5.5	4.3- 6.7
Less than \$15,000	1188	562,231	575	52.4	46.3-58.5	613	47.6	41.5-53.7
\$15,000- 24,999	2550	1,286,953	1603	70.1	66.4-73.8	947	29.9	26.2-33.6
\$25,000- 34,999	1551	727,244	1154	78.4	73.7-83.1	397	21.6	16.9-26.3
\$35,000- 49,999	2019	956,516	1679	86.0	82.5-89.5	340	14.0	10.5-17.5
\$50,000- 74,999	1910	926,536	1697	91.1	88.4-93.8	213	8.9	6.2-11.6
\$75,000+	3557	1,953,195	3368	96.5	95.5-97.5	189	3.5	2.5- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20964	8,363,256	16044	81.7	80.5-82.9	4920	18.3	17.1-19.5
18-24	894	860,513	850	96.0	93.8-98.2	44	4.0	1.8- 6.2
25-34	1834	1,266,371	1694	92.5	90.3-94.7	140	7.5	5.3- 9.7
35-44	2029	1,185,701	1874	92.9	90.5-95.3	155	7.1	4.7- 9.5
45-54	2915	1,277,173	2565	86.2	83.1-89.3	350	13.8	10.7-16.9
55-64	4135	1,400,199	3382	81.3	78.4-84.2	753	18.7	15.8-21.6
65+	8826	2,197,542	5431	61.4	58.9-63.9	3395	38.6	36.1-41.1
Less Than H.S.	2142	1,078,873	876	50.6	45.5-55.7	1266	49.4	44.3-54.5
H.S. or G.E.D.	6295	2,370,449	4253	76.5	74.1-78.9	2042	23.5	21.1-25.9
Some Post-H.S.	6432	2,808,044	5374	88.5	86.9-90.1	1058	11.5	9.9-13.1
College Graduate	5986	2,044,368	5479	95.5	94.5-96.5	507	4.5	3.5- 5.5
Less than \$15,000	2168	736,408	1187	63.2	58.3-68.1	981	36.8	31.9-41.7
\$15,000- 24,999	4119	1,544,614	2754	70.4	67.1-73.7	1365	29.6	26.3-32.9
\$25,000- 34,999	2224	815,381	1719	82.4	78.9-85.9	505	17.6	14.1-21.1
\$35,000- 49,999	2397	964,110	2078	90.0	87.3-92.7	319	10.0	7.3-12.7
\$50,000- 74,999	2173	877,380	2033	95.5	93.9-97.1	140	4.5	2.9- 6.1
\$75,000+	3387	1,540,647	3263	97.8	96.8-98.8	124	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33954	15,221,979	420	1.1	0.9- 1.3	10478	31.4	30.4-32.4	14955	44.6	43.4-45.8	5983	16.8	16.0-17.6	1941	5.0	4.6- 5.4	177	1.0	0.8- 1.2
Male	14862	7,578,197	40	0.3	0.1- 0.5	1669	12.5	11.3-13.7	7526	53.3	51.7-54.9	4141	24.9	23.5-26.3	1373	7.6	6.8- 8.4	113	1.4	1.0- 1.8
Female	19089	7,642,039	380	1.9	1.5- 2.3	8809	50.3	48.7-51.9	7427	36.0	34.4-37.6	1841	8.7	7.7- 9.7	568	2.4	2.0- 2.8	64	0.7	0.5- 0.9
White/Non-Hisp	24591	8,595,109	317	1.0	0.8- 1.2	7689	30.1	28.9-31.3	10884	45.1	43.9-46.3	4298	18.3	17.3-19.3	1378	5.3	4.7- 5.9	25	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	3384	2,082,990	19	0.5	0.1- 0.9	750	28.2	24.9-31.5	1463	41.8	38.3-45.3	837	21.2	18.1-24.3	311	8.1	6.1-10.1	4	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	947	540,419	26	3.4	1.4- 5.4	333	46.6	39.7-53.5	388	38.7	31.8-45.6	144	8.1	5.4-10.8	43	1.6	0.2- 3.0	13	1.6	0.6- 2.6
MultiRacial/Non-Hisp.	436	148,154	2	0.8	0.0- 2.4	115	28.5	18.3-38.7	184	49.2	39.0-59.4	95	14.4	8.9-19.9	40	7.0	2.9-11.1			
Hispanic	4088	3,600,570	50	1.2	0.6- 1.8	1429	34.1	31.6-36.6	1821	45.8	43.1-48.5	515	12.2	10.4-14.0	139	3.0	2.0- 4.0	134	3.6	2.6- 4.6
18-24	1747	1,703,264	39	2.2	1.2- 3.2	782	44.9	41.2-48.6	624	35.5	31.8-39.2	226	12.6	10.1-15.1	49	2.5	1.3- 3.7	27	2.3	0.9- 3.7
25-34	3218	2,391,677	31	0.9	0.3- 1.5	1062	32.0	29.3-34.7	1303	41.4	38.5-44.3	560	17.0	14.6-19.4	215	7.0	5.2- 8.8	47	1.6	0.8- 2.4
35-44	3389	2,217,313	25	0.8	0.4- 1.2	896	28.4	25.5-31.3	1483	45.2	42.1-48.3	653	17.5	15.1-19.9	292	6.7	5.5- 7.9	40	1.4	0.6- 2.2
45-54	4835	2,387,050	34	0.6	0.2- 1.0	1242	26.4	23.9-28.9	2094	45.9	43.2-48.6	1062	20.8	18.4-23.2	373	5.4	4.4- 6.4	30	1.0	0.4- 1.6
55-64	6715	2,501,139	67	0.7	0.3- 1.1	1782	26.8	24.4-29.2	3014	48.0	45.3-50.7	1325	18.0	16.0-20.0	511	5.9	4.7- 7.1	16	0.5	0.0- 1.1
65+	13746	3,835,440	217	1.4	1.0- 1.8	4608	33.1	31.3-34.9	6299	47.0	45.0-49.0	2123	14.9	13.5-16.3	486	3.2	2.6- 3.8	13	0.3	0.1- 0.5
Less Than H.S.	3606	2,112,893	69	1.6	0.8- 2.4	1087	31.4	27.9-34.9	1631	46.1	42.4-49.8	568	14.5	11.8-17.2	212	5.4	3.8- 7.0	39	0.9	0.3- 1.5
H.S. or G.E.D.	10172	4,455,270	126	1.1	0.7- 1.5	3175	31.4	29.4-33.4	4290	41.6	39.4-43.8	1878	18.8	17.0-20.6	656	5.6	4.6- 6.6	47	1.4	0.8- 2.0
Some Post-H.S.	9820	4,787,520	118	1.0	0.6- 1.4	2957	30.3	28.5-32.1	4360	46.0	44.0-48.0	1759	16.7	15.3-18.1	594	5.2	4.4- 6.0	32	0.8	0.4- 1.2
College Graduate	10224	3,800,443	102	0.8	0.4- 1.2	3208	32.8	31.0-34.6	4614	45.5	43.5-47.5	1764	16.1	14.7-17.5	477	3.9	3.1- 4.7	59	1.0	0.6- 1.4
Less than \$15,000	3210	1,242,058	70	1.9	0.7- 3.1	1038	34.2	30.5-37.9	1312	42.4	38.5-46.3	530	13.8	11.3-16.3	230	5.9	4.1- 7.7	30	1.7	0.7- 2.7
\$15,000- 24,999	6364	2,718,789	95	1.6	1.0- 2.2	1991	33.0	30.5-35.5	2807	42.8	40.3-45.3	1041	15.9	13.9-17.9	384	5.2	4.0- 6.4	46	1.4	0.6- 2.2
\$25,000- 34,999	3609	1,448,207	51	0.9	0.3- 1.5	1067	31.3	27.8-34.8	1633	46.1	42.6-49.6	626	15.7	13.3-18.1	218	5.2	3.8- 6.6	14	0.8	0.2- 1.4
\$35,000- 49,999	4240	1,844,736	31	0.6	0.2- 1.0	1245	29.8	26.9-32.7	1927	47.2	44.1-50.3	786	17.3	14.8-19.8	244	4.9	3.7- 6.1	7	0.2	0.0- 0.4
\$50,000- 74,999	3892	1,732,720	15	0.4	0.0- 1.0	1044	25.6	22.9-28.3	1807	47.7	44.4-51.0	766	19.3	16.8-21.8	250	6.2	4.6- 7.8	10	0.8	0.0- 1.6
\$75,000+	6660	3,372,741	36	0.4	0.2- 0.6	1811	27.8	25.6-30.0	3039	46.1	43.7-48.5	1401	19.9	18.1-21.7	362	5.5	4.3- 6.7	11	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14862	7,578,197	40	0.3	0.1- 0.5	1669	12.5	11.3-13.7	7526	53.3	51.7-54.9	4141	24.9	23.5-26.3	1373	7.6	6.8- 8.4	113	1.4	1.0- 1.8
White/Non-Hisp	10624	4,325,567	22	0.2	0.0- 0.4	1026	9.2	8.2-10.2	5414	53.3	51.5-55.1	3129	28.5	26.9-30.1	1013	8.4	7.4- 9.4	20	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	1409	1,003,755	4	0.4	0.0- 1.2	183	15.1	11.0-19.2	612	46.6	41.3-51.9	425	26.3	21.6-31.0	182	11.3	8.0-14.6	3	0.2	0.0- 0.4
Oth. Race/Non-Hisp.	491	258,609	5	1.0	0.0- 2.2	82	18.8	12.5-25.1	261	62.1	53.7-70.5	102	12.7	8.0-17.4	29	2.1	0.0- 4.6	12	3.2	1.0- 5.4
MultiRacial/Non-Hisp.	219	67,681				23	11.1	3.1-19.1	105	57.7	45.2-70.2	63	23.5	13.5-33.5	28	7.7	2.8-12.6			
Hispanic	1828	1,770,882	7	0.1	0.1- 0.1	314	17.6	14.5-20.7	988	55.6	51.7-59.5	345	17.6	14.9-20.3	97	4.6	3.0- 6.2	77	4.4	2.6- 6.2
18-24	902	888,317	5	0.7	0.0- 1.7	264	28.0	23.1-32.9	405	45.7	40.4-51.0	168	18.4	14.1-22.7	40	4.2	1.8- 6.6	20	3.0	0.6- 5.4
25-34	1507	1,224,951	4	0.1	0.0- 0.3	216	12.7	10.2-15.2	744	52.2	47.9-56.5	373	23.8	20.1-27.5	140	9.1	6.4-11.8	30	2.1	0.7- 3.5
35-44	1538	1,120,012	4	0.2	0.0- 0.4	149	12.1	8.6-15.6	740	53.3	48.8-57.8	411	22.7	19.4-26.0	212	10.0	7.8-12.2	22	1.8	0.6- 3.0
45-54	2196	1,224,280	2	0.2	0.0- 0.4	160	7.2	5.2- 9.2	1034	51.8	48.1-55.5	715	31.0	27.5-34.5	266	8.5	6.5-10.5	19	1.2	0.4- 2.0
55-64	2982	1,220,649	7	0.1	0.0- 0.3	251	8.4	6.4-10.4	1436	54.3	50.6-58.0	926	27.4	24.3-30.5	352	9.1	6.9-11.3	10	0.7	0.0- 1.7
65+	5589	1,803,997	16	0.4	0.2- 0.6	612	11.4	9.4-13.4	3081	57.4	54.5-60.3	1517	25.1	22.6-27.6	354	5.5	4.3- 6.7	9	0.3	0.1- 0.5
Less Than H.S.	1603	1,094,988	15	0.6	0.2- 1.0	276	20.3	16.0-24.6	827	52.6	47.3-57.9	321	18.3	14.6-22.0	136	7.3	4.6-10.0	28	1.0	0.4- 1.6
H.S. or G.E.D.	4416	2,292,279	6	0.2	0.0- 0.6	603	15.7	13.3-18.1	2064	47.5	44.6-50.4	1244	26.1	23.6-28.6	469	8.6	6.8-10.4	30	1.7	0.7- 2.7
Some Post-H.S.	4005	2,233,259	6	0.1	0.1- 0.1	370	8.8	7.2-10.4	2008	55.9	53.0-58.8	1195	25.8	23.3-28.3	406	8.1	6.7- 9.5	20	1.4	0.4- 2.4
College Graduate	4779	1,928,189	11	0.3	0.1- 0.5	407	8.2	6.6- 9.8	2592	57.5	55.0-60.0	1373	26.7	24.3-29.1	361	6.3	5.1- 7.5	35	1.1	0.5- 1.7
Less than \$15,000	1157	539,754	6	0.5	0.0- 1.1	197	19.2	14.1-24.3	562	53.5	47.2-59.8	249	15.9	12.2-19.6	125	9.4	5.7-13.1	18	1.5	0.1- 2.9
\$15,000- 24,999	2481	1,248,454	11	0.4	0.0- 0.8	366	17.5	14.4-20.6	1253	50.9	46.8-55.0	597	21.5	18.2-24.8	227	7.6	5.4- 9.8	27	2.1	0.7- 3.5
\$25,000- 34,999	1535	718,474	3	0.0	0.0- 0.0	186	14.8	10.3-19.3	792	56.8	51.5-62.1	395	20.1	16.4-23.8	148	7.2	4.8- 9.6	11	1.1	0.3- 1.9
\$35,000- 49,999	1996	943,249	4	0.3	0.0- 0.7	228	11.8	8.9-14.7	994	54.5	50.2-58.8	579	25.4	21.7-29.1	185	7.8	5.8- 9.8	6	0.3	0.0- 0.7
\$50,000- 74,999	1877	916,316	1	0.0	0.0- 0.0	143	7.7	5.3-10.1	966	55.0	50.7-59.3	565	27.9	24.2-31.6	195	8.3	6.1-10.5	7	1.0	0.0- 2.4
\$75,000+	3507	1,934,351	2	0.1	0.0- 0.3	209	6.3	4.9- 7.7	1794	53.8	50.7-56.9	1181	30.7	28.0-33.4	312	8.6	6.6-10.6	9	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.																				
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19089	7,642,039	380	1.9	1.5- 2.3	8809	50.3	48.7-51.9	7427	36.0	34.4-37.6	1841	8.7	7.7- 9.7	568	2.4	2.0- 2.8	64	0.7	0.5- 0.9
White/Non-Hisp	13965	4,268,396	295	1.9	1.5- 2.3	6663	51.3	49.5-53.1	5468	36.7	35.1-38.3	1169	7.9	6.9- 8.9	365	2.1	1.7- 2.5	5	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	1974	1,078,638	15	0.5	0.0- 1.1	567	40.4	35.3-45.5	851	37.5	32.6-42.4	411	16.4	12.3-20.5	129	5.1	2.9- 7.3	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	456	281,809	21	5.6	2.1- 9.1	251	72.1	64.1-80.1	127	17.2	10.1-24.3	42	3.8	1.1- 6.5	14	1.2	0.0- 2.4	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	217	80,472	2	1.6	0.0- 4.5	92	43.2	27.7-58.7	79	42.1	27.8-56.4	32	6.8	2.3-11.3	12	6.3	0.0-12.8			
Hispanic	2260	1,829,688	43	2.3	1.1- 3.5	1115	50.1	46.2-54.0	833	36.3	32.6-40.0	170	7.0	5.0- 9.0	42	1.5	0.7- 2.3	57	2.9	1.7- 4.1
18-24	845	814,947	34	3.9	2.1- 5.7	518	63.3	58.0-68.6	219	24.4	19.7-29.1	58	6.2	3.5- 8.9	9	0.6	0.0- 1.2	7	1.6	0.0- 3.4
25-34	1709	1,165,236	27	1.8	0.6- 3.0	846	52.2	47.9-56.5	558	30.2	26.3-34.1	186	9.9	7.4-12.4	75	4.8	2.6- 7.0	17	1.1	0.3- 1.9
35-44	1851	1,097,301	21	1.3	0.5- 2.1	747	45.1	40.6-49.6	743	36.9	32.6-41.2	242	12.3	8.8-15.8	80	3.3	1.9- 4.7	18	1.0	0.2- 1.8
45-54	2639	1,162,770	32	1.1	0.5- 1.7	1082	46.5	42.2-50.8	1060	39.6	35.5-43.7	347	9.9	7.5-12.3	107	2.1	1.3- 2.9	11	0.7	0.1- 1.3
55-64	3733	1,280,490	60	1.3	0.5- 2.1	1531	44.3	40.6-48.0	1578	42.0	38.3-45.7	399	9.1	6.7-11.5	159	2.9	2.1- 3.7	6	0.4	0.0- 1.0
65+	8156	2,031,191	201	2.4	1.6- 3.2	3996	52.5	50.0-55.0	3217	37.8	35.3-40.3	606	5.9	4.7- 7.1	132	1.2	0.8- 1.6	4	0.3	0.0- 0.7
Less Than H.S.	2002	1,017,308	54	2.7	1.1- 4.3	811	43.5	38.2-48.8	804	39.3	34.0-44.6	246	10.3	6.6-14.0	76	3.3	1.7- 4.9	11	0.9	0.1- 1.7
H.S. or G.E.D.	5756	2,162,991	120	2.1	1.3- 2.9	2572	48.1	45.2-51.0	2226	35.3	32.4-38.2	634	11.0	8.8-13.2	187	2.3	1.7- 2.9	17	1.1	0.3- 1.9
Some Post-H.S.	5815	2,554,261	112	1.9	1.1- 2.7	2587	49.0	46.3-51.7	2352	37.3	34.8-39.8	564	8.7	7.1-10.3	188	2.7	1.7- 3.7	12	0.3	0.1- 0.5
College Graduate	5443	1,871,109	91	1.3	0.7- 1.9	2801	58.1	55.4-60.8	2020	33.0	30.5-35.5	391	5.2	4.2- 6.2	116	1.6	1.0- 2.2	24	0.9	0.3- 1.5
Less than \$15,000	2053	702,304	64	3.0	1.0- 5.0	841	45.8	40.7-50.9	750	33.9	29.2-38.6	281	12.3	8.8-15.8	105	3.2	1.8- 4.6	12	1.8	0.4- 3.2
\$15,000- 24,999	3883	1,470,335	84	2.6	1.6- 3.6	1625	46.2	42.7-49.7	1554	36.0	32.7-39.3	444	11.2	8.8-13.6	157	3.1	2.1- 4.1	19	0.9	0.3- 1.5
\$25,000- 34,999	2073	728,840	48	1.8	0.6- 3.0	881	47.6	42.7-52.5	840	35.5	31.0-40.0	231	11.4	8.3-14.5	70	3.2	1.6- 4.8	3	0.4	0.0- 1.2
\$35,000- 49,999	2244	901,487	27	1.0	0.4- 1.6	1017	48.6	44.1-53.1	933	39.6	35.3-43.9	207	9.0	5.9-12.1	59	1.8	1.0- 2.6	1	0.0	0.0- 0.0
\$50,000- 74,999	2015	816,404	14	0.9	0.0- 2.1	901	45.6	40.9-50.3	841	39.6	34.9-44.3	201	9.6	6.7-12.5	55	3.7	1.3- 6.1	3	0.5	0.0- 1.3
\$75,000+	3152	1,438,138	34	0.8	0.2- 1.4	1602	56.6	53.1-60.1	1244	35.6	32.3-38.9	220	5.5	3.7- 7.3	50	1.4	0.8- 2.0	2	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35059	15,574,919	2042	5.4	4.8- 6.0	15965	42.0	40.8-43.2	13867	41.7	40.5-42.9	2772	8.3	7.7- 8.9	40	0.3	0.1- 0.5	373	2.4	2.0- 2.8
Male	14899	7,564,221	81	0.8	0.4- 1.2	1859	13.9	12.7-15.1	10016	65.6	64.0-67.2	2697	16.4	15.2-17.6	40	0.6	0.2- 1.0	206	2.7	2.1- 3.3
Female	20157	8,008,955	1961	9.8	8.8-10.8	14106	68.5	67.1-69.9	3848	19.1	17.9-20.3	75	0.6	0.4- 0.8				167	2.1	1.5- 2.7
White/Non-Hisp	25661	8,947,025	1369	4.5	3.9- 5.1	11689	40.5	39.3-41.7	10412	44.5	43.3-45.7	2145	10.0	9.2-10.8	26	0.2	0.0- 0.4	20	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	3515	2,155,366	145	3.3	1.9- 4.7	1633	41.4	37.9-44.9	1429	45.1	41.6-48.6	301	9.1	7.1-11.1	5	0.7	0.0- 1.7	2	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	979	555,290	81	8.1	4.4-11.8	409	52.8	46.1-59.5	415	34.3	28.2-40.4	65	3.5	1.1- 5.9	1	0.1	0.0- 0.3	8	1.1	0.0- 2.5
MultiRacial/Non-Hisp.	443	149,638	18	5.1	0.2-10.0	178	45.2	34.8-55.6	198	39.3	30.1-48.5	47	10.2	5.1-15.3	2	0.2	0.0- 0.6			
Hispanic	3896	3,481,803	408	8.7	7.1-10.3	1848	44.4	41.7-47.1	1133	33.0	30.3-35.7	161	3.9	2.9- 4.9	5	0.2	0.0- 0.4	341	9.8	8.0-11.6
18-24	1767	1,724,535	94	4.7	3.3- 6.1	679	38.6	34.9-42.3	737	40.3	36.6-44.0	204	11.5	9.1-13.9	4	1.2	0.0- 2.6	49	3.8	2.0- 5.6
25-34	3219	2,406,806	174	5.0	3.6- 6.4	1276	35.9	33.0-38.8	1339	45.1	42.2-48.0	320	9.9	8.1-11.7	4	0.1	0.1- 0.1	106	4.0	2.6- 5.4
35-44	3481	2,255,367	158	3.9	2.7- 5.1	1440	41.7	38.6-44.8	1447	42.1	39.0-45.2	335	8.4	7.0- 9.8	4	0.1	0.0- 0.3	97	3.8	2.6- 5.0
45-54	5003	2,450,517	227	4.3	3.1- 5.5	2175	40.7	38.0-43.4	2101	43.7	41.0-46.4	435	8.7	7.1-10.3	6	0.1	0.1- 0.1	59	2.5	1.5- 3.5
55-64	6992	2,568,509	298	4.8	3.4- 6.2	3179	43.9	41.2-46.6	2879	41.5	39.0-44.0	589	7.7	6.5- 8.9	12	0.5	0.0- 1.3	35	1.5	0.5- 2.5
65+	14179	3,912,937	1069	8.1	7.1- 9.1	7024	46.7	44.7-48.7	5190	38.7	36.9-40.5	859	5.9	5.1- 6.7	10	0.1	0.1- 0.1	27	0.5	0.1- 0.9
Less Than H.S.	3475	2,027,275	333	9.1	7.1-11.1	1674	43.5	39.8-47.2	1131	35.0	31.5-38.5	199	6.5	4.7- 8.3	6	0.7	0.0- 1.7	132	5.1	3.3- 6.9
H.S. or G.E.D.	10543	4,597,250	727	6.7	5.5- 7.9	4910	40.4	38.4-42.4	3993	41.7	39.5-43.9	804	8.2	7.2- 9.2	12	0.5	0.0- 1.1	97	2.6	1.8- 3.4
Some Post-H.S.	10286	4,960,001	552	4.4	3.6- 5.2	4899	44.2	42.2-46.2	4001	41.8	39.8-43.8	768	7.8	6.8- 8.8	13	0.1	0.1- 0.1	53	1.6	1.0- 2.2
College Graduate	10615	3,919,755	417	3.2	2.4- 4.0	4412	39.9	38.1-41.7	4695	45.6	43.6-47.6	993	9.8	8.6-11.0	9	0.0	0.0- 0.0	89	1.6	1.0- 2.2
Less than \$15,000	3231	1,254,596	252	7.4	5.4- 9.4	1665	48.6	44.7-52.5	1044	31.7	28.2-35.2	197	7.1	4.9- 9.3	2	0.1	0.0- 0.3	71	5.1	3.1- 7.1
\$15,000- 24,999	6441	2,722,264	538	9.5	7.7-11.3	3148	45.0	42.5-47.5	2229	35.4	32.9-37.9	397	6.4	5.2- 7.6	5	0.0	0.0- 0.0	124	3.7	2.5- 4.9
\$25,000- 34,999	3701	1,511,220	225	5.3	3.7- 6.9	1743	45.3	41.8-48.8	1439	39.5	36.0-43.0	250	7.3	5.5- 9.1	3	0.1	0.1- 0.1	41	2.4	1.0- 3.8
\$35,000- 49,999	4355	1,880,406	217	3.8	2.6- 5.0	1884	42.3	39.2-45.4	1876	45.7	42.6-48.8	359	7.1	5.7- 8.5	7	0.6	0.0- 1.4	12	0.4	0.0- 0.8
\$50,000- 74,999	4032	1,775,682	163	4.0	2.8- 5.2	1673	36.7	33.6-39.8	1804	49.2	46.1-52.3	379	9.1	7.5-10.7	5	0.1	0.0- 0.3	8	0.8	0.0- 1.6
\$75,000+	6845	3,438,195	181	2.1	1.5- 2.7	2598	35.8	33.6-38.0	3248	49.2	46.8-51.6	804	12.1	10.5-13.7	7	0.3	0.0- 0.9	7	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

		Data was weighted using _LLCPWT.																			
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	14899	7,564,221	81	0.8	0.4- 1.2	1859	13.9	12.7-15.1	10016	65.6	64.0-67.2	2697	16.4	15.2-17.6	40	0.6	0.2- 1.0	206	2.7	2.1- 3.3	
White/Non-Hisp	10689	4,347,950	23	0.2	0.0- 0.4	1072	9.3	8.3-10.3	7450	69.5	67.7-71.3	2105	20.3	18.7-21.9	26	0.5	0.1- 0.9	13	0.3	0.1- 0.5	
Black or Afr. Am./Non-Hisp	1424	1,012,151	10	1.1	0.0- 2.7	187	11.8	8.5-15.1	944	67.3	62.4-72.2	276	17.6	14.1-21.1	5	1.6	0.0- 3.8	2	0.6	0.0- 1.6	
Oth. Race/Non-Hisp.	501	262,183	4	0.2	0.0- 0.4	92	34.5	24.9-44.1	332	56.6	47.0-66.2	65	7.5	2.4-12.6	1	0.2	0.0- 0.6	7	1.1	0.1- 2.1	
MultiRacial/Non-Hisp.	214	67,181	2	1.6	0.0- 4.5	23	18.4	4.1-32.7	140	56.8	42.9-70.7	47	22.7	12.1-33.3	2	0.4	0.0- 1.2				
Hispanic	1762	1,718,252	40	2.2	0.8- 3.6	449	23.6	20.3-26.9	931	55.7	51.8-59.6	154	7.5	5.7- 9.3	5	0.3	0.0- 0.9	183	10.7	8.2-13.2	
18-24	898	885,858	7	0.7	0.1- 1.3	111	12.8	9.3-16.3	542	57.5	52.2-62.8	200	21.4	17.3-25.5	4	2.4	0.0- 5.1	34	5.2	2.3- 8.1	
25-34	1499	1,223,602	16	1.6	0.0- 3.2	175	10.5	8.1-12.9	929	64.5	60.4-68.6	309	18.4	15.1-21.7	4	0.1	0.0- 0.3	66	4.9	2.7- 7.1	
35-44	1544	1,103,948	13	0.6	0.0- 1.2	211	15.7	12.2-19.2	952	63.3	59.0-67.6	321	16.2	13.5-18.9	4	0.2	0.0- 0.4	43	4.0	2.0- 6.0	
45-54	2199	1,223,121	11	0.6	0.0- 1.2	250	13.2	10.5-15.9	1475	66.1	62.4-69.8	428	17.4	14.5-20.3	6	0.1	0.0- 0.3	29	2.6	1.2- 4.0	
55-64	2985	1,220,464	12	1.1	0.0- 2.7	338	14.1	11.0-17.2	2031	66.5	62.6-70.4	574	15.9	13.5-18.3	12	1.1	0.0- 2.7	18	1.2	0.2- 2.2	
65+	5608	1,798,386	21	0.4	0.0- 0.8	751	16.1	13.9-18.3	3974	70.5	68.0-73.0	836	12.4	10.6-14.2	10	0.2	0.0- 0.4	16	0.4	0.0- 0.8	
Less Than H.S.	1561	1,054,002	34	2.7	0.7- 4.7	374	25.1	20.4-29.8	868	53.8	48.5-59.1	191	11.7	8.6-14.8	6	1.4	0.0- 3.4	88	5.5	3.3- 7.7	
H.S. or G.E.D.	4451	2,317,223	21	0.9	0.1- 1.7	593	13.4	11.4-15.4	2992	66.1	63.4-68.8	781	15.5	13.5-17.5	12	1.0	0.0- 2.0	52	3.1	1.7- 4.5	
Some Post-H.S.	4022	2,231,253	8	0.2	0.0- 0.4	427	12.3	10.3-14.3	2801	67.9	65.2-70.6	747	17.1	14.9-19.3	13	0.2	0.0- 0.4	26	2.2	1.0- 3.4	
College Graduate	4807	1,936,685	15	0.2	0.0- 0.4	452	10.2	8.6-11.8	3322	69.3	66.9-71.7	971	19.1	16.9-21.3	9	0.1	0.1- 0.1	38	1.1	0.7- 1.5	
Less than \$15,000	1150	541,837	12	1.0	0.0- 2.0	206	21.7	15.8-27.6	702	54.2	47.9-60.5	186	16.0	11.5-20.5	2	0.3	0.0- 0.7	42	6.8	3.1-10.5	
\$15,000- 24,999	2477	1,239,972	26	3.1	0.9- 5.3	433	20.0	16.9-23.1	1569	59.5	55.6-63.4	373	12.8	10.4-15.2	5	0.1	0.1- 0.1	71	4.5	2.5- 6.5	
\$25,000- 34,999	1532	721,229	8	0.3	0.0- 0.7	216	19.3	14.4-24.2	1038	63.2	57.9-68.5	243	14.6	11.3-17.9	3	0.2	0.0- 0.4	24	2.4	1.0- 3.8	
\$35,000- 49,999	1998	938,446	8	0.2	0.0- 0.4	229	13.9	10.6-17.2	1390	70.0	66.1-73.9	355	14.3	11.8-16.8	7	1.1	0.0- 2.5	9	0.6	0.0- 1.2	
\$50,000- 74,999	1885	915,276	3	0.1	0.1- 0.1	194	10.8	8.1-13.5	1302	70.5	66.6-74.4	376	17.7	14.6-20.8	5	0.2	0.0- 0.6	5	0.8	0.0- 2.2	
\$75,000+	3506	1,924,391	6	0.2	0.0- 0.4	278	8.0	6.4- 9.6	2422	69.4	66.5-72.3	788	21.2	18.7-23.7	7	0.6	0.0- 1.6	5	0.6	0.0- 1.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20157	8,008,955	1961	9.8	8.8-10.8	14106	68.5	67.1-69.9	3848	19.1	17.9-20.3	75	0.6	0.4- 0.8	167	2.1	1.5- 2.7
White/Non-Hisp	14970	4,597,930	1346	8.6	7.6- 9.6	10617	70.1	68.5-71.7	2960	20.9	19.5-22.3	40	0.3	0.1- 0.5	7	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	2090	1,142,618	135	5.2	3.0- 7.4	1446	67.7	63.0-72.4	484	25.4	20.9-29.9	25	1.7	0.3- 3.1			
Oth. Race/Non-Hisp.	478	293,107	77	15.2	8.5-21.9	317	69.3	60.5-78.1	83	14.3	7.6-21.0				1	1.2	0.0- 3.6
MultiRacial/Non-Hisp.	229	82,456	16	8.0	0.0-16.2	155	67.0	54.1-79.9	58	25.0	13.8-36.2						
Hispanic	2134	1,763,552	368	15.1	12.4-17.8	1399	64.7	61.0-68.4	202	10.8	8.3-13.3	7	0.5	0.0- 1.1	158	8.9	6.5-11.3
18-24	869	838,677	87	8.9	6.0-11.8	568	65.9	60.8-71.0	195	22.0	17.7-26.3	4	1.0	0.0- 2.4	15	2.2	0.2- 4.2
25-34	1718	1,181,714	158	8.6	6.4-10.8	1101	62.3	58.2-66.4	408	24.9	21.2-28.6	11	1.1	0.1- 2.1	40	3.1	1.5- 4.7
35-44	1937	1,151,419	145	7.0	4.6- 9.4	1229	66.7	62.6-70.8	495	21.7	18.2-25.2	14	0.8	0.0- 1.8	54	3.7	2.1- 5.3
45-54	2804	1,227,395	216	7.9	5.5-10.3	1925	68.1	64.2-72.0	626	21.4	18.1-24.7	7	0.1	0.1- 0.1	30	2.4	1.0- 3.8
55-64	4007	1,348,044	286	8.2	6.0-10.4	2841	70.9	67.6-74.2	848	18.9	16.2-21.6	15	0.2	0.0- 0.4	17	1.8	0.0- 3.6
65+	8570	2,114,300	1048	14.5	12.7-16.3	6273	72.7	70.5-74.9	1215	11.7	10.3-13.1	23	0.5	0.1- 0.9	11	0.6	0.0- 1.2
Less Than H.S.	1913	972,676	299	16.1	12.4-19.8	1300	63.5	58.2-68.8	262	14.6	10.9-18.3	8	1.0	0.0- 2.2	44	4.8	1.9- 7.7
H.S. or G.E.D.	6092	2,280,027	706	12.5	10.5-14.5	4317	67.9	65.0-70.8	1001	16.8	14.4-19.2	23	0.7	0.1- 1.3	45	2.1	1.1- 3.1
Some Post-H.S.	6264	2,728,747	544	7.9	6.7- 9.1	4472	70.3	67.9-72.7	1200	20.4	18.2-22.6	21	0.3	0.1- 0.5	27	1.1	0.3- 1.9
College Graduate	5806	1,981,924	402	6.1	4.7- 7.5	3960	68.9	66.4-71.4	1371	22.3	20.1-24.5	22	0.6	0.0- 1.2	51	2.1	1.3- 2.9
Less than \$15,000	2081	712,759	240	12.2	9.1-15.3	1459	69.0	64.5-73.5	342	14.6	11.3-17.9	11	0.3	0.0- 0.7	29	3.9	1.7- 6.1
\$15,000- 24,999	3964	1,482,292	512	14.9	12.2-17.6	2715	65.9	62.6-69.2	660	15.2	12.8-17.6	24	1.0	0.2- 1.8	53	3.0	1.8- 4.2
\$25,000- 34,999	2168	789,098	217	9.8	6.9-12.7	1527	69.2	64.7-73.7	400	17.9	14.4-21.4	7	0.6	0.0- 1.6	17	2.4	0.2- 4.6
\$35,000- 49,999	2357	941,960	209	7.5	5.3- 9.7	1655	70.7	66.6-74.8	486	21.6	17.7-25.5	4	0.1	0.1- 0.1	3	0.2	0.0- 0.4
\$50,000- 74,999	2147	860,406	160	8.2	5.8-10.6	1479	64.3	59.8-68.8	502	26.5	22.4-30.6	3	0.1	0.1- 0.1	3	0.9	0.0- 1.9
\$75,000+	3338	1,513,552	175	4.5	3.1- 5.9	2320	71.1	68.0-74.2	825	23.5	20.6-26.4	16	0.6	0.0- 1.4	2	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4687	3,255,446	186	3.8	2.8- 4.8	4501	96.2	95.2-97.2
White/Non-Hisp	2544	1,435,878	85	3.6	2.4- 4.8	2459	96.4	95.2-97.6
Black or Afr. Am./Non-Hisp	696	611,791	29	4.3	1.4- 7.2	667	95.7	92.8-98.6
Oth. Race/Non-Hisp.	155	156,914	6	2.3	0.0- 4.7	149	97.7	95.3- 100
MultiRacial/Non-Hisp.	78	55,217	2	3.4	0.0- 8.1	76	96.6	91.9- 100
Hispanic	1157	945,681	61	4.2	2.4- 6.0	1096	95.8	94.0-97.6
18-24	876	844,323	53	4.0	2.4- 5.6	823	96.0	94.4-97.6
25-34	1807	1,237,130	94	5.1	3.3- 6.9	1713	94.9	93.1-96.7
35-44	2004	1,173,992	39	2.3	0.9- 3.7	1965	97.7	96.3-99.1
Less Than H.S.	526	412,741	28	6.4	2.7-10.1	498	93.6	89.9-97.3
H.S. or G.E.D.	1220	859,236	54	3.5	1.9- 5.1	1166	96.5	94.9-98.1
Some Post-H.S.	1505	1,112,430	52	2.5	1.5- 3.5	1453	97.5	96.5-98.5
College Graduate	1426	866,383	50	4.6	2.6- 6.6	1376	95.4	93.4-97.4
Less than \$15,000	472	272,420	22	3.6	1.2- 6.0	450	96.4	94.0-98.8
\$15,000- 24,999	1020	651,975	52	6.3	3.6- 9.0	968	93.7	91.0-96.4
\$25,000- 34,999	515	321,745	16	4.6	0.5- 8.7	499	95.4	91.3-99.5
\$35,000- 49,999	552	370,796	19	2.4	1.0- 3.8	533	97.6	96.2-99.0
\$50,000- 74,999	528	353,656	18	2.1	0.3- 3.9	510	97.9	96.1-99.7
\$75,000+	825	649,578	26	3.1	1.5- 4.7	799	96.9	95.3-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35617	15,859,839	3478	6.1	5.7- 6.5	32139	93.9	93.5-94.3
Male	15035	7,663,223	1867	7.4	6.6- 8.2	13168	92.6	91.8-93.4
Female	20579	8,194,873	1611	4.9	4.3- 5.5	18968	95.1	94.5-95.7
18-24	1797	1,753,721	34	1.7	0.9- 2.5	1763	98.3	97.5-99.1
25-34	3335	2,475,484	85	2.0	1.2- 2.8	3250	98.0	97.2-98.8
35-44	3553	2,281,279	106	1.8	1.2- 2.4	3447	98.2	97.6-98.8
45-54	5081	2,489,588	285	4.0	3.0- 5.0	4796	96.0	95.0-97.0
55-64	7078	2,602,620	593	7.4	5.8- 9.0	6485	92.6	91.0-94.2
65+	14259	3,957,868	2331	13.7	12.3-15.1	11928	86.3	84.9-87.7
Less Than H.S.	3727	2,158,955	470	8.7	6.5-10.9	3257	91.3	89.1-93.5
H.S. or G.E.D.	10633	4,657,512	1145	6.4	5.6- 7.2	9488	93.6	92.8-94.4
Some Post-H.S.	10339	4,984,644	992	5.9	5.1- 6.7	9347	94.1	93.3-94.9
College Graduate	10743	3,963,867	850	4.7	4.1- 5.3	9893	95.3	94.7-95.9
Less than \$15,000	3291	1,269,178	450	10.9	8.4-13.4	2841	89.1	86.6-91.6
\$15,000- 24,999	6543	2,780,051	746	7.4	6.0- 8.8	5797	92.6	91.2-94.0
\$25,000- 34,999	3705	1,513,418	388	6.4	5.0- 7.8	3317	93.6	92.2-95.0
\$35,000- 49,999	4351	1,863,399	400	5.7	4.7- 6.7	3951	94.3	93.3-95.3
\$50,000- 74,999	4039	1,781,936	341	5.8	4.4- 7.2	3698	94.2	92.8-95.6
\$75,000+	6867	3,454,011	433	3.9	3.1- 4.7	6434	96.1	95.3-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15035	7,663,223	1867	7.4	6.6- 8.2	13168	92.6	91.8-93.4
18-24	920	901,512	27	2.7	1.3- 4.1	893	97.3	95.9-98.7
25-34	1547	1,252,864	46	1.8	1.0- 2.6	1501	98.2	97.4-99.0
35-44	1564	1,122,224	58	2.2	1.2- 3.2	1506	97.8	96.8-98.8
45-54	2230	1,240,769	155	5.4	3.8- 7.0	2075	94.6	93.0-96.2
55-64	2996	1,227,419	341	9.9	7.2-12.6	2655	90.1	87.4-92.8
65+	5579	1,794,569	1217	16.8	14.8-18.8	4362	83.2	81.2-85.2
Less Than H.S.	1630	1,098,423	245	10.0	6.9-13.1	1385	90.0	86.9-93.1
H.S. or G.E.D.	4461	2,326,292	598	7.5	6.1- 8.9	3863	92.5	91.1-93.9
Some Post-H.S.	4023	2,238,866	511	7.3	6.1- 8.5	3512	92.7	91.5-93.9
College Graduate	4852	1,956,606	502	6.1	5.1- 7.1	4350	93.9	92.9-94.9
Less than \$15,000	1168	549,625	183	14.1	9.2-19.0	985	85.9	81.0-90.8
\$15,000- 24,999	2501	1,262,089	366	8.1	6.1-10.1	2135	91.9	89.9-93.9
\$25,000- 34,999	1532	722,351	203	7.5	5.3- 9.7	1329	92.5	90.3-94.7
\$35,000- 49,999	1984	918,908	259	8.0	6.2- 9.8	1725	92.0	90.2-93.8
\$50,000- 74,999	1886	915,805	228	7.8	5.6-10.0	1658	92.2	90.0-94.4
\$75,000+	3517	1,927,608	311	5.2	3.8- 6.6	3206	94.8	93.4-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20579	8,194,873	1611	4.9	4.3- 5.5	18968	95.1	94.5-95.7
18-24	877	852,209	7	0.6	0.0- 1.2	870	99.4	98.8- 100
25-34	1786	1,221,130	39	2.2	1.0- 3.4	1747	97.8	96.6-99.0
35-44	1989	1,159,055	48	1.5	0.9- 2.1	1941	98.5	97.9-99.1
45-54	2851	1,248,819	130	2.5	1.7- 3.3	2721	97.5	96.7-98.3
55-64	4082	1,375,201	252	5.1	3.5- 6.7	3830	94.9	93.3-96.5
65+	8679	2,163,047	1114	11.2	9.6-12.8	7565	88.8	87.2-90.4
Less Than H.S.	2096	1,059,935	225	7.4	4.7-10.1	1871	92.6	89.9-95.3
H.S. or G.E.D.	6172	2,331,220	547	5.2	4.0- 6.4	5625	94.8	93.6-96.0
Some Post-H.S.	6316	2,745,778	481	4.8	4.0- 5.6	5835	95.2	94.4-96.0
College Graduate	5889	2,006,115	348	3.4	2.6- 4.2	5541	96.6	95.8-97.4
Less than \$15,000	2123	719,553	267	8.4	5.9-10.9	1856	91.6	89.1-94.1
\$15,000- 24,999	4042	1,517,963	380	6.8	4.8- 8.8	3662	93.2	91.2-95.2
\$25,000- 34,999	2172	790,173	185	5.4	3.8- 7.0	1987	94.6	93.0-96.2
\$35,000- 49,999	2367	944,492	141	3.4	2.4- 4.4	2226	96.6	95.6-97.6
\$50,000- 74,999	2153	866,131	113	3.7	2.3- 5.1	2040	96.3	94.9-97.7
\$75,000+	3349	1,526,152	122	2.3	1.5- 3.1	3227	97.7	96.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35590	15,826,496	2539	5.8	5.2- 6.4	33051	94.2	93.6-94.8
Male	15018	7,644,045	1000	5.3	4.5- 6.1	14018	94.7	93.9-95.5
Female	20569	8,180,708	1539	6.3	5.5- 7.1	19030	93.7	92.9-94.5
18-24	1790	1,748,197	76	4.4	3.0- 5.8	1714	95.6	94.2-97.0
25-34	3325	2,468,166	138	3.3	2.3- 4.3	3187	96.7	95.7-97.7
35-44	3554	2,284,675	142	2.8	2.0- 3.6	3412	97.2	96.4-98.0
45-54	5068	2,481,259	448	7.2	5.8- 8.6	4620	92.8	91.4-94.2
55-64	7073	2,598,366	576	8.5	6.7-10.3	6497	91.5	89.7-93.3
65+	14269	3,948,739	1137	7.3	6.3- 8.3	13132	92.7	91.7-93.7
Less Than H.S.	3719	2,146,762	542	12.3	9.8-14.8	3177	87.7	85.2-90.2
H.S. or G.E.D.	10624	4,649,643	869	6.2	5.4- 7.0	9755	93.8	93.0-94.6
Some Post-H.S.	10333	4,987,193	677	5.3	4.5- 6.1	9656	94.7	93.9-95.5
College Graduate	10738	3,949,371	432	2.5	2.1- 2.9	10306	97.5	97.1-97.9
Less than \$15,000	3287	1,265,793	575	14.4	11.7-17.1	2712	85.6	82.9-88.3
\$15,000- 24,999	6539	2,772,449	664	8.5	6.9-10.1	5875	91.5	89.9-93.1
\$25,000- 34,999	3706	1,510,544	259	5.0	3.8- 6.2	3447	95.0	93.8-96.2
\$35,000- 49,999	4348	1,863,161	237	4.5	3.3- 5.7	4111	95.5	94.3-96.7
\$50,000- 74,999	4036	1,777,188	135	3.7	2.1- 5.3	3901	96.3	94.7-97.9
\$75,000+	6865	3,451,697	159	1.8	1.2- 2.4	6706	98.2	97.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15018	7,644,045	1000	5.3	4.5- 6.1	14018	94.7	93.9-95.5
18-24	920	900,762	33	4.7	2.3- 7.1	887	95.3	92.9-97.7
25-34	1544	1,250,089	61	3.3	1.9- 4.7	1483	96.7	95.3-98.1
35-44	1565	1,125,710	69	2.8	1.8- 3.8	1496	97.2	96.2-98.2
45-54	2218	1,232,504	171	5.8	4.0- 7.6	2047	94.2	92.4-96.0
55-64	2994	1,223,647	246	7.4	5.2- 9.6	2748	92.6	90.4-94.8
65+	5579	1,787,637	410	7.2	5.6- 8.8	5169	92.8	91.2-94.4
Less Than H.S.	1626	1,089,212	241	10.6	7.7-13.5	1385	89.4	86.5-92.3
H.S. or G.E.D.	4456	2,323,148	328	5.2	4.0- 6.4	4128	94.8	93.6-96.0
Some Post-H.S.	4014	2,239,883	236	5.3	3.9- 6.7	3778	94.7	93.3-96.1
College Graduate	4849	1,947,877	185	2.7	1.9- 3.5	4664	97.3	96.5-98.1
Less than \$15,000	1166	546,042	217	15.3	11.0-19.6	949	84.7	80.4-89.0
\$15,000- 24,999	2499	1,259,966	248	7.3	5.3- 9.3	2251	92.7	90.7-94.7
\$25,000- 34,999	1530	718,879	100	4.8	3.2- 6.4	1430	95.2	93.6-96.8
\$35,000- 49,999	1981	919,705	95	4.4	2.6- 6.2	1886	95.6	93.8-97.4
\$50,000- 74,999	1886	913,466	73	4.6	2.4- 6.8	1813	95.4	93.2-97.6
\$75,000+	3512	1,922,349	74	1.8	0.8- 2.8	3438	98.2	97.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20569	8,180,708	1539	6.3	5.5- 7.1	19030	93.7	92.9-94.5
18-24	870	847,435	43	4.0	2.2- 5.8	827	96.0	94.2-97.8
25-34	1779	1,216,587	77	3.3	1.7- 4.9	1702	96.7	95.1-98.3
35-44	1989	1,158,965	73	2.8	1.8- 3.8	1916	97.2	96.2-98.2
45-54	2850	1,248,755	277	8.7	6.5-10.9	2573	91.3	89.1-93.5
55-64	4079	1,374,720	330	9.5	6.8-12.2	3749	90.5	87.8-93.2
65+	8689	2,160,850	727	7.5	6.1- 8.9	7962	92.5	91.1-93.9
Less Than H.S.	2092	1,056,953	301	14.1	10.0-18.2	1791	85.9	81.8-90.0
H.S. or G.E.D.	6168	2,326,494	541	7.2	5.8- 8.6	5627	92.8	91.4-94.2
Some Post-H.S.	6319	2,747,310	441	5.3	4.1- 6.5	5878	94.7	93.5-95.9
College Graduate	5887	2,000,348	247	2.4	1.8- 3.0	5640	97.6	97.0-98.2
Less than \$15,000	2121	719,751	358	13.7	10.0-17.4	1763	86.3	82.6-90.0
\$15,000- 24,999	4040	1,512,483	416	9.5	7.3-11.7	3624	90.5	88.3-92.7
\$25,000- 34,999	2175	790,772	159	5.1	3.5- 6.7	2016	94.9	93.3-96.5
\$35,000- 49,999	2367	943,456	142	4.6	3.0- 6.2	2225	95.4	93.8-97.0
\$50,000- 74,999	2150	863,722	62	2.8	0.6- 5.0	2088	97.2	95.0-99.4
\$75,000+	3352	1,529,095	85	1.9	1.3- 2.5	3267	98.1	97.5-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35421	15,759,294	4846	13.2	12.4-14.0	30575	86.8	86.0-87.6
Male	14958	7,614,970	1840	11.7	10.5-12.9	13118	88.3	87.1-89.5
Female	20460	8,142,582	3005	14.5	13.5-15.5	17455	85.5	84.5-86.5
18-24	1781	1,742,596	240	13.0	10.6-15.4	1541	87.0	84.6-89.4
25-34	3316	2,462,653	441	12.8	10.8-14.8	2875	87.2	85.2-89.2
35-44	3539	2,268,937	480	11.6	9.6-13.6	3059	88.4	86.4-90.4
45-54	5051	2,466,385	807	14.9	12.9-16.9	4244	85.1	83.1-87.1
55-64	7036	2,588,503	1130	15.8	13.6-18.0	5906	84.2	82.0-86.4
65+	14193	3,945,800	1700	12.1	10.7-13.5	12493	87.9	86.5-89.3
Less Than H.S.	3702	2,145,426	980	23.8	20.7-26.9	2722	76.2	73.1-79.3
H.S. or G.E.D.	10564	4,634,515	1668	15.7	14.1-17.3	8896	84.3	82.7-85.9
Some Post-H.S.	10277	4,957,640	1391	11.9	10.7-13.1	8886	88.1	86.9-89.3
College Graduate	10702	3,933,460	776	5.9	5.1- 6.7	9926	94.1	93.3-94.9
Less than \$15,000	3270	1,262,957	1014	29.1	25.6-32.6	2256	70.9	67.4-74.4
\$15,000- 24,999	6508	2,759,631	1244	18.0	16.0-20.0	5264	82.0	80.0-84.0
\$25,000- 34,999	3691	1,509,764	525	14.4	11.9-16.9	3166	85.6	83.1-88.1
\$35,000- 49,999	4333	1,850,788	419	9.2	7.4-11.0	3914	90.8	89.0-92.6
\$50,000- 74,999	4020	1,773,753	280	8.9	6.9-10.9	3740	91.1	89.1-93.1
\$75,000+	6852	3,446,511	343	5.1	4.1- 6.1	6509	94.9	93.9-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14958	7,614,970	1840	11.7	10.5-12.9	13118	88.3	87.1-89.5
18-24	912	894,367	114	10.6	7.9-13.3	798	89.4	86.7-92.1
25-34	1541	1,246,883	186	12.9	10.0-15.8	1355	87.1	84.2-90.0
35-44	1558	1,114,640	179	10.5	7.4-13.6	1379	89.5	86.4-92.6
45-54	2217	1,229,186	287	10.2	8.0-12.4	1930	89.8	87.6-92.0
55-64	2974	1,217,751	418	14.4	11.1-17.7	2556	85.6	82.3-88.9
65+	5559	1,793,423	640	12.0	9.8-14.2	4919	88.0	85.8-90.2
Less Than H.S.	1623	1,093,459	399	22.5	18.0-27.0	1224	77.5	73.0-82.0
H.S. or G.E.D.	4435	2,313,279	645	13.1	11.1-15.1	3790	86.9	84.9-88.9
Some Post-H.S.	3995	2,224,804	482	10.5	8.5-12.5	3513	89.5	87.5-91.5
College Graduate	4832	1,939,453	302	5.5	4.3- 6.7	4530	94.5	93.3-95.7
Less than \$15,000	1163	544,110	354	30.8	24.7-36.9	809	69.2	63.1-75.3
\$15,000- 24,999	2487	1,250,773	465	18.0	14.9-21.1	2022	82.0	78.9-85.1
\$25,000- 34,999	1524	719,347	200	11.8	8.5-15.1	1324	88.2	84.9-91.5
\$35,000- 49,999	1973	917,397	180	8.5	6.1-10.9	1793	91.5	89.1-93.9
\$50,000- 74,999	1881	911,250	133	7.8	5.3-10.3	1748	92.2	89.7-94.7
\$75,000+	3510	1,921,578	160	4.9	3.3- 6.5	3350	95.1	93.5-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20460	8,142,582	3005	14.5	13.5-15.5	17455	85.5	84.5-86.5
18-24	869	848,230	126	15.7	12.0-19.4	743	84.3	80.6-88.0
25-34	1773	1,214,279	254	12.6	9.9-15.3	1519	87.4	84.7-90.1
35-44	1981	1,154,297	301	12.6	10.1-15.1	1680	87.4	84.9-89.9
45-54	2834	1,237,199	520	19.5	16.4-22.6	2314	80.5	77.4-83.6
55-64	4062	1,370,751	712	17.1	14.2-20.0	3350	82.9	80.0-85.8
65+	8633	2,152,125	1060	12.1	10.3-13.9	7573	87.9	86.1-89.7
Less Than H.S.	2078	1,051,370	580	25.1	20.8-29.4	1498	74.9	70.6-79.2
H.S. or G.E.D.	6129	2,321,236	1023	18.3	16.1-20.5	5106	81.7	79.5-83.9
Some Post-H.S.	6282	2,732,836	909	13.1	11.5-14.7	5373	86.9	85.3-88.5
College Graduate	5868	1,992,861	474	6.4	5.2- 7.6	5394	93.6	92.4-94.8
Less than \$15,000	2107	718,847	660	27.8	23.9-31.7	1447	72.2	68.3-76.1
\$15,000- 24,999	4021	1,508,858	779	18.0	15.6-20.4	3242	82.0	79.6-84.4
\$25,000- 34,999	2166	789,523	325	16.8	12.9-20.7	1841	83.2	79.3-87.1
\$35,000- 49,999	2360	933,390	239	10.0	7.3-12.7	2121	90.0	87.3-92.7
\$50,000- 74,999	2139	862,503	147	10.0	6.9-13.1	1992	90.0	86.9-93.1
\$75,000+	3341	1,524,681	183	5.4	4.0- 6.8	3158	94.6	93.2-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35402	15,713,201	7906	16.2	15.4-17.0	27496	83.8	83.0-84.6
Male	14953	7,597,284	2794	14.2	13.0-15.4	12159	85.8	84.6-87.0
Female	20446	8,114,174	5111	18.1	16.9-19.3	15335	81.9	80.7-83.1
18-24	1783	1,737,757	54	3.1	1.7- 4.5	1729	96.9	95.5-98.3
25-34	3306	2,451,086	205	6.5	4.9- 8.1	3101	93.5	91.9-95.1
35-44	3540	2,267,627	395	9.8	7.8-11.8	3145	90.2	88.2-92.2
45-54	5053	2,463,771	1051	18.7	16.5-20.9	4002	81.3	79.1-83.5
55-64	7043	2,575,253	1944	22.7	20.5-24.9	5099	77.3	75.1-79.5
65+	14174	3,935,961	4180	26.2	24.4-28.0	9994	73.8	72.0-75.6
Less Than H.S.	3698	2,136,445	1385	27.8	24.7-30.9	2313	72.2	69.1-75.3
H.S. or G.E.D.	10567	4,629,073	2661	18.4	16.8-20.0	7906	81.6	80.0-83.2
Some Post-H.S.	10283	4,942,693	2299	14.9	13.7-16.1	7984	85.1	83.9-86.3
College Graduate	10679	3,916,478	1512	9.0	8.0-10.0	9167	91.0	90.0-92.0
Less than \$15,000	3273	1,261,676	1463	37.3	33.6-41.0	1810	62.7	59.0-66.4
\$15,000- 24,999	6499	2,740,006	2015	21.8	19.8-23.8	4484	78.2	76.2-80.2
\$25,000- 34,999	3683	1,503,257	822	16.1	13.6-18.6	2861	83.9	81.4-86.4
\$35,000- 49,999	4333	1,854,251	779	13.1	11.1-15.1	3554	86.9	84.9-88.9
\$50,000- 74,999	4022	1,774,019	570	10.8	8.8-12.8	3452	89.2	87.2-91.2
\$75,000+	6847	3,432,886	651	7.1	6.1- 8.1	6196	92.9	91.9-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14953	7,597,284	2794	14.2	13.0-15.4	12159	85.8	84.6-87.0
18-24	915	891,706	22	2.6	1.0- 4.2	893	97.4	95.8-99.0
25-34	1535	1,243,480	78	5.6	3.1- 8.1	1457	94.4	91.9-96.9
35-44	1557	1,111,421	170	10.8	7.5-14.1	1387	89.2	85.9-92.5
45-54	2212	1,223,909	394	16.4	13.7-19.1	1818	83.6	80.9-86.3
55-64	2986	1,219,636	764	20.6	17.7-23.5	2222	79.4	76.5-82.3
65+	5553	1,788,649	1347	22.6	20.1-25.1	4206	77.4	74.9-79.9
Less Than H.S.	1622	1,095,000	517	23.9	19.6-28.2	1105	76.1	71.8-80.4
H.S. or G.E.D.	4443	2,314,281	926	15.6	13.4-17.8	3517	84.4	82.2-86.6
Some Post-H.S.	3994	2,215,327	741	13.0	11.0-15.0	3253	87.0	85.0-89.0
College Graduate	4821	1,928,734	593	8.4	7.0- 9.8	4228	91.6	90.2-93.0
Less than \$15,000	1163	547,775	491	38.2	32.1-44.3	672	61.8	55.7-67.9
\$15,000- 24,999	2484	1,243,470	682	19.7	16.6-22.8	1802	80.3	77.2-83.4
\$25,000- 34,999	1520	720,074	286	13.2	9.7-16.7	1234	86.8	83.3-90.3
\$35,000- 49,999	1975	916,170	326	12.1	9.6-14.6	1649	87.9	85.4-90.4
\$50,000- 74,999	1880	909,910	262	10.9	8.2-13.6	1618	89.1	86.4-91.8
\$75,000+	3508	1,916,525	293	6.7	5.3- 8.1	3215	93.3	91.9-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20446	8,114,174	5111	18.1	16.9-19.3	15335	81.9	80.7-83.1
18-24	868	846,051	32	3.7	1.5- 5.9	836	96.3	94.1-98.5
25-34	1769	1,206,115	126	7.4	5.4- 9.4	1643	92.6	90.6-94.6
35-44	1983	1,156,206	225	8.9	6.9-10.9	1758	91.1	89.1-93.1
45-54	2841	1,239,862	657	20.9	17.8-24.0	2184	79.1	76.0-82.2
55-64	4057	1,355,616	1180	24.6	21.7-27.5	2877	75.4	72.5-78.3
65+	8620	2,147,060	2833	29.2	26.8-31.6	5787	70.8	68.4-73.2
Less Than H.S.	2075	1,040,848	867	31.9	27.2-36.6	1208	68.1	63.4-72.8
H.S. or G.E.D.	6124	2,314,793	1735	21.2	18.8-23.6	4389	78.8	76.4-81.2
Some Post-H.S.	6289	2,727,367	1558	16.4	14.8-18.0	4731	83.6	82.0-85.2
College Graduate	5856	1,986,599	919	9.6	8.2-11.0	4937	90.4	89.0-91.8
Less than \$15,000	2110	713,901	972	36.5	31.6-41.4	1138	63.5	58.6-68.4
\$15,000- 24,999	4015	1,496,536	1333	23.5	20.8-26.2	2682	76.5	73.8-79.2
\$25,000- 34,999	2162	782,290	536	18.7	15.2-22.2	1626	81.3	77.8-84.8
\$35,000- 49,999	2358	938,081	453	14.1	11.2-17.0	1905	85.9	83.0-88.8
\$50,000- 74,999	2142	864,109	308	10.6	8.1-13.1	1834	89.4	86.9-91.9
\$75,000+	3338	1,516,109	358	7.7	6.1- 9.3	2980	92.3	90.7-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35453	15,739,145	2054	4.8	4.2- 5.4	33399	95.2	94.6-95.8
Male	14967	7,596,071	813	4.5	3.7- 5.3	14154	95.5	94.7-96.3
Female	20484	8,141,929	1241	5.1	4.3- 5.9	19243	94.9	94.1-95.7
18-24	1780	1,734,959	15	1.6	0.4- 2.8	1765	98.4	97.2-99.6
25-34	3306	2,451,509	79	2.8	1.4- 4.2	3227	97.2	95.8-98.6
35-44	3545	2,272,250	157	3.7	2.5- 4.9	3388	96.3	95.1-97.5
45-54	5053	2,470,500	421	6.9	5.5- 8.3	4632	93.1	91.7-94.5
55-64	7043	2,584,114	567	8.2	6.4-10.0	6476	91.8	90.0-93.6
65+	14220	3,940,767	797	4.8	4.0- 5.6	13423	95.2	94.4-96.0
Less Than H.S.	3708	2,146,018	410	9.5	7.3-11.7	3298	90.5	88.3-92.7
H.S. or G.E.D.	10586	4,632,746	665	5.3	4.3- 6.3	9921	94.7	93.7-95.7
Some Post-H.S.	10289	4,945,131	619	4.4	3.6- 5.2	9670	95.6	94.8-96.4
College Graduate	10695	3,925,766	345	2.2	1.6- 2.8	10350	97.8	97.2-98.4
Less than \$15,000	3283	1,262,903	520	15.2	12.3-18.1	2763	84.8	81.9-87.7
\$15,000- 24,999	6509	2,749,180	532	6.4	5.0- 7.8	5977	93.6	92.2-95.0
\$25,000- 34,999	3691	1,509,728	180	4.2	2.6- 5.8	3511	95.8	94.2-97.4
\$35,000- 49,999	4339	1,854,386	189	4.2	2.8- 5.6	4150	95.8	94.4-97.2
\$50,000- 74,999	4027	1,772,626	110	2.9	1.5- 4.3	3917	97.1	95.7-98.5
\$75,000+	6849	3,444,044	134	1.8	1.0- 2.6	6715	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14967	7,596,071	813	4.5	3.7- 5.3	14154	95.5	94.7-96.3
18-24	915	891,588	8	1.6	0.2- 3.0	907	98.4	97.0-99.8
25-34	1537	1,242,224	29	2.5	0.5- 4.5	1508	97.5	95.5-99.5
35-44	1559	1,111,784	76	4.0	2.4- 5.6	1483	96.0	94.4-97.6
45-54	2211	1,225,653	164	6.9	4.9- 8.9	2047	93.1	91.1-95.1
55-64	2983	1,219,165	244	7.2	4.8- 9.6	2739	92.8	90.4-95.2
65+	5565	1,786,540	288	4.4	3.0- 5.8	5277	95.6	94.2-97.0
Less Than H.S.	1628	1,096,469	169	9.5	6.4-12.6	1459	90.5	87.4-93.6
H.S. or G.E.D.	4445	2,311,457	275	4.9	3.5- 6.3	4170	95.1	93.7-96.5
Some Post-H.S.	3994	2,215,398	227	3.7	2.7- 4.7	3767	96.3	95.3-97.3
College Graduate	4827	1,928,971	139	2.2	1.4- 3.0	4688	97.8	97.0-98.6
Less than \$15,000	1166	548,502	193	15.2	11.1-19.3	973	84.8	80.7-88.9
\$15,000- 24,999	2486	1,243,385	214	7.5	5.0-10.0	2272	92.5	90.0-95.0
\$25,000- 34,999	1525	720,331	87	4.6	2.1- 7.1	1438	95.4	92.9-97.9
\$35,000- 49,999	1976	913,917	86	3.6	2.0- 5.2	1890	96.4	94.8-98.0
\$50,000- 74,999	1883	910,647	59	2.5	1.3- 3.7	1824	97.5	96.3-98.7
\$75,000+	3503	1,917,177	60	1.9	0.7- 3.1	3443	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20484	8,141,929	1241	5.1	4.3- 5.9	19243	94.9	94.1-95.7
18-24	865	843,371	7	1.6	0.0- 3.4	858	98.4	96.6- 100
25-34	1768	1,208,391	50	3.1	1.3- 4.9	1718	96.9	95.1-98.7
35-44	1986	1,160,467	81	3.4	1.8- 5.0	1905	96.6	95.0-98.2
45-54	2842	1,244,847	257	6.9	5.1- 8.7	2585	93.1	91.3-94.9
55-64	4060	1,364,949	323	9.0	6.5-11.5	3737	91.0	88.5-93.5
65+	8654	2,153,975	509	5.1	3.9- 6.3	8145	94.9	93.7-96.1
Less Than H.S.	2080	1,049,549	241	9.5	6.2-12.8	1839	90.5	87.2-93.8
H.S. or G.E.D.	6141	2,321,289	390	5.6	4.2- 7.0	5751	94.4	93.0-95.8
Some Post-H.S.	6295	2,729,732	392	4.9	3.7- 6.1	5903	95.1	93.9-96.3
College Graduate	5866	1,995,649	206	2.3	1.7- 2.9	5660	97.7	97.1-98.3
Less than \$15,000	2117	714,401	327	15.1	11.2-19.0	1790	84.9	81.0-88.8
\$15,000- 24,999	4023	1,505,796	318	5.5	4.1- 6.9	3705	94.5	93.1-95.9
\$25,000- 34,999	2165	788,504	93	3.9	2.1- 5.7	2072	96.1	94.3-97.9
\$35,000- 49,999	2363	940,469	103	4.7	2.3- 7.1	2260	95.3	92.9-97.7
\$50,000- 74,999	2144	861,979	51	3.2	0.8- 5.6	2093	96.8	94.4-99.2
\$75,000+	3345	1,526,615	74	1.7	0.9- 2.5	3271	98.3	97.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35338	15,683,049	3369	8.2	7.6- 8.8	31969	91.8	91.2-92.4
Male	14920	7,566,306	1104	6.4	5.6- 7.2	13816	93.6	92.8-94.4
Female	20415	8,115,000	2265	9.9	8.9-10.9	18150	90.1	89.1-91.1
18-24	1774	1,728,643	67	4.2	2.8- 5.6	1707	95.8	94.4-97.2
25-34	3301	2,451,945	184	5.8	4.4- 7.2	3117	94.2	92.8-95.6
35-44	3532	2,260,752	283	6.7	5.3- 8.1	3249	93.3	91.9-94.7
45-54	5042	2,457,334	597	9.9	8.3-11.5	4445	90.1	88.5-91.7
55-64	7021	2,578,635	829	11.1	9.1-13.1	6192	88.9	86.9-90.9
65+	14167	3,922,028	1380	9.6	8.2-11.0	12787	90.4	89.0-91.8
Less Than H.S.	3687	2,129,237	683	16.8	13.9-19.7	3004	83.2	80.3-86.1
H.S. or G.E.D.	10552	4,615,852	1154	9.0	7.8-10.2	9398	91.0	89.8-92.2
Some Post-H.S.	10259	4,933,579	961	7.6	6.6- 8.6	9298	92.4	91.4-93.4
College Graduate	10672	3,919,343	553	3.3	2.7- 3.9	10119	96.7	96.1-97.3
Less than \$15,000	3273	1,260,266	840	24.0	20.5-27.5	2433	76.0	72.5-79.5
\$15,000- 24,999	6479	2,735,130	890	11.3	9.7-12.9	5589	88.7	87.1-90.3
\$25,000- 34,999	3683	1,499,351	320	8.0	5.6-10.4	3363	92.0	89.6-94.4
\$35,000- 49,999	4333	1,855,987	270	5.7	4.3- 7.1	4063	94.3	92.9-95.7
\$50,000- 74,999	4017	1,770,237	174	4.0	2.6- 5.4	3843	96.0	94.6-97.4
\$75,000+	6843	3,433,365	182	2.2	1.6- 2.8	6661	97.8	97.2-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14920	7,566,306	1104	6.4	5.6- 7.2	13816	93.6	92.8-94.4
18-24	910	885,440	27	3.0	1.4- 4.6	883	97.0	95.4-98.6
25-34	1535	1,243,485	74	5.4	3.2- 7.6	1461	94.6	92.4-96.8
35-44	1551	1,103,901	110	6.0	4.0- 8.0	1441	94.0	92.0-96.0
45-54	2206	1,221,692	199	8.1	6.1-10.1	2007	91.9	89.9-93.9
55-64	2974	1,216,276	303	8.3	5.6-11.0	2671	91.7	89.0-94.4
65+	5548	1,776,561	384	6.8	5.0- 8.6	5164	93.2	91.4-95.0
Less Than H.S.	1616	1,085,232	234	13.4	9.5-17.3	1382	86.6	82.7-90.5
H.S. or G.E.D.	4434	2,302,280	387	6.6	5.2- 8.0	4047	93.4	92.0-94.8
Some Post-H.S.	3983	2,210,235	296	6.2	4.8- 7.6	3687	93.8	92.4-95.2
College Graduate	4816	1,925,588	183	2.5	1.7- 3.3	4633	97.5	96.7-98.3
Less than \$15,000	1160	546,369	276	25.4	19.5-31.3	884	74.6	68.7-80.5
\$15,000- 24,999	2475	1,236,108	285	8.8	6.6-11.0	2190	91.2	89.0-93.4
\$25,000- 34,999	1524	715,222	114	6.8	3.3-10.3	1410	93.2	89.7-96.7
\$35,000- 49,999	1975	916,047	111	5.3	3.3- 7.3	1864	94.7	92.7-96.7
\$50,000- 74,999	1877	908,376	69	3.8	1.8- 5.8	1808	96.2	94.2-98.2
\$75,000+	3498	1,911,307	80	1.9	0.9- 2.9	3418	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20415	8,115,000	2265	9.9	8.9-10.9	18150	90.1	89.1-91.1
18-24	864	843,203	40	5.4	3.0- 7.8	824	94.6	92.2-97.0
25-34	1764	1,206,969	110	6.2	4.2- 8.2	1654	93.8	91.8-95.8
35-44	1981	1,156,851	173	7.3	5.1- 9.5	1808	92.7	90.5-94.9
45-54	2836	1,235,642	398	11.7	9.2-14.2	2438	88.3	85.8-90.8
55-64	4047	1,362,359	526	13.6	10.7-16.5	3521	86.4	83.5-89.3
65+	8618	2,145,214	996	11.9	9.9-13.9	7622	88.1	86.1-90.1
Less Than H.S.	2070	1,043,408	449	20.4	15.9-24.9	1621	79.6	75.1-84.1
H.S. or G.E.D.	6118	2,313,572	767	11.5	9.7-13.3	5351	88.5	86.7-90.3
Some Post-H.S.	6276	2,723,344	665	8.7	7.3-10.1	5611	91.3	89.9-92.7
College Graduate	5854	1,992,609	370	4.1	3.3- 4.9	5484	95.9	95.1-96.7
Less than \$15,000	2113	713,897	564	23.0	18.7-27.3	1549	77.0	72.7-81.3
\$15,000- 24,999	4004	1,499,022	605	13.3	10.9-15.7	3399	86.7	84.3-89.1
\$25,000- 34,999	2158	783,236	206	9.1	6.0-12.2	1952	90.9	87.8-94.0
\$35,000- 49,999	2358	939,940	159	6.2	4.0- 8.4	2199	93.8	91.6-96.0
\$50,000- 74,999	2140	861,861	105	4.3	2.1- 6.5	2035	95.7	93.5-97.9
\$75,000+	3344	1,521,805	102	2.5	1.7- 3.3	3242	97.5	96.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 9: TOBACCO USE CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	167
2 MALES ONLY	168
3 FEMALES ONLY	169
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	170
5 MALES ONLY	171
6 FEMALES ONLY	172
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	173
8 MALES ONLY	174
9 FEMALES ONLY	175
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	176
11 MALES ONLY	177
12 FEMALES ONLY	178
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	179
14 MALES ONLY	180
15 FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35101	15,560,536	16512	42.1	41.1-43.1	18589	57.9	56.9-58.9
Male	14810	7,496,369	7987	48.8	47.2-50.4	6823	51.2	49.6-52.8
Female	20288	8,062,424	8523	35.8	34.4-37.2	11765	64.2	62.8-65.6
White/Non-Hisp	25464	8,866,223	13208	51.7	50.5-52.9	12256	48.3	47.1-49.5
Black or Afr. Am./Non-Hisp	3462	2,113,838	1034	24.1	21.2-27.0	2428	75.9	73.0-78.8
Oth. Race/Non-Hisp.	988	562,487	431	20.9	16.2-25.6	557	79.1	74.4-83.8
MultiRacial/Non-Hisp.	435	135,292	259	56.5	46.7-66.3	176	43.5	33.7-53.3
Hispanic	4160	3,590,740	1290	31.4	28.9-33.9	2870	68.6	66.1-71.1
18-24	1766	1,713,550	337	17.3	14.8-19.8	1429	82.7	80.2-85.2
25-34	3278	2,432,901	1253	36.6	33.7-39.5	2025	63.4	60.5-66.3
35-44	3507	2,237,919	1470	40.0	37.1-42.9	2037	60.0	57.1-62.9
45-54	5016	2,446,199	2245	41.5	38.8-44.2	2771	58.5	55.8-61.2
55-64	6992	2,556,023	3675	50.6	48.1-53.1	3317	49.4	46.9-51.9
65+	14049	3,895,451	7351	52.6	50.6-54.6	6698	47.4	45.4-49.4
Less Than H.S.	3660	2,111,308	1870	48.5	44.8-52.2	1790	51.5	47.8-55.2
H.S. or G.E.D.	10487	4,577,744	5283	44.7	42.7-46.7	5204	55.3	53.3-57.3
Some Post-H.S.	10201	4,910,582	5212	44.2	42.2-46.2	4989	55.8	53.8-57.8
College Graduate	10586	3,878,251	4093	33.2	31.4-35.0	6493	66.8	65.0-68.6
Less than \$15,000	3257	1,258,706	1807	49.5	45.6-53.4	1450	50.5	46.6-54.4
\$15,000- 24,999	6443	2,704,157	3272	45.4	42.9-47.9	3171	54.6	52.1-57.1
\$25,000- 34,999	3665	1,494,159	1792	42.9	39.4-46.4	1873	57.1	53.6-60.6
\$35,000- 49,999	4312	1,847,586	2110	44.2	41.3-47.1	2202	55.8	52.9-58.7
\$50,000- 74,999	4003	1,766,655	1949	45.0	41.9-48.1	2054	55.0	51.9-58.1
\$75,000+	6803	3,418,995	2772	37.9	35.7-40.1	4031	62.1	59.9-64.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14810	7,496,369	7987	48.8	47.2-50.4	6823	51.2	49.6-52.8
White/Non-Hisp	10563	4,302,472	6127	56.5	54.7-58.3	4436	43.5	41.7-45.3
Black or Afr. Am./Non-Hisp	1385	976,045	559	32.8	27.9-37.7	826	67.2	62.3-72.1
Oth. Race/Non-Hisp.	502	261,435	234	27.6	20.0-35.2	268	72.4	64.8-80.0
MultiRacial/Non-Hisp.	211	63,330	139	59.4	45.1-73.7	72	40.6	26.3-54.9
Hispanic	1829	1,722,553	757	41.8	37.9-45.7	1072	58.2	54.3-62.1
18-24	905	877,139	214	22.1	18.0-26.2	691	77.9	73.8-82.0
25-34	1522	1,231,540	642	42.3	38.2-46.4	880	57.7	53.6-61.8
35-44	1538	1,094,833	760	49.8	45.3-54.3	778	50.2	45.7-54.7
45-54	2194	1,210,144	1053	46.1	42.4-49.8	1141	53.9	50.2-57.6
55-64	2964	1,203,456	1716	56.0	52.1-59.9	1248	44.0	40.1-47.9
65+	5495	1,764,193	3528	63.4	60.5-66.3	1967	36.6	33.7-39.5
Less Than H.S.	1605	1,071,573	999	59.0	53.9-64.1	606	41.0	35.9-46.1
H.S. or G.E.D.	4399	2,283,356	2606	51.2	48.3-54.1	1793	48.8	45.9-51.7
Some Post-H.S.	3960	2,199,286	2238	49.8	46.9-52.7	1722	50.2	47.3-53.1
College Graduate	4775	1,902,208	2117	39.6	37.1-42.1	2658	60.4	57.9-62.9
Less than \$15,000	1158	546,961	747	56.3	50.0-62.6	411	43.7	37.4-50.0
\$15,000- 24,999	2457	1,216,714	1482	55.0	50.9-59.1	975	45.0	40.9-49.1
\$25,000- 34,999	1518	713,880	873	50.8	45.5-56.1	645	49.2	43.9-54.5
\$35,000- 49,999	1967	910,912	1093	48.9	44.6-53.2	874	51.1	46.8-55.4
\$50,000- 74,999	1871	906,776	1032	51.3	46.8-55.8	839	48.7	44.2-53.2
\$75,000+	3474	1,898,849	1572	43.9	40.8-47.0	1902	56.1	53.0-59.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20288	8,062,424	8523	35.8	34.4-37.2	11765	64.2	62.8-65.6
White/Non-Hisp	14899	4,562,605	7080	47.1	45.3-48.9	7819	52.9	51.1-54.7
Black or Afr. Am./Non-Hisp	2076	1,137,195	474	16.6	13.5-19.7	1602	83.4	80.3-86.5
Oth. Race/Non-Hisp.	486	301,052	197	15.1	9.6-20.6	289	84.9	79.4-90.4
MultiRacial/Non-Hisp.	224	71,962	120	53.9	40.2-67.6	104	46.1	32.4-59.8
Hispanic	2331	1,868,187	533	21.8	18.7-24.9	1798	78.2	75.1-81.3
18-24	861	836,411	123	12.2	9.3-15.1	738	87.8	84.9-90.7
25-34	1754	1,199,870	609	30.7	26.8-34.6	1145	69.3	65.4-73.2
35-44	1969	1,143,086	710	30.6	27.1-34.1	1259	69.4	65.9-72.9
45-54	2822	1,236,055	1192	37.0	33.3-40.7	1630	63.0	59.3-66.7
55-64	4028	1,352,567	1959	45.7	42.2-49.2	2069	54.3	50.8-57.8
65+	8553	2,131,006	3823	43.7	41.3-46.1	4730	56.3	53.9-58.7
Less Than H.S.	2054	1,039,138	870	37.7	32.8-42.6	1184	62.3	57.4-67.2
H.S. or G.E.D.	6088	2,294,389	2677	38.2	35.5-40.9	3411	61.8	59.1-64.5
Some Post-H.S.	6241	2,711,296	2974	39.8	37.4-42.2	3267	60.2	57.8-62.6
College Graduate	5809	1,974,898	1975	26.9	24.7-29.1	3834	73.1	70.9-75.3
Less than \$15,000	2099	711,746	1060	44.4	39.5-49.3	1039	55.6	50.7-60.5
\$15,000- 24,999	3986	1,487,443	1790	37.6	34.5-40.7	2196	62.4	59.3-65.5
\$25,000- 34,999	2146	779,386	918	35.6	31.3-39.9	1228	64.4	60.1-68.7
\$35,000- 49,999	2345	936,673	1017	39.6	35.5-43.7	1328	60.4	56.3-64.5
\$50,000- 74,999	2132	859,880	917	38.3	34.0-42.6	1215	61.7	57.4-66.0
\$75,000+	3328	1,519,894	1200	30.4	27.5-33.3	2128	69.6	66.7-72.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16473	6,529,270	3823	24.0	22.6-25.4	1652	12.9	11.7-14.1	10998	63.1	61.5-64.7
Male	7968	3,648,202	1772	23.2	21.4-25.0	776	13.3	11.5-15.1	5420	63.5	61.3-65.7
Female	8503	2,879,578	2050	25.0	23.0-27.0	875	12.3	10.7-13.9	5578	62.8	60.6-65.0
White/Non-Hisp	13179	4,571,354	3030	24.2	22.6-25.8	1110	10.5	9.3-11.7	9039	65.3	63.5-67.1
Black or Afr. Am./Non-Hisp	1029	505,799	258	26.7	21.2-32.2	208	25.3	19.4-31.2	563	48.1	41.2-55.0
Oth. Race/Non-Hisp.	428	117,152	143	33.8	23.0-44.6	50	11.9	6.0-17.8	235	54.3	42.7-65.9
MultiRacial/Non-Hisp.	258	75,205	79	27.5	17.5-37.5	37	27.6	14.1-41.1	142	44.8	32.8-56.8
Hispanic	1290	1,127,994	258	21.3	17.4-25.2	218	16.3	12.6-20.0	814	62.4	57.7-67.1
18-24	337	296,038	122	29.8	23.1-36.5	95	35.0	27.0-43.0	120	35.1	27.7-42.5
25-34	1250	886,166	451	33.9	29.4-38.4	262	21.9	18.0-25.8	537	44.2	39.3-49.1
35-44	1467	893,318	492	28.6	24.7-32.5	239	17.4	13.1-21.7	736	53.9	49.2-58.6
45-54	2239	1,013,437	802	35.0	31.1-38.9	292	14.0	11.1-16.9	1145	51.1	47.0-55.2
55-64	3659	1,289,172	1005	24.4	21.5-27.3	384	11.6	9.2-14.0	2270	64.1	60.8-67.4
65+	7342	2,045,997	919	11.5	9.7-13.3	369	4.4	3.2- 5.6	6054	84.1	82.1-86.1
Less Than H.S.	1866	1,019,993	652	34.7	30.0-39.4	266	18.0	13.9-22.1	948	47.3	42.0-52.6
H.S. or G.E.D.	5272	2,042,868	1450	29.3	26.8-31.8	540	12.6	10.6-14.6	3282	58.1	55.4-60.8
Some Post-H.S.	5200	2,168,706	1156	20.5	18.3-22.7	549	13.5	11.3-15.7	3495	66.0	63.5-68.5
College Graduate	4082	1,284,466	555	13.0	11.0-15.0	292	8.0	6.4- 9.6	3235	79.1	76.6-81.6
Less than \$15,000	1805	623,489	638	36.4	31.5-41.3	292	17.3	13.6-21.0	875	46.3	41.2-51.4
\$15,000- 24,999	3264	1,222,270	978	32.0	28.7-35.3	416	16.5	13.6-19.4	1870	51.5	47.8-55.2
\$25,000- 34,999	1789	641,472	436	24.5	20.0-29.0	190	15.9	11.8-20.0	1163	59.6	54.3-64.9
\$35,000- 49,999	2109	815,527	466	23.1	19.6-26.6	177	12.8	9.5-16.1	1466	64.1	59.8-68.4
\$50,000- 74,999	1947	793,612	340	21.2	17.3-25.1	161	10.1	7.6-12.6	1446	68.7	64.4-73.0
\$75,000+	2768	1,294,393	395	14.4	11.7-17.1	182	7.5	5.7- 9.3	2191	78.1	75.0-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7968	3,648,202	1772	23.2	21.4-25.0	776	13.3	11.5-15.1	5420	63.5	61.3-65.7
White/Non-Hisp	6114	2,424,826	1326	23.2	21.0-25.4	468	10.2	8.4-12.0	4320	66.7	64.3-69.1
Black or Afr. Am./Non-Hisp	557	319,661	152	28.4	21.1-35.7	118	24.4	16.8-32.0	287	47.2	38.0-56.4
Oth. Race/Non-Hisp.	232	71,681	80	31.8	18.5-45.1	25	12.9	4.9-20.9	127	55.2	40.7-69.7
MultiRacial/Non-Hisp.	138	36,403	44	30.4	17.1-43.7	19	24.1	7.6-40.6	75	45.6	29.7-61.5
Hispanic	757	720,506	138	20.0	15.3-24.7	130	18.6	13.5-23.7	489	61.4	55.3-67.5
18-24	214	193,711	72	27.6	19.4-35.8	63	37.0	26.8-47.2	79	35.4	26.0-44.8
25-34	640	519,179	202	31.8	25.9-37.7	142	21.9	16.6-27.2	296	46.3	39.8-52.8
35-44	759	544,420	238	26.0	20.9-31.1	133	20.8	14.3-27.3	388	53.2	46.5-59.9
45-54	1050	557,724	359	33.1	28.0-38.2	132	14.7	10.6-18.8	559	52.2	46.7-57.7
55-64	1707	671,525	483	26.1	21.6-30.6	158	9.7	7.2-12.2	1066	64.2	59.5-68.9
65+	3524	1,116,303	406	10.8	8.4-13.2	146	3.4	2.2- 4.6	2972	85.8	83.3-88.3
Less Than H.S.	998	631,983	331	32.5	26.4-38.6	151	19.5	14.0-25.0	516	48.1	41.0-55.2
H.S. or G.E.D.	2600	1,166,236	718	28.6	25.3-31.9	283	14.0	11.3-16.7	1599	57.3	53.6-61.0
Some Post-H.S.	2232	1,092,563	465	19.4	16.5-22.3	211	12.4	9.1-15.7	1556	68.2	64.3-72.1
College Graduate	2111	752,015	255	12.8	10.1-15.5	128	8.3	5.9-10.7	1728	78.9	75.6-82.2
Less than \$15,000	745	307,786	277	37.6	30.2-45.0	123	20.8	14.5-27.1	345	41.6	34.3-48.9
\$15,000- 24,999	1479	666,900	429	30.4	25.9-34.9	198	17.9	13.4-22.4	852	51.7	46.4-57.0
\$25,000- 34,999	871	362,790	170	20.1	13.8-26.4	101	15.6	10.7-20.5	600	64.2	56.9-71.5
\$35,000- 49,999	1093	445,202	246	23.3	18.8-27.8	75	9.9	6.0-13.8	772	66.9	61.6-72.2
\$50,000- 74,999	1031	464,910	183	21.0	16.1-25.9	84	10.9	7.6-14.2	764	68.2	62.7-73.7
\$75,000+	1568	831,852	222	14.5	11.0-18.0	90	7.2	4.8- 9.6	1256	78.4	74.5-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8503	2,879,578	2050	25.0	23.0-27.0	875	12.3	10.7-13.9	5578	62.8	60.6-65.0
White/Non-Hisp	7064	2,145,635	1704	25.4	23.2-27.6	641	10.9	9.1-12.7	4719	63.8	61.4-66.2
Black or Afr. Am./Non-Hisp	471	185,540	105	23.4	16.1-30.7	90	26.8	17.4-36.2	276	49.7	39.1-60.3
Oth. Race/Non-Hisp.	196	45,471	63	36.9	18.7-55.1	25	10.2	1.8-18.6	108	52.9	34.3-71.5
MultiRacial/Non-Hisp.	120	38,802	35	24.9	10.2-39.6	18	31.0	10.2-51.8	67	44.1	26.3-61.9
Hispanic	533	407,489	120	23.7	17.0-30.4	88	12.0	7.5-16.5	325	64.3	56.9-71.7
18-24	123	102,326	50	33.9	22.5-45.3	32	31.4	19.1-43.7	41	34.7	22.9-46.5
25-34	608	365,496	248	36.9	30.2-43.6	119	21.8	15.9-27.7	241	41.4	33.8-49.0
35-44	708	348,899	254	32.8	26.9-38.7	106	12.2	8.5-15.9	348	55.0	48.7-61.3
45-54	1189	455,713	443	37.3	31.4-43.2	160	13.0	8.9-17.1	586	49.7	43.6-55.8
55-64	1952	617,647	522	22.5	19.0-26.0	226	13.6	9.7-17.5	1204	64.0	59.3-68.7
65+	3818	929,694	513	12.4	10.0-14.8	223	5.5	3.5- 7.5	3082	82.1	79.2-85.0
Less Than H.S.	867	387,412	320	38.2	31.1-45.3	115	15.7	10.0-21.4	432	46.1	38.3-53.9
H.S. or G.E.D.	2672	876,632	732	30.2	26.5-33.9	257	10.8	8.1-13.5	1683	59.0	54.9-63.1
Some Post-H.S.	2968	1,076,143	691	21.6	18.7-24.5	338	14.7	12.0-17.4	1939	63.7	60.2-67.2
College Graduate	1970	531,558	300	13.2	10.3-16.1	163	7.4	5.0- 9.8	1507	79.4	75.9-82.9
Less than \$15,000	1060	315,703	361	35.3	28.8-41.8	169	13.8	9.7-17.9	530	50.8	43.7-57.9
\$15,000- 24,999	1785	555,370	549	33.9	29.2-38.6	218	14.9	11.2-18.6	1018	51.1	46.2-56.0
\$25,000- 34,999	917	277,789	266	30.3	23.8-36.8	88	15.9	9.0-22.8	563	53.8	46.4-61.2
\$35,000- 49,999	1016	370,326	220	22.9	17.2-28.6	102	16.3	10.4-22.2	694	60.7	54.0-67.4
\$50,000- 74,999	916	328,702	157	21.5	16.2-26.8	77	8.9	5.0-12.8	682	69.5	63.4-75.6
\$75,000+	1200	462,541	173	14.3	10.2-18.4	92	8.1	5.4-10.8	935	77.6	72.9-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5445	2,397,856	3244	62.1	59.4-64.8	2201	37.9	35.2-40.6
Male	2533	1,326,654	1477	61.3	57.6-65.0	1056	38.7	35.0-42.4
Female	2910	1,069,712	1767	63.2	59.5-66.9	1143	36.8	33.1-40.5
White/Non-Hisp	4117	1,580,099	2366	58.7	55.6-61.8	1751	41.3	38.2-44.4
Black or Afr. Am./Non-Hisp	464	262,608	343	75.0	67.7-82.3	121	25.0	17.7-32.3
Oth. Race/Non-Hisp.	193	53,505	111	53.1	37.0-69.2	82	46.9	30.8-63.0
MultiRacial/Non-Hisp.	115	41,083	66	69.9	54.2-85.6	49	30.1	14.4-45.8
Hispanic	474	423,067	307	67.0	59.9-74.1	167	33.0	25.9-40.1
18-24	216	191,854	157	73.2	64.6-81.8	59	26.8	18.2-35.4
25-34	709	492,114	485	69.3	63.4-75.2	224	30.7	24.8-36.6
35-44	727	410,382	462	62.7	55.8-69.6	265	37.3	30.4-44.2
45-54	1084	493,179	639	60.3	54.4-66.2	445	39.7	33.8-45.6
55-64	1383	461,483	820	60.8	55.1-66.5	563	39.2	33.5-44.9
65+	1284	324,198	662	51.0	44.1-57.9	622	49.0	42.1-55.9
Less Than H.S.	915	537,658	573	64.5	58.4-70.6	342	35.5	29.4-41.6
H.S. or G.E.D.	1973	852,224	1153	59.6	55.3-63.9	820	40.4	36.1-44.7
Some Post-H.S.	1697	735,299	1032	63.1	58.4-67.8	665	36.9	32.2-41.6
College Graduate	845	268,207	476	62.7	56.2-69.2	369	37.3	30.8-43.8
Less than \$15,000	922	332,324	595	64.4	57.7-71.1	327	35.6	28.9-42.3
\$15,000- 24,999	1389	591,924	828	58.2	52.9-63.5	561	41.8	36.5-47.1
\$25,000- 34,999	623	257,890	362	62.4	54.0-70.8	261	37.6	29.2-46.0
\$35,000- 49,999	638	291,056	376	63.8	56.7-70.9	262	36.2	29.1-43.3
\$50,000- 74,999	500	247,787	282	66.1	58.8-73.4	218	33.9	26.6-41.2
\$75,000+	576	283,543	333	62.7	55.1-70.3	243	37.3	29.7-44.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2533	1,326,654	1477	61.3	57.6-65.0	1056	38.7	35.0-42.4
White/Non-Hisp	1784	804,181	988	55.6	50.9-60.3	796	44.4	39.7-49.1
Black or Afr. Am./Non-Hisp	269	168,806	196	77.4	69.4-85.4	73	22.6	14.6-30.6
Oth. Race/Non-Hisp.	105	32,088	58	51.5	31.7-71.3	47	48.5	28.7-68.3
MultiRacial/Non-Hisp.	62	19,396	34	61.2	37.9-84.5	28	38.8	15.5-62.1
Hispanic	267	278,071	173	68.5	59.9-77.1	94	31.5	22.9-40.1
18-24	135	125,174	98	70.6	59.0-82.2	37	29.4	17.8-41.0
25-34	341	276,339	238	71.9	64.1-79.7	103	28.1	20.3-35.9
35-44	368	253,490	229	61.1	51.3-70.9	139	38.9	29.1-48.7
45-54	490	266,459	271	58.1	50.5-65.7	219	41.9	34.3-49.5
55-64	636	239,100	367	57.9	49.9-65.9	269	42.1	34.1-50.1
65+	550	158,169	267	47.4	37.4-57.4	283	52.6	42.6-62.6
Less Than H.S.	480	328,095	299	65.4	57.4-73.4	181	34.6	26.6-42.6
H.S. or G.E.D.	992	494,808	568	58.9	53.2-64.6	424	41.1	35.4-46.8
Some Post-H.S.	673	345,128	395	60.8	53.5-68.1	278	39.2	31.9-46.5
College Graduate	382	158,187	210	61.2	52.4-70.0	172	38.8	30.0-47.6
Less than \$15,000	395	178,160	251	65.7	55.7-75.7	144	34.3	24.3-44.3
\$15,000- 24,999	623	320,734	350	57.3	49.9-64.7	273	42.7	35.3-50.1
\$25,000- 34,999	269	128,935	160	64.8	52.6-77.0	109	35.2	23.0-47.4
\$35,000- 49,999	319	145,899	184	55.3	45.5-65.1	135	44.7	34.9-54.5
\$50,000- 74,999	266	147,637	147	67.1	58.3-75.9	119	32.9	24.1-41.7
\$75,000+	312	180,029	174	64.8	55.8-73.8	138	35.2	26.2-44.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	Data was weighted using _LLCPWT.							
	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2910	1,069,712	1767	63.2	59.5-66.9	1143	36.8	33.1-40.5
White/Non-Hisp	2332	775,025	1378	62.0	57.9-66.1	954	38.0	33.9-42.1
Black or Afr. Am./Non-Hisp	194	93,204	147	71.0	57.5-84.5	47	29.0	15.5-42.5
Oth. Race/Non-Hisp.	88	21,417	53	55.4	28.5-82.3	35	44.6	17.7-71.5
MultiRacial/Non-Hisp.	53	21,687	32	77.7	59.9-95.5	21	22.3	4.5-40.1
Hispanic	207	144,997	134	64.1	52.1-76.1	73	35.9	23.9-47.9
18-24	81	66,680	59	78.3	66.5-90.1	22	21.7	9.9-33.5
25-34	366	214,284	247	66.3	57.7-74.9	119	33.7	25.1-42.3
35-44	359	156,892	233	65.4	56.8-74.0	126	34.6	26.0-43.2
45-54	594	226,720	368	63.0	54.8-71.2	226	37.0	28.8-45.2
55-64	747	222,383	453	63.9	56.3-71.5	294	36.1	28.5-43.7
65+	734	166,029	395	54.5	45.5-63.5	339	45.5	36.5-54.5
Less Than H.S.	434	208,966	274	63.3	54.5-72.1	160	36.7	27.9-45.5
H.S. or G.E.D.	981	357,416	585	60.6	53.9-67.3	396	39.4	32.7-46.1
Some Post-H.S.	1024	390,171	637	65.1	59.4-70.8	387	34.9	29.2-40.6
College Graduate	462	109,126	266	65.3	56.1-74.5	196	34.7	25.5-43.9
Less than \$15,000	527	154,164	344	63.0	54.4-71.6	183	37.0	28.4-45.6
\$15,000- 24,999	766	271,189	478	59.2	51.9-66.5	288	40.8	33.5-48.1
\$25,000- 34,999	353	128,061	202	60.4	48.4-72.4	151	39.6	27.6-51.6
\$35,000- 49,999	319	145,157	192	72.3	63.1-81.5	127	27.7	18.5-36.9
\$50,000- 74,999	234	100,151	135	64.6	54.8-74.4	99	35.4	25.6-45.2
\$75,000+	264	103,515	159	59.1	46.8-71.4	105	40.9	28.6-53.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10907	4,093,034	1101	14.5	12.9-16.1	1448	15.2	13.6-16.8	1100	11.6	10.2-13.0	7205	58.2	56.2-60.2	53	0.5	0.3- 0.7
Male	5383	2,301,827	554	14.2	12.0-16.4	659	15.4	13.2-17.6	525	11.7	9.9-13.5	3612	57.9	55.2-60.6	33	0.7	0.3- 1.1
Female	5524	1,791,207	547	14.9	12.5-17.3	789	14.8	12.8-16.8	575	11.4	9.4-13.4	3593	58.6	55.7-61.5	20	0.3	0.1- 0.5
White/Non-Hisp	8975	2,964,025	775	11.9	10.3-13.5	1118	14.1	12.7-15.5	869	10.8	9.4-12.2	6171	62.5	60.5-64.5	42	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	553	240,321	82	16.3	9.0-23.6	89	24.8	13.4-36.2	64	12.2	6.1-18.3	314	45.1	34.5-55.7	4	1.5	0.0- 3.7
Oth. Race/Non-Hisp.	233	63,354	38	24.3	8.2-40.4	41	13.7	5.7-21.7	25	22.4	5.2-39.6	126	39.5	23.8-55.2	3	0.1	0.1- 0.1
MultiRacial/Non-Hisp.	140	33,646	23	33.5	17.8-49.2	26	25.9	11.6-40.2	12	3.8	0.0- 8.7	79	36.8	22.9-50.7			
Hispanic	803	698,493	162	22.5	17.0-28.0	147	16.5	12.2-20.8	104	13.6	9.1-18.1	386	47.3	40.8-53.8	4	0.0	0.0- 0.0
18-24	119	102,907	83	71.1	59.1-83.1	25	19.2	8.4-30.0	4	2.9	0.0- 7.8	2	0.7	0.0- 1.7	5	6.0	0.5-11.5
25-34	529	387,571	189	38.5	30.7-46.3	195	36.3	28.7-43.9	90	16.4	11.3-21.5	50	7.8	4.5-11.1	5	1.0	0.0- 2.2
35-44	727	477,303	153	23.0	17.3-28.7	213	27.5	22.2-32.8	135	16.2	11.7-20.7	225	33.3	26.6-40.0	1	0.0	0.0- 0.0
45-54	1135	513,771	194	16.6	12.7-20.5	252	21.1	16.4-25.8	173	16.1	11.6-20.6	513	46.1	40.4-51.8	3	0.1	0.0- 0.3
55-64	2253	821,130	228	12.7	9.4-16.0	337	11.9	9.4-14.4	282	13.4	10.1-16.7	1399	61.9	57.6-66.2	7	0.1	0.0- 0.3
65+	6018	1,712,711	243	3.9	2.7- 5.1	419	6.9	5.3- 8.5	398	7.5	5.9- 9.1	4926	81.1	78.7-83.5	32	0.6	0.2- 1.0
Less Than H.S.	940	481,365	120	15.4	9.5-21.3	149	17.6	10.9-24.3	120	11.9	7.0-16.8	543	53.8	45.6-62.0	8	1.3	0.0- 3.1
H.S. or G.E.D.	3258	1,176,204	360	15.6	12.7-18.5	478	16.7	14.2-19.2	342	11.6	9.1-14.1	2062	55.5	51.8-59.2	16	0.6	0.2- 1.0
Some Post-H.S.	3465	1,417,972	387	15.6	13.1-18.1	464	16.4	13.9-18.9	368	12.1	9.9-14.3	2227	55.4	52.1-58.7	19	0.5	0.1- 0.9
College Graduate	3208	1,008,938	230	11.3	8.8-13.8	353	10.6	8.6-12.6	267	10.7	8.5-12.9	2349	67.2	63.9-70.5	9	0.2	0.0- 0.4
Less than \$15,000	869	288,134	154	22.8	15.9-29.7	156	16.1	11.4-20.8	97	15.9	8.6-23.2	456	44.4	37.0-51.8	6	0.8	0.0- 1.8
\$15,000- 24,999	1851	618,355	239	18.4	14.1-22.7	283	18.0	14.1-21.9	186	9.4	6.5-12.3	1135	54.0	48.9-59.1	8	0.2	0.0- 0.4
\$25,000- 34,999	1156	380,233	122	17.1	11.8-22.4	173	16.3	10.6-22.0	133	12.3	8.2-16.4	723	53.4	46.3-60.5	5	0.9	0.0- 2.1
\$35,000- 49,999	1459	521,547	142	13.1	9.8-16.4	194	14.9	11.0-18.8	143	13.6	9.3-17.9	971	57.9	52.6-63.2	9	0.5	0.0- 1.1
\$50,000- 74,999	1442	544,139	114	10.9	7.4-14.4	181	15.7	12.0-19.4	164	13.9	10.2-17.6	979	58.9	53.8-64.0	4	0.6	0.0- 1.4
\$75,000+	2176	1,006,217	162	11.1	8.2-14.0	248	13.6	10.9-16.3	212	11.7	9.2-14.2	1545	63.3	59.4-67.2	9	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5383	2,301,827	554	14.2	12.0-16.4	659	15.4	13.2-17.6	525	11.7	9.9-13.5	3612	57.9	55.2-60.6	33	0.7	0.3- 1.1
White/Non-Hisp	4294	1,607,487	361	12.5	10.3-14.7	481	13.8	11.6-16.0	388	10.5	8.7-12.3	3038	62.4	59.5-65.3	26	0.9	0.3- 1.5
Black or Afr. Am./Non-Hisp	283	148,969	42	16.8	6.2-27.4	40	21.3	7.0-35.6	37	10.1	4.8-15.4	162	50.2	36.3-64.1	2	1.5	0.0- 4.4
Oth. Race/Non-Hisp.	126	39,368	20	13.3	2.7-23.9	21	15.8	3.8-27.8	17	30.2	5.7-54.7	66	40.6	19.4-61.8	2	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	73	16,532	10	24.8	3.8-45.8	15	36.5	13.0-60.0	4	0.7	0.0- 1.7	44	38.0	18.6-57.4			
Hispanic	485	439,395	105	18.8	12.7-24.9	85	18.9	12.8-25.0	69	15.8	10.1-21.5	223	46.4	38.2-54.6	3	0.1	0.1- 0.1
18-24	78	67,397	54	64.7	48.4-81.0	16	24.0	8.9-39.1	3	4.4	0.0-11.8	2	1.1	0.0- 2.7	3	5.8	0.0-12.9
25-34	291	238,484	104	36.5	26.7-46.3	103	33.4	24.4-42.4	51	19.6	12.2-27.0	28	8.8	4.1-13.5	5	1.6	0.0- 3.6
35-44	385	288,917	83	19.9	13.2-26.6	108	26.9	19.6-34.2	71	17.6	11.1-24.1	122	35.6	26.2-45.0	1	0.0	0.0- 0.0
45-54	553	288,814	90	14.2	9.5-18.9	118	23.6	16.3-30.9	97	18.8	12.3-25.3	245	43.2	35.8-50.6	3	0.2	0.0- 0.6
55-64	1055	427,008	106	12.4	7.5-17.3	145	12.5	8.6-16.4	126	11.4	8.3-14.5	674	63.6	57.5-69.7	4	0.1	0.0- 0.3
65+	2964	955,625	114	4.4	2.6- 6.2	165	6.1	3.6- 8.6	167	6.2	4.0- 8.4	2501	82.4	78.9-85.9	17	0.8	0.0- 1.6
Less Than H.S.	513	303,300	68	13.6	6.9-20.3	73	16.9	9.1-24.7	59	9.1	4.8-13.4	308	58.5	48.3-68.7	5	2.0	0.0- 4.7
H.S. or G.E.D.	1586	661,787	191	17.1	12.6-21.6	209	15.5	12.0-19.0	175	14.2	10.3-18.1	1000	52.5	47.4-57.6	11	0.6	0.0- 1.2
Some Post-H.S.	1548	742,726	174	15.6	12.1-19.1	194	18.8	14.5-23.1	157	11.0	8.1-13.9	1013	53.8	49.1-58.5	10	0.7	0.1- 1.3
College Graduate	1716	589,129	118	9.6	6.5-12.7	181	10.4	7.7-13.1	134	11.2	8.1-14.3	1277	68.6	64.1-73.1	6	0.2	0.0- 0.4
Less than \$15,000	345	127,953	66	20.0	12.2-27.8	61	18.8	11.0-26.6	30	12.3	5.6-19.0	183	48.3	37.5-59.1	5	0.7	0.0- 1.7
\$15,000- 24,999	845	341,384	116	19.6	13.1-26.1	112	17.2	11.5-22.9	85	11.2	6.3-16.1	525	51.5	44.2-58.8	7	0.4	0.0- 1.0
\$25,000- 34,999	599	232,713	62	17.4	9.8-25.0	74	16.7	8.1-25.3	71	14.8	8.7-20.9	389	49.8	39.8-59.8	3	1.3	0.0- 3.1
\$35,000- 49,999	766	297,144	83	13.1	9.0-17.2	95	15.4	9.5-21.3	71	11.5	5.8-17.2	514	59.8	52.5-67.1	3	0.2	0.0- 0.6
\$50,000- 74,999	763	316,301	64	10.8	6.3-15.3	92	18.0	12.3-23.7	86	12.3	8.0-16.6	517	57.9	50.8-65.0	4	1.1	0.0- 2.7
\$75,000+	1247	648,707	88	11.0	6.9-15.1	138	13.7	10.2-17.2	122	12.3	8.8-15.8	893	62.8	57.5-68.1	6	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5524	1,791,207	547	14.9	12.5-17.3	789	14.8	12.8-16.8	575	11.4	9.4-13.4	3593	58.6	55.7-61.5	20	0.3	0.1- 0.5
White/Non-Hisp	4681	1,356,538	414	11.2	9.2-13.2	637	14.5	12.5-16.5	481	11.2	9.2-13.2	3133	62.7	60.0-65.4	16	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	270	91,352	40	15.5	7.1-23.9	49	30.5	12.1-48.9	27	15.6	2.5-28.7	152	36.8	21.7-51.9	2	1.6	0.0- 4.5
Oth. Race/Non-Hisp.	107	23,986	18	42.4	13.2-71.6	20	10.2	1.6-18.8	8	9.7	0.0-22.0	60	37.6	15.3-59.9	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	67	17,114	13	41.9	19.9-63.9	11	15.7	2.6-28.8	8	6.8	0.0-16.0	35	35.7	15.9-55.5			
Hispanic	318	259,098	57	28.9	18.9-38.9	62	12.4	7.5-17.3	35	9.8	2.5-17.1	163	48.8	38.4-59.2	1	0.0	0.0- 0.0
25-34	238	149,087	85	41.6	28.5-54.7	92	40.9	27.6-54.2	39	11.2	5.5-16.9	22	6.2	2.1-10.3			
35-44	342	188,386	70	27.8	18.2-37.4	105	28.5	21.1-35.9	64	14.0	8.7-19.3	103	29.7	21.5-37.9			
45-54	582	224,957	104	19.7	13.4-26.0	134	17.9	12.6-23.2	76	12.6	6.3-18.9	268	49.7	41.5-57.9			
55-64	1198	394,122	122	13.0	8.3-17.7	192	11.2	8.1-14.3	156	15.5	9.8-21.2	725	60.1	53.8-66.4	3	0.1	0.0- 0.3
65+	3054	757,086	129	3.1	2.1- 4.1	254	8.0	6.2- 9.8	231	9.1	6.6-11.6	2425	79.4	76.3-82.5	15	0.4	0.0- 0.8
Less Than H.S.	427	178,065	52	18.5	7.5-29.5	76	18.9	7.1-30.7	61	16.7	6.1-27.3	235	45.8	33.6-58.0	3	0.0	0.0- 0.0
H.S. or G.E.D.	1672	514,417	169	13.7	10.0-17.4	269	18.2	14.5-21.9	167	8.2	5.5-10.9	1062	59.3	54.2-64.4	5	0.6	0.0- 1.4
Some Post-H.S.	1917	675,247	213	15.6	11.9-19.3	270	13.7	11.0-16.4	211	13.3	10.0-16.6	1214	57.1	52.6-61.6	9	0.3	0.1- 0.5
College Graduate	1492	419,809	112	13.6	9.3-17.9	172	10.9	8.4-13.4	133	10.0	7.1-12.9	1072	65.3	60.4-70.2	3	0.2	0.0- 0.4
Less than \$15,000	524	160,181	88	25.1	14.7-35.5	95	13.9	8.4-19.4	67	18.9	7.3-30.5	273	41.2	31.0-51.4	1	0.9	0.0- 2.7
\$15,000- 24,999	1006	276,971	123	17.0	11.5-22.5	171	18.8	13.5-24.1	101	7.1	4.2-10.0	610	57.1	50.2-64.0	1	0.0	0.0- 0.0
\$25,000- 34,999	557	147,520	60	16.6	9.7-23.5	99	15.8	10.3-21.3	62	8.4	4.1-12.7	334	59.0	50.4-67.6	2	0.2	0.0- 0.6
\$35,000- 49,999	693	224,403	59	13.2	7.9-18.5	99	14.1	9.2-19.0	72	16.4	9.5-23.3	457	55.4	47.6-63.2	6	0.9	0.0- 2.1
\$50,000- 74,999	679	227,838	50	11.1	5.8-16.4	89	12.5	8.2-16.8	78	16.1	9.2-23.0	462	60.3	52.7-67.9			
\$75,000+	929	357,510	74	11.2	7.3-15.1	110	13.5	10.0-17.0	90	10.6	7.5-13.7	652	64.3	58.8-69.8	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35251	15,629,566	625	1.4	1.2- 1.6	597	1.7	1.5- 1.9	34029	97.0	96.6-97.4
Male	14860	7,540,870	545	2.4	2.0- 2.8	386	2.4	2.0- 2.8	13929	95.1	94.5-95.7
Female	20388	8,086,953	80	0.4	0.2- 0.6	211	1.0	0.6- 1.4	20097	98.7	98.3-99.1
White/Non-Hisp	25578	8,897,853	509	1.8	1.4- 2.2	386	1.5	1.3- 1.7	24683	96.7	96.3-97.1
Black or Afr. Am./Non-Hisp	3471	2,106,259	56	1.5	0.5- 2.5	86	1.5	0.7- 2.3	3329	97.1	95.7-98.5
Oth. Race/Non-Hisp.	990	562,280	20	0.3	0.0- 0.7	21	2.3	0.7- 3.9	949	97.4	95.8-99.0
MultiRacial/Non-Hisp.	436	136,765	11	1.0	0.0- 2.0	13	2.4	0.0- 5.1	412	96.6	93.7-99.5
Hispanic	4174	3,617,190	22	0.5	0.3- 0.7	77	2.0	1.2- 2.8	4075	97.5	96.5-98.5
18-24	1771	1,718,749	33	1.0	0.4- 1.6	48	2.2	1.2- 3.2	1690	96.8	95.6-98.0
25-34	3285	2,442,016	76	2.2	1.2- 3.2	85	2.5	1.5- 3.5	3124	95.3	94.1-96.5
35-44	3521	2,252,798	92	1.6	1.0- 2.2	81	1.7	1.1- 2.3	3348	96.7	95.9-97.5
45-54	5024	2,449,822	142	2.1	1.3- 2.9	106	1.7	1.1- 2.3	4776	96.2	95.2-97.2
55-64	7008	2,563,706	119	1.0	0.6- 1.4	107	1.6	0.6- 2.6	6782	97.4	96.4-98.4
65+	14146	3,920,871	159	0.8	0.4- 1.2	162	0.9	0.5- 1.3	13825	98.2	97.6-98.8
Less Than H.S.	3677	2,109,720	118	2.0	1.2- 2.8	103	2.8	1.4- 4.2	3456	95.2	93.6-96.8
H.S. or G.E.D.	10520	4,604,535	266	1.9	1.3- 2.5	213	1.9	1.3- 2.5	10041	96.2	95.4-97.0
Some Post-H.S.	10246	4,931,896	146	1.2	0.8- 1.6	149	1.3	0.9- 1.7	9951	97.5	96.9-98.1
College Graduate	10641	3,898,385	94	0.7	0.5- 0.9	127	1.2	0.8- 1.6	10420	98.1	97.7-98.5
Less than \$15,000	3263	1,258,564	73	1.8	1.0- 2.6	81	2.0	0.8- 3.2	3109	96.2	94.8-97.6
\$15,000- 24,999	6469	2,712,220	108	1.5	0.7- 2.3	116	1.5	0.9- 2.1	6245	96.9	95.9-97.9
\$25,000- 34,999	3674	1,499,675	65	1.3	0.5- 2.1	60	1.6	0.8- 2.4	3549	97.1	95.9-98.3
\$35,000- 49,999	4324	1,851,582	104	2.0	1.2- 2.8	62	1.2	0.6- 1.8	4158	96.8	95.8-97.8
\$50,000- 74,999	4014	1,768,018	76	1.2	0.6- 1.8	52	1.2	0.6- 1.8	3886	97.6	96.8-98.4
\$75,000+	6829	3,436,812	122	1.4	1.0- 1.8	112	1.7	1.1- 2.3	6595	96.9	96.1-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14860	7,540,870	545	2.4	2.0- 2.8	386	2.4	2.0- 2.8	13929	95.1	94.5-95.7
White/Non-Hisp	10595	4,312,136	462	3.4	2.8- 4.0	262	2.4	1.8- 3.0	9871	94.2	93.4-95.0
Black or Afr. Am./Non-Hisp	1389	983,492	33	2.0	0.2- 3.8	41	2.2	0.6- 3.8	1315	95.8	93.4-98.2
Oth. Race/Non-Hisp.	503	261,611	19	0.6	0.0- 1.2	14	3.4	0.9- 5.9	470	96.0	93.5-98.5
MultiRacial/Non-Hisp.	211	62,946	10	1.8	0.0- 4.0	11	2.3	0.1- 4.5	190	95.8	92.7-98.9
Hispanic	1839	1,745,700	14	0.7	0.1- 1.3	47	2.4	1.4- 3.4	1778	96.9	95.7-98.1
18-24	909	885,851	32	1.8	0.8- 2.8	39	3.7	1.9- 5.5	838	94.6	92.6-96.6
25-34	1522	1,237,910	71	4.3	2.5- 6.1	67	4.1	2.5- 5.7	1384	91.6	89.2-94.0
35-44	1544	1,098,741	82	2.7	1.5- 3.9	61	2.7	1.5- 3.9	1401	94.7	93.1-96.3
45-54	2200	1,218,577	126	3.3	2.1- 4.5	66	2.7	1.5- 3.9	2008	94.1	92.5-95.7
55-64	2964	1,204,219	100	1.8	1.0- 2.6	66	1.5	0.9- 2.1	2798	96.7	95.7-97.7
65+	5529	1,778,125	131	1.3	0.7- 1.9	84	1.0	0.4- 1.6	5314	97.7	96.9-98.5
Less Than H.S.	1612	1,078,465	97	3.4	2.0- 4.8	64	2.8	1.4- 4.2	1451	93.8	91.8-95.8
H.S. or G.E.D.	4412	2,297,779	236	3.2	2.2- 4.2	146	2.8	2.0- 3.6	4030	94.0	92.6-95.4
Some Post-H.S.	3974	2,210,524	130	2.3	1.5- 3.1	93	2.3	1.5- 3.1	3751	95.5	94.5-96.5
College Graduate	4793	1,912,185	82	1.3	0.7- 1.9	81	1.9	1.1- 2.7	4630	96.8	95.8-97.8
Less than \$15,000	1157	545,453	60	3.5	1.7- 5.3	43	2.8	1.2- 4.4	1054	93.7	91.3-96.1
\$15,000- 24,999	2467	1,224,891	82	2.9	1.3- 4.5	68	2.3	1.1- 3.5	2317	94.7	92.9-96.5
\$25,000- 34,999	1520	719,855	58	2.7	1.1- 4.3	44	2.6	1.2- 4.0	1418	94.7	92.7-96.7
\$35,000- 49,999	1968	912,424	92	3.2	2.0- 4.4	41	1.7	0.7- 2.7	1835	95.1	93.5-96.7
\$50,000- 74,999	1876	908,626	73	2.2	1.0- 3.4	41	2.2	1.0- 3.4	1762	95.6	94.0-97.2
\$75,000+	3485	1,909,863	114	2.1	1.5- 2.7	87	2.8	1.8- 3.8	3284	95.1	93.9-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20388	8,086,953	80	0.4	0.2- 0.6	211	1.0	0.6- 1.4	20097	98.7	98.3-99.1
White/Non-Hisp	14981	4,584,571	47	0.3	0.1- 0.5	124	0.7	0.5- 0.9	14810	99.0	98.6-99.4
Black or Afr. Am./Non-Hisp	2081	1,122,170	23	1.0	0.0- 2.2	45	0.8	0.2- 1.4	2013	98.2	96.8-99.6
Oth. Race/Non-Hisp.	487	300,670	1	0.0	0.0- 0.0	7	1.4	0.0- 3.2	479	98.6	96.8- 100
MultiRacial/Non-Hisp.	225	73,819	1	0.3	0.0- 0.9	2	2.5	0.0- 7.4	222	97.2	92.3- 100
Hispanic	2335	1,871,490	8	0.2	0.0- 0.4	30	1.7	0.3- 3.1	2297	98.1	96.7-99.5
18-24	862	832,897	1	0.1	0.0- 0.3	9	0.7	0.1- 1.3	852	99.2	98.6-99.8
25-34	1761	1,202,615	5	0.1	0.1- 0.1	18	0.9	0.0- 1.9	1738	99.0	98.0- 100
35-44	1977	1,154,057	10	0.5	0.1- 0.9	20	0.7	0.1- 1.3	1947	98.7	97.9-99.5
45-54	2824	1,231,245	16	0.9	0.0- 1.9	40	0.8	0.2- 1.4	2768	98.3	97.1-99.5
55-64	4044	1,359,487	19	0.3	0.1- 0.5	41	1.7	0.1- 3.3	3984	98.0	96.4-99.6
65+	8616	2,142,494	28	0.4	0.0- 0.8	78	0.9	0.3- 1.5	8510	98.7	97.9-99.5
Less Than H.S.	2064	1,030,658	21	0.5	0.0- 1.1	39	2.7	0.2- 5.2	2004	96.7	94.2-99.2
H.S. or G.E.D.	6108	2,306,755	30	0.6	0.0- 1.2	67	1.0	0.4- 1.6	6011	98.4	97.6-99.2
Some Post-H.S.	6272	2,721,372	16	0.3	0.0- 0.7	56	0.6	0.4- 0.8	6200	99.1	98.7-99.5
College Graduate	5846	1,985,054	12	0.1	0.1- 0.1	46	0.5	0.3- 0.7	5788	99.3	99.1-99.5
Less than \$15,000	2106	713,111	13	0.5	0.0- 1.1	38	1.5	0.0- 3.1	2055	98.0	96.2-99.8
\$15,000- 24,999	4002	1,487,329	26	0.4	0.0- 0.8	48	0.9	0.3- 1.5	3928	98.7	98.1-99.3
\$25,000- 34,999	2153	778,926	7	0.1	0.1- 0.1	16	0.8	0.0- 1.8	2130	99.2	98.2- 100
\$35,000- 49,999	2356	939,158	12	0.9	0.0- 1.9	21	0.7	0.1- 1.3	2323	98.4	97.4-99.4
\$50,000- 74,999	2138	859,393	3	0.1	0.0- 0.3	11	0.1	0.0- 0.3	2124	99.8	99.6- 100
\$75,000+	3343	1,526,697	8	0.5	0.0- 1.3	25	0.4	0.0- 0.8	3310	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 10: E-CIGARETTES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35214	15,620,113	5859	20.3	19.3-21.3	29355	79.7	78.7-80.7
Male	14852	7,532,105	2736	23.2	21.8-24.6	12116	76.8	75.4-78.2
Female	20359	8,086,265	3122	17.6	16.4-18.8	17237	82.4	81.2-83.6
White/Non-Hisp	25555	8,887,419	4426	22.7	21.5-23.9	21129	77.3	76.1-78.5
Black or Afr. Am./Non-Hisp	3468	2,113,648	426	15.8	13.1-18.5	3042	84.2	81.5-86.9
Oth. Race/Non-Hisp.	988	561,938	194	10.3	7.6-13.0	794	89.7	87.0-92.4
MultiRacial/Non-Hisp.	432	133,991	128	39.8	30.0-49.6	304	60.2	50.4-70.0
Hispanic	4173	3,614,541	580	17.5	15.3-19.7	3593	82.5	80.3-84.7
18-24	1774	1,729,459	650	36.8	33.3-40.3	1124	63.2	59.7-66.7
25-34	3283	2,437,992	1084	33.5	30.6-36.4	2199	66.5	63.6-69.4
35-44	3520	2,250,870	841	22.7	20.2-25.2	2679	77.3	74.8-79.8
45-54	5019	2,447,957	1033	19.8	17.6-22.0	3986	80.2	78.0-82.4
55-64	7009	2,563,377	1191	16.9	14.7-19.1	5818	83.1	80.9-85.3
65+	14117	3,909,400	1014	6.6	5.6- 7.6	13103	93.4	92.4-94.4
Less Than H.S.	3670	2,108,379	676	21.3	18.2-24.4	2994	78.7	75.6-81.8
H.S. or G.E.D.	10510	4,600,544	1965	22.9	21.1-24.7	8545	77.1	75.3-78.9
Some Post-H.S.	10239	4,930,546	2091	23.9	22.1-25.7	8148	76.1	74.3-77.9
College Graduate	10631	3,896,427	1110	12.4	11.0-13.8	9521	87.6	86.2-89.0
Less than \$15,000	3265	1,252,555	745	24.3	21.0-27.6	2520	75.7	72.4-79.0
\$15,000- 24,999	6459	2,705,677	1306	23.5	21.3-25.7	5153	76.5	74.3-78.7
\$25,000- 34,999	3672	1,498,648	652	20.0	17.3-22.7	3020	80.0	77.3-82.7
\$35,000- 49,999	4323	1,852,590	769	21.4	18.9-23.9	3554	78.6	76.1-81.1
\$50,000- 74,999	4008	1,766,497	641	22.3	19.4-25.2	3367	77.7	74.8-80.6
\$75,000+	6825	3,433,912	861	17.2	15.2-19.2	5964	82.8	80.8-84.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14852	7,532,105	2736	23.2	21.8-24.6	12116	76.8	75.4-78.2
White/Non-Hisp	10591	4,307,961	1955	24.6	22.8-26.4	8636	75.4	73.6-77.2
Black or Afr. Am./Non-Hisp	1391	984,331	222	20.8	16.3-25.3	1169	79.2	74.7-83.7
Oth. Race/Non-Hisp.	502	261,487	102	12.1	8.0-16.2	400	87.9	83.8-92.0
MultiRacial/Non-Hisp.	210	60,356	66	36.5	24.0-49.0	144	63.5	51.0-76.0
Hispanic	1838	1,743,570	330	21.8	18.5-25.1	1508	78.2	74.9-81.5
18-24	910	886,893	389	43.9	38.6-49.2	521	56.1	50.8-61.4
25-34	1520	1,233,902	559	36.7	32.6-40.8	961	63.3	59.2-67.4
35-44	1544	1,096,913	424	27.9	23.8-32.0	1120	72.1	68.0-76.2
45-54	2197	1,216,652	446	20.0	17.1-22.9	1751	80.0	77.1-82.9
55-64	2967	1,204,032	500	18.1	14.8-21.4	2467	81.9	78.6-85.2
65+	5523	1,776,311	401	7.0	5.6- 8.4	5122	93.0	91.6-94.4
Less Than H.S.	1610	1,073,988	320	23.3	18.8-27.8	1290	76.7	72.2-81.2
H.S. or G.E.D.	4411	2,296,750	974	26.9	24.4-29.4	3437	73.1	70.6-75.6
Some Post-H.S.	3974	2,209,758	910	27.4	24.7-30.1	3064	72.6	69.9-75.3
College Graduate	4789	1,909,787	524	13.9	11.9-15.9	4265	86.1	84.1-88.1
Less than \$15,000	1158	544,940	291	27.3	22.0-32.6	867	72.7	67.4-78.0
\$15,000- 24,999	2461	1,218,134	551	25.8	22.5-29.1	1910	74.2	70.9-77.5
\$25,000- 34,999	1517	718,821	283	21.1	17.0-25.2	1234	78.9	74.8-83.0
\$35,000- 49,999	1971	913,678	390	22.2	18.5-25.9	1581	77.8	74.1-81.5
\$50,000- 74,999	1871	906,824	341	26.6	22.3-30.9	1530	73.4	69.1-77.7
\$75,000+	3486	1,908,197	483	20.5	17.8-23.2	3003	79.5	76.8-82.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20359	8,086,265	3122	17.6	16.4-18.8	17237	82.4	81.2-83.6
White/Non-Hisp	14962	4,578,312	2470	20.8	19.4-22.2	12492	79.2	77.8-80.6
Black or Afr. Am./Non-Hisp	2076	1,128,720	204	11.5	8.4-14.6	1872	88.5	85.4-91.6
Oth. Race/Non-Hisp.	486	300,452	92	8.8	5.1-12.5	394	91.2	87.5-94.9
MultiRacial/Non-Hisp.	222	73,635	62	42.5	28.4-56.6	160	57.5	43.4-71.6
Hispanic	2335	1,870,971	250	13.5	10.8-16.2	2085	86.5	83.8-89.2
18-24	864	842,566	261	29.4	24.7-34.1	603	70.6	65.9-75.3
25-34	1761	1,202,600	524	30.1	26.2-34.0	1237	69.9	66.0-73.8
35-44	1976	1,153,958	417	17.7	14.8-20.6	1559	82.3	79.4-85.2
45-54	2822	1,231,305	587	19.6	16.3-22.9	2235	80.4	77.1-83.7
55-64	4042	1,359,345	691	15.8	13.3-18.3	3351	84.2	81.7-86.7
65+	8593	2,132,837	613	6.3	5.1- 7.5	7980	93.7	92.5-94.9
Less Than H.S.	2059	1,033,794	356	19.1	14.8-23.4	1703	80.9	76.6-85.2
H.S. or G.E.D.	6099	2,303,794	991	18.8	16.6-21.0	5108	81.2	79.0-83.4
Some Post-H.S.	6265	2,720,788	1181	21.0	18.8-23.2	5084	79.0	76.8-81.2
College Graduate	5840	1,985,494	585	10.9	9.1-12.7	5255	89.1	87.3-90.9
Less than \$15,000	2107	707,615	454	22.0	17.7-26.3	1653	78.0	73.7-82.3
\$15,000- 24,999	3998	1,487,543	755	21.6	18.9-24.3	3243	78.4	75.7-81.1
\$25,000- 34,999	2154	778,934	368	18.9	15.2-22.6	1786	81.1	77.4-84.8
\$35,000- 49,999	2352	938,912	379	20.6	17.1-24.1	1973	79.4	75.9-82.9
\$50,000- 74,999	2137	859,673	300	17.9	14.4-21.4	1837	82.1	78.6-85.6
\$75,000+	3338	1,525,463	378	13.0	10.6-15.4	2960	87.0	84.6-89.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5868	3,169,932	496	8.5	7.1- 9.9	853	14.8	13.0-16.6	4519	76.7	74.5-78.9
Male	2738	1,741,789	263	9.6	7.4-11.8	386	14.7	12.2-17.2	2089	75.7	72.6-78.8
Female	3129	1,427,250	233	7.0	5.0- 9.0	467	15.0	12.5-17.5	2429	78.0	75.1-80.9
White/Non-Hisp	4430	2,016,384	407	9.9	8.1-11.7	647	15.2	13.2-17.2	3376	74.8	72.3-77.3
Black or Afr. Am./Non-Hisp	426	332,305	13	2.6	0.6- 4.6	69	15.3	8.8-21.8	344	82.1	75.4-88.8
Oth. Race/Non-Hisp.	194	57,178	12	2.1	0.0- 4.3	32	21.4	9.8-33.0	150	76.5	64.7-88.3
MultiRacial/Non-Hisp.	129	53,368	13	16.0	1.5-30.5	22	18.0	6.6-29.4	94	65.9	49.8-82.0
Hispanic	583	634,180	40	7.3	3.4-11.2	72	12.0	7.1-16.9	471	80.7	74.8-86.6
18-24	651	637,154	47	7.4	4.1-10.7	108	19.1	14.0-24.2	496	73.5	67.8-79.2
25-34	1082	816,488	71	6.7	3.8- 9.6	135	14.1	10.2-18.0	876	79.2	74.7-83.7
35-44	840	508,086	77	9.6	6.5-12.7	125	13.8	9.7-17.9	638	76.6	71.7-81.5
45-54	1033	481,197	101	10.6	6.3-14.9	172	14.0	10.5-17.5	760	75.4	70.3-80.5
55-64	1195	433,686	110	8.4	4.9-11.9	172	14.6	10.3-18.9	913	77.0	71.7-82.3
65+	1021	265,465	86	9.0	5.5-12.5	134	12.1	8.0-16.2	801	78.9	73.8-84.0
Less Than H.S.	679	450,510	45	3.9	1.9- 5.9	111	17.6	11.7-23.5	523	78.6	72.5-84.7
H.S. or G.E.D.	1970	1,053,125	182	9.9	7.0-12.8	302	16.9	13.4-20.4	1486	73.2	69.1-77.3
Some Post-H.S.	2093	1,176,449	181	9.4	7.0-11.8	288	13.8	11.1-16.5	1624	76.8	73.3-80.3
College Graduate	1109	481,826	86	7.2	4.5- 9.9	148	10.3	7.6-13.0	875	82.5	78.8-86.2
Less than \$15,000	745	308,821	55	8.6	3.9-13.3	139	19.9	13.6-26.2	551	71.5	64.4-78.6
\$15,000- 24,999	1308	636,059	107	7.9	4.8-11.0	202	16.0	12.1-19.9	999	76.1	71.4-80.8
\$25,000- 34,999	652	300,032	55	10.9	5.8-16.0	95	18.1	11.8-24.4	502	70.9	63.6-78.2
\$35,000- 49,999	769	394,429	69	7.8	4.3-11.3	111	14.8	9.7-19.9	589	77.5	71.6-83.4
\$50,000- 74,999	646	396,382	74	11.3	7.6-15.0	96	16.4	10.5-22.3	476	72.3	65.8-78.8
\$75,000+	860	591,692	74	8.9	5.0-12.8	110	13.6	9.5-17.7	676	77.5	72.2-82.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2738	1,741,789	263	9.6	7.4-11.8	386	14.7	12.2-17.2	2089	75.7	72.6-78.8
White/Non-Hisp	1955	1,058,431	203	11.2	8.7-13.7	270	13.8	11.1-16.5	1482	75.1	71.6-78.6
Black or Afr. Am./Non-Hisp	221	203,585	8	2.6	0.2- 5.0	40	17.6	8.4-26.8	173	79.8	70.6-89.0
Oth. Race/Non-Hisp.	102	30,613	8	2.1	0.0- 5.0	15	22.0	6.9-37.1	79	75.9	60.8-91.0
MultiRacial/Non-Hisp.	66	22,035	8	17.7	0.8-34.6	14	30.3	11.5-49.1	44	52.0	32.0-72.0
Hispanic	332	382,010	27	9.5	3.8-15.2	41	13.7	6.8-20.6	264	76.8	68.6-85.0
18-24	390	389,358	36	9.2	4.3-14.1	67	20.2	13.3-27.1	287	70.6	63.0-78.2
25-34	558	453,760	49	9.0	4.7-13.3	65	13.2	7.9-18.5	444	77.8	71.5-84.1
35-44	424	304,714	37	9.6	5.3-13.9	71	14.7	8.6-20.8	316	75.7	68.6-82.8
45-54	445	239,816	54	10.7	5.4-16.0	68	15.0	9.7-20.3	323	74.3	67.2-81.4
55-64	502	218,627	50	9.6	4.1-15.1	63	11.7	5.8-17.6	389	78.6	71.0-86.2
65+	402	124,692	36	11.5	5.2-17.8	50	9.1	4.6-13.6	316	79.4	71.8-87.0
Less Than H.S.	320	248,185	19	2.4	0.8- 4.0	48	18.5	10.1-26.9	253	79.1	70.5-87.7
H.S. or G.E.D.	975	619,392	98	11.2	7.1-15.3	156	17.1	12.2-22.0	721	71.7	66.0-77.4
Some Post-H.S.	911	605,338	99	11.6	8.1-15.1	116	12.9	9.0-16.8	696	75.5	70.6-80.4
College Graduate	524	263,567	47	8.4	4.5-12.3	64	9.1	5.8-12.4	413	82.4	77.5-87.3
Less than \$15,000	291	148,699	26	7.4	1.9-12.9	52	18.3	10.1-26.5	213	74.3	64.9-83.7
\$15,000- 24,999	553	315,081	51	10.5	5.0-16.0	78	15.5	9.2-21.8	424	74.0	66.6-81.4
\$25,000- 34,999	283	151,556	26	8.9	4.4-13.4	44	20.8	10.6-31.0	213	70.3	60.1-80.5
\$35,000- 49,999	388	201,338	34	9.0	3.1-14.9	59	14.2	7.9-20.5	295	76.8	68.8-84.8
\$50,000- 74,999	345	242,825	42	10.9	5.6-16.2	50	19.0	10.0-28.0	253	70.1	60.7-79.5
\$75,000+	482	392,023	52	12.5	6.8-18.2	60	12.9	7.6-18.2	370	74.5	67.2-81.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 10: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3129	1,427,250	233	7.0	5.2- 8.8	467	15.0	12.5-17.5	2429	78.0	75.1-80.9
White/Non-Hisp	2474	957,060	204	8.6	6.4-10.8	377	16.8	13.9-19.7	1893	74.6	71.3-77.9
Black or Afr. Am./Non-Hisp	205	128,720	5	2.7	0.0- 6.4	29	11.6	3.8-19.4	171	85.7	77.1-94.3
Oth. Race/Non-Hisp.	92	26,565	4	2.1	0.0- 5.0	17	20.7	2.7-38.7	71	77.2	59.0-95.4
MultiRacial/Non-Hisp.	63	31,332	5	14.9	0.0-36.9	8	9.4	0.0-21.9	50	75.7	52.6-98.8
Hispanic	251	252,170	13	3.8	0.0- 7.7	31	9.5	3.0-16.0	207	86.7	79.4-94.0
18-24	261	247,796	11	4.7	1.4- 8.0	41	17.3	9.9-24.7	209	78.0	70.2-85.8
25-34	523	361,834	22	3.8	0.5- 7.1	70	15.2	9.5-20.9	431	81.0	74.5-87.5
35-44	416	203,372	40	9.5	5.2-13.8	54	12.5	7.8-17.2	322	78.0	71.9-84.1
45-54	588	241,381	47	10.5	6.2-14.8	104	13.1	8.8-17.4	437	76.5	70.4-82.6
55-64	693	215,060	60	7.2	2.5-11.9	109	17.5	11.2-23.8	524	75.3	67.9-82.7
65+	619	140,773	50	6.7	3.4-10.0	84	14.8	8.3-21.3	485	78.5	71.4-85.6
Less Than H.S.	359	202,324	26	5.6	1.7- 9.5	63	16.4	8.8-24.0	270	78.0	69.4-86.6
H.S. or G.E.D.	995	433,733	84	8.1	5.4-10.8	146	16.5	12.0-21.0	765	75.4	70.3-80.5
Some Post-H.S.	1182	571,110	82	7.2	3.9-10.5	172	14.6	10.7-18.5	928	78.2	73.5-82.9
College Graduate	584	217,366	39	5.8	2.3- 9.3	84	11.7	7.0-16.4	461	82.5	76.8-88.2
Less than \$15,000	454	160,122	29	9.7	2.3-17.1	87	21.3	12.3-30.3	338	68.9	58.3-79.5
\$15,000- 24,999	755	320,978	56	5.4	2.7- 8.1	124	16.5	11.6-21.4	575	78.1	72.6-83.6
\$25,000- 34,999	368	147,583	29	13.1	3.9-22.3	51	15.5	8.4-22.6	288	71.4	61.2-81.6
\$35,000- 49,999	381	193,091	35	6.6	3.1-10.1	52	15.3	7.1-23.5	294	78.1	69.5-86.7
\$50,000- 74,999	301	153,558	32	12.1	7.4-16.8	46	12.3	7.2-17.4	223	75.6	68.7-82.5
\$75,000+	378	199,669	22	1.8	0.6- 3.0	50	14.8	8.1-21.5	306	83.4	76.5-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	190
2 MALES ONLY	191
3 FEMALES ONLY	192
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	193
5 MALES ONLY	194
6 FEMALES ONLY	195
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	196
8 MALES ONLY	197
9 FEMALES ONLY	198
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	199
11 MALES ONLY	200
12 FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34587	15,323,819	4090	14.0	13.2-14.8	1162	3.0	2.6- 3.4	7809	27.6	26.6-28.6	3027	8.1	7.5- 8.7	18499	47.3	46.1-48.5
Male	14524	7,366,772	2034	15.9	14.7-17.1	665	4.0	3.4- 4.6	3475	28.9	27.3-30.5	1710	10.2	9.4-11.0	6640	41.0	39.4-42.6
Female	20060	7,955,304	2055	12.2	11.2-13.2	497	2.2	1.8- 2.6	4334	26.3	24.9-27.7	1315	6.2	5.6- 6.8	11859	53.1	51.5-54.7
White/Non-Hisp	25138	8,748,941	3091	15.5	14.5-16.5	1002	4.0	3.6- 4.4	5740	28.2	27.0-29.4	2605	11.2	10.4-12.0	12700	41.1	39.9-42.3
Black or Afr. Am./Non-Hisp	3395	2,084,747	322	11.8	9.4-14.2	50	2.6	1.2- 4.0	693	25.2	22.1-28.3	110	3.1	1.9- 4.3	2220	57.3	53.6-61.0
Oth. Race/Non-Hisp.	965	548,251	114	11.1	7.4-14.8	24	2.3	0.0- 5.0	165	24.2	18.3-30.1	71	5.3	2.8- 7.8	591	57.1	50.4-63.8
MultiRacial/Non-Hisp.	429	132,939	39	10.9	5.8-16.0	10	1.9	0.0- 4.4	100	30.5	21.3-39.7	30	10.3	4.8-15.8	250	46.4	36.6-56.2
Hispanic	4088	3,518,788	460	12.0	10.2-13.8	55	1.2	0.6- 1.8	988	27.7	25.2-30.2	159	3.8	2.8- 4.8	2426	55.3	52.6-58.0
18-24	1732	1,683,759	204	11.1	8.9-13.3	12	0.5	0.1- 0.9	523	30.1	26.6-33.6	98	5.1	3.5- 6.7	895	53.2	49.5-56.9
25-34	3220	2,397,727	507	16.5	14.3-18.7	48	1.8	1.0- 2.6	1109	38.5	35.6-41.4	210	6.5	5.3- 7.7	1346	36.8	33.9-39.7
35-44	3455	2,209,916	477	16.5	14.1-18.9	71	2.0	1.2- 2.8	1038	31.0	28.3-33.7	235	7.0	5.4- 8.6	1634	43.5	40.4-46.6
45-54	4928	2,388,172	665	15.5	13.5-17.5	126	2.5	1.7- 3.3	1255	27.7	25.2-30.2	401	8.4	6.8-10.0	2481	46.0	43.3-48.7
55-64	6903	2,537,486	845	14.7	12.7-16.7	228	4.3	3.1- 5.5	1455	22.6	20.4-24.8	673	9.9	8.3-11.5	3702	48.5	45.8-51.2
65+	13879	3,842,009	1335	11.2	10.0-12.4	661	5.1	4.3- 5.9	2340	20.6	19.0-22.2	1379	9.7	8.7-10.7	8164	53.4	51.4-55.4
Less Than H.S.	3594	2,067,916	244	9.1	6.7-11.5	94	2.8	1.6- 4.0	496	18.4	15.7-21.1	144	4.9	3.3- 6.5	2616	64.8	61.3-68.3
H.S. or G.E.D.	10307	4,496,015	993	12.9	11.5-14.3	281	2.4	1.8- 3.0	1969	24.4	22.4-26.4	668	6.5	5.5- 7.5	6396	53.8	51.6-56.0
Some Post-H.S.	10074	4,839,932	1240	14.1	12.7-15.5	354	3.2	2.6- 3.8	2480	30.6	28.8-32.4	852	7.9	6.9- 8.9	5148	44.1	42.1-46.1
College Graduate	10457	3,842,286	1605	18.0	16.6-19.4	429	3.8	3.0- 4.6	2843	32.5	30.7-34.3	1351	12.0	10.8-13.2	4229	33.7	31.9-35.5
Less than \$15,000	3203	1,227,155	255	10.9	8.4-13.4	72	2.3	1.3- 3.3	481	16.6	13.9-19.3	146	4.2	2.8- 5.6	2249	66.0	62.5-69.5
\$15,000- 24,999	6379	2,667,157	578	10.7	9.1-12.3	157	2.4	1.6- 3.2	1096	23.3	20.9-25.7	369	5.3	4.3- 6.3	4179	58.4	55.9-60.9
\$25,000- 34,999	3622	1,483,611	386	11.8	9.6-14.0	114	2.8	1.8- 3.8	824	26.4	23.3-29.5	241	5.3	4.1- 6.5	2057	53.6	50.1-57.1
\$35,000- 49,999	4220	1,813,620	536	15.3	13.1-17.5	158	2.5	1.7- 3.3	1068	31.7	28.8-34.6	367	8.7	6.9-10.5	2091	41.8	38.7-44.9
\$50,000- 74,999	3964	1,752,543	581	18.2	15.5-20.9	153	4.1	2.9- 5.3	1132	32.9	29.8-36.0	458	11.0	9.0-13.0	1640	33.8	30.9-36.7
\$75,000+	6743	3,393,147	1121	18.7	16.9-20.5	312	4.1	3.1- 5.1	1987	34.1	31.9-36.3	1015	13.9	12.5-15.3	2308	29.2	27.0-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14524	7,366,772	2034	15.9	14.7-17.1	665	4.0	3.4- 4.6	3475	28.9	27.3-30.5	1710	10.2	9.4-11.0	6640	41.0	39.4-42.6
White/Non-Hisp	10376	4,225,802	1448	16.8	15.4-18.2	543	4.8	4.0- 5.6	2438	28.3	26.5-30.1	1411	13.5	12.3-14.7	4536	36.6	34.8-38.4
Black or Afr. Am./Non-Hisp	1352	966,761	176	11.8	9.1-14.5	39	4.7	1.8- 7.6	311	25.3	20.8-29.8	76	4.6	2.4- 6.8	750	53.7	48.2-59.2
Oth. Race/Non-Hisp.	490	254,277	78	17.2	10.3-24.1	18	1.0	0.0- 2.0	95	26.8	18.8-34.8	45	5.4	2.7- 8.1	254	49.6	40.0-59.2
MultiRacial/Non-Hisp.	208	60,329	23	12.4	5.0-19.8	7	1.4	0.0- 3.2	55	33.5	21.2-45.8	21	14.1	5.1-23.1	102	38.7	24.2-53.2
Hispanic	1795	1,695,436	277	16.1	13.2-19.0	42	2.0	1.0- 3.0	511	32.5	28.8-36.2	117	5.8	4.0- 7.6	848	43.6	39.7-47.5
18-24	883	858,043	102	10.5	7.6-13.4	10	0.7	0.1- 1.3	267	30.1	25.2-35.0	65	6.5	4.1- 8.9	439	52.1	46.6-57.6
25-34	1485	1,211,244	266	17.8	14.7-20.9	32	2.5	0.9- 4.1	548	40.1	35.8-44.4	138	8.6	6.4-10.8	501	31.0	26.9-35.1
35-44	1512	1,081,876	246	17.6	14.3-20.9	50	3.0	1.4- 4.6	464	32.3	28.2-36.4	148	8.6	6.4-10.8	604	38.5	33.8-43.2
45-54	2144	1,178,754	344	18.6	15.5-21.7	74	3.5	1.9- 5.1	547	29.4	25.9-32.9	235	10.4	8.0-12.8	944	38.1	34.4-41.8
55-64	2915	1,192,704	439	18.7	15.6-21.8	145	6.0	4.0- 8.0	626	20.5	17.8-23.2	357	12.3	9.8-14.8	1348	42.6	38.7-46.5
65+	5407	1,737,429	615	12.9	10.9-14.9	345	6.1	4.9- 7.3	982	23.3	20.8-25.8	754	12.7	11.1-14.3	2711	45.0	42.1-47.9
Less Than H.S.	1562	1,045,602	162	12.1	8.8-15.4	73	4.7	2.3- 7.1	289	22.2	18.1-26.3	98	5.6	3.4- 7.8	940	55.4	50.1-60.7
H.S. or G.E.D.	4299	2,236,895	523	16.2	13.8-18.6	168	3.1	2.1- 4.1	936	26.8	24.1-29.5	401	8.7	7.1-10.3	2271	45.2	42.3-48.1
Some Post-H.S.	3903	2,166,154	568	15.1	13.1-17.1	187	4.3	3.3- 5.3	989	31.5	28.8-34.2	441	10.0	8.4-11.6	1718	39.1	36.2-42.0
College Graduate	4697	1,883,104	777	18.8	16.6-21.0	235	4.4	3.2- 5.6	1250	31.9	29.4-34.4	763	14.8	13.0-16.6	1672	30.1	27.7-32.5
Less than \$15,000	1126	530,674	122	13.5	9.0-18.0	49	4.5	2.1- 6.9	197	18.1	13.8-22.4	85	5.0	3.0- 7.0	673	58.9	52.8-65.0
\$15,000- 24,999	2418	1,198,614	283	14.3	11.6-17.0	88	3.4	1.8- 5.0	462	25.2	21.7-28.7	210	7.5	5.5- 9.5	1375	49.6	45.5-53.7
\$25,000- 34,999	1489	712,305	202	15.5	11.8-19.2	63	3.3	1.9- 4.7	354	26.3	22.0-30.6	128	7.1	4.9- 9.3	742	47.9	42.4-53.4
\$35,000- 49,999	1920	891,533	267	15.1	12.4-17.8	90	2.9	1.7- 4.1	490	34.5	30.2-38.8	199	10.4	7.7-13.1	874	37.1	32.8-41.4
\$50,000- 74,999	1850	900,427	277	17.6	14.1-21.1	100	5.5	3.5- 7.5	504	31.1	27.0-35.2	267	12.8	9.9-15.7	702	32.9	28.8-37.0
\$75,000+	3444	1,888,220	605	19.9	17.4-22.4	185	4.6	3.2- 6.0	986	32.4	29.5-35.3	609	16.1	13.9-18.3	1059	27.0	24.3-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20060	7,955,304	2055	12.2	11.2-13.2	497	2.2	1.8- 2.6	4334	26.3	24.9-27.7	1315	6.2	5.6- 6.8	11859	53.1	51.5-54.7
White/Non-Hisp	14760	4,521,994	1642	14.3	13.1-15.5	459	3.2	2.6- 3.8	3302	28.2	26.6-29.8	1193	9.0	8.0-10.0	8164	45.3	43.5-47.1
Black or Afr. Am./Non-Hisp	2042	1,117,389	146	11.8	8.1-15.5	11	0.8	0.0- 1.6	382	25.1	20.6-29.6	33	1.7	0.7- 2.7	1470	60.5	55.4-65.6
Oth. Race/Non-Hisp.	475	293,974	36	5.8	2.7- 8.9	6	3.4	0.0- 8.3	70	21.9	13.5-30.3	26	5.3	1.0- 9.6	337	63.6	54.2-73.0
MultiRacial/Non-Hisp.	221	72,610	16	9.7	2.6-16.8	3	2.4	0.0- 6.9	45	28.0	14.3-41.7	9	7.2	0.5-13.9	148	52.7	38.8-66.6
Hispanic	2293	1,823,351	183	8.2	6.2-10.2	13	0.4	0.0- 0.8	477	23.2	19.9-26.5	42	2.1	0.9- 3.3	1578	66.1	62.6-69.6
18-24	849	825,716	102	11.6	8.5-14.7	2	0.3	0.0- 0.9	256	30.1	25.2-35.0	33	3.7	2.1- 5.3	456	54.2	48.9-59.5
25-34	1733	1,184,993	241	15.1	12.2-18.0	16	1.1	0.3- 1.9	561	36.9	32.6-41.2	70	4.1	2.7- 5.5	845	42.7	38.6-46.8
35-44	1943	1,128,040	231	15.4	11.9-18.9	21	1.0	0.2- 1.8	574	29.8	25.9-33.7	87	5.4	3.2- 7.6	1030	48.3	44.0-52.6
45-54	2784	1,209,418	321	12.4	9.9-14.9	52	1.4	0.8- 2.0	708	26.0	22.5-29.5	166	6.5	4.5- 8.5	1537	53.6	49.5-57.7
55-64	3988	1,344,782	406	11.2	9.0-13.4	83	2.8	1.4- 4.2	829	24.5	21.4-27.6	316	7.9	6.1- 9.7	2354	53.6	49.9-57.3
65+	8471	2,104,327	719	9.7	8.3-11.1	316	4.3	3.3- 5.3	1358	18.3	16.3-20.3	625	7.3	6.3- 8.3	5453	60.3	57.9-62.7
Less Than H.S.	2031	1,021,716	82	6.0	2.9- 9.1	21	1.0	0.2- 1.8	207	14.5	10.6-18.4	45	4.1	1.9- 6.3	1676	74.4	69.5-79.3
H.S. or G.E.D.	6008	2,259,120	470	9.7	7.9-11.5	113	1.7	1.1- 2.3	1033	22.0	19.5-24.5	267	4.4	3.4- 5.4	4125	62.3	59.4-65.2
Some Post-H.S.	6171	2,673,778	672	13.3	11.5-15.1	167	2.4	1.6- 3.2	1491	29.9	27.5-32.3	411	6.3	5.1- 7.5	3430	48.2	45.7-50.7
College Graduate	5758	1,958,036	827	17.1	15.1-19.1	194	3.2	2.2- 4.2	1593	33.1	30.6-35.6	587	9.2	7.8-10.6	2557	37.3	34.8-39.8
Less than \$15,000	2077	696,480	133	8.9	6.0-11.8	23	0.5	0.1- 0.9	284	15.5	12.2-18.8	61	3.6	1.6- 5.6	1576	71.4	67.1-75.7
\$15,000- 24,999	3961	1,468,543	295	7.7	6.1- 9.3	69	1.5	0.7- 2.3	634	21.7	18.8-24.6	159	3.4	2.4- 4.4	2804	65.6	62.3-68.9
\$25,000- 34,999	2132	770,412	184	8.4	6.2-10.6	51	2.5	1.3- 3.7	470	26.6	22.1-31.1	112	3.5	2.3- 4.7	1315	59.0	54.3-63.7
\$35,000- 49,999	2300	922,087	269	15.5	12.4-18.6	68	2.1	1.3- 2.9	578	28.9	24.8-33.0	168	7.1	4.9- 9.3	1217	46.4	42.1-50.7
\$50,000- 74,999	2114	852,116	304	18.8	14.9-22.7	53	2.6	1.2- 4.0	628	34.8	30.3-39.3	191	9.1	6.7-11.5	938	34.7	30.2-39.2
\$75,000+	3298	1,504,675	515	17.1	14.6-19.6	127	3.6	2.2- 5.0	1001	36.2	32.7-39.7	406	11.1	9.1-13.1	1249	32.0	28.7-35.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15610	7,817,782	6973	40.9	39.3-42.5	4606	29.7	28.3-31.1	1784	12.7	11.7-13.7	817	6.2	5.4- 7.0	1430	10.6	9.6-11.6
Male	7631	4,206,939	2689	33.2	31.2-35.2	2282	28.8	27.0-30.6	1089	15.6	14.0-17.2	531	7.6	6.4- 8.8	1040	14.8	13.2-16.4
Female	7976	3,609,101	4283	49.8	47.6-52.0	2324	30.7	28.7-32.7	694	9.3	7.9-10.7	286	4.6	3.6- 5.6	389	5.7	4.5- 6.9
White/Non-Hisp	12145	5,020,735	5562	41.1	39.5-42.7	3658	31.4	29.8-33.0	1337	12.3	11.1-13.5	584	5.7	4.9- 6.5	1004	9.5	8.5-10.5
Black or Afr. Am./Non-Hisp	1108	844,858	505	46.9	41.0-52.8	320	26.8	22.1-31.5	131	12.6	7.9-17.3	74	7.2	4.1-10.3	78	6.5	4.0- 9.0
Oth. Race/Non-Hisp.	362	226,153	160	50.7	40.3-61.1	91	28.9	19.7-38.1	47	9.0	4.5-13.5	25	4.1	1.0- 7.2	39	7.3	2.6-12.0
MultiRacial/Non-Hisp.	170	65,946	75	38.5	25.4-51.6	47	24.2	13.4-35.0	12	7.0	1.1-12.9	10	13.9	2.5-25.3	26	16.5	6.9-26.1
Hispanic	1580	1,505,541	551	34.8	30.7-38.9	420	25.5	21.8-29.2	236	15.1	12.2-18.0	113	7.6	5.4- 9.8	260	17.1	13.8-20.4
18-24	788	733,054	224	26.5	21.8-31.2	232	31.3	26.2-36.4	124	16.0	11.9-20.1	62	8.9	6.0-11.8	146	17.3	13.2-21.4
25-34	1820	1,471,599	595	34.9	31.0-38.8	544	28.7	25.4-32.0	264	14.8	12.1-17.5	134	6.8	5.0- 8.6	283	14.9	12.2-17.6
35-44	1763	1,221,286	622	35.7	31.6-39.8	534	29.0	25.5-32.5	255	16.4	13.1-19.7	123	6.7	4.9- 8.5	229	12.1	9.7-14.5
45-54	2384	1,256,348	864	35.2	31.5-38.9	703	29.8	26.3-33.3	344	14.0	11.6-16.4	172	7.9	5.7-10.1	301	13.1	10.4-15.8
55-64	3118	1,267,937	1361	43.3	39.8-46.8	996	32.4	29.1-35.7	349	10.2	8.0-12.4	167	6.7	4.5- 8.9	245	7.3	5.5- 9.1
65+	5557	1,736,551	3205	57.3	54.6-60.0	1544	28.3	25.9-30.7	434	7.5	6.3- 8.7	155	3.0	2.0- 4.0	219	4.0	2.8- 5.2
Less Than H.S.	910	678,488	327	37.5	31.2-43.8	196	19.4	14.9-23.9	126	14.7	9.4-20.0	79	8.7	5.0-12.4	182	19.6	14.9-24.3
H.S. or G.E.D.	3747	1,990,166	1559	38.6	35.5-41.7	969	26.9	24.2-29.6	468	12.6	10.6-14.6	240	7.2	5.6- 8.8	511	14.7	12.3-17.1
Some Post-H.S.	4808	2,635,550	2113	39.9	37.4-42.4	1453	30.9	28.4-33.4	582	12.9	11.1-14.7	249	6.0	4.8- 7.2	411	10.3	8.7-11.9
College Graduate	6107	2,489,487	2955	44.4	42.0-46.8	1977	33.5	31.3-35.7	605	12.0	10.4-13.6	249	5.0	3.8- 6.2	321	5.1	4.1- 6.1
Less than \$15,000	911	395,911	370	41.0	34.7-47.3	200	19.9	15.0-24.8	131	15.3	10.4-20.2	64	7.0	3.7-10.3	146	16.8	11.7-21.9
\$15,000- 24,999	2121	1,063,575	880	37.1	33.2-41.0	573	26.7	23.0-30.4	246	12.6	9.9-15.3	147	7.2	5.2- 9.2	275	16.4	13.1-19.7
\$25,000- 34,999	1529	670,187	702	41.9	36.8-47.0	402	26.2	22.1-30.3	178	12.8	9.7-15.9	86	7.3	4.9- 9.7	161	11.7	8.6-14.8
\$35,000- 49,999	2070	1,025,937	913	37.9	34.0-41.8	611	30.5	26.8-34.2	253	13.9	10.6-17.2	93	4.7	2.9- 6.5	200	13.0	9.9-16.1
\$50,000- 74,999	2270	1,134,190	1023	40.3	36.2-44.4	679	31.2	27.5-34.9	252	11.7	9.2-14.2	130	7.4	5.2- 9.6	186	9.4	7.0-11.8
\$75,000+	4376	2,348,161	1873	39.4	36.7-42.1	1519	33.7	31.2-36.2	504	13.3	11.5-15.1	196	6.0	4.4- 7.6	284	7.7	6.1- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	One Drink		N	Two Drinks		N	Three Drinks		N	Four Drinks		N	Five or More Drinks	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	7631	4,206,939	2689	33.2	31.2-35.2	2282	28.8	27.0-30.6	1089	15.6	14.0-17.2	531	7.6	6.4- 8.8	1040	14.8	13.2-16.4
White/Non-Hisp	5698	2,613,306	2052	33.8	31.6-36.0	1755	30.3	28.3-32.3	798	15.2	13.6-16.8	378	7.5	6.3- 8.7	715	13.3	11.7-14.9
Black or Afr. Am./Non-Hisp	570	428,048	202	36.8	29.5-44.1	180	30.0	23.5-36.5	81	14.9	8.8-21.0	45	7.8	3.1-12.5	62	10.4	5.7-15.1
Oth. Race/Non-Hisp.	225	122,098	89	41.7	29.5-53.9	56	30.4	18.1-42.7	30	12.6	5.0-20.2	20	3.9	1.0- 6.8	30	11.4	3.2-19.6
MultiRacial/Non-Hisp.	100	33,574	36	28.3	15.2-41.4	26	23.5	10.4-36.6	8	6.0	0.1-11.9	9	17.4	3.5-31.3	21	24.8	11.3-38.3
Hispanic	894	914,620	252	28.1	23.2-33.0	223	24.3	19.6-29.0	155	17.9	13.8-22.0	69	8.0	5.1-10.9	195	21.7	17.2-26.2
18-24	420	392,615	104	24.3	17.8-30.8	102	24.8	17.9-31.7	79	20.4	14.1-26.7	33	7.6	4.5-10.7	102	22.9	16.4-29.4
25-34	951	812,145	239	27.8	23.1-32.5	274	28.1	23.6-32.6	161	18.6	14.5-22.7	76	6.5	4.1- 8.9	201	19.0	14.9-23.1
35-44	874	648,277	225	27.8	22.7-32.9	248	27.3	22.4-32.2	144	17.2	13.3-21.1	84	10.6	7.3-13.9	173	17.1	13.4-20.8
45-54	1169	712,147	313	25.9	21.6-30.2	330	30.3	25.4-35.2	193	16.4	12.9-19.9	112	9.1	6.2-12.0	221	18.4	14.3-22.5
55-64	1513	655,060	511	34.2	29.5-38.9	490	29.6	25.5-33.7	216	15.4	11.5-19.3	118	9.9	6.2-13.6	178	10.9	8.0-13.8
65+	2624	922,654	1258	49.3	45.6-53.0	812	30.7	27.4-34.0	288	9.6	7.6-11.6	105	4.2	2.6- 5.8	161	6.2	4.0- 8.4
Less Than H.S.	577	435,119	175	32.4	25.1-39.7	115	17.4	12.5-22.3	86	14.3	8.8-19.8	56	11.2	5.9-16.5	145	24.7	18.6-30.8
H.S. or G.E.D.	1939	1,172,577	593	29.7	25.8-33.6	495	26.8	23.1-30.5	279	14.1	11.4-16.8	177	9.4	7.0-11.8	395	20.0	16.7-23.3
Some Post-H.S.	2132	1,295,808	725	31.8	28.5-35.1	639	29.0	25.7-32.3	343	18.2	15.3-21.1	139	6.3	4.7- 7.9	286	14.9	12.2-17.6
College Graduate	2964	1,285,298	1188	37.7	34.6-40.8	1028	34.7	31.6-37.8	378	14.7	12.3-17.1	159	6.2	4.4- 8.0	211	6.6	5.0- 8.2
Less than \$15,000	429	213,331	129	29.9	21.9-37.9	89	18.2	11.5-24.9	69	18.4	10.6-26.2	33	6.9	2.0-11.8	109	26.6	18.2-35.0
\$15,000- 24,999	1004	582,440	309	28.5	23.4-33.6	266	25.0	19.9-30.1	143	16.4	12.1-20.7	93	9.0	6.1-11.9	193	21.1	16.4-25.8
\$25,000- 34,999	725	358,295	265	36.7	30.0-43.4	180	22.4	17.5-27.3	105	13.4	9.5-17.3	60	9.3	5.6-13.0	115	18.2	12.9-23.5
\$35,000- 49,999	1019	540,837	359	33.4	28.1-38.7	298	27.1	22.4-31.8	151	17.5	12.6-22.4	63	5.3	3.3- 7.3	148	16.7	12.4-21.0
\$50,000- 74,999	1118	591,410	400	30.2	25.3-35.1	353	32.8	27.3-38.3	153	15.2	11.1-19.3	82	8.9	5.8-12.0	130	12.9	9.2-16.6
\$75,000+	2352	1,350,049	834	33.6	30.1-37.1	816	32.8	29.5-36.1	339	15.8	13.3-18.3	136	7.4	5.2- 9.6	227	10.4	7.9-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7976	3,609,101	4283	49.8	47.6-52.0	2324	30.7	28.7-32.7	694	9.3	7.9-10.7	286	4.6	3.6- 5.6	389	5.7	4.5- 6.9
White/Non-Hisp	6445	2,406,283	3509	49.1	46.7-51.5	1903	32.6	30.2-35.0	538	9.2	7.8-10.6	206	3.7	2.7- 4.7	289	5.3	4.1- 6.5
Black or Afr. Am./Non-Hisp	537	416,213	303	57.3	48.5-66.1	140	23.5	17.2-29.8	50	10.2	2.8-17.6	29	6.6	2.5-10.7	15	2.4	0.6- 4.2
Oth. Race/Non-Hisp.	137	104,055	71	61.1	45.6-76.6	35	27.2	13.5-40.9	17	4.9	1.2- 8.6	5	4.3	0.0-10.4	9	2.4	0.0- 5.3
MultiRacial/Non-Hisp.	70	32,372	39	49.0	26.9-71.1	21	24.9	7.5-42.3	4	8.0	0.0-18.2	1	10.2	0.0-28.6	5	7.9	0.0-20.6
Hispanic	686	590,922	299	45.1	38.4-51.8	197	27.4	21.5-33.3	81	10.7	7.0-14.4	44	6.9	3.6-10.2	65	10.0	5.7-14.3
18-24	368	340,439	120	29.0	22.1-35.9	130	38.7	31.3-46.1	45	10.9	6.0-15.8	29	10.5	5.2-15.8	44	10.8	6.1-15.5
25-34	867	657,964	356	43.7	37.6-49.8	270	29.5	24.4-34.6	102	10.0	6.9-13.1	58	7.2	4.5- 9.9	81	9.6	6.1-13.1
35-44	889	573,009	397	44.7	38.2-51.2	286	31.1	25.6-36.6	111	15.6	10.1-21.1	39	2.2	0.8- 3.6	56	6.5	4.0- 9.0
45-54	1215	544,201	551	47.4	41.7-53.1	373	29.2	24.5-33.9	151	11.0	8.1-13.9	60	6.3	3.4- 9.2	80	6.2	3.1- 9.3
55-64	1605	612,877	850	53.0	47.7-58.3	506	35.4	30.3-40.5	133	4.8	3.2- 6.4	49	3.3	1.3- 5.3	67	3.5	1.3- 5.7
65+	2932	813,645	1946	66.3	62.6-70.0	732	25.5	22.0-29.0	146	5.0	3.4- 6.6	50	1.6	0.6- 2.6	58	1.5	0.7- 2.3
Less Than H.S.	332	242,772	152	46.9	35.3-58.5	81	23.0	14.2-31.8	40	15.5	4.5-26.5	23	4.4	1.7- 7.1	36	10.1	3.2-17.0
H.S. or G.E.D.	1808	817,589	966	51.3	46.4-56.2	474	27.1	23.0-31.2	189	10.3	7.2-13.4	63	4.0	2.2- 5.8	116	7.2	4.7- 9.7
Some Post-H.S.	2676	1,339,742	1388	47.9	44.2-51.6	814	32.8	29.3-36.3	239	7.7	5.9- 9.5	110	5.7	3.7- 7.7	125	6.0	4.2- 7.8
College Graduate	3141	1,203,043	1766	51.5	48.0-55.0	949	32.2	29.1-35.3	226	9.1	6.9-11.3	90	3.8	2.2- 5.4	110	3.5	2.1- 4.9
Less than \$15,000	482	182,580	241	54.0	45.4-62.6	111	21.9	15.0-28.8	62	11.7	6.4-17.0	31	7.1	2.8-11.4	37	5.3	2.4- 8.2
\$15,000- 24,999	1117	481,135	571	47.5	41.6-53.4	307	28.8	23.3-34.3	103	7.9	5.4-10.4	54	5.0	2.8- 7.2	82	10.7	6.2-15.2
\$25,000- 34,999	803	310,999	437	48.1	40.5-55.7	222	30.7	23.8-37.6	72	12.0	7.1-16.9	26	5.0	2.1- 7.9	46	4.3	2.1- 6.5
\$35,000- 49,999	1051	485,100	554	43.0	37.1-48.9	313	34.3	28.4-40.2	102	9.8	5.5-14.1	30	4.0	1.1- 6.9	52	8.9	4.8-13.0
\$50,000- 74,999	1152	542,780	623	51.2	45.3-57.1	326	29.5	24.4-34.6	99	7.8	4.9-10.7	48	5.9	3.0- 8.8	56	5.6	3.2- 8.0
\$75,000+	2023	997,860	1038	47.2	42.9-51.5	703	34.9	31.0-38.8	165	9.9	7.4-12.4	60	4.1	1.9- 6.3	57	4.0	2.2- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15590	7,822,615	1417	11.0	10.0-12.0	788	5.7	5.1- 6.3	396	2.9	2.3- 3.5	362	3.1	2.5- 3.7	1097	7.2	6.4- 8.0	11530	70.1	68.7-71.5
Male	7635	4,210,417	742	11.6	10.2-13.0	450	6.7	5.7- 7.7	234	3.6	2.8- 4.4	214	3.4	2.6- 4.2	739	9.2	8.0-10.4	5256	65.5	63.5-67.5
Female	7952	3,610,455	675	10.3	8.9-11.7	338	4.6	3.6- 5.6	162	2.1	1.5- 2.7	148	2.6	1.6- 3.6	356	4.8	3.8- 5.8	6273	75.5	73.5-77.5
White/Non-Hisp	12121	5,031,222	1014	10.2	9.0-11.4	598	5.9	5.1- 6.7	294	2.8	2.2- 3.4	272	2.7	2.1- 3.3	855	7.8	7.0- 8.6	9088	70.6	69.0-72.2
Black or Afr. Am./Non-Hisp	1105	830,923	106	9.1	6.2-12.0	51	4.5	2.7- 6.3	29	2.2	1.0- 3.4	21	4.2	0.5- 7.9	67	5.7	2.8- 8.6	831	74.2	68.9-79.5
Oth. Race/Non-Hisp.	357	224,218	36	8.2	3.9-12.5	18	3.5	1.0- 6.0	11	3.6	0.1- 7.1	11	4.1	0.0- 8.4	35	7.1	2.8-11.4	246	73.4	65.4-81.4
MultiRacial/Non-Hisp.	171	65,754	20	14.9	5.3-24.5	6	4.7	0.0- 9.8	4	8.8	0.0-19.8	9	4.3	0.6- 8.0	14	10.2	2.4-18.0	118	57.0	43.5-70.5
Hispanic	1592	1,515,934	223	15.0	12.1-17.9	106	6.6	4.6- 8.6	51	3.4	2.0- 4.8	49	3.6	1.8- 5.4	105	5.4	3.6- 7.2	1058	65.9	62.0-69.8
18-24	810	760,652	129	16.2	12.3-20.1	72	7.3	4.8- 9.8	28	3.6	1.6- 5.6	34	6.1	2.8- 9.4	81	8.8	6.1-11.5	466	58.0	52.7-63.3
25-34	1824	1,477,237	268	14.3	11.6-17.0	148	8.6	6.4-10.8	86	4.2	2.8- 5.6	77	4.6	3.0- 6.2	188	9.7	7.5-11.9	1057	58.6	54.9-62.3
35-44	1768	1,216,241	277	16.1	13.2-19.0	116	6.1	4.3- 7.9	60	3.4	2.2- 4.6	54	3.8	1.4- 6.2	139	7.5	5.5- 9.5	1122	63.1	59.2-67.0
45-54	2373	1,253,228	237	9.0	7.0-11.0	159	7.2	5.2- 9.2	66	3.0	1.4- 4.6	73	3.4	2.0- 4.8	229	8.8	6.6-11.0	1609	68.6	65.1-72.1
55-64	3092	1,267,861	242	9.4	6.9-11.9	142	4.0	3.0- 5.0	87	3.2	2.0- 4.4	60	1.8	0.8- 2.8	247	7.5	5.3- 9.7	2314	74.2	70.9-77.5
65+	5540	1,727,351	243	4.6	3.4- 5.8	143	2.6	1.8- 3.4	68	1.0	0.6- 1.4	63	0.8	0.4- 1.2	206	3.1	2.3- 3.9	4817	87.9	86.3-89.5
Less Than H.S.	912	699,264	110	12.9	8.8-17.0	61	5.1	2.7- 7.5	40	4.1	2.3- 5.9	32	5.4	1.3- 9.5	111	11.6	7.5-15.7	558	60.8	54.5-67.1
H.S. or G.E.D.	3746	1,994,173	373	10.1	8.3-11.9	196	5.8	4.4- 7.2	114	3.3	2.1- 4.5	105	3.6	2.2- 5.0	375	9.8	8.0-11.6	2583	67.3	64.4-70.2
Some Post-H.S.	4789	2,614,061	448	11.9	10.1-13.7	245	5.7	4.5- 6.9	120	3.1	2.1- 4.1	113	2.6	1.8- 3.4	313	6.1	4.9- 7.3	3550	70.5	68.1-72.9
College Graduate	6103	2,490,861	483	10.2	8.6-11.8	283	5.8	4.6- 7.0	122	2.1	1.5- 2.7	108	2.3	1.3- 3.3	295	5.0	4.0- 6.0	4812	74.5	72.3-76.7
Less than \$15,000	909	400,557	100	10.6	7.1-14.1	48	6.9	3.4-10.4	32	3.9	1.7- 6.1	26	4.5	0.6- 8.4	106	10.1	6.8-13.4	597	64.0	57.7-70.3
\$15,000- 24,999	2121	1,073,825	209	13.4	10.3-16.5	115	5.4	3.8- 7.0	70	4.2	2.4- 6.0	61	3.3	1.9- 4.7	178	8.8	6.4-11.2	1488	65.0	61.1-68.9
\$25,000- 34,999	1524	669,210	137	9.4	6.5-12.3	87	6.8	4.6- 9.0	44	2.9	1.3- 4.5	36	2.8	1.0- 4.6	113	6.6	4.6- 8.6	1107	71.6	67.3-75.9
\$35,000- 49,999	2074	1,013,113	197	9.5	7.3-11.7	105	5.5	3.7- 7.3	57	3.0	1.6- 4.4	57	3.3	1.9- 4.7	161	8.7	6.2-11.2	1497	69.8	66.1-73.5
\$50,000- 74,999	2260	1,120,514	192	10.9	8.4-13.4	112	6.6	4.2- 9.0	50	2.7	1.5- 3.9	49	2.1	1.1- 3.1	149	6.6	4.8- 8.4	1708	71.2	67.5-74.9
\$75,000+	4358	2,358,769	408	12.3	10.3-14.3	228	6.2	5.0- 7.4	99	2.8	1.8- 3.8	93	2.9	1.7- 4.1	259	6.7	5.3- 8.1	3271	69.1	66.4-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7635	4,210,417	742	11.6	10.2-13.0	450	6.7	5.7- 7.7	234	3.6	2.8- 4.4	214	3.4	2.6- 4.2	739	9.2	8.0-10.4	5256	65.5	63.5-67.5
White/Non-Hisp	5696	2,623,107	506	10.9	9.3-12.5	332	6.8	5.6- 8.0	164	3.5	2.5- 4.5	151	3.1	2.3- 3.9	548	9.8	8.4-11.2	3995	65.9	63.7-68.1
Black or Afr. Am./Non-Hisp	569	418,722	57	10.3	6.0-14.6	24	3.9	1.7- 6.1	18	2.8	0.8- 4.8	10	1.7	0.1- 3.3	56	10.1	4.4-15.8	404	71.2	64.1-78.3
Oth. Race/Non-Hisp.	225	124,159	23	8.2	2.7-13.7	11	3.9	0.6- 7.2	8	3.7	0.0- 7.8	9	7.1	0.0-14.5	27	7.9	2.6-13.2	147	69.2	58.4-80.0
MultiRacial/Non-Hisp.	101	33,205	10	19.0	5.1-32.9	4	5.3	0.0-12.2	2	0.9	0.0- 2.5	8	7.7	0.8-14.6	11	15.0	1.9-28.1	66	52.0	36.1-67.9
Hispanic	902	915,108	135	14.7	11.2-18.2	73	8.4	5.5-11.3	37	4.5	2.3- 6.7	36	5.0	2.3- 7.7	80	6.7	4.3- 9.1	541	60.8	55.5-66.1
18-24	432	400,049	70	14.1	9.6-18.6	41	7.6	4.1-11.1	17	4.8	1.3- 8.3	27	8.0	3.1-12.9	48	8.7	5.0-12.4	229	56.9	49.5-64.3
25-34	953	811,701	142	13.7	10.4-17.0	82	9.4	6.3-12.5	49	4.3	2.5- 6.1	50	5.6	3.2- 8.0	126	12.8	9.5-16.1	504	54.1	49.0-59.2
35-44	880	647,144	145	17.9	13.6-22.2	66	6.4	4.2- 8.6	38	4.7	2.5- 6.9	29	3.2	1.4- 5.0	106	10.0	7.1-12.9	496	57.8	52.5-63.1
45-54	1168	711,861	124	10.2	7.3-13.1	95	10.2	7.1-13.3	46	4.1	1.6- 6.6	48	3.8	2.0- 5.6	149	10.0	7.3-12.7	706	61.9	57.0-66.8
55-64	1510	660,869	138	12.6	8.5-16.7	77	4.6	3.0- 6.2	52	4.6	2.4- 6.8	30	1.9	0.5- 3.3	162	10.2	6.7-13.7	1051	66.0	60.9-71.1
65+	2611	915,634	111	4.1	2.7- 5.5	84	3.1	1.9- 4.3	31	0.9	0.3- 1.5	30	0.7	0.3- 1.1	146	4.5	3.1- 5.9	2209	86.7	84.3-89.1
Less Than H.S.	581	452,508	70	13.8	8.3-19.3	48	7.0	3.7-10.3	28	5.0	2.5- 7.5	27	5.2	2.3- 8.1	83	12.0	7.1-16.9	325	57.0	49.7-64.3
H.S. or G.E.D.	1938	1,169,542	196	10.5	8.0-13.0	114	6.8	4.6- 9.0	75	4.1	2.3- 5.9	72	4.1	2.3- 5.9	272	13.1	10.4-15.8	1209	61.4	57.3-65.5
Some Post-H.S.	2125	1,277,279	224	12.3	9.8-14.8	126	6.8	5.0- 8.6	67	4.1	2.3- 5.9	62	3.7	2.1- 5.3	200	7.3	5.5- 9.1	1446	65.7	62.2-69.2
College Graduate	2970	1,292,785	252	11.2	8.8-13.6	160	6.4	4.8- 8.0	64	2.3	1.3- 3.3	50	1.8	0.8- 2.8	182	6.5	4.9- 8.1	2262	71.8	68.9-74.7
Less than \$15,000	434	213,655	45	11.4	5.7-17.1	29	6.7	3.0-10.4	19	5.0	1.3- 8.7	13	6.4	0.0-13.5	77	13.9	8.4-19.4	251	56.6	47.4-65.8
\$15,000- 24,999	1008	592,038	105	12.1	8.6-15.6	57	5.2	3.2- 7.2	38	6.0	3.1- 8.9	34	3.2	1.6- 4.8	119	11.5	7.6-15.4	655	62.0	56.5-67.5
\$25,000- 34,999	723	360,023	66	9.5	5.4-13.6	52	9.6	5.7-13.5	23	2.5	0.5- 4.5	25	4.1	1.2- 7.0	72	8.3	5.4-11.2	485	66.0	59.7-72.3
\$35,000- 49,999	1019	539,898	104	9.9	7.0-12.8	59	6.8	3.9- 9.7	36	4.5	2.0- 7.0	36	4.7	2.5- 6.9	105	9.6	6.7-12.5	679	64.5	59.2-69.8
\$50,000- 74,999	1113	577,640	111	14.7	10.4-19.0	65	8.3	4.8-11.8	24	2.6	0.8- 4.4	26	2.1	0.9- 3.3	101	8.8	6.1-11.5	786	63.5	58.0-69.0
\$75,000+	2344	1,351,403	228	12.6	10.1-15.1	147	7.1	5.3- 8.9	69	3.4	2.0- 4.8	57	3.1	1.5- 4.7	174	8.0	5.8-10.2	1669	65.8	62.3-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7952	3,610,455	675	10.3	8.9-11.7	338	4.6	3.6- 5.6	162	2.1	1.5- 2.7	148	2.6	1.6- 3.6	356	4.8	3.8- 5.8	6273	75.5	73.5-77.5
White/Non-Hisp	6423	2,406,969	508	9.4	7.8-11.0	266	4.9	3.9- 5.9	130	2.0	1.4- 2.6	121	2.4	1.6- 3.2	306	5.6	4.4- 6.8	5092	75.7	73.5-77.9
Black or Afr. Am./Non-Hisp	535	411,603	49	7.9	4.0-11.8	27	5.1	2.0- 8.2	11	1.6	0.0- 3.2	11	6.9	0.0-14.0	10	1.1	0.1- 2.1	427	77.5	69.7-85.3
Oth. Race/Non-Hisp.	132	100,059	13	8.2	1.1-15.3	7	3.0	0.0- 6.5	3	3.6	0.0- 9.7	2	0.4	0.0- 1.2	8	6.2	0.0-13.1	99	78.6	66.6-90.6
MultiRacial/Non-Hisp.	70	32,549	10	10.8	0.0-23.1	2	4.1	0.0-11.5	2	16.8	0.0-37.6	1	0.8	0.0- 2.4	3	5.3	0.0-12.7	52	62.2	40.2-84.2
Hispanic	690	600,826	88	15.6	10.7-20.5	33	3.8	1.6- 6.0	14	1.9	0.3- 3.5	13	1.6	0.0- 3.4	25	3.4	0.7- 6.1	517	73.7	67.8-79.6
18-24	378	360,602	59	18.6	12.3-24.9	31	6.9	3.2-10.6	11	2.3	0.5- 4.1	7	4.0	0.0- 8.1	33	8.8	4.7-12.9	237	59.4	51.8-67.0
25-34	869	664,045	126	15.0	10.7-19.3	66	7.7	4.8-10.6	37	4.1	1.9- 6.3	27	3.3	1.3- 5.3	60	5.7	3.3- 8.1	553	64.2	58.5-69.9
35-44	888	569,097	132	14.0	10.1-17.9	50	5.9	3.2- 8.6	22	2.0	0.8- 3.2	25	4.5	0.0- 9.2	33	4.6	1.7- 7.5	626	69.1	62.8-75.4
45-54	1205	541,367	113	7.5	5.3- 9.7	64	3.3	1.9- 4.7	20	1.7	0.7- 2.7	25	2.9	0.7- 5.1	80	7.2	3.9-10.5	903	77.5	73.0-82.0
55-64	1582	606,992	104	5.9	3.5- 8.3	65	3.3	1.9- 4.7	35	1.8	0.8- 2.8	30	1.6	0.2- 3.0	85	4.4	2.4- 6.4	1263	83.0	79.5-86.5
65+	2928	811,465	132	5.2	3.4- 7.0	59	2.1	0.9- 3.3	37	1.1	0.5- 1.7	33	0.9	0.3- 1.5	60	1.5	0.9- 2.1	2607	89.2	86.8-91.6
Less Than H.S.	330	246,158	40	11.2	5.3-17.1	13	1.7	0.0- 3.7	12	2.6	0.2- 5.0	5	5.8	0.0-16.4	27	10.6	3.7-17.5	233	68.0	56.2-79.8
H.S. or G.E.D.	1808	824,632	177	9.6	6.9-12.3	82	4.5	2.5- 6.5	39	2.0	1.0- 3.0	33	3.0	1.0- 5.0	103	5.1	3.3- 6.9	1374	75.8	71.9-79.7
Some Post-H.S.	2664	1,336,781	224	11.5	8.8-14.2	119	4.7	3.3- 6.1	53	2.1	1.1- 3.1	51	1.6	1.0- 2.2	113	5.0	3.2- 6.8	2104	75.1	71.8-78.4
College Graduate	3131	1,196,930	231	9.2	7.2-11.2	123	5.2	3.4- 7.0	58	2.0	1.0- 3.0	58	2.9	1.3- 4.5	112	3.3	2.3- 4.3	2549	77.4	74.5-80.3
Less than \$15,000	475	186,903	55	9.7	5.8-13.6	19	7.2	0.7-13.7	13	2.6	0.4- 4.8	13	2.4	0.4- 4.4	29	5.7	2.4- 9.0	346	72.4	64.6-80.2
\$15,000- 24,999	1113	481,787	104	14.9	9.8-20.0	58	5.6	3.1- 8.1	32	2.0	0.6- 3.4	27	3.4	1.0- 5.8	59	5.4	3.2- 7.6	833	68.6	62.7-74.5
\$25,000- 34,999	800	308,293	71	9.2	5.1-13.3	35	3.6	1.8- 5.4	21	3.4	1.0- 5.8	11	1.2	0.0- 2.4	40	4.3	1.8- 6.8	622	78.2	72.7-83.7
\$35,000- 49,999	1055	473,215	93	9.0	5.9-12.1	46	4.1	1.9- 6.3	21	1.4	0.6- 2.2	21	1.8	0.6- 3.0	56	7.8	3.7-11.9	818	75.9	70.6-81.2
\$50,000- 74,999	1147	542,875	81	6.8	4.4- 9.2	47	4.8	2.3- 7.3	26	2.8	1.0- 4.6	23	2.0	0.4- 3.6	48	4.2	2.2- 6.2	922	79.5	75.2-83.8
\$75,000+	2013	1,007,113	180	11.9	8.8-15.0	81	5.0	3.2- 6.8	30	1.9	0.7- 3.1	36	2.6	0.6- 4.6	85	4.9	3.1- 6.7	1601	73.6	69.7-77.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	14940	7,490,966	4314	26.0	24.6-27.4	4123	26.3	24.9-27.7	2299	15.2	14.0-16.4	1337	10.0	9.0-11.0	2867	22.5	21.1-23.9
Male	7276	4,006,669	1571	20.5	18.7-22.3	1702	21.7	19.9-23.5	1314	17.3	15.7-18.9	565	8.3	7.1- 9.5	2124	32.2	30.2-34.2
Female	7662	3,483,447	2743	32.4	30.2-34.6	2421	31.7	29.5-33.9	985	12.7	11.3-14.1	771	11.8	10.2-13.4	742	11.4	9.8-13.0
White/Non-Hisp	11704	4,854,956	3375	24.4	23.0-25.8	3336	27.6	26.0-29.2	1817	15.5	14.3-16.7	1035	10.0	9.0-11.0	2141	22.5	21.1-23.9
Black or Afr. Am./Non-Hisp	1034	817,533	328	30.7	25.2-36.2	293	29.8	24.3-35.3	136	12.8	8.9-16.7	111	10.7	7.2-14.2	166	16.0	11.1-20.9
Oth. Race/Non-Hisp.	336	214,540	106	37.3	26.1-48.5	65	17.0	10.1-23.9	60	18.8	10.2-27.4	25	7.4	2.7-12.1	80	19.5	12.1-26.9
MultiRacial/Non-Hisp.	164	63,013	40	17.5	8.1-26.9	42	21.6	9.4-33.8	22	13.1	4.7-21.5	15	12.9	3.9-21.9	45	34.8	21.3-48.3
Hispanic	1476	1,396,351	390	26.7	22.8-30.6	325	21.2	17.7-24.7	232	15.2	12.1-18.3	135	10.3	7.6-13.0	394	26.6	22.9-30.3
18-24	768	725,968	155	19.1	14.8-23.4	141	19.9	15.2-24.6	116	14.6	10.9-18.3	84	12.9	9.2-16.6	272	33.6	28.5-38.7
25-34	1733	1,417,000	372	23.3	19.6-27.0	374	20.8	17.7-23.9	225	13.1	10.4-15.8	171	11.0	8.5-13.5	591	31.8	28.3-35.3
35-44	1678	1,140,832	383	21.6	18.1-25.1	395	23.5	19.8-27.2	248	15.0	12.3-17.7	170	10.8	8.3-13.3	482	29.1	25.2-33.0
45-54	2277	1,190,145	538	24.0	20.7-27.3	562	24.9	21.6-28.2	382	17.0	14.1-19.9	238	9.8	7.6-12.0	557	24.3	21.0-27.6
55-64	2987	1,230,652	809	26.7	23.6-29.8	861	27.5	24.2-30.8	499	15.2	12.7-17.7	282	10.5	8.0-13.0	536	20.1	16.8-23.4
65+	5338	1,671,841	1994	34.9	32.4-37.4	1740	35.5	32.8-38.2	809	15.6	13.6-17.6	382	7.2	5.8- 8.6	413	6.9	5.7- 8.1
Less Than H.S.	828	634,282	221	27.0	20.9-33.1	162	20.6	15.1-26.1	103	9.5	6.2-12.8	70	9.0	5.1-12.9	272	33.9	27.2-40.6
H.S. or G.E.D.	3546	1,889,604	1015	23.5	20.8-26.2	875	26.5	23.6-29.4	480	14.0	11.6-16.4	353	10.1	8.1-12.1	823	25.9	23.2-28.6
Some Post-H.S.	4600	2,532,339	1344	26.2	23.8-28.6	1272	25.9	23.5-28.3	724	16.0	14.0-18.0	392	10.3	8.5-12.1	868	21.6	19.4-23.8
College Graduate	5929	2,412,595	1717	27.1	24.9-29.3	1810	28.3	26.1-30.5	986	16.7	14.9-18.5	518	9.8	8.4-11.2	898	18.1	16.1-20.1
Less than \$15,000	837	362,575	257	30.0	23.9-36.1	163	17.7	13.2-22.2	128	16.5	11.2-21.8	75	7.4	4.5-10.3	214	28.4	21.9-34.9
\$15,000- 24,999	1996	1,005,292	577	26.8	23.1-30.5	495	23.9	20.2-27.6	274	11.0	8.5-13.5	195	11.5	8.8-14.2	455	26.9	23.0-30.8
\$25,000- 34,999	1458	645,253	484	29.6	24.7-34.5	345	23.1	19.0-27.2	206	16.0	12.5-19.5	143	9.6	6.7-12.5	280	21.6	17.9-25.3
\$35,000- 49,999	1994	983,719	566	24.6	21.1-28.1	558	27.9	24.0-31.8	284	15.4	12.3-18.5	176	9.4	6.7-12.1	410	22.6	19.3-25.9
\$50,000- 74,999	2231	1,119,407	639	24.0	20.5-27.5	634	28.7	25.0-32.4	344	14.4	11.5-17.3	176	9.7	7.2-12.2	438	23.2	19.9-26.5
\$75,000+	4233	2,269,322	1011	21.5	19.1-23.9	1273	26.3	23.9-28.7	774	17.7	15.7-19.7	396	10.8	9.0-12.6	779	23.7	21.2-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7276	4,006,669	1571	20.5	18.7-22.3	1702	21.7	19.9-23.5	1314	17.3	15.7-18.9	565	8.3	7.1- 9.5	2124	32.2	30.2-34.2
White/Non-Hisp	5477	2,522,125	1181	19.2	17.4-21.0	1322	22.4	20.4-24.4	1012	17.7	15.9-19.5	422	8.3	6.9- 9.7	1540	32.4	30.0-34.8
Black or Afr. Am./Non-Hisp	524	407,547	126	24.4	17.5-31.3	132	25.0	18.7-31.3	88	18.4	11.9-24.9	48	7.8	3.3-12.3	130	24.5	17.4-31.6
Oth. Race/Non-Hisp.	208	116,067	58	30.6	18.6-42.6	34	16.0	7.6-24.4	40	20.6	8.4-32.8	12	5.7	0.0-11.8	64	27.1	16.3-37.9
MultiRacial/Non-Hisp.	96	31,267	16	9.3	1.7-16.9	25	21.9	8.8-35.0	11	9.4	1.8-17.0	9	13.7	2.5-24.9	35	45.7	29.6-61.8
Hispanic	840	841,290	157	20.6	15.9-25.3	161	18.5	14.2-22.8	136	14.9	11.0-18.8	64	9.4	6.1-12.7	322	36.6	31.3-41.9
18-24	406	380,618	71	18.5	12.6-24.4	48	12.3	6.4-18.2	63	16.5	10.8-22.2	39	11.3	6.6-16.0	185	41.4	34.0-48.8
25-34	904	774,917	136	16.9	12.8-21.0	167	18.9	14.8-23.0	129	14.4	10.3-18.5	65	6.8	4.3- 9.3	407	43.1	37.8-48.4
35-44	824	603,728	133	17.0	12.5-21.5	146	17.8	13.3-22.3	134	15.6	11.9-19.3	64	9.5	6.2-12.8	347	40.1	34.8-45.4
45-54	1107	663,922	179	17.6	13.9-21.3	205	19.4	15.1-23.7	200	18.6	14.3-22.9	104	8.3	5.6-11.0	419	36.0	31.1-40.9
55-64	1454	637,684	296	20.0	16.1-23.9	349	20.4	16.9-23.9	280	16.6	13.5-19.7	118	11.0	7.1-14.9	411	32.1	26.8-37.4
65+	2513	891,273	734	28.3	24.8-31.8	767	33.4	29.7-37.1	498	20.8	17.5-24.1	172	5.9	4.3- 7.5	342	11.6	9.4-13.8
Less Than H.S.	521	403,526	111	22.8	16.1-29.5	86	15.9	9.8-22.0	69	10.2	5.9-14.5	37	10.5	4.6-16.4	218	40.6	32.8-48.4
H.S. or G.E.D.	1836	1,105,351	390	19.6	16.1-23.1	356	18.8	15.5-22.1	289	16.5	13.2-19.8	149	9.2	6.7-11.7	652	35.9	31.8-40.0
Some Post-H.S.	2026	1,238,940	432	19.1	16.2-22.0	467	21.8	18.7-24.9	380	19.1	16.0-22.2	137	7.2	5.2- 9.2	610	32.7	29.2-36.2
College Graduate	2875	1,243,189	631	21.1	18.4-23.8	791	26.2	23.3-29.1	572	18.6	16.1-21.1	241	8.1	6.3- 9.9	640	26.0	23.1-28.9
Less than \$15,000	392	184,798	82	22.4	14.8-30.0	58	13.3	7.8-18.8	73	21.8	13.2-30.4	20	1.6	0.6- 2.6	159	40.9	31.3-50.5
\$15,000- 24,999	945	553,760	192	19.9	15.0-24.8	206	18.9	14.6-23.2	147	14.8	10.5-19.1	85	10.5	6.8-14.2	315	35.8	30.1-41.5
\$25,000- 34,999	699	344,057	170	22.2	16.3-28.1	142	18.9	14.0-23.8	121	18.9	14.0-23.8	51	7.9	4.0-11.8	215	32.1	26.2-38.0
\$35,000- 49,999	970	514,111	228	24.1	19.0-29.2	219	19.1	15.0-23.2	152	15.9	11.4-20.4	70	8.1	4.2-12.0	301	32.7	27.4-38.0
\$50,000- 74,999	1095	579,268	228	16.3	12.6-20.0	268	23.8	18.9-28.7	201	15.2	11.1-19.3	83	9.0	5.7-12.3	315	35.7	30.2-41.2
\$75,000+	2264	1,295,346	414	16.7	14.0-19.4	585	22.4	19.5-25.3	472	19.7	17.0-22.4	181	8.7	6.7-10.7	612	32.5	29.0-36.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7662	3,483,447	2743	32.4	30.2-34.6	2421	31.7	29.5-33.9	985	12.7	11.3-14.1	771	11.8	10.2-13.4	742	11.4	9.8-13.0
White/Non-Hisp	6226	2,332,579	2194	30.1	27.9-32.3	2014	33.3	30.9-35.7	805	13.0	11.4-14.6	612	11.8	10.2-13.4	601	11.8	10.2-13.4
Black or Afr. Am./Non-Hisp	509	409,389	202	37.0	28.4-45.6	161	34.6	26.0-43.2	48	7.2	3.5-10.9	63	13.7	8.0-19.4	35	7.5	0.8-14.2
Oth. Race/Non-Hisp.	128	98,473	48	45.3	26.9-63.7	31	18.3	6.9-29.7	20	16.6	4.4-28.8	13	9.3	1.7-16.9	16	10.6	1.4-19.8
MultiRacial/Non-Hisp.	68	31,746	24	25.5	8.3-42.7	17	21.4	1.0-41.8	11	16.8	1.9-31.7	6	12.2	0.0-26.3	10	24.1	2.9-45.3
Hispanic	636	555,061	233	36.0	29.3-42.7	164	25.2	19.1-31.3	96	15.6	10.5-20.7	71	11.7	7.4-16.0	72	11.5	6.8-16.2
18-24	362	345,349	84	19.7	13.6-25.8	93	28.2	20.9-35.5	53	12.5	8.4-16.6	45	14.6	8.5-20.7	87	24.9	17.8-32.0
25-34	828	641,486	236	31.0	24.9-37.1	207	23.2	18.5-27.9	96	11.6	7.9-15.3	106	16.1	11.4-20.8	183	18.1	14.0-22.2
35-44	854	537,104	250	26.7	21.2-32.2	249	29.9	24.0-35.8	114	14.3	10.2-18.4	106	12.3	8.4-16.2	135	16.7	10.8-22.6
45-54	1170	526,223	359	32.1	26.4-37.8	357	31.7	26.2-37.2	182	15.1	11.4-18.8	134	11.7	8.4-15.0	138	9.4	6.1-12.7
55-64	1533	592,968	513	33.9	28.8-39.0	512	35.1	29.8-40.4	219	13.8	9.9-17.7	164	9.9	7.0-12.8	125	7.3	4.8- 9.8
65+	2824	780,316	1260	42.4	38.7-46.1	973	37.8	34.1-41.5	311	9.6	7.6-11.6	209	8.5	6.3-10.7	71	1.6	0.8- 2.4
Less Than H.S.	306	230,159	110	34.3	22.5-46.1	76	28.9	18.1-39.7	34	8.3	3.4-13.2	33	6.4	2.7-10.1	53	22.1	9.9-34.3
H.S. or G.E.D.	1710	784,253	625	28.9	24.6-33.2	519	37.4	32.3-42.5	191	10.5	7.8-13.2	204	11.3	8.4-14.2	171	11.9	8.8-15.0
Some Post-H.S.	2574	1,293,399	912	33.0	29.5-36.5	805	29.9	26.4-33.4	344	13.0	10.5-15.5	255	13.3	10.6-16.0	258	10.9	8.5-13.3
College Graduate	3053	1,169,153	1086	33.5	30.0-37.0	1019	30.5	27.4-33.6	414	14.8	12.3-17.3	276	11.5	9.1-13.9	258	9.7	7.5-11.9
Less than \$15,000	445	177,778	175	37.9	28.7-47.1	105	22.3	15.0-29.6	55	11.0	5.1-16.9	55	13.3	7.8-18.8	55	15.4	7.8-23.0
\$15,000- 24,999	1051	451,532	385	35.2	29.5-40.9	289	30.0	23.9-36.1	127	6.3	4.3- 8.3	110	12.7	8.6-16.8	140	15.9	11.0-20.8
\$25,000- 34,999	759	301,196	314	38.1	30.3-45.9	203	28.0	21.1-34.9	85	12.7	7.8-17.6	92	11.6	7.1-16.1	65	9.6	5.9-13.3
\$35,000- 49,999	1024	469,608	338	25.2	20.5-29.9	339	37.4	31.1-43.7	132	14.9	10.4-19.4	106	10.9	7.2-14.6	109	11.6	7.5-15.7
\$50,000- 74,999	1136	540,139	411	32.1	26.2-38.0	366	34.0	28.3-39.7	143	13.6	9.7-17.5	93	10.6	6.9-14.3	123	9.8	7.1-12.5
\$75,000+	1968	973,723	597	27.8	23.9-31.7	688	31.4	27.5-35.3	302	15.1	12.2-18.0	214	13.7	10.4-17.0	167	11.9	9.0-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 12: IMMUNIZATION CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	203
2 MALES ONLY	204
3 FEMALES ONLY	205
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	206
5 MALES ONLY	207
6 FEMALES ONLY	208
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	209
8 MALES ONLY	210
9 FEMALES ONLY	211
SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
10 MALES AND FEMALES	212
11 MALES ONLY	213
12 FEMALES ONLY	214

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34645	15,309,103	14316	35.0	34.0-36.0	20329	65.0	64.0-66.0
Male	14585	7,380,163	5667	32.8	31.2-34.4	8918	67.2	65.6-68.8
Female	20057	7,927,198	8648	37.0	35.6-38.4	11409	63.0	61.6-64.4
White/Non-Hisp	25199	8,762,196	11329	40.0	38.8-41.2	13870	60.0	58.8-61.2
Black or Afr. Am./Non-Hisp	3387	2,062,899	1107	26.5	23.4-29.6	2280	73.5	70.4-76.6
Oth. Race/Non-Hisp.	967	546,832	349	37.2	30.5-43.9	618	62.8	56.1-69.5
MultiRacial/Non-Hisp.	424	129,333	148	28.6	20.6-36.6	276	71.4	63.4-79.4
Hispanic	4079	3,504,558	1168	27.5	25.1-29.9	2911	72.5	70.1-74.9
18-24	1707	1,671,922	401	23.0	19.7-26.3	1306	77.0	73.7-80.3
25-34	3205	2,367,466	724	21.9	19.5-24.3	2481	78.1	75.7-80.5
35-44	3472	2,213,898	869	23.9	21.4-26.4	2603	76.1	73.6-78.6
45-54	4936	2,404,404	1391	27.9	25.4-30.4	3545	72.1	69.6-74.6
55-64	6912	2,524,376	2606	36.8	34.3-39.3	4306	63.2	60.7-65.7
65+	13934	3,854,776	8130	57.6	55.6-59.6	5804	42.4	40.4-44.4
Less Than H.S.	3598	2,074,406	1218	31.4	27.9-34.9	2380	68.6	65.1-72.1
H.S. or G.E.D.	10313	4,485,099	3887	32.1	30.1-34.1	6426	67.9	65.9-69.9
Some Post-H.S.	10073	4,832,134	4159	34.1	32.3-35.9	5914	65.9	64.1-67.7
College Graduate	10501	3,832,816	4993	41.4	39.6-43.2	5508	58.6	56.8-60.4
Less than \$15,000	3212	1,239,737	1106	28.8	25.3-32.3	2106	71.2	67.7-74.7
\$15,000- 24,999	6350	2,637,812	2419	30.2	27.8-32.6	3931	69.8	67.4-72.2
\$25,000- 34,999	3618	1,470,541	1459	34.0	30.7-37.3	2159	66.0	62.7-69.3
\$35,000- 49,999	4272	1,818,599	1731	34.5	31.8-37.2	2541	65.5	62.8-68.2
\$50,000- 74,999	3975	1,745,478	1741	35.2	32.3-38.1	2234	64.8	61.9-67.7
\$75,000+	6736	3,381,763	3065	39.0	36.8-41.2	3671	61.0	58.8-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14585	7,380,163	5667	32.8	31.2-34.4	8918	67.2	65.6-68.8
White/Non-Hisp	10439	4,254,013	4437	37.2	35.4-39.0	6002	62.8	61.0-64.6
Black or Afr. Am./Non-Hisp	1353	962,618	425	26.6	21.7-31.5	928	73.4	68.5-78.3
Oth. Race/Non-Hisp.	487	249,746	158	30.1	20.5-39.7	329	69.9	60.3-79.5
MultiRacial/Non-Hisp.	204	57,022	65	30.1	18.1-42.1	139	69.9	57.9-81.9
Hispanic	1789	1,686,391	472	26.5	23.0-30.0	1317	73.5	70.0-77.0
18-24	871	855,112	176	20.1	15.4-24.8	695	79.9	75.2-84.6
25-34	1483	1,201,075	298	19.7	16.6-22.8	1185	80.3	77.2-83.4
35-44	1520	1,079,208	312	19.4	16.1-22.7	1208	80.6	77.3-83.9
45-54	2157	1,191,187	546	25.4	22.1-28.7	1611	74.6	71.3-77.9
55-64	2924	1,190,336	1030	37.1	33.4-40.8	1894	62.9	59.2-66.6
65+	5442	1,746,811	3235	58.5	55.6-61.4	2207	41.5	38.6-44.4
Less Than H.S.	1571	1,049,690	457	28.8	23.7-33.9	1114	71.2	66.1-76.3
H.S. or G.E.D.	4307	2,235,436	1423	29.0	26.3-31.7	2884	71.0	68.3-73.7
Some Post-H.S.	3909	2,172,304	1506	32.3	29.8-34.8	2403	67.7	65.2-70.2
College Graduate	4735	1,882,194	2264	40.7	38.2-43.2	2471	59.3	56.8-61.8
Less than \$15,000	1131	533,995	345	30.3	24.2-36.4	786	69.7	63.6-75.8
\$15,000- 24,999	2413	1,187,578	858	28.2	24.9-31.5	1555	71.8	68.5-75.1
\$25,000- 34,999	1500	708,627	573	31.4	26.5-36.3	927	68.6	63.7-73.5
\$35,000- 49,999	1946	895,975	737	32.2	28.3-36.1	1209	67.8	63.9-71.7
\$50,000- 74,999	1856	894,229	766	34.1	29.8-38.4	1090	65.9	61.6-70.2
\$75,000+	3438	1,881,348	1512	36.7	33.8-39.6	1926	63.3	60.4-66.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20057	7,927,198	8648	37.0	35.6-38.4	11409	63.0	61.6-64.4
White/Non-Hisp	14758	4,507,037	6891	42.8	41.2-44.4	7867	57.2	55.6-58.8
Black or Afr. Am./Non-Hisp	2033	1,099,684	682	26.4	22.3-30.5	1351	73.6	69.5-77.7
Oth. Race/Non-Hisp.	480	297,087	191	43.2	33.8-52.6	289	56.8	47.4-66.2
MultiRacial/Non-Hisp.	220	72,311	83	27.5	16.7-38.3	137	72.5	61.7-83.3
Hispanic	2290	1,818,166	696	28.5	25.0-32.0	1594	71.5	68.0-75.0
18-24	836	816,810	225	26.1	21.4-30.8	611	73.9	69.2-78.6
25-34	1720	1,164,900	426	24.1	20.4-27.8	1294	75.9	72.2-79.6
35-44	1952	1,134,690	557	28.2	24.3-32.1	1395	71.8	67.9-75.7
45-54	2779	1,213,217	845	30.4	26.9-33.9	1934	69.6	66.1-73.1
55-64	3988	1,334,041	1576	36.5	33.2-39.8	2412	63.5	60.2-66.8
65+	8491	2,107,713	4894	56.9	54.4-59.4	3597	43.1	40.6-45.6
Less Than H.S.	2026	1,024,119	761	34.0	29.1-38.9	1265	66.0	61.1-70.9
H.S. or G.E.D.	6006	2,249,663	2464	35.3	32.6-38.0	3542	64.7	62.0-67.4
Some Post-H.S.	6164	2,659,830	2653	35.7	33.3-38.1	3511	64.3	61.9-66.7
College Graduate	5764	1,949,477	2728	42.1	39.6-44.6	3036	57.9	55.4-60.4
Less than \$15,000	2081	705,742	761	27.7	23.6-31.8	1320	72.3	68.2-76.4
\$15,000- 24,999	3937	1,450,234	1561	31.9	28.8-35.0	2376	68.1	65.0-71.2
\$25,000- 34,999	2117	761,020	886	36.4	31.9-40.9	1231	63.6	59.1-68.1
\$35,000- 49,999	2326	922,624	994	36.8	32.7-40.9	1332	63.2	59.1-67.3
\$50,000- 74,999	2119	851,249	975	36.5	32.4-40.6	1144	63.5	59.4-67.6
\$75,000+	3297	1,500,162	1552	41.9	38.6-45.2	1745	58.1	54.8-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7021	2,730,333	5	0.2	0.0- 0.6	315	5.8	4.6- 7.0	6701	93.9	92.7-95.1
Male	2663	1,145,482	4	0.5	0.0- 1.3	119	4.8	3.2- 6.4	2540	94.6	93.0-96.2
Female	4358	1,584,851	1	0.0	0.0- 0.0	196	6.6	4.8- 8.4	4161	93.4	91.6-95.2
White/Non-Hisp	5807	1,992,257	4	0.3	0.0- 0.7	241	5.1	3.9- 6.3	5562	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	432	219,801				25	5.3	1.0- 9.6	407	94.7	90.4-99.0
Oth. Race/Non-Hisp.	151	110,413				8	7.4	0.0-15.4	143	92.6	84.6- 100
MultiRacial/Non-Hisp.	64	15,119				6	4.9	0.0-11.0	58	95.1	89.0- 100
Hispanic	475	356,525	1	0.2	0.0- 0.6	34	10.4	4.5-16.3	440	89.4	83.5-95.3
18-24	164	126,954				22	11.8	4.4-19.2	142	88.2	80.8-95.6
25-34	364	254,228	2	0.5	0.0- 1.1	25	7.5	3.4-11.6	337	92.0	87.9-96.1
35-44	441	265,207				25	10.9	5.0-16.8	416	89.1	83.2-95.0
45-54	727	372,290				47	8.6	3.9-13.3	680	91.4	86.7-96.1
55-64	1370	516,560	1	0.8	0.0- 2.2	61	4.2	2.4- 6.0	1308	95.0	92.6-97.4
65+	3858	1,134,434	2	0.1	0.0- 0.3	131	3.7	2.3- 5.1	3725	96.2	94.8-97.6
Less Than H.S.	424	213,052				18	7.2	0.0-14.6	406	92.8	85.4- 100
H.S. or G.E.D.	1691	641,644	2	0.3	0.0- 0.7	82	6.6	4.1- 9.1	1607	93.1	90.6-95.6
Some Post-H.S.	2112	896,569	2	0.5	0.0- 1.3	103	5.9	4.1- 7.7	2007	93.6	91.6-95.6
College Graduate	2774	972,088	1	0.0	0.0- 0.0	111	5.0	3.0- 7.0	2662	95.0	93.0-97.0
Less than \$15,000	449	130,607				22	10.2	2.9-17.5	427	89.8	82.5-97.1
\$15,000- 24,999	1058	372,904				54	6.1	2.8- 9.4	1004	93.9	90.6-97.2
\$25,000- 34,999	696	239,134				31	7.7	1.2-14.2	665	92.3	85.8-98.8
\$35,000- 49,999	900	361,217	4	1.5	0.0- 3.7	40	5.2	2.3- 8.1	856	93.3	89.8-96.8
\$50,000- 74,999	962	369,370				49	4.8	2.4- 7.2	913	95.2	92.8-97.6
\$75,000+	1767	808,369	1	0.1	0.0- 0.3	65	5.9	3.5- 8.3	1701	94.0	91.6-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2663	1,145,482	4	0.5	0.0- 1.3	119	4.8	3.2- 6.4	2540	94.6	93.0-96.2
White/Non-Hisp	2186	862,506	3	0.6	0.0- 1.6	92	4.9	3.1- 6.7	2091	94.5	92.5-96.5
Black or Afr. Am./Non-Hisp	153	66,958				8	3.9	0.0- 8.4	145	96.1	91.6- 100
Oth. Race/Non-Hisp.	68	35,200							68	100.0	100.0- 100
Hispanic	179	150,733	1	0.5	0.0- 1.5	16	6.5	1.4-11.6	162	92.9	87.6-98.2
18-24	65	43,029				8	9.4	1.8-17.0	57	90.6	83.0-98.2
25-34	128	100,540	2	1.2	0.0- 3.0	6	2.8	0.1- 5.5	120	96.1	93.0-99.2
35-44	152	102,832				11	12.9	2.7-23.1	141	87.1	76.9-97.3
45-54	255	142,943				23	7.2	2.9-11.5	232	92.8	88.5-97.1
55-64	523	230,161	1	1.7	0.0- 5.0	23	4.0	1.3- 6.7	499	94.3	90.2-98.4
65+	1505	498,769	1	0.2	0.0- 0.6	46	3.1	1.3- 4.9	1458	96.7	94.9-98.5
Less Than H.S.	145	79,432				8	4.6	0.0- 9.5	137	95.4	90.5- 100
H.S. or G.E.D.	580	263,847	2	0.6	0.0- 1.4	32	7.8	3.7-11.9	546	91.6	87.5-95.7
Some Post-H.S.	714	349,778	2	1.2	0.0- 3.4	33	3.9	1.9- 5.9	679	94.9	92.0-97.8
College Graduate	1217	450,095				45	3.8	1.4- 6.2	1172	96.2	93.8-98.6
Less than \$15,000	116	40,013				8	16.1	0.0-32.4	108	83.9	67.6- 100
\$15,000- 24,999	320	133,282				17	4.3	1.2- 7.4	303	95.7	92.6-98.8
\$25,000- 34,999	257	87,916				13	5.9	1.6-10.2	244	94.1	89.8-98.4
\$35,000- 49,999	358	143,269	3	3.6	0.0- 8.9	17	4.5	1.2- 7.8	338	92.0	85.9-98.1
\$50,000- 74,999	401	159,626				22	4.2	1.3- 7.1	379	95.8	92.9-98.7
\$75,000+	867	430,362	1	0.2	0.0- 0.6	29	4.4	1.7- 7.1	837	95.4	92.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4358	1,584,851	1	0.0	0.0- 0.0	196	6.6	4.8- 8.4	4161	93.4	91.6-95.2
White/Non-Hisp	3621	1,129,751	1	0.0	0.0- 0.0	149	5.2	3.6- 6.8	3471	94.7	93.1-96.3
Black or Afr. Am./Non-Hisp	279	152,843				17	5.9	0.0-11.8	262	94.1	88.2- 100
Oth. Race/Non-Hisp.	83	75,213				8	10.9	0.0-22.7	75	89.1	77.3- 100
Hispanic	296	205,792				18	13.3	4.1-22.5	278	86.7	77.5-95.9
18-24	99	83,926				14	13.0	2.6-23.4	85	87.0	76.6-97.4
25-34	236	153,688				19	10.6	4.1-17.1	217	89.4	82.9-95.9
35-44	289	162,375				14	9.6	2.3-16.9	275	90.4	83.1-97.7
45-54	472	229,347				24	9.4	2.1-16.7	448	90.6	83.3-97.9
55-64	847	286,400				38	4.4	2.0- 6.8	809	95.6	93.2-98.0
65+	2353	635,665	1	0.1	0.0- 0.3	85	4.1	1.9- 6.3	2267	95.9	93.7-98.1
Less Than H.S.	279	133,620				10	8.8	0.0-20.4	269	91.2	79.6- 100
H.S. or G.E.D.	1111	377,797				50	5.8	2.7- 8.9	1061	94.2	91.1-97.3
Some Post-H.S.	1398	546,791				70	7.2	4.5- 9.9	1328	92.8	90.1-95.5
College Graduate	1557	521,994	1	0.1	0.0- 0.3	66	6.0	3.1- 8.9	1490	93.9	91.0-96.8
Less than \$15,000	333	90,594				14	7.7	0.1-15.3	319	92.3	84.7-99.9
\$15,000- 24,999	738	239,621				37	7.1	2.4-11.8	701	92.9	88.2-97.6
\$25,000- 34,999	439	151,217				18	8.7	0.0-18.7	421	91.3	81.3- 100
\$35,000- 49,999	542	217,948	1	0.2	0.0- 0.6	23	5.6	1.3- 9.9	518	94.2	89.9-98.5
\$50,000- 74,999	561	209,744				27	5.3	2.0- 8.6	534	94.7	91.4-98.0
\$75,000+	900	378,007				36	7.6	3.7-11.5	864	92.4	88.5-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	32113	13,576,247	13974	34.6	33.6-35.6	18139	65.4	64.4-66.4
Male	13196	6,397,979	5602	35.8	34.2-37.4	7594	64.2	62.6-65.8
Female	18915	7,177,419	8371	33.5	32.1-34.9	10544	66.5	65.1-67.9
White/Non-Hisp	23572	7,845,763	11271	40.9	39.7-42.1	12301	59.1	57.9-60.3
Black or Afr. Am./Non-Hisp	3146	1,855,563	1069	25.6	22.5-28.7	2077	74.4	71.3-77.5
Oth. Race/Non-Hisp.	870	466,761	311	31.3	24.2-38.4	559	68.7	61.6-75.8
MultiRacial/Non-Hisp.	373	109,670	165	32.4	23.2-41.6	208	67.6	58.4-76.8
Hispanic	3614	3,036,581	938	24.7	22.2-27.2	2676	75.3	72.8-77.8
18-24	1323	1,268,767	369	28.7	24.6-32.8	954	71.3	67.2-75.4
25-34	2607	1,901,815	501	20.2	17.5-22.9	2106	79.8	77.1-82.5
35-44	3075	1,893,876	545	17.4	14.9-19.9	2530	82.6	80.1-85.1
45-54	4534	2,201,854	933	19.6	17.2-22.0	3601	80.4	78.0-82.8
55-64	6599	2,373,334	2078	27.9	25.5-30.3	4521	72.1	69.7-74.5
65+	13542	3,690,440	9364	65.6	63.6-67.6	4178	34.4	32.4-36.4
Less Than H.S.	3320	1,844,585	1303	31.1	27.6-34.6	2017	68.9	65.4-72.4
H.S. or G.E.D.	9583	3,981,970	4129	34.9	32.9-36.9	5454	65.1	63.1-67.1
Some Post-H.S.	9314	4,264,409	4170	36.1	34.1-38.1	5144	63.9	61.9-65.9
College Graduate	9748	3,405,471	4315	34.4	32.6-36.2	5433	65.6	63.8-67.4
Less than \$15,000	3001	1,121,245	1282	34.9	30.8-39.0	1719	65.1	61.0-69.2
\$15,000- 24,999	5932	2,387,976	2650	33.9	31.4-36.4	3282	66.1	63.6-68.6
\$25,000- 34,999	3344	1,286,662	1472	34.1	30.6-37.6	1872	65.9	62.4-69.4
\$35,000- 49,999	3974	1,616,030	1752	36.8	33.7-39.9	2222	63.2	60.1-66.3
\$50,000- 74,999	3699	1,576,347	1581	34.8	31.7-37.9	2118	65.2	62.1-68.3
\$75,000+	6197	2,964,265	2367	31.6	29.4-33.8	3830	68.4	66.2-70.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13196	6,397,979	5602	35.8	34.2-37.4	7594	64.2	62.6-65.8
White/Non-Hisp	9521	3,713,933	4423	41.1	39.1-43.1	5098	58.9	56.9-60.9
Black or Afr. Am./Non-Hisp	1239	862,069	433	28.2	23.3-33.1	806	71.8	66.9-76.7
Oth. Race/Non-Hisp.	433	212,135	150	33.7	22.7-44.7	283	66.3	55.3-77.3
MultiRacial/Non-Hisp.	175	49,479	77	35.8	21.9-49.7	98	64.2	50.3-78.1
Hispanic	1549	1,415,285	400	27.2	23.3-31.1	1149	72.8	68.9-76.7
18-24	664	650,650	215	35.7	29.4-42.0	449	64.3	58.0-70.6
25-34	1170	928,096	256	25.2	20.7-29.7	914	74.8	70.3-79.3
35-44	1319	906,610	246	19.3	15.6-23.0	1073	80.7	77.0-84.4
45-54	1921	1,060,805	445	22.0	18.7-25.3	1476	78.0	74.7-81.3
55-64	2736	1,104,781	839	29.6	25.9-33.3	1897	70.4	66.7-74.1
65+	5227	1,650,095	3542	63.9	61.0-66.8	1685	36.1	33.2-39.0
Less Than H.S.	1430	913,187	504	31.5	26.2-36.8	926	68.5	63.2-73.8
H.S. or G.E.D.	3894	1,935,576	1495	33.7	30.8-36.6	2399	66.3	63.4-69.2
Some Post-H.S.	3499	1,873,555	1558	38.3	35.4-41.2	1941	61.7	58.8-64.6
College Graduate	4314	1,638,144	2024	38.2	35.7-40.7	2290	61.8	59.3-64.3
Less than \$15,000	1041	487,797	392	36.0	29.3-42.7	649	64.0	57.3-70.7
\$15,000- 24,999	2198	1,048,246	944	34.8	30.9-38.7	1254	65.2	61.3-69.1
\$25,000- 34,999	1353	618,929	582	33.8	28.5-39.1	771	66.2	60.9-71.5
\$35,000- 49,999	1765	767,355	770	36.9	32.6-41.2	995	63.1	58.8-67.4
\$50,000- 74,999	1675	772,453	776	38.0	33.5-42.5	899	62.0	57.5-66.5
\$75,000+	3109	1,622,259	1255	35.9	32.8-39.0	1854	64.1	61.0-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18915	7,177,419	8371	33.5	32.1-34.9	10544	66.5	65.1-67.9
White/Non-Hisp	14050	4,131,577	6847	40.6	39.0-42.2	7203	59.4	57.8-61.0
Black or Afr. Am./Non-Hisp	1906	992,897	636	23.4	19.3-27.5	1270	76.6	72.5-80.7
Oth. Race/Non-Hisp.	437	254,626	161	29.3	20.1-38.5	276	70.7	61.5-79.9
MultiRacial/Non-Hisp.	198	60,190	88	29.6	17.3-41.9	110	70.4	58.1-82.7
Hispanic	2065	1,621,296	538	22.6	19.3-25.9	1527	77.4	74.1-80.7
18-24	659	618,117	154	21.4	16.7-26.1	505	78.6	73.9-83.3
25-34	1436	973,123	245	15.4	12.1-18.7	1191	84.6	81.3-87.9
35-44	1756	987,266	299	15.8	12.5-19.1	1457	84.2	80.9-87.5
45-54	2613	1,141,049	488	17.4	14.3-20.5	2125	82.6	79.5-85.7
55-64	3863	1,268,553	1239	26.5	23.4-29.6	2624	73.5	70.4-76.6
65+	8314	2,040,093	5821	67.0	64.5-69.5	2493	33.0	30.5-35.5
Less Than H.S.	1889	930,802	799	30.8	25.9-35.7	1090	69.2	64.3-74.1
H.S. or G.E.D.	5689	2,046,393	2634	36.0	33.3-38.7	3055	64.0	61.3-66.7
Some Post-H.S.	5815	2,390,854	2612	34.4	32.0-36.8	3203	65.6	63.2-68.0
College Graduate	5433	1,767,075	2290	30.8	28.4-33.2	3143	69.2	66.8-71.6
Less than \$15,000	1960	633,447	890	34.1	29.0-39.2	1070	65.9	60.8-71.0
\$15,000- 24,999	3734	1,339,729	1706	33.2	29.9-36.5	2028	66.8	63.5-70.1
\$25,000- 34,999	1991	667,734	890	34.4	29.9-38.9	1101	65.6	61.1-70.1
\$35,000- 49,999	2209	848,675	982	36.7	32.4-41.0	1227	63.3	59.0-67.6
\$50,000- 74,999	2024	803,894	805	31.8	27.5-36.1	1219	68.2	63.9-72.5
\$75,000+	3087	1,341,754	1111	26.3	23.4-29.2	1976	73.7	70.8-76.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	31305	13,821,070	5525	18.7	17.7-19.7
Male	13321	6,722,317	2330	18.6	17.2-20.0
Female	17982	7,097,608	3195	18.7	17.5-19.9
White/Non-Hisp	22771	7,939,721	4058	19.2	18.2-20.2
Black or Afr. Am./Non-Hisp	3049	1,824,940	493	18.9	15.8-22.0
Oth. Race/Non-Hisp.	866	469,647	159	19.1	13.6-24.6
MultiRacial/Non-Hisp.	378	117,594	69	18.0	10.6-25.4
Hispanic	3716	3,203,685	671	17.6	15.4-19.8
18-24	1477	1,417,552	410	28.0	24.1-31.9
25-34	2863	2,143,050	714	24.6	21.9-27.3
35-44	3168	2,011,332	736	21.9	19.4-24.4
45-54	4538	2,232,284	866	19.2	16.8-21.6
55-64	6346	2,315,102	1053	15.0	13.2-16.8
65+	12495	3,473,697	1678	11.6	10.4-12.8
Less Than H.S.	3259	1,908,103	395	12.0	9.8-14.2
H.S. or G.E.D.	9305	4,051,059	1331	17.0	15.2-18.8
Some Post-H.S.	9128	4,340,833	1657	19.2	17.6-20.8
College Graduate	9471	3,446,745	2129	24.1	22.3-25.9
Less than \$15,000	2909	1,142,826	424	18.3	14.8-21.8
\$15,000- 24,999	5823	2,440,823	905	16.7	14.7-18.7
\$25,000- 34,999	3282	1,318,625	524	16.9	14.0-19.8
\$35,000- 49,999	3860	1,625,548	661	17.3	14.9-19.7
\$50,000- 74,999	3619	1,583,149	684	19.2	16.5-21.9
\$75,000+	6140	3,058,583	1441	23.9	21.9-25.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
2464	7.5	6.9- 8.1	8368	26.7	25.7-27.7	14948	47.1	45.9-48.3
1097	7.6	6.8- 8.4	4231	30.9	29.3-32.5	5663	42.9	41.1-44.7
1367	7.5	6.7- 8.3	4137	22.7	21.3-24.1	9283	51.1	49.5-52.7
1894	8.3	7.5- 9.1	6290	28.8	27.6-30.0	10529	43.7	42.3-45.1
204	6.5	4.5- 8.5	753	22.8	19.7-25.9	1599	51.8	47.9-55.7
67	5.2	2.5- 7.9	213	26.0	19.1-32.9	427	49.7	42.3-57.1
42	8.4	3.5-13.3	112	33.3	23.5-43.1	155	40.3	29.3-51.3
230	6.7	5.1- 8.3	846	23.4	20.9-25.9	1969	52.3	49.4-55.2
71	5.8	3.6- 8.0	484	31.2	27.5-34.9	512	35.1	31.2-39.0
186	6.5	4.7- 8.3	755	28.1	25.2-31.0	1208	40.8	37.7-43.9
216	6.5	4.9- 8.1	828	23.8	21.3-26.3	1388	47.8	44.5-51.1
368	7.8	6.2- 9.4	1290	27.2	24.7-29.7	2014	45.8	42.9-48.7
594	8.7	7.1-10.3	1762	27.7	25.2-30.2	2937	48.6	45.9-51.3
998	8.6	7.4- 9.8	3124	24.4	22.6-26.2	6695	55.4	53.4-57.4
219	5.7	3.9- 7.5	809	25.1	21.8-28.4	1836	57.1	53.2-61.0
715	7.8	6.6- 9.0	2497	26.3	24.3-28.3	4762	48.9	46.7-51.1
756	8.5	7.3- 9.7	2541	28.2	26.2-30.2	4174	44.2	42.2-46.2
763	6.9	5.9- 7.9	2490	26.1	24.3-27.9	4089	42.9	40.9-44.9
225	9.0	6.3-11.7	716	22.0	18.5-25.5	1544	50.7	46.6-54.8
434	6.8	5.4- 8.2	1534	25.5	23.1-27.9	2950	50.9	48.2-53.6
299	9.6	7.2-12.0	847	25.3	22.2-28.4	1612	48.2	44.5-51.9
335	7.3	5.7- 8.9	1034	27.7	24.8-30.6	1830	47.7	44.4-51.0
302	7.8	6.2- 9.4	980	27.8	24.9-30.7	1653	45.2	41.9-48.5
489	7.5	6.3- 8.7	1754	28.2	26.0-30.4	2456	40.4	38.0-42.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	13321	6,722,317	2330	18.6	17.2-20.0
White/Non-Hisp	9552	3,890,304	1678	19.3	17.7-20.9
Black or Afr. Am./Non-Hisp	1227	852,665	192	20.1	15.0-25.2
Oth. Race/Non-Hisp.	436	219,254	71	12.4	7.1-17.7
MultiRacial/Non-Hisp.	183	51,235	31	19.4	8.6-30.2
Hispanic	1640	1,558,130	313	17.5	14.6-20.4
18-24	776	748,774	193	28.0	22.1-33.9
25-34	1341	1,089,004	323	24.0	20.1-27.9
35-44	1399	985,451	282	18.4	15.1-21.7
45-54	2007	1,114,611	398	21.2	17.9-24.5
55-64	2710	1,097,238	413	14.4	11.9-16.9
65+	4923	1,587,337	688	11.9	10.1-13.7
Less Than H.S.	1447	980,494	190	12.1	9.2-15.0
H.S. or G.E.D.	3952	2,044,428	602	18.3	15.6-21.0
Some Post-H.S.	3567	1,956,921	614	18.9	16.5-21.3
College Graduate	4297	1,703,371	917	22.6	20.2-25.0
Less than \$15,000	1052	511,075	164	21.4	15.5-27.3
\$15,000- 24,999	2245	1,118,829	349	15.1	12.4-17.8
\$25,000- 34,999	1378	638,146	241	18.6	14.1-23.1
\$35,000- 49,999	1772	817,523	278	16.4	13.1-19.7
\$50,000- 74,999	1692	801,571	295	17.8	14.3-21.3
\$75,000+	3157	1,703,872	679	20.8	18.4-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1097	7.6	6.8- 8.4	4231	30.9	29.3-32.5	5663	42.9	41.1-44.7
828	8.4	7.4- 9.4	3190	32.9	31.1-34.7	3856	39.5	37.5-41.5
88	5.4	3.0- 7.8	347	24.4	19.7-29.1	600	50.1	44.2-56.0
36	5.8	1.9- 9.7	121	34.7	23.7-45.7	208	47.0	37.0-57.0
27	8.9	3.2-14.6	59	38.0	23.5-52.5	66	33.7	17.0-50.4
103	7.5	5.1- 9.9	417	28.4	24.7-32.1	807	46.7	42.6-50.8
44	6.7	3.4-10.0	286	33.8	28.5-39.1	253	31.4	26.3-36.5
85	6.3	3.9- 8.7	418	34.3	30.0-38.6	515	35.3	31.0-39.6
103	7.6	5.2-10.0	426	25.1	21.4-28.8	588	48.9	44.0-53.8
174	7.8	5.8- 9.8	653	30.7	27.0-34.4	782	40.2	36.3-44.1
255	8.4	6.4-10.4	888	32.3	28.4-36.2	1154	44.9	41.0-48.8
422	8.1	6.7- 9.5	1505	29.2	26.5-31.9	2308	50.7	47.6-53.8
106	5.9	3.5- 8.3	408	28.4	23.5-33.3	743	53.7	48.2-59.2
334	7.8	6.2- 9.4	1281	31.3	28.4-34.2	1735	42.6	39.5-45.7
304	8.8	7.0-10.6	1200	32.4	29.5-35.3	1449	39.9	36.8-43.0
347	6.9	5.7- 8.1	1327	29.8	27.3-32.3	1706	40.7	38.0-43.4
80	7.3	4.2-10.4	297	25.0	18.9-31.1	511	46.3	40.0-52.6
178	8.7	6.3-11.1	707	30.2	26.5-33.9	1011	46.0	41.7-50.3
126	8.6	5.5-11.7	414	27.1	22.8-31.4	597	45.7	40.0-51.4
160	7.5	5.1- 9.9	581	32.6	28.3-36.9	753	43.5	38.8-48.2
146	6.8	4.8- 8.8	566	34.0	29.5-38.5	685	41.4	36.9-45.9
252	7.5	5.7- 9.3	1028	32.0	28.9-35.1	1198	39.7	36.6-42.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	17982	7,097,608	3195	18.7	17.5-19.9
White/Non-Hisp	13217	4,048,271	2380	19.1	17.7-20.5
Black or Afr. Am./Non-Hisp	1822	972,275	301	17.7	13.8-21.6
Oth. Race/Non-Hisp.	430	250,392	88	25.0	16.0-34.0
MultiRacial/Non-Hisp.	195	66,359	38	16.9	6.5-27.3
Hispanic	2076	1,645,555	358	17.8	14.7-20.9
18-24	701	668,778	217	27.9	22.6-33.2
25-34	1521	1,053,153	391	25.3	21.4-29.2
35-44	1769	1,025,881	454	25.2	21.3-29.1
45-54	2531	1,117,673	468	17.3	14.4-20.2
55-64	3636	1,217,864	640	15.5	13.0-18.0
65+	7571	1,886,108	990	11.4	9.8-13.0
Less Than H.S.	1812	927,609	205	11.9	8.6-15.2
H.S. or G.E.D.	5353	2,006,631	729	15.6	13.2-18.0
Some Post-H.S.	5561	2,383,913	1043	19.4	17.2-21.6
College Graduate	5172	1,742,229	1212	25.5	23.0-28.0
Less than \$15,000	1857	631,751	260	15.8	11.9-19.7
\$15,000- 24,999	3578	1,321,994	556	18.1	15.2-21.0
\$25,000- 34,999	1903	679,586	283	15.4	11.7-19.1
\$35,000- 49,999	2088	808,024	383	18.1	15.0-21.2
\$50,000- 74,999	1927	781,578	389	20.6	16.7-24.5
\$75,000+	2982	1,354,460	762	27.7	24.4-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1367	7.5	6.7- 8.3	4137	22.7	21.3-24.1	9283	51.1	49.5-52.7
1066	8.2	7.2- 9.2	3100	24.8	23.2-26.4	6671	47.8	46.0-49.6
116	7.4	4.5-10.3	406	21.5	17.2-25.8	999	53.3	48.0-58.6
31	4.7	0.8- 8.6	92	18.4	11.0-25.8	219	52.0	41.4-62.6
15	8.0	0.7-15.3	53	29.7	16.6-42.8	89	45.4	30.7-60.1
127	6.0	4.0- 8.0	429	18.7	15.6-21.8	1162	57.6	53.7-61.5
27	4.7	2.2- 7.2	198	28.2	22.9-33.5	259	39.2	33.1-45.3
101	6.7	4.2- 9.2	337	21.6	17.7-25.5	692	46.4	41.9-50.9
113	5.4	3.6- 7.2	402	22.6	18.7-26.5	800	46.8	42.3-51.3
194	7.7	5.3-10.1	637	23.6	20.1-27.1	1232	51.3	47.0-55.6
339	8.9	6.7-11.1	874	23.6	20.3-26.9	1783	52.0	48.1-55.9
576	9.0	7.4-10.6	1619	20.3	18.3-22.3	4386	59.3	56.8-61.8
113	5.6	3.1- 8.1	401	21.7	17.0-26.4	1093	60.8	55.3-66.3
381	7.9	6.1- 9.7	1216	21.2	18.8-23.6	3027	55.3	52.2-58.4
452	8.2	6.8- 9.6	1341	24.7	22.3-27.1	2725	47.7	45.0-50.4
416	6.9	5.5- 8.3	1163	22.5	20.1-24.9	2381	45.1	42.2-48.0
145	10.4	6.3-14.5	419	19.6	15.5-23.7	1033	54.2	48.7-59.7
256	5.2	3.6- 6.8	827	21.6	18.7-24.5	1939	55.1	51.4-58.8
173	10.6	7.3-13.9	433	23.6	19.1-28.1	1014	50.4	45.3-55.5
175	7.2	4.8- 9.6	453	22.6	18.5-26.7	1077	52.1	47.6-56.6
156	8.8	6.3-11.3	414	21.5	17.6-25.4	968	49.2	44.3-54.1
237	7.5	5.7- 9.3	726	23.4	20.3-26.5	1257	41.4	37.7-45.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 13: FALLS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	216
2	MALES ONLY	217
3	FEMALES ONLY	218
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	219
5	MALES ONLY	220
6	FEMALES ONLY	221

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.																				
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	25814	8,905,779	3429	11.6	10.8-12.4	1635	6.0	5.2- 6.8	807	2.6	2.2- 3.0	410	1.3	1.1- 1.5	997	2.8	2.4- 3.2	18536	75.7	74.5-76.9
Male	10518	4,160,418	1138	9.7	8.7-10.7	603	5.6	4.4- 6.8	294	2.2	1.6- 2.8	163	1.4	1.0- 1.8	431	3.0	2.4- 3.6	7889	78.0	76.2-79.8
Female	15295	4,745,110	2291	13.2	12.0-14.4	1032	6.4	5.4- 7.4	513	2.9	2.3- 3.5	247	1.2	0.8- 1.6	566	2.7	2.1- 3.3	10646	73.7	72.1-75.3
White/Non-Hisp	20305	5,828,471	2810	12.9	11.9-13.9	1350	5.9	5.1- 6.7	637	2.8	2.2- 3.4	322	1.3	0.9- 1.7	812	3.2	2.6- 3.8	14374	73.8	72.6-75.0
Black or Afr. Am./Non-Hisp	2170	931,984	236	8.7	6.5-10.9	117	8.5	4.6-12.4	71	2.0	1.0- 3.0	38	1.8	0.4- 3.2	56	1.9	0.7- 3.1	1652	77.0	72.7-81.3
Oth. Race/Non-Hisp.	611	257,204	73	4.3	1.9- 6.7	28	5.3	0.0-13.7	17	0.1	0.0- 0.3	11	0.2	0.0- 0.4	42	2.3	0.0- 4.7	440	87.8	79.4-96.2
MultiRacial/Non-Hisp.	275	42,268	43	27.4	10.7-44.1	15	3.1	0.0- 6.4	14	2.1	0.3- 3.9	6	2.4	0.0- 6.7	24	9.9	1.1-18.7	173	55.1	39.8-70.4
Hispanic	2000	1,656,158	211	9.0	6.8-11.2	101	5.7	3.7- 7.7	56	2.6	1.4- 3.8	23	1.1	0.3- 1.9	42	1.8	0.8- 2.8	1567	79.8	76.7-82.9
45-54	4813	2,343,226	552	10.1	8.5-11.7	257	5.2	3.8- 6.6	145	2.5	1.5- 3.5	89	2.1	1.3- 2.9	225	3.3	2.3- 4.3	3545	76.8	74.4-79.2
55-64	6782	2,482,299	843	11.6	10.0-13.2	479	6.2	4.6- 7.8	233	2.9	2.1- 3.7	117	1.1	0.7- 1.5	341	3.2	2.6- 3.8	4769	75.1	72.7-77.5
65+	13751	3,812,262	1986	12.7	11.5-13.9	884	6.7	5.5- 7.9	420	2.6	2.0- 3.2	201	1.1	0.7- 1.5	421	2.3	1.7- 2.9	9839	74.6	72.8-76.4
Less Than H.S.	2542	1,205,613	314	10.7	8.2-13.2	181	9.2	5.5-12.9	128	3.8	2.2- 5.4	56	2.5	1.1- 3.9	145	2.5	1.5- 3.5	1718	71.4	66.9-75.9
H.S. or G.E.D.	7699	2,555,901	1042	11.6	10.2-13.0	502	6.2	5.0- 7.4	236	2.0	1.4- 2.6	151	1.6	1.0- 2.2	328	3.5	2.5- 4.5	5440	75.1	72.9-77.3
Some Post-H.S.	7406	2,761,598	1037	12.1	10.7-13.5	522	5.9	4.7- 7.1	258	3.2	2.4- 4.0	123	1.2	0.8- 1.6	293	2.9	2.1- 3.7	5173	74.7	72.7-76.7
College Graduate	8029	2,317,163	1019	11.5	10.1-12.9	427	4.3	3.5- 5.1	181	1.8	1.2- 2.4	78	0.5	0.3- 0.7	223	2.2	1.6- 2.8	6101	79.6	77.8-81.4
Less than \$15,000	2429	765,883	318	11.5	8.4-14.6	209	8.0	4.7-11.3	144	6.3	4.1- 8.5	97	3.5	1.9- 5.1	235	6.1	4.3- 7.9	1426	64.7	59.8-69.6
\$15,000- 24,999	4583	1,454,002	635	11.3	9.3-13.3	359	7.6	5.6- 9.6	191	2.1	1.5- 2.7	94	1.6	0.8- 2.4	254	4.1	2.7- 5.5	3050	73.3	70.4-76.2
\$25,000- 34,999	2633	811,390	382	11.8	9.4-14.2	176	7.1	4.0-10.2	82	3.5	1.5- 5.5	46	1.5	0.7- 2.3	92	3.3	1.7- 4.9	1855	72.7	68.6-76.8
\$35,000- 49,999	3160	1,072,559	451	13.1	10.9-15.3	199	4.7	3.3- 6.1	100	2.7	1.5- 3.9	35	0.9	0.1- 1.7	97	2.2	1.4- 3.0	2278	76.5	73.6-79.4
\$50,000- 74,999	2947	993,186	414	12.7	10.3-15.1	158	4.6	3.0- 6.2	68	1.6	0.4- 2.8	30	1.2	0.2- 2.2	57	1.8	0.4- 3.2	2220	78.1	75.0-81.2
\$75,000+	5066	2,024,844	605	10.5	9.1-11.9	252	4.9	3.5- 6.3	76	1.7	0.9- 2.5	34	0.6	0.2- 1.0	105	1.8	1.0- 2.6	3994	80.5	78.3-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10518	4,160,418	1138	9.7	8.7-10.7	603	5.6	4.4- 6.8	294	2.2	1.6- 2.8	163	1.4	1.0- 1.8	431	3.0	2.4- 3.6	7889	78.0	76.2-79.8
White/Non-Hisp	8212	2,752,842	911	10.5	9.3-11.7	495	5.1	4.1- 6.1	235	2.4	1.8- 3.0	125	1.1	0.7- 1.5	338	3.1	2.3- 3.9	6108	77.8	76.0-79.6
Black or Afr. Am./Non-Hisp	824	422,207	80	7.7	4.8-10.6	48	10.3	3.0-17.6	19	2.2	0.6- 3.8	17	3.3	0.4- 6.2	24	2.1	0.1- 4.1	636	74.4	67.0-81.8
Oth. Race/Non-Hisp.	289	118,126	36	5.2	0.9- 9.5	10	10.1	0.0-27.3	6	0.1	0.1- 0.1	2	0.0	0.0- 0.0	19	3.8	0.0- 8.7	216	80.9	64.0-97.8
MultiRacial/Non-Hisp.	132	17,525	14	27.2	6.4-48.0	7	5.3	0.0-12.4	7	2.5	0.0- 5.6	2	0.3	0.0- 0.7	17	6.9	0.0-14.3	85	57.8	38.4-77.2
Hispanic	829	746,881	71	7.7	5.0-10.4	33	4.8	1.9- 7.7	21	2.3	0.3- 4.3	12	1.7	0.3- 3.1	20	3.0	0.8- 5.2	672	80.5	75.8-85.2
45-54	2105	1,166,347	208	9.9	7.7-12.1	92	4.8	2.6- 7.0	58	2.4	1.2- 3.6	41	2.1	0.9- 3.3	95	3.3	2.1- 4.5	1611	77.6	74.3-80.9
55-64	2865	1,161,617	300	10.1	7.9-12.3	187	6.0	3.5- 8.5	82	2.2	1.2- 3.2	40	0.9	0.1- 1.7	153	2.9	2.1- 3.7	2103	77.8	74.5-81.1
65+	5364	1,720,662	615	9.3	7.9-10.7	320	6.2	4.2- 8.2	153	2.3	1.5- 3.1	81	1.4	0.8- 2.0	177	2.9	1.7- 4.1	4018	77.9	75.4-80.4
Less Than H.S.	1057	593,466	97	6.6	4.4- 8.8	65	11.3	4.6-18.0	51	3.3	0.9- 5.7	24	3.1	0.7- 5.5	81	3.5	1.7- 5.3	739	72.2	65.1-79.3
H.S. or G.E.D.	2959	1,143,268	334	10.8	8.6-13.0	186	6.0	4.0- 8.0	87	1.8	1.0- 2.6	68	1.9	0.9- 2.9	141	3.5	2.1- 4.9	2143	76.0	72.9-79.1
Some Post-H.S.	2751	1,177,038	300	9.4	7.2-11.6	169	4.7	3.3- 6.1	83	2.7	1.7- 3.7	39	1.0	0.4- 1.6	103	3.1	1.7- 4.5	2057	79.1	76.2-82.0
College Graduate	3698	1,221,196	396	10.4	8.6-12.2	182	3.6	2.6- 4.6	72	1.7	0.9- 2.5	32	0.6	0.2- 1.0	102	2.3	1.3- 3.3	2914	81.3	78.9-83.7
Less than \$15,000	842	341,353	101	10.2	6.5-13.9	73	7.8	1.3-14.3	38	3.8	0.7- 6.9	35	4.8	1.9- 7.7	91	7.7	4.4-11.0	504	65.6	58.0-73.2
\$15,000- 24,999	1673	625,563	181	10.1	7.0-13.2	124	8.4	4.9-11.9	64	2.1	1.1- 3.1	38	1.3	0.5- 2.1	103	4.7	2.2- 7.2	1163	73.4	68.7-78.1
\$25,000- 34,999	1032	371,025	124	9.5	6.4-12.6	68	7.1	1.6-12.6	27	2.9	0.4- 5.4	18	1.5	0.1- 2.9	42	4.1	1.4- 6.8	753	74.8	68.3-81.3
\$35,000- 49,999	1398	512,842	163	11.4	8.1-14.7	76	2.8	1.6- 4.0	40	2.1	0.7- 3.5	23	1.7	0.1- 3.3	40	1.8	0.6- 3.0	1056	80.2	76.1-84.3
\$50,000- 74,999	1361	492,940	161	9.6	6.7-12.5	66	3.8	1.6- 6.0	34	1.2	0.6- 1.8	14	1.4	0.0- 3.0	33	1.3	0.5- 2.1	1053	82.6	78.7-86.5
\$75,000+	2599	1,172,799	246	8.7	6.9-10.5	112	4.9	2.7- 7.1	39	2.0	1.0- 3.0	12	0.5	0.1- 0.9	57	1.6	0.8- 2.4	2133	82.4	79.5-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.																				
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15295	4,745,110	2291	13.2	12.0-14.4	1032	6.4	5.4- 7.4	513	2.9	2.3- 3.5	247	1.2	0.8- 1.6	566	2.7	2.1- 3.3	10646	73.7	72.1-75.3
White/Non-Hisp	12092	3,075,377	1899	15.1	13.7-16.5	855	6.5	5.5- 7.5	402	3.2	2.4- 4.0	197	1.5	1.1- 1.9	474	3.4	2.6- 4.2	8265	70.2	68.4-72.0
Black or Afr. Am./Non-Hisp	1346	509,777	156	9.6	6.7-12.5	69	7.1	3.6-10.6	52	1.9	0.9- 2.9	21	0.7	0.3- 1.1	32	1.7	0.0- 3.5	1016	79.1	74.2-84.0
Oth. Race/Non-Hisp.	322	139,079	37	3.5	1.5- 5.5	18	1.2	0.2- 2.2	11	0.2	0.0- 0.4	9	0.4	0.0- 0.8	23	1.1	0.1- 2.1	224	93.6	90.9-96.3
MultiRacial/Non-Hisp.	143	24,743	29	27.5	3.0-52.0	8	1.6	0.0- 4.1	7	1.8	0.0- 4.0	4	4.0	0.0-11.3	7	12.0	0.0-25.9	88	53.2	31.2-75.2
Hispanic	1171	909,277	140	10.0	6.7-13.3	68	6.4	3.9- 8.9	35	2.9	1.3- 4.5	11	0.6	0.0- 1.4	22	0.8	0.2- 1.4	895	79.2	74.9-83.5
45-54	2708	1,176,879	344	10.3	8.3-12.3	165	5.6	3.8- 7.4	87	2.6	1.2- 4.0	48	2.1	0.9- 3.3	130	3.3	1.9- 4.7	1934	76.1	72.8-79.4
55-64	3917	1,320,682	543	12.9	10.4-15.4	292	6.3	4.5- 8.1	151	3.4	2.2- 4.6	77	1.2	0.8- 1.6	188	3.5	2.3- 4.7	2666	72.7	69.6-75.8
65+	8386	2,091,347	1371	15.5	13.7-17.3	564	7.0	5.6- 8.4	267	2.8	2.0- 3.6	120	0.9	0.5- 1.3	244	1.9	1.3- 2.5	5820	71.9	69.7-74.1
Less Than H.S.	1485	612,147	217	14.6	9.9-19.3	116	7.2	4.3-10.1	77	4.3	1.9- 6.7	32	1.9	0.3- 3.5	64	1.5	0.7- 2.3	979	70.6	64.9-76.3
H.S. or G.E.D.	4740	1,412,633	708	12.3	10.5-14.1	316	6.4	4.6- 8.2	149	2.2	1.2- 3.2	83	1.3	0.7- 1.9	187	3.5	2.3- 4.7	3297	74.3	71.6-77.0
Some Post-H.S.	4655	1,584,560	737	14.1	12.1-16.1	353	6.8	5.0- 8.6	175	3.6	2.4- 4.8	84	1.5	0.9- 2.1	190	2.7	1.7- 3.7	3116	71.3	68.6-74.0
College Graduate	4330	1,095,714	623	12.8	10.8-14.8	245	5.2	4.0- 6.4	109	1.9	1.1- 2.7	46	0.4	0.2- 0.6	121	2.1	1.3- 2.9	3186	77.6	75.1-80.1
Less than \$15,000	1587	424,530	217	12.5	7.6-17.4	136	8.1	5.0-11.2	106	8.4	5.3-11.5	62	2.3	1.1- 3.5	144	4.8	3.0- 6.6	922	63.9	57.8-70.0
\$15,000- 24,999	2910	828,438	454	12.3	9.9-14.7	235	7.0	4.8- 9.2	127	2.1	1.3- 2.9	56	1.9	0.9- 2.9	151	3.6	2.2- 5.0	1887	73.1	69.6-76.6
\$25,000- 34,999	1601	440,365	258	13.8	10.5-17.1	108	7.2	3.9-10.5	55	4.0	1.1- 6.9	28	1.5	0.7- 2.3	50	2.6	1.0- 4.2	1102	71.0	65.9-76.1
\$35,000- 49,999	1762	559,717	288	14.7	11.6-17.8	123	6.4	3.9- 8.9	60	3.2	1.4- 5.0	12	0.1	0.1- 0.1	57	2.5	1.1- 3.9	1222	73.0	68.7-77.3
\$50,000- 74,999	1586	500,247	253	15.9	12.2-19.6	92	5.4	3.0- 7.8	34	2.0	0.0- 4.2	16	1.0	0.2- 1.8	24	2.2	0.0- 4.7	1167	73.6	68.7-78.5
\$75,000+	2466	851,793	359	13.0	10.6-15.4	140	5.0	3.4- 6.6	37	1.4	0.6- 2.2	22	0.7	0.1- 1.3	48	2.0	0.6- 3.4	1860	78.0	74.9-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7189	2,125,509	2052	29.1	26.7-31.5	469	6.3	4.9- 7.7	218	2.2	1.6- 2.8	84	0.9	0.5- 1.3	215	2.2	1.6- 2.8	4151	59.4	56.9-61.9
Male	2593	898,774	641	24.5	21.2-27.8	137	4.6	2.6- 6.6	65	1.4	0.8- 2.0	28	1.1	0.3- 1.9	90	3.1	1.7- 4.5	1632	65.3	61.4-69.2
Female	4596	1,226,735	1411	32.5	29.4-35.6	332	7.5	5.3- 9.7	153	2.8	2.0- 3.6	56	0.7	0.3- 1.1	125	1.5	0.9- 2.1	2519	55.0	51.7-58.3
White/Non-Hisp	5864	1,501,567	1675	29.5	27.1-31.9	388	6.6	5.0- 8.2	165	2.4	1.6- 3.2	65	0.9	0.5- 1.3	169	2.4	1.6- 3.2	3402	58.3	55.6-61.0
Black or Afr. Am./Non-Hisp	507	211,737	133	22.5	15.2-29.8	39	7.4	1.1-13.7	18	1.2	0.2- 2.2	2	1.6	0.0- 4.7	10	0.3	0.0- 0.7	305	66.9	57.3-76.5
Oth. Race/Non-Hisp.	170	31,422	48	16.5	2.6-30.4	8	0.6	0.0- 1.4	14	0.8	0.0- 2.0	3	0.1	0.0- 0.3	12	1.2	0.0- 2.8	85	80.8	64.9-96.7
MultiRacial/Non-Hisp.	102	18,974	30	40.2	11.4-69.0	8	1.1	0.0- 2.3	2	0.2	0.0- 0.4	2	0.3	0.0- 0.9	6	2.7	0.0- 6.8	54	55.5	27.5-83.5
Hispanic	427	326,400	140	31.7	23.3-40.1	17	5.0	0.7- 9.3	16	2.4	0.6- 4.2	5	0.2	0.0- 0.4	12	2.4	0.0- 4.8	237	58.3	49.5-67.1
45-54	1250	535,131	362	28.6	23.7-33.5	92	7.4	3.9-10.9	60	3.1	1.5- 4.7	23	0.8	0.0- 1.6	64	3.7	1.9- 5.5	649	56.2	50.5-61.9
55-64	1984	602,201	570	30.8	25.9-35.7	153	5.2	3.0- 7.4	78	2.1	1.3- 2.9	25	1.2	0.0- 2.4	78	2.3	1.3- 3.3	1080	58.4	53.3-63.5
65+	3872	953,778	1096	28.4	25.1-31.7	220	6.3	4.1- 8.5	80	1.8	1.0- 2.6	34	0.8	0.4- 1.2	70	1.3	0.5- 2.1	2372	61.5	57.8-65.2
Less Than H.S.	804	334,625	221	25.6	17.8-33.4	58	5.4	1.9- 8.9	35	2.6	1.0- 4.2	9	0.3	0.0- 0.7	30	1.3	0.3- 2.3	451	64.8	56.4-73.2
H.S. or G.E.D.	2231	626,799	652	31.3	27.0-35.6	135	5.8	3.1- 8.5	73	2.4	1.2- 3.6	32	1.2	0.0- 2.4	63	2.1	0.9- 3.3	1276	57.2	52.5-61.9
Some Post-H.S.	2207	685,435	624	28.2	24.3-32.1	170	8.8	5.7-11.9	64	2.0	1.0- 3.0	30	1.1	0.3- 1.9	75	2.8	1.4- 4.2	1244	57.0	52.5-61.5
College Graduate	1914	469,719	545	30.1	26.0-34.2	104	3.8	2.2- 5.4	45	2.0	1.0- 3.0	12	0.5	0.0- 1.1	44	1.9	0.7- 3.1	1164	61.8	57.5-66.1
Less than \$15,000	985	258,304	293	34.2	25.8-42.6	87	5.9	3.2- 8.6	62	4.4	2.2- 6.6	27	1.2	0.2- 2.2	74	5.4	2.5- 8.3	442	48.8	40.2-57.4
\$15,000- 24,999	1517	384,030	434	30.9	25.2-36.6	118	8.0	4.5-11.5	59	2.9	1.5- 4.3	18	0.8	0.2- 1.4	60	2.3	0.9- 3.7	828	55.1	49.0-61.2
\$25,000- 34,999	771	214,566	196	23.4	17.1-29.7	48	9.7	2.6-16.8	19	1.7	0.0- 3.5	12	0.8	0.0- 1.6	16	2.7	0.5- 4.9	480	61.6	53.2-70.0
\$35,000- 49,999	875	249,968	260	33.3	26.6-40.0	50	6.7	2.8-10.6	14	1.7	0.1- 3.3	6	1.9	0.0- 4.6	14	2.4	0.2- 4.6	531	54.0	47.1-60.9
\$50,000- 74,999	722	217,390	206	29.0	21.9-36.1	36	2.9	1.3- 4.5	11	1.0	0.2- 1.8	4	1.1	0.0- 2.9	6	0.2	0.0- 0.4	459	65.8	58.5-73.1
\$75,000+	1058	385,670	292	26.2	21.5-30.9	50	1.8	1.0- 2.6	22	1.9	0.3- 3.5	4	0.5	0.0- 1.1	12	0.5	0.1- 0.9	678	69.2	64.1-74.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	898,774	641	24.5	21.2-27.8	137	4.6	2.6- 6.6	65	1.4	0.8- 2.0	28	1.1	0.3- 1.9	90	3.1	1.7- 4.5	1632	65.3	61.4-69.2
White/Non-Hisp	2076	602,611	510	25.3	21.6-29.0	108	5.3	3.1- 7.5	45	1.4	0.8- 2.0	18	0.7	0.1- 1.3	67	3.7	2.1- 5.3	1328	63.6	59.5-67.7
Black or Afr. Am./Non-Hisp	182	106,285	38	13.1	6.6-19.6	11	1.6	0.0- 3.6	7	1.0	0.0- 2.2	1	3.2	0.0- 9.5	3	0.4	0.0- 1.0	122	80.7	71.5-89.9
Oth. Race/Non-Hisp.	73	22,581	16	7.5	0.0-17.1	3	0.4	0.0- 1.4	6	0.8	0.0- 2.4	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	43	90.9	79.9- 100
Hispanic	155	142,123	53	31.0	18.8-43.2	5	5.1	0.0-12.5	4	2.0	0.0- 4.7	3	0.2	0.0- 0.6	7	3.3	0.0- 8.0	83	58.4	45.9-70.9
45-54	485	256,521	119	24.7	17.6-31.8	24	2.6	0.6- 4.6	16	1.0	0.2- 1.8	9	0.6	0.0- 1.2	28	5.9	2.4- 9.4	289	65.2	57.4-73.0
55-64	749	254,346	198	27.7	20.8-34.6	47	3.6	1.6- 5.6	24	1.4	0.4- 2.4	5	1.5	0.0- 4.0	31	2.1	0.9- 3.3	444	63.7	56.3-71.1
65+	1332	373,398	314	21.9	17.6-26.2	66	6.9	3.0-10.8	25	1.8	0.6- 3.0	13	1.2	0.2- 2.2	28	2.0	0.0- 4.0	886	66.2	60.1-72.3
Less Than H.S.	305	156,008	74	18.7	9.7-27.7	23	3.6	0.5- 6.7	12	1.4	0.0- 3.0	3	0.3	0.0- 0.7	16	2.0	0.0- 4.0	177	74.0	63.4-84.6
H.S. or G.E.D.	807	271,804	190	24.0	18.3-29.7	37	2.1	0.3- 3.9	20	1.3	0.3- 2.3	12	2.0	0.0- 4.5	31	2.9	0.4- 5.4	517	67.7	61.2-74.2
Some Post-H.S.	686	244,031	173	25.6	18.9-32.3	41	9.4	3.5-15.3	15	0.8	0.2- 1.4	8	0.9	0.0- 1.9	25	4.7	1.6- 7.8	424	58.7	51.4-66.0
College Graduate	778	224,808	200	28.0	21.7-34.3	36	3.3	1.3- 5.3	17	2.3	0.5- 4.1	5	0.9	0.0- 1.9	15	2.1	0.0- 4.3	505	63.4	56.7-70.1
Less than \$15,000	333	115,244	91	27.1	16.3-37.9	25	3.7	0.0- 7.4	11	1.3	0.0- 3.1	4	1.1	0.0- 2.9	34	9.4	2.9-15.9	168	57.4	44.3-70.5
\$15,000- 24,999	504	165,919	105	25.1	16.1-34.1	32	10.0	2.7-17.3	19	1.9	0.5- 3.3	7	1.0	0.0- 2.0	25	3.1	0.7- 5.5	316	58.9	49.1-68.7
\$25,000- 34,999	274	88,572	55	18.3	9.3-27.3	12	2.1	0.0- 4.3	4	2.3	0.0- 6.2	2	0.1	0.1- 0.1	7	3.5	0.0- 7.6	194	73.8	62.8-84.8
\$35,000- 49,999	339	100,934	101	38.1	27.1-49.1	16	4.4	0.7- 8.1	2	0.6	0.0- 1.4	4	4.6	0.0-11.3	5	3.6	0.0- 8.3	211	48.7	37.9-59.5
\$50,000- 74,999	306	85,192	84	26.2	17.2-35.2	12	4.0	0.5- 7.5	6	1.1	0.0- 2.5	2	0.0	0.0- 0.0	4	0.5	0.0- 1.1	198	68.2	58.4-78.0
\$75,000+	458	200,246	112	19.6	13.3-25.9	14	0.9	0.3- 1.5	12	1.1	0.3- 1.9	4	0.9	0.0- 2.1	4	0.2	0.0- 0.4	312	77.3	70.8-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 13: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4596	1,226,735	1411	32.5	29.4-35.6	332	7.5	5.3- 9.7	153	2.8	2.0- 3.6	56	0.7	0.3- 1.1	125	1.5	0.9- 2.1	2519	55.0	51.7-58.3
White/Non-Hisp	3788	898,956	1165	32.2	29.1-35.3	280	7.5	5.3- 9.7	120	3.1	2.1- 4.1	47	0.9	0.3- 1.5	102	1.5	0.9- 2.1	2074	54.7	51.2-58.2
Black or Afr. Am./Non-Hisp	325	105,452	95	32.1	20.9-43.3	28	13.2	1.4-25.0	11	1.4	0.0- 2.8	1	0.0	0.0- 0.0	7	0.2	0.0- 0.4	183	53.0	39.9-66.1
Oth. Race/Non-Hisp.	97	8,840	32	39.5	22.1-56.9	5	1.0	0.0- 2.6	8	0.9	0.1- 1.7	2	0.2	0.0- 0.4	8	3.6	0.0- 8.1	42	54.8	37.2-72.4
MultiRacial/Non-Hisp.	55	11,579	16	48.3	8.9-87.7	4	1.2	0.0- 3.0	1	0.0	0.0- 0.0	2	0.5	0.0- 1.5	1	3.1	0.0- 9.6	31	46.8	9.2-84.4
Hispanic	272	184,277	87	32.3	20.7-43.9	12	5.0	0.0-10.1	12	2.6	0.2- 5.0	2	0.2	0.0- 0.6	5	1.7	0.0- 3.5	154	58.2	46.4-70.0
45-54	765	278,609	243	32.3	25.6-39.0	68	11.9	5.6-18.2	44	5.1	2.4- 7.8	14	1.1	0.0- 2.5	36	1.7	0.7- 2.7	360	47.9	40.5-55.3
55-64	1235	347,856	372	33.0	26.3-39.7	106	6.3	3.0- 9.6	54	2.6	1.2- 4.0	20	1.0	0.2- 1.8	47	2.5	1.1- 3.9	636	54.6	47.9-61.3
65+	2540	580,380	782	32.5	28.2-36.8	154	5.9	3.4- 8.4	55	1.8	0.8- 2.8	21	0.4	0.0- 0.8	42	0.8	0.4- 1.2	1486	58.5	54.0-63.0
Less Than H.S.	499	178,617	147	31.7	20.3-43.1	35	6.9	1.2-12.6	23	3.6	1.1- 6.1	6	0.4	0.0- 0.8	14	0.8	0.0- 1.6	274	56.7	45.3-68.1
H.S. or G.E.D.	1424	354,995	462	36.9	31.0-42.8	98	8.7	4.2-13.2	53	3.3	1.3- 5.3	20	0.6	0.0- 1.2	32	1.4	0.4- 2.4	759	49.2	43.1-55.3
Some Post-H.S.	1521	441,403	451	29.6	24.9-34.3	129	8.4	4.7-12.1	49	2.7	1.3- 4.1	22	1.3	0.3- 2.3	50	1.8	0.8- 2.8	820	56.1	50.8-61.4
College Graduate	1136	244,911	345	32.1	26.4-37.8	68	4.2	1.8- 6.6	28	1.7	0.7- 2.7	7	0.1	0.0- 0.3	29	1.6	0.6- 2.6	659	60.2	54.3-66.1
Less than \$15,000	652	143,059	202	39.9	28.5-51.3	62	7.8	3.7-11.9	51	7.0	3.5-10.5	23	1.3	0.3- 2.3	40	2.3	0.9- 3.7	274	41.8	31.8-51.8
\$15,000- 24,999	1013	218,111	329	35.3	28.2-42.4	86	6.4	3.7- 9.1	40	3.7	1.5- 5.9	11	0.6	0.0- 1.6	35	1.8	0.2- 3.4	512	52.2	44.9-59.5
\$25,000- 34,999	497	125,995	141	27.1	18.9-35.3	36	15.1	3.9-26.3	15	1.3	0.1- 2.5	10	1.4	0.0- 2.8	9	2.1	0.0- 4.3	286	53.1	42.5-63.7
\$35,000- 49,999	536	149,034	159	30.0	22.0-38.0	34	8.2	2.1-14.3	12	2.5	0.0- 5.2	2	0.0	0.0- 0.0	9	1.6	0.0- 3.4	320	57.6	49.0-66.2
\$50,000- 74,999	416	132,198	122	30.9	21.1-40.7	24	2.2	0.6- 3.8	5	0.9	0.0- 1.9	2	1.8	0.0- 4.5	2	0.0	0.0- 0.0	261	64.2	54.0-74.4
\$75,000+	600	185,424	180	33.2	26.5-39.9	36	2.7	1.1- 4.3	10	2.7	0.0- 5.6				8	1.0	0.0- 2.0	366	60.4	53.5-67.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	223
2	MALES ONLY	224
3	FEMALES ONLY	225

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34568	15,300,143	30969	89.6	88.8-90.4	1754	4.9	4.5- 5.3	801	2.4	2.0- 2.8	291	0.9	0.7- 1.1	621	1.8	1.4- 2.2	132	0.6	0.4- 0.8
Male	14565	7,394,552	12530	86.2	85.0-87.4	968	6.5	5.7- 7.3	433	3.1	2.5- 3.7	177	1.2	0.8- 1.6	396	2.4	1.8- 3.0	61	0.6	0.4- 0.8
Female	20000	7,903,848	18437	92.8	92.0-93.6	786	3.3	2.7- 3.9	368	1.7	1.3- 2.1	114	0.5	0.3- 0.7	224	1.1	0.7- 1.5	71	0.6	0.4- 0.8
White/Non-Hisp	25140	8,752,092	22654	89.9	89.1-90.7	1246	5.1	4.5- 5.7	514	2.1	1.7- 2.5	227	0.9	0.7- 1.1	422	1.6	1.2- 2.0	77	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	3355	2,038,810	2880	86.6	84.2-89.0	215	5.2	3.8- 6.6	145	3.8	2.6- 5.0	14	1.1	0.3- 1.9	83	2.8	1.4- 4.2	18	0.6	0.0- 1.2
Oth. Race/Non-Hisp.	959	542,749	869	95.1	92.7-97.5	33	1.3	0.3- 2.3	17	0.9	0.0- 2.1	14	0.7	0.0- 1.5	20	1.7	0.0- 3.5	6	0.2	0.0- 0.4
MultiRacial/Non-Hisp.	425	130,432	356	83.7	77.0-90.4	30	3.7	1.3- 6.1	17	4.5	1.0- 8.0	10	3.2	0.0- 6.9	12	4.9	0.6- 9.2			
Hispanic	4103	3,532,331	3696	90.7	89.1-92.3	202	4.4	3.2- 5.6	95	2.5	1.7- 3.3	23	0.4	0.2- 0.6	62	1.2	0.6- 1.8	25	0.7	0.3- 1.1
18-24	1731	1,696,832	1405	83.4	80.7-86.1	174	9.0	6.8-11.2	91	4.2	3.0- 5.4	25	1.3	0.5- 2.1	33	2.0	1.0- 3.0	3	0.1	0.0- 0.3
25-34	3210	2,377,661	2675	84.7	82.3-87.1	279	7.1	5.5- 8.7	118	4.1	2.7- 5.5	49	1.3	0.5- 2.1	78	2.3	1.3- 3.3	11	0.5	0.1- 0.9
35-44	3467	2,205,271	3030	87.2	85.0-89.4	210	6.3	4.7- 7.9	101	2.6	1.6- 3.6	38	1.6	0.6- 2.6	84	2.1	1.1- 3.1	4	0.1	0.0- 0.3
45-54	4910	2,390,095	4426	92.0	90.6-93.4	251	3.8	3.0- 4.6	101	1.8	1.2- 2.4	40	0.5	0.3- 0.7	74	1.4	0.8- 2.0	18	0.6	0.2- 1.0
55-64	6882	2,515,212	6250	92.5	91.1-93.9	299	3.6	2.6- 4.6	141	1.4	0.8- 2.0	48	0.5	0.3- 0.7	111	1.2	0.6- 1.8	33	0.9	0.3- 1.5
65+	13889	3,839,642	12736	93.1	92.1-94.1	530	2.5	1.9- 3.1	244	1.6	1.0- 2.2	89	0.5	0.3- 0.7	228	1.6	1.2- 2.0	62	0.8	0.4- 1.2
Less Than H.S.	3592	2,068,678	3072	86.1	83.7-88.5	186	5.0	3.4- 6.6	134	3.1	2.1- 4.1	33	0.9	0.3- 1.5	121	3.7	2.3- 5.1	46	1.1	0.5- 1.7
H.S. or G.E.D.	10287	4,487,330	9049	88.3	86.9-89.7	563	5.3	4.3- 6.3	307	2.7	2.1- 3.3	90	0.7	0.3- 1.1	236	2.1	1.5- 2.7	42	0.9	0.5- 1.3
Some Post-H.S.	10065	4,832,637	9038	89.7	88.5-90.9	542	5.2	4.2- 6.2	213	2.4	1.6- 3.2	88	0.9	0.5- 1.3	161	1.3	0.9- 1.7	23	0.4	0.2- 0.6
College Graduate	10463	3,827,623	9669	93.0	92.0-94.0	457	3.7	2.9- 4.5	142	1.4	1.0- 1.8	80	0.9	0.3- 1.5	98	0.8	0.6- 1.0	17	0.1	0.1- 0.1
Less than \$15,000	3210	1,244,405	2812	86.9	84.4-89.4	154	5.1	3.3- 6.9	97	2.5	1.3- 3.7	26	0.9	0.3- 1.5	87	2.1	0.9- 3.3	34	2.5	1.1- 3.9
\$15,000- 24,999	6325	2,636,629	5621	89.2	87.6-90.8	283	4.0	3.0- 5.0	188	3.2	2.4- 4.0	48	0.8	0.4- 1.2	155	2.3	1.5- 3.1	30	0.5	0.1- 0.9
\$25,000- 34,999	3603	1,452,612	3197	88.7	86.5-90.9	195	5.3	3.7- 6.9	83	2.1	1.3- 2.9	40	1.0	0.4- 1.6	78	2.6	1.2- 4.0	10	0.4	0.0- 0.8
\$35,000- 49,999	4256	1,813,725	3832	90.2	88.2-92.2	232	5.0	3.6- 6.4	95	2.3	1.3- 3.3	39	0.8	0.0- 1.6	52	1.3	0.7- 1.9	6	0.4	0.0- 1.2
\$50,000- 74,999	3959	1,735,803	3554	88.6	86.4-90.8	237	6.6	5.0- 8.2	84	2.5	1.3- 3.7	28	0.7	0.0- 1.5	55	1.6	0.8- 2.4	1	0.0	0.0- 0.0
\$75,000+	6726	3,372,074	6151	91.2	89.8-92.6	321	4.5	3.5- 5.5	120	2.3	1.5- 3.1	57	1.0	0.4- 1.6	74	1.0	0.4- 1.6	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Nearly Always		N	Sometimes		N	Seldom		N	Never		Never drive Ride in Car		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Male	14565	7,394,552	12530	86.2	85.0-87.4	968	6.5	5.7- 7.3	433	3.1	2.5- 3.7	177	1.2	0.8- 1.6	396	2.4	1.8- 3.0	61	0.6	0.4- 0.8
White/Non-Hisp	10422	4,252,139	8985	86.5	85.1-87.9	697	6.6	5.6- 7.6	292	2.9	2.3- 3.5	142	1.4	0.8- 2.0	274	2.2	1.6- 2.8	32	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	1335	956,748	1097	81.1	76.8-85.4	103	6.6	4.1- 9.1	62	4.9	2.5- 7.3	8	1.5	0.0- 3.1	54	4.7	2.2- 7.2	11	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	488	250,558	431	92.5	88.2-96.8	21	1.8	0.2- 3.4	8	0.6	0.0- 1.2	9	1.4	0.0- 3.0	15	3.4	0.0- 7.1	4	0.3	0.0- 0.7
MultiRacial/Non-Hisp.	205	58,113	168	85.9	77.7-94.1	13	3.8	0.5- 7.1	12	6.6	0.0-13.3	5	1.1	0.0- 2.5	7	2.6	0.0- 5.9			
Hispanic	1802	1,705,495	1579	88.3	85.8-90.8	117	6.4	4.4- 8.4	51	3.0	1.6- 4.4	11	0.4	0.0- 0.8	34	1.3	0.3- 2.3	10	0.6	0.2- 1.0
18-24	887	872,825	695	79.8	75.5-84.1	98	10.4	7.1-13.7	56	5.0	3.0- 7.0	15	1.7	0.1- 3.3	20	2.9	0.9- 4.9	3	0.1	0.0- 0.3
25-34	1484	1,202,947	1178	79.4	75.7-83.1	154	9.8	7.1-12.5	59	5.1	2.9- 7.3	31	1.6	0.2- 3.0	54	3.4	1.4- 5.4	8	0.8	0.0- 1.8
35-44	1520	1,084,908	1251	82.1	78.6-85.6	131	9.2	6.5-11.9	57	3.6	2.0- 5.2	22	2.3	0.5- 4.1	58	2.8	1.4- 4.2	1	0.1	0.0- 0.3
45-54	2149	1,193,042	1863	88.6	86.2-91.0	144	5.3	3.7- 6.9	63	2.3	1.3- 3.3	26	0.7	0.3- 1.1	43	2.3	0.9- 3.7	10	0.9	0.1- 1.7
55-64	2912	1,186,352	2560	92.0	90.2-93.8	162	3.8	2.4- 5.2	79	1.8	0.8- 2.8	27	0.7	0.1- 1.3	70	1.0	0.6- 1.4	14	0.7	0.1- 1.3
65+	5423	1,736,710	4810	90.9	89.3-92.5	274	3.4	2.4- 4.4	117	2.1	1.1- 3.1	54	0.8	0.2- 1.4	144	2.3	1.5- 3.1	24	0.6	0.2- 1.0
Less Than H.S.	1572	1,053,602	1256	82.0	78.3-85.7	118	7.0	4.5- 9.5	74	4.3	2.7- 5.9	24	1.2	0.2- 2.2	81	4.6	2.4- 6.8	19	0.9	0.3- 1.5
H.S. or G.E.D.	4311	2,247,213	3621	85.3	83.1-87.5	285	6.1	4.7- 7.5	177	3.7	2.5- 4.9	56	1.0	0.2- 1.8	152	3.1	1.9- 4.3	20	0.9	0.3- 1.5
Some Post-H.S.	3902	2,174,215	3361	85.5	83.3-87.7	292	7.7	5.9- 9.5	101	3.3	2.1- 4.5	48	1.4	0.6- 2.2	89	1.7	1.1- 2.3	11	0.4	0.0- 0.8
College Graduate	4714	1,877,447	4237	90.6	88.8-92.4	267	4.9	3.7- 6.1	80	1.6	0.8- 2.4	49	1.5	0.5- 2.5	71	1.3	0.7- 1.9	10	0.1	0.1- 0.1
Less than \$15,000	1134	540,452	932	81.9	77.4-86.4	76	7.6	4.5-10.7	40	2.9	1.1- 4.7	13	0.7	0.0- 1.5	55	3.8	1.4- 6.2	18	3.0	1.0- 5.0
\$15,000- 24,999	2403	1,188,110	2046	87.2	84.5-89.9	137	4.8	3.2- 6.4	91	3.9	2.3- 5.5	27	1.1	0.3- 1.9	91	2.9	1.3- 4.5	11	0.2	0.0- 0.4
\$25,000- 34,999	1495	706,419	1288	85.8	82.1-89.5	96	6.9	4.0- 9.8	42	3.1	1.7- 4.5	17	0.9	0.1- 1.7	47	3.0	0.8- 5.2	5	0.3	0.0- 0.7
\$35,000- 49,999	1938	896,289	1691	88.5	85.6-91.4	132	5.2	3.4- 7.0	49	3.0	1.2- 4.8	26	1.3	0.0- 2.9	38	1.9	0.9- 2.9	2	0.1	0.0- 0.3
\$50,000- 74,999	1846	887,230	1587	82.6	78.9-86.3	137	9.5	6.8-12.2	58	4.0	1.8- 6.2	18	1.2	0.0- 2.8	45	2.7	1.3- 4.1	1	0.1	0.0- 0.3
\$75,000+	3434	1,879,562	3030	89.0	87.0-91.0	223	5.8	4.4- 7.2	82	2.6	1.6- 3.6	46	1.5	0.7- 2.3	51	1.0	0.4- 1.6	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20000	7,903,848	18437	92.8	92.0-93.6	786	3.3	2.7- 3.9	368	1.7	1.3- 2.1	114	0.5	0.3- 0.7	224	1.1	0.7- 1.5	71	0.6	0.4- 0.8
White/Non-Hisp	14716	4,498,808	13667	93.1	92.1-94.1	549	3.7	2.9- 4.5	222	1.3	0.9- 1.7	85	0.5	0.3- 0.7	148	1.0	0.6- 1.4	45	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	2019	1,081,464	1783	91.4	89.4-93.4	112	3.8	2.4- 5.2	83	2.8	1.8- 3.8	6	0.7	0.0- 1.5	28	1.1	0.3- 1.9	7	0.2	0.0- 0.4
Oth. Race/Non-Hisp.	471	292,191	438	97.3	94.8-99.8	12	0.9	0.0- 2.3	9	1.2	0.0- 3.2	5	0.2	0.0- 0.6	5	0.2	0.0- 0.4	2	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	220	72,319	188	82.0	71.8-92.2	17	3.7	0.6- 6.8	5	2.8	0.0- 6.3	5	4.8	0.0-11.3	5	6.7	0.0-13.8			
Hispanic	2301	1,826,836	2117	92.9	91.1-94.7	85	2.5	1.5- 3.5	44	2.1	1.1- 3.1	12	0.4	0.0- 0.8	28	1.2	0.2- 2.2	15	0.9	0.3- 1.5
18-24	844	824,007	710	87.3	84.2-90.4	76	7.6	4.9-10.3	35	3.3	1.9- 4.7	10	0.9	0.1- 1.7	13	1.0	0.2- 1.8			
25-34	1724	1,173,223	1496	90.2	87.8-92.6	125	4.4	3.0- 5.8	59	3.1	1.3- 4.9	18	0.9	0.3- 1.5	23	1.2	0.4- 2.0	3	0.2	0.0- 0.4
35-44	1947	1,120,362	1779	92.1	89.6-94.6	79	3.6	1.6- 5.6	44	1.6	0.8- 2.4	16	1.0	0.2- 1.8	26	1.5	0.1- 2.9	3	0.2	0.0- 0.6
45-54	2761	1,197,053	2563	95.4	94.0-96.8	107	2.2	1.4- 3.0	38	1.3	0.5- 2.1	14	0.3	0.1- 0.5	31	0.5	0.1- 0.9	8	0.4	0.0- 0.8
55-64	3970	1,328,860	3690	93.0	91.0-95.0	137	3.4	1.8- 5.0	62	1.0	0.4- 1.6	21	0.3	0.1- 0.5	41	1.3	0.3- 2.3	19	1.1	0.3- 1.9
65+	8465	2,102,680	7925	94.9	93.7-96.1	256	1.8	1.2- 2.4	127	1.2	0.6- 1.8	35	0.2	0.0- 0.4	84	1.0	0.4- 1.6	38	1.0	0.2- 1.8
Less Than H.S.	2019	1,014,479	1816	90.4	87.7-93.1	68	3.0	1.6- 4.4	60	1.9	0.9- 2.9	9	0.7	0.1- 1.3	39	2.7	0.7- 4.7	27	1.3	0.3- 2.3
H.S. or G.E.D.	5976	2,240,118	5428	91.3	89.7-92.9	278	4.4	3.2- 5.6	130	1.8	1.2- 2.4	34	0.4	0.2- 0.6	84	1.1	0.5- 1.7	22	0.9	0.1- 1.7
Some Post-H.S.	6163	2,658,422	5677	93.1	91.7-94.5	250	3.2	2.2- 4.2	112	1.8	1.0- 2.6	40	0.6	0.2- 1.0	72	1.0	0.6- 1.4	12	0.3	0.0- 0.7
College Graduate	5747	1,949,030	5430	95.4	94.2-96.6	190	2.6	1.8- 3.4	62	1.2	0.6- 1.8	31	0.4	0.0- 0.8	27	0.4	0.2- 0.6	7	0.0	0.0- 0.0
Less than \$15,000	2076	703,953	1880	90.7	87.6-93.8	78	3.2	1.2- 5.2	57	2.3	0.9- 3.7	13	0.9	0.0- 1.9	32	0.8	0.2- 1.4	16	2.1	0.3- 3.9
\$15,000- 24,999	3922	1,448,520	3575	90.9	88.9-92.9	146	3.4	2.0- 4.8	97	2.7	1.7- 3.7	21	0.5	0.1- 0.9	64	1.8	1.0- 2.6	19	0.8	0.2- 1.4
\$25,000- 34,999	2107	745,299	1908	91.5	89.1-93.9	99	3.7	2.3- 5.1	41	1.1	0.5- 1.7	23	1.1	0.3- 1.9	31	2.2	0.4- 4.0	5	0.4	0.0- 1.0
\$35,000- 49,999	2318	917,436	2141	91.9	89.4-94.4	100	4.8	3.0- 6.6	46	1.5	0.5- 2.5	13	0.3	0.1- 0.5	14	0.7	0.0- 1.5	4	0.8	0.0- 2.2
\$50,000- 74,999	2113	848,573	1967	94.8	92.8-96.8	100	3.6	1.8- 5.4	26	1.0	0.0- 2.0	10	0.2	0.0- 0.4	10	0.4	0.0- 0.8			
\$75,000+	3291	1,492,259	3120	94.0	91.8-96.2	98	2.8	1.4- 4.2	38	1.9	0.5- 3.3	11	0.4	0.0- 0.8	23	0.9	0.0- 1.9	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	227
2	MALES ONLY	228
3	FEMALES ONLY	229

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16144	8,075,898	238	1.7	1.3- 2.1	112	0.8	0.6- 1.0	31	0.2	0.2- 0.2	22	0.2	0.2- 0.2	73	0.5	0.3- 0.7	15668	96.6	96.0-97.2
Male	7898	4,343,884	161	2.3	1.7- 2.9	75	0.9	0.5- 1.3	23	0.3	0.1- 0.5	15	0.2	0.0- 0.4	53	0.8	0.4- 1.2	7571	95.5	94.7-96.3
Female	8243	3,730,271	77	1.1	0.7- 1.5	37	0.6	0.2- 1.0	8	0.1	0.1- 0.1	7	0.1	0.0- 0.3	19	0.2	0.0- 0.4	8095	97.9	97.3-98.5
White/Non-Hisp	12450	5,131,561	182	1.7	1.3- 2.1	85	0.9	0.5- 1.3	24	0.2	0.0- 0.4	19	0.2	0.0- 0.4	48	0.5	0.3- 0.7	12092	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	1181	873,792	20	2.4	0.6- 4.2	8	0.1	0.0- 0.3	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	10	0.5	0.0- 1.1	1140	96.7	94.9-98.5
Oth. Race/Non-Hisp.	375	234,083	4	1.0	0.0- 2.2	3	1.1	0.0- 2.5	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3	1	0.0	0.0- 0.0	364	97.1	94.9-99.3
MultiRacial/Non-Hisp.	176	67,204	3	1.5	0.0- 3.7	1	2.1	0.0- 6.0										172	96.4	91.9- 100
Hispanic	1683	1,591,743	27	1.8	0.8- 2.8	14	0.8	0.0- 1.6	3	0.1	0.0- 0.3				9	0.3	0.0- 0.7	1630	97.0	95.8-98.2
18-24	836	790,246	26	2.1	0.9- 3.3	8	1.0	0.0- 2.0	3	0.1	0.1- 0.1				7	0.3	0.1- 0.5	792	96.5	95.1-97.9
25-34	1861	1,496,290	29	1.5	0.5- 2.5	21	1.0	0.2- 1.8	5	0.2	0.0- 0.4	7	0.3	0.1- 0.5	13	0.4	0.0- 0.8	1786	96.5	95.1-97.9
35-44	1829	1,250,886	39	1.9	1.1- 2.7	21	1.0	0.4- 1.6	6	0.2	0.0- 0.4				9	0.6	0.2- 1.0	1754	96.3	95.1-97.5
45-54	2430	1,299,855	49	3.0	1.6- 4.4	17	0.8	0.0- 1.6	3	0.2	0.0- 0.4	6	0.3	0.0- 0.7	13	1.1	0.1- 2.1	2342	94.7	92.9-96.5
55-64	3191	1,278,965	54	2.2	1.2- 3.2	24	0.8	0.2- 1.4	5	0.3	0.0- 0.7	4	0.1	0.0- 0.3	13	0.2	0.0- 0.4	3091	96.4	95.2-97.6
65+	5783	1,804,584	39	0.5	0.3- 0.7	21	0.4	0.2- 0.6	9	0.2	0.0- 0.4	5	0.2	0.0- 0.4	13	0.3	0.0- 0.7	5696	98.4	97.8-99.0
Less Than H.S.	997	730,564	11	1.8	0.0- 3.6	8	0.8	0.0- 1.8	1	0.0	0.0- 0.0	3	0.4	0.0- 1.0	11	1.2	0.0- 2.4	963	95.8	93.4-98.2
H.S. or G.E.D.	3956	2,093,031	55	1.5	0.9- 2.1	24	0.7	0.3- 1.1	7	0.2	0.0- 0.4	9	0.3	0.1- 0.5	22	0.6	0.2- 1.0	3839	96.8	95.8-97.8
Some Post-H.S.	4929	2,698,344	63	1.1	0.7- 1.5	26	0.8	0.4- 1.2	11	0.2	0.0- 0.4	8	0.1	0.0- 0.3	17	0.4	0.0- 0.8	4804	97.5	96.7-98.3
College Graduate	6212	2,522,900	108	2.5	1.7- 3.3	54	0.9	0.5- 1.3	12	0.2	0.0- 0.4	2	0.1	0.1- 0.1	18	0.4	0.2- 0.6	6018	95.9	94.9-96.9
Less than \$15,000	954	419,759	20	2.2	0.4- 4.0	5	0.7	0.0- 1.7	1	0.0	0.0- 0.0	2	0.3	0.0- 0.9	8	1.2	0.0- 2.8	918	95.6	93.1-98.1
\$15,000- 24,999	2192	1,091,871	30	2.1	0.7- 3.5	16	0.5	0.1- 0.9	5	0.1	0.1- 0.1	3	0.4	0.0- 0.8	16	0.4	0.0- 0.8	2122	96.5	94.9-98.1
\$25,000- 34,999	1559	677,281	25	1.4	0.6- 2.2	11	0.5	0.1- 0.9				6	0.3	0.0- 0.7	1	0.0	0.0- 0.0	1516	97.8	96.8-98.8
\$35,000- 49,999	2173	1,054,945	34	1.8	0.8- 2.8	15	0.7	0.1- 1.3	2	0.2	0.0- 0.4	4	0.1	0.0- 0.3	9	0.1	0.0- 0.3	2109	97.1	95.9-98.3
\$50,000- 74,999	2299	1,141,199	29	1.5	0.5- 2.5	14	1.0	0.4- 1.6	11	0.5	0.1- 0.9	4	0.4	0.0- 0.8	8	0.3	0.1- 0.5	2233	96.4	95.2-97.6
\$75,000+	4403	2,375,722	77	1.9	1.3- 2.5	45	1.3	0.7- 1.9	10	0.3	0.1- 0.5	1	0.0	0.0- 0.0	14	0.4	0.0- 0.8	4256	96.1	95.1-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7898	4,343,884	161	2.3	1.7- 2.9	75	0.9	0.5- 1.3	23	0.3	0.1- 0.5	15	0.2	0.0- 0.4	53	0.8	0.4- 1.2	7571	95.5	94.7-96.3
White/Non-Hisp	5851	2,679,512	117	2.1	1.5- 2.7	56	1.2	0.8- 1.6	18	0.3	0.1- 0.5	12	0.3	0.1- 0.5	36	0.7	0.3- 1.1	5612	95.4	94.4-96.4
Black or Afr. Am./Non-Hisp	600	440,548	13	4.0	0.7- 7.3	6	0.2	0.0- 0.4	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6	6	0.6	0.0- 1.6	572	94.8	91.3-98.3
Oth. Race/Non-Hisp.	232	123,871	4	1.8	0.0- 4.2	2	0.7	0.0- 1.7				2	0.9	0.0- 2.5	1	0.1	0.0- 0.3	223	96.5	93.6-99.4
MultiRacial/Non-Hisp.	102	34,706	3	2.9	0.0- 7.2	1	4.0	0.0-11.6										98	93.1	84.5- 100
Hispanic	950	955,254	22	2.3	0.9- 3.7	9	0.6	0.0- 1.4	2	0.1	0.0- 0.3				6	0.4	0.0- 1.0	911	96.5	94.7-98.3
18-24	447	416,157	22	3.4	1.4- 5.4	3	0.4	0.0- 1.2	1	0.0	0.0- 0.0				5	0.1	0.0- 0.3	416	96.0	93.8-98.2
25-34	972	823,806	20	2.1	0.5- 3.7	13	0.9	0.3- 1.5	3	0.3	0.0- 0.7	6	0.5	0.1- 0.9	8	0.6	0.0- 1.2	922	95.7	93.7-97.7
35-44	909	663,506	25	2.7	1.3- 4.1	14	1.5	0.5- 2.5	5	0.4	0.0- 0.8				6	0.8	0.0- 1.6	859	94.7	92.7-96.7
45-54	1201	741,831	35	4.0	2.0- 6.0	10	0.9	0.0- 1.9	2	0.1	0.0- 0.3	4	0.3	0.0- 0.7	11	1.8	0.0- 3.6	1139	92.9	90.2-95.6
55-64	1558	668,476	34	2.5	1.1- 3.9	17	1.4	0.2- 2.6	5	0.5	0.0- 1.3	3	0.1	0.0- 0.3	12	0.4	0.0- 0.8	1487	95.2	93.2-97.2
65+	2710	953,439	23	0.4	0.0- 0.8	18	0.6	0.0- 1.2	7	0.3	0.0- 0.7	2	0.3	0.0- 0.7	8	0.4	0.0- 1.0	2652	98.0	97.0-99.0
Less Than H.S.	629	464,675	9	2.5	0.0- 5.2	6	0.6	0.0- 1.4	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4	9	1.7	0.0- 3.5	601	94.5	91.2-97.8
H.S. or G.E.D.	2047	1,232,346	41	2.0	1.0- 3.0	17	0.8	0.2- 1.4	6	0.4	0.0- 0.8	5	0.3	0.0- 0.7	17	0.8	0.0- 1.6	1961	95.7	94.3-97.1
Some Post-H.S.	2170	1,314,531	44	1.8	1.0- 2.6	19	1.0	0.4- 1.6	8	0.2	0.0- 0.4	5	0.2	0.0- 0.4	13	0.7	0.0- 1.5	2081	96.2	94.8-97.6
College Graduate	3023	1,306,928	66	2.8	1.6- 4.0	33	1.2	0.6- 1.8	8	0.3	0.1- 0.5	2	0.1	0.0- 0.3	11	0.5	0.1- 0.9	2903	95.1	93.7-96.5
Less than \$15,000	449	218,094	12	2.8	0.0- 5.7	3	1.1	0.0- 2.9	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	5	1.9	0.0- 4.8	427	94.2	89.7-98.7
\$15,000- 24,999	1042	598,981	19	3.4	1.0- 5.8	11	0.6	0.0- 1.2	4	0.1	0.0- 0.3	2	0.5	0.0- 1.3	11	0.6	0.0- 1.4	995	94.9	92.4-97.4
\$25,000- 34,999	745	360,624	14	1.6	0.4- 2.8	9	0.8	0.0- 1.6				2	0.3	0.0- 0.7				720	97.3	95.7-98.9
\$35,000- 49,999	1063	559,291	23	2.6	1.0- 4.2	6	0.5	0.0- 1.1	2	0.4	0.0- 1.0	3	0.1	0.0- 0.3	7	0.2	0.0- 0.4	1022	96.2	94.4-98.0
\$50,000- 74,999	1134	589,657	19	1.6	0.4- 2.8	12	1.8	0.4- 3.2	8	0.7	0.1- 1.3	4	0.7	0.0- 1.5	6	0.4	0.0- 0.8	1085	94.7	92.7-96.7
\$75,000+	2364	1,363,282	60	2.3	1.5- 3.1	31	1.3	0.5- 2.1	7	0.3	0.0- 0.7	1	0.0	0.0- 0.0	13	0.6	0.2- 1.0	2252	95.4	94.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8243	3,730,271	77	1.1	0.7- 1.5	37	0.6	0.2- 1.0	8	0.1	0.1- 0.1	7	0.1	0.0- 0.3	19	0.2	0.0- 0.4	8095	97.9	97.3-98.5
White/Non-Hisp	6597	2,450,904	65	1.2	0.6- 1.8	29	0.5	0.1- 0.9	6	0.1	0.0- 0.3	7	0.2	0.0- 0.4	12	0.2	0.0- 0.4	6478	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	580	432,647	7	0.8	0.0- 1.6	2	0.1	0.1- 0.1							3	0.2	0.0- 0.6	568	98.9	97.9-99.9
Oth. Race/Non-Hisp.	143	110,211				1	1.4	0.0- 4.1	1	0.8	0.0- 2.4							141	97.7	94.4- 100
MultiRacial/Non-Hisp.	74	32,498																74	100.0	100.0- 100
Hispanic	733	636,489	5	1.0	0.0- 2.2	5	1.2	0.0- 2.8	1	0.0	0.0- 0.0				3	0.1	0.1- 0.1	719	97.7	95.7-99.7
18-24	389	374,090	4	0.7	0.0- 1.7	5	1.7	0.1- 3.3	2	0.1	0.0- 0.3				2	0.4	0.0- 1.0	376	97.1	95.1-99.1
25-34	887	670,993	9	0.8	0.0- 1.6	8	1.2	0.0- 2.6	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4	0.2	0.0- 0.6	863	97.7	96.1-99.3
35-44	920	587,380	14	1.0	0.2- 1.8	7	0.5	0.0- 1.1	1	0.0	0.0- 0.0				3	0.3	0.0- 0.9	895	98.1	97.1-99.1
45-54	1229	558,025	14	1.7	0.1- 3.3	7	0.7	0.0- 1.7	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6	2	0.1	0.1- 0.1	1203	97.1	95.1-99.1
55-64	1633	610,490	20	1.9	0.5- 3.3	7	0.2	0.0- 0.4				1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1604	97.7	96.1-99.3
65+	3072	850,893	16	0.6	0.2- 1.0	3	0.1	0.0- 0.3	2	0.1	0.0- 0.3	3	0.1	0.0- 0.3	5	0.2	0.0- 0.4	3043	99.0	98.4-99.6
Less Than H.S.	367	265,292	2	0.4	0.0- 1.2	2	1.1	0.0- 3.3							1	0.0	0.0- 0.0	362	98.4	96.0- 100
H.S. or G.E.D.	1909	860,685	14	0.6	0.0- 1.2	7	0.4	0.0- 0.8	1	0.0	0.0- 0.0	4	0.4	0.0- 0.8	5	0.3	0.0- 0.7	1878	98.3	97.5-99.1
Some Post-H.S.	2759	1,383,812	19	0.5	0.1- 0.9	7	0.6	0.0- 1.4	3	0.1	0.0- 0.3	3	0.0	0.0- 0.0	4	0.1	0.0- 0.3	2723	98.7	97.9-99.5
College Graduate	3187	1,214,826	42	2.2	1.2- 3.2	21	0.7	0.3- 1.1	4	0.1	0.0- 0.3				7	0.2	0.0- 0.4	3113	96.8	95.6-98.0
Less than \$15,000	505	201,666	8	1.5	0.0- 3.3	2	0.3	0.0- 0.9				1	0.6	0.0- 1.8	3	0.5	0.0- 1.3	491	97.1	94.9-99.3
\$15,000- 24,999	1150	492,890	11	0.5	0.1- 0.9	5	0.4	0.0- 1.0	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9	5	0.2	0.0- 0.6	1127	98.6	97.6-99.6
\$25,000- 34,999	813	315,763	11	1.1	0.1- 2.1	2	0.1	0.0- 0.3				4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	795	98.4	97.4-99.4
\$35,000- 49,999	1110	495,654	11	0.9	0.1- 1.7	9	1.0	0.2- 1.8				1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	1087	98.0	96.8-99.2
\$50,000- 74,999	1165	551,542	10	1.2	0.0- 2.6	2	0.1	0.0- 0.3	3	0.2	0.0- 0.6				2	0.3	0.0- 0.7	1148	98.2	96.8-99.6
\$75,000+	2038	1,012,187	17	1.3	0.3- 2.3	14	1.2	0.0- 2.4	3	0.2	0.0- 0.4				1	0.1	0.0- 0.3	2003	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	231
2	FEMALES ONLY A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	232
3	FEMALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	233
4	FEMALES ONLY NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)	234
5	FEMALES ONLY HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)	235
6	FEMALES ONLY HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	236
7	FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19890	7,844,595	16146	69.6	68.2-71.0	3744	30.4	29.0-31.8
White/Non-Hisp	14634	4,456,015	12379	74.3	72.7-75.9	2255	25.7	24.1-27.3
Black or Afr. Am./Non-Hisp	2003	1,069,837	1581	65.6	60.7-70.5	422	34.4	29.5-39.3
Oth. Race/Non-Hisp.	470	293,056	339	55.5	45.9-65.1	131	44.5	34.9-54.1
MultiRacial/Non-Hisp.	221	72,323	158	51.6	37.7-65.5	63	48.4	34.5-62.3
Hispanic	2292	1,823,063	1471	63.4	59.7-67.1	821	36.6	32.9-40.3
18-24	833	811,008	142	14.9	11.2-18.6	691	85.1	81.4-88.8
25-34	1705	1,160,191	391	21.9	18.0-25.8	1314	78.1	74.2-82.0
35-44	1935	1,114,385	1053	53.6	49.3-57.9	882	46.4	42.1-50.7
45-54	2745	1,193,181	2442	90.4	88.2-92.6	303	9.6	7.4-11.8
55-64	3957	1,320,802	3737	94.4	92.2-96.6	220	5.6	3.4- 7.8
65+	8431	2,091,422	8123	96.8	95.6-98.0	308	3.2	2.0- 4.4
Less Than H.S.	2012	1,006,077	1538	70.2	65.5-74.9	474	29.8	25.1-34.5
H.S. or G.E.D.	5943	2,211,468	4846	68.8	65.9-71.7	1097	31.2	28.3-34.1
Some Post-H.S.	6127	2,644,106	4948	69.2	66.7-71.7	1179	30.8	28.3-33.3
College Graduate	5717	1,940,025	4740	70.4	67.7-73.1	977	29.6	26.9-32.3
Less than \$15,000	2066	696,879	1631	67.2	62.3-72.1	435	32.8	27.9-37.7
\$15,000- 24,999	3895	1,436,228	3060	65.9	62.4-69.4	835	34.1	30.6-37.6
\$25,000- 34,999	2096	742,692	1664	66.1	61.4-70.8	432	33.9	29.2-38.6
\$35,000- 49,999	2304	909,152	1848	71.2	67.1-75.3	456	28.8	24.7-32.9
\$50,000- 74,999	2109	844,697	1704	68.1	63.4-72.8	405	31.9	27.2-36.6
\$75,000+	3277	1,483,670	2775	71.9	68.6-75.2	502	28.1	24.8-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15889	5,367,102	9932	63.9	62.1-65.7	2649	18.8	17.2-20.4	997	5.2	4.4- 6.0	822	4.7	3.9- 5.5	1489	7.4	6.6- 8.2
White/Non-Hisp	12190	3,270,857	7509	63.0	61.2-64.8	2016	17.6	16.0-19.2	763	5.3	4.5- 6.1	658	4.7	3.9- 5.5	1244	9.5	8.5-10.5
Black or Afr. Am./Non-Hisp	1551	693,220	1093	67.4	61.3-73.5	259	19.8	14.3-25.3	77	4.9	2.9- 6.9	51	3.8	0.9- 6.7	71	4.1	1.7- 6.5
Oth. Race/Non-Hisp.	335	161,717	188	62.5	50.5-74.5	58	18.0	8.4-27.6	24	4.8	0.3- 9.3	21	7.4	1.7-13.1	44	7.3	2.8-11.8
MultiRacial/Non-Hisp.	155	33,471	100	63.1	47.8-78.4	20	10.3	1.7-18.9	14	11.5	0.0-23.1	8	9.4	0.0-19.6	13	5.6	0.3-10.9
Hispanic	1447	1,124,439	925	65.5	60.8-70.2	257	21.4	17.1-25.7	100	4.9	3.1- 6.7	74	4.7	2.7- 6.7	91	3.6	2.4- 4.8
18-24	138	118,024	77	52.9	39.4-66.4	29	19.3	8.7-29.9	10	5.7	1.2-10.2	15	16.7	5.7-27.7	7	5.4	0.9- 9.9
25-34	382	248,900	174	45.8	35.4-56.2	79	24.0	14.8-33.2	26	10.1	4.4-15.8	37	9.9	3.0-16.8	66	10.2	6.3-14.1
35-44	1041	585,370	601	60.7	54.6-66.8	182	18.6	12.7-24.5	78	6.3	3.9- 8.7	81	7.2	4.3-10.1	99	7.3	4.4-10.2
45-54	2422	1,061,551	1506	68.5	64.8-72.2	415	17.6	14.3-20.9	164	4.7	3.3- 6.1	132	2.8	2.0- 3.6	205	6.4	4.6- 8.2
55-64	3694	1,231,048	2372	62.3	58.6-66.0	619	21.7	18.2-25.2	226	4.8	3.4- 6.2	169	4.1	2.9- 5.3	308	7.1	5.5- 8.7
65+	7968	1,984,419	5030	65.8	63.4-68.2	1286	17.1	15.1-19.1	482	5.0	3.8- 6.2	382	4.0	3.0- 5.0	788	8.2	6.8- 9.6
Less Than H.S.	1505	679,572	854	57.8	51.1-64.5	294	24.5	18.0-31.0	101	5.4	3.0- 7.8	87	4.4	2.0- 6.8	169	7.9	5.0-10.8
H.S. or G.E.D.	4732	1,483,808	2904	63.6	60.5-66.7	769	18.6	15.9-21.3	322	4.9	3.5- 6.3	267	4.6	3.4- 5.8	470	8.4	6.8-10.0
Some Post-H.S.	4884	1,808,300	2996	62.0	59.1-64.9	833	19.0	16.5-21.5	318	5.8	4.6- 7.0	260	5.4	3.8- 7.0	477	7.8	6.4- 9.2
College Graduate	4696	1,359,132	3127	69.4	66.7-72.1	744	16.1	13.9-18.3	251	4.6	3.4- 5.8	207	4.1	2.9- 5.3	367	5.7	4.5- 6.9
Less than \$15,000	1597	456,066	868	56.8	50.7-62.9	294	19.2	13.7-24.7	105	5.9	3.2- 8.6	106	6.0	3.6- 8.4	224	12.1	8.6-15.6
\$15,000- 24,999	3023	930,076	1749	60.1	56.0-64.2	516	22.1	18.4-25.8	235	5.5	3.9- 7.1	184	4.7	3.3- 6.1	339	7.6	5.8- 9.4
\$25,000- 34,999	1639	481,467	963	63.3	58.2-68.4	286	16.4	12.7-20.1	112	5.4	3.6- 7.2	100	5.6	3.1- 8.1	178	9.3	6.6-12.0
\$35,000- 49,999	1830	637,154	1169	67.8	63.1-72.5	289	16.3	12.4-20.2	106	5.9	3.2- 8.6	103	4.2	2.8- 5.6	163	5.7	3.9- 7.5
\$50,000- 74,999	1690	571,015	1138	66.3	61.0-71.6	283	15.9	12.0-19.8	97	4.6	2.6- 6.6	63	4.5	1.4- 7.6	109	8.8	5.7-11.9
\$75,000+	2757	1,060,679	1929	68.5	64.8-72.2	445	18.7	15.4-22.0	131	3.7	2.5- 4.9	96	4.1	2.3- 5.9	156	5.0	3.8- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING

TABLE 3: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19747	7,796,029	18013	87.8	86.6-89.0	1734	12.2	11.0-13.4
White/Non-Hisp	14535	4,428,866	13466	91.1	90.1-92.1	1069	8.9	7.9- 9.9
Black or Afr. Am./Non-Hisp	1988	1,063,987	1792	86.1	82.6-89.6	196	13.9	10.4-17.4
Oth. Race/Non-Hisp.	465	292,823	373	72.1	63.3-80.9	92	27.9	19.1-36.7
MultiRacial/Non-Hisp.	219	70,844	195	87.3	77.5-97.1	24	12.7	2.9-22.5
Hispanic	2269	1,809,973	1944	82.8	79.7-85.9	325	17.2	14.1-20.3
18-24	822	798,275	453	47.7	42.2-53.2	369	52.3	46.8-57.8
25-34	1689	1,151,295	1543	90.3	87.6-93.0	146	9.7	7.0-12.4
35-44	1928	1,107,428	1824	94.6	92.4-96.8	104	5.4	3.2- 7.6
45-54	2738	1,191,978	2602	95.2	93.6-96.8	136	4.8	3.2- 6.4
55-64	3945	1,317,108	3754	94.5	92.5-96.5	191	5.5	3.5- 7.5
65+	8343	2,076,475	7578	89.2	87.4-91.0	765	10.8	9.0-12.6
Less Than H.S.	1993	1,001,865	1712	84.0	80.1-87.9	281	16.0	12.1-19.9
H.S. or G.E.D.	5878	2,192,092	5261	84.9	82.5-87.3	617	15.1	12.7-17.5
Some Post-H.S.	6094	2,630,324	5581	86.7	84.7-88.7	513	13.3	11.3-15.3
College Graduate	5692	1,930,127	5380	94.3	93.1-95.5	312	5.7	4.5- 6.9
Less than \$15,000	2044	692,284	1811	86.8	83.3-90.3	233	13.2	9.7-16.7
\$15,000- 24,999	3878	1,432,490	3473	87.3	84.9-89.7	405	12.7	10.3-15.1
\$25,000- 34,999	2081	734,471	1884	86.0	82.1-89.9	197	14.0	10.1-17.9
\$35,000- 49,999	2296	908,085	2122	88.0	84.7-91.3	174	12.0	8.7-15.3
\$50,000- 74,999	2104	841,254	1995	91.4	88.1-94.7	109	8.6	5.3-11.9
\$75,000+	3270	1,476,478	3151	93.6	91.6-95.6	119	6.4	4.4- 8.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	17428	6,683,319	7230	50.7	49.1-52.3	3105	17.8	16.6-19.0	1519	8.1	7.1- 9.1	1402	6.4	5.6- 7.2	4172	17.0	15.8-18.2
White/Non-Hisp	13014	3,945,927	4819	43.8	42.0-45.6	2271	17.8	16.4-19.2	1166	8.1	7.1- 9.1	1142	7.7	6.7- 8.7	3616	22.6	21.2-24.0
Black or Afr. Am./Non-Hisp	1720	897,538	994	63.0	57.5-68.5	312	17.7	13.0-22.4	130	8.6	4.9-12.3	95	3.4	1.8- 5.0	189	7.2	4.7- 9.7
Oth. Race/Non-Hisp.	360	201,056	150	49.8	38.0-61.6	69	24.1	14.7-33.5	36	8.1	2.6-13.6	29	9.2	3.1-15.3	76	8.8	3.5-14.1
MultiRacial/Non-Hisp.	190	60,121	80	55.3	40.0-70.6	30	8.0	1.3-14.7	16	7.3	1.6-13.0	15	8.4	0.0-20.2	49	21.0	8.1-33.9
Hispanic	1915	1,468,644	1096	61.7	57.8-65.6	380	17.5	14.6-20.4	152	7.7	5.3-10.1	104	3.9	2.3- 5.5	183	9.2	6.7-11.7
18-24	443	374,989	320	77.4	72.1-82.7	76	14.2	9.9-18.5	25	4.2	1.8- 6.6	14	2.4	0.6- 4.2	8	1.8	0.2- 3.4
25-34	1537	1,035,000	956	61.3	56.8-65.8	311	18.8	15.3-22.3	113	7.4	4.7-10.1	73	4.8	2.8- 6.8	84	7.7	5.0-10.4
35-44	1810	1,037,932	1052	64.1	59.8-68.4	377	19.2	15.5-22.9	127	5.0	3.2- 6.8	88	4.0	2.6- 5.4	166	7.7	5.5- 9.9
45-54	2565	1,114,157	1322	60.5	56.6-64.4	462	16.5	13.8-19.2	199	6.8	5.0- 8.6	173	4.5	3.1- 5.9	409	11.7	9.3-14.1
55-64	3682	1,218,229	1639	46.2	42.5-49.9	661	17.7	14.8-20.6	325	10.4	7.9-12.9	278	6.9	5.1- 8.7	779	18.8	16.1-21.5
65+	7157	1,766,539	1826	28.2	25.8-30.6	1178	17.3	15.3-19.3	716	10.6	8.8-12.4	764	10.0	8.4-11.6	2673	33.9	31.4-36.4
Less Than H.S.	1629	807,480	654	48.2	42.3-54.1	295	19.0	14.1-23.9	145	8.2	4.9-11.5	138	5.6	3.4- 7.8	397	19.0	14.5-23.5
H.S. or G.E.D.	5047	1,808,206	1930	47.9	44.8-51.0	824	15.8	13.4-18.2	428	7.7	6.1- 9.3	428	7.3	5.7- 8.9	1437	21.3	18.9-23.7
Some Post-H.S.	5426	2,239,207	2113	46.9	44.2-49.6	972	19.2	17.0-21.4	507	9.4	7.8-11.0	445	6.3	5.1- 7.5	1389	18.2	16.4-20.0
College Graduate	5260	1,793,605	2501	59.3	56.6-62.0	1007	17.8	15.8-19.8	432	6.7	5.3- 8.1	384	5.7	4.5- 6.9	936	10.6	9.2-12.0
Less than \$15,000	1744	564,708	666	52.4	47.1-57.7	276	14.5	10.8-18.2	130	6.6	4.1- 9.1	135	6.3	3.8- 8.8	537	20.2	16.3-24.1
\$15,000- 24,999	3368	1,228,461	1217	48.8	44.9-52.7	574	16.8	14.1-19.5	320	8.6	6.6-10.6	287	5.4	4.0- 6.8	970	20.3	17.4-23.2
\$25,000- 34,999	1827	620,781	658	45.2	40.1-50.3	325	18.3	14.4-22.2	174	8.5	5.4-11.6	164	7.3	4.8- 9.8	506	20.6	16.9-24.3
\$35,000- 49,999	2077	781,811	878	49.1	44.6-53.6	375	17.9	14.4-21.4	174	8.0	5.3-10.7	169	7.7	5.3-10.1	481	17.3	14.2-20.4
\$50,000- 74,999	1969	764,310	867	50.7	46.0-55.4	359	17.9	14.2-21.6	162	6.4	4.6- 8.2	181	9.1	6.2-12.0	400	16.0	12.9-19.1
\$75,000+	3105	1,366,036	1628	60.1	56.8-63.4	622	20.1	17.4-22.8	241	6.2	4.6- 7.8	182	3.8	2.8- 4.8	432	9.8	8.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP-UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15133	6,085,880	5440	44.1	42.3-45.9	9693	55.9	54.1-57.7
White/Non-Hisp	10879	3,374,493	3553	41.2	39.2-43.2	7326	58.8	56.8-60.8
Black or Afr. Am./Non-Hisp	1610	853,112	692	50.2	44.5-55.9	918	49.8	44.1-55.5
Oth. Race/Non-Hisp.	375	233,647	141	41.5	31.1-51.9	234	58.5	48.1-68.9
MultiRacial/Non-Hisp.	172	57,851	75	51.0	35.7-66.3	97	49.0	33.7-64.3
Hispanic	1880	1,454,976	897	47.1	43.0-51.2	983	52.9	48.8-57.0
18-24	735	711,587	293	37.2	31.5-42.9	442	62.8	57.1-68.5
25-34	1428	975,612	993	67.6	62.9-72.3	435	32.4	27.7-37.1
35-44	1579	929,214	1031	65.1	60.2-70.0	548	34.9	30.0-39.8
45-54	2074	889,303	1027	52.7	48.4-57.0	1047	47.3	43.0-51.6
55-64	2887	941,481	1008	38.4	34.3-42.5	1879	61.6	57.5-65.7
65+	6222	1,536,594	1027	19.1	16.7-21.5	5195	80.9	78.5-83.3
Less Than H.S.	1529	737,093	486	37.9	31.8-44.0	1043	62.1	56.0-68.2
H.S. or G.E.D.	4540	1,726,616	1351	35.6	32.5-38.7	3189	64.4	61.3-67.5
Some Post-H.S.	4650	2,067,971	1763	45.7	42.8-48.6	2887	54.3	51.4-57.2
College Graduate	4340	1,520,277	1822	55.1	52.2-58.0	2518	44.9	42.0-47.8
Less than \$15,000	1608	545,868	579	41.9	36.6-47.2	1029	58.1	52.8-63.4
\$15,000- 24,999	3018	1,130,743	1057	41.4	37.5-45.3	1961	58.6	54.7-62.5
\$25,000- 34,999	1624	582,748	537	38.8	33.7-43.9	1087	61.2	56.1-66.3
\$35,000- 49,999	1798	724,698	679	48.3	43.4-53.2	1119	51.7	46.8-56.6
\$50,000- 74,999	1619	657,349	657	50.8	45.5-56.1	962	49.2	43.9-54.5
\$75,000+	2456	1,160,683	1093	55.4	51.5-59.3	1363	44.6	40.7-48.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5071	2,504,905	2367	53.4	50.7-56.1	864	17.1	14.9-19.3	433	7.3	5.9- 8.7	417	8.5	6.9-10.1	990	13.6	12.0-15.2
White/Non-Hisp	3301	1,299,315	1364	46.9	43.8-50.0	552	17.5	15.0-20.0	300	7.8	6.2- 9.4	315	10.7	8.7-12.7	770	17.1	15.1-19.1
Black or Afr. Am./Non-Hisp	656	413,377	405	59.5	51.3-67.7	105	17.0	10.1-23.9	42	6.0	0.7-11.3	30	6.9	2.4-11.4	74	10.6	6.7-14.5
Oth. Race/Non-Hisp.	135	92,790	61	44.0	25.8-62.2	26	25.9	10.6-41.2	12	8.7	0.0-18.5	13	15.9	0.2-31.6	23	5.5	0.6-10.4
MultiRacial/Non-Hisp.	69	28,174	34	65.6	47.2-84.0	7	1.3	0.0- 2.7	11	11.0	1.2-20.8	4	7.4	0.0-17.8	13	14.8	1.1-28.5
Hispanic	839	628,748	468	63.4	57.7-69.1	160	16.2	12.1-20.3	66	7.4	4.5-10.3	51	4.4	2.2- 6.6	94	8.6	5.5-11.7
18-24	279	251,099	192	74.1	66.3-81.9	50	16.3	9.6-23.0	11	2.6	0.4- 4.8	16	4.3	0.8- 7.8	10	2.6	0.6- 4.6
25-34	948	626,504	501	55.6	49.9-61.3	173	16.2	12.1-20.3	86	8.5	4.4-12.6	70	7.2	4.8- 9.6	118	12.4	9.1-15.7
35-44	975	567,718	518	57.8	51.9-63.7	171	14.6	10.1-19.1	72	7.9	4.8-11.0	73	7.1	4.2-10.0	141	12.7	9.0-16.4
45-54	964	433,234	456	56.6	50.3-62.9	153	14.5	10.0-19.0	83	7.2	4.5- 9.9	75	8.6	4.9-12.3	197	13.0	9.9-16.1
55-64	938	337,363	386	42.5	35.4-49.6	156	21.7	15.4-28.0	87	6.5	3.8- 9.2	82	11.9	6.4-17.4	227	17.5	13.2-21.8
65+	912	258,079	291	30.5	24.2-36.8	146	21.0	14.1-27.9	91	9.9	6.2-13.6	99	14.9	8.6-21.2	285	23.7	18.2-29.2
Less Than H.S.	447	251,992	220	58.1	47.7-68.5	79	13.9	8.0-19.8	35	10.4	2.0-18.8	32	7.0	2.1-11.9	81	10.5	6.4-14.6
H.S. or G.E.D.	1254	567,969	580	48.7	43.2-54.2	209	20.4	15.1-25.7	122	8.3	5.6-11.0	102	8.8	5.7-11.9	241	13.8	10.3-17.3
Some Post-H.S.	1661	894,888	759	54.5	49.8-59.2	269	16.1	12.4-19.8	147	6.9	4.7- 9.1	149	8.1	5.7-10.5	337	14.3	11.4-17.2
College Graduate	1695	781,923	800	54.3	49.8-58.8	305	16.7	13.6-19.8	129	6.2	4.2- 8.2	131	9.1	6.0-12.2	330	13.7	11.2-16.2
Less than \$15,000	539	217,283	255	51.5	43.3-59.7	87	16.2	9.7-22.7	47	10.4	4.7-16.1	45	7.5	4.0-11.0	105	14.4	9.3-19.5
\$15,000- 24,999	1004	446,365	452	55.4	49.3-61.5	171	15.3	10.8-19.8	96	6.0	3.8- 8.2	88	9.9	6.0-13.8	197	13.4	9.7-17.1
\$25,000- 34,999	516	218,596	221	50.8	42.4-59.2	104	21.3	14.2-28.4	49	8.7	3.4-14.0	37	6.2	2.7- 9.7	105	13.0	8.3-17.7
\$35,000- 49,999	629	323,915	298	54.2	47.1-61.3	94	15.8	10.5-21.1	55	9.8	5.5-14.1	47	7.0	3.9-10.1	135	13.2	8.9-17.5
\$50,000- 74,999	625	320,732	292	56.9	48.9-64.9	112	17.6	11.1-24.1	37	5.2	2.3- 8.1	54	7.0	3.7-10.3	130	13.2	9.5-16.9
\$75,000+	1016	596,554	467	50.2	44.3-56.1	184	19.1	14.0-24.2	99	6.9	4.5- 9.3	86	10.3	6.2-14.4	180	13.4	10.3-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19514	7,603,760	6724	23.1	21.9-24.3	12790	76.9	75.7-78.1
White/Non-Hisp	14425	4,336,377	5386	27.9	26.5-29.3	9039	72.1	70.7-73.5
Black or Afr. Am./Non-Hisp	1951	1,034,026	638	20.4	16.3-24.5	1313	79.6	75.5-83.7
Oth. Race/Non-Hisp.	458	287,016	130	6.7	4.2- 9.2	328	93.3	90.8-95.8
MultiRacial/Non-Hisp.	217	69,742	78	17.8	9.0-26.6	139	82.2	73.4-91.0
Hispanic	2200	1,748,319	401	15.0	12.3-17.7	1799	85.0	82.3-87.7
18-24	775	773,611	7	0.8	0.0- 1.8	768	99.2	98.2- 100
25-34	1607	1,089,991	48	1.3	0.7- 1.9	1559	98.7	98.1-99.3
35-44	1885	1,078,239	242	9.8	7.6-12.0	1643	90.2	88.0-92.4
45-54	2713	1,171,854	785	23.8	20.3-27.3	1928	76.2	72.7-79.7
55-64	3918	1,288,409	1401	30.8	27.5-34.1	2517	69.2	65.9-72.5
65+	8345	2,057,285	4147	44.0	41.5-46.5	4198	56.0	53.5-58.5
Less Than H.S.	1950	959,805	667	23.0	18.7-27.3	1283	77.0	72.7-81.3
H.S. or G.E.D.	5823	2,144,501	2209	24.0	21.6-26.4	3614	76.0	73.6-78.4
Some Post-H.S.	6033	2,583,370	2175	24.8	22.6-27.0	3858	75.2	73.0-77.4
College Graduate	5622	1,876,304	1642	19.8	17.8-21.8	3980	80.2	78.2-82.2
Less than \$15,000	2026	665,472	736	23.7	19.6-27.8	1290	76.3	72.2-80.4
\$15,000- 24,999	3807	1,375,665	1376	21.8	19.3-24.3	2431	78.2	75.7-80.7
\$25,000- 34,999	2064	727,554	737	24.5	20.6-28.4	1327	75.5	71.6-79.4
\$35,000- 49,999	2266	891,871	756	26.2	22.1-30.3	1510	73.8	69.7-77.9
\$50,000- 74,999	2076	829,339	695	23.6	19.9-27.3	1381	76.4	72.7-80.1
\$75,000+	3223	1,433,278	945	18.5	16.1-20.9	2278	81.5	79.1-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

*** NOTE *******

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.**

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)	
1	MALES ONLY	239
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	240
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	241
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	242
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	243
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10673	4,448,517	6835	60.5	58.5-62.5	3838	39.5	37.5-41.5
White/Non-Hisp	8212	2,862,870	5444	64.1	61.9-66.3	2768	35.9	33.7-38.1
Black or Afr. Am./Non-Hisp	884	470,331	535	55.9	48.8-63.0	349	44.1	37.0-51.2
Oth. Race/Non-Hisp.	303	130,208	163	48.7	33.6-63.8	140	51.3	36.2-66.4
MultiRacial/Non-Hisp.	131	18,769	71	61.4	45.3-77.5	60	38.6	22.5-54.7
Hispanic	951	890,116	497	52.8	47.1-58.5	454	47.2	41.5-52.9
35-44	754	528,503	222	33.2	26.9-39.5	532	66.8	60.5-73.1
45-54	2047	1,133,999	982	48.9	45.0-52.8	1065	51.1	47.2-55.0
55-64	2757	1,135,515	1770	63.5	59.6-67.4	987	36.5	32.6-40.4
65+	5115	1,650,500	3861	75.1	72.2-78.0	1254	24.9	22.0-27.8
Less Than H.S.	1121	687,285	442	38.3	31.6-45.0	679	61.7	55.0-68.4
H.S. or G.E.D.	3013	1,207,002	1708	56.7	53.0-60.4	1305	43.3	39.6-47.0
Some Post-H.S.	2780	1,260,849	1821	63.7	60.2-67.2	959	36.3	32.8-39.8
College Graduate	3723	1,284,477	2841	72.7	69.8-75.6	882	27.3	24.4-30.2
Less than \$15,000	854	356,951	376	47.3	39.5-55.1	478	52.7	44.9-60.5
\$15,000- 24,999	1735	712,716	938	50.7	45.6-55.8	797	49.3	44.2-54.4
\$25,000- 34,999	1064	412,522	635	50.4	43.3-57.5	429	49.6	42.5-56.7
\$35,000- 49,999	1424	547,531	943	64.6	59.3-69.9	481	35.4	30.1-40.7
\$50,000- 74,999	1391	539,551	1011	68.0	63.3-72.7	380	32.0	27.3-36.7
\$75,000+	2702	1,279,565	2022	70.0	66.5-73.5	680	30.0	26.5-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10578	4,398,765	3000	28.5	26.7-30.3	7578	71.5	69.7-73.3
White/Non-Hisp	8140	2,830,675	2237	27.5	25.5-29.5	5903	72.5	70.5-74.5
Black or Afr. Am./Non-Hisp	876	468,826	308	34.9	28.0-41.8	568	65.1	58.2-72.0
Oth. Race/Non-Hisp.	295	128,756	84	33.3	17.0-49.6	211	66.7	50.4-83.0
MultiRacial/Non-Hisp.	130	18,445	34	31.6	15.5-47.7	96	68.4	52.3-84.5
Hispanic	950	876,728	273	27.3	22.4-32.2	677	72.7	67.8-77.6
35-44	748	515,631	118	16.7	11.6-21.8	630	83.3	78.2-88.4
45-54	2030	1,123,856	504	24.3	21.0-27.6	1526	75.7	72.4-79.0
55-64	2730	1,128,424	796	32.0	28.1-35.9	1934	68.0	64.1-71.9
65+	5070	1,630,854	1582	32.6	29.7-35.5	3488	67.4	64.5-70.3
Less Than H.S.	1115	685,386	229	23.7	17.4-30.0	886	76.3	70.0-82.6
H.S. or G.E.D.	2995	1,191,416	734	25.7	22.6-28.8	2261	74.3	71.2-77.4
Some Post-H.S.	2770	1,243,143	756	26.4	23.3-29.5	2014	73.6	70.5-76.7
College Graduate	3662	1,270,504	1271	35.8	32.9-38.7	2391	64.2	61.3-67.1
Less than \$15,000	855	358,579	179	27.3	19.5-35.1	676	72.7	64.9-80.5
\$15,000- 24,999	1731	705,975	432	25.4	21.1-29.7	1299	74.6	70.3-78.9
\$25,000- 34,999	1060	414,756	270	22.8	17.7-27.9	790	77.2	72.1-82.3
\$35,000- 49,999	1414	545,789	364	27.7	22.4-33.0	1050	72.3	67.0-77.6
\$50,000- 74,999	1372	529,876	402	30.2	24.9-35.5	970	69.8	64.5-75.1
\$75,000+	2660	1,252,295	947	33.3	30.0-36.6	1713	66.7	63.4-70.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10611	4,413,343	6081	53.6	51.6-55.6	4530	46.4	44.4-48.4
White/Non-Hisp	8165	2,847,570	4902	57.3	55.1-59.5	3263	42.7	40.5-44.9
Black or Afr. Am./Non-Hisp	882	459,080	449	50.4	43.5-57.3	433	49.6	42.7-56.5
Oth. Race/Non-Hisp.	293	129,975	125	40.8	25.1-56.5	168	59.2	43.5-74.9
MultiRacial/Non-Hisp.	127	18,112	58	48.1	29.3-66.9	69	51.9	33.1-70.7
Hispanic	949	880,408	434	45.8	40.1-51.5	515	54.2	48.5-59.9
35-44	759	533,134	152	21.1	15.6-26.6	607	78.9	73.4-84.4
45-54	2023	1,132,229	796	37.9	34.2-41.6	1227	62.1	58.4-65.8
55-64	2737	1,123,043	1592	59.3	55.4-63.2	1145	40.7	36.8-44.6
65+	5092	1,624,937	3541	71.4	68.7-74.1	1551	28.6	25.9-31.3
Less Than H.S.	1102	669,379	415	37.5	30.6-44.4	687	62.5	55.6-69.4
H.S. or G.E.D.	2988	1,189,432	1501	50.2	46.5-53.9	1487	49.8	46.1-53.5
Some Post-H.S.	2773	1,256,513	1603	56.8	53.3-60.3	1170	43.2	39.7-46.7
College Graduate	3711	1,289,008	2542	62.1	59.0-65.2	1169	37.9	34.8-41.0
Less than \$15,000	847	358,968	311	38.7	30.9-46.5	536	61.3	53.5-69.1
\$15,000- 24,999	1730	708,526	812	45.4	40.3-50.5	918	54.6	49.5-59.7
\$25,000- 34,999	1056	404,998	566	48.3	41.4-55.2	490	51.7	44.8-58.6
\$35,000- 49,999	1415	539,643	850	56.3	50.8-61.8	565	43.7	38.2-49.2
\$50,000- 74,999	1376	523,085	900	63.5	58.8-68.2	476	36.5	31.8-41.2
\$75,000+	2698	1,281,420	1799	59.0	55.3-62.7	899	41.0	37.3-44.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6025	2,336,562	5601	90.1	88.1-92.1	424	9.9	7.9-11.9
White/Non-Hisp	4865	1,611,899	4587	92.9	91.3-94.5	278	7.1	5.5- 8.7
Black or Afr. Am./Non-Hisp	445	229,721	386	83.9	76.5-91.3	59	16.1	8.7-23.5
Oth. Race/Non-Hisp.	120	52,615	108	69.1	36.8- 100	12	30.9	0.0-63.2
MultiRacial/Non-Hisp.	57	8,690	54	98.4	95.7- 100	3	1.6	0.0- 4.3
Hispanic	428	396,509	365	84.5	78.2-90.8	63	15.5	9.2-21.8
35-44	149	108,989	114	77.7	64.6-90.8	35	22.3	9.2-35.4
45-54	787	425,562	649	83.4	79.1-87.7	138	16.6	12.3-20.9
55-64	1572	652,795	1423	88.3	84.0-92.6	149	11.7	7.4-16.0
65+	3517	1,149,217	3415	94.7	92.5-96.9	102	5.3	3.1- 7.5
Less Than H.S.	401	243,797	332	74.5	63.3-85.7	69	25.5	14.3-36.7
H.S. or G.E.D.	1478	585,414	1312	86.1	81.8-90.4	166	13.9	9.6-18.2
Some Post-H.S.	1595	704,726	1503	93.5	91.1-95.9	92	6.5	4.1- 8.9
College Graduate	2531	797,102	2436	94.7	92.9-96.5	95	5.3	3.5- 7.1
Less than \$15,000	298	131,642	248	65.0	49.1-80.9	50	35.0	19.1-50.9
\$15,000- 24,999	798	317,854	701	85.0	79.3-90.7	97	15.0	9.3-20.7
\$25,000- 34,999	561	194,577	506	78.9	69.9-87.9	55	21.1	12.1-30.1
\$35,000- 49,999	848	298,718	800	92.3	88.0-96.6	48	7.7	3.4-12.0
\$50,000- 74,999	897	331,443	856	94.4	90.9-97.9	41	5.6	2.1- 9.1
\$75,000+	1789	751,328	1707	95.5	94.1-96.9	82	4.5	3.1- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6515	2,471,216	4438	67.6	65.2-70.0	875	13.4	11.6-15.2	374	5.8	4.6- 7.0	339	5.6	4.4- 6.8	489	7.6	6.2- 9.0
White/Non-Hisp	5237	1,726,312	3604	68.3	65.8-70.8	682	13.8	12.0-15.6	297	5.2	4.0- 6.4	263	5.3	4.1- 6.5	391	7.4	6.0- 8.8
Black or Afr. Am./Non-Hisp	477	224,365	313	63.6	54.0-73.2	70	15.9	7.1-24.7	28	6.9	1.6-12.2	34	7.0	3.9-10.1	32	6.7	3.2-10.2
Oth. Race/Non-Hisp.	143	46,396	83	72.0	57.1-86.9	26	5.4	1.3- 9.5	8	8.4	0.0-17.4	11	3.4	0.1- 6.7	15	10.8	2.0-19.6
MultiRacial/Non-Hisp.	66	9,548	43	49.8	21.4-78.2	12	25.9	0.0-59.6	5	19.2	0.0-39.0	3	0.2	0.0- 0.4	3	4.9	0.0-13.1
Hispanic	467	421,648	313	66.4	59.0-73.8	67	11.8	7.1-16.5	30	7.2	3.1-11.3	21	5.8	1.9- 9.7	36	8.8	3.9-13.7
35-44	150	102,514	74	45.3	31.8-58.8	30	23.1	9.8-36.4	24	12.5	5.4-19.6	14	7.0	1.9-12.1	8	12.0	0.0-25.1
45-54	814	458,359	480	57.2	50.9-63.5	157	18.2	13.5-22.9	55	8.5	4.4-12.6	55	8.2	4.5-11.9	67	7.9	4.8-11.0
55-64	1633	669,580	1079	68.1	63.6-72.6	245	14.5	10.8-18.2	99	5.3	3.3- 7.3	96	5.2	3.4- 7.0	114	7.0	4.6- 9.4
65+	3918	1,240,763	2805	73.0	70.1-75.9	443	10.3	8.5-12.1	196	4.5	3.1- 5.9	174	4.7	3.3- 6.1	300	7.5	5.7- 9.3
Less Than H.S.	421	237,185	269	68.6	58.6-78.6	66	11.9	4.3-19.5	29	8.5	2.8-14.2	18	4.9	0.8- 9.0	39	6.1	2.6- 9.6
H.S. or G.E.D.	1564	609,519	1053	66.0	61.3-70.7	211	15.7	12.0-19.4	87	5.3	2.8- 7.8	95	6.3	3.8- 8.8	118	6.6	4.6- 8.6
Some Post-H.S.	1773	772,646	1192	66.2	61.7-70.7	245	12.9	10.0-15.8	98	4.7	2.9- 6.5	99	6.2	4.0- 8.4	139	10.0	6.7-13.3
College Graduate	2737	846,416	1911	69.9	66.6-73.2	352	12.7	10.3-15.1	160	6.4	4.2- 8.6	125	4.5	3.1- 5.9	189	6.6	4.8- 8.4
Less than \$15,000	331	121,822	206	69.5	59.9-79.1	47	11.5	4.4-18.6	18	6.5	1.4-11.6	22	4.7	1.6- 7.8	38	7.7	3.4-12.0
\$15,000- 24,999	871	337,024	530	58.0	50.9-65.1	131	14.5	9.4-19.6	70	10.7	5.6-15.8	57	5.9	3.2- 8.6	83	10.9	6.4-15.4
\$25,000- 34,999	594	183,619	400	69.6	62.0-77.2	72	10.2	6.5-13.9	33	4.8	1.7- 7.9	36	8.3	2.4-14.2	53	7.2	3.3-11.1
\$35,000- 49,999	917	319,687	657	70.2	63.9-76.5	112	12.0	7.9-16.1	43	4.0	1.6- 6.4	45	6.9	3.2-10.6	60	6.9	3.2-10.6
\$50,000- 74,999	969	347,794	675	71.4	65.5-77.3	129	12.5	7.8-17.2	61	4.1	2.3- 5.9	48	5.4	3.0- 7.8	56	6.6	3.1-10.1
\$75,000+	1937	822,195	1345	66.7	62.6-70.8	285	17.0	13.5-20.5	101	4.6	3.2- 6.0	83	3.9	2.5- 5.3	123	7.7	5.2-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6634	2,500,955	5003	74.0	71.6-76.4	491	7.0	5.6- 8.4	238	4.0	3.0- 5.0	334	5.5	4.3- 6.7	568	9.6	8.0-11.2
White/Non-Hisp	5347	1,743,882	4059	74.5	72.1-76.9	390	7.1	5.7- 8.5	192	3.9	2.9- 4.9	276	5.0	3.8- 6.2	430	9.6	8.0-11.2
Black or Afr. Am./Non-Hisp	481	230,740	346	66.4	56.8-76.0	33	9.1	1.3-16.9	19	3.5	1.0- 6.0	30	10.1	3.2-17.0	53	10.9	6.0-15.8
Oth. Race/Non-Hisp.	146	48,159	106	82.0	70.4-93.6	10	2.5	0.0- 5.6	4	1.9	0.0- 4.3	7	8.3	0.0-17.5	19	5.4	0.7-10.1
MultiRacial/Non-Hisp.	65	9,573	44	57.8	27.4-88.2	5	3.4	0.0- 8.1	3	1.7	0.0- 4.6	3	1.2	0.0- 3.0	10	35.9	3.8-68.0
Hispanic	467	425,272	356	75.5	68.6-82.4	46	6.7	3.0-10.4	14	5.2	1.1- 9.3	9	4.5	1.2- 7.8	42	8.1	3.8-12.4
35-44	150	102,768	103	80.5	72.1-88.9	6	4.0	0.0- 8.7	15	6.2	1.5-10.9				26	9.3	4.2-14.4
45-54	820	456,094	606	73.0	67.3-78.7	43	5.6	2.9- 8.3	55	7.9	4.2-11.6	6	0.9	0.0- 2.3	110	12.6	8.3-16.9
55-64	1656	677,424	1313	79.0	74.9-83.1	87	4.6	2.4- 6.8	76	3.1	1.9- 4.3	34	2.4	0.8- 4.0	146	10.9	7.6-14.2
65+	4008	1,264,670	2981	71.2	68.1-74.3	355	9.1	6.9-11.3	92	2.8	1.4- 4.2	294	9.2	7.0-11.4	286	7.7	5.9- 9.5
Less Than H.S.	431	236,287	291	65.4	54.2-76.6	53	11.0	3.2-18.8	12	5.0	0.0-10.7	28	8.8	2.1-15.5	47	9.8	3.3-16.3
H.S. or G.E.D.	1600	620,448	1184	69.9	65.2-74.6	119	7.5	4.6-10.4	58	3.9	1.9- 5.9	91	6.7	4.0- 9.4	148	11.9	8.6-15.2
Some Post-H.S.	1796	775,696	1369	75.5	71.6-79.4	121	6.3	4.3- 8.3	63	3.8	1.8- 5.8	85	5.5	3.3- 7.7	158	8.9	6.2-11.6
College Graduate	2788	863,143	2145	78.0	75.3-80.7	196	6.2	4.6- 7.8	105	4.0	2.8- 5.2	129	3.6	2.4- 4.8	213	8.2	6.2-10.2
Less than \$15,000	337	124,759	226	65.2	54.0-76.4	33	6.2	2.5- 9.9	11	3.9	0.0- 8.0	24	9.3	1.9-16.7	43	15.3	5.9-24.7
\$15,000- 24,999	885	335,967	618	68.5	62.2-74.8	92	9.2	5.7-12.7	32	2.5	0.9- 4.1	53	6.1	3.2- 9.0	90	13.7	8.4-19.0
\$25,000- 34,999	610	188,061	458	69.5	60.9-78.1	55	9.6	5.5-13.7	18	6.0	0.7-11.3	31	8.3	0.9-15.7	48	6.8	3.7- 9.9
\$35,000- 49,999	933	324,489	689	69.8	62.7-76.9	67	10.0	3.7-16.3	32	2.5	0.9- 4.1	58	5.7	3.0- 8.4	87	12.1	7.4-16.8
\$50,000- 74,999	986	351,210	753	75.7	70.0-81.4	64	3.9	2.3- 5.5	41	4.6	1.5- 7.7	43	6.3	2.8- 9.8	85	9.4	5.7-13.1
\$75,000+	1957	830,959	1549	77.7	74.2-81.2	117	6.0	4.0- 8.0	75	3.8	2.2- 5.4	68	3.6	2.2- 5.0	148	8.9	6.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 18: COLORECTAL CANCER SCREENING CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	246
2 MALES ONLY	247
3 FEMALES ONLY	248
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	249
5 MALES ONLY	250
6 FEMALES ONLY	251
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	252
8 MALES ONLY	253
9 FEMALES ONLY	254
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10 MALES AND FEMALES	255
11 MALES ONLY	256
12 FEMALES ONLY	257
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	258
14 MALES ONLY	259
15 FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	23031	7,520,519	8972	36.0	34.6-37.4	14059	64.0	62.6-65.4
Male	9300	3,496,027	3472	34.9	32.7-37.1	5828	65.1	62.9-67.3
Female	13730	4,024,240	5500	37.0	35.2-38.8	8230	63.0	61.2-64.8
White/Non-Hisp	18498	5,124,453	7447	38.6	37.2-40.0	11051	61.4	60.0-62.8
Black or Afr. Am./Non-Hisp	1838	721,164	679	36.9	31.2-42.6	1159	63.1	57.4-68.8
Oth. Race/Non-Hisp.	510	202,164	187	34.9	23.5-46.3	323	65.1	53.7-76.5
MultiRacial/Non-Hisp.	248	33,573	108	39.8	25.9-53.7	140	60.2	46.3-74.1
Hispanic	1594	1,314,346	415	25.7	21.8-29.6	1179	74.3	70.4-78.2
45-54	2734	1,288,871	517	17.2	14.5-19.9	2217	82.8	80.1-85.5
55-64	6759	2,463,316	2165	30.0	27.6-32.4	4594	70.0	67.6-72.4
65+	13538	3,768,332	6290	46.4	44.4-48.4	7248	53.6	51.6-55.6
Less Than H.S.	2273	1,036,197	696	31.7	26.6-36.8	1577	68.3	63.2-73.4
H.S. or G.E.D.	6942	2,174,329	2620	34.5	32.0-37.0	4322	65.5	63.0-68.0
Some Post-H.S.	6648	2,364,379	2745	37.5	35.1-39.9	3903	62.5	60.1-64.9
College Graduate	7066	1,904,210	2879	38.2	36.0-40.4	4187	61.8	59.6-64.0
Less than \$15,000	2216	656,380	767	30.4	25.9-34.9	1449	69.6	65.1-74.1
\$15,000- 24,999	4193	1,275,954	1629	36.5	33.0-40.0	2564	63.5	60.0-67.0
\$25,000- 34,999	2407	706,277	945	35.2	30.7-39.7	1462	64.8	60.3-69.3
\$35,000- 49,999	2825	919,111	1191	38.9	35.0-42.8	1634	61.1	57.2-65.0
\$50,000- 74,999	2613	856,350	1084	38.3	34.2-42.4	1529	61.7	57.6-65.8
\$75,000+	4401	1,650,831	1680	34.7	32.0-37.4	2721	65.3	62.6-68.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9300	3,496,027	3472	34.9	32.7-37.1	5828	65.1	62.9-67.3
White/Non-Hisp	7423	2,409,240	2866	37.5	35.3-39.7	4557	62.5	60.3-64.7
Black or Afr. Am./Non-Hisp	701	335,390	248	36.6	28.0-45.2	453	63.4	54.8-72.0
Oth. Race/Non-Hisp.	241	91,086	94	34.8	17.7-51.9	147	65.2	48.1-82.3
MultiRacial/Non-Hisp.	111	12,165	49	30.1	12.5-47.7	62	69.9	52.3-87.5
Hispanic	651	582,352	140	23.2	17.3-29.1	511	76.8	70.9-82.7
45-54	1180	629,684	201	12.7	9.4-16.0	979	87.3	84.0-90.6
55-64	2854	1,164,322	878	30.0	26.5-33.5	1976	70.0	66.5-73.5
65+	5266	1,702,022	2393	46.5	43.6-49.4	2873	53.5	50.6-56.4
Less Than H.S.	947	515,839	267	29.7	22.3-37.1	680	70.3	62.9-77.7
H.S. or G.E.D.	2591	940,325	866	32.8	28.9-36.7	1725	67.2	63.3-71.1
Some Post-H.S.	2460	1,028,291	976	36.2	32.5-39.9	1484	63.8	60.1-67.5
College Graduate	3263	999,042	1352	38.4	35.3-41.5	1911	61.6	58.5-64.7
Less than \$15,000	766	295,837	239	24.0	17.9-30.1	527	76.0	69.9-82.1
\$15,000- 24,999	1525	553,466	544	35.8	30.5-41.1	981	64.2	58.9-69.5
\$25,000- 34,999	927	314,236	346	29.5	22.6-36.4	581	70.5	63.6-77.4
\$35,000- 49,999	1245	436,187	514	37.6	31.7-43.5	731	62.4	56.5-68.3
\$50,000- 74,999	1205	425,201	489	39.6	33.7-45.5	716	60.4	54.5-66.3
\$75,000+	2277	983,320	870	35.8	31.9-39.7	1407	64.2	60.3-68.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13730	4,024,240	5500	37.0	35.2-38.8	8230	63.0	61.2-64.8
White/Non-Hisp	11074	2,714,960	4581	39.6	37.6-41.6	6493	60.4	58.4-62.4
Black or Afr. Am./Non-Hisp	1137	385,774	431	37.2	29.9-44.5	706	62.8	55.5-70.1
Oth. Race/Non-Hisp.	269	111,078	93	35.1	20.0-50.2	176	64.9	49.8-80.0
MultiRacial/Non-Hisp.	137	21,408	59	45.3	26.7-63.9	78	54.7	36.1-73.3
Hispanic	943	731,994	275	27.6	22.1-33.1	668	72.4	66.9-77.9
45-54	1554	659,187	316	21.5	17.2-25.8	1238	78.5	74.2-82.8
55-64	3905	1,298,995	1287	29.9	26.8-33.0	2618	70.1	67.0-73.2
65+	8271	2,066,058	3897	46.3	43.8-48.8	4374	53.7	51.2-56.2
Less Than H.S.	1326	520,358	429	33.7	27.0-40.4	897	66.3	59.6-73.0
H.S. or G.E.D.	4351	1,234,004	1754	35.9	32.6-39.2	2597	64.1	60.8-67.4
Some Post-H.S.	4188	1,336,088	1769	38.5	35.4-41.6	2419	61.5	58.4-64.6
College Graduate	3802	904,915	1527	37.9	34.6-41.2	2275	62.1	58.8-65.4
Less than \$15,000	1450	360,543	528	35.6	29.5-41.7	922	64.4	58.3-70.5
\$15,000- 24,999	2668	722,488	1085	37.1	32.4-41.8	1583	62.9	58.2-67.6
\$25,000- 34,999	1480	392,042	599	39.9	34.0-45.8	881	60.1	54.2-66.0
\$35,000- 49,999	1580	482,924	677	40.1	34.8-45.4	903	59.9	54.6-65.2
\$50,000- 74,999	1408	431,149	595	36.9	31.4-42.4	813	63.1	57.6-68.6
\$75,000+	2123	667,259	810	33.1	29.2-37.0	1313	66.9	63.0-70.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8556	2,587,006	3513	45.7	43.3-48.1	1325	15.2	13.4-17.0	751	8.4	7.0- 9.8	861	9.2	7.8-10.6	2106	21.5	19.7-23.3
Male	3344	1,161,144	1417	45.2	41.5-48.9	506	15.3	12.4-18.2	282	8.5	6.1-10.9	344	9.5	7.3-11.7	795	21.4	18.5-24.3
Female	5212	1,425,862	2096	46.1	43.0-49.2	819	15.0	12.8-17.2	469	8.3	6.5-10.1	517	9.0	7.2-10.8	1311	21.6	19.2-24.0
White/Non-Hisp	7096	1,886,198	2777	41.9	39.5-44.3	1097	14.5	12.7-16.3	613	7.9	6.7- 9.1	743	10.6	9.0-12.2	1866	25.1	23.1-27.1
Black or Afr. Am./Non-Hisp	647	254,598	332	51.8	41.6-62.0	113	19.2	10.6-27.8	59	10.1	3.0-17.2	50	5.9	2.6- 9.2	93	12.9	6.0-19.8
Oth. Race/Non-Hisp.	176	66,993	74	48.7	28.5-68.9	28	18.3	3.0-33.6	22	12.5	0.0-26.4	9	6.0	0.0-13.4	43	14.5	5.7-23.3
MultiRacial/Non-Hisp.	105	13,289	40	44.3	22.9-65.7	11	6.4	0.9-11.9	11	8.5	0.0-20.5	14	9.2	0.6-17.8	29	31.7	10.3-53.1
Hispanic	405	326,956	230	61.8	53.2-70.4	58	15.6	9.5-21.7	33	8.9	3.4-14.4	35	4.9	2.0- 7.8	49	8.8	3.7-13.9
45-54	502	213,492	200	42.9	33.7-52.1	100	21.3	13.7-28.9	51	8.8	4.7-12.9	60	11.4	4.3-18.5	91	15.7	8.8-22.6
55-64	2103	719,006	859	42.4	37.7-47.1	343	14.1	11.4-16.8	197	11.0	7.3-14.7	208	10.1	7.6-12.6	496	22.4	18.5-26.3
65+	5951	1,654,508	2454	47.5	44.6-50.4	882	14.8	12.6-17.0	503	7.3	5.9- 8.7	593	8.6	7.0-10.2	1519	21.9	19.7-24.1
Less Than H.S.	657	324,727	316	57.0	47.0-67.0	104	16.8	8.6-25.0	70	8.9	3.0-14.8	61	3.3	1.5- 5.1	106	14.0	7.3-20.7
H.S. or G.E.D.	2475	716,187	1075	45.4	40.9-49.9	399	15.4	12.3-18.5	225	9.9	6.8-13.0	232	9.8	6.9-12.7	544	19.5	16.0-23.0
Some Post-H.S.	2639	848,420	1078	46.6	42.7-50.5	404	15.0	12.5-17.5	217	7.0	5.0- 9.0	266	8.8	7.0-10.6	674	22.7	19.6-25.8
College Graduate	2760	683,225	1031	39.0	35.3-42.7	416	14.4	11.7-17.1	233	8.3	6.1-10.5	302	12.2	9.1-15.3	778	26.0	23.1-28.9
Less than \$15,000	727	193,710	354	61.6	54.0-69.2	99	14.2	8.1-20.3	64	5.6	2.9- 8.3	62	6.5	3.4- 9.6	148	12.1	8.2-16.0
\$15,000- 24,999	1571	444,716	734	51.8	45.7-57.9	263	15.3	11.8-18.8	126	9.5	6.0-13.0	139	6.0	4.0- 8.0	309	17.4	12.9-21.9
\$25,000- 34,999	899	235,694	383	48.3	40.1-56.5	146	16.3	8.1-24.5	79	10.5	5.6-15.4	85	7.6	4.3-10.9	206	17.3	12.6-22.0
\$35,000- 49,999	1150	341,059	444	42.5	36.2-48.8	192	15.4	10.9-19.9	101	8.5	4.2-12.8	120	9.7	6.6-12.8	293	23.9	18.2-29.6
\$50,000- 74,999	1056	321,314	386	44.1	37.2-51.0	155	16.3	10.6-22.0	90	7.8	4.5-11.1	124	9.3	6.2-12.4	301	22.5	18.0-27.0
\$75,000+	1620	550,773	557	33.8	29.1-38.5	263	14.7	11.6-17.8	146	9.5	5.8-13.2	175	12.6	8.5-16.7	479	29.4	24.9-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3344	1,161,144	1417	45.2	41.5-48.9	506	15.3	12.6-18.0	282	8.5	6.3-10.7	344	9.5	7.3-11.7	795	21.4	18.5-24.3
White/Non-Hisp	2761	858,843	1125	41.9	38.2-45.6	400	13.6	10.9-16.3	225	7.8	5.8- 9.8	304	11.7	9.2-14.2	707	25.1	22.0-28.2
Black or Afr. Am./Non-Hisp	237	117,853	120	43.6	28.3-58.9	53	25.7	10.0-41.4	23	13.7	0.0-27.6	14	3.9	0.4- 7.4	27	13.0	0.0-26.1
Oth. Race/Non-Hisp.	89	29,159	33	49.1	19.3-78.9	15	10.2	0.6-19.8	13	17.1	0.0-43.0	4	0.4	0.0- 1.2	24	23.2	5.0-41.4
Hispanic	137	128,673	89	70.9	58.9-82.9	18	16.6	6.4-26.8	10	5.2	0.5- 9.9	9	2.9	0.0- 7.0	11	4.4	0.9- 7.9
45-54	195	77,613	79	41.5	27.4-55.6	38	19.0	9.8-28.2	18	4.7	1.0- 8.4	24	10.2	3.5-16.9	36	24.6	9.1-40.1
55-64	863	344,173	352	39.2	32.3-46.1	137	13.6	9.7-17.5	85	12.4	6.3-18.5	88	10.8	6.5-15.1	201	23.9	17.8-30.0
65+	2286	739,358	986	48.4	43.9-52.9	331	15.7	11.8-19.6	179	7.1	4.9- 9.3	232	8.8	6.3-11.3	558	19.9	17.0-22.8
Less Than H.S.	254	151,372	129	47.9	32.4-63.4	44	22.9	7.6-38.2	21	11.8	0.4-23.2	24	1.6	0.2- 3.0	36	15.7	3.9-27.5
H.S. or G.E.D.	828	290,536	380	45.3	37.9-52.7	141	15.1	10.4-19.8	68	9.2	4.7-13.7	72	12.6	6.7-18.5	167	17.8	11.9-23.7
Some Post-H.S.	942	352,644	405	48.6	42.3-54.9	148	14.9	10.6-19.2	80	6.9	4.2- 9.6	95	8.2	5.3-11.1	214	21.3	16.4-26.2
College Graduate	1310	362,706	499	40.9	35.6-46.2	172	12.7	9.4-16.0	110	7.7	4.6-10.8	153	11.7	8.2-15.2	376	26.9	22.8-31.0
Less than \$15,000	228	68,116	120	58.1	44.6-71.6	34	20.5	8.0-33.0	13	7.5	1.6-13.4	17	3.1	0.2- 6.0	44	10.8	4.1-17.5
\$15,000- 24,999	524	186,009	242	50.8	41.4-60.2	95	17.9	11.4-24.4	54	11.9	5.4-18.4	54	6.2	3.1- 9.3	79	13.2	6.9-19.5
\$25,000- 34,999	329	83,343	146	39.4	26.9-51.9	65	27.9	9.3-46.5	25	7.6	2.3-12.9	35	8.5	3.4-13.6	58	16.5	8.9-24.1
\$35,000- 49,999	504	156,275	215	46.1	36.1-56.1	78	17.2	9.4-25.0	37	6.3	2.0-10.6	48	7.1	3.4-10.8	126	23.3	13.5-33.1
\$50,000- 74,999	479	165,294	184	45.2	35.2-55.2	62	16.7	6.9-26.5	39	8.3	2.8-13.8	55	7.9	4.0-11.8	139	21.9	15.6-28.2
\$75,000+	846	342,171	302	36.1	29.6-42.6	126	12.1	8.6-15.6	77	10.2	4.5-15.9	86	12.6	7.7-17.5	255	28.9	22.8-35.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5212	1,425,862	2096	46.1	43.0-49.2	819	15.0	12.8-17.2	469	8.3	6.5-10.1	517	9.0	7.2-10.8	1311	21.6	19.2-24.0
White/Non-Hisp	4335	1,027,355	1652	42.0	38.9-45.1	697	15.2	13.0-17.4	388	8.0	6.4- 9.6	439	9.8	7.8-11.8	1159	25.1	22.6-27.6
Black or Afr. Am./Non-Hisp	410	136,745	212	58.8	47.4-70.2	60	13.7	6.4-21.0	36	7.0	3.1-10.9	36	7.7	2.4-13.0	66	12.9	6.8-19.0
Oth. Race/Non-Hisp.	87	37,834	41	48.3	20.9-75.7	13	24.7	0.2-49.2	9	8.9	0.0-22.6	5	10.3	0.0-23.4	19	7.8	1.3-14.3
MultiRacial/Non-Hisp.	57	9,639	24	53.2	26.0-80.4	4	3.1	0.0- 7.4	5	2.6	0.0- 6.1	8	9.7	0.0-21.3	16	31.4	3.6-59.2
Hispanic	268	198,283	141	55.9	44.3-67.5	40	14.9	7.3-22.5	23	11.2	3.0-19.4	26	6.3	2.2-10.4	38	11.7	3.9-19.5
45-54	307	135,879	121	43.6	31.8-55.4	62	22.6	11.6-33.6	33	11.1	5.0-17.2	36	12.0	1.4-22.6	55	10.6	5.9-15.3
55-64	1240	374,833	507	45.4	38.9-51.9	206	14.5	10.8-18.2	112	9.7	5.6-13.8	120	9.4	6.5-12.3	295	21.0	16.1-25.9
65+	3665	915,150	1468	46.7	43.0-50.4	551	14.1	11.7-16.5	324	7.4	5.4- 9.4	361	8.4	6.6-10.2	961	23.4	20.5-26.3
Less Than H.S.	403	173,355	187	64.9	54.5-75.3	60	11.4	5.3-17.5	49	6.3	2.6-10.0	37	4.8	1.7- 7.9	70	12.5	6.0-19.0
H.S. or G.E.D.	1647	425,651	695	45.5	39.8-51.2	258	15.6	11.5-19.7	157	10.4	6.3-14.5	160	7.9	5.4-10.4	377	20.6	16.1-25.1
Some Post-H.S.	1697	495,776	673	45.1	40.2-50.0	256	15.1	12.0-18.2	137	7.0	4.5- 9.5	171	9.2	6.8-11.6	460	23.7	19.8-27.6
College Graduate	1450	320,520	532	36.9	31.6-42.2	244	16.3	12.0-20.6	123	9.0	6.1-11.9	149	12.8	7.5-18.1	402	25.0	20.9-29.1
Less than \$15,000	499	125,594	234	63.6	54.6-72.6	65	10.8	4.7-16.9	51	4.5	1.8- 7.2	45	8.3	3.8-12.8	104	12.9	8.2-17.6
\$15,000- 24,999	1047	258,707	492	52.5	44.7-60.3	168	13.4	9.5-17.3	72	7.8	3.9-11.7	85	5.9	3.2- 8.6	230	20.4	13.9-26.9
\$25,000- 34,999	570	152,351	237	53.2	43.6-62.8	81	9.9	5.2-14.6	54	12.1	5.2-19.0	50	7.1	2.6-11.6	148	17.7	11.6-23.8
\$35,000- 49,999	646	184,784	229	39.5	31.5-47.5	114	13.9	9.2-18.6	64	10.5	3.4-17.6	72	11.8	7.1-16.5	167	24.3	18.0-30.6
\$50,000- 74,999	577	156,020	202	43.0	33.8-52.2	93	15.8	10.1-21.5	51	7.3	3.6-11.0	69	10.7	5.8-15.6	162	23.2	16.5-29.9
\$75,000+	774	208,601	255	29.9	23.4-36.4	137	19.0	12.5-25.5	69	8.3	5.0-11.6	89	12.6	5.5-19.7	224	30.2	23.7-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23103	7,526,404	16784	69.2	67.8-70.6	6319	30.8	29.4-32.2
Male	9322	3,499,021	6663	68.3	66.1-70.5	2659	31.7	29.5-33.9
Female	13780	4,027,131	10120	70.1	68.1-72.1	3660	29.9	27.9-31.9
White/Non-Hisp	18563	5,122,150	13864	74.1	72.7-75.5	4699	25.9	24.5-27.3
Black or Afr. Am./Non-Hisp	1840	719,869	1283	60.5	54.6-66.4	557	39.5	33.6-45.4
Oth. Race/Non-Hisp.	512	203,074	314	50.2	37.9-62.5	198	49.8	37.5-62.1
MultiRacial/Non-Hisp.	248	34,169	188	80.2	70.4-90.0	60	19.8	10.0-29.6
Hispanic	1592	1,320,919	900	58.1	53.6-62.6	692	41.9	37.4-46.4
45-54	2734	1,290,270	1332	44.7	41.0-48.4	1402	55.3	51.6-59.0
55-64	6770	2,459,503	4603	67.2	64.7-69.7	2167	32.8	30.3-35.3
65+	13599	3,776,631	10849	79.0	77.2-80.8	2750	21.0	19.2-22.8
Less Than H.S.	2275	1,039,407	1276	54.5	49.2-59.8	999	45.5	40.2-50.8
H.S. or G.E.D.	6944	2,167,969	4841	67.3	64.8-69.8	2103	32.7	30.2-35.2
Some Post-H.S.	6682	2,366,493	4981	72.5	70.1-74.9	1701	27.5	25.1-29.9
College Graduate	7101	1,910,907	5626	75.7	73.5-77.9	1475	24.3	22.1-26.5
Less than \$15,000	2226	657,004	1300	52.9	47.6-58.2	926	47.1	41.8-52.4
\$15,000- 24,999	4194	1,267,998	2815	62.0	58.5-65.5	1379	38.0	34.5-41.5
\$25,000- 34,999	2422	709,214	1738	67.4	62.7-72.1	684	32.6	27.9-37.3
\$35,000- 49,999	2833	923,297	2112	71.7	67.8-75.6	721	28.3	24.4-32.2
\$50,000- 74,999	2622	859,017	2080	77.3	73.6-81.0	542	22.7	19.0-26.4
\$75,000+	4418	1,656,982	3539	75.3	72.4-78.2	879	24.7	21.8-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9322	3,499,021	6663	68.3	66.1-70.5	2659	31.7	29.5-33.9
White/Non-Hisp	7443	2,410,900	5538	73.6	71.4-75.8	1905	26.4	24.2-28.6
Black or Afr. Am./Non-Hisp	698	332,053	452	59.7	51.3-68.1	246	40.3	31.9-48.7
Oth. Race/Non-Hisp.	238	88,261	141	56.3	36.1-76.5	97	43.7	23.5-63.9
MultiRacial/Non-Hisp.	112	12,764	82	80.3	66.2-94.4	30	19.7	5.6-33.8
Hispanic	652	587,232	334	54.2	47.5-60.9	318	45.8	39.1-52.5
45-54	1182	628,664	529	41.3	36.2-46.4	653	58.7	53.6-63.8
55-64	2846	1,161,671	1879	66.7	63.0-70.4	967	33.3	29.6-37.0
65+	5294	1,708,685	4255	79.4	76.7-82.1	1039	20.6	17.9-23.3
Less Than H.S.	948	517,138	480	48.2	40.4-56.0	468	51.8	44.0-59.6
H.S. or G.E.D.	2593	939,440	1710	66.8	62.9-70.7	883	33.2	29.3-37.1
Some Post-H.S.	2470	1,027,435	1814	70.9	67.2-74.6	656	29.1	25.4-32.8
College Graduate	3272	1,001,877	2639	77.9	75.2-80.6	633	22.1	19.4-24.8
Less than \$15,000	765	295,265	387	47.8	39.6-56.0	378	52.2	44.0-60.4
\$15,000- 24,999	1521	548,666	945	59.2	53.9-64.5	576	40.8	35.5-46.1
\$25,000- 34,999	936	314,879	656	64.5	56.9-72.1	280	35.5	27.9-43.1
\$35,000- 49,999	1246	439,556	907	66.8	60.7-72.9	339	33.2	27.1-39.3
\$50,000- 74,999	1206	424,527	967	78.9	74.0-83.8	239	21.1	16.2-26.0
\$75,000+	2281	984,207	1832	76.4	72.7-80.1	449	23.6	19.9-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13780	4,027,131	10120	70.1	68.1-72.1	3660	29.9	27.9-31.9
White/Non-Hisp	11119	2,710,998	8325	74.6	72.8-76.4	2794	25.4	23.6-27.2
Black or Afr. Am./Non-Hisp	1142	387,816	831	61.1	53.1-69.1	311	38.9	30.9-46.9
Oth. Race/Non-Hisp.	274	114,814	173	45.5	30.2-60.8	101	54.5	39.2-69.8
MultiRacial/Non-Hisp.	136	21,405	106	80.2	67.3-93.1	30	19.8	6.9-32.7
Hispanic	940	733,687	566	61.2	55.1-67.3	374	38.8	32.7-44.9
45-54	1552	661,606	803	48.0	42.7-53.3	749	52.0	46.7-57.3
55-64	3924	1,297,832	2724	67.7	64.2-71.2	1200	32.3	28.8-35.8
65+	8304	2,067,693	6593	78.6	76.4-80.8	1711	21.4	19.2-23.6
Less Than H.S.	1327	522,269	796	60.7	53.8-67.6	531	39.3	32.4-46.2
H.S. or G.E.D.	4351	1,228,530	3131	67.7	64.2-71.2	1220	32.3	28.8-35.8
Some Post-H.S.	4212	1,339,059	3167	73.8	70.7-76.9	1045	26.2	23.1-29.3
College Graduate	3828	908,778	2986	73.4	70.1-76.7	842	26.6	23.3-29.9
Less than \$15,000	1461	361,739	913	57.0	50.1-63.9	548	43.0	36.1-49.9
\$15,000- 24,999	2673	719,332	1870	64.2	59.3-69.1	803	35.8	30.9-40.7
\$25,000- 34,999	1486	394,335	1082	69.8	64.1-75.5	404	30.2	24.5-35.9
\$35,000- 49,999	1587	483,741	1205	76.2	71.3-81.1	382	23.8	18.9-28.7
\$50,000- 74,999	1416	434,490	1113	75.7	70.2-81.2	303	24.3	18.8-29.8
\$75,000+	2136	672,523	1706	73.8	69.5-78.1	430	26.2	21.9-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16229	5,026,855	537	3.1	2.5- 3.7	15692	96.9	96.3-97.5
Male	6429	2,293,114	226	3.6	2.8- 4.4	6203	96.4	95.6-97.2
Female	9800	2,733,740	311	2.7	1.9- 3.5	9489	97.3	96.5-98.1
White/Non-Hisp	13471	3,698,386	446	3.2	2.6- 3.8	13025	96.8	96.2-97.4
Black or Afr. Am./Non-Hisp	1220	416,921	35	1.1	0.5- 1.7	1185	98.9	98.3-99.5
Oth. Race/Non-Hisp.	303	100,878	8	1.3	0.0- 2.7	295	98.7	97.3- 100
MultiRacial/Non-Hisp.	175	25,283	3	0.1	0.0- 0.3	172	99.9	99.7- 100
Hispanic	835	704,317	35	4.3	1.9- 6.7	800	95.7	93.3-98.1
45-54	1301	565,932	46	3.6	1.2- 6.0	1255	96.4	94.0-98.8
55-64	4472	1,588,602	124	2.1	1.5- 2.7	4348	97.9	97.3-98.5
65+	10456	2,872,321	367	3.6	2.8- 4.4	10089	96.4	95.6-97.2
Less Than H.S.	1167	526,708	32	1.9	0.7- 3.1	1135	98.1	96.9-99.3
H.S. or G.E.D.	4670	1,397,311	147	3.3	2.1- 4.5	4523	96.7	95.5-97.9
Some Post-H.S.	4832	1,660,476	170	2.8	1.8- 3.8	4662	97.2	96.2-98.2
College Graduate	5507	1,424,812	186	3.8	2.8- 4.8	5321	96.2	95.2-97.2
Less than \$15,000	1224	325,944	49	5.1	2.0- 8.2	1175	94.9	91.8-98.0
\$15,000- 24,999	2702	757,515	103	3.6	2.2- 5.0	2599	96.4	95.0-97.8
\$25,000- 34,999	1676	460,353	66	3.0	1.6- 4.4	1610	97.0	95.6-98.4
\$35,000- 49,999	2060	631,173	78	5.2	2.8- 7.6	1982	94.8	92.4-97.2
\$50,000- 74,999	2040	651,335	54	1.7	0.9- 2.5	1986	98.3	97.5-99.1
\$75,000+	3495	1,235,614	97	2.7	1.7- 3.7	3398	97.3	96.3-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.								
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6429	2,293,114	226	3.6	2.8- 4.4	6203	96.4	95.6-97.2
White/Non-Hisp	5377	1,723,081	191	3.5	2.7- 4.3	5186	96.5	95.7-97.3
Black or Afr. Am./Non-Hisp	426	190,191	9	0.7	0.1- 1.3	417	99.3	98.7-99.9
Oth. Race/Non-Hisp.	136	48,802	1	0.0	0.0- 0.0	135	100.0	100.0- 100
MultiRacial/Non-Hisp.	76	9,472	3	0.2	0.0- 0.6	73	99.8	99.4- 100
Hispanic	305	284,410	16	6.8	2.5-11.1	289	93.2	88.9-97.5
45-54	512	251,672	20	3.9	0.8- 7.0	492	96.1	93.0-99.2
55-64	1810	733,612	47	2.7	1.5- 3.9	1763	97.3	96.1-98.5
65+	4107	1,307,830	159	4.0	2.8- 5.2	3948	96.0	94.8-97.2
Less Than H.S.	426	224,658	12	2.8	0.3- 5.3	414	97.2	94.7-99.7
H.S. or G.E.D.	1650	603,559	53	4.2	2.2- 6.2	1597	95.8	93.8-97.8
Some Post-H.S.	1743	691,322	64	3.1	1.7- 4.5	1679	96.9	95.5-98.3
College Graduate	2594	768,622	97	3.8	2.6- 5.0	2497	96.2	95.0-97.4
Less than \$15,000	354	128,825	17	8.4	1.1-15.7	337	91.6	84.3-98.9
\$15,000- 24,999	899	309,838	39	5.3	2.6- 8.0	860	94.7	92.0-97.4
\$25,000- 34,999	627	196,301	28	5.4	2.3- 8.5	599	94.6	91.5-97.7
\$35,000- 49,999	879	269,853	36	4.7	1.8- 7.6	843	95.3	92.4-98.2
\$50,000- 74,999	946	325,437	31	2.5	1.1- 3.9	915	97.5	96.1-98.9
\$75,000+	1810	743,605	52	2.6	1.4- 3.8	1758	97.4	96.2-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	Data was weighted using _LLCPWT.							
	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	9800	2,733,740	311	2.7	1.9- 3.5	9489	97.3	96.5-98.1
White/Non-Hisp	8094	1,975,305	255	3.0	2.2- 3.8	7839	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	794	226,730	26	1.5	0.5- 2.5	768	98.5	97.5-99.5
Oth. Race/Non-Hisp.	167	52,075	7	2.5	0.0- 5.2	160	97.5	94.8- 100
MultiRacial/Non-Hisp.	99	15,811				99	100.0	100.0- 100
Hispanic	530	419,907	19	2.6	0.1- 5.1	511	97.4	94.9-99.9
45-54	789	314,259	26	3.4	0.3- 6.5	763	96.6	93.5-99.7
55-64	2662	854,990	77	1.6	0.8- 2.4	2585	98.4	97.6-99.2
65+	6349	1,564,492	208	3.2	2.2- 4.2	6141	96.8	95.8-97.8
Less Than H.S.	741	302,050	20	1.2	0.2- 2.2	721	98.8	97.8-99.8
H.S. or G.E.D.	3020	793,751	94	2.6	1.2- 4.0	2926	97.4	96.0-98.8
Some Post-H.S.	3089	969,154	106	2.6	1.4- 3.8	2983	97.4	96.2-98.6
College Graduate	2913	656,190	89	3.8	2.2- 5.4	2824	96.2	94.6-97.8
Less than \$15,000	870	197,120	32	3.0	1.0- 5.0	838	97.0	95.0-99.0
\$15,000- 24,999	1803	447,677	64	2.5	1.1- 3.9	1739	97.5	96.1-98.9
\$25,000- 34,999	1049	264,053	38	1.2	0.4- 2.0	1011	98.8	98.0-99.6
\$35,000- 49,999	1181	361,320	42	5.5	1.8- 9.2	1139	94.5	90.8-98.2
\$50,000- 74,999	1094	325,898	23	1.0	0.4- 1.6	1071	99.0	98.4-99.6
\$75,000+	1685	492,009	45	3.0	1.4- 4.6	1640	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)		
			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)		
TOTAL	16421	5,095,339	4006	26.6	25.0-28.2	2915	17.4	16.0-18.8	2241	13.4	12.2-14.6	3528	21.0	19.6-22.4	2569	15.5	14.3-16.7	1162	6.2	5.4- 7.0
Male	6543	2,329,776	1677	27.4	25.0-29.8	1193	18.2	16.0-20.4	896	13.5	11.7-15.3	1375	20.7	18.7-22.7	993	14.7	13.1-16.3	409	5.5	4.5- 6.5
Female	9877	2,765,311	2329	25.9	23.7-28.1	1722	16.7	15.1-18.3	1345	13.4	11.8-15.0	2153	21.2	19.4-23.0	1576	16.1	14.5-17.7	752	6.8	5.6- 8.0
White/Non-Hisp	13595	3,730,228	3164	24.4	22.8-26.0	2352	16.8	15.4-18.2	1839	12.8	11.6-14.0	2985	22.0	20.6-23.4	2217	17.2	15.8-18.6	1038	6.8	6.0- 7.6
Black or Afr. Am./Non-Hisp	1237	419,628	403	31.8	25.9-37.7	244	19.0	13.1-24.9	168	14.6	10.1-19.1	249	20.6	15.1-26.1	137	11.4	7.7-15.1	36	2.5	1.1- 3.9
Oth. Race/Non-Hisp.	306	100,378	85	20.2	9.2-31.2	63	24.3	9.8-38.8	38	7.0	2.5-11.5	61	23.0	9.1-36.9	47	23.1	10.0-36.2	12	2.4	0.0- 4.8
MultiRacial/Non-Hisp.	185	27,280	49	17.1	7.3-26.9	26	15.5	0.6-30.4	32	20.5	8.7-32.3	33	21.8	8.1-35.5	27	22.5	6.2-38.8	18	2.6	0.0- 5.5
Hispanic	875	738,560	251	35.8	29.7-41.9	187	19.0	14.5-23.5	138	16.7	12.0-21.4	153	15.7	11.4-20.0	108	8.0	5.5-10.5	38	4.8	2.4- 7.2
45-54	1314	565,953	471	40.0	34.7-45.3	235	17.4	13.3-21.5	184	13.5	10.4-16.6	212	13.3	10.0-16.6	118	9.6	6.9-12.3	94	6.2	3.8- 8.6
55-64	4535	1,619,270	1087	24.5	21.8-27.2	806	18.2	15.7-20.7	580	12.3	10.3-14.3	969	21.1	18.6-23.6	821	18.1	15.7-20.5	272	5.8	4.4- 7.2
65+	10572	2,910,117	2448	25.1	23.1-27.1	1874	16.9	15.3-18.5	1477	14.0	12.4-15.6	2347	22.4	20.6-24.2	1630	15.2	13.8-16.6	796	6.4	5.4- 7.4
Less Than H.S.	1207	545,559	351	33.4	26.5-40.3	223	18.2	12.5-23.9	160	16.0	10.7-21.3	233	16.2	11.5-20.9	150	10.8	7.5-14.1	90	5.3	2.9- 7.7
H.S. or G.E.D.	4716	1,417,854	1215	29.8	26.7-32.9	860	16.6	14.2-19.0	660	13.3	10.9-15.7	948	18.7	16.2-21.2	699	14.8	12.6-17.0	334	6.8	5.0- 8.6
Some Post-H.S.	4898	1,685,047	1142	23.4	21.0-25.8	905	18.4	16.2-20.6	639	14.0	11.8-16.2	1075	23.3	20.9-25.7	779	15.6	13.6-17.6	358	5.4	4.2- 6.6
College Graduate	5546	1,429,899	1285	24.5	22.1-26.9	916	16.5	14.5-18.5	772	11.9	10.3-13.5	1263	22.3	20.1-24.5	934	17.8	15.8-19.8	376	7.0	5.6- 8.4
Less than \$15,000	1266	331,513	346	27.7	21.8-33.6	223	16.8	12.7-20.9	149	11.6	7.3-15.9	247	20.0	14.7-25.3	183	16.9	11.8-22.0	118	6.9	4.2- 9.6
\$15,000- 24,999	2743	761,670	688	26.1	22.4-29.8	499	18.4	14.9-21.9	359	16.8	12.9-20.7	551	20.2	16.7-23.7	413	12.0	9.5-14.5	233	6.4	4.6- 8.2
\$25,000- 34,999	1704	471,383	421	27.5	22.4-32.6	281	13.6	10.1-17.1	210	10.5	7.8-13.2	371	20.6	16.5-24.7	268	19.1	15.0-23.2	153	8.8	5.7-11.9
\$35,000- 49,999	2089	650,519	494	26.1	21.6-30.6	355	14.9	12.2-17.6	290	14.3	10.8-17.8	462	21.9	17.8-26.0	335	16.8	13.5-20.1	153	6.0	3.6- 8.4
\$50,000- 74,999	2064	660,902	470	25.7	21.4-30.0	366	18.5	14.8-22.2	278	11.9	8.6-15.2	484	21.0	17.7-24.3	334	16.5	13.2-19.8	132	6.5	4.3- 8.7
\$75,000+	3515	1,237,753	844	24.1	21.4-26.8	668	19.8	16.9-22.7	503	12.1	10.1-14.1	762	22.0	19.3-24.7	563	16.5	14.1-18.9	175	5.6	4.0- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
			Data was weighted using _LLCPWT.																	
Male	6543	2,329,776	1677	27.4	25.0-29.8	1193	18.2	16.0-20.4	896	13.5	11.7-15.3	1375	20.7	18.7-22.7	993	14.7	13.1-16.3	409	5.5	4.5- 6.5
White/Non-Hisp	5453	1,737,672	1356	26.5	24.1-28.9	979	16.7	14.7-18.7	749	13.3	11.3-15.3	1157	22.0	19.8-24.2	846	15.8	13.8-17.8	366	5.8	4.6- 7.0
Black or Afr. Am./Non-Hisp	435	193,565	146	30.4	21.2-39.6	86	22.6	12.0-33.2	62	17.1	10.0-24.2	87	19.0	9.8-28.2	45	8.8	4.7-12.9	9	2.1	0.3- 3.9
Oth. Race/Non-Hisp.	139	48,528	36	11.9	2.9-20.9	28	33.8	9.5-58.1	19	3.7	0.8- 6.6	25	12.7	1.3-24.1	24	35.1	12.6-57.6	7	2.9	0.0- 6.6
MultiRacial/Non-Hisp.	81	10,214	19	25.5	6.7-44.3	14	30.1	0.0-60.7	12	21.7	1.5-41.9	17	13.8	2.2-25.4	12	7.9	0.1-15.7	7	1.0	0.0- 2.2
Hispanic	326	303,983	96	34.3	24.9-43.7	63	21.6	13.4-29.8	38	12.9	5.8-20.0	64	15.3	9.4-21.2	52	9.3	5.4-13.2	13	6.6	2.1-11.1
45-54	519	252,842	194	36.3	28.5-44.1	93	22.4	14.8-30.0	74	11.8	7.7-15.9	74	14.4	8.7-20.1	46	8.1	4.4-11.8	38	6.9	2.8-11.0
55-64	1853	751,613	448	25.3	21.2-29.4	351	20.0	15.7-24.3	227	11.0	8.5-13.5	378	20.1	16.4-23.8	332	17.8	14.5-21.1	117	5.9	3.9- 7.9
65+	4171	1,325,321	1035	26.9	24.0-29.8	749	16.5	14.1-18.9	595	15.2	12.7-17.7	923	22.2	19.5-24.9	615	14.2	12.0-16.4	254	5.0	3.6- 6.4
Less Than H.S.	456	240,741	134	35.9	24.5-47.3	85	21.1	11.1-31.1	54	11.9	4.5-19.3	85	17.9	9.5-26.3	71	10.1	5.2-15.0	27	3.2	1.0- 5.4
H.S. or G.E.D.	1672	606,290	477	31.3	26.6-36.0	312	17.7	13.4-22.0	227	13.7	9.8-17.6	309	17.6	13.9-21.3	233	13.2	10.1-16.3	114	6.6	4.1- 9.1
Some Post-H.S.	1787	705,887	420	23.1	19.4-26.8	354	18.6	14.9-22.3	232	14.4	11.1-17.7	406	24.4	20.5-28.3	261	14.7	11.6-17.8	114	4.8	3.2- 6.4
College Graduate	2610	771,855	644	25.7	22.6-28.8	436	17.3	14.6-20.0	378	12.8	10.6-15.0	573	20.7	18.0-23.4	425	17.5	14.8-20.2	154	6.0	4.0- 8.0
Less than \$15,000	372	130,651	112	36.7	25.5-47.9	52	12.1	6.2-18.0	41	9.6	3.7-15.5	67	20.9	10.9-30.9	63	13.0	7.3-18.7	37	7.6	2.3-12.9
\$15,000- 24,999	918	309,389	265	31.3	25.0-37.6	171	19.2	12.7-25.7	119	15.7	10.0-21.4	186	18.6	13.3-23.9	108	9.1	5.4-12.8	69	6.0	3.3- 8.7
\$25,000- 34,999	643	199,966	178	33.3	24.5-42.1	109	11.6	7.7-15.5	73	7.5	4.6-10.4	138	22.7	16.0-29.4	91	17.6	11.3-23.9	54	7.4	1.9-12.9
\$35,000- 49,999	898	284,278	212	20.6	15.1-26.1	177	16.0	11.7-20.3	126	16.7	10.6-22.8	171	24.9	17.8-32.0	150	17.1	12.0-22.2	62	4.8	2.8- 6.8
\$50,000- 74,999	957	332,570	231	26.8	20.7-32.9	167	21.0	14.9-27.1	135	12.6	7.3-17.9	229	20.4	15.7-25.1	140	13.8	9.5-18.1	55	5.4	3.2- 7.6
\$75,000+	1821	746,757	440	24.8	21.1-28.5	356	21.3	17.0-25.6	259	12.5	9.8-15.2	381	19.6	16.3-22.9	304	16.4	13.3-19.5	81	5.4	3.4- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2016

SECTION 18: COLORECTAL CANCER SCREENING

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)			N % C.I. (95%)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	9877	2,765,311	2329	25.9	23.7-28.1	1722	16.7	15.1-18.3	1345	13.4	11.8-15.0	2153	21.2	19.4-23.0	1576	16.1	14.5-17.7	752	6.8	5.6- 8.0
White/Non-Hisp	8141	1,992,303	1808	22.7	20.7-24.7	1373	16.9	15.1-18.7	1090	12.4	10.8-14.0	1828	22.0	20.2-23.8	1371	18.4	16.6-20.2	671	7.7	6.5- 8.9
Black or Afr. Am./Non-Hisp	802	226,062	257	33.1	25.7-40.5	158	16.0	10.1-21.9	106	12.4	6.7-18.1	162	22.0	15.5-28.5	92	13.7	7.8-19.6	27	2.9	0.9- 4.9
Oth. Race/Non-Hisp.	167	51,850	49	28.0	9.8-46.2	35	15.4	2.3-28.5	19	10.0	1.8-18.2	36	32.6	10.5-54.7	23	11.9	0.9-22.9	5	2.0	0.0- 4.7
MultiRacial/Non-Hisp.	104	17,065	30	12.1	1.5-22.7	12	6.8	0.0-16.2	20	19.8	5.3-34.3	16	26.6	6.6-46.6	15	31.2	8.1-54.3	11	3.5	0.0- 8.4
Hispanic	549	434,577	155	36.8	28.8-44.8	124	17.2	12.3-22.1	100	19.4	12.9-25.9	89	15.9	10.0-21.8	56	7.0	3.7-10.3	25	3.6	1.2- 6.0
45-54	795	313,111	277	43.0	35.9-50.1	142	13.4	9.9-16.9	110	14.8	10.1-19.5	138	12.4	8.7-16.1	72	10.8	6.7-14.9	56	5.6	2.9- 8.3
55-64	2682	867,657	639	23.8	20.1-27.5	455	16.7	13.6-19.8	353	13.4	10.5-16.3	591	21.9	18.4-25.4	489	18.3	15.2-21.4	155	5.8	4.0- 7.6
65+	6400	1,584,544	1413	23.6	21.1-26.1	1125	17.3	15.3-19.3	882	13.1	11.1-15.1	1424	22.5	20.3-24.7	1015	15.9	13.9-17.9	541	7.6	6.0- 9.2
Less Than H.S.	751	304,818	217	31.4	22.8-40.0	138	16.0	9.7-22.3	106	19.3	11.9-26.7	148	15.0	9.7-20.3	79	11.4	6.9-15.9	63	7.0	3.3-10.7
H.S. or G.E.D.	3044	811,564	738	28.8	24.5-33.1	548	15.8	13.1-18.5	433	13.0	10.3-15.7	639	19.5	16.2-22.8	466	16.0	13.1-18.9	220	6.9	4.5- 9.3
Some Post-H.S.	3111	979,160	722	23.7	20.6-26.8	551	18.2	15.5-20.9	407	13.7	11.0-16.4	669	22.5	19.6-25.4	518	16.2	13.5-18.9	244	5.8	4.2- 7.4
College Graduate	2935	657,792	641	23.1	20.0-26.2	480	15.5	13.0-18.0	394	10.9	8.9-12.9	690	24.2	20.7-27.7	509	18.3	15.6-21.0	221	8.1	5.9-10.3
Less than \$15,000	894	200,862	234	21.8	16.1-27.5	171	19.9	14.2-25.6	108	13.0	7.1-18.9	180	19.5	13.6-25.4	120	19.4	12.0-26.8	81	6.5	3.6- 9.4
\$15,000- 24,999	1825	452,282	423	22.6	17.9-27.3	328	17.9	13.8-22.0	240	17.6	12.5-22.7	365	21.2	16.7-25.7	305	14.0	10.7-17.3	164	6.7	4.3- 9.1
\$25,000- 34,999	1061	271,418	243	23.2	17.3-29.1	172	15.1	9.6-20.6	137	12.7	8.4-17.0	233	19.1	13.8-24.4	177	20.1	14.6-25.6	99	9.8	6.3-13.3
\$35,000- 49,999	1191	366,241	282	30.4	23.9-36.9	178	14.1	10.6-17.6	164	12.4	8.7-16.1	291	19.7	15.0-24.4	185	16.6	12.1-21.1	91	6.9	3.0-10.8
\$50,000- 74,999	1107	328,332	239	24.6	18.5-30.7	199	15.9	11.8-20.0	143	11.2	7.5-14.9	255	21.6	16.7-26.5	194	19.2	14.1-24.3	77	7.5	3.8-11.2
\$75,000+	1693	490,743	404	22.9	19.2-26.6	312	17.5	13.8-21.2	244	11.5	8.8-14.2	381	25.8	21.5-30.1	259	16.6	13.1-20.1	93	5.8	3.4- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

SECTION 19: HIV/AIDS CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	262
2 MALES ONLY	263
3 FEMALES ONLY	264
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	265
5 MALES ONLY	266
6 FEMALES ONLY	267
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)	
7 MALES AND FEMALES	268
8 MALES ONLY	269
9 FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	32379	14,437,303	13027	46.9	45.7-48.1	19352	53.1	51.9-54.3
Male	13626	7,018,787	5630	45.8	44.0-47.6	7996	54.2	52.4-56.0
Female	18750	7,416,774	7396	48.0	46.4-49.6	11354	52.0	50.4-53.6
White/Non-Hisp	23429	8,208,537	8191	39.4	38.0-40.8	15238	60.6	59.2-62.0
Black or Afr. Am./Non-Hisp	3202	1,963,688	1945	64.9	61.2-68.6	1257	35.1	31.4-38.8
Oth. Race/Non-Hisp.	903	526,172	389	35.8	28.9-42.7	514	64.2	57.3-71.1
MultiRacial/Non-Hisp.	405	125,547	200	54.8	44.4-65.2	205	45.2	34.8-55.6
Hispanic	3907	3,334,963	2071	56.0	53.3-58.7	1836	44.0	41.3-46.7
18-24	1666	1,631,920	622	36.4	32.7-40.1	1044	63.6	59.9-67.3
25-34	3097	2,296,583	1996	64.5	61.6-67.4	1101	35.5	32.6-38.4
35-44	3340	2,117,588	2294	70.4	67.7-73.1	1046	29.6	26.9-32.3
45-54	4678	2,293,980	2715	58.9	56.2-61.6	1963	41.1	38.4-43.8
55-64	6482	2,355,878	2603	42.3	39.6-45.0	3879	57.7	55.0-60.4
65+	12695	3,500,641	2631	21.7	19.9-23.5	10064	78.3	76.5-80.1
Less Than H.S.	3359	1,929,342	1424	48.9	45.0-52.8	1935	51.1	47.2-55.0
H.S. or G.E.D.	9589	4,223,939	3484	43.1	40.9-45.3	6105	56.9	54.7-59.1
Some Post-H.S.	9434	4,570,177	4029	48.5	46.5-50.5	5405	51.5	49.5-53.5
College Graduate	9858	3,637,488	4044	48.5	46.5-50.5	5814	51.5	49.5-53.5
Less than \$15,000	3012	1,166,666	1451	55.2	51.3-59.1	1561	44.8	40.9-48.7
\$15,000- 24,999	5938	2,486,439	2550	51.5	48.8-54.2	3388	48.5	45.8-51.2
\$25,000- 34,999	3392	1,373,595	1367	47.0	43.3-50.7	2025	53.0	49.3-56.7
\$35,000- 49,999	4013	1,730,948	1617	44.6	41.5-47.7	2396	55.4	52.3-58.5
\$50,000- 74,999	3746	1,644,218	1472	46.7	43.4-50.0	2274	53.3	50.0-56.6
\$75,000+	6367	3,211,535	2582	46.6	44.2-49.0	3785	53.4	51.0-55.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13626	7,018,787	5630	45.8	44.0-47.6	7996	54.2	52.4-56.0
White/Non-Hisp	9688	4,000,252	3576	39.6	37.6-41.6	6112	60.4	58.4-62.4
Black or Afr. Am./Non-Hisp	1278	925,706	798	60.9	55.2-66.6	480	39.1	33.4-44.8
Oth. Race/Non-Hisp.	458	244,767	199	39.4	29.4-49.4	259	60.6	50.6-70.6
MultiRacial/Non-Hisp.	195	56,181	94	49.3	34.8-63.8	101	50.7	36.2-65.2
Hispanic	1730	1,638,415	843	53.1	49.0-57.2	887	46.9	42.8-51.0
18-24	860	844,060	252	29.2	24.1-34.3	608	70.8	65.7-75.9
25-34	1442	1,183,509	794	58.5	54.2-62.8	648	41.5	37.2-45.8
35-44	1465	1,041,294	885	64.0	59.7-68.3	580	36.0	31.7-40.3
45-54	2043	1,142,308	1165	59.4	55.7-63.1	878	40.6	36.9-44.3
55-64	2735	1,124,750	1180	43.3	39.4-47.2	1555	56.7	52.8-60.6
65+	4916	1,578,647	1281	25.8	23.3-28.3	3635	74.2	71.7-76.7
Less Than H.S.	1473	992,277	588	43.8	38.3-49.3	885	56.2	50.7-61.7
H.S. or G.E.D.	4021	2,137,993	1601	43.9	40.8-47.0	2420	56.1	53.0-59.2
Some Post-H.S.	3650	2,065,817	1611	48.4	45.3-51.5	2039	51.6	48.5-54.7
College Graduate	4427	1,785,238	1812	46.7	44.0-49.4	2615	53.3	50.6-56.0
Less than \$15,000	1072	525,672	526	55.1	48.8-61.4	546	44.9	38.6-51.2
\$15,000- 24,999	2253	1,124,205	984	52.5	48.4-56.6	1269	47.5	43.4-51.6
\$25,000- 34,999	1399	667,502	589	44.5	39.0-50.0	810	55.5	50.0-61.0
\$35,000- 49,999	1824	861,290	721	41.8	37.3-46.3	1103	58.2	53.7-62.7
\$50,000- 74,999	1736	841,936	696	46.7	42.2-51.2	1040	53.3	48.8-57.8
\$75,000+	3247	1,806,932	1331	45.1	42.0-48.2	1916	54.9	51.8-58.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18750	7,416,774	7396	48.0	46.4-49.6	11354	52.0	50.4-53.6
White/Non-Hisp	13739	4,207,139	4614	39.3	37.5-41.1	9125	60.7	58.9-62.5
Black or Afr. Am./Non-Hisp	1923	1,037,385	1147	68.5	63.8-73.2	776	31.5	26.8-36.2
Oth. Race/Non-Hisp.	445	281,405	190	32.7	23.7-41.7	255	67.3	58.3-76.3
MultiRacial/Non-Hisp.	210	69,367	106	59.3	45.0-73.6	104	40.7	26.4-55.0
Hispanic	2177	1,696,548	1228	58.9	55.2-62.6	949	41.1	37.4-44.8
18-24	806	787,861	370	44.2	38.7-49.7	436	55.8	50.3-61.3
25-34	1653	1,111,583	1202	71.1	67.2-75.0	451	28.9	25.0-32.8
35-44	1875	1,076,294	1409	76.6	73.3-79.9	466	23.4	20.1-26.7
45-54	2635	1,151,672	1550	58.5	54.4-62.6	1085	41.5	37.4-45.6
55-64	3747	1,231,128	1423	41.4	37.7-45.1	2324	58.6	54.9-62.3
65+	7778	1,921,742	1349	18.3	16.1-20.5	6429	81.7	79.5-83.9
Less Than H.S.	1885	936,467	836	54.3	49.0-59.6	1049	45.7	40.4-51.0
H.S. or G.E.D.	5568	2,085,946	1883	42.3	39.4-45.2	3685	57.7	54.8-60.6
Some Post-H.S.	5784	2,504,360	2418	48.6	46.1-51.1	3366	51.4	48.9-53.9
College Graduate	5429	1,851,104	2231	50.4	47.7-53.1	3198	49.6	46.9-52.3
Less than \$15,000	1940	640,994	925	55.3	50.2-60.4	1015	44.7	39.6-49.8
\$15,000- 24,999	3685	1,362,235	1566	50.7	47.0-54.4	2119	49.3	45.6-53.0
\$25,000- 34,999	1992	705,200	778	49.4	44.5-54.3	1214	50.6	45.7-55.5
\$35,000- 49,999	2189	869,658	896	47.5	43.0-52.0	1293	52.5	48.0-57.0
\$50,000- 74,999	2010	802,282	776	46.7	41.8-51.6	1234	53.3	48.4-58.2
\$75,000+	3119	1,404,351	1250	48.6	45.1-52.1	1869	51.4	47.9-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7237	3,727,719	254	2.2	1.8- 2.6	370	3.3	2.5- 4.1	674	7.1	6.1- 8.1	1261	15.2	13.6-16.8	2860	41.0	38.6-43.4	1818	31.2	29.0-33.4
Male	2977	1,684,741	106	1.8	1.2- 2.4	137	3.2	2.0- 4.4	252	6.5	5.1- 7.9	525	16.5	14.0-19.0	1150	38.5	35.2-41.8	807	33.5	30.2-36.8
Female	4259	2,042,725	148	2.5	1.7- 3.3	233	3.3	2.3- 4.3	422	7.6	6.0- 9.2	735	14.2	12.2-16.2	1710	43.0	39.9-46.1	1011	29.4	26.5-32.3
White/Non-Hisp	4655	1,868,347	217	3.6	2.8- 4.4	312	4.9	3.7- 6.1	549	10.6	8.8-12.4	891	18.7	16.5-20.9	1736	37.4	34.9-39.9	950	24.8	22.4-27.2
Black or Afr. Am./Non-Hisp	975	635,608	12	0.7	0.1- 1.3	18	1.5	0.5- 2.5	35	2.8	1.0- 4.6	111	8.3	5.2-11.4	419	44.8	38.3-51.3	380	41.8	35.5-48.1
Oth. Race/Non-Hisp.	188	88,969	2	0.1	0.0- 0.3	6	1.0	0.0- 2.2	16	5.1	0.0-11.8	38	30.0	7.7-52.3	70	33.2	17.9-48.5	56	30.7	15.0-46.4
MultiRacial/Non-Hisp.	116	38,871	2	0.5	0.0- 1.3	7	4.2	0.0- 9.9	12	8.3	1.6-15.0	23	17.8	6.4-29.2	42	44.6	29.1-60.1	30	24.6	10.5-38.7
Hispanic	1192	1,028,944	15	0.8	0.2- 1.4	21	1.5	0.3- 2.7	51	3.5	1.9- 5.1	184	12.2	9.3-15.1	544	45.1	40.0-50.2	377	36.9	31.8-42.0
18-24	330	286,026										7	0.9	0.0- 1.9	141	46.8	38.0-55.6	182	52.3	43.5-61.1
25-34	1189	867,646							11	1.4	0.0- 3.4	121	10.4	7.5-13.3	605	49.0	43.9-54.1	452	39.3	34.2-44.4
35-44	1454	848,652	4	0.2	0.0- 0.4	25	1.9	0.3- 3.5	125	6.9	5.1- 8.7	278	15.4	12.5-18.3	638	43.3	38.6-48.0	384	32.4	27.5-37.3
45-54	1634	789,743	72	3.6	2.2- 5.0	121	5.6	3.6- 7.6	199	11.5	8.6-14.4	331	20.8	16.9-24.7	575	34.3	29.8-38.8	336	24.2	20.1-28.3
55-64	1377	545,337	82	5.0	3.0- 7.0	118	6.5	4.0- 9.0	172	10.1	7.2-13.0	284	18.9	13.2-24.6	484	37.3	31.2-43.4	237	22.2	16.5-27.9
65+	1184	343,211	94	7.3	4.8- 9.8	103	7.1	4.4- 9.8	157	11.6	8.1-15.1	234	20.4	15.7-25.1	383	32.3	26.8-37.8	213	21.3	16.6-26.0
Less Than H.S.	716	454,155	15	1.5	0.1- 2.9	23	2.1	0.7- 3.5	40	3.1	1.3- 4.9	103	14.3	8.0-20.6	334	43.6	35.4-51.8	201	35.4	27.0-43.8
H.S. or G.E.D.	1791	938,847	42	1.9	0.9- 2.9	85	4.0	2.4- 5.6	120	5.2	3.6- 6.8	306	14.6	11.5-17.7	707	39.4	34.9-43.9	531	34.9	30.6-39.2
Some Post-H.S.	2325	1,299,642	78	2.2	1.4- 3.0	109	3.3	1.7- 4.9	235	8.0	5.6-10.4	400	14.1	11.6-16.6	917	41.9	38.0-45.8	586	30.5	26.8-34.2
College Graduate	2387	1,027,659	117	2.8	2.0- 3.6	153	3.1	2.3- 3.9	278	9.4	7.4-11.4	449	17.7	14.8-20.6	895	40.1	36.4-43.8	495	26.9	23.4-30.4
Less than \$15,000	763	331,276	24	1.2	0.4- 2.0	19	1.0	0.0- 2.0	64	4.8	2.1- 7.5	128	19.9	12.5-27.3	309	39.1	31.5-46.7	219	34.1	26.7-41.5
\$15,000- 24,999	1379	690,320	29	1.8	0.8- 2.8	52	2.5	0.9- 4.1	98	4.6	2.8- 6.4	196	10.1	7.4-12.8	598	43.8	38.5-49.1	406	37.3	31.8-42.8
\$25,000- 34,999	776	389,020	27	2.6	0.8- 4.4	37	3.6	1.6- 5.6	65	6.8	3.9- 9.7	135	15.1	10.4-19.8	318	44.5	37.8-51.2	194	27.4	21.7-33.1
\$35,000- 49,999	951	447,974	24	1.8	0.6- 3.0	43	3.3	1.5- 5.1	102	8.1	5.0-11.2	162	15.4	11.3-19.5	385	44.0	37.9-50.1	235	27.4	21.9-32.9
\$50,000- 74,999	894	484,791	41	3.4	1.6- 5.2	60	2.9	1.7- 4.1	82	6.0	3.5- 8.5	165	17.8	12.7-22.9	330	36.1	29.8-42.4	216	33.8	27.1-40.5
\$75,000+	1577	873,557	76	2.7	1.7- 3.7	120	5.4	3.2- 7.6	191	11.5	8.4-14.6	323	18.5	15.0-22.0	581	39.6	35.1-44.1	286	22.3	18.4-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2977	1,684,741	106	1.8	1.2- 2.4	137	3.2	2.0- 4.4	252	6.5	5.1- 7.9	525	16.5	14.0-19.0	1150	38.5	35.2-41.8	807	33.5	30.2-36.8
White/Non-Hisp	1903	839,926	91	2.9	1.9- 3.9	113	5.2	3.2- 7.2	204	9.8	7.4-12.2	358	18.3	15.0-21.6	710	37.1	33.2-41.0	427	26.7	23.2-30.2
Black or Afr. Am./Non-Hisp	403	291,074	4	0.4	0.0- 1.0	9	1.6	0.0- 3.2	13	3.0	1.0- 5.0	44	8.2	3.5-12.9	169	42.2	32.4-52.0	164	44.5	34.5-54.5
Oth. Race/Non-Hisp.	99	51,009	1	0.1	0.0- 0.3	4	0.5	0.0- 1.5	4	0.1	0.1- 0.1	19	33.1	1.2-65.0	37	31.8	9.8-53.8	34	34.5	10.8-58.2
MultiRacial/Non-Hisp.	55	14,931	1	1.0	0.0- 3.0	2	7.1	0.0-20.2	7	13.7	0.6-26.8	14	27.4	9.6-45.2	17	40.3	17.4-63.2	14	10.5	1.1-19.9
Hispanic	455	446,265	6	0.7	0.0- 1.5	7	0.8	0.0- 1.6	18	2.9	0.7- 5.1	83	16.8	11.5-22.1	192	39.3	31.7-46.9	149	39.6	31.8-47.4
18-24	130	100,816										3	1.4	0.0- 3.8	51	46.5	32.6-60.4	76	52.1	38.2-66.0
25-34	430	380,335							3	0.3	0.0- 0.7	54	11.3	6.6-16.0	211	41.2	33.6-48.8	162	47.2	39.2-55.2
35-44	527	358,284	4	0.4	0.0- 1.0	14	3.9	0.2- 7.6	47	7.1	4.2-10.0	94	15.1	10.4-19.8	222	41.6	34.2-49.0	146	32.0	24.2-39.8
45-54	676	381,859	30	2.7	1.3- 4.1	40	3.6	1.6- 5.6	63	9.9	5.4-14.4	142	23.7	17.6-29.8	244	35.2	28.3-42.1	157	24.9	19.0-30.8
55-64	596	257,246	31	3.9	1.5- 6.3	36	4.6	2.1- 7.1	64	7.0	3.9-10.1	127	23.4	13.8-33.0	215	36.6	27.6-45.6	123	24.4	17.0-31.8
65+	583	184,752	41	4.6	2.2- 7.0	44	7.1	3.6-10.6	68	10.9	7.2-14.6	102	14.7	10.0-19.4	193	32.5	25.2-39.8	135	30.1	22.8-37.4
Less Than H.S.	280	226,409	7	1.3	0.0- 3.3	9	2.1	0.0- 4.3	15	3.5	0.6- 6.4	38	18.0	6.8-29.2	126	40.6	28.4-52.8	85	34.5	22.2-46.8
H.S. or G.E.D.	803	457,233	17	1.2	0.2- 2.2	33	3.6	1.6- 5.6	44	4.8	2.6- 7.0	133	12.4	8.5-16.3	306	36.1	30.0-42.2	270	41.9	35.4-48.4
Some Post-H.S.	867	549,653	25	1.3	0.3- 2.3	36	3.4	0.9- 5.9	82	6.6	3.7- 9.5	153	17.1	12.6-21.6	347	40.5	34.4-46.6	224	31.1	25.2-37.0
College Graduate	1019	448,050	57	3.3	2.1- 4.5	59	3.1	1.7- 4.5	111	9.6	6.9-12.3	200	19.4	15.1-23.7	367	37.5	32.0-43.0	225	27.2	22.1-32.3
Less than \$15,000	276	157,992	11	0.9	0.1- 1.7	5	1.1	0.0- 3.1	24	5.3	1.4- 9.2	48	26.8	13.1-40.5	107	35.9	23.9-47.9	81	30.0	18.4-41.6
\$15,000- 24,999	512	296,124	8	1.5	0.0- 3.3	17	1.2	0.0- 2.4	32	4.4	1.9- 6.9	76	10.6	6.3-14.9	217	41.0	32.4-49.6	162	41.3	32.3-50.3
\$25,000- 34,999	306	153,319	12	1.5	0.0- 3.1	13	4.6	1.1- 8.1	18	6.9	2.2-11.6	58	18.2	11.3-25.1	118	37.8	28.0-47.6	87	31.0	21.6-40.4
\$35,000- 49,999	399	189,810	11	2.1	0.5- 3.7	16	3.6	0.5- 6.7	37	6.8	3.5-10.1	53	12.3	6.2-18.4	168	41.6	32.8-50.4	114	33.5	24.7-42.3
\$50,000- 74,999	390	217,422	12	1.4	0.0- 2.8	27	3.1	1.1- 5.1	38	5.2	2.3- 8.1	66	16.0	9.5-22.5	139	31.9	23.7-40.1	108	42.4	33.0-51.8
\$75,000+	753	453,026	43	2.9	1.7- 4.1	52	6.0	2.7- 9.3	74	9.4	5.5-13.3	158	19.6	14.5-24.7	270	40.8	34.1-47.5	156	21.3	16.6-26.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4259	2,042,725	148	2.5	1.7- 3.3	233	3.3	2.3- 4.3	422	7.6	6.0- 9.2	735	14.2	12.2-16.2	1710	43.0	39.9-46.1	1011	29.4	26.5-32.3
White/Non-Hisp	2751	1,028,169	126	4.2	3.0- 5.4	199	4.6	3.2- 6.0	345	11.2	8.7-13.7	532	19.0	16.1-21.9	1026	37.7	34.4-41.0	523	23.3	20.2-26.4
Black or Afr. Am./Non-Hisp	572	344,534	8	0.9	0.0- 1.9	9	1.4	0.0- 2.8	22	2.6	0.1- 5.1	67	8.5	4.4-12.6	250	46.9	38.3-55.5	216	39.6	31.6-47.6
Oth. Race/Non-Hisp.	89	37,960	1	0.0	0.0- 0.0	2	1.6	0.0- 4.1	12	11.8	0.0-26.9	19	25.9	0.0-55.5	33	35.2	14.4-56.0	22	25.5	6.9-44.1
MultiRacial/Non-Hisp.	61	23,941	1	0.2	0.0- 0.6	5	2.4	0.0- 5.9	5	4.9	0.0-11.2	9	11.9	0.0-26.6	25	47.3	26.3-68.3	16	33.3	12.5-54.1
Hispanic	737	582,679	9	0.8	0.0- 1.6	14	2.2	0.2- 4.2	33	4.0	1.6- 6.4	101	8.7	5.6-11.8	352	49.6	42.9-56.3	228	34.8	27.9-41.7
18-24	200	185,210										4	0.6	0.0- 1.6	90	46.9	35.3-58.5	106	52.5	40.9-64.1
25-34	759	487,310							8	2.2	0.0- 5.5	67	9.7	6.2-13.2	394	55.1	48.6-61.6	290	33.1	27.4-38.8
35-44	927	490,368				11	0.5	0.1- 0.9	78	6.8	4.4- 9.2	184	15.6	11.9-19.3	416	44.5	38.4-50.6	238	32.7	26.4-39.0
45-54	958	407,884	42	4.4	2.2- 6.6	81	7.5	4.4-10.6	136	13.0	9.1-16.9	189	18.1	13.0-23.2	331	33.4	27.7-39.1	179	23.5	17.8-29.2
55-64	781	288,091	51	6.0	3.1- 8.9	82	8.2	4.1-12.3	108	12.9	8.0-17.8	157	14.9	8.8-21.0	269	37.9	29.7-46.1	114	20.1	11.3-28.9
65+	600	158,207	53	10.4	5.7-15.1	59	7.0	3.1-10.9	89	12.5	6.4-18.6	131	26.9	19.1-34.7	190	32.0	23.8-40.2	78	11.1	6.8-15.4
Less Than H.S.	436	227,746	8	1.6	0.0- 3.6	14	2.2	0.2- 4.2	25	2.7	0.5- 4.9	65	10.7	6.2-15.2	208	46.6	35.6-57.6	116	36.3	24.9-47.7
H.S. or G.E.D.	988	481,614	25	2.5	0.7- 4.3	52	4.3	1.9- 6.7	76	5.5	3.1- 7.9	173	16.7	12.0-21.4	401	42.6	36.3-48.9	261	28.3	22.8-33.8
Some Post-H.S.	1458	749,988	53	2.8	1.6- 4.0	73	3.2	1.4- 5.0	153	9.1	5.8-12.4	247	11.9	9.0-14.8	570	43.0	37.9-48.1	362	30.0	25.1-34.9
College Graduate	1367	579,357	60	2.5	1.5- 3.5	94	3.1	1.9- 4.3	167	9.4	6.9-11.9	248	16.3	12.2-20.4	528	42.1	37.0-47.2	270	26.7	22.0-31.4
Less than \$15,000	487	173,284	13	1.4	0.2- 2.6	14	0.9	0.0- 1.9	40	4.4	0.5- 8.3	80	13.6	8.1-19.1	202	42.0	32.8-51.2	138	37.8	28.6-47.0
\$15,000- 24,999	867	394,196	21	1.9	0.7- 3.1	35	3.4	0.7- 6.1	66	4.7	2.3- 7.1	120	9.7	6.2-13.2	381	46.0	39.1-52.9	244	34.3	27.6-41.0
\$25,000- 34,999	470	235,701	15	3.3	0.8- 5.8	24	3.0	0.6- 5.4	47	6.6	2.9-10.3	77	13.1	6.6-19.6	200	48.9	40.1-57.7	107	25.0	17.7-32.3
\$35,000- 49,999	552	258,163	13	1.6	0.0- 3.2	27	3.1	1.1- 5.1	65	9.0	4.3-13.7	109	17.7	12.2-23.2	217	45.7	37.5-53.9	121	22.8	16.3-29.3
\$50,000- 74,999	504	267,369	29	5.0	1.9- 8.1	33	2.8	1.2- 4.4	44	6.6	2.7-10.5	99	19.2	11.8-26.6	191	39.6	30.6-48.6	108	26.9	17.5-36.3
\$75,000+	823	420,279	33	2.5	0.9- 4.1	68	4.9	2.2- 7.6	117	13.7	8.8-18.6	164	17.2	12.3-22.1	311	38.2	31.9-44.5	130	23.4	17.1-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33564	14,869,753	1229	6.0	5.4- 6.6	32335	94.0	93.4-94.6
Male	14099	7,201,757	761	7.8	6.8- 8.8	13338	92.2	91.2-93.2
Female	19462	7,666,252	467	4.3	3.5- 5.1	18995	95.7	94.9-96.5
White/Non-Hisp	24452	8,529,288	761	5.7	5.1- 6.3	23691	94.3	93.7-94.9
Black or Afr. Am./Non-Hisp	3220	1,969,504	173	7.4	5.4- 9.4	3047	92.6	90.6-94.6
Oth. Race/Non-Hisp.	920	523,643	29	3.6	1.1- 6.1	891	96.4	93.9-98.9
MultiRacial/Non-Hisp.	421	128,827	20	7.2	2.9-11.5	401	92.8	88.5-97.1
Hispanic	3999	3,434,772	223	6.3	4.9- 7.7	3776	93.7	92.3-95.1
18-24	1685	1,644,154	285	16.9	14.0-19.8	1400	83.1	80.2-86.0
25-34	3126	2,316,604	347	11.9	9.7-14.1	2779	88.1	85.9-90.3
35-44	3377	2,138,017	183	5.7	4.3- 7.1	3194	94.3	92.9-95.7
45-54	4777	2,330,584	164	4.1	3.1- 5.1	4613	95.9	94.9-96.9
55-64	6709	2,446,101	131	2.6	1.6- 3.6	6578	97.4	96.4-98.4
65+	13446	3,733,282	113	1.3	0.7- 1.9	13333	98.7	98.1-99.3
Less Than H.S.	3477	2,010,925	146	5.3	3.7- 6.9	3331	94.7	93.1-96.3
H.S. or G.E.D.	9936	4,343,058	362	6.5	5.3- 7.7	9574	93.5	92.3-94.7
Some Post-H.S.	9812	4,712,097	395	6.7	5.5- 7.9	9417	93.3	92.1-94.5
College Graduate	10197	3,725,987	325	5.0	4.0- 6.0	9872	95.0	94.0-96.0
Less than \$15,000	3100	1,191,076	132	7.1	4.9- 9.3	2968	92.9	90.7-95.1
\$15,000- 24,999	6139	2,561,921	258	6.9	5.5- 8.3	5881	93.1	91.7-94.5
\$25,000- 34,999	3515	1,429,383	143	6.1	4.3- 7.9	3372	93.9	92.1-95.7
\$35,000- 49,999	4140	1,771,515	177	6.4	4.8- 8.0	3963	93.6	92.0-95.2
\$50,000- 74,999	3881	1,682,211	123	7.1	4.9- 9.3	3758	92.9	90.7-95.1
\$75,000+	6605	3,301,998	227	5.7	4.5- 6.9	6378	94.3	93.1-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14099	7,201,757	761	7.8	6.8- 8.8	13338	92.2	91.2-93.2
White/Non-Hisp	10095	4,139,944	468	7.5	6.3- 8.7	9627	92.5	91.3-93.7
Black or Afr. Am./Non-Hisp	1285	928,902	103	8.7	5.6-11.8	1182	91.3	88.2-94.4
Oth. Race/Non-Hisp.	467	243,553	22	6.6	1.3-11.9	445	93.4	88.1-98.7
MultiRacial/Non-Hisp.	202	57,124	14	10.4	3.0-17.8	188	89.6	82.2-97.0
Hispanic	1757	1,670,944	137	8.0	5.8-10.2	1620	92.0	89.8-94.2
18-24	865	842,936	171	18.8	14.7-22.9	694	81.2	77.1-85.3
25-34	1452	1,188,213	212	15.3	12.0-18.6	1240	84.7	81.4-88.0
35-44	1480	1,053,690	106	7.0	4.8- 9.2	1374	93.0	90.8-95.2
45-54	2082	1,161,343	100	5.5	3.9- 7.1	1982	94.5	92.9-96.1
55-64	2817	1,158,577	91	3.9	2.5- 5.3	2726	96.1	94.7-97.5
65+	5232	1,688,414	78	2.2	1.2- 3.2	5154	97.8	96.8-98.8
Less Than H.S.	1516	1,023,220	106	8.4	5.7-11.1	1410	91.6	88.9-94.3
H.S. or G.E.D.	4148	2,184,053	235	8.3	6.5-10.1	3913	91.7	89.9-93.5
Some Post-H.S.	3799	2,120,632	205	7.8	6.0- 9.6	3594	92.2	90.4-94.0
College Graduate	4580	1,834,802	214	6.9	5.3- 8.5	4366	93.1	91.5-94.7
Less than \$15,000	1094	530,018	67	9.3	5.4-13.2	1027	90.7	86.8-94.6
\$15,000- 24,999	2326	1,151,342	148	7.9	5.7-10.1	2178	92.1	89.9-94.3
\$25,000- 34,999	1455	694,063	81	7.4	4.5-10.3	1374	92.6	89.7-95.5
\$35,000- 49,999	1872	875,656	96	7.6	4.9-10.3	1776	92.4	89.7-95.1
\$50,000- 74,999	1796	856,777	91	9.9	6.6-13.2	1705	90.1	86.8-93.4
\$75,000+	3369	1,848,889	173	7.0	5.4- 8.6	3196	93.0	91.4-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19462	7,666,252	467	4.3	3.5- 5.1	18995	95.7	94.9-96.5
White/Non-Hisp	14355	4,388,199	293	4.0	3.2- 4.8	14062	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	1934	1,040,005	69	6.1	3.9- 8.3	1865	93.9	91.7-96.1
Oth. Race/Non-Hisp.	453	280,090	7	1.0	0.0- 2.2	446	99.0	97.8- 100
MultiRacial/Non-Hisp.	219	71,703	6	4.6	0.0- 9.3	213	95.4	90.7- 100
Hispanic	2242	1,763,829	86	4.7	2.9- 6.5	2156	95.3	93.5-97.1
18-24	820	801,217	114	14.8	10.7-18.9	706	85.2	81.1-89.3
25-34	1672	1,126,900	134	8.2	5.8-10.6	1538	91.8	89.4-94.2
35-44	1897	1,084,327	77	4.5	2.5- 6.5	1820	95.5	93.5-97.5
45-54	2695	1,169,241	64	2.8	1.6- 4.0	2631	97.2	96.0-98.4
55-64	3892	1,287,524	40	1.4	0.4- 2.4	3852	98.6	97.6-99.6
65+	8213	2,044,616	35	0.7	0.3- 1.1	8178	99.3	98.9-99.7
Less Than H.S.	1960	987,108	39	2.1	0.9- 3.3	1921	97.9	96.7-99.1
H.S. or G.E.D.	5788	2,159,006	127	4.7	3.3- 6.1	5661	95.3	93.9-96.7
Some Post-H.S.	6013	2,591,465	190	5.8	4.2- 7.4	5823	94.2	92.6-95.8
College Graduate	5615	1,890,040	111	3.2	2.2- 4.2	5504	96.8	95.8-97.8
Less than \$15,000	2006	661,057	65	5.3	3.1- 7.5	1941	94.7	92.5-96.9
\$15,000- 24,999	3813	1,410,579	110	6.1	4.1- 8.1	3703	93.9	91.9-95.9
\$25,000- 34,999	2059	734,426	62	4.9	2.9- 6.9	1997	95.1	93.1-97.1
\$35,000- 49,999	2268	895,858	81	5.1	3.5- 6.7	2187	94.9	93.3-96.5
\$50,000- 74,999	2085	825,434	32	4.2	1.3- 7.1	2053	95.8	92.9-98.7
\$75,000+	3235	1,452,858	54	4.1	2.1- 6.1	3181	95.9	93.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2016**

End of Core Data Report