

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

2007 Florida BRFSS Data Report
Table of Contents

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

DeSoto

Completed Surveys: 784

County Adult Population: 26,712

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percentage of adults who reduced or changed outdoor activity because the air quality was bad

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.9	14.7	28.7	19.2	18.2	20.3	
SEX	Men	12.4	6.5	22.3	16.7	15.1	18.4	
	Women	33.3	23.6	44.8	21.6 *	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	23.3	15.5	33.5	20.4	19.2	21.5	
	Non-Hisp. Black	7.9	2.0	26.8	17.2	14.2	20.7	
	Hispanic	21.2	9.6	40.3	16.0	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.1	5.7	27.2	17.4	15.7	19.4	
	Non-Hisp. White Women	37.9	26.4	50.9	23.2 *	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
AGE GROUP	Hispanic Men	17.0	6.6	37.4	16.3	12.1	21.6	
	Hispanic Women	28.0	8.1	63.2	15.7	12.1	20.0	
	18-44	18.5	10.7	30.1	20.1	18.2	22.1	
EDUCATION LEVEL	45-64	26.4	15.5	41.2	21.0	19.6	22.6	
	65 & Older	20.2	8.8	39.9	14.8	13.6	16.2	
	<High School	16.6	8.0	31.5	18.8	15.5	22.5	
ANNUAL INCOME	H.S./GED	16.6	8.1	30.9	18.5	16.4	20.7	
	>High School	26.0	16.0	39.3	19.7	18.4	21.0	
	<\$25,000	17.5	10.4	28.0	22.4	20.0	25.0	
MARITAL STATUS	\$25,000-\$49,999	27.2	14.7	44.6	19.2	17.3	21.2	
	\$50,000 or More	15.6	7.2	30.7	18.0	16.5	19.6	
	Married/Couple	23.9	15.9	34.1	19.4	18.2	20.7	
	Not Married/Couple	17.0	8.9	29.9	19.0	17.2	20.9	

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.7	12.8	31.8	16.2	15.3	17.2	
SEX	Men	27.9	15.7	44.7	20.3	18.8	22.0	
	Women	10.7	5.4	20.1	12.4	11.3	13.5	
RACE/ETHNICITY	Non-Hisp. White	18.2	9.1	33.2	17.9	16.9	19.0	
	Non-Hisp. Black	37.8	12.0	73.0	10.9	8.2	14.3	
	Hispanic	21.6	10.2	40.1	14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.0	10.6	48.3	21.5	19.8	23.3	
	Non-Hisp. White Women	9.1	5.1	15.7	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	
AGE GROUP	Hispanic Men	22.5	10.7	41.5	20.1	15.5	25.6	
	Hispanic Women	20.1	3.6	62.9	8.6	6.0	12.2	
	18-44	29.6	16.5	47.4	21.6	19.8	23.5	
EDUCATION LEVEL	45-64	14.2	6.4	28.7	14.6	13.5	15.8	
	65 & Older	6.8	2.9	14.8	7.7	6.9	8.7	
	<High School	11.8	5.2	24.6	13.6	10.9	16.8	
ANNUAL INCOME	H.S./GED	15.0	8.9	24.1	15.8	14.1	17.7	
	>High School	28.9	14.6	49.2	16.8	15.6	18.1	
	<\$25,000	12.5	6.5	22.9	14.2	12.0	16.8	
MARITAL STATUS	\$25,000-\$49,999	24.7	11.8	44.4	14.7	13.1	16.5	
	\$50,000 or More	28.0	11.3	54.3	19.9	18.4	21.4	
	Married/Couple	11.7	7.6	17.5	15.2	14.1	16.4	
	Not Married/Couple	32.4	17.2	52.7	17.9	16.2	19.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percentage of adults who have heard of antibiotic resistant infections

		2007 County			2007 State			2002 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	56.5	47.3	65.3	58.3	57.1	59.6	
SEX	Men	59.2	44.7	72.3	57.4	55.4	59.4	
	Women	52.8	43.4	62.1	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	65.7	53.5	76.1	63.3	62.1	64.6	
	Non-Hisp. Black	27.5	10.2	55.8	42.3	38.0	46.7	
	Hispanic	36.6	23.2	52.4	49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.5	49.6	85.3	63.6	61.6	65.5	
	Non-Hisp. White Women	59.2	48.2	69.3	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men	28.4	14.9	47.3	43.4	37.4	49.6	
	Hispanic Women	49.5	27.6	71.6	54.6	49.8	59.4	
AGE GROUP	18-44	48.8	35.1	62.8	55.6	53.3	57.9	
	45-64	68.5	55.9	78.9	67.2	65.5	68.9	
	65 & Older	60.2	44.5	74.0	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	38.0	25.9	51.7	33.3	29.7	37.0	
	H.S./GED	59.6	46.7	71.3	45.9	43.5	48.3	
	>High School	62.4	45.2	77.0	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	38.2	28.2	49.2	46.3	43.5	49.1	
	\$25,000-\$49,999	69.3	55.8	80.1	55.1	52.7	57.5	
	\$50,000 or More	65.0	41.7	82.8	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	61.2	52.0	69.7	62.3	60.8	63.8	
	Not Married/Couple	50.8	34.7	66.6	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.0	17.7	31.6	24.3	23.4	25.2	
SEX	Men	22.0	13.7	33.6	20.8	19.5	22.1	
	Women	26.7	19.0	36.2	27.6	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	31.5	22.6	42.0	27.5	26.5	28.5	
	Non-Hisp. Black	11.2	3.8	28.5	20.4	17.5	23.6	
	Hispanic	2.5	0.9	6.9	15.0 *	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.0	16.8	45.3	23.7	22.3	25.2	
	Non-Hisp. White Women	34.9	24.7	46.6	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men	1.9	0.3	12.7	11.5	8.6	15.1	
	Hispanic Women	3.4	1.3	8.3	18.5 *	15.3	22.2	
AGE GROUP	18-44	8.0	4.0	15.4	8.9	7.9	10.1	
	45-64	23.5	15.6	33.8	29.7	28.2	31.3	
	65 & Older	60.1	44.7	73.7	47.6	45.8	49.3	
EDUCATION LEVEL	<High School	14.4	7.8	25.1	29.5 *	26.4	32.9	
	H.S./GED	30.4	19.7	43.8	25.2	23.5	27.0	
	>High School	22.6	13.4	35.5	23.1	22.0	24.2	
ANNUAL INCOME	<\$25,000	22.6	15.1	32.4	31.0	28.8	33.2	
	\$25,000-\$49,999	22.0	12.8	35.2	25.4	23.7	27.2	
	\$50,000 or More	23.5	11.9	41.3	18.7	17.5	20.0	
MARITAL STATUS	Married/Couple	28.9	20.3	39.3	23.3	22.2	24.4	
	Not Married/Couple	17.6	10.6	27.7	26.0	24.5	27.6	

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.3	8.1	21.2	12.5	11.8	13.2	
SEX	Men	11.0	4.6	23.9	10.4	9.5	11.4	
	Women	16.7	9.8	26.9	14.4	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	16.8	9.6	27.8	13.2	12.5	14.0	
	Non-Hisp. Black	11.1	3.3	31.4	11.9	9.7	14.4	
	Hispanic	2.4	0.6	9.2	8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.3	4.7	32.3	11.3	10.4	12.4	
	Non-Hisp. White Women	21.6	12.5	34.7	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men	3.9	1.0	14.6	7.1	4.8	10.4	
	Hispanic Women	0.0			10.7	8.4	13.6	
AGE GROUP	18-44	9.8	3.3	25.9	5.7	4.9	6.6	
	45-64	10.1	5.9	16.9	17.2	16.0	18.6	
	65 & Older	24.9	13.3	41.8	19.4	18.1	20.9	
EDUCATION LEVEL	<High School	8.2	3.2	19.2	19.2	16.6	22.0	
	H.S./GED	24.3	12.0	42.9	13.2	11.9	14.6	
	>High School	6.8	4.2	10.7	11.1	10.4	11.9	
ANNUAL INCOME	<\$25,000	15.4	9.2	24.6	21.0	19.3	22.9	
	\$25,000-\$49,999	18.3	6.3	43.0	12.3	11.1	13.7	
	\$50,000 or More	4.8	2.0	10.9	7.4	6.6	8.3	
MARITAL STATUS	Married/Couple	10.9	6.1	18.8	11.0	10.2	11.9	
	Not Married/Couple	16.6	7.5	32.7	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.9	30.1	48.4	37.2	36.1	38.4	
SEX	Men	38.1	25.0	53.1	35.9	34.2	37.7	
	Women	40.0	31.1	49.7	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	49.7	38.3	61.1	40.4	39.2	41.7	
	Non-Hisp. Black	24.7	9.4	51.0	33.5	29.8	37.5	
	Hispanic	8.4	4.4	15.3	27.4 *	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.9	31.3	66.7	40.3	38.3	42.3	
	Non-Hisp. White Women	50.8	39.9	61.6	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men	8.0	3.4	17.7	24.3 *	19.6	29.7	
	Hispanic Women	9.0	3.4	21.6	30.6 *	26.5	35.0	
AGE GROUP	18-44	29.3	16.4	46.7	27.1	25.2	29.1	
	45-64	35.3	24.4	48.0	43.7	42.0	45.5	
	65 & Older	64.5	49.6	77.0	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	25.8	15.9	39.0	42.0	38.2	45.9	
	H.S./GED	41.6	27.9	56.8	38.0	35.8	40.2	
	>High School	41.9	27.8	57.5	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	35.2	25.5	46.3	44.7	42.1	47.3	
	\$25,000-\$49,999	40.1	24.2	58.3	36.8	34.7	39.0	
	\$50,000 or More	40.2	22.3	61.2	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	36.9	27.8	47.1	36.7	35.3	38.2	
	Not Married/Couple	41.6	26.3	58.7	38.1	36.2	40.1	

Asthma

Percentage of adults who currently have asthma

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.6	4.2	16.9	6.2	5.7	6.7	9.9
SEX	Men	8.1	2.6	22.3	4.9	4.1	5.7	13.8
	Women	9.4	4.0	20.5	7.4	6.7	8.1	6.4
RACE/ETHNICITY	Non-Hisp. White	11.7	5.4	23.5	6.4	5.8	7.0	6.3
	Non-Hisp. Black	4.3	0.7	22.8	7.6	5.8	9.9	8.3
	Hispanic	0.6	0.1	4.5	4.8	3.6	6.3	24.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.0	3.2	31.4	5.2	4.3	6.2	
	Non-Hisp. White Women	12.6	5.2	27.7	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women				9.0	6.7	11.9	4.3
	Hispanic Men	0.0			3.9	2.3	6.5	8.2
	Hispanic Women	1.7	0.2	11.5	5.7	4.1	7.8	
AGE GROUP	18-44	0.9	0.4	2.1	5.8 *	5.0	6.8	4.0
	45-64	5.6	2.6	11.7	6.7	6.0	7.6	21.4
	65 & Older	30.1	14.0	53.3	6.1 *	5.4	6.9	7.0
EDUCATION LEVEL	<High School	1.8	0.9	3.6	8.4 *	6.5	10.7	5.3
	H.S./GED	9.1	3.1	23.4	5.9	5.1	6.8	4.0
	>High School	11.0	3.9	27.3	6.0	5.3	6.7	17.1
ANNUAL INCOME	<\$25,000	7.6	3.9	14.2	7.8	6.8	8.9	18.2
	\$25,000-\$49,999	2.8	1.0	7.2	5.8	5.0	6.8	7.5
	\$50,000 or More	12.0	3.3	35.2	5.2	4.4	6.1	4.0
MARITAL STATUS	Married/Couple	12.1	5.1	26.2	5.7	5.1	6.4	7.1
	Not Married/Couple	4.3	2.0	8.9	7.0	6.1	7.9	12.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 40 years of age and older who received a mammogram in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	63.6	50.1	75.2	64.9	63.3	66.4	70.3
SEX	Men							
	Women	63.6	50.1	75.2	64.9	63.3	66.4	70.3
RACE/ETHNICITY	Non-Hisp. White	60.8	46.5	73.6	65.4	63.8	67.0	66.3
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	60.8	46.5	73.6	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							66.3
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44				50.0	44.9	55.1	
	45-64	66.4	50.0	79.6	65.7	63.5	67.9	59.7
	65 & Older	64.5	41.1	82.6	70.0	67.7	72.2	79.3
EDUCATION LEVEL	<High School	68.5	47.5	83.9	61.3	56.0	66.4	42.8
	H.S./GED	50.1	29.9	70.2	62.0	59.1	64.9	79.0
	>High School	72.6	55.3	85.0	66.9	64.8	68.8	73.5
ANNUAL INCOME	<\$25,000	61.7	42.6	77.8	57.6	54.3	60.9	69.7
	\$25,000-\$49,999	66.6	40.0	85.6	64.2	61.2	67.1	69.2
	\$50,000 or More	73.1	52.5	86.9	70.3	67.5	72.9	86.4
MARITAL STATUS	Married/Couple	65.8	47.2	80.6	67.9	65.7	70.0	71.0
	Not Married/Couple	60.6	40.6	77.5	60.4	58.1	62.7	69.9

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	62.4	52.4	71.5	65.0	63.4	66.5	
SEX	Men							
	Women	62.4	52.4	71.5	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	58.9	46.8	70.0	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic	66.4	44.9	82.7	58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	58.9	46.8	70.0	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women	66.4	44.9	82.7	58.7	54.0	63.4	
AGE GROUP	18-44	54.7	40.8	67.8	63.5	60.7	66.3	
	45-64	75.1	60.2	85.8	69.4	67.1	71.5	
	65 & Older	60.6	38.4	79.1	62.1	59.7	64.4	
EDUCATION LEVEL	<High School	60.6	45.2	74.1	52.8	47.6	57.8	
	H.S./GED	48.3	32.9	64.1	57.5	54.6	60.5	
	>High School	73.8	59.6	84.3	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	57.1	42.6	70.6	53.6	50.3	56.9	
	\$25,000-\$49,999	72.5	51.0	86.9	61.4	58.5	64.3	
	\$50,000 or More	72.7	53.7	85.9	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	62.3	49.2	73.8	68.6	66.6	70.5	
	Not Married/Couple	62.3	46.2	76.0	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 18 years of age and older who received a Pap test in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	59.7	47.7	70.6	64.8	63.0	66.5	80.7
SEX	Men							
	Women	59.7	47.7	70.6	64.8	63.0	66.5	80.7
RACE/ETHNICITY	Non-Hisp. White	51.8	37.7	65.6	64.4	62.4	66.3	73.6
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic	72.4	50.8	87.0	64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	51.8	37.7	65.6	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							73.6
	Hispanic Women	72.4	50.8	87.0	64.5	59.4	69.2	
AGE GROUP	18-44	62.3	47.3	75.3	69.1	66.3	71.8	83.5
	45-64	71.9	51.9	85.9	66.4	63.6	69.1	66.4
	65 & Older	34.7	14.2	63.0	48.0	44.7	51.3	76.0
EDUCATION LEVEL	<High School	73.3	58.8	84.2	51.9 *	45.5	58.2	53.3
	H.S./GED	45.6	28.1	64.2	55.6	51.9	59.2	81.5
	>High School	67.0	49.3	80.9	70.4	68.3	72.4	87.2
ANNUAL INCOME	<\$25,000	54.6	38.2	70.0	53.6	49.4	57.6	71.9
	\$25,000-\$49,999	70.3	44.5	87.5	62.1	58.6	65.4	79.3
	\$50,000 or More	66.4	43.9	83.3	76.1	73.5	78.6	
MARITAL STATUS	Married/Couple	58.0	43.0	71.7	69.4	67.2	71.5	73.7
	Not Married/Couple	61.7	42.5	77.8	57.7	54.6	60.8	85.5

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	65.0	44.1	81.4	72.3	70.2	74.4	
SEX	Men	65.0	44.1	81.4	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	69.1	44.5	86.2	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.1	44.5	86.2	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	46.7	23.6	71.4	64.5	61.2	67.7	
	65 & Older	89.6	78.4	95.3	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	H.S./GED	40.3	14.9	72.3	61.6	56.9	66.1	
	>High School	81.6	61.6	92.5	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000	74.7	55.2	87.6	59.2	54.0	64.1	
	\$25,000-\$49,999	71.7	51.8	85.6	73.9	69.7	77.6	
	\$50,000 or More	58.2	23.5	86.4	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	60.3	36.0	80.4	75.6	73.1	78.0	
	Not Married/Couple	81.6	61.2	92.6	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.3	27.6	66.0	56.3	54.0	58.5	
SEX	Men	46.3	27.6	66.0	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	48.8	27.7	70.4	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.8	27.7	70.4	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	32.3	15.3	55.7	50.1	46.8	53.5	
	65 & Older	65.7	39.4	84.9	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	H.S./GED	25.4	10.5	49.9	47.0	42.5	51.5	
	>High School	60.4	35.1	81.1	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000	64.5	41.9	82.1	48.5	43.6	53.4	
	\$25,000-\$49,999	49.6	25.9	73.4	52.6	48.1	56.9	
	\$50,000 or More	40.7	13.1	75.7	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	50.9	28.4	72.9	59.0	56.2	61.7	
	Not Married/Couple	28.9	10.8	57.6	49.2	45.1	53.2	

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.9	13.0	31.9	21.2	20.1	22.3	20.4
SEX	Men	17.4	8.9	31.0	23.7	21.9	25.5	19.9
	Women	24.6	12.8	42.0	19.1	17.8	20.5	20.8
RACE/ETHNICITY	Non-Hisp. White	20.9	12.3	33.1	23.3	22.1	24.6	23.5
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.0	6.9	26.3	26.0	24.1	28.1	
	Non-Hisp. White Women	28.1	14.7	47.0	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	22.2
	Hispanic Men				9.9	6.0	15.9	24.7
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	14.5	6.9	27.8	15.6	14.3	17.1	17.4
	65 & Older	27.6	14.9	45.4	27.1	25.5	28.8	22.7
EDUCATION LEVEL	<High School	17.8	8.5	33.4	20.0	16.2	24.3	30.1
	H.S./GED	22.1	8.5	46.5	19.6	17.8	21.5	19.4
	>High School	21.0	11.7	34.7	22.1	20.7	23.6	17.7
ANNUAL INCOME	<\$25,000	14.0	7.6	24.5	20.1	18.0	22.3	16.7
	\$25,000-\$49,999	11.5	6.6	19.4	22.1 *	20.1	24.3	29.6
	\$50,000 or More	18.5	7.6	38.5	21.5	19.6	23.6	12.9
MARITAL STATUS	Married/Couple	26.2	15.2	41.4	22.0	20.6	23.5	30.0
	Not Married/Couple	9.3	4.6	17.9	19.9 *	18.2	21.6	9.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	40.8	30.1	52.6	53.7	52.3	55.1	33.3
SEX	Men	38.7	23.7	56.2	55.7	53.4	57.9	33.1
	Women	43.1	29.3	57.9	52.1	50.3	53.9	33.6
RACE/ETHNICITY	Non-Hisp. White	41.9	30.0	54.8	56.8 *	55.3	58.2	43.2
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.0	21.3	56.0	59.1 *	56.8	61.3	
	Non-Hisp. White Women	47.0	32.5	62.0	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	43.3
	Hispanic Men				37.9	29.1	47.6	43.0
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	32.7	20.4	47.9	46.6	44.5	48.7	24.6
	65 & Older	49.5	32.7	66.4	61.4	59.6	63.2	40.3
EDUCATION LEVEL	<High School	33.0	19.4	50.4	41.7	37.3	46.3	36.0
	H.S./GED	48.8	28.7	69.2	51.3	48.8	53.8	30.5
	>High School	36.6	23.7	51.8	56.7 *	54.9	58.5	34.4
ANNUAL INCOME	<\$25,000	41.5	27.1	57.5	47.2	44.4	50.1	19.6
	\$25,000-\$49,999	44.9	27.7	63.5	50.7	48.0	53.4	38.2
	\$50,000 or More	31.9	16.0	53.4	59.7 *	57.2	62.1	49.9
MARITAL STATUS	Married/Couple	45.5	31.0	60.7	57.5	55.7	59.3	39.8
	Not Married/Couple	30.4	18.5	45.8	47.3	45.1	49.5	26.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	2.0	1.1	3.6	3.1	2.8	3.5	
SEX	Men	1.4	0.8	2.4	2.9 *	2.5	3.4	
	Women	2.9	1.2	6.8	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	2.6	1.4	5.0	3.5	3.2	3.9	
	Non-Hisp. Black	0.5	0.1	3.4	3.7	2.4	5.5	
	Hispanic	0.6	0.1	2.4	1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.8	1.0	3.4	3.4	2.8	4.0	
	Non-Hisp. White Women	3.7	1.4	9.5	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women				4.7	2.8	7.7	
	Hispanic Men	0.5	0.1	3.8	1.1	0.5	2.5	
	Hispanic Women	0.6	0.1	4.6	1.6	0.9	2.8	
AGE GROUP	18-44	0.2	0.0	1.7	1.1	0.7	1.6	
	45-64	1.1	0.5	2.4	2.7	2.3	3.3	
	65 & Older	7.0	3.5	13.8	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	2.3	1.1	4.6	6.0	4.6	7.8	
	H.S./GED	3.0	1.1	8.0	3.7	3.1	4.4	
	>High School	1.3	0.7	2.6	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	4.3	1.8	9.9	5.7	4.8	6.7	
	\$25,000-\$49,999	0.9	0.4	2.3	3.6 *	2.9	4.5	
	\$50,000 or More	1.1	0.4	2.7	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	1.9	1.2	3.1	2.6	2.3	3.0	
	Not Married/Couple	2.2	0.7	6.4	4.0	3.5	4.6	

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	7.6	5.0	11.4	9.3	8.7	9.8	
SEX	Men	7.3	3.9	13.2	10.3	9.5	11.2	
	Women	8.2	5.0	13.1	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	10.2	6.5	15.8	10.6	10.0	11.3	
	Non-Hisp. Black	0.8	0.2	3.2	7.8 *	6.1	9.9	
	Hispanic	2.4	1.0	5.6	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.7	4.8	18.9	12.1	11.1	13.2	
	Non-Hisp. White Women	11.0	6.5	17.8	9.2	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women				9.0	6.6	12.2	
	Hispanic Men	3.0	1.0	8.4	5.7	4.1	7.9	
	Hispanic Women	1.2	0.3	5.1	4.9	3.6	6.6	
AGE GROUP	18-44	0.9	0.3	2.3	2.2	1.7	2.8	
	45-64	7.7	4.2	13.7	9.1	8.2	10.1	
	65 & Older	22.7	13.1	36.4	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	6.8	4.1	11.1	15.0 *	12.9	17.5	
	H.S./GED	7.6	4.2	13.4	10.5	9.4	11.6	
	>High School	8.2	4.1	15.9	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	9.0	5.4	14.9	14.9	13.4	16.4	
	\$25,000-\$49,999	5.7	3.5	9.3	10.1	9.1	11.3	
	\$50,000 or More	8.4	3.2	20.0	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	8.7	5.1	14.4	8.8	8.1	9.5	
	Not Married/Couple	6.3	3.4	11.6	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who had their cholesterol checked in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.0	57.5	73.5	78.5 *	77.4	79.7	79.1
SEX	Men	62.4	49.2	74.1	76.7 *	74.9	78.5	79.4
	Women	71.0	62.9	78.0	80.2 *	78.8	81.6	78.8
RACE/ETHNICITY	Non-Hisp. White	77.8	66.2	86.3	84.4	83.3	85.4	82.5
	Non-Hisp. Black	77.3	50.5	91.9	76.3	71.9	80.3	51.7
	Hispanic	15.2	6.0	33.3	60.1 *	56.3	63.8	73.3 *
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.3	55.3	87.2	82.5	80.7	84.1	
	Non-Hisp. White Women	82.7	73.6	89.1	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	87.9
	Hispanic Men	8.3	3.5	18.3	59.7 *	53.8	65.3	77.3 *
AGE GROUP	Hispanic Women	26.5	7.7	61.1	60.5	55.7	65.1	
	18-44	50.3	36.8	63.9	64.7	62.5	66.9	55.3
	45-64	75.3	56.8	87.5	87.3	86.0	88.5	88.4
EDUCATION LEVEL	65 & Older	90.3	78.6	95.9	93.2	92.2	94.2	95.2
	<High School	27.4	18.1	39.2	62.0 *	57.9	65.9	59.9 *
	H.S./GED	56.2	41.2	70.1	70.6	68.0	73.1	80.0
ANNUAL INCOME	>High School	88.7	81.6	93.3	85.0	83.8	86.1	85.2
	<\$25,000	46.4	35.7	57.5	68.4 *	65.6	71.1	77.0 *
	\$25,000-\$49,999	71.7	51.9	85.7	75.8	73.4	78.1	70.5
MARITAL STATUS	\$50,000 or More	80.5	62.4	91.2	86.3	84.8	87.8	94.1
	Married/Couple	64.3	54.6	73.0	81.8 *	80.5	83.0	75.2
	Not Married/Couple	69.0	53.4	81.2	73.0	70.8	75.1	82.8

Percentage of adults who have diagnosed high blood cholesterol

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.7	27.3	47.2	37.1	35.9	38.3	47.9
SEX	Men	33.7	20.1	50.5	38.9	37.0	40.9	42.2
	Women	40.5	30.0	51.9	35.4	34.0	36.9	53.6
RACE/ETHNICITY	Non-Hisp. White	37.3	26.9	49.1	38.7	37.4	40.0	42.7
	Non-Hisp. Black	12.3	3.3	36.7	29.7	25.8	33.9	
	Hispanic				34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.4	19.8	54.9	39.6	37.6	41.7	
	Non-Hisp. White Women	39.7	29.3	51.2	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	34.6
	Hispanic Men				38.8	32.0	46.2	51.3
AGE GROUP	Hispanic Women				30.7	25.7	36.2	
	18-44	14.5	7.1	27.5	23.0	20.8	25.4	21.2
	45-64	35.4	22.8	50.4	42.8	41.0	44.7	59.1
EDUCATION LEVEL	65 & Older	66.0	48.5	79.9	49.8	48.0	51.6	47.3
	<High School	57.7	38.1	75.2	45.5	41.1	50.1	47.1
	H.S./GED	37.3	25.8	50.4	37.8	35.6	40.0	31.4
ANNUAL INCOME	>High School	34.0	21.3	49.4	35.8	34.3	37.3	59.2
	<\$25,000	46.4	32.5	60.9	41.6	39.1	44.2	54.4
	\$25,000-\$49,999	37.5	22.8	55.0	37.9	35.7	40.3	35.1
MARITAL STATUS	\$50,000 or More	32.9	16.9	54.2	33.4	31.5	35.3	42.0
	Married/Couple	41.9	30.3	54.5	36.8	35.4	38.3	34.6
	Not Married/Couple	30.1	17.7	46.5	37.4	35.3	39.5	61.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percentage of adults who could not see a dentist in the past year because of cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.8	12.2	25.4	19.2	18.2	20.2	
SEX	Men	18.5	10.2	31.2	16.8	15.3	18.5	
	Women	16.9	11.9	23.6	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	14.6	7.9	25.3	15.7	14.8	16.7	
	Non-Hisp. Black	6.5	1.7	22.1	23.7	20.4	27.4	
	Hispanic	35.7	23.5	50.1	28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.8	5.4	34.7	13.9	12.5	15.5	
	Non-Hisp. White Women	14.2	9.0	21.6	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men	38.5	22.6	57.3	25.4	20.5	31.1	
	Hispanic Women	31.1	15.7	52.2	31.3	27.2	35.8	
AGE GROUP	18-44	26.0	15.9	39.4	23.6	21.8	25.6	
	45-64	12.7	7.8	19.9	19.5	18.1	21.0	
	65 & Older	4.9	1.8	12.5	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	34.9	23.2	48.9	33.9	30.2	37.7	
	H.S./GED	21.8	10.6	39.5	23.2	21.2	25.3	
	>High School	7.9	4.7	13.0	15.2 *	14.0	16.4	
ANNUAL INCOME	<\$25,000	26.5	18.1	37.1	36.7	34.1	39.4	
	\$25,000-\$49,999	23.7	10.1	46.3	21.5	19.6	23.6	
	\$50,000 or More	5.4	2.4	11.6	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	17.4	12.3	24.0	16.2	15.1	17.4	
	Not Married/Couple	18.5	8.8	34.8	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	12.5	7.2	20.8	8.7	8.2	9.3	18.1
SEX	Men	18.5	9.9	32.0	9.4	8.6	10.3	20.0
	Women	3.9	2.6	5.7	8.1 *	7.5	8.9	16.3 *
RACE/ETHNICITY	Non-Hisp. White	14.7	7.6	26.5	9.0	8.4	9.6	9.8
	Non-Hisp. Black	14.9	4.4	40.2	12.4	10.4	14.8	12.7
	Hispanic	4.1	1.8	9.4	6.6	5.2	8.2	48.7 *
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.5	10.8	41.3	10.0	9.1	11.1	
	Non-Hisp. White Women	3.9	2.6	5.9	7.9 *	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women				13.3	10.6	16.5	11.1
	Hispanic Men	5.3	1.9	14.0	6.8	4.8	9.5	8.6
	Hispanic Women	2.1	0.6	6.9	6.4	4.7	8.6	
AGE GROUP	18-44	5.4	1.2	20.5	2.4	1.9	3.1	2.3
	45-64	17.8	8.9	32.5	10.9	9.9	12.1	27.7
	65 & Older	22.3	9.4	44.3	18.5	17.2	19.9	30.7
EDUCATION LEVEL	<High School	8.2	4.7	14.0	14.4	12.3	16.7	6.9
	H.S./GED	5.8	2.8	11.7	9.5	8.4	10.7	25.9
	>High School	19.3	9.3	35.6	7.5 *	6.9	8.1	14.6
ANNUAL INCOME	<\$25,000	7.8	4.6	12.8	13.3	11.9	14.9	37.2 *
	\$25,000-\$49,999	16.4	6.3	36.3	8.5	7.6	9.5	9.7
	\$50,000 or More	16.7	6.3	37.6	5.9	5.2	6.7	1.7 *
MARITAL STATUS	Married/Couple	12.3	6.0	23.7	8.3	7.7	9.0	10.6
	Not Married/Couple	12.8	5.4	27.5	9.5	8.6	10.6	25.2

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	53.8	26.2	79.3	65.7	62.6	68.7	
SEX	Men	51.8	22.0	80.3	61.8	57.1	66.3	
	Women	68.4	50.5	82.1	70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	47.4	18.4	78.2	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.1	14.8	79.5	59.9	54.7	64.8	
	Non-Hisp. White Women	66.0	46.6	81.2	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64	45.6	16.6	78.0	63.1	57.8	68.0	
	65 & Older	41.9	11.3	80.3	66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	H.S./GED	77.5	52.9	91.3	67.6	61.8	73.0	
	>High School	48.1	16.5	81.3	64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000	70.7	49.3	85.6	69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	43.9	15.5	77.0	65.1	61.1	69.0	
	Not Married/Couple	66.3	24.8	92.1	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	84.9	67.2	94.0	71.2	67.7	74.4	
SEX	Men	88.8	69.6	96.5	68.0	62.5	73.0	
	Women	58.7	37.0	77.4	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	92.0	79.6	97.1	73.3 *	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.9	81.6	98.1	70.3 *	64.7	75.4	
	Non-Hisp. White Women				76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64	65.1	33.6	87.3	70.0	64.0	75.3	
	65 & Older	92.6	74.6	98.2	74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	H.S./GED				67.2	59.8	73.9	
	>High School				75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000	46.1	21.6	72.7	66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple	89.7	74.0	96.4	70.4	66.0	74.5	
	Not Married/Couple	76.6	35.7	95.1	72.8	66.9	77.9	

Percentage of adults with diabetes who had an annual foot exam

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	88.8	73.2	95.9	75.6	72.6	78.4	
SEX	Men	91.6	72.3	97.9	77.0	72.4	81.0	
	Women	68.1	49.4	82.4	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	87.5	67.3	95.9	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.6	66.2	97.9	76.2	71.3	80.5	
	Non-Hisp. White Women	61.7	41.4	78.5	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64	80.1	46.7	94.9	74.5	69.3	79.1	
	65 & Older	91.7	75.1	97.6	78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	H.S./GED	74.2	48.2	89.9	71.4	64.8	77.2	
	>High School	91.9	66.9	98.5	79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000	79.4	60.3	90.7	74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple	84.3	57.3	95.6	75.6	71.9	78.9	
	Not Married/Couple	94.5	83.9	98.3	75.5 *	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	89.1	78.1	94.9	77.4	74.7	80.0	
SEX	Men	91.7	80.1	96.8	78.5	74.5	82.0	
	Women	70.6	53.5	83.4	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	91.4	81.3	96.3	75.9 *	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.4	85.3	98.0	75.7 *	70.7	80.1	
	Non-Hisp. White Women	67.9	48.5	82.6	76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64	89.4	75.7	95.9	75.0	70.7	78.8	
	65 & Older	92.2	77.0	97.7	83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	H.S./GED	79.8	56.3	92.4	74.2	68.5	79.2	
	>High School	97.6	92.8	99.3	81.1 *	77.5	84.3	
ANNUAL INCOME	<\$25,000	58.6	34.5	79.1	72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple	86.8	68.2	95.3	79.4	76.2	82.2	
	Not Married/Couple	91.9	78.3	97.3	74.7	69.5	79.3	

Percentage of adults with diabetes who ever had diabetes self-management education

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	31.6	14.3	56.1	51.4	48.2	54.6	
SEX	Men	30.7	12.1	58.8	50.5	45.8	55.2	
	Women	37.4	22.9	54.6	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	23.7	8.9	49.8	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.1	6.5	50.6	48.1	43.1	53.2	
	Non-Hisp. White Women	44.8	27.8	63.1	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64	48.2	17.9	79.9	53.6	48.4	58.7	
	65 & Older	28.0	7.2	66.2	49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	H.S./GED	62.5	33.3	84.8	52.3	46.2	58.4	
	>High School	25.7	8.3	56.9	55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000	50.4	27.2	73.4	47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	44.5	15.7	77.5	52.7	48.6	56.8	
	Not Married/Couple	15.1	4.1	42.6	49.4 *	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	47.5	30.6	64.4	50.9	49.7	52.1	
SEX	Men	47.0	28.0	66.0	50.5	49.1	51.9	
	Women	51.6	47.1	56.2	51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	47.7	26.9	68.5	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.2	24.2	70.2	51.9	50.3	53.5	
	Non-Hisp. White Women				52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64	52.5	49.2	55.9	45.9 *	44.8	47.1	
	65 & Older	62.9	54.9	70.9	61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	H.S./GED	50.0	41.9	58.0	51.9	49.2	54.6	
	>High School	46.9	24.5	69.2	50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000	50.0	43.1	56.9	51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple	56.7	47.5	65.9	50.5	49.2	51.8	
	Not Married/Couple	35.9	9.6	62.3	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.2	11.7	24.4	17.8	17.1	18.6	
SEX	Men	14.5	7.8	25.5	16.9	15.7	18.1	
	Women	21.0	13.6	31.0	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	18.5	12.5	26.3	19.7	18.8	20.6	
	Non-Hisp. Black	35.7	11.2	71.0	16.8	14.1	19.7	
	Hispanic	3.1	1.0	9.3	10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.0	6.8	20.5	18.6	17.3	20.1	
	Non-Hisp. White Women	27.4	17.6	39.9	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men	4.5	1.3	14.6	9.9	7.3	13.4	
	Hispanic Women	0.9	0.1	6.1	11.3 *	9.1	13.9	
AGE GROUP	18-44	10.2	4.0	23.7	10.3	9.2	11.4	
	45-64	19.4	12.0	29.8	21.7	20.4	23.1	
	65 & Older	30.0	17.4	46.5	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	10.5	5.0	20.9	24.2 *	21.4	27.2	
	H.S./GED	17.7	9.6	30.3	19.6	18.0	21.2	
	>High School	19.5	10.9	32.6	16.1	15.2	17.1	
ANNUAL INCOME	<\$25,000	24.6	16.3	35.2	30.3	28.1	32.5	
	\$25,000-\$49,999	10.1	5.9	16.5	17.7	16.2	19.2	
	\$50,000 or More	13.0	4.3	32.9	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	17.6	11.5	26.1	15.5	14.6	16.4	
	Not Married/Couple	16.6	8.2	30.8	21.9	20.5	23.4	

Percentage of adults who use special equipment because of a health problem

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.2	5.0	16.3	7.1	6.6	7.7	
SEX	Men	8.0	3.1	19.1	6.9	6.1	7.7	
	Women	10.9	5.2	21.7	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	12.4	6.5	22.3	7.4	6.9	8.0	
	Non-Hisp. Black	4.6	0.9	20.4	8.1	6.4	10.1	
	Hispanic	0.4	0.1	2.8	5.1 *	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.4	4.2	27.1	6.8	6.1	7.7	
	Non-Hisp. White Women	13.8	6.1	28.3	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men	0.6	0.1	4.6	5.9	3.7	9.4	
	Hispanic Women	0.0			4.3	3.0	6.1	
AGE GROUP	18-44	4.7	0.9	21.9	2.3	1.8	3.0	
	45-64	4.8	2.4	9.6	7.5	6.7	8.5	
	65 & Older	24.0	12.4	41.3	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	4.2	2.2	7.7	12.0 *	10.0	14.2	
	H.S./GED	8.7	2.9	23.5	8.1	7.1	9.3	
	>High School	11.7	5.1	24.4	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	9.1	4.4	17.8	13.8	12.4	15.3	
	\$25,000-\$49,999	12.9	3.9	35.0	6.6	5.7	7.6	
	\$50,000 or More	1.9	0.5	7.0	2.9	2.4	3.5	
MARITAL STATUS	Married/Couple	8.6	4.0	17.5	5.3	4.8	5.9	
	Not Married/Couple	10.1	3.8	24.1	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percentage of adults who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	43.2	34.7	52.1	58.5 *	57.3	59.8	
SEX	Men	35.7	24.1	49.1	53.9 *	51.9	56.0	
	Women	53.8	44.1	63.3	62.9	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	50.9	39.0	62.6	62.1	60.8	63.4	
	Non-Hisp. Black	26.9	10.6	53.3	52.6	48.1	57.1	
	Hispanic	21.9	13.7	33.0	47.7 *	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.3	27.5	62.5	58.2	56.1	60.3	
	Non-Hisp. White Women	59.7	48.5	70.0	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
AGE GROUP	Hispanic Men	10.3	4.5	21.8	41.8 *	35.7	48.2	
	Hispanic Women	40.9	22.0	62.8	53.7	48.8	58.6	
	18-44	32.1	21.6	44.7	51.2 *	48.9	53.5	
	45-64	43.3	29.9	57.9	61.5 *	59.7	63.2	
EDUCATION LEVEL	65 & Older	69.4	55.4	80.6	69.2	67.4	70.9	
	<High School	24.8	16.5	35.7	43.5 *	39.4	47.6	
	H.S./GED	42.1	29.4	55.8	51.8	49.3	54.2	
	>High School	51.7	36.3	66.9	63.9	62.4	65.4	
ANNUAL INCOME	<\$25,000	44.2	33.6	55.2	53.2	50.4	56.0	
	\$25,000-\$49,999	41.1	25.9	58.3	58.1	55.7	60.5	
	\$50,000 or More	40.3	23.5	59.7	62.2 *	60.2	64.1	
MARITAL STATUS	Married/Couple	48.2	38.5	58.1	59.4	57.9	61.0	
	Not Married/Couple	36.9	23.9	52.1	57.1 *	54.9	59.3	

Percentage of women under age 45 who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	43.7	31.2	57.1	56.4	53.5	59.2	
SEX	Men							
	Women	43.7	31.2	57.1	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	47.9	29.3	67.0	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic	54.1	36.5	70.7	48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	47.9	29.3	67.0	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
AGE GROUP	Hispanic Men							
	Hispanic Women	54.1	36.5	70.7	48.2	41.4	55.1	
	18-44	44.1	31.4	57.6	56.2	53.3	59.1	
	45-64							
EDUCATION LEVEL	65 & Older							
	<High School	43.3	26.0	62.5	34.0	25.5	43.7	
	H.S./GED	48.3	28.2	69.0	44.8	39.2	50.6	
ANNUAL INCOME	>High School	41.8	21.4	65.4	63.6	60.3	66.8	
	<\$25,000	45.7	26.1	66.7	46.5	40.2	52.9	
	\$25,000-\$49,999	21.9	9.1	43.9	54.7 *	49.5	59.9	
MARITAL STATUS	\$50,000 or More				63.6	59.2	67.8	
	Married/Couple	54.9	40.4	68.7	59.2	55.8	62.5	
	Not Married/Couple	26.8	12.6	48.2	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percentage of adults who had diarrhea in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	12.8	7.9	20.0	14.1	13.3	15.0	
SEX	Men	11.7	5.4	23.5	13.8	12.6	15.2	
	Women	14.3	8.4	23.3	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	14.4	8.0	24.5	15.6	14.7	16.6	
	Non-Hisp. Black	13.2	3.0	42.3	11.5	8.8	14.9	
	Hispanic	6.6	2.4	17.3	10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.6	5.2	31.2	15.8	14.3	17.5	
	Non-Hisp. White Women	15.5	8.8	25.9	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
AGE GROUP	Hispanic Men	9.8	3.2	26.4	9.3	6.6	12.9	
	Hispanic Women	1.6	0.4	6.5	10.7 *	8.0	14.1	
	18-44	9.8	5.0	18.5	14.6	13.1	16.1	
	45-64	10.0	5.8	16.6	14.0	12.8	15.2	
EDUCATION LEVEL	65 & Older	23.5	9.4	47.6	13.4	12.2	14.6	
	<High School	15.4	7.6	29.0	12.4	10.1	15.2	
	H.S./GED	6.7	3.6	12.2	13.6 *	12.2	15.1	
ANNUAL INCOME	>High School	16.7	8.1	31.4	14.6	13.5	15.7	
	<\$25,000	15.6	8.7	26.3	16.7	14.9	18.7	
	\$25,000-\$49,999	12.0	5.6	23.7	12.5	11.1	13.9	
MARITAL STATUS	\$50,000 or More	11.4	3.1	33.9	14.8	13.5	16.3	
	Married/Couple	12.9	6.4	24.1	13.9	12.9	14.9	
	Not Married/Couple	12.7	6.5	23.1	14.5	13.2	16.0	

Percentage of adults who had diarrhea in the past 30 days and who visited a doctor

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	1.4	0.5	3.6	2.4	2.0	2.8	
SEX	Men	1.4	0.3	6.4	2.2	1.6	2.9	
	Women	1.3	0.6	2.6	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	2.0	0.7	5.3	2.5	2.1	3.0	
	Non-Hisp. Black	0.0			2.2	1.4	3.6	
	Hispanic	0.0			2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.1	0.4	9.5	2.2	1.6	3.1	
	Non-Hisp. White Women	1.8	0.9	3.7	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
AGE GROUP	Hispanic Men	0.0			2.3	1.0	5.0	
	Hispanic Women	0.0			2.0	1.2	3.3	
	18-44	1.3	0.2	8.1	2.0	1.4	2.7	
	45-64	1.2	0.5	2.7	2.5	2.0	3.2	
EDUCATION LEVEL	65 & Older	1.8	0.7	4.5	3.0	2.4	3.7	
	<High School	4.5	0.8	21.4	2.3	1.6	3.2	
	H.S./GED	0.6	0.2	1.3	2.8 *	2.2	3.6	
ANNUAL INCOME	>High School	0.9	0.4	2.3	2.2	1.7	2.7	
	<\$25,000	3.0	0.7	12.6	3.5	2.7	4.4	
	\$25,000-\$49,999	1.6	0.6	4.0	2.8	2.1	3.7	
MARITAL STATUS	\$50,000 or More	0.3	0.1	1.0	1.6 *	1.1	2.2	
	Married/Couple	0.8	0.4	1.5	2.1 *	1.7	2.6	
	Not Married/Couple	2.1	0.5	8.5	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	65.4	55.8	73.8	81.4 *	80.3	82.4	79.5
SEX	Men	57.7	43.6	70.6	80.3 *	78.5	82.0	83.1 *
	Women	76.3	68.6	82.6	82.4	81.0	83.7	76.3
RACE/ETHNICITY	Non-Hisp. White	75.4	60.6	86.0	87.8 *	86.9	88.7	81.9
	Non-Hisp. Black	76.9	50.7	91.5	77.2	72.9	81.1	83.4
	Hispanic	18.6	8.6	35.9	61.4 *	57.6	65.0	65.4 *
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.3	44.1	81.7	87.6 *	86.2	88.8	
	Non-Hisp. White Women	89.5	83.3	93.6	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	85.3
	Hispanic Men	8.1	3.0	20.4	57.7 *	51.8	63.5	78.6 *
AGE GROUP	Hispanic Women	35.4	14.6	63.7	64.9	60.3	69.3	
	18-44	44.1	31.5	57.5	72.4 *	70.3	74.4	62.8
	45-64	78.1	65.4	87.1	82.7	81.3	84.1	81.6
EDUCATION LEVEL	65 & Older	97.4	91.6	99.2	97.3	96.5	97.9	95.4
	<High School	36.3	24.9	49.6	60.8 *	56.8	64.6	51.0
	H.S./GED	69.8	54.3	81.9	73.8	71.3	76.1	83.2
ANNUAL INCOME	>High School	74.9	55.7	87.7	88.3	87.1	89.3	86.9
	<\$25,000	53.5	42.7	64.0	64.5	61.7	67.3	76.1
	\$25,000-\$49,999	66.1	45.6	81.9	79.0	76.8	81.0	73.9
MARITAL STATUS	\$50,000 or More	78.5	50.8	92.8	93.2	91.8	94.3	91.6
	Married/Couple	73.4	65.6	80.0	85.3 *	84.1	86.4	74.0
	Not Married/Couple	55.5	38.8	71.1	74.9 *	72.7	76.9	85.6 *

Percentage of adults who have a personal doctor

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.3	65.6	78.1	77.1	75.9	78.2	77.0
SEX	Men	73.4	64.1	81.1	72.8	71.0	74.6	72.2
	Women	70.7	61.2	78.7	81.1 *	79.7	82.4	81.4
RACE/ETHNICITY	Non-Hisp. White	81.5	73.9	87.2	82.2	81.1	83.2	77.0
	Non-Hisp. Black	86.3	65.5	95.4	75.6	71.4	79.4	88.5
	Hispanic	31.9	19.8	47.0	61.7 *	58.0	65.2	66.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.2	79.5	92.2	77.9	76.0	79.7	
	Non-Hisp. White Women	74.4	61.9	83.9	86.3 *	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women				78.8	73.5	83.3	70.4
	Hispanic Men	17.7	8.2	34.0	58.2 *	52.4	63.8	83.4 *
AGE GROUP	Hispanic Women	55.4	34.1	74.9	65.2	60.5	69.5	
	18-44	61.7	50.7	71.6	64.7	62.5	66.8	65.4
	45-64	79.8	70.3	86.9	83.3	81.9	84.6	81.1
EDUCATION LEVEL	65 & Older	85.2	66.8	94.2	92.9	91.9	93.8	84.7
	<High School	35.6	24.8	48.2	62.8 *	58.9	66.5	50.2
	H.S./GED	73.2	60.8	82.9	71.4	68.9	73.7	80.4
ANNUAL INCOME	>High School	87.8	81.3	92.2	82.1	80.8	83.4	84.3
	<\$25,000	57.1	46.2	67.4	66.8	64.1	69.4	74.1
	\$25,000-\$49,999	82.1	72.6	88.9	74.2	71.8	76.4	74.3
MARITAL STATUS	\$50,000 or More	90.9	83.5	95.1	84.8	83.2	86.3	86.7
	Married/Couple	69.3	60.5	77.0	80.6 *	79.3	81.8	71.2
	Not Married/Couple	77.5	67.5	85.1	71.1	68.9	73.2	83.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.7	9.6	27.5	15.1	14.2	16.0	
SEX	Men	19.7	9.0	37.7	13.3	11.9	14.7	
	Women	12.6	8.5	18.2	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	16.9	7.8	32.9	11.5	10.8	12.4	
	Non-Hisp. Black	5.9	1.4	21.9	20.9	17.8	24.4	
	Hispanic	23.5	13.7	37.4	23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.9	8.0	47.5	9.8	8.6	11.0	
	Non-Hisp. White Women	10.0	6.0	16.1	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women				23.8	19.9	28.2	
	Hispanic Men	22.3	10.1	42.4	22.9	18.4	28.2	
	Hispanic Women	25.7	12.4	45.6	24.1	20.5	28.2	
AGE GROUP	18-44	26.4	13.9	44.3	19.9	18.3	21.6	
	45-64	10.7	6.5	17.1	15.8	14.5	17.2	
	65 & Older	2.0	0.9	4.2	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	22.5	13.0	36.0	25.6	22.6	28.9	
	H.S./GED	15.7	6.0	35.3	19.0	17.1	21.0	
	>High School	14.4	4.6	36.7	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	18.1	11.2	27.7	29.3	26.9	31.9	
	\$25,000-\$49,999	19.2	7.0	42.8	18.4	16.5	20.5	
	\$50,000 or More	15.2	3.4	47.9	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	11.0	7.2	16.4	12.7	11.8	13.8	
	Not Married/Couple	24.5	10.8	46.6	19.3	17.6	21.0	

Percentage of adults who had a medical checkup in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.9	57.2	75.4	74.6	73.5	75.7	
SEX	Men	57.1	43.0	70.1	70.5	68.7	72.3	
	Women	81.0	73.2	86.9	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	65.5	52.4	76.6	75.0	73.8	76.2	
	Non-Hisp. Black	99.4	95.5	99.9	82.7 *	79.0	85.9	
	Hispanic	55.3	41.2	68.6	70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.8	38.0	73.9	71.0	69.1	72.9	
	Non-Hisp. White Women	77.5	67.4	85.1	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women				86.8	83.3	89.6	
	Hispanic Men	38.5	23.3	56.4	66.0 *	60.2	71.3	
	Hispanic Women	81.9	62.2	92.5	74.3	70.0	78.3	
AGE GROUP	18-44	54.7	40.5	68.2	64.0	61.8	66.1	
	45-64	68.1	51.5	81.1	77.7	76.2	79.1	
	65 & Older	92.4	85.5	96.2	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	59.9	46.0	72.4	71.4	67.6	74.9	
	H.S./GED	60.3	44.6	74.2	72.8	70.5	75.0	
	>High School	75.0	57.3	87.1	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	71.4	61.0	79.9	73.0	70.4	75.3	
	\$25,000-\$49,999	67.9	48.1	82.9	72.4	70.1	74.5	
	\$50,000 or More	66.6	43.7	83.7	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	73.3	63.5	81.2	75.6	74.3	77.0	
	Not Married/Couple	58.9	41.6	74.2	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	79.5	72.3	85.3	83.4	82.5	84.2	77.7
SEX	Men	78.6	67.4	86.7	83.8	82.4	85.1	74.5
	Women	80.9	71.8	87.6	82.9	81.8	84.0	80.5
RACE/ETHNICITY	Non-Hisp. White	80.0	69.9	87.3	85.8	85.0	86.6	80.1
	Non-Hisp. Black	93.9	80.9	98.2	80.8	77.5	83.7	84.7
	Hispanic	69.3	56.4	79.9	77.2	74.1	80.1	65.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	79.9	64.0	89.9	86.1	84.8	87.3	
	Non-Hisp. White Women	80.0	67.4	88.6	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women				78.5	73.8	82.5	82.2
	Hispanic Men	66.0	48.2	80.1	77.5	72.5	81.7	78.1
AGE GROUP	Hispanic Women	74.8	57.5	86.7	77.0	73.0	80.6	
	18-44	85.5	78.0	90.8	89.5	88.1	90.8	89.9
	45-64	87.4	81.3	91.7	80.4	78.8	81.8	57.0 *
EDUCATION LEVEL	65 & Older	57.2	39.6	73.1	75.2 *	73.6	76.8	79.4
	<High School	63.7	50.5	75.1	66.1	62.5	69.4	64.2
	H.S./GED	80.5	68.1	88.9	79.0	77.1	80.8	82.5
	>High School	86.5	72.9	93.8	88.1	87.1	89.0	78.8
ANNUAL INCOME	<\$25,000	64.8	54.1	74.2	65.7	63.2	68.1	64.4
	\$25,000-\$49,999	87.7	79.0	93.1	83.9	82.3	85.4	83.3
	\$50,000 or More	88.4	67.3	96.6	93.3	92.2	94.2	95.3
MARITAL STATUS	Married/Couple	74.3	63.6	82.7	85.1 *	84.0	86.1	78.2
	Not Married/Couple	86.8	79.1	91.9	80.3	78.7	81.7	77.5

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	92.3	85.2	96.1	94.2	93.6	94.8	
SEX	Men	95.7	87.6	98.6	94.0	92.9	94.9	
	Women	87.5	73.7	94.6	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	91.5	82.5	96.1	94.9	94.3	95.4	
	Non-Hisp. Black	99.8	98.2	100.0	93.0 *	91.0	94.7	
	Hispanic	90.3	65.0	97.9	93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.7	82.0	98.0	94.8	93.9	95.6	
	Non-Hisp. White Women	88.4	71.5	95.9	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men	100.0			93.0	87.9	96.0	
AGE GROUP	Hispanic Women	75.4	37.7	93.9	94.0	91.3	95.9	
	18-44	97.4	94.6	98.8	94.6	93.4	95.6	
	45-64	85.7	66.6	94.8	92.7	91.7	93.6	
EDUCATION LEVEL	65 & Older	87.9	63.8	96.7	95.8	95.0	96.5	
	<High School	97.2	93.6	98.8	91.7 *	89.7	93.4	
	H.S./GED	90.6	75.3	96.8	92.7	91.1	94.1	
	>High School	92.0	79.3	97.2	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	96.8	94.3	98.2	87.8 *	86.0	89.3	
	\$25,000-\$49,999	90.2	72.7	96.9	94.8	93.6	95.8	
	\$50,000 or More	93.6	78.1	98.4	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	93.1	83.7	97.2	96.4	95.7	96.9	
	Not Married/Couple	91.3	77.4	97.0	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL	Overall	79.2	72.0	84.9	77.9	76.8	79.0
	SEX	Men	76.7	64.8	85.5	76.6	74.7	78.3
		Women	82.6	76.5	87.4	79.2	77.9	80.5
	RACE/ETHNICITY	Non-Hisp. White	82.5	73.1	89.1	82.3	81.3	83.3
		Non-Hisp. Black	92.5	78.1	97.7	67.0 *	62.7	71.0
		Hispanic	60.1	45.6	73.0	68.5	64.6	72.2
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.4	65.7	92.0	81.2	79.6	82.8
		Non-Hisp. White Women	82.6	74.9	88.3	83.4	82.2	84.5
		Non-Hisp. Black Men				65.3	58.1	71.9
		Non-Hisp. Black Women				68.1	62.7	73.0
		Hispanic Men	47.8	30.6	65.6	64.7	58.2	70.6
	AGE GROUP	Hispanic Women	79.6	64.4	89.4	72.3	67.9	76.4
		18-44	76.2	64.4	85.0	78.2	76.1	80.1
		45-64	79.1	64.9	88.5	78.1	76.5	79.6
	EDUCATION LEVEL	65 & Older	86.3	77.8	91.9	77.4	75.9	78.9
		<High School	61.9	47.7	74.4	63.3	59.3	67.0
		H.S./GED	80.1	70.5	87.1	71.9	69.5	74.2
	ANNUAL INCOME	>High School	84.5	70.8	92.4	82.9	81.6	84.1
		<\$25,000	71.3	61.0	79.8	63.4	60.7	66.1
		\$25,000-\$49,999	78.1	59.7	89.5	76.0	73.8	78.0
	MARITAL STATUS	\$50,000 or More	86.8	72.7	94.2	87.1	85.6	88.5
		Married/Couple	80.9	73.7	86.4	83.1	81.9	84.3
		Not Married/Couple	76.9	62.5	86.9	68.9	66.8	70.9

Percentage of adults with good physical health

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL	Overall	91.4	86.6	94.6	88.8	88.1	89.5
	SEX	Men	94.0	89.9	96.5	89.8	88.7	90.8
		Women	87.8	77.4	93.8	87.8	86.9	88.7
	RACE/ETHNICITY	Non-Hisp. White	89.7	82.7	94.0	88.5	87.7	89.2
		Non-Hisp. Black	93.8	74.3	98.7	88.0	85.5	90.1
		Hispanic	96.1	91.0	98.4	90.6	88.5	92.3
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.3	86.1	95.9	89.6	88.4	90.7
		Non-Hisp. White Women	86.0	71.6	93.8	87.4	86.4	88.4
		Non-Hisp. Black Men				89.1	85.2	92.0
		Non-Hisp. Black Women				87.3	83.9	90.0
		Hispanic Men	96.6	88.5	99.0	91.4	87.8	94.0
	AGE GROUP	Hispanic Women	95.3	86.0	98.5	89.8	87.3	91.9
		18-44	96.7	92.2	98.6	92.5	91.4	93.5
		45-64	90.4	84.1	94.4	86.5	85.2	87.6
	EDUCATION LEVEL	65 & Older	80.3	62.7	90.8	84.3	82.9	85.5
		<High School	88.0	76.1	94.4	82.6	80.1	84.8
		H.S./GED	88.2	75.0	94.9	86.6	85.1	87.9
	ANNUAL INCOME	>High School	94.9	91.3	97.1	90.8	89.9	91.6
		<\$25,000	85.1	76.7	90.8	80.3	78.5	82.0
		\$25,000-\$49,999	95.9	92.5	97.8	89.1 *	87.7	90.3
	MARITAL STATUS	\$50,000 or More	98.0	95.4	99.2	93.5 *	92.5	94.4
		Married/Couple	90.5	82.5	95.0	90.4	89.5	91.1
		Not Married/Couple	92.7	87.0	96.1	86.1	84.8	87.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	92.7	86.0	96.3	90.3	89.6	91.0	
SEX	Men	91.0	79.0	96.5	91.9	90.9	92.9	
	Women	95.1	91.5	97.2	88.7 *	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	95.1	92.4	96.9	90.9 *	90.2	91.6	
	Non-Hisp. Black	70.7	29.6	93.3	87.2	83.8	90.0	
	Hispanic	94.4	83.8	98.2	89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	95.3	91.1	97.6	92.2	91.2	93.2	
	Non-Hisp. White Women	94.9	90.8	97.2	89.7 *	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women				85.2	80.1	89.2	
	Hispanic Men	91.7	75.2	97.6	92.0	88.2	94.6	
AGE GROUP	Hispanic Women	98.9	94.5	99.8	87.7 *	84.2	90.5	
	18-44	91.0	76.9	96.9	88.9	87.5	90.1	
	45-64	91.7	85.6	95.4	89.2	88.2	90.3	
EDUCATION LEVEL	65 & Older	97.4	95.2	98.6	94.5	93.6	95.2	
	<High School	94.1	84.2	98.0	84.2	81.0	87.0	
	H.S./GED	94.9	90.1	97.4	89.0	87.6	90.3	
ANNUAL INCOME	>High School	90.3	75.5	96.6	91.8	90.9	92.6	
	<\$25,000	95.1	92.1	97.0	83.9 *	81.9	85.8	
	\$25,000-\$49,999	94.6	89.1	97.4	88.7	87.1	90.1	
MARITAL STATUS	\$50,000 or More	90.0	67.1	97.5	94.3	93.4	95.1	
	Married/Couple	94.5	90.6	96.8	92.0	91.2	92.8	
	Not Married/Couple	90.2	73.4	96.8	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.8	1.4	6.1	4.5	4.2	4.7	
SEX	Men	2.9	0.9	4.9	4.6	4.1	5.0	
	Women	4.7	0.5	8.9	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	4.4	1.3	7.5	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic	1.9	-0.6	4.4	3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	0.9	6.7	4.6	4.1	5.1	
	Non-Hisp. White Women	5.0	-0.5	10.5	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
AGE GROUP	Hispanic Women				4.0	3.1	5.0	
	18-44	2.2	0.2	4.2	3.4	3.0	3.9	
	45-64	4.0	1.3	6.6	5.1	4.7	5.6	
EDUCATION LEVEL	65 & Older	6.3	-0.9	13.4	5.8	5.2	6.4	
	<High School	5.7	0.5	10.9	6.2	5.2	7.1	
	H.S./GED	5.6	-0.1	11.2	5.4	4.9	6.0	
ANNUAL INCOME	>High School	1.9	0.9	2.8	3.8 *	3.4	4.1	
	<\$25,000	6.0	2.4	9.6	7.5	6.8	8.2	
	\$25,000-\$49,999	1.5	0.5	2.5	4.4 *	3.9	4.9	
MARITAL STATUS	\$50,000 or More	0.8	0.2	1.3	2.5 *	2.2	2.8	
	Married/Couple	4.6	1.1	8.1	4.0	3.7	4.3	
	Not Married/Couple	2.5	0.3	4.8	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.0	1.8	4.2	3.6	3.4	3.8	
SEX	Men	2.3	1.2	3.3	3.3	3.0	3.6	
	Women	4.0	1.6	6.3	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	3.5	1.8	5.1	3.7	3.5	3.8	
	Non-Hisp. Black	2.2	-0.8	5.2	4.1	3.5	4.8	
	Hispanic	1.5	0.4	2.6	3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.7	1.2	4.2	3.4	3.1	3.7	
	Non-Hisp. White Women	4.5	1.4	7.7	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men	1.6	-0.2	3.5	2.7	1.9	3.5	
	Hispanic Women	1.3	0.3	2.4	3.3 *	2.7	4.0	
AGE GROUP	18-44	1.3	0.4	2.2	2.7 *	2.4	2.9	
	45-64	2.9	1.5	4.4	4.2	3.9	4.5	
	65 & Older	6.7	2.8	10.7	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	4.3	1.3	7.4	5.5	4.8	6.2	
	H.S./GED	3.7	0.8	6.7	4.3	3.9	4.7	
	>High School	2.1	1.2	3.0	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	5.0	2.8	7.3	6.3	5.8	6.8	
	\$25,000-\$49,999	1.7	1.0	2.4	3.5 *	3.2	3.8	
	\$50,000 or More	1.1	0.3	1.9	2.3 *	2.0	2.5	
MARITAL STATUS	Married/Couple	3.5	1.6	5.4	3.2	3.0	3.4	
	Not Married/Couple	2.3	1.0	3.7	4.4 *	4.0	4.7	

Average number of unhealthy mental days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.6	1.1	4.1	3.3	3.1	3.5	
SEX	Men	2.9	0.3	5.5	2.8	2.5	3.1	
	Women	2.3	1.4	3.1	3.7 *	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	1.9	1.2	2.6	3.1 *	2.9	3.2	
	Non-Hisp. Black	8.6	-2.3	19.6	4.1	3.2	5.0	
	Hispanic	2.5	0.8	4.2	3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.3	0.6	2.0	2.7 *	2.4	2.9	
	Non-Hisp. White Women	2.6	1.5	3.8	3.4	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men	3.6	0.6	6.7	3.0	1.9	4.0	
	Hispanic Women	1.2	0.4	1.9	4.0 *	3.1	5.0	
AGE GROUP	18-44	3.3	0.4	6.2	3.8	3.4	4.2	
	45-64	2.4	1.4	3.5	3.5	3.2	3.8	
	65 & Older	1.5	0.1	2.8	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	1.8	0.6	3.0	5.2 *	4.3	6.1	
	H.S./GED	2.3	1.2	3.5	3.7	3.3	4.1	
	>High School	3.1	0.2	6.0	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	2.0	1.3	2.8	5.2 *	4.6	5.7	
	\$25,000-\$49,999	2.2	1.2	3.1	3.6 *	3.2	4.0	
	\$50,000 or More	3.0	-1.0	6.9	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	2.2	1.4	3.0	2.7	2.5	2.9	
	Not Married/Couple	3.2	0.0	6.5	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.6	37.9	59.3	49.1	47.6	50.6	59.7
SEX	Men	46.2	30.7	62.5	46.4	44.0	48.8	57.6
	Women	52.4	41.7	62.9	51.8	50.0	53.7	61.7
RACE/ETHNICITY	Non-Hisp. White	51.5	36.6	66.1	45.3	43.6	47.0	50.6
	Non-Hisp. Black	65.5	36.1	86.5	68.4	63.9	72.6	
	Hispanic	32.1	19.8	47.6	50.7	46.5	54.9	67.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.5	33.0	74.4	45.2	42.6	47.8	
	Non-Hisp. White Women	46.2	33.6	59.3	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	46.8
	Hispanic Men	13.1	6.1	26.1	44.2 *	37.8	50.8	54.3 *
	Hispanic Women	62.6	42.1	79.3	57.5	52.4	62.5	
AGE GROUP	18-44	55.4	42.0	68.1	58.5	56.3	60.7	67.8
	45-64	34.2	21.6	49.6	35.9	34.2	37.7	40.7
	65 & Older							
EDUCATION LEVEL	<High School	32.6	21.4	46.1	48.1	43.0	53.3	33.6
	H.S./GED	48.8	31.7	66.2	46.9	43.8	50.0	61.7
	>High School	56.1	39.1	71.8	50.2	48.4	52.1	68.8
ANNUAL INCOME	<\$25,000	37.2	25.9	50.1	54.1 *	50.5	57.7	63.2
	\$25,000-\$49,999	57.9	37.7	75.7	48.0	45.1	51.0	56.3
	\$50,000 or More	58.4	37.2	77.0	49.5	47.3	51.7	58.5
MARITAL STATUS	Married/Couple	39.1	29.4	49.8	47.7	45.9	49.5	44.7
	Not Married/Couple	58.9	41.4	74.4	51.7	48.9	54.4	73.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	24.6	18.7	31.7	28.2	27.2	29.2	39.7
SEX	Men	24.2	16.1	34.8	28.8	27.2	30.4	39.4
	Women	25.2	18.0	34.1	27.6	26.4	28.8	40.0
RACE/ETHNICITY	Non-Hisp. White	28.5	20.8	37.6	30.4	29.3	31.5	39.0
	Non-Hisp. Black	17.6	5.9	42.3	32.5	28.9	36.3	26.8
	Hispanic	14.8	5.2	35.4	19.1	16.5	22.1	54.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.0	17.6	43.8	31.0	29.3	32.7	
	Non-Hisp. White Women	27.7	19.9	37.1	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women				33.6	29.1	38.4	34.2
	Hispanic Men	10.0	2.7	30.8	20.9	16.7	25.9	43.5
	Hispanic Women	22.8	5.1	61.8	17.3	14.3	20.8	
AGE GROUP	18-44	7.2	3.8	13.3	11.6	10.3	13.1	13.3
	45-64	42.5	28.9	57.3	33.9	32.3	35.5	54.0
	65 & Older	43.6	29.1	59.3	53.5	51.8	55.3	64.6
EDUCATION LEVEL	<High School	21.4	12.0	35.3	31.9	28.7	35.3	35.0
	H.S./GED	21.1	14.1	30.4	29.5	27.6	31.3	39.4
	>High School	28.6	18.4	41.6	27.0	25.8	28.3	41.4
ANNUAL INCOME	<\$25,000	26.0	17.3	37.1	35.3	33.0	37.6	53.1
	\$25,000-\$49,999	28.9	17.3	44.3	29.2	27.3	31.1	40.7
	\$50,000 or More	22.6	12.2	38.0	23.2	21.7	24.8	28.3
MARITAL STATUS	Married/Couple	29.0	21.5	37.9	27.4	26.2	28.6	36.0
	Not Married/Couple	19.1	11.1	31.0	29.6	28.0	31.3	43.3

Percentage of adults with hypertension who engage in blood pressure control measures

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	96.1	86.9	98.9	96.4	95.5	97.2	
SEX	Men	93.6	78.1	98.4	95.9	94.1	97.1	
	Women	99.4	97.3	99.9	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	95.1	83.7	98.6	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.1	73.6	98.0	97.0	95.7	97.9	
	Non-Hisp. White Women	99.5	96.2	99.9	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44				90.0	85.5	93.2	
	45-64	98.6	95.7	99.5	96.9	95.7	97.9	
	65 & Older	99.7	97.6	100.0	98.8	98.1	99.2	
EDUCATION LEVEL	<High School	81.2	39.1	96.7	94.3	90.6	96.6	
	H.S./GED	98.1	94.1	99.4	96.2	94.2	97.5	
	>High School	99.2	97.2	99.8	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	89.4	61.2	97.8	96.2	94.1	97.6	
	\$25,000-\$49,999	99.7	97.7	100.0	97.1	95.4	98.2	
	\$50,000 or More	98.8	94.7	99.7	96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	98.8	96.9	99.6	96.1	94.7	97.2	
	Not Married/Couple	90.5	64.3	98.1	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with hypertension who were advised by a health care provider to engage in control measures

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	97.0	91.3	99.0	95.5	94.4	96.4	
SEX	Men	98.2	94.7	99.4	95.6	94.1	96.7	
	Women	95.4	81.0	99.0	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	98.5	96.5	99.4	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	98.4	94.7	99.5	96.7	95.5	97.6	
	Non-Hisp. White Women	98.6	95.5	99.6	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44				89.8	84.5	93.5	
	45-64	94.5	82.0	98.5	96.3	94.8	97.4	
	65 & Older	99.4	96.0	99.9	97.2	96.2	98.0	
EDUCATION LEVEL	<High School	96.8	85.7	99.4	93.7	90.5	95.9	
	H.S./GED	97.7	93.5	99.2	95.5	92.3	97.4	
	>High School	96.5	83.0	99.4	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	97.8	92.4	99.4	94.4	90.9	96.6	
	\$25,000-\$49,999	98.7	93.7	99.7	95.5	93.4	96.9	
	\$50,000 or More	93.1	71.0	98.7	96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	96.8	86.5	99.3	95.7	94.4	96.8	
	Not Married/Couple	97.3	92.3	99.1	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults in high-risk groups who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	54.4	34.5	73.0	44.6	42.4	46.8	
SEX	Men	50.2	23.2	77.1	46.4	42.8	50.1	
	Women	60.9	39.9	78.5	43.2	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	54.2	31.1	75.7	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.1	18.8	81.4	50.3	46.3	54.4	
	Non-Hisp. White Women	59.9	36.0	79.9	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44	27.5	7.9	62.6	25.1	21.4	29.2	
	45-64	36.2	15.9	62.9	41.6	38.4	44.9	
	65 & Older	84.3	63.7	94.2	72.1	68.9	75.1	
EDUCATION LEVEL	<High School	34.3	14.9	60.8	34.6	28.9	40.9	
	H.S./GED	68.2	42.1	86.4	42.8	38.6	47.2	
	>High School	51.0	24.4	77.1	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	45.9	25.3	68.0	41.8	37.6	46.2	
	\$25,000-\$49,999	34.0	10.7	68.8	44.1	40.1	48.1	
	\$50,000 or More	60.3	24.5	87.7	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	79.5	63.9	89.5	46.4 *	43.6	49.1	
	Not Married/Couple	24.7	9.9	49.5	42.0	38.5	45.6	

Percentage of adults in high-risk groups who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.0	35.2	73.3	37.0	35.0	39.1	
SEX	Men	54.8	26.8	80.1	40.4	36.9	44.0	
	Women	55.3	33.4	75.4	34.7	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	60.8	37.3	80.1	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	59.8	25.2	86.7	45.3	41.4	49.4	
	Non-Hisp. White Women	62.2	39.0	80.9	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44	15.7	2.6	56.4	12.7	10.0	16.1	
	45-64	39.9	15.3	70.9	30.1	27.3	33.1	
	65 & Older	91.6	81.3	96.5	73.5 *	70.4	76.5	
EDUCATION LEVEL	<High School	30.7	12.9	57.0	38.8	32.3	45.8	
	H.S./GED	69.0	44.0	86.3	38.9 *	34.9	43.0	
	>High School	51.8	25.1	77.6	36.0	33.5	38.5	
ANNUAL INCOME	<\$25,000	47.5	26.5	69.4	41.6	37.5	45.9	
	\$25,000-\$49,999	20.2	7.1	45.6	41.1	37.2	45.1	
	\$50,000 or More	69.4	36.9	89.8	28.5 *	25.4	31.8	
MARITAL STATUS	Married/Couple	68.3	45.9	84.6	37.6 *	35.0	40.2	
	Not Married/Couple	39.2	16.3	68.1	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	32.8	25.3	41.4	32.7	31.7	33.7	37.2
SEX	Men	29.1	18.9	42.1	31.7	30.1	33.3	34.9
	Women	38.1	29.0	48.2	33.6	32.3	34.9	39.2
RACE/ETHNICITY	Non-Hisp. White	33.0	23.9	43.6	38.0	36.8	39.2	31.6
	Non-Hisp. Black	50.8	24.1	77.0	23.0	19.9	26.3	53.5
	Hispanic	23.8	12.8	39.8	20.6	17.9	23.6	32.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.3	14.0	41.4	36.5	34.7	38.4	
	Non-Hisp. White Women	43.7	32.8	55.1	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women				23.0	19.3	27.1	35.2
	Hispanic Men	17.3	8.6	31.9	19.5	15.6	24.2	28.2
AGE GROUP	Hispanic Women	34.6	13.9	63.4	21.7	18.2	25.7	
	18-44	17.9	9.9	30.2	18.3	16.7	20.0	18.0
	45-64	24.8	14.7	38.9	30.6	29.1	32.2	18.6
EDUCATION LEVEL	65 & Older	75.1	63.5	83.9	64.6	62.9	66.4	68.0
	<High School	23.6	14.4	36.3	26.0	23.2	29.0	21.1
	H.S./GED	28.5	18.4	41.3	30.4	28.6	32.3	41.7
	>High School	39.5	26.4	54.3	34.8	33.5	36.2	38.9
ANNUAL INCOME	<\$25,000	34.5	24.8	45.7	33.8	31.5	36.3	40.4
	\$25,000-\$49,999	28.1	17.1	42.6	31.3	29.4	33.3	31.1
	\$50,000 or More	34.3	18.6	54.2	31.9	30.3	33.6	23.0
MARITAL STATUS	Married/Couple	35.7	26.5	46.1	33.3	32.0	34.6	35.0
	Not Married/Couple	29.4	18.0	44.2	31.8	30.0	33.6	39.4

Percentage of adults age 65 and older who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.1	63.5	83.9	64.6	62.9	66.4	68.0
SEX	Men	84.1	71.7	91.7	65.9 *	63.1	68.5	73.5
	Women	67.3	50.3	80.7	63.7	61.4	65.9	64.0
RACE/ETHNICITY	Non-Hisp. White	75.4	63.3	84.5	68.3	66.5	70.0	60.9
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.9	71.8	92.5	69.3	66.5	71.9	
	Non-Hisp. White Women	67.5	50.1	81.2	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	73.7
	Hispanic Men				47.4	34.6	60.5	49.1
AGE GROUP	Hispanic Women				43.7	33.9	54.1	
	18-44							
	45-64							
EDUCATION LEVEL	65 & Older	75.1	63.5	83.9	64.6	62.9	66.4	68.0
	<High School	80.3	60.9	91.4	50.8 *	45.3	56.3	
	H.S./GED	66.8	47.8	81.6	62.1	59.0	65.1	80.9
	>High School	80.7	61.6	91.6	69.4	67.1	71.6	57.6
ANNUAL INCOME	<\$25,000	69.2	50.4	83.2	59.8	56.6	63.0	74.3
	\$25,000-\$49,999	70.9	55.6	82.5	63.7	60.4	67.0	82.5
	\$50,000 or More	80.9	51.7	94.4	70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	79.7	65.9	88.9	68.5	66.1	70.7	74.1
	Not Married/Couple	65.4	46.8	80.2	59.3	56.6	61.9	60.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.6	21.1	37.5	25.9	25.0	26.9	37.1
SEX	Men	31.1	19.9	45.0	25.6	24.1	27.2	29.0
	Women	25.3	17.3	35.3	26.2	25.0	27.4	44.2
RACE/ETHNICITY	Non-Hisp. White	32.7	23.2	43.8	30.0	28.9	31.1	36.4
	Non-Hisp. Black	37.9	13.0	71.4	17.5	14.9	20.5	10.3
	Hispanic	12.3	5.4	25.8	16.1	13.5	19.2	35.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.3	17.8	48.9	28.6	26.9	30.3	
	Non-Hisp. White Women	34.5	23.9	46.9	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women				15.8	12.8	19.3	35.8
	Hispanic Men	15.8	6.0	35.9	17.3	13.1	22.5	36.9
	Hispanic Women	6.5	1.9	20.2	15.0	12.0	18.5	
AGE GROUP	18-44	14.7	6.8	28.9	11.4	10.0	13.0	13.7
	45-64	12.3	5.3	25.7	18.4	17.1	19.8	14.5
	65 & Older	75.3	63.7	84.1	63.0	61.2	64.8	77.1
EDUCATION LEVEL	<High School	27.9	16.4	43.2	25.1	22.4	28.1	20.9
	H.S./GED	26.5	16.6	39.5	27.7	25.8	29.8	35.8
	>High School	31.2	19.0	46.8	25.2	24.1	26.4	44.4
ANNUAL INCOME	<\$25,000	32.6	22.5	44.5	31.6	29.4	33.8	34.7
	\$25,000-\$49,999	17.3	10.7	26.7	26.8	25.0	28.6	25.9
	\$50,000 or More	31.5	16.1	52.5	19.5	18.1	21.1	41.8
MARITAL STATUS	Married/Couple	30.6	21.4	41.7	24.8	23.6	26.0	31.3
	Not Married/Couple	26.1	14.9	41.8	27.9	26.3	29.6	43.7

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.3	63.7	84.1	63.0	61.2	64.8	77.1
SEX	Men	83.2	68.7	91.8	62.8 *	60.0	65.5	76.7
	Women	68.4	51.8	81.3	63.2	60.8	65.4	77.4
RACE/ETHNICITY	Non-Hisp. White	77.6	66.1	86.1	67.7	65.9	69.4	75.4
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.1	75.6	93.7	67.0 *	64.3	69.6	
	Non-Hisp. White Women	69.9	52.9	82.7	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	79.6
	Hispanic Men				33.4	22.6	46.4	71.8
	Hispanic Women				33.3	24.4	43.6	
AGE GROUP	18-44							
	45-64							
	65 & Older	75.3	63.7	84.1	63.0	61.2	64.8	77.1
EDUCATION LEVEL	<High School	80.0	59.8	91.5	51.3 *	45.8	56.8	
	H.S./GED	69.5	52.0	82.8	61.3	58.1	64.3	79.0
	>High School	81.8	61.7	92.6	67.0	64.6	69.2	83.7
ANNUAL INCOME	<\$25,000	64.8	46.5	79.5	60.2	56.8	63.4	76.0
	\$25,000-\$49,999	80.8	68.3	89.2	64.4 *	61.1	67.7	82.5
	\$50,000 or More	78.1	47.7	93.3	64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	79.6	65.4	88.9	64.4	62.0	66.8	71.5
	Not Married/Couple	65.8	47.3	80.5	61.0	58.3	63.7	84.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who were at risk and who have received a hepatitis B vaccination

		2007 County		2007 State		2002 County Measure
		Measure	95% CI	Measure	95% CI	
ALL	Overall			43.8	37.6 50.2	
SEX	Men			43.1	35.4 51.1	
	Women			45.7	35.9 55.8	
RACE/ETHNICITY	Non-Hisp. White			44.2	37.1 51.6	
	Non-Hisp. Black			46.1	31.7 61.1	
	Hispanic			41.5	21.0 65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men			42.3	33.6 51.6	
	Non-Hisp. White Women			50.8	41.5 60.0	
	Non-Hisp. Black Men			39.8	24.2 57.8	
	Non-Hisp. Black Women			51.6	29.2 73.4	
	Hispanic Men			47.5	21.9 74.5	
	Hispanic Women			18.9	6.8 42.9	
AGE GROUP	18-44			50.3	41.7 59.0	
	45-64			34.0	26.5 42.4	
	65 & Older			10.9	5.3 21.1	
EDUCATION LEVEL	<High School			46.1	28.9 64.4	
	H.S./GED			42.9	31.2 55.4	
	>High School			44.1	36.5 52.0	
ANNUAL INCOME	<\$25,000			36.5	26.8 47.4	
	\$25,000-\$49,999			46.5	36.0 57.4	
	\$50,000 or More			46.2	35.0 57.8	
MARITAL STATUS	Married/Couple			42.5	32.7 53.0	
	Not Married/Couple			44.6	36.9 52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	44.2	35.0	53.9	38.0	36.8	39.2	37.5
SEX	Men	44.1	30.4	58.7	46.0	44.1	48.0	41.1
	Women	44.5	34.6	54.8	30.2 *	28.8	31.6	33.7
RACE/ETHNICITY	Non-Hisp. White	48.4	37.0	60.0	38.2	37.0	39.5	42.0
	Non-Hisp. Black	10.5	3.0	30.9	36.4 *	32.5	40.5	29.0
	Hispanic	47.5	31.0	64.6	37.5	33.8	41.3	24.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.9	31.6	66.5	46.3	44.3	48.4	
	Non-Hisp. White Women	47.7	36.6	59.0	30.2 *	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	48.4
	Hispanic Men	40.3	23.1	60.3	46.6	40.7	52.7	35.6
AGE GROUP	Hispanic Women	59.7	32.9	81.7	28.2 *	24.3	32.4	
	18-44	42.7	28.2	58.6	36.4	34.2	38.6	29.7
	45-64	29.1	18.5	42.7	38.4	36.7	40.2	35.2
EDUCATION LEVEL	65 & Older	63.5	49.2	75.8	40.6 *	38.9	42.4	48.5
	<High School	41.3	27.8	56.3	37.5	33.7	41.4	43.3
	H.S./GED	43.1	30.0	57.2	37.2	35.0	39.6	34.0
	>High School	45.8	31.0	61.4	38.4	36.9	39.9	38.6
ANNUAL INCOME	<\$25,000	37.6	27.0	49.6	34.9	32.3	37.5	21.9
	\$25,000-\$49,999	42.0	26.7	59.0	39.0	36.7	41.4	49.1
	\$50,000 or More	49.8	31.1	68.6	40.4	38.5	42.4	45.3
MARITAL STATUS	Married/Couple	42.9	32.8	53.5	40.2	38.7	41.7	49.5
	Not Married/Couple	46.0	29.9	62.9	34.2	32.2	36.2	25.1

Percentage of adults who are obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	32.7	24.6	41.9	24.1	23.1	25.1	20.4
SEX	Men	36.7	24.4	51.0	25.2	23.6	26.9	25.6
	Women	26.9	19.3	36.1	23.0	21.8	24.3	14.8
RACE/ETHNICITY	Non-Hisp. White	32.3	22.4	44.1	22.3	21.3	23.3	17.2
	Non-Hisp. Black	36.7	15.1	65.4	34.7	30.9	38.8	13.8
	Hispanic	31.6	18.6	48.3	26.5	23.2	30.1	35.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.6	23.2	56.8	24.6	23.0	26.4	
	Non-Hisp. White Women	23.4	15.5	33.7	19.9	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	18.6
	Hispanic Men	37.6	20.3	58.8	26.9	21.7	32.8	15.8
AGE GROUP	Hispanic Women	21.5	9.3	42.3	26.1	22.3	30.4	
	18-44	34.4	21.9	49.6	23.1	21.3	25.0	13.0 *
	45-64	45.1	30.4	60.7	28.1 *	26.5	29.7	40.6
EDUCATION LEVEL	65 & Older	15.8	9.5	25.2	20.6	19.2	22.0	9.5
	<High School	40.7	27.3	55.7	30.7	27.2	34.4	24.2
	H.S./GED	38.7	24.5	55.1	24.8	22.9	26.8	14.1 *
	>High School	26.1	16.2	39.2	22.8	21.5	24.1	25.4
ANNUAL INCOME	<\$25,000	33.6	23.3	45.9	26.5	24.5	28.7	29.7
	\$25,000-\$49,999	37.8	22.5	56.1	25.7	23.6	27.9	15.7
	\$50,000 or More	29.3	15.4	48.6	22.6	21.0	24.3	12.3
MARITAL STATUS	Married/Couple	34.8	25.3	45.6	24.1	22.9	25.4	18.8 *
	Not Married/Couple	29.9	17.4	46.5	23.9	22.2	25.8	22.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.9	69.4	83.0	62.1 *	60.9	63.2	58.0 *
SEX	Men	80.7	68.5	89.0	71.2	69.5	72.9	66.7
	Women	71.4	63.1	78.4	53.2 *	51.6	54.7	48.5
RACE/ETHNICITY	Non-Hisp. White	80.7	73.8	86.2	60.5 *	59.2	61.8	59.2 *
	Non-Hisp. Black	47.1	20.6	75.4	71.1	66.6	75.3	42.8
	Hispanic	79.2	65.0	88.6	64.0	60.2	67.6	60.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.6	77.8	93.4	71.0 *	69.1	72.8	
	Non-Hisp. White Women	71.1	61.8	78.9	50.1 *	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	67.0
	Hispanic Men	78.0	58.2	90.0	73.5	68.0	78.3	51.4
	Hispanic Women	81.2	60.6	92.3	54.3 *	49.4	59.2	
AGE GROUP	18-44	77.2	63.7	86.7	59.4 *	57.2	61.6	42.7 *
	45-64	74.2	61.2	84.0	66.5	64.8	68.2	75.9
	65 & Older	79.3	67.8	87.5	61.2 *	59.5	62.9	58.0
EDUCATION LEVEL	<High School	82.0	72.8	88.6	68.2 *	64.1	72.0	67.5
	H.S./GED	81.7	72.3	88.5	62.0 *	59.7	64.3	48.1 *
	>High School	72.0	58.3	82.5	61.2	59.7	62.6	64.1
ANNUAL INCOME	<\$25,000	71.3	59.6	80.6	61.4	58.7	64.0	51.5
	\$25,000-\$49,999	79.8	67.1	88.4	64.7 *	62.5	66.9	64.8
	\$50,000 or More	79.1	61.5	90.0	63.0	61.1	64.8	57.6
MARITAL STATUS	Married/Couple	77.6	69.7	84.0	64.3 *	62.9	65.7	68.3
	Not Married/Couple	75.9	61.2	86.3	58.1 *	56.0	60.2	47.1

Percentage of adults whose body weight increased by five pounds or more in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.9	15.8	29.4	22.4	21.3	23.5	
SEX	Men	17.5	9.8	29.2	21.4	19.8	23.2	
	Women	28.2	20.5	37.5	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	20.0	13.0	29.5	19.2	18.1	20.3	
	Non-Hisp. Black	17.0	4.5	46.7	34.9	30.7	39.4	
	Hispanic	34.3	21.1	50.5	27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.6	6.8	31.9	19.0	17.3	20.7	
	Non-Hisp. White Women	26.1	17.8	36.5	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men	36.1	19.2	57.3	26.3	21.3	32.1	
	Hispanic Women	31.4	14.2	55.8	27.6	23.7	31.9	
AGE GROUP	18-44	21.9	14.1	32.2	30.2	28.2	32.3	
	45-64	29.2	15.9	47.5	18.3	17.0	19.7	
	65 & Older	12.7	6.6	23.1	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	32.3	20.2	47.5	27.7	23.9	32.0	
	H.S./GED	28.1	16.5	43.6	25.2	23.1	27.4	
	>High School	13.3	7.7	22.0	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	37.5	26.7	49.6	23.0 *	20.8	25.3	
	\$25,000-\$49,999	13.4	7.9	21.8	24.7 *	22.5	27.1	
	\$50,000 or More	16.9	6.8	36.3	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	23.4	15.4	33.9	21.7	20.5	23.0	
	Not Married/Couple	19.9	12.0	31.2	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults whose body weight decreased by five pounds or more in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.4	18.5	38.4	23.0	22.0	24.1	
SEX	Men	32.6	19.3	49.5	22.5	20.9	24.2	
	Women	19.8	13.4	28.3	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	28.8	18.0	42.7	22.7	21.6	23.8	
	Non-Hisp. Black	37.0	10.9	73.9	24.8	21.5	28.5	
	Hispanic	17.9	9.0	32.4	23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.9	17.6	55.3	22.3	20.6	24.1	
	Non-Hisp. White Women	21.7	13.8	32.4	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men	22.3	9.6	43.6	22.9	17.9	28.8	
	Hispanic Women	10.7	4.6	23.0	23.9	20.0	28.2	
AGE GROUP	18-44	37.0	22.3	54.4	22.9	21.0	24.9	
	45-64	17.6	9.7	29.7	23.7	22.2	25.2	
	65 & Older	17.4	9.3	30.2	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	16.2	8.0	30.1	25.7	22.5	29.3	
	H.S./GED	22.3	10.9	40.2	22.1	20.2	24.1	
	>High School	35.1	20.8	52.7	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	14.8	8.7	24.1	27.3 *	24.8	30.0	
	\$25,000-\$49,999	34.5	18.9	54.3	23.1	21.2	25.2	
	\$50,000 or More	32.0	14.6	56.4	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	19.1	13.0	27.1	21.4	20.1	22.7	
	Not Married/Couple	37.9	21.7	57.4	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	30.2	23.0	38.7	25.4	24.4	26.5	38.5
SEX	Men	33.5	22.5	46.7	22.5	20.9	24.1	37.7
	Women	25.6	18.7	34.0	28.1	26.8	29.6	39.2
RACE/ETHNICITY	Non-Hisp. White	29.5	20.2	41.0	21.3	20.3	22.3	28.6
	Non-Hisp. Black	15.3	5.4	36.3	32.0	28.0	36.3	54.8
	Hispanic	42.6	30.1	56.1	37.0	33.5	40.6	69.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.9	18.7	51.2	18.3	16.9	19.8	
	Non-Hisp. White Women	24.8	16.6	35.4	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women				33.9	29.2	39.0	24.8
	Hispanic Men	51.6	34.7	68.1	33.1	28.0	38.7	32.3
	Hispanic Women	27.5	15.0	45.0	40.8	36.3	45.5	
AGE GROUP	18-44	32.1	21.3	45.3	22.8	21.0	24.8	37.0
	45-64	35.8	22.0	52.5	25.3	23.8	26.8	45.0
	65 & Older	19.9	12.6	30.0	30.9	29.3	32.5	41.1
EDUCATION LEVEL	<High School	41.5	29.4	54.6	49.2	45.3	53.0	43.4
	H.S./GED	42.6	28.7	57.7	33.6	31.4	35.8	44.2
	>High School	15.7	9.2	25.6	17.7	16.6	18.9	30.8
ANNUAL INCOME	<\$25,000	33.8	24.8	44.1	40.2	37.7	42.9	60.1
	\$25,000-\$49,999	34.0	18.9	53.3	28.3	26.2	30.5	32.4
	\$50,000 or More	22.1	10.4	40.8	13.9	12.5	15.3	20.3
MARITAL STATUS	Married/Couple	31.0	22.8	40.6	22.5	21.3	23.8	32.3
	Not Married/Couple	28.7	16.9	44.3	30.1	28.3	32.1	45.5

Percentage of adults who are inactive at work

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	58.6	44.9	71.1	64.5	62.8	66.1	49.7
SEX	Men	53.9	35.9	71.0	58.4	55.9	60.9	55.6
	Women	69.3	58.2	78.6	71.5	69.4	73.4	45.0
RACE/ETHNICITY	Non-Hisp. White	62.0	42.4	78.4	67.3	65.5	69.1	60.4
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic	32.4	18.5	50.2	56.9 *	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	57.0	30.9	79.8	61.7	59.0	64.4	
	Non-Hisp. White Women	71.7	59.0	81.6	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	63.1
	Hispanic Men	32.3	17.0	52.7	49.1	42.3	55.9	57.8
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	51.8	34.8	68.5	60.3	57.8	62.8	54.7
	45-64	74.4	59.9	85.0	69.6	67.5	71.6	60.3
	65 & Older	69.2	37.0	89.6	75.6	71.0	79.7	
EDUCATION LEVEL	<High School	36.1	19.6	56.6	50.2	43.4	57.1	40.0
	H.S./GED	54.2	34.0	73.0	51.1	47.6	54.6	64.2
	>High School	68.3	42.3	86.4	71.1	69.1	72.9	42.9
ANNUAL INCOME	<\$25,000	49.4	32.5	66.5	52.7	48.0	57.4	33.1
	\$25,000-\$49,999	60.9	36.4	81.0	56.5	53.1	59.8	43.9
	\$50,000 or More	66.8	38.3	86.7	71.4	69.2	73.6	82.2
MARITAL STATUS	Married/Couple	60.9	48.6	71.9	66.2	64.2	68.1	47.4
	Not Married/Couple	56.2	32.2	77.6	61.0	58.0	64.0	52.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who consume at least five servings of fruits and vegetables a day

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	23.4	17.6	30.4	26.2	25.2	27.3	25.3
SEX	Men	19.2	12.1	29.1	21.9	20.4	23.6	17.2
	Women	29.5	21.4	39.0	30.3	28.9	31.7	32.6
RACE/ETHNICITY	Non-Hisp. White	24.8	17.2	34.3	26.9	25.8	28.1	24.4
	Non-Hisp. Black	15.4	5.2	37.7	28.2	24.6	32.1	16.6
	Hispanic	23.0	14.6	34.3	22.1	19.1	25.4	12.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.9	10.8	33.6	22.7	21.0	24.6	
	Non-Hisp. White Women	31.6	21.5	43.7	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	19.1
	Hispanic Men	20.7	10.6	36.4	17.1	13.1	22.0	29.4
	Hispanic Women	26.8	14.0	45.1	27.0	22.9	31.6	
AGE GROUP	18-44	19.4	12.8	28.4	25.1	23.2	27.0	20.7
	45-64	24.4	14.1	38.8	26.4	24.8	28.0	21.7
	65 & Older	31.3	18.3	48.2	28.3	26.8	29.9	22.8
EDUCATION LEVEL	<High School	24.3	14.7	37.5	19.3	16.4	22.5	24.6
	H.S./GED	26.3	16.2	39.8	24.0	21.9	26.2	16.6
	>High School	21.5	13.6	32.3	28.4	27.0	29.7	33.0
ANNUAL INCOME	<\$25,000	22.4	14.8	32.5	24.8	22.7	27.1	12.3
	\$25,000-\$49,999	29.8	18.2	44.8	25.6	23.6	27.6	33.6
	\$50,000 or More	15.0	7.5	27.9	27.3	25.6	29.0	13.7
MARITAL STATUS	Married/Couple	29.3	21.6	38.3	25.6	24.4	26.9	27.1
	Not Married/Couple	15.8	8.6	27.2	27.4	25.5	29.4	23.8

Percentage of adults who meet moderate physical activity recommendations

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	34.4	25.9	43.9	34.6	33.5	35.8	31.4
SEX	Men	33.4	21.1	48.3	33.2	31.4	35.1	26.6
	Women	35.9	27.0	45.8	36.0	34.5	37.5	35.7
RACE/ETHNICITY	Non-Hisp. White	38.2	27.5	50.3	37.1	35.9	38.4	34.6
	Non-Hisp. Black	37.9	12.8	71.6	28.1	24.3	32.2	19.9
	Hispanic	20.6	11.6	33.9	27.7	24.3	31.3	10.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.9	18.7	53.3	35.6	33.6	37.5	
	Non-Hisp. White Women	44.4	33.3	56.1	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	35.1
	Hispanic Men	24.7	12.1	43.8	25.4	20.3	31.2	34.0
	Hispanic Women	13.9	6.6	27.0	30.0	25.8	34.5	
AGE GROUP	18-44	35.4	22.2	51.3	34.8	32.7	37.0	21.3
	45-64	31.7	21.0	44.8	35.7	34.0	37.5	31.5
	65 & Older	35.4	21.5	52.3	32.5	30.8	34.2	31.1
EDUCATION LEVEL	<High School	25.5	14.6	40.7	26.5	23.0	30.2	34.1
	H.S./GED	37.7	25.8	51.4	33.8	31.6	36.1	26.1
	>High School	36.0	22.0	52.9	36.2	34.8	37.7	35.4
ANNUAL INCOME	<\$25,000	31.1	22.1	41.7	31.2	28.8	33.8	21.3
	\$25,000-\$49,999	30.1	18.7	44.7	33.4	31.2	35.6	35.0
	\$50,000 or More	39.9	22.0	61.1	38.7	36.8	40.7	25.0
MARITAL STATUS	Married/Couple	32.7	24.5	42.2	35.3	33.8	36.7	35.1
	Not Married/Couple	36.6	21.7	54.7	33.5	31.5	35.6	27.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet vigorous physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.1	17.7	36.8	26.0	24.9	27.2	25.5
SEX	Men	30.6	18.0	46.9	29.6	27.7	31.5	28.9
	Women	19.8	12.6	29.6	22.7	21.4	24.2	22.2
RACE/ETHNICITY	Non-Hisp. White	26.3	16.0	40.0	26.9	25.7	28.2	20.3
	Non-Hisp. Black	34.3	9.9	71.2	21.3	17.8	25.2	51.0
	Hispanic	19.8	9.1	37.9	24.2	20.7	28.0	11.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.5	16.9	53.4	30.7	28.7	32.7	
	Non-Hisp. White Women	17.5	10.7	27.3	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	25.9
	Hispanic Men	11.6	4.8	25.8	28.7	23.0	35.1	14.9
	Hispanic Women	32.4	11.6	63.6	19.8	16.1	24.0	
AGE GROUP	18-44	27.8	15.1	45.5	34.5	32.3	36.7	28.0
	45-64	26.3	15.4	41.0	22.3	20.9	23.9	18.6
	65 & Older	22.7	9.1	46.1	14.0	12.8	15.3	15.9
EDUCATION LEVEL	<High School	13.4	6.1	27.0	16.1	12.9	20.0	23.1
	H.S./GED	17.0	10.2	26.8	20.6	18.6	22.8	24.7
	>High School	37.7	22.9	55.3	30.0	28.5	31.6	27.2
ANNUAL INCOME	<\$25,000	15.1	8.9	24.2	17.7	15.3	20.3	20.4
	\$25,000-\$49,999	23.2	12.7	38.5	23.3	21.3	25.5	26.8
	\$50,000 or More	40.0	21.4	62.0	33.7	31.8	35.7	17.7
MARITAL STATUS	Married/Couple	22.3	14.5	32.6	26.3	24.9	27.7	21.8
	Not Married/Couple	31.3	16.4	51.4	25.6	23.6	27.8	30.1

Sexual Violence

Percentage of adults who had an unwanted sexual experience in the past 12 months

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.1	4.4	21.6	6.7	6.1	7.4	
SEX	Men	13.0	4.4	32.5	2.9 *	2.2	3.9	
	Women	5.8	3.6	9.3	10.3 *	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	8.8	3.1	22.5	7.1	6.5	7.8	
	Non-Hisp. Black	30.6	5.9	75.6	7.2	5.2	9.7	
	Hispanic	4.4	0.9	19.5	4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.2	2.3	35.9	2.9	2.2	3.8	
	Non-Hisp. White Women	6.8	4.0	11.3	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men	5.7	0.8	31.1	3.2	1.0	9.2	
	Hispanic Women	2.3	0.3	15.3	5.8	3.9	8.7	
AGE GROUP	18-44	17.0	6.6	37.4	8.6	7.4	9.9	
	45-64	4.1	2.0	8.1	6.9	6.1	7.7	
	65 & Older	1.4	0.6	3.0	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	6.7	1.5	25.6	4.5	3.3	6.1	
	H.S./GED	13.0	3.4	38.6	6.2	4.9	7.8	
	>High School	9.0	2.6	27.1	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	6.6	2.7	15.3	8.3	6.9	9.9	
	\$25,000-\$49,999	15.3	3.9	44.9	7.0	6.0	8.1	
	\$50,000 or More	10.7	2.3	37.3	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	3.1	1.4	6.7	5.2	4.6	5.9	
	Not Married/Couple	18.7	7.1	41.1	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	21.2	14.7	29.5	19.3	18.3	20.3	23.6
SEX	Men	24.4	14.8	37.6	21.2	19.6	22.9	28.0
	Women	16.5	10.4	25.2	17.5	16.4	18.6	19.7
RACE/ETHNICITY	Non-Hisp. White	15.8	9.6	24.8	20.6	19.5	21.6	25.2
	Non-Hisp. Black	48.4	22.0	75.8	18.5	15.2	22.4	11.5
	Hispanic	24.7	12.6	42.7	16.0	13.2	19.1	29.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.4	8.2	33.4	21.5	19.8	23.3	
	Non-Hisp. White Women	13.5	9.2	19.5	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women				15.0	11.3	19.6	21.1
	Hispanic Men	26.2	12.9	45.9	19.9	15.4	25.4	29.1
	Hispanic Women	22.2	4.8	61.8	12.0	9.4	15.3	
AGE GROUP	18-44	22.2	13.2	35.0	22.1	20.4	24.0	26.7
	45-64	33.4	19.6	50.8	22.0	20.6	23.4	42.7
	65 & Older	5.5	3.3	8.8	9.7	8.7	10.8	5.7
EDUCATION LEVEL	<High School	24.6	14.2	39.2	28.6	25.2	32.2	29.7
	H.S./GED	21.8	11.4	37.6	25.0	22.9	27.1	14.8
	>High School	20.3	11.1	34.2	15.3	14.2	16.4	29.6
ANNUAL INCOME	<\$25,000	22.8	14.5	33.8	25.0	22.8	27.3	31.6
	\$25,000-\$49,999	19.7	9.9	35.6	21.3	19.4	23.4	27.7
	\$50,000 or More	23.0	10.1	44.3	15.5	14.2	17.0	11.3
MARITAL STATUS	Married/Couple	19.1	11.9	29.2	16.6	15.5	17.7	21.8
	Not Married/Couple	24.1	13.4	39.3	24.1	22.4	25.9	25.9

Percentage of adults who are former smokers

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	22.4	16.3	30.1	26.2	25.3	27.2	28.1
SEX	Men	22.9	14.4	34.5	28.9	27.4	30.5	27.9
	Women	21.8	14.4	31.5	23.7	22.5	24.9	28.2
RACE/ETHNICITY	Non-Hisp. White	29.2	20.5	39.7	31.5	30.4	32.6	32.3
	Non-Hisp. Black	6.3	1.3	25.6	12.4	10.2	14.9	5.1
	Hispanic	7.0	3.0	15.4	16.4	13.8	19.2	7.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.6	17.2	46.0	34.1	32.4	35.9	
	Non-Hisp. White Women	28.6	18.9	40.8	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women				9.7	7.5	12.6	37.8
	Hispanic Men	10.7	4.4	23.6	16.8	13.1	21.3	27.0
	Hispanic Women	0.8	0.1	6.0	15.9 *	12.7	19.7	
AGE GROUP	18-44	5.7	2.9	10.9	14.7 *	13.3	16.3	9.2
	45-64	24.5	15.5	36.5	28.3	26.8	29.8	19.9
	65 & Older	57.5	42.3	71.4	46.5	44.7	48.2	48.3
EDUCATION LEVEL	<High School	22.1	13.1	34.7	21.1	18.4	24.0	13.3
	H.S./GED	22.7	13.7	35.2	25.0	23.3	26.8	22.3
	>High School	23.1	13.4	36.7	27.7	26.4	29.0	39.0
ANNUAL INCOME	<\$25,000	20.5	13.2	30.5	23.7	21.7	25.8	16.4
	\$25,000-\$49,999	20.4	12.0	32.5	26.4	24.6	28.2	24.7
	\$50,000 or More	23.0	11.2	41.5	27.4	25.8	29.0	37.3
MARITAL STATUS	Married/Couple	30.5	21.5	41.3	28.4	27.2	29.7	32.0
	Not Married/Couple	12.1	7.2	19.7	22.5 *	21.0	24.1	24.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	56.4	47.6	64.8	54.5	53.3	55.7	48.3
SEX	Men	52.7	39.4	65.5	49.9	48.0	51.8	44.0
	Women	61.7	51.9	70.7	58.8	57.4	60.3	52.1
RACE/ETHNICITY	Non-Hisp. White	55.0	43.8	65.8	47.9	46.7	49.2	42.5
	Non-Hisp. Black	45.3	21.0	72.1	69.1	65.0	72.9	83.4
	Hispanic	68.3	51.9	81.2	67.7	64.1	71.1	63.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.0	35.6	69.7	44.4	42.3	46.4	
	Non-Hisp. White Women	57.9	46.7	68.3	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women				75.3	70.5	79.5	41.1
	Hispanic Men	63.1	44.9	78.2	63.3	57.4	68.7	43.9
	Hispanic Women	77.0	38.5	94.7	72.1	67.7	76.1	
AGE GROUP	18-44	72.1	59.4	82.0	63.1	61.0	65.2	64.1
	45-64	42.1	29.2	56.2	49.7	48.0	51.5	37.4
	65 & Older	37.0	24.4	51.7	43.8	42.1	45.6	46.0
EDUCATION LEVEL	<High School	53.3	40.0	66.1	50.3	46.5	54.2	57.1
	H.S./GED	55.5	41.4	68.7	50.0	47.7	52.3	62.9
	>High School	56.6	42.0	70.2	57.1	55.6	58.5	31.4
ANNUAL INCOME	<\$25,000	56.7	45.7	67.1	51.3	48.7	53.9	52.0
	\$25,000-\$49,999	59.9	43.9	74.0	52.3	49.9	54.6	47.6
	\$50,000 or More	54.0	34.8	72.1	57.1	55.2	59.0	51.4
MARITAL STATUS	Married/Couple	50.3	40.7	60.0	55.0	53.6	56.4	46.2
	Not Married/Couple	63.8	48.8	76.5	53.4	51.3	55.5	49.7

Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	11.4	6.7	18.8	14.9	13.6	16.4	
SEX	Men	12.3	6.1	23.3	17.2	14.8	19.8	
	Women	10.4	4.4	22.7	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	12.1	6.1	22.7	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic	9.5	3.3	24.1	13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	4.9	27.3	17.6	14.8	20.8	
	Non-Hisp. White Women	12.0	4.1	30.5	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women	1.2	0.2	7.9	12.4 *	8.7	17.4	
AGE GROUP	18-44	13.9	7.3	25.0	18.9	16.6	21.5	
	45-64	8.0	2.0	26.7	13.2	11.4	15.1	
	65 & Older	5.1	2.2	11.4	6.3	5.2	7.6	
EDUCATION LEVEL	<High School	12.9	4.9	29.6	13.3	9.9	17.6	
	H.S./GED	11.0	5.4	21.2	17.8	14.9	21.3	
	>High School	9.8	3.5	24.7	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	13.3	6.4	25.5	16.0	13.1	19.3	
	\$25,000-\$49,999	12.9	4.0	34.8	16.8	14.0	19.9	
	\$50,000 or More	7.7	2.3	22.4	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	8.1	4.0	15.6	11.5	10.2	13.0	
	Not Married/Couple	14.8	6.8	29.3	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	39.3	23.2	58.1	53.2	50.4	56.0	65.5
SEX	Men	32.3	15.4	55.6	52.8	48.5	57.1	70.6
	Women	53.9	31.3	75.0	53.6	50.2	57.0	58.8
RACE/ETHNICITY	Non-Hisp. White	19.4	10.3	33.4	49.3 *	46.4	52.2	54.7 *
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.3	6.1	36.9	47.5 *	42.9	52.1	
	Non-Hisp. White Women	24.7	14.6	38.8	51.2 *	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	49.4
	Hispanic Men				68.1	55.6	78.5	58.4
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	40.6	19.5	65.8	58.3	53.7	62.9	70.0
	45-64	38.2	14.5	69.1	48.5	45.0	52.1	64.9
	65 & Older	34.7	20.0	53.1	45.0	39.1	51.1	
EDUCATION LEVEL	<High School	58.3	28.7	82.9	55.0	47.8	62.0	45.0
	H.S./GED	23.0	8.3	49.8	50.9	46.1	55.8	57.2
	>High School	43.6	18.2	72.8	54.2	50.4	58.1	77.1
ANNUAL INCOME	<\$25,000	60.5	36.7	80.2	54.0	48.8	59.1	72.7
	\$25,000-\$49,999	48.0	17.7	79.8	53.5	48.1	58.8	58.4
	\$50,000 or More	24.5	7.3	57.1	54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	40.1	20.5	63.6	53.3	49.5	57.0	58.1
	Not Married/Couple	38.3	15.8	67.4	53.0	48.7	57.2	71.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org