

# 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health  
Division of Disease Control  
Bureau of Epidemiology  
Chronic Disease Epidemiology Section

Charlie Crist  
Governor

Ana M. Viamonte Ros, M.D., M.P.H.  
State Surgeon General

2007 Florida BRFSS Data Report  
Table of Contents

---

<b>Introduction</b>	<b>i</b>
<b>Air Quality</b>	<b>1</b>
<b>Alcohol Consumption</b>	<b>1</b>
<b>Antibiotic Resistance</b>	<b>2</b>
<b>Arthritis</b>	<b>3</b>
<b>Asthma</b>	<b>4</b>
<b>Cancer Screening</b>	<b>5</b>
<b>Cardiovascular Disease</b>	<b>9</b>
<b>Cholesterol Awareness</b>	<b>10</b>
<b>Dental Care</b>	<b>11</b>
<b>Diabetes</b>	<b>12</b>
<b>Disability</b>	<b>16</b>
<b>Folic Acid</b>	<b>17</b>
<b>Gastrointestinal Disease</b>	<b>18</b>
<b>Health Care Access &amp; Coverage</b>	<b>19</b>
<b>Health Status &amp; Quality of Life</b>	<b>21</b>
<b>HIV/AIDS</b>	<b>25</b>
<b>Hypertension Awareness &amp; Control</b>	<b>26</b>
<b>Immunization</b>	<b>28</b>
<b>Overweight &amp; Obesity</b>	<b>32</b>
<b>Physical Activity &amp; Nutrition</b>	<b>35</b>
<b>Sexual Violence</b>	<b>37</b>
<b>Tobacco Use &amp; Exposure</b>	<b>38</b>
<b>Glossary</b>	<b>Appendix I</b>
<b>Healthy People 2010 Objectives</b>	<b>Appendix II</b>

## Indian River

Completed Surveys: 498

County Adult Population: 114,589

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

**Air Quality**

**Percentage of adults who reduced or changed outdoor activity because the air quality was bad**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	8.8	5.7	13.3	19.2 *	18.2	20.3	
<b>SEX</b>	Men	9.7	4.7	18.7	16.7	15.1	18.4	
	Women	7.9	5.2	11.9	21.6 *	20.3	23.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.9	5.0	12.2	20.4 *	19.2	21.5	
	Non-Hisp. Black				17.2	14.2	20.7	
	Hispanic				16.0	13.2	19.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	7.1	3.0	16.3	17.4	15.7	19.4	
	Non-Hisp. White Women	8.6	5.6	13.0	23.2 *	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women				15.7	12.1	20.0	
<b>AGE GROUP</b>	18-44	11.0	4.9	22.7	20.1	18.2	22.1	
	45-64	3.9	1.9	8.0	21.0 *	19.6	22.6	
	65 & Older	9.8	5.9	15.9	14.8	13.6	16.2	
<b>EDUCATION LEVEL</b>	<High School	8.3	2.7	22.6	18.8	15.5	22.5	
	H.S./GED	10.6	5.2	20.2	18.5	16.4	20.7	
	>High School	7.8	4.2	14.1	19.7 *	18.4	21.0	
<b>ANNUAL INCOME</b>	<\$25,000	8.2	3.7	17.3	22.4 *	20.0	25.0	
	\$25,000-\$49,999	11.9	5.6	23.6	19.2	17.3	21.2	
	\$50,000 or More	5.5	2.7	10.8	18.0 *	16.5	19.6	
<b>MARITAL STATUS</b>	Married/Couple	6.2	3.8	10.1	19.4 *	18.2	20.7	
	Not Married/Couple	14.1	7.2	25.8	19.0	17.2	20.9	

**Alcohol Consumption**

**Percentage of adults who engage in heavy or binge drinking**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	18.5	14.3	23.6	16.2	15.3	17.2	16.9
<b>SEX</b>	Men	19.9	13.6	28.2	20.3	18.8	22.0	21.1
	Women	17.1	11.9	23.9	12.4	11.3	13.5	13.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.5	14.7	25.3	17.9	16.9	19.0	15.5
	Non-Hisp. Black				10.9	8.2	14.3	10.7
	Hispanic	12.0	4.9	26.7	14.3	11.6	17.6	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	20.8	13.7	30.3	21.5	19.8	23.3	
	Non-Hisp. White Women	18.3	12.5	25.9	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	17.3
	Hispanic Men				20.1	15.5	25.6	13.9
	Hispanic Women				8.6	6.0	12.2	
<b>AGE GROUP</b>	18-44	28.6	19.1	40.4	21.6	19.8	23.5	22.4
	45-64	15.7	10.4	22.9	14.6	13.5	15.8	19.3
	65 & Older	9.7	6.3	14.8	7.7	6.9	8.7	10.0
<b>EDUCATION LEVEL</b>	<High School	9.6	3.5	23.5	13.6	10.9	16.8	15.9
	H.S./GED	21.5	13.8	31.9	15.8	14.1	17.7	16.7
	>High School	18.6	13.3	25.4	16.8	15.6	18.1	17.3
<b>ANNUAL INCOME</b>	<\$25,000	16.5	9.5	27.1	14.2	12.0	16.8	16.3
	\$25,000-\$49,999	20.2	11.9	32.1	14.7	13.1	16.5	19.9
	\$50,000 or More	19.6	13.6	27.5	19.9	18.4	21.4	15.7
<b>MARITAL STATUS</b>	Married/Couple	16.5	11.9	22.5	15.2	14.1	16.4	14.8
	Not Married/Couple	22.5	14.7	32.8	17.9	16.2	19.7	20.9

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Antibiotic Resistance

## Percentage of adults who have heard of antibiotic resistant infections

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	57.7	51.7	63.4	58.3	57.1	59.6	
<b>SEX</b>	Men	55.9	46.1	65.3	57.4	55.4	59.4	
	Women	59.4	52.5	65.9	59.2	57.6	60.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	63.0	56.9	68.8	63.3	62.1	64.6	
	Non-Hisp. Black				42.3	38.0	46.7	
	Hispanic	33.7	17.5	54.8	49.0	45.1	52.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	63.6	53.3	72.8	63.6	61.6	65.5	
	Non-Hisp. White Women	62.5	55.3	69.2	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women				54.6	49.8	59.4	
<b>AGE GROUP</b>	18-44	54.4	42.1	66.2	55.6	53.3	57.9	
	45-64	61.9	52.0	70.9	67.2	65.5	68.9	
	65 & Older	57.6	50.0	64.8	51.0	49.2	52.8	
<b>EDUCATION LEVEL</b>	<High School	49.2	30.1	68.5	33.3	29.7	37.0	
	H.S./GED	48.5	37.8	59.4	45.9	43.5	48.3	
	>High School	65.4	58.1	72.0	67.7	66.3	69.2	
<b>ANNUAL INCOME</b>	<\$25,000	41.1	28.0	55.7	46.3	43.5	49.1	
	\$25,000-\$49,999	57.9	46.7	68.3	55.1	52.7	57.5	
	\$50,000 or More	70.9	62.5	78.2	68.3	66.3	70.2	
<b>MARITAL STATUS</b>	Married/Couple	57.0	49.7	63.9	62.3	60.8	63.8	
	Not Married/Couple	59.3	48.9	69.0	51.3	49.1	53.5	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Arthritis

## Percentage of adults who have been told they have some form of arthritis

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	25.5	21.3	30.2	24.3	23.4	25.2	
<b>SEX</b>	Men	19.3	14.0	26.0	20.8	19.5	22.1	
	Women	31.4	25.7	37.8	27.6	26.4	28.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	28.4	23.7	33.7	27.5	26.5	28.5	
	Non-Hisp. Black				20.4	17.5	23.6	
	Hispanic	6.8	2.5	17.1	15.0	12.8	17.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.7	16.3	30.6	23.7	22.3	25.2	
	Non-Hisp. White Women	33.6	27.3	40.5	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
	Hispanic Women				18.5	15.3	22.2	
<b>AGE GROUP</b>	18-44	10.1	5.1	19.2	8.9	7.9	10.1	
	45-64	23.3	17.1	30.9	29.7	28.2	31.3	
	65 & Older	44.2	37.0	51.7	47.6	45.8	49.3	
<b>EDUCATION LEVEL</b>	<High School	14.8	7.3	27.5	29.5	26.4	32.9	
	H.S./GED	21.7	15.5	29.6	25.2	23.5	27.0	
	>High School	30.4	24.5	36.9	23.1 *	22.0	24.2	
<b>ANNUAL INCOME</b>	<\$25,000	26.1	17.3	37.3	31.0	28.8	33.2	
	\$25,000-\$49,999	20.3	13.7	28.9	25.4	23.7	27.2	
	\$50,000 or More	31.1	23.9	39.4	18.7 *	17.5	20.0	
<b>MARITAL STATUS</b>	Married/Couple	23.7	18.9	29.3	23.3	22.2	24.4	
	Not Married/Couple	29.2	21.7	38.0	26.0	24.5	27.6	

## Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	11.8	8.9	15.3	12.5	11.8	13.2	
<b>SEX</b>	Men	10.7	6.6	16.9	10.4	9.5	11.4	
	Women	12.8	9.3	17.3	14.4	13.5	15.4	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.3	9.2	16.3	13.2	12.5	14.0	
	Non-Hisp. Black				11.9	9.7	14.4	
	Hispanic	4.9	0.9	22.4	8.9	7.2	11.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.1	6.6	18.1	11.3	10.4	12.4	
	Non-Hisp. White Women	13.5	9.7	18.4	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
	Hispanic Women				10.7	8.4	13.6	
<b>AGE GROUP</b>	18-44	5.2	2.0	12.5	5.7	4.9	6.6	
	45-64	11.2	6.9	17.7	17.2	16.0	18.6	
	65 & Older	19.6	14.3	26.3	19.4	18.1	20.9	
<b>EDUCATION LEVEL</b>	<High School	6.5	1.8	20.5	19.2	16.6	22.0	
	H.S./GED	9.3	5.4	15.5	13.2	11.9	14.6	
	>High School	14.5	10.5	19.8	11.1	10.4	11.9	
<b>ANNUAL INCOME</b>	<\$25,000	16.3	9.4	26.9	21.0	19.3	22.9	
	\$25,000-\$49,999	10.6	6.2	17.4	12.3	11.1	13.7	
	\$50,000 or More	8.7	5.2	14.3	7.4	6.6	8.3	
<b>MARITAL STATUS</b>	Married/Couple	11.7	8.2	16.4	11.0	10.2	11.9	
	Not Married/Couple	11.9	7.7	17.9	15.0	13.8	16.2	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Arthritis

## Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	40.0	34.5	45.7	37.2	36.1	38.4	
<b>SEX</b>	Men	41.9	33.0	51.3	35.9	34.2	37.7	
	Women	38.1	32.0	44.7	38.4	37.0	39.9	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.3	36.4	48.3	40.4	39.2	41.7	
	Non-Hisp. Black				33.5	29.8	37.5	
	Hispanic	12.1	4.8	27.3	27.4	24.2	30.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	44.2	34.5	54.3	40.3	38.3	42.3	
	Non-Hisp. White Women	40.6	33.8	47.7	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women				30.6	26.5	35.0	
<b>AGE GROUP</b>	18-44	37.4	26.4	49.8	27.1	25.2	29.1	
	45-64	40.4	32.1	49.2	43.7	42.0	45.5	
	65 & Older	43.0	35.8	50.5	48.4	46.6	50.2	
<b>EDUCATION LEVEL</b>	<High School	31.8	18.2	49.4	42.0	38.2	45.9	
	H.S./GED	39.4	29.3	50.6	38.0	35.8	40.2	
	>High School	42.3	35.6	49.3	36.2	34.8	37.7	
<b>ANNUAL INCOME</b>	<\$25,000	41.4	28.5	55.6	44.7	42.1	47.3	
	\$25,000-\$49,999	40.5	30.6	51.3	36.8	34.7	39.0	
	\$50,000 or More	39.5	31.4	48.3	33.4	31.6	35.2	
<b>MARITAL STATUS</b>	Married/Couple	39.4	32.9	46.2	36.7	35.3	38.2	
	Not Married/Couple	41.3	31.6	51.6	38.1	36.2	40.1	

## Asthma

## Percentage of adults who currently have asthma

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	4.9	3.2	7.5	6.2	5.7	6.7	5.4
<b>SEX</b>	Men	4.4	2.1	8.8	4.9	4.1	5.7	4.6
	Women	5.5	3.3	9.0	7.4	6.7	8.1	6.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.4	3.4	8.4	6.4	5.8	7.0	6.1
	Non-Hisp. Black				7.6	5.8	9.9	1.8
	Hispanic	1.7	0.2	11.4	4.8	3.6	6.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.5	2.7	11.0	5.2	4.3	6.2	
	Non-Hisp. White Women	5.3	3.0	9.1	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women				9.0	6.7	11.9	5.2
	Hispanic Men				3.9	2.3	6.5	6.9
	Hispanic Women				5.7	4.1	7.8	
<b>AGE GROUP</b>	18-44	2.4	0.8	7.3	5.8	5.0	6.8	5.8
	45-64	4.9	2.1	11.0	6.7	6.0	7.6	4.5
	65 & Older	7.8	4.7	12.9	6.1	5.4	6.9	6.0
<b>EDUCATION LEVEL</b>	<High School	5.0	1.5	14.9	8.4	6.5	10.7	4.8
	H.S./GED	3.6	1.7	7.7	5.9	5.1	6.8	6.7
	>High School	5.8	3.3	9.9	6.0	5.3	6.7	4.9
<b>ANNUAL INCOME</b>	<\$25,000	7.7	3.9	14.8	7.8	6.8	8.9	5.9
	\$25,000-\$49,999	3.4	1.2	8.9	5.8	5.0	6.8	9.1
	\$50,000 or More	4.7	2.1	10.4	5.2	4.4	6.1	3.6
<b>MARITAL STATUS</b>	Married/Couple	5.0	3.0	8.5	5.7	5.1	6.4	5.1
	Not Married/Couple	4.7	2.4	9.1	7.0	6.1	7.9	6.0

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 40 years of age and older who received a mammogram in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	69.5	62.6	75.6	64.9	63.3	66.4	61.1
<b>SEX</b>	Men							
	Women	69.5	62.6	75.6	64.9	63.3	66.4	61.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	71.8	64.8	77.9	65.4	63.8	67.0	60.4
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men							
	Non-Hisp. White Women	71.8	64.8	77.9	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							60.4
	Hispanic Women				63.2	57.2	68.9	
<b>AGE GROUP</b>	18-44				50.0	44.9	55.1	39.7
	45-64	66.1	54.4	76.1	65.7	63.5	67.9	63.2
	65 & Older	72.3	63.2	79.8	70.0	67.7	72.2	65.6
<b>EDUCATION LEVEL</b>	<High School				61.3	56.0	66.4	
	H.S./GED	69.5	56.9	79.7	62.0	59.1	64.9	57.2
	>High School	74.4	66.1	81.2	66.9	64.8	68.8	62.9
<b>ANNUAL INCOME</b>	<\$25,000	66.0	50.5	78.6	57.6	54.3	60.9	59.1
	\$25,000-\$49,999	73.0	59.5	83.2	64.2	61.2	67.1	53.1
	\$50,000 or More	77.0	65.2	85.7	70.3	67.5	72.9	63.9
<b>MARITAL STATUS</b>	Married/Couple	72.6	63.2	80.2	67.9	65.7	70.0	66.3
	Not Married/Couple	63.6	53.5	72.6	60.4	58.1	62.7	53.2

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	68.7	62.0	74.7	65.0	63.4	66.5	
<b>SEX</b>	Men							
	Women	68.7	62.0	74.7	65.0	63.4	66.5	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.7	66.0	78.5	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic				58.7	54.0	63.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men							
	Non-Hisp. White Women	72.7	66.0	78.5	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women				58.7	54.0	63.4	
<b>AGE GROUP</b>	18-44	65.6	50.9	77.8	63.5	60.7	66.3	
	45-64	73.1	61.5	82.2	69.4	67.1	71.5	
	65 & Older	68.1	58.6	76.2	62.1	59.7	64.4	
<b>EDUCATION LEVEL</b>	<High School				52.8	47.6	57.8	
	H.S./GED	62.4	50.2	73.2	57.5	54.6	60.5	
	>High School	76.8	69.0	83.0	70.2	68.3	72.0	
<b>ANNUAL INCOME</b>	<\$25,000	53.2	38.8	67.1	53.6	50.3	56.9	
	\$25,000-\$49,999	71.9	58.6	82.3	61.4	58.5	64.3	
	\$50,000 or More	76.5	65.0	85.1	75.9	73.5	78.2	
<b>MARITAL STATUS</b>	Married/Couple	69.4	60.7	76.9	68.6	66.6	70.5	
	Not Married/Couple	67.3	56.7	76.4	59.6	57.1	62.1	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Cancer Screening**

**Percentage of women 18 years of age and older who received a Pap test in the past year**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	63.7	55.5	71.2	64.8	63.0	66.5	66.4
<b>SEX</b>	Men							
	Women	63.7	55.5	71.2	64.8	63.0	66.5	66.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	67.5	59.2	74.9	64.4	62.4	66.3	64.1
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic				64.5	59.4	69.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men							
	Non-Hisp. White Women	67.5	59.2	74.9	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							64.1
	Hispanic Women				64.5	59.4	69.2	
<b>AGE GROUP</b>	18-44	67.7	52.5	79.9	69.1	66.3	71.8	81.1
	45-64	70.4	57.0	81.0	66.4	63.6	69.1	64.4
	65 & Older	49.8	37.4	62.3	48.0	44.7	51.3	49.9
<b>EDUCATION LEVEL</b>	<High School				51.9	45.5	58.2	
	H.S./GED	53.7	39.6	67.2	55.6	51.9	59.2	61.0
	>High School	73.6	64.1	81.2	70.4	68.3	72.4	71.2
<b>ANNUAL INCOME</b>	<\$25,000	43.3	27.2	60.9	53.6	49.4	57.6	67.7
	\$25,000-\$49,999	73.1	57.1	84.8	62.1	58.6	65.4	55.4
	\$50,000 or More	68.1	54.4	79.3	76.1	73.5	78.6	74.1
<b>MARITAL STATUS</b>	Married/Couple	67.5	57.2	76.4	69.4	67.2	71.5	71.9
	Not Married/Couple	55.1	40.9	68.4	57.7	54.6	60.8	59.2

**Percentage of men 50 years of age and older who received a PSA test in the past two years**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	72.3	62.4	80.4	72.3	70.2	74.4	
<b>SEX</b>	Men	72.3	62.4	80.4	72.3	70.2	74.4	
	Women							
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.4	65.6	83.1	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	75.4	65.6	83.1	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
<b>AGE GROUP</b>	18-44							
	45-64	58.8	42.8	73.1	64.5	61.2	67.7	
	65 & Older	81.9	70.5	89.6	81.4	78.9	83.6	
<b>EDUCATION LEVEL</b>	<High School				62.2	54.7	69.1	
	H.S./GED				61.6	56.9	66.1	
	>High School	77.3	65.9	85.8	77.6	75.1	80.0	
<b>ANNUAL INCOME</b>	<\$25,000				59.2	54.0	64.1	
	\$25,000-\$49,999	76.9	59.8	88.2	73.9	69.7	77.6	
	\$50,000 or More	82.4	66.1	91.8	78.5	75.2	81.4	
<b>MARITAL STATUS</b>	Married/Couple	75.5	63.0	84.8	75.6	73.1	78.0	
	Not Married/Couple	65.0	47.8	79.0	63.4	59.2	67.4	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	45.4	35.6	55.6	56.3	54.0	58.5	
<b>SEX</b>	Men	45.4	35.6	55.6	56.3	54.0	58.5	
	Women							
<b>RACE/ETHNICITY</b>	Non-Hisp. White	46.5	36.3	56.9	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	46.5	36.3	56.9	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
<b>AGE GROUP</b>	18-44							
	45-64	33.5	20.7	49.4	50.1	46.8	53.5	
	65 & Older	53.7	40.7	66.2	63.4	60.5	66.2	
<b>EDUCATION LEVEL</b>	<High School				47.8	40.3	55.4	
	H.S./GED				47.0	42.5	51.5	
	>High School	50.9	39.1	62.7	60.8	58.1	63.5	
<b>ANNUAL INCOME</b>	<\$25,000				48.5	43.6	53.4	
	\$25,000-\$49,999	53.8	36.2	70.4	52.6	48.1	56.9	
	\$50,000 or More	53.0	37.3	68.1	62.5	58.9	65.9	
<b>MARITAL STATUS</b>	Married/Couple	48.0	35.9	60.2	59.0	56.2	61.7	
	Not Married/Couple	39.5	23.9	57.6	49.2	45.1	53.2	

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	22.8	17.7	28.8	21.2	20.1	22.3	24.3
<b>SEX</b>	Men	32.7	23.7	43.2	23.7	21.9	25.5	26.8
	Women	14.6	10.1	20.7	19.1	17.8	20.5	22.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	22.7	17.5	28.9	23.3	22.1	24.6	25.4
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	31.6	22.5	42.5	26.0	24.1	28.1	
	Non-Hisp. White Women	15.3	10.4	21.8	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	29.3
	Hispanic Men				9.9	6.0	15.9	21.7
	Hispanic Women				7.8	4.7	12.9	
<b>AGE GROUP</b>	18-44							
	45-64	17.0	10.2	26.9	15.6	14.3	17.1	19.4
	65 & Older	26.2	19.6	34.0	27.1	25.5	28.8	27.5
<b>EDUCATION LEVEL</b>	<High School				20.0	16.2	24.3	18.6
	H.S./GED	25.1	16.5	36.3	19.6	17.8	21.5	14.8
	>High School	21.5	15.5	29.1	22.1	20.7	23.6	30.7
<b>ANNUAL INCOME</b>	<\$25,000	27.3	16.0	42.4	20.1	18.0	22.3	19.4
	\$25,000-\$49,999	24.9	16.0	36.7	22.1	20.1	24.3	23.4
	\$50,000 or More	18.9	11.7	29.1	21.5	19.6	23.6	27.4
<b>MARITAL STATUS</b>	Married/Couple	20.9	14.8	28.8	22.0	20.6	23.5	25.1
	Not Married/Couple	25.9	18.1	35.6	19.9	18.2	21.6	22.9

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Cancer Screening

## Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	53.8	47.7	59.7	53.7	52.3	55.1	45.3
<b>SEX</b>	Men	60.2	50.3	69.3	55.7	53.4	57.9	53.7
	Women	48.4	41.0	55.9	52.1	50.3	53.9	37.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	55.1	48.8	61.2	56.8	55.3	58.2	47.8
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.5	51.3	70.8	59.1	56.8	61.3	
	Non-Hisp. White Women	49.7	41.9	57.5	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	56.5
	Hispanic Men				37.9	29.1	47.6	39.9
	Hispanic Women				39.9	32.7	47.5	
<b>AGE GROUP</b>	18-44							
	45-64	40.9	31.5	51.0	46.6	44.5	48.7	35.6
	65 & Older	61.4	53.8	68.5	61.4	59.6	63.2	51.7
<b>EDUCATION LEVEL</b>	<High School				41.7	37.3	46.3	47.7
	H.S./GED	51.7	40.9	62.2	51.3	48.8	53.8	29.7 *
	>High School	55.2	47.6	62.7	56.7	54.9	58.5	53.6
<b>ANNUAL INCOME</b>	<\$25,000	57.1	43.4	69.8	47.2	44.4	50.1	38.8
	\$25,000-\$49,999	44.4	33.9	55.5	50.7	48.0	53.4	42.5
	\$50,000 or More	60.3	49.5	70.2	59.7	57.2	62.1	50.0
<b>MARITAL STATUS</b>	Married/Couple	57.9	50.0	65.5	57.5	55.7	59.3	47.0
	Not Married/Couple	45.2	36.4	54.3	47.3	45.1	49.5	41.9

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	3.0	1.8	4.9	3.1	2.8	3.5	
<b>SEX</b>	Men	2.7	1.1	6.1	2.9	2.5	3.4	
	Women	3.3	1.8	5.9	3.4	2.9	3.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.4	2.0	5.6	3.5	3.2	3.9	
	Non-Hisp. Black				3.7	2.4	5.5	
	Hispanic	0.0			1.4	0.9	2.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.8	1.1	6.9	3.4	2.8	4.0	
	Non-Hisp. White Women	3.9	2.2	7.0	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women				4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women				1.6	0.9	2.8	
<b>AGE GROUP</b>	18-44	0.0			1.1	0.7	1.6	
	45-64	2.1	0.9	4.9	2.7	2.3	3.3	
	65 & Older	7.1	4.0	12.2	7.9	7.0	8.8	
<b>EDUCATION LEVEL</b>	<High School	1.5	0.2	10.3	6.0	4.6	7.8	
	H.S./GED	3.4	1.5	7.4	3.7	3.1	4.4	
	>High School	3.1	1.6	6.0	2.4	2.1	2.7	
<b>ANNUAL INCOME</b>	<\$25,000	5.1	2.2	11.5	5.7	4.8	6.7	
	\$25,000-\$49,999	0.9	0.2	4.0	3.6	2.9	4.5	
	\$50,000 or More	3.5	1.5	8.0	1.2	1.0	1.6	
<b>MARITAL STATUS</b>	Married/Couple	3.1	1.6	5.8	2.6	2.3	3.0	
	Not Married/Couple	2.8	1.4	5.7	4.0	3.5	4.6	

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	9.4	7.2	12.3	9.3	8.7	9.8	
<b>SEX</b>	Men	10.7	7.1	15.8	10.3	9.5	11.2	
	Women	8.2	5.7	11.7	8.3	7.7	9.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.5	7.9	13.8	10.6	10.0	11.3	
	Non-Hisp. Black				7.8	6.1	9.9	
	Hispanic	0.0			5.3	4.2	6.6	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.2	7.2	17.1	12.1	11.1	13.2	
	Non-Hisp. White Women	9.8	6.8	13.9	9.2	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women				9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women				4.9	3.6	6.6	
<b>AGE GROUP</b>	18-44	0.0			2.2	1.7	2.8	
	45-64	10.5	6.5	16.6	9.1	8.2	10.1	
	65 & Older	18.7	13.8	25.0	23.9	22.5	25.4	
<b>EDUCATION LEVEL</b>	<High School	6.5	2.6	15.2	15.0	12.9	17.5	
	H.S./GED	7.6	4.3	12.9	10.5	9.4	11.6	
	>High School	11.3	8.1	15.6	7.8	7.2	8.4	
<b>ANNUAL INCOME</b>	<\$25,000	12.5	7.2	20.8	14.9	13.4	16.4	
	\$25,000-\$49,999	8.0	4.8	13.0	10.1	9.1	11.3	
	\$50,000 or More	9.0	5.4	14.6	5.1	4.5	5.8	
<b>MARITAL STATUS</b>	Married/Couple	9.3	6.4	13.1	8.8	8.1	9.5	
	Not Married/Couple	9.8	6.5	14.5	10.1	9.2	11.0	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Cholesterol Awareness**

**Percentage of adults who had their cholesterol checked in the past five years**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	74.9	68.6	80.4	78.5	77.4	79.7	82.5
<b>SEX</b>	Men	70.9	60.1	79.7	76.7	74.9	78.5	81.5
	Women	78.7	71.7	84.4	80.2	78.8	81.6	83.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	80.9	74.3	86.2	84.4	83.3	85.4	84.1
	Non-Hisp. Black				76.3	71.9	80.3	81.5
	Hispanic	26.0	13.3	44.5	60.1 *	56.3	63.8	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	78.4	66.4	86.9	82.5	80.7	84.1	
	Non-Hisp. White Women	83.2	75.9	88.6	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	84.2
	Hispanic Men				59.7	53.8	65.3	83.9
	Hispanic Women				60.5	55.7	65.1	
<b>AGE GROUP</b>	18-44	52.6	40.5	64.3	64.7	62.5	66.9	65.7
	45-64	78.4	67.5	86.4	87.3	86.0	88.5	86.8
	65 & Older	95.2	91.4	97.4	93.2	92.2	94.2	93.7
<b>EDUCATION LEVEL</b>	<High School	58.3	38.2	75.9	62.0	57.9	65.9	77.8
	H.S./GED	62.3	50.0	73.2	70.6	68.0	73.1	76.8
	>High School	86.2	80.1	90.6	85.0	83.8	86.1	86.1
<b>ANNUAL INCOME</b>	<\$25,000	58.4	42.9	72.4	68.4	65.6	71.1	75.4
	\$25,000-\$49,999	69.4	57.8	79.1	75.8	73.4	78.1	80.3
	\$50,000 or More	88.1	80.8	92.9	86.3	84.8	87.8	89.0
<b>MARITAL STATUS</b>	Married/Couple	75.6	67.9	82.0	81.8	80.5	83.0	83.7
	Not Married/Couple	73.3	61.6	82.5	73.0	70.8	75.1	80.3

**Percentage of adults who have diagnosed high blood cholesterol**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	42.5	37.1	48.1	37.1	35.9	38.3	37.6
<b>SEX</b>	Men	38.9	30.5	48.0	38.9	37.0	40.9	35.9
	Women	45.6	38.8	52.5	35.4 *	34.0	36.9	39.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	44.8	39.0	50.7	38.7	37.4	40.0	38.6
	Non-Hisp. Black				29.7	25.8	33.9	27.6
	Hispanic				34.7	30.4	39.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	41.3	32.3	51.0	39.6	37.6	41.7	
	Non-Hisp. White Women	47.6	40.5	54.9	37.8 *	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	36.8
	Hispanic Men				38.8	32.0	46.2	40.2
	Hispanic Women				30.7	25.7	36.2	
<b>AGE GROUP</b>	18-44	20.8	11.8	34.0	23.0	20.8	25.4	8.1
	45-64	48.9	40.1	57.7	42.8	41.0	44.7	34.8
	65 & Older	51.3	43.6	58.8	49.8	48.0	51.6	58.3
<b>EDUCATION LEVEL</b>	<High School	32.6	16.7	53.8	45.5	41.1	50.1	54.2
	H.S./GED	40.8	31.4	50.8	37.8	35.6	40.0	38.6
	>High School	45.1	38.2	52.2	35.8 *	34.3	37.3	34.6
<b>ANNUAL INCOME</b>	<\$25,000	42.6	30.5	55.6	41.6	39.1	44.2	42.7
	\$25,000-\$49,999	43.4	33.0	54.5	37.9	35.7	40.3	38.3
	\$50,000 or More	44.0	35.3	53.2	33.4	31.5	35.3	30.5
<b>MARITAL STATUS</b>	Married/Couple	42.8	36.2	49.7	36.8	35.4	38.3	37.3
	Not Married/Couple	41.7	32.5	51.5	37.4	35.3	39.5	38.4

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Dental Care

## Percentage of adults who could not see a dentist in the past year because of cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	20.9	16.2	26.7	19.2	18.2	20.2	
<b>SEX</b>	Men	22.0	14.6	31.6	16.8	15.3	18.5	
	Women	20.0	14.4	27.0	21.4	20.2	22.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.2	11.9	21.7	15.7	14.8	16.7	
	Non-Hisp. Black				23.7	20.4	27.4	
	Hispanic				28.3	25.0	31.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.7	9.5	25.0	13.9	12.5	15.5	
	Non-Hisp. White Women	16.6	11.4	23.7	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women				31.3	27.2	35.8	
<b>AGE GROUP</b>	18-44	28.5	18.8	40.7	23.6	21.8	25.6	
	45-64	25.2	16.9	35.9	19.5	18.1	21.0	
	65 & Older	9.4	5.8	14.9	9.8	8.7	11.0	
<b>EDUCATION LEVEL</b>	<High School	27.9	12.2	51.9	33.9	30.2	37.7	
	H.S./GED	23.8	15.4	34.9	23.2	21.2	25.3	
	>High School	17.8	12.5	24.6	15.2	14.0	16.4	
<b>ANNUAL INCOME</b>	<\$25,000	38.1	24.7	53.5	36.7	34.1	39.4	
	\$25,000-\$49,999	24.0	15.4	35.5	21.5	19.6	23.6	
	\$50,000 or More	9.3	5.3	15.6	9.0	7.8	10.3	
<b>MARITAL STATUS</b>	Married/Couple	21.9	15.7	29.7	16.2	15.1	17.4	
	Not Married/Couple	19.2	13.0	27.3	24.4	22.5	26.3	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Diabetes**

**Percentage of adults with diagnosed diabetes**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	9.6	6.8	13.3	8.7	8.2	9.3	9.1
<b>SEX</b>	Men	10.8	6.3	17.9	9.4	8.6	10.3	10.2
	Women	8.5	5.9	12.1	8.1	7.5	8.9	8.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.5	7.1	12.6	9.0	8.4	9.6	8.7
	Non-Hisp. Black				12.4	10.4	14.8	8.9
	Hispanic	13.4	2.7	46.4	6.6	5.2	8.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.9	5.6	14.0	10.0	9.1	11.1	
	Non-Hisp. White Women	9.9	6.8	14.2	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women				13.3	10.6	16.5	10.2
	Hispanic Men				6.8	4.8	9.5	7.4
	Hispanic Women				6.4	4.7	8.6	
<b>AGE GROUP</b>	18-44	1.6	0.4	6.7	2.4	1.9	3.1	1.6
	45-64	11.3	5.5	21.9	10.9	9.9	12.1	9.8
	65 & Older	16.1	11.6	22.0	18.5	17.2	19.9	15.5
<b>EDUCATION LEVEL</b>	<High School	13.2	3.4	39.3	14.4	12.3	16.7	12.4
	H.S./GED	9.8	6.2	15.0	9.5	8.4	10.7	8.8
	>High School	8.7	5.8	12.8	7.5	6.9	8.1	8.4
<b>ANNUAL INCOME</b>	<\$25,000	11.7	4.6	26.6	13.3	11.9	14.9	12.4
	\$25,000-\$49,999	7.2	4.1	12.4	8.5	7.6	9.5	12.4
	\$50,000 or More	8.3	4.8	14.0	5.9	5.2	6.7	5.0
<b>MARITAL STATUS</b>	Married/Couple	10.6	6.9	15.9	8.3	7.7	9.0	10.3
	Not Married/Couple	7.5	4.9	11.4	9.5	8.6	10.6	6.8

**Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	66.5	50.6	79.4	65.7	62.6	68.7	
<b>SEX</b>	Men				61.8	57.1	66.3	
	Women	60.8	41.9	77.0	70.0	66.0	73.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	59.2	44.3	72.7	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				59.9	54.7	64.8	
	Non-Hisp. White Women	61.7	42.5	77.9	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
<b>AGE GROUP</b>	18-44				72.0	61.6	80.6	
	45-64				63.1	57.8	68.0	
	65 & Older	63.4	45.7	78.1	66.3	62.4	70.1	
<b>EDUCATION LEVEL</b>	<High School				67.3	58.8	74.8	
	H.S./GED				67.6	61.8	73.0	
	>High School				64.1	59.9	68.1	
<b>ANNUAL INCOME</b>	<\$25,000				69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
<b>MARITAL STATUS</b>	Married/Couple	68.4	48.2	83.5	65.1	61.1	69.0	
	Not Married/Couple				66.5	61.5	71.1	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Diabetes**

**Percentage of adults with diabetes who had two A1C tests in the past year**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	66.6	43.4	83.8	71.2	67.7	74.4	
<b>SEX</b>	Men				68.0	62.5	73.0	
	Women	76.2	57.1	88.5	74.7	70.6	78.4	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	74.9	59.4	85.9	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women				76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
<b>AGE GROUP</b>	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older	86.1	67.3	94.9	74.2	70.0	78.0	
<b>EDUCATION LEVEL</b>	<High School				63.9	54.2	72.6	
	H.S./GED				67.2	59.8	73.9	
	>High School				75.5	71.3	79.2	
<b>ANNUAL INCOME</b>	<\$25,000				66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
<b>MARITAL STATUS</b>	Married/Couple				70.4	66.0	74.5	
	Not Married/Couple				72.8	66.9	77.9	

**Percentage of adults with diabetes who had an annual foot exam**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	76.1	61.2	86.6	75.6	72.6	78.4	
<b>SEX</b>	Men				77.0	72.4	81.0	
	Women	67.2	47.5	82.3	74.1	70.0	77.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	71.3	56.0	82.9	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				76.2	71.3	80.5	
	Non-Hisp. White Women	68.3	48.2	83.3	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
<b>AGE GROUP</b>	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older	77.0	58.2	89.0	78.0	74.1	81.4	
<b>EDUCATION LEVEL</b>	<High School				72.0	63.5	79.2	
	H.S./GED				71.4	64.8	77.2	
	>High School				79.1	75.6	82.3	
<b>ANNUAL INCOME</b>	<\$25,000				74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
<b>MARITAL STATUS</b>	Married/Couple	77.9	59.2	89.5	75.6	71.9	78.9	
	Not Married/Couple				75.5	70.1	80.2	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Diabetes**

**Percentage of adults with diabetes who had an annual eye exam**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	80.9	67.1	89.8	77.4	74.7	80.0	
<b>SEX</b>	Men				78.5	74.5	82.0	
	Women	81.3	64.4	91.3	76.3	72.3	79.9	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	76.4	61.7	86.7	75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				75.7	70.7	80.1	
	Non-Hisp. White Women	81.0	63.9	91.2	76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
<b>AGE GROUP</b>	18-44				60.9	48.8	71.8	
	45-64				75.0	70.7	78.8	
	65 & Older	86.1	69.7	94.4	83.6	80.1	86.7	
<b>EDUCATION LEVEL</b>	<High School				71.4	64.1	77.7	
	H.S./GED				74.2	68.5	79.2	
	>High School				81.1	77.5	84.3	
<b>ANNUAL INCOME</b>	<\$25,000				72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
<b>MARITAL STATUS</b>	Married/Couple	87.3	69.4	95.4	79.4	76.2	82.2	
	Not Married/Couple				74.7	69.5	79.3	

**Percentage of adults with diabetes who ever had diabetes self-management education**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	44.0	27.4	62.0	51.4	48.2	54.6	
<b>SEX</b>	Men				50.5	45.8	55.2	
	Women	44.6	27.5	63.1	52.4	48.0	56.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	39.5	26.5	54.2	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				48.1	43.1	53.2	
	Non-Hisp. White Women	45.3	27.9	63.9	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
<b>AGE GROUP</b>	18-44				52.8	40.6	64.6	
	45-64				53.6	48.4	58.7	
	65 & Older	42.3	26.7	59.7	49.4	45.3	53.4	
<b>EDUCATION LEVEL</b>	<High School				35.3	28.7	42.6	
	H.S./GED				52.3	46.2	58.4	
	>High School				55.7	51.3	60.0	
<b>ANNUAL INCOME</b>	<\$25,000				47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
<b>MARITAL STATUS</b>	Married/Couple	42.9	22.5	66.1	52.7	48.6	56.8	
	Not Married/Couple				49.4	44.1	54.7	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	58.1	52.6	63.6	50.9 *	49.7	52.1	
<b>SEX</b>	Men				50.5	49.1	51.9	
	Women				51.4	49.4	53.4	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	59.2	53.6	64.8	52.0 *	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men				51.9	50.3	53.5	
	Non-Hisp. White Women				52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
<b>AGE GROUP</b>	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older				61.9	61.0	62.9	
<b>EDUCATION LEVEL</b>	<High School				52.3	49.7	54.9	
	H.S./GED				51.9	49.2	54.6	
	>High School				50.0	48.6	51.5	
<b>ANNUAL INCOME</b>	<\$25,000				51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
<b>MARITAL STATUS</b>	Married/Couple				50.5	49.2	51.8	
	Not Married/Couple				51.6	49.3	53.9	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Disability**

**Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	17.9	14.5	21.8	17.8	17.1	18.6	
<b>SEX</b>	Men	17.0	12.1	23.4	16.9	15.7	18.1	
	Women	18.6	14.4	23.9	18.8	17.8	19.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.2	14.6	22.5	19.7	18.8	20.6	
	Non-Hisp. Black				16.8	14.1	19.7	
	Hispanic	9.5	3.6	22.9	10.6	8.9	12.7	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.8	12.5	24.7	18.6	17.3	20.1	
	Non-Hisp. White Women	18.6	14.0	24.2	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women				11.3	9.1	13.9	
<b>AGE GROUP</b>	18-44	6.3	3.1	12.4	10.3	9.2	11.4	
	45-64	22.1	15.9	29.9	21.7	20.4	23.1	
	65 & Older	27.0	20.8	34.1	27.6	26.0	29.2	
<b>EDUCATION LEVEL</b>	<High School	16.6	7.9	31.6	24.2	21.4	27.2	
	H.S./GED	14.9	9.8	22.0	19.6	18.0	21.2	
	>High School	19.8	15.3	25.2	16.1	15.2	17.1	
<b>ANNUAL INCOME</b>	<\$25,000	18.8	11.7	28.6	30.3	28.1	32.5	
	\$25,000-\$49,999	16.8	11.4	24.1	17.7	16.2	19.2	
	\$50,000 or More	16.3	10.9	23.6	10.8	9.8	11.8	
<b>MARITAL STATUS</b>	Married/Couple	17.3	13.1	22.4	15.5	14.6	16.4	
	Not Married/Couple	18.8	13.4	25.7	21.9	20.5	23.4	

**Percentage of adults who use special equipment because of a health problem**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	6.2	4.4	8.7	7.1	6.6	7.7	
<b>SEX</b>	Men	4.1	2.1	7.7	6.9	6.1	7.7	
	Women	8.3	5.6	12.0	7.4	6.8	8.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.7	4.7	9.5	7.4	6.9	8.0	
	Non-Hisp. Black				8.1	6.4	10.1	
	Hispanic	5.1	1.6	15.7	5.1	3.7	6.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.6	2.3	8.9	6.8	6.1	7.7	
	Non-Hisp. White Women	8.5	5.6	12.7	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women				4.3	3.0	6.1	
<b>AGE GROUP</b>	18-44	0.5	0.1	3.8	2.3	1.8	3.0	
	45-64	5.1	2.6	9.8	7.5	6.7	8.5	
	65 & Older	13.5	9.2	19.3	16.3	15.1	17.7	
<b>EDUCATION LEVEL</b>	<High School	3.2	0.9	10.5	12.0	10.0	14.2	
	H.S./GED	7.3	4.2	12.3	8.1	7.1	9.3	
	>High School	6.3	4.0	9.8	5.9	5.4	6.5	
<b>ANNUAL INCOME</b>	<\$25,000	10.6	6.0	18.2	13.8	12.4	15.3	
	\$25,000-\$49,999	3.5	1.6	7.2	6.6	5.7	7.6	
	\$50,000 or More	4.3	2.0	9.1	2.9	2.4	3.5	
<b>MARITAL STATUS</b>	Married/Couple	5.5	3.4	8.8	5.3	4.8	5.9	
	Not Married/Couple	7.6	4.8	11.9	10.3	9.3	11.3	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Folic Acid**

**Percentage of adults who take a multivitamin**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	55.8	49.7	61.7	58.5	57.3	59.8	
<b>SEX</b>	Men	52.4	42.7	62.0	53.9	51.9	56.0	
	Women	59.0	51.9	65.7	62.9	61.3	64.4	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	60.1	53.8	66.1	62.1	60.8	63.4	
	Non-Hisp. Black				52.6	48.1	57.1	
	Hispanic				47.7	43.7	51.7	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	57.3	46.8	67.2	58.2	56.1	60.3	
	Non-Hisp. White Women	62.6	55.1	69.5	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
	Hispanic Women				53.7	48.8	58.6	
<b>AGE GROUP</b>	18-44	44.1	32.4	56.4	51.2	48.9	53.5	
	45-64	50.1	40.7	59.4	61.5 *	59.7	63.2	
	65 & Older	73.3	66.0	79.5	69.2	67.4	70.9	
<b>EDUCATION LEVEL</b>	<High School	39.7	21.8	60.9	43.5	39.4	47.6	
	H.S./GED	49.8	38.9	60.6	51.8	49.3	54.2	
	>High School	62.8	55.4	69.6	63.9	62.4	65.4	
<b>ANNUAL INCOME</b>	<\$25,000	45.7	31.9	60.1	53.2	50.4	56.0	
	\$25,000-\$49,999	55.3	44.3	65.9	58.1	55.7	60.5	
	\$50,000 or More	56.8	47.7	65.4	62.2	60.2	64.1	
<b>MARITAL STATUS</b>	Married/Couple	54.3	47.0	61.4	59.4	57.9	61.0	
	Not Married/Couple	59.0	48.1	69.1	57.1	54.9	59.3	

**Percentage of women under age 45 who take a multivitamin**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	44.2	30.4	59.0	56.4	53.5	59.2	
<b>SEX</b>	Men							
	Women	44.2	30.4	59.0	56.4	53.5	59.2	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	49.7	33.5	65.9	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men							
	Non-Hisp. White Women	49.7	33.5	65.9	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
	Hispanic Women				48.2	41.4	55.1	
<b>AGE GROUP</b>	18-44	43.1	29.2	58.2	56.2	53.3	59.1	
	45-64							
	65 & Older							
<b>EDUCATION LEVEL</b>	<High School				34.0	25.5	43.7	
	H.S./GED				44.8	39.2	50.6	
	>High School	49.0	30.6	67.6	63.6	60.3	66.8	
<b>ANNUAL INCOME</b>	<\$25,000				46.5	40.2	52.9	
	\$25,000-\$49,999				54.7	49.5	59.9	
	\$50,000 or More				63.6	59.2	67.8	
<b>MARITAL STATUS</b>	Married/Couple	45.2	29.5	61.9	59.2	55.8	62.5	
	Not Married/Couple				51.7	46.6	56.7	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percentage of adults who had diarrhea in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	12.9	9.2	17.7	14.1	13.3	15.0	
<b>SEX</b>	Men	14.6	8.6	23.7	13.8	12.6	15.2	
	Women	11.2	7.6	16.2	14.4	13.4	15.4	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.3	9.2	18.9	15.6	14.7	16.6	
	Non-Hisp. Black				11.5	8.8	14.9	
	Hispanic	17.0	7.2	35.1	10.0	8.0	12.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	16.0	9.0	26.9	15.8	14.3	17.5	
	Non-Hisp. White Women	11.0	7.3	16.3	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
	Hispanic Women				10.7	8.0	14.1	
<b>AGE GROUP</b>	18-44	15.6	8.1	28.1	14.6	13.1	16.1	
	45-64	11.8	7.6	17.7	14.0	12.8	15.2	
	65 & Older	10.9	6.6	17.4	13.4	12.2	14.6	
<b>EDUCATION LEVEL</b>	<High School	15.1	6.2	32.5	12.4	10.1	15.2	
	H.S./GED	13.9	6.9	26.1	13.6	12.2	15.1	
	>High School	11.8	8.0	17.1	14.6	13.5	15.7	
<b>ANNUAL INCOME</b>	<\$25,000	23.0	11.8	40.1	16.7	14.9	18.7	
	\$25,000-\$49,999	9.3	5.2	15.9	12.5	11.1	13.9	
	\$50,000 or More	10.1	5.7	17.3	14.8	13.5	16.3	
<b>MARITAL STATUS</b>	Married/Couple	10.7	7.1	15.6	13.9	12.9	14.9	
	Not Married/Couple	17.3	9.8	28.6	14.5	13.2	16.0	

Percentage of adults who had diarrhea in the past 30 days and who visited a doctor

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	1.5	0.7	3.1	2.4	2.0	2.8	
<b>SEX</b>	Men	1.5	0.4	5.3	2.2	1.6	2.9	
	Women	1.5	0.6	3.4	2.6	2.2	3.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	1.4	0.6	3.4	2.5	2.1	3.0	
	Non-Hisp. Black				2.2	1.4	3.6	
	Hispanic	3.3	0.8	12.8	2.1	1.3	3.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	1.9	0.5	6.6	2.2	1.6	3.1	
	Non-Hisp. White Women	1.0	0.4	2.7	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
	Hispanic Women				2.0	1.2	3.3	
<b>AGE GROUP</b>	18-44	1.2	0.2	7.8	2.0	1.4	2.7	
	45-64	1.7	0.6	4.8	2.5	2.0	3.2	
	65 & Older	1.7	0.6	4.5	3.0	2.4	3.7	
<b>EDUCATION LEVEL</b>	<High School	4.4	1.4	13.6	2.3	1.6	3.2	
	H.S./GED	2.0	0.5	7.4	2.8	2.2	3.6	
	>High School	0.5	0.2	1.7	2.2 *	1.7	2.7	
<b>ANNUAL INCOME</b>	<\$25,000	3.7	1.4	9.0	3.5	2.7	4.4	
	\$25,000-\$49,999	0.0			2.8	2.1	3.7	
	\$50,000 or More	0.6	0.1	2.5	1.6	1.1	2.2	
<b>MARITAL STATUS</b>	Married/Couple	0.8	0.2	3.8	2.1	1.7	2.6	
	Not Married/Couple	2.8	1.3	6.1	2.8	2.2	3.6	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	78.6	72.8	83.5	81.4	80.3	82.4	83.7
<b>SEX</b>	Men	78.4	68.2	86.0	80.3	78.5	82.0	83.3
	Women	78.8	71.9	84.3	82.4	81.0	83.7	84.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	85.8	80.1	90.1	87.8	86.9	88.7	88.5
	Non-Hisp. Black				77.2	72.9	81.1	55.4
	Hispanic	29.7	15.9	48.7	61.4 *	57.6	65.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	84.8	74.5	91.5	87.6	86.2	88.8	
	Non-Hisp. White Women	86.7	79.8	91.4	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	88.6
	Hispanic Men				57.7	51.8	63.5	88.5
	Hispanic Women				64.9	60.3	69.3	
<b>AGE GROUP</b>	18-44	62.0	49.9	72.7	72.4	70.3	74.4	68.3
	45-64	75.1	64.8	83.1	82.7	81.3	84.1	85.3
	65 & Older	98.9	96.5	99.6	97.3	96.5	97.9	95.7
<b>EDUCATION LEVEL</b>	<High School	41.5	25.6	59.4	60.8	56.8	64.6	59.7
	H.S./GED	79.5	68.9	87.2	73.8	71.3	76.1	77.6
	>High School	87.0	80.1	91.8	88.3	87.1	89.3	91.2
<b>ANNUAL INCOME</b>	<\$25,000	72.3	58.0	83.2	64.5	61.7	67.3	66.4
	\$25,000-\$49,999	67.7	55.8	77.7	79.0	76.8	81.0	83.9
	\$50,000 or More	93.4	87.4	96.7	93.2	91.8	94.3	97.9
<b>MARITAL STATUS</b>	Married/Couple	79.8	72.5	85.5	85.3	84.1	86.4	88.0
	Not Married/Couple	76.1	65.3	84.3	74.9	72.7	76.9	75.8

Percentage of adults who have a personal doctor

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	73.1	67.0	78.3	77.1	75.9	78.2	74.1
<b>SEX</b>	Men	65.2	55.2	74.0	72.8	71.0	74.6	63.3
	Women	80.3	73.5	85.7	81.1	79.7	82.4	83.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.4	68.6	81.2	82.2	81.1	83.2	75.4
	Non-Hisp. Black				75.6	71.4	79.4	66.1
	Hispanic	55.0	35.1	73.4	61.7	58.0	65.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	64.8	53.6	74.5	77.9 *	76.0	79.7	
	Non-Hisp. White Women	84.6	77.1	89.9	86.3	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women				78.8	73.5	83.3	64.4
	Hispanic Men				58.2	52.4	63.8	85.2
	Hispanic Women				65.2	60.5	69.5	
<b>AGE GROUP</b>	18-44	50.7	38.9	62.3	64.7 *	62.5	66.8	49.8
	45-64	78.8	70.6	85.2	83.3	81.9	84.6	81.3
	65 & Older	91.3	85.9	94.7	92.9	91.9	93.8	89.7
<b>EDUCATION LEVEL</b>	<High School	54.0	35.7	71.4	62.8	58.9	66.5	78.6
	H.S./GED	65.1	53.2	75.4	71.4	68.9	73.7	70.8
	>High School	82.3	75.5	87.5	82.1	80.8	83.4	75.1
<b>ANNUAL INCOME</b>	<\$25,000	66.0	51.6	78.0	66.8	64.1	69.4	69.7
	\$25,000-\$49,999	60.1	48.6	70.6	74.2 *	71.8	76.4	74.2
	\$50,000 or More	87.9	80.9	92.6	84.8	83.2	86.3	73.5
<b>MARITAL STATUS</b>	Married/Couple	75.8	68.8	81.6	80.6	79.3	81.8	75.7
	Not Married/Couple	67.7	55.9	77.6	71.1	68.9	73.2	71.2

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	12.3	8.7	17.1	15.1	14.2	16.0	
<b>SEX</b>	Men	12.7	7.5	20.7	13.3	11.9	14.7	
	Women	11.9	7.6	18.3	16.8	15.7	18.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.3	5.1	13.2	11.5	10.8	12.4	
	Non-Hisp. Black				20.9	17.8	24.4	
	Hispanic	37.7	20.5	58.6	23.5	20.6	26.8	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.7	4.0	17.7	9.8	8.6	11.0	
	Non-Hisp. White Women	8.0	4.4	14.2	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women				23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
	Hispanic Women				24.1	20.5	28.2	
<b>AGE GROUP</b>	18-44	22.9	14.5	34.4	19.9	18.3	21.6	
	45-64	13.1	8.2	20.3	15.8	14.5	17.2	
	65 & Older	0.6	0.2	2.1	4.5 *	3.7	5.3	
<b>EDUCATION LEVEL</b>	<High School	15.0	6.8	29.9	25.6	22.6	28.9	
	H.S./GED	13.0	6.7	23.7	19.0	17.1	21.0	
	>High School	11.3	7.1	17.6	11.7	10.7	12.8	
<b>ANNUAL INCOME</b>	<\$25,000	16.6	9.3	28.0	29.3	26.9	31.9	
	\$25,000-\$49,999	17.4	9.9	28.9	18.4	16.5	20.5	
	\$50,000 or More	5.1	2.4	10.6	6.3	5.4	7.4	
<b>MARITAL STATUS</b>	Married/Couple	12.6	8.0	19.3	12.7	11.8	13.8	
	Not Married/Couple	11.3	6.9	18.0	19.3	17.6	21.0	

Percentage of adults who had a medical checkup in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	73.0	67.1	78.2	74.6	73.5	75.7	
<b>SEX</b>	Men	65.2	55.3	74.0	70.5	68.7	72.3	
	Women	80.3	74.0	85.4	78.5	77.1	79.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	73.6	67.0	79.4	75.0	73.8	76.2	
	Non-Hisp. Black				82.7	79.0	85.9	
	Hispanic	67.0	46.6	82.5	70.1	66.5	73.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	63.7	52.5	73.5	71.0	69.1	72.9	
	Non-Hisp. White Women	82.4	76.1	87.4	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women				86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
	Hispanic Women				74.3	70.0	78.3	
<b>AGE GROUP</b>	18-44	48.2	36.4	60.2	64.0 *	61.8	66.1	
	45-64	77.1	68.9	83.7	77.7	76.2	79.1	
	65 & Older	94.5	90.9	96.7	91.5	90.4	92.4	
<b>EDUCATION LEVEL</b>	<High School	64.4	44.8	80.1	71.4	67.6	74.9	
	H.S./GED	64.1	52.2	74.5	72.8	70.5	75.0	
	>High School	80.4	74.2	85.4	76.0	74.6	77.4	
<b>ANNUAL INCOME</b>	<\$25,000	81.4	66.1	90.8	73.0	70.4	75.3	
	\$25,000-\$49,999	60.8	49.4	71.2	72.4	70.1	74.5	
	\$50,000 or More	75.2	66.2	82.4	75.7	73.9	77.4	
<b>MARITAL STATUS</b>	Married/Couple	75.5	68.6	81.4	75.6	74.3	77.0	
	Not Married/Couple	67.7	56.3	77.3	73.1	71.0	75.0	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	83.2	78.6	87.0	83.4	82.5	84.2	81.0
<b>SEX</b>	Men	81.1	73.0	87.2	83.8	82.4	85.1	79.3
	Women	85.2	79.8	89.3	82.9	81.8	84.0	82.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	84.7	80.2	88.2	85.8	85.0	86.6	82.6
	Non-Hisp. Black				80.8	77.5	83.7	70.5
	Hispanic	72.0	47.1	88.2	77.2	74.1	80.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	83.8	76.7	89.1	86.1	84.8	87.3	
	Non-Hisp. White Women	85.4	79.4	89.8	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women				78.5	73.8	82.5	81.1
	Hispanic Men				77.5	72.5	81.7	83.9
	Hispanic Women				77.0	73.0	80.6	
<b>AGE GROUP</b>	18-44	91.4	81.9	96.1	89.5	88.1	90.8	88.9
	45-64	79.5	69.4	86.9	80.4	78.8	81.8	80.7
	65 & Older	77.6	71.0	83.1	75.2	73.6	76.8	73.7
<b>EDUCATION LEVEL</b>	<High School	74.0	53.8	87.5	66.1	62.5	69.4	66.1
	H.S./GED	81.6	73.4	87.7	79.0	77.1	80.8	80.1
	>High School	86.4	80.8	90.7	88.1	87.1	89.0	84.2
<b>ANNUAL INCOME</b>	<\$25,000	72.6	58.7	83.2	65.7	63.2	68.1	70.6
	\$25,000-\$49,999	81.8	73.0	88.2	83.9	82.3	85.4	81.6
	\$50,000 or More	93.2	88.0	96.2	93.3	92.2	94.2	90.7
<b>MARITAL STATUS</b>	Married/Couple	82.5	76.1	87.5	85.1	84.0	86.1	80.8
	Not Married/Couple	84.6	78.8	89.1	80.3	78.7	81.7	81.2

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	97.9	96.4	98.8	94.2 *	93.6	94.8	
<b>SEX</b>	Men	97.9	95.6	99.0	94.0 *	92.9	94.9	
	Women	98.0	95.4	99.1	94.5 *	93.8	95.1	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	97.9	96.2	98.9	94.9 *	94.3	95.4	
	Non-Hisp. Black				93.0	91.0	94.7	
	Hispanic	100.0			93.5	90.8	95.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	97.6	94.9	98.9	94.8	93.9	95.6	
	Non-Hisp. White Women	98.2	95.4	99.3	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
	Hispanic Women				94.0	91.3	95.9	
<b>AGE GROUP</b>	18-44	99.1	96.0	99.8	94.6 *	93.4	95.6	
	45-64	96.4	91.9	98.4	92.7	91.7	93.6	
	65 & Older	98.0	95.6	99.1	95.8	95.0	96.5	
<b>EDUCATION LEVEL</b>	<High School	100.0			91.7	89.7	93.4	
	H.S./GED	98.5	95.9	99.5	92.7 *	91.1	94.1	
	>High School	97.1	94.5	98.5	95.3	94.6	95.9	
<b>ANNUAL INCOME</b>	<\$25,000	96.6	90.7	98.8	87.8 *	86.0	89.3	
	\$25,000-\$49,999	98.0	95.6	99.1	94.8	93.6	95.8	
	\$50,000 or More	98.3	94.2	99.5	97.2	96.2	98.0	
<b>MARITAL STATUS</b>	Married/Couple	99.2	97.2	99.8	96.4 *	95.7	96.9	
	Not Married/Couple	95.3	91.5	97.5	90.5	89.2	91.8	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	76.9	70.8	82.0	77.9	76.8	79.0	
<b>SEX</b>	Men	72.4	61.7	80.9	76.6	74.7	78.3	
	Women	81.2	74.7	86.3	79.2	77.9	80.5	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	83.6	77.9	88.0	82.3	81.3	83.3	
	Non-Hisp. Black				67.0	62.7	71.0	
	Hispanic	49.9	28.9	70.9	68.5	64.6	72.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	80.2	70.0	87.5	81.2	79.6	82.8	
	Non-Hisp. White Women	86.6	80.1	91.2	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women				68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
	Hispanic Women				72.3	67.9	76.4	
<b>AGE GROUP</b>	18-44	72.8	59.3	83.0	78.2	76.1	80.1	
	45-64	74.7	63.9	83.1	78.1	76.5	79.6	
	65 & Older	82.9	76.6	87.8	77.4	75.9	78.9	
<b>EDUCATION LEVEL</b>	<High School	67.5	45.0	84.1	63.3	59.3	67.0	
	H.S./GED	73.4	61.2	82.9	71.9	69.5	74.2	
	>High School	80.9	73.7	86.5	82.9	81.6	84.1	
<b>ANNUAL INCOME</b>	<\$25,000	48.1	34.1	62.4	63.4	60.7	66.1	
	\$25,000-\$49,999	77.0	66.3	85.1	76.0	73.8	78.0	
	\$50,000 or More	90.2	83.4	94.4	87.1	85.6	88.5	
<b>MARITAL STATUS</b>	Married/Couple	79.4	72.0	85.2	83.1	81.9	84.3	
	Not Married/Couple	71.7	60.0	81.0	68.9	66.8	70.9	

Percentage of adults with good physical health

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	91.2	88.3	93.4	88.8	88.1	89.5	
<b>SEX</b>	Men	92.8	88.2	95.6	89.8	88.7	90.8	
	Women	89.7	85.7	92.7	87.8	86.9	88.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	90.5	87.2	93.0	88.5	87.7	89.2	
	Non-Hisp. Black				88.0	85.5	90.1	
	Hispanic	94.1	83.8	98.0	90.6	88.5	92.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	91.8	86.3	95.2	89.6	88.4	90.7	
	Non-Hisp. White Women	89.3	84.8	92.6	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women				87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
	Hispanic Women				89.8	87.3	91.9	
<b>AGE GROUP</b>	18-44	97.5	93.2	99.1	92.5	91.4	93.5	
	45-64	91.2	85.7	94.7	86.5	85.2	87.6	
	65 & Older	84.1	77.9	88.8	84.3	82.9	85.5	
<b>EDUCATION LEVEL</b>	<High School	95.4	86.9	98.5	82.6 *	80.1	84.8	
	H.S./GED	90.8	85.0	94.5	86.6	85.1	87.9	
	>High School	90.4	86.3	93.3	90.8	89.9	91.6	
<b>ANNUAL INCOME</b>	<\$25,000	88.5	80.0	93.7	80.3	78.5	82.0	
	\$25,000-\$49,999	93.2	88.6	96.1	89.1	87.7	90.3	
	\$50,000 or More	93.5	88.2	96.5	93.5	92.5	94.4	
<b>MARITAL STATUS</b>	Married/Couple	92.8	89.1	95.2	90.4	89.5	91.1	
	Not Married/Couple	87.9	82.4	91.9	86.1	84.8	87.3	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	90.2	85.0	93.7	90.3	89.6	91.0	
<b>SEX</b>	Men	87.5	77.2	93.5	91.9	90.9	92.9	
	Women	92.7	88.6	95.4	88.7	87.7	89.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	89.5	83.4	93.5	90.9	90.2	91.6	
	Non-Hisp. Black				87.2	83.8	90.0	
	Hispanic	96.2	77.2	99.5	89.8	87.4	91.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	86.9	74.5	93.8	92.2	91.2	93.2	
	Non-Hisp. White Women	91.8	87.1	94.9	89.7	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women				85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women				87.7	84.2	90.5	
<b>AGE GROUP</b>	18-44	86.0	72.0	93.7	88.9	87.5	90.1	
	45-64	88.5	81.6	93.1	89.2	88.2	90.3	
	65 & Older	95.7	92.0	97.7	94.5	93.6	95.2	
<b>EDUCATION LEVEL</b>	<High School	88.1	62.7	97.0	84.2	81.0	87.0	
	H.S./GED	83.3	71.0	91.0	89.0	87.6	90.3	
	>High School	95.0	91.6	97.1	91.8	90.9	92.6	
<b>ANNUAL INCOME</b>	<\$25,000	85.0	67.9	93.8	83.9	81.9	85.8	
	\$25,000-\$49,999	87.5	76.2	93.9	88.7	87.1	90.1	
	\$50,000 or More	96.1	91.3	98.3	94.3	93.4	95.1	
<b>MARITAL STATUS</b>	Married/Couple	93.5	89.7	95.9	92.0	91.2	92.8	
	Not Married/Couple	82.9	68.9	91.4	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	4.2	2.7	5.7	4.5	4.2	4.7	
<b>SEX</b>	Men	5.0	2.2	7.7	4.6	4.1	5.0	
	Women	3.6	2.1	5.0	4.4	4.1	4.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.1	2.5	5.8	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.9	1.8	8.1	4.6	4.1	5.1	
	Non-Hisp. White Women	3.5	1.9	5.0	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
<b>AGE GROUP</b>	18-44	2.2	0.6	3.7	3.4	3.0	3.9	
	45-64	5.5	2.5	8.4	5.1	4.7	5.6	
	65 & Older	6.1	3.0	9.3	5.8	5.2	6.4	
<b>EDUCATION LEVEL</b>	<High School				6.2	5.2	7.1	
	H.S./GED	4.0	1.1	6.9	5.4	4.9	6.0	
	>High School	4.6	2.8	6.4	3.8	3.4	4.1	
<b>ANNUAL INCOME</b>	<\$25,000	8.9	3.2	14.5	7.5	6.8	8.2	
	\$25,000-\$49,999	3.3	1.4	5.2	4.4	3.9	4.9	
	\$50,000 or More	3.2	1.0	5.5	2.5	2.2	2.8	
<b>MARITAL STATUS</b>	Married/Couple	4.0	2.1	6.0	4.0	3.7	4.3	
	Not Married/Couple	4.4	2.2	6.7	5.2	4.7	5.7	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	2.9	2.2	3.7	3.6	3.4	3.8	
<b>SEX</b>	Men	2.6	1.5	3.7	3.3	3.0	3.6	
	Women	3.3	2.2	4.3	3.9	3.7	4.1	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.0	2.2	3.8	3.7	3.5	3.8	
	Non-Hisp. Black				4.1	3.5	4.8	
	Hispanic				3.0	2.5	3.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.6	1.4	3.8	3.4	3.1	3.7	
	Non-Hisp. White Women	3.3	2.2	4.3	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women				3.3	2.7	4.0	
<b>AGE GROUP</b>	18-44	1.6	0.6	2.5	2.7	2.4	2.9	
	45-64	3.5	2.0	5.0	4.2	3.9	4.5	
	65 & Older	4.1	2.8	5.5	4.8	4.4	5.1	
<b>EDUCATION LEVEL</b>	<High School				5.5	4.8	6.2	
	H.S./GED	2.4	1.2	3.6	4.3 *	3.9	4.7	
	>High School	3.4	2.4	4.5	3.1	2.9	3.3	
<b>ANNUAL INCOME</b>	<\$25,000	4.7	2.3	7.0	6.3	5.8	6.8	
	\$25,000-\$49,999	2.1	1.1	3.2	3.5	3.2	3.8	
	\$50,000 or More	3.0	1.7	4.2	2.3	2.0	2.5	
<b>MARITAL STATUS</b>	Married/Couple	2.5	1.7	3.4	3.2	3.0	3.4	
	Not Married/Couple	3.6	2.2	5.1	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	3.4	2.0	4.9	3.3	3.1	3.5	
<b>SEX</b>	Men	4.3	1.5	7.1	2.8	2.5	3.1	
	Women	2.7	1.6	3.8	3.7	3.4	4.0	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.6	2.0	5.2	3.1	2.9	3.2	
	Non-Hisp. Black				4.1	3.2	5.0	
	Hispanic				3.5	2.8	4.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.5	1.4	7.6	2.7	2.4	2.9	
	Non-Hisp. White Women	2.8	1.6	4.0	3.4	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women				4.0	3.1	5.0	
<b>AGE GROUP</b>	18-44	4.9	1.4	8.4	3.8	3.4	4.2	
	45-64	3.8	2.0	5.6	3.5	3.2	3.8	
	65 & Older	1.5	0.8	2.3	1.8	1.6	2.0	
<b>EDUCATION LEVEL</b>	<High School				5.2	4.3	6.1	
	H.S./GED	4.5	1.4	7.6	3.7	3.3	4.1	
	>High School	2.4	1.4	3.4	2.8	2.6	3.0	
<b>ANNUAL INCOME</b>	<\$25,000	5.9	0.9	11.0	5.2	4.6	5.7	
	\$25,000-\$49,999	4.1	1.5	6.7	3.6	3.2	4.0	
	\$50,000 or More	1.7	0.6	2.8	2.2	1.9	2.4	
<b>MARITAL STATUS</b>	Married/Couple	2.1	1.2	3.0	2.7	2.5	2.9	
	Not Married/Couple	5.9	2.4	9.4	4.3	3.9	4.6	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## HIV/AIDS

## Percentage of adults less than 65 years of age who have ever been tested for HIV

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	44.7	36.9	52.8	49.1	47.6	50.6	37.5
<b>SEX</b>	Men	43.6	31.4	56.6	46.4	44.0	48.8	26.4
	Women	45.9	36.6	55.5	51.8	50.0	53.7	47.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	44.9	36.3	53.9	45.3	43.6	47.0	34.3
	Non-Hisp. Black				68.4	63.9	72.6	
	Hispanic				50.7	46.5	54.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	44.7	31.0	59.2	45.2	42.6	47.8	
	Non-Hisp. White Women	45.2	35.1	55.7	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	25.6
	Hispanic Men				44.2	37.8	50.8	42.6
	Hispanic Women				57.5	52.4	62.5	
<b>AGE GROUP</b>	18-44	62.0	49.8	72.8	58.5	56.3	60.7	49.4
	45-64	23.0	16.7	30.7	35.9 *	34.2	37.7	24.8
	65 & Older							
<b>EDUCATION LEVEL</b>	<High School				48.1	43.0	53.3	
	H.S./GED	34.0	20.8	50.3	46.9	43.8	50.0	38.1
	>High School	50.8	41.3	60.3	50.2	48.4	52.1	36.7
<b>ANNUAL INCOME</b>	<\$25,000	47.7	27.5	68.6	54.1	50.5	57.7	52.2
	\$25,000-\$49,999	51.0	37.2	64.6	48.0	45.1	51.0	44.7
	\$50,000 or More	41.1	30.9	52.2	49.5	47.3	51.7	24.9
<b>MARITAL STATUS</b>	Married/Couple	35.0	26.8	44.1	47.7 *	45.9	49.5	30.7
	Not Married/Couple	65.6	52.8	76.6	51.7	48.9	54.4	50.0

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	29.2	24.7	34.1	28.2	27.2	29.2	35.0
<b>SEX</b>	Men	29.3	22.4	37.2	28.8	27.2	30.4	31.7
	Women	29.1	23.7	35.2	27.6	26.4	28.8	37.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	30.8	25.9	36.2	30.4	29.3	31.5	35.4
	Non-Hisp. Black				32.5	28.9	36.3	30.0
	Hispanic	5.7	1.9	15.9	19.1 *	16.5	22.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.3	24.4	41.2	31.0	29.3	32.7	
	Non-Hisp. White Women	29.5	23.6	36.2	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women				33.6	29.1	38.4	31.3
	Hispanic Men				20.9	16.7	25.9	38.9
	Hispanic Women				17.3	14.3	20.8	
<b>AGE GROUP</b>	18-44	12.4	6.6	22.2	11.6	10.3	13.1	12.4
	45-64	29.3	22.1	37.6	33.9	32.3	35.5	33.7
	65 & Older	46.5	39.3	53.8	53.5	51.8	55.3	56.8
<b>EDUCATION LEVEL</b>	<High School	18.5	9.3	33.2	31.9	28.7	35.3	57.8 *
	H.S./GED	28.9	21.4	37.7	29.5	27.6	31.3	35.0
	>High School	31.9	26.0	38.5	27.0	25.8	28.3	30.8
<b>ANNUAL INCOME</b>	<\$25,000	31.8	21.8	43.9	35.3	33.0	37.6	37.8
	\$25,000-\$49,999	25.1	17.8	34.1	29.2	27.3	31.1	31.3
	\$50,000 or More	27.1	20.2	35.3	23.2	21.7	24.8	30.3
<b>MARITAL STATUS</b>	Married/Couple	26.2	20.9	32.2	27.4	26.2	28.6	34.4
	Not Married/Couple	35.2	27.1	44.1	29.6	28.0	31.3	36.2

Percentage of adults with hypertension who engage in blood pressure control measures

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	99.0	96.1	99.8	96.4	95.5	97.2	
<b>SEX</b>	Men	97.9	92.0	99.5	95.9	94.1	97.1	
	Women	100.0			97.0	95.9	97.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	98.9	95.5	99.7	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	97.7	91.0	99.4	97.0	95.7	97.9	
	Non-Hisp. White Women	100.0			97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
<b>AGE GROUP</b>	18-44				90.0	85.5	93.2	
	45-64	96.6	87.4	99.2	96.9	95.7	97.9	
	65 & Older	100.0			98.8	98.1	99.2	
<b>EDUCATION LEVEL</b>	<High School				94.3	90.6	96.6	
	H.S./GED	98.5	90.1	99.8	96.2	94.2	97.5	
	>High School	99.2	94.2	99.9	97.0	95.7	97.9	
<b>ANNUAL INCOME</b>	<\$25,000	100.0			96.2	94.1	97.6	
	\$25,000-\$49,999	98.3	88.8	99.8	97.1	95.4	98.2	
	\$50,000 or More	100.0			96.7	94.6	98.0	
<b>MARITAL STATUS</b>	Married/Couple	100.0			96.1	94.7	97.2	
	Not Married/Couple	97.5	90.4	99.4	96.9	95.5	97.9	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with hypertension who were advised by a health care provider to engage in control measures

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	99.2	94.4	99.9	95.5	94.4	96.4	
<b>SEX</b>	Men	98.3	88.7	99.8	95.6	94.1	96.7	
	Women	100.0			95.5	93.6	96.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	99.1	93.7	99.9	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	98.1	87.8	99.7	96.7	95.5	97.6	
	Non-Hisp. White Women	100.0			96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
<b>AGE GROUP</b>	18-44				89.8	84.5	93.5	
	45-64	100.0			96.3	94.8	97.4	
	65 & Older	98.5	90.1	99.8	97.2	96.2	98.0	
<b>EDUCATION LEVEL</b>	<High School				93.7	90.5	95.9	
	H.S./GED	100.0			95.5	92.3	97.4	
	>High School	98.6	90.8	99.8	95.8	94.5	96.9	
<b>ANNUAL INCOME</b>	<\$25,000	100.0			94.4	90.9	96.6	
	\$25,000-\$49,999	100.0			95.5	93.4	96.9	
	\$50,000 or More	97.3	83.2	99.6	96.4	94.6	97.6	
<b>MARITAL STATUS</b>	Married/Couple	98.6	90.8	99.8	95.7	94.4	96.8	
	Not Married/Couple	100.0			95.2	92.9	96.8	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Immunization**

**Percentage of adults in high-risk groups who received a flu shot in the past year**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	48.5	37.2	60.0	44.6	42.4	46.8	
<b>SEX</b>	Men	35.4	20.3	54.1	46.4	42.8	50.1	
	Women	60.1	48.4	70.8	43.2 *	40.6	45.9	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	50.1	38.5	61.6	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	37.8	21.4	57.4	50.3	46.3	54.4	
	Non-Hisp. White Women	59.7	47.4	70.9	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
<b>AGE GROUP</b>	Hispanic Women				29.9	21.8	39.5	
	18-44				25.1	21.4	29.2	
	45-64	36.1	21.4	53.9	41.6	38.4	44.9	
	65 & Older	69.7	55.8	80.7	72.1	68.9	75.1	
<b>EDUCATION LEVEL</b>	<High School				34.6	28.9	40.9	
	H.S./GED	53.7	29.7	76.1	42.8	38.6	47.2	
	>High School	48.8	36.7	61.1	46.6	43.9	49.3	
<b>ANNUAL INCOME</b>	<\$25,000				41.8	37.6	46.2	
	\$25,000-\$49,999	48.0	31.3	65.1	44.1	40.1	48.1	
	\$50,000 or More	57.1	39.5	73.0	45.7	42.1	49.4	
<b>MARITAL STATUS</b>	Married/Couple	49.9	35.6	64.3	46.4	43.6	49.1	
	Not Married/Couple	46.4	29.2	64.5	42.0	38.5	45.6	

**Percentage of adults in high-risk groups who have ever received a pneumonia vaccination**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	55.7	43.4	67.4	37.0 *	35.0	39.1	
<b>SEX</b>	Men	53.2	31.9	73.5	40.4	36.9	44.0	
	Women	58.0	45.9	69.2	34.7 *	32.3	37.1	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	52.7	40.4	64.6	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	46.4	26.5	67.5	45.3	41.4	49.4	
	Non-Hisp. White Women	57.7	45.0	69.4	41.2 *	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
<b>AGE GROUP</b>	Hispanic Women				23.6	16.3	32.7	
	18-44				12.7	10.0	16.1	
	45-64	45.3	26.3	65.8	30.1	27.3	33.1	
	65 & Older	79.2	67.0	87.7	73.5	70.4	76.5	
<b>EDUCATION LEVEL</b>	<High School				38.8	32.3	45.8	
	H.S./GED	49.1	26.3	72.3	38.9	34.9	43.0	
	>High School	55.2	42.2	67.5	36.0 *	33.5	38.5	
<b>ANNUAL INCOME</b>	<\$25,000				41.6	37.5	45.9	
	\$25,000-\$49,999	56.6	38.6	73.0	41.1	37.2	45.1	
	\$50,000 or More	46.1	29.4	63.7	28.5	25.4	31.8	
<b>MARITAL STATUS</b>	Married/Couple	58.5	43.7	71.9	37.6 *	35.0	40.2	
	Not Married/Couple	51.6	32.0	70.7	36.3	33.2	39.6	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Immunization**

**Percentage of adults who received a flu shot in the past year**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	40.8	35.6	46.2	32.7 *	31.7	33.7	34.0
<b>SEX</b>	Men	38.4	30.2	47.3	31.7	30.1	33.3	32.8
	Women	43.0	36.7	49.5	33.6 *	32.3	34.9	34.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	43.5	37.8	49.3	38.0	36.8	39.2	36.2
	Non-Hisp. Black				23.0	19.9	26.3	12.4
	Hispanic	26.1	12.6	46.5	20.6	17.9	23.6	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.7	30.9	49.2	36.5	34.7	38.4	
	Non-Hisp. White Women	46.8	39.9	53.8	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women				23.0	19.3	27.1	35.5
	Hispanic Men				19.5	15.6	24.2	36.9
	Hispanic Women				21.7	18.2	25.7	
<b>AGE GROUP</b>	18-44	27.9	18.6	39.7	18.3	16.7	20.0	8.4 *
	45-64	25.0	18.7	32.6	30.6	29.1	32.2	21.5
	65 & Older	67.7	60.5	74.2	64.6	62.9	66.4	66.2
<b>EDUCATION LEVEL</b>	<High School	23.0	11.9	39.8	26.0	23.2	29.0	35.0
	H.S./GED	30.9	23.1	39.9	30.4	28.6	32.3	31.8
	>High School	51.4	44.6	58.2	34.8 *	33.5	36.2	34.9 *
<b>ANNUAL INCOME</b>	<\$25,000	35.0	24.2	47.7	33.8	31.5	36.3	31.5
	\$25,000-\$49,999	35.4	26.2	45.7	31.3	29.4	33.3	36.0
	\$50,000 or More	46.9	38.4	55.7	31.9 *	30.3	33.6	31.8
<b>MARITAL STATUS</b>	Married/Couple	39.0	32.9	45.5	33.3	32.0	34.6	37.7
	Not Married/Couple	44.2	34.7	54.2	31.8 *	30.0	33.6	26.8 *

**Percentage of adults age 65 and older who received a flu shot in the past year**

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	67.7	60.5	74.2	64.6	62.9	66.4	66.2
<b>SEX</b>	Men	70.1	57.8	80.1	65.9	63.1	68.5	74.6
	Women	65.8	56.9	73.7	63.7	61.4	65.9	59.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	68.2	60.7	74.9	68.3	66.5	70.0	67.5
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	70.2	57.3	80.6	69.3	66.5	71.9	
	Non-Hisp. White Women	66.6	57.4	74.7	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	76.2
	Hispanic Men				47.4	34.6	60.5	60.4
	Hispanic Women				43.7	33.9	54.1	
<b>AGE GROUP</b>	18-44							
	45-64							
	65 & Older	67.7	60.5	74.2	64.6	62.9	66.4	66.2
<b>EDUCATION LEVEL</b>	<High School				50.8	45.3	56.3	
	H.S./GED	65.6	52.5	76.6	62.1	59.0	65.1	61.1
	>High School	71.2	61.7	79.1	69.4	67.1	71.6	71.3
<b>ANNUAL INCOME</b>	<\$25,000	59.1	43.9	72.8	59.8	56.6	63.0	64.4
	\$25,000-\$49,999	62.8	48.6	75.1	63.7	60.4	67.0	76.6
	\$50,000 or More	80.4	66.8	89.2	70.5	66.8	73.9	67.3
<b>MARITAL STATUS</b>	Married/Couple	66.9	57.3	75.2	68.5	66.1	70.7	71.7
	Not Married/Couple	69.0	57.9	78.3	59.3	56.6	61.9	56.3

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

**Immunization**

**Percentage of adults who have ever received a pneumonia vaccination**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	36.8	31.6	42.3	25.9 *	25.0	26.9	38.3
<b>SEX</b>	Men	35.6	27.4	44.9	25.6 *	24.1	27.2	36.7
	Women	37.8	31.9	44.2	26.2 *	25.0	27.4	39.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.9	33.5	44.6	30.0 *	28.9	31.1	39.7
	Non-Hisp. Black				17.5	14.9	20.5	28.3
	Hispanic	23.5	8.8	49.5	16.1	13.5	19.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	36.6	28.1	45.9	28.6	26.9	30.3	
	Non-Hisp. White Women	40.9	34.4	47.8	31.3 *	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women				15.8	12.8	19.3	38.8
	Hispanic Men				17.3	13.1	22.5	40.5
	Hispanic Women				15.0	12.0	18.5	
<b>AGE GROUP</b>	18-44	15.5	8.5	26.6	11.4	10.0	13.0	9.4
	45-64	23.5	15.9	33.3	18.4	17.1	19.8	23.2
	65 & Older	68.5	61.4	74.9	63.0	61.2	64.8	74.5
<b>EDUCATION LEVEL</b>	<High School	30.8	15.5	52.0	25.1	22.4	28.1	40.6
	H.S./GED	30.4	22.7	39.4	27.7	25.8	29.8	39.7
	>High School	42.3	35.6	49.2	25.2 *	24.1	26.4	37.2
<b>ANNUAL INCOME</b>	<\$25,000	36.8	24.8	50.6	31.6	29.4	33.8	38.1
	\$25,000-\$49,999	36.9	27.6	47.3	26.8	25.0	28.6	39.4
	\$50,000 or More	30.8	23.4	39.3	19.5 *	18.1	21.1	27.4
<b>MARITAL STATUS</b>	Married/Couple	34.8	28.7	41.3	24.8 *	23.6	26.0	37.8
	Not Married/Couple	40.8	31.4	50.9	27.9 *	26.3	29.6	39.0

**Percentage of adults age 65 and older who have ever received a pneumonia vaccination**

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	68.5	61.4	74.9	63.0	61.2	64.8	74.5
<b>SEX</b>	Men	67.3	55.5	77.2	62.8	60.0	65.5	79.7
	Women	69.6	60.6	77.2	63.2	60.8	65.4	70.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	70.8	63.6	77.2	67.7	65.9	69.4	74.6
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	69.2	57.2	79.1	67.0	64.3	69.6	
	Non-Hisp. White Women	72.3	63.2	79.8	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	80.7
	Hispanic Men				33.4	22.6	46.4	69.8
	Hispanic Women				33.3	24.4	43.6	
<b>AGE GROUP</b>	18-44							
	45-64							
	65 & Older	68.5	61.4	74.9	63.0	61.2	64.8	74.5
<b>EDUCATION LEVEL</b>	<High School				51.3	45.8	56.8	
	H.S./GED	71.0	58.4	81.0	61.3	58.1	64.3	73.2
	>High School	69.9	60.6	77.8	67.0	64.6	69.2	76.4
<b>ANNUAL INCOME</b>	<\$25,000	65.2	49.7	78.0	60.2	56.8	63.4	64.2
	\$25,000-\$49,999	73.2	60.3	83.0	64.4	61.1	67.7	82.7
	\$50,000 or More	64.8	50.0	77.2	64.2	60.3	67.9	75.9
<b>MARITAL STATUS</b>	Married/Couple	69.3	60.0	77.3	64.4	62.0	66.8	78.2
	Not Married/Couple	66.7	55.7	76.2	61.0	58.3	63.7	67.8

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Immunization

## Percentage of adults who were at risk and who have received a hepatitis B vaccination

		2007 County		2007 State		2002 County
		Measure	95% CI	Measure	95% CI	Measure
<b>ALL</b>	Overall			43.8	37.6 50.2	
<b>SEX</b>	Men			43.1	35.4 51.1	
	Women			45.7	35.9 55.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White			44.2	37.1 51.6	
	Non-Hisp. Black			46.1	31.7 61.1	
	Hispanic			41.5	21.0 65.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men			42.3	33.6 51.6	
	Non-Hisp. White Women			50.8	41.5 60.0	
	Non-Hisp. Black Men			39.8	24.2 57.8	
	Non-Hisp. Black Women			51.6	29.2 73.4	
	Hispanic Men			47.5	21.9 74.5	
	Hispanic Women			18.9	6.8 42.9	
<b>AGE GROUP</b>	18-44			50.3	41.7 59.0	
	45-64			34.0	26.5 42.4	
	65 & Older			10.9	5.3 21.1	
<b>EDUCATION LEVEL</b>	<High School			46.1	28.9 64.4	
	H.S./GED			42.9	31.2 55.4	
	>High School			44.1	36.5 52.0	
<b>ANNUAL INCOME</b>	<\$25,000			36.5	26.8 47.4	
	\$25,000-\$49,999			46.5	36.0 57.4	
	\$50,000 or More			46.2	35.0 57.8	
<b>MARITAL STATUS</b>	Married/Couple			42.5	32.7 53.0	
	Not Married/Couple			44.6	36.9 52.6	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	38.9	33.7	44.5	38.0	36.8	39.2	34.4
<b>SEX</b>	Men	43.0	34.4	52.1	46.0	44.1	48.0	41.4
	Women	35.0	28.9	41.7	30.2	28.8	31.6	27.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	40.7	35.0	46.6	38.2	37.0	39.5	35.0
	Non-Hisp. Black				36.4	32.5	40.5	27.9
	Hispanic	37.0	20.2	57.6	37.5	33.8	41.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.2	37.6	57.0	46.3	44.3	48.4	
	Non-Hisp. White Women	34.8	28.3	41.9	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	41.9
	Hispanic Men				46.6	40.7	52.7	28.6
	Hispanic Women				28.2	24.3	32.4	
<b>AGE GROUP</b>	18-44	34.0	23.9	45.8	36.4	34.2	38.6	20.9
	45-64	40.0	31.7	49.0	38.4	36.7	40.2	38.1
	65 & Older	42.9	35.8	50.3	40.6	38.9	42.4	43.3
<b>EDUCATION LEVEL</b>	<High School	40.3	24.0	59.0	37.5	33.7	41.4	33.7
	H.S./GED	39.7	30.2	50.0	37.2	35.0	39.6	32.1
	>High School	38.3	31.9	45.1	38.4	36.9	39.9	35.7
<b>ANNUAL INCOME</b>	<\$25,000	31.5	21.4	43.8	34.9	32.3	37.5	38.8
	\$25,000-\$49,999	43.8	33.7	54.5	39.0	36.7	41.4	37.4
	\$50,000 or More	36.5	28.6	45.2	40.4	38.5	42.4	30.2
<b>MARITAL STATUS</b>	Married/Couple	40.8	34.3	47.7	40.2	38.7	41.7	35.8
	Not Married/Couple	35.1	27.0	44.3	34.2	32.2	36.2	32.0

Percentage of adults who are obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	23.3	18.4	29.0	24.1	23.1	25.1	25.6
<b>SEX</b>	Men	28.0	19.8	37.8	25.2	23.6	26.9	31.1
	Women	18.8	14.0	24.7	23.0	21.8	24.3	20.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	21.4	16.4	27.5	22.3	21.3	23.3	26.3
	Non-Hisp. Black				34.7	30.9	38.8	23.8
	Hispanic	22.0	9.2	44.0	26.5	23.2	30.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	26.8	18.2	37.7	24.6	23.0	26.4	
	Non-Hisp. White Women	16.6	11.8	22.8	19.9	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	33.5
	Hispanic Men				26.9	21.7	32.8	19.5
	Hispanic Women				26.1	22.3	30.4	
<b>AGE GROUP</b>	18-44	29.4	18.8	42.8	23.1	21.3	25.0	35.4
	45-64	22.9	16.7	30.5	28.1	26.5	29.7	23.9
	65 & Older	17.6	12.6	24.0	20.6	19.2	22.0	18.7
<b>EDUCATION LEVEL</b>	<High School	32.5	17.3	52.6	30.7	27.2	34.4	18.9
	H.S./GED	26.9	17.5	39.0	24.8	22.9	26.8	25.6
	>High School	18.9	14.1	24.8	22.8	21.5	24.1	26.9
<b>ANNUAL INCOME</b>	<\$25,000	34.3	21.9	49.4	26.5	24.5	28.7	23.3
	\$25,000-\$49,999	20.3	12.4	31.6	25.7	23.6	27.9	23.9
	\$50,000 or More	21.9	15.3	30.3	22.6	21.0	24.3	29.8
<b>MARITAL STATUS</b>	Married/Couple	20.8	15.6	27.2	24.1	22.9	25.4	29.1
	Not Married/Couple	28.1	18.7	39.9	23.9	22.2	25.8	19.3

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	62.2	56.5	67.5	62.1	60.9	63.2	59.9
<b>SEX</b>	Men	71.0	61.5	78.9	71.2	69.5	72.9	72.5
	Women	53.8	47.1	60.5	53.2	51.6	54.7	48.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.1	56.2	67.6	60.5	59.2	61.8	61.3
	Non-Hisp. Black				71.1	66.6	75.3	51.7
	Hispanic	59.0	36.3	78.4	64.0	60.2	67.6	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	74.0	64.8	81.5	71.0	69.1	72.8	
	Non-Hisp. White Women	51.4	44.2	58.5	50.1	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	75.4
	Hispanic Men				73.5	68.0	78.3	48.2
	Hispanic Women				54.3	49.4	59.2	
<b>AGE GROUP</b>	18-44	63.4	51.4	73.9	59.4	57.2	61.6	56.3
	45-64	62.9	53.3	71.6	66.5	64.8	68.2	62.0
	65 & Older	60.5	53.0	67.5	61.2	59.5	62.9	62.0
<b>EDUCATION LEVEL</b>	<High School	72.8	50.0	87.7	68.2	64.1	72.0	52.6
	H.S./GED	66.6	56.8	75.2	62.0	59.7	64.3	57.7
	>High School	57.1	50.0	64.0	61.2	59.7	62.6	62.5
<b>ANNUAL INCOME</b>	<\$25,000	65.9	51.6	77.8	61.4	58.7	64.0	62.1
	\$25,000-\$49,999	64.1	53.4	73.7	64.7	62.5	66.9	61.3
	\$50,000 or More	58.4	49.7	66.7	63.0	61.1	64.8	60.0
<b>MARITAL STATUS</b>	Married/Couple	61.6	54.8	68.0	64.3	62.9	65.7	64.8
	Not Married/Couple	63.3	52.9	72.5	58.1	56.0	60.2	51.3

Percentage of adults whose body weight increased by five pounds or more in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	20.3	15.6	26.1	22.4	21.3	23.5	
<b>SEX</b>	Men	22.8	15.0	33.2	21.4	19.8	23.2	
	Women	17.9	13.3	23.7	23.3	22.0	24.7	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.9	15.0	26.0	19.2	18.1	20.3	
	Non-Hisp. Black				34.9	30.7	39.4	
	Hispanic				27.0	23.7	30.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.5	14.3	33.5	19.0	17.3	20.7	
	Non-Hisp. White Women	17.7	12.8	23.9	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women				27.6	23.7	31.9	
<b>AGE GROUP</b>	18-44	32.0	21.2	45.2	30.2	28.2	32.3	
	45-64	15.1	9.8	22.5	18.3	17.0	19.7	
	65 & Older	13.0	8.9	18.6	12.5	11.4	13.8	
<b>EDUCATION LEVEL</b>	<High School	18.9	8.8	36.0	27.7	23.9	32.0	
	H.S./GED	24.8	15.5	37.2	25.2	23.1	27.4	
	>High School	17.9	12.6	24.6	20.4	19.1	21.7	
<b>ANNUAL INCOME</b>	<\$25,000	25.5	14.2	41.5	23.0	20.8	25.3	
	\$25,000-\$49,999	21.0	12.7	32.5	24.7	22.5	27.1	
	\$50,000 or More	17.3	11.4	25.6	21.1	19.5	22.8	
<b>MARITAL STATUS</b>	Married/Couple	17.5	12.7	23.7	21.7	20.5	23.0	
	Not Married/Couple	26.2	16.7	38.6	23.5	21.6	25.5	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults whose body weight decreased by five pounds or more in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
<b>ALL</b>	Overall	18.8	14.8	23.7	23.0	22.0	24.1	
<b>SEX</b>	Men	16.5	10.9	24.2	22.5	20.9	24.2	
	Women	21.1	15.9	27.5	23.5	22.2	24.9	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.4	14.0	23.7	22.7	21.6	23.8	
	Non-Hisp. Black				24.8	21.5	28.5	
	Hispanic				23.4	20.1	27.0	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	16.1	10.0	24.9	22.3	20.6	24.1	
	Non-Hisp. White Women	20.4	14.9	27.4	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women				23.9	20.0	28.2	
<b>AGE GROUP</b>	18-44	21.1	13.0	32.5	22.9	21.0	24.9	
	45-64	18.2	12.6	25.5	23.7	22.2	25.2	
	65 & Older	17.3	12.4	23.7	22.6	21.1	24.1	
<b>EDUCATION LEVEL</b>	<High School	27.3	12.9	48.8	25.7	22.5	29.3	
	H.S./GED	18.5	12.6	26.5	22.1	20.2	24.1	
	>High School	16.8	12.1	22.9	23.1	21.7	24.5	
<b>ANNUAL INCOME</b>	<\$25,000	21.6	13.8	32.2	27.3	24.8	30.0	
	\$25,000-\$49,999	21.2	13.4	31.9	23.1	21.2	25.2	
	\$50,000 or More	16.8	11.1	24.6	20.5	19.0	22.1	
<b>MARITAL STATUS</b>	Married/Couple	16.4	11.8	22.3	21.4	20.1	22.7	
	Not Married/Couple	24.0	16.7	33.2	25.9	24.0	27.9	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	24.2	19.6	29.5	25.4	24.4	26.5	20.7
<b>SEX</b>	Men	23.4	16.0	32.8	22.5	20.9	24.1	19.0
	Women	24.9	19.8	30.9	28.1	26.8	29.6	22.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	21.8	17.2	27.3	21.3	20.3	22.3	20.7
	Non-Hisp. Black				32.0	28.0	36.3	19.6
	Hispanic	48.6	29.3	68.4	37.0	33.5	40.6	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	21.7	14.1	31.8	18.3	16.9	19.8	
	Non-Hisp. White Women	21.9	16.9	28.0	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women				33.9	29.2	39.0	18.6
	Hispanic Men				33.1	28.0	38.7	22.6
	Hispanic Women				40.8	36.3	45.5	
<b>AGE GROUP</b>	18-44	17.5	10.1	28.7	22.8	21.0	24.8	16.5
	45-64	28.1	19.7	38.3	25.3	23.8	26.8	19.0
	65 & Older	28.5	22.4	35.6	30.9	29.3	32.5	26.5
<b>EDUCATION LEVEL</b>	<High School	45.0	27.8	63.4	49.2	45.3	53.0	43.0
	H.S./GED	29.8	21.0	40.5	33.6	31.4	35.8	27.4
	>High School	15.9	11.8	21.0	17.7	16.6	18.9	13.4
<b>ANNUAL INCOME</b>	<\$25,000	45.1	32.0	58.9	40.2	37.7	42.9	24.4
	\$25,000-\$49,999	23.0	15.8	32.2	28.3	26.2	30.5	21.2
	\$50,000 or More	8.4	4.9	14.0	13.9	12.5	15.3	9.5
<b>MARITAL STATUS</b>	Married/Couple	22.5	17.1	28.9	22.5	21.3	23.8	18.9
	Not Married/Couple	27.5	19.4	37.3	30.1	28.3	32.1	24.1

Percentage of adults who are inactive at work

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	52.2	43.1	61.1	64.5 *	62.8	66.1	66.3
<b>SEX</b>	Men	39.2	26.8	53.1	58.4 *	55.9	60.9	66.7
	Women	68.0	56.5	77.6	71.5	69.4	73.4	65.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	59.6	49.3	69.1	67.3	65.5	69.1	68.0
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic				56.9	52.1	61.5	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.2	32.4	62.4	61.7	59.0	64.4	
	Non-Hisp. White Women	73.2	60.6	82.9	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	70.8
	Hispanic Men				49.1	42.3	55.9	65.3
	Hispanic Women				67.6	61.4	73.2	
<b>AGE GROUP</b>	18-44	48.8	35.5	62.4	60.3	57.8	62.8	64.5
	45-64	52.9	40.9	64.6	69.6 *	67.5	71.6	67.5
	65 & Older				75.6	71.0	79.7	68.1
<b>EDUCATION LEVEL</b>	<High School				50.2	43.4	57.1	
	H.S./GED	42.6	26.9	60.0	51.1	47.6	54.6	64.7
	>High School	61.2	50.1	71.2	71.1	69.1	72.9	70.6
<b>ANNUAL INCOME</b>	<\$25,000	39.8	18.8	65.5	52.7	48.0	57.4	50.7
	\$25,000-\$49,999	44.1	30.1	59.1	56.5	53.1	59.8	62.0
	\$50,000 or More	67.1	55.2	77.1	71.4	69.2	73.6	75.8
<b>MARITAL STATUS</b>	Married/Couple	51.8	40.8	62.6	66.2 *	64.2	68.1	70.0
	Not Married/Couple	53.0	37.1	68.2	61.0	58.0	64.0	59.5

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who consume at least five servings of fruits and vegetables a day

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	32.7	27.3	38.6	26.2	25.2	27.3	29.3
<b>SEX</b>	Men	27.8	19.6	37.7	21.9	20.4	23.6	24.5
	Women	37.4	30.8	44.4	30.3	28.9	31.7	33.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	32.0	26.4	38.3	26.9	25.8	28.1	29.8
	Non-Hisp. Black				28.2	24.6	32.1	30.0
	Hispanic	34.0	16.8	56.6	22.1	19.1	25.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.6	17.3	36.2	22.7	21.0	24.6	
	Non-Hisp. White Women	37.8	30.8	45.3	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	25.5
	Hispanic Men				17.1	13.1	22.0	33.6
	Hispanic Women				27.0	22.9	31.6	
<b>AGE GROUP</b>	18-44	38.4	27.1	51.1	25.1 *	23.2	27.0	19.9
	45-64	23.2	16.9	31.0	26.4	24.8	28.0	30.2
	65 & Older	34.2	27.3	41.8	28.3	26.8	29.9	36.7
<b>EDUCATION LEVEL</b>	<High School	12.7	4.9	29.2	19.3	16.4	22.5	21.7
	H.S./GED	29.4	19.5	41.7	24.0	21.9	26.2	27.2
	>High School	38.9	32.2	46.0	28.4 *	27.0	29.7	31.6
<b>ANNUAL INCOME</b>	<\$25,000	34.9	21.9	50.7	24.8	22.7	27.1	27.1
	\$25,000-\$49,999	30.3	21.0	41.6	25.6	23.6	27.6	31.4
	\$50,000 or More	34.6	26.7	43.3	27.3	25.6	29.0	22.6
<b>MARITAL STATUS</b>	Married/Couple	29.7	23.7	36.5	25.6	24.4	26.9	31.1
	Not Married/Couple	38.7	28.8	49.7	27.4	25.5	29.4	26.0

Percentage of adults who meet moderate physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	32.8	27.6	38.4	34.6	33.5	35.8	43.5
<b>SEX</b>	Men	29.3	21.8	38.1	33.2	31.4	35.1	49.5
	Women	36.2	29.7	43.2	36.0	34.5	37.5	38.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	35.7	30.1	41.8	37.1	35.9	38.4	45.3
	Non-Hisp. Black				28.1	24.3	32.2	23.0
	Hispanic				27.7	24.3	31.3	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	33.7	25.0	43.6	35.6	33.6	37.5	
	Non-Hisp. White Women	37.6	30.6	45.1	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	50.8
	Hispanic Men				25.4	20.3	31.2	40.4
	Hispanic Women				30.0	25.8	34.5	
<b>AGE GROUP</b>	18-44	31.4	21.4	43.4	34.8	32.7	37.0	47.1
	45-64	30.8	23.2	39.5	35.7	34.0	37.5	43.3
	65 & Older	35.1	28.1	42.7	32.5	30.8	34.2	40.5
<b>EDUCATION LEVEL</b>	<High School	27.9	14.0	47.9	26.5	23.0	30.2	21.3
	H.S./GED	27.8	19.3	38.3	33.8	31.6	36.1	34.1
	>High School	37.0	30.4	44.1	36.2	34.8	37.7	52.0
<b>ANNUAL INCOME</b>	<\$25,000	20.8	12.3	32.9	31.2	28.8	33.8	39.3
	\$25,000-\$49,999	33.3	23.7	44.4	33.4	31.2	35.6	39.8
	\$50,000 or More	41.5	33.1	50.4	38.7	36.8	40.7	56.3
<b>MARITAL STATUS</b>	Married/Couple	33.5	27.3	40.3	35.3	33.8	36.7	45.1
	Not Married/Couple	31.1	22.3	41.4	33.5	31.5	35.6	40.5

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet vigorous physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.3	21.3	31.9	26.0	24.9	27.2	26.3
SEX	Men	28.7	20.6	38.4	29.6	27.7	31.5	34.6
	Women	23.9	18.6	30.2	22.7	21.4	24.2	19.1
RACE/ETHNICITY	Non-Hisp. White	24.8	19.7	30.7	26.9	25.7	28.2	26.8
	Non-Hisp. Black				21.3	17.8	25.2	18.8
	Hispanic	28.3	13.2	50.7	24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.0	17.7	36.5	30.7	28.7	32.7	
	Non-Hisp. White Women	23.6	18.2	30.1	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	35.3
	Hispanic Men				28.7	23.0	35.1	19.2
	Hispanic Women				19.8	16.1	24.0	
AGE GROUP	18-44	32.6	22.1	45.3	34.5	32.3	36.7	40.5
	45-64	27.8	20.6	36.4	22.3	20.9	23.9	22.1
	65 & Older	18.5	13.4	25.1	14.0	12.8	15.3	15.8
EDUCATION LEVEL	<High School	18.9	6.9	42.1	16.1	12.9	20.0	8.4
	H.S./GED	26.6	17.8	37.8	20.6	18.6	22.8	17.2
	>High School	27.8	21.8	34.8	30.0	28.5	31.6	33.8
ANNUAL INCOME	<\$25,000	20.4	9.9	37.3	17.7	15.3	20.3	17.8
	\$25,000-\$49,999	25.4	16.6	36.8	23.3	21.3	25.5	20.0
	\$50,000 or More	29.8	22.6	38.3	33.7	31.8	35.7	45.1
MARITAL STATUS	Married/Couple	25.3	20.0	31.5	26.3	24.9	27.7	30.3
	Not Married/Couple	28.2	18.6	40.3	25.6	23.6	27.8	18.8

Sexual Violence

Percentage of adults who had an unwanted sexual experience in the past 12 months

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.3	4.3	12.2	6.7	6.1	7.4	
SEX	Men	5.6	2.1	14.5	2.9	2.2	3.9	
	Women	8.9	4.8	15.9	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	5.9	3.3	10.5	7.1	6.5	7.8	
	Non-Hisp. Black				7.2	5.2	9.7	
	Hispanic				4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.5	1.1	10.5	2.9	2.2	3.8	
	Non-Hisp. White Women	8.2	4.2	15.5	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
	Hispanic Women				5.8	3.9	8.7	
AGE GROUP	18-44	16.1	8.7	27.9	8.6	7.4	9.9	
	45-64	2.9	1.1	7.2	6.9	6.1	7.7	
	65 & Older	0.9	0.3	2.9	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	6.4	1.1	29.8	4.5	3.3	6.1	
	H.S./GED	6.0	1.8	18.1	6.2	4.9	7.8	
	>High School	8.3	4.4	15.0	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	8.3	2.1	27.7	8.3	6.9	9.9	
	\$25,000-\$49,999	10.0	4.5	20.6	7.0	6.0	8.1	
	\$50,000 or More	4.4	1.9	10.0	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	5.5	2.3	12.7	5.2	4.6	5.9	
	Not Married/Couple	11.0	5.9	19.6	9.3	8.0	10.7	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	20.9	16.3	26.3	19.3	18.3	20.3	18.9
<b>SEX</b>	Men	23.8	16.5	32.9	21.2	19.6	22.9	16.2
	Women	18.2	13.1	24.7	17.5	16.4	18.6	21.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	21.2	16.4	27.0	20.6	19.5	21.6	17.8
	Non-Hisp. Black				18.5	15.2	22.4	21.4
	Hispanic	12.1	3.5	34.1	16.0	13.2	19.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.0	14.7	31.6	21.5	19.8	23.3	
	Non-Hisp. White Women	20.5	14.7	27.9	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women				15.0	11.3	19.6	13.9
	Hispanic Men				19.9	15.4	25.4	21.2
	Hispanic Women				12.0	9.4	15.3	
<b>AGE GROUP</b>	18-44	36.7	26.2	48.7	22.1 *	20.4	24.0	27.5
	45-64	21.2	14.9	29.3	22.0	20.6	23.4	27.1
	65 & Older	4.1	2.3	7.0	9.7 *	8.7	10.8	4.9
<b>EDUCATION LEVEL</b>	<High School	33.4	17.8	53.6	28.6	25.2	32.2	26.0
	H.S./GED	20.7	13.8	29.8	25.0	22.9	27.1	21.8
	>High School	18.2	12.7	25.4	15.3	14.2	16.4	16.1
<b>ANNUAL INCOME</b>	<\$25,000	24.1	14.7	37.0	25.0	22.8	27.3	24.7
	\$25,000-\$49,999	27.7	18.7	39.1	21.3	19.4	23.4	18.5
	\$50,000 or More	18.2	11.9	26.7	15.5	14.2	17.0	15.3
<b>MARITAL STATUS</b>	Married/Couple	16.5	11.8	22.5	16.6	15.5	17.7	14.4
	Not Married/Couple	30.1	21.0	41.0	24.1	22.4	25.9	27.4

Percentage of adults who are former smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	37.3	32.0	42.8	26.2 *	25.3	27.2	37.3
<b>SEX</b>	Men	43.0	34.2	52.3	28.9 *	27.4	30.5	43.6
	Women	31.9	26.2	38.3	23.7 *	22.5	24.9	31.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	40.2	34.6	46.1	31.5 *	30.4	32.6	38.5
	Non-Hisp. Black				12.4	10.2	14.9	22.9
	Hispanic	29.4	12.6	54.5	16.4	13.8	19.2	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	45.6	36.1	55.4	34.1 *	32.4	35.9	
	Non-Hisp. White Women	35.5	29.2	42.4	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women				9.7	7.5	12.6	43.4
	Hispanic Men				16.8	13.1	21.3	34.2
	Hispanic Women				15.9	12.7	19.7	
<b>AGE GROUP</b>	18-44	18.6	10.3	31.3	14.7	13.3	16.3	17.8
	45-64	35.1	26.6	44.5	28.3	26.8	29.8	36.6
	65 & Older	58.3	50.9	65.3	46.5 *	44.7	48.2	56.1
<b>EDUCATION LEVEL</b>	<High School	29.7	14.9	50.5	21.1	18.4	24.0	43.1
	H.S./GED	37.1	27.6	47.8	25.0 *	23.3	26.8	31.8
	>High School	39.2	32.9	46.0	27.7 *	26.4	29.0	38.9
<b>ANNUAL INCOME</b>	<\$25,000	45.6	32.4	59.4	23.7 *	21.7	25.8	35.3
	\$25,000-\$49,999	32.5	23.8	42.5	26.4	24.6	28.2	42.7
	\$50,000 or More	34.7	27.0	43.2	27.4	25.8	29.0	38.4
<b>MARITAL STATUS</b>	Married/Couple	37.9	31.7	44.6	28.4 *	27.2	29.7	41.4
	Not Married/Couple	35.7	26.6	45.9	22.5 *	21.0	24.1	29.8

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	41.9	36.5	47.4	54.5 *	53.3	55.7	43.7
<b>SEX</b>	Men	33.2	25.1	42.5	49.9 *	48.0	51.8	39.9
	Women	49.9	43.3	56.4	58.8 *	57.4	60.3	46.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.6	33.1	44.4	47.9 *	46.7	49.2	43.6
	Non-Hisp. Black				69.1	65.0	72.9	55.7
	Hispanic	58.5	36.6	77.5	67.7	64.1	71.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.4	23.8	42.4	44.4	42.3	46.4	
	Non-Hisp. White Women	44.0	37.2	50.9	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women				75.3	70.5	79.5	42.3
	Hispanic Men				63.3	57.4	68.7	44.6
	Hispanic Women				72.1	67.7	76.1	
<b>AGE GROUP</b>	18-44	44.6	33.5	56.4	63.1 *	61.0	65.2	54.7
	45-64	43.7	35.3	52.6	49.7	48.0	51.5	36.3
	65 & Older	37.7	30.8	45.0	43.8	42.1	45.6	38.7
<b>EDUCATION LEVEL</b>	<High School	37.0	22.6	54.1	50.3	46.5	54.2	30.9
	H.S./GED	42.2	32.2	52.9	50.0	47.7	52.3	45.9
	>High School	42.6	36.1	49.4	57.1 *	55.6	58.5	45.0
<b>ANNUAL INCOME</b>	<\$25,000	30.3	19.9	43.1	51.3 *	48.7	53.9	39.9
	\$25,000-\$49,999	39.8	30.0	50.5	52.3	49.9	54.6	38.3
	\$50,000 or More	47.2	38.6	55.9	57.1	55.2	59.0	46.3
<b>MARITAL STATUS</b>	Married/Couple	45.6	39.0	52.4	55.0 *	53.6	56.4	44.0
	Not Married/Couple	34.3	26.0	43.6	53.4 *	51.3	55.5	42.8

Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	12.4	6.5	22.2	14.9	13.6	16.4	
<b>SEX</b>	Men	23.2	10.3	44.1	17.2	14.8	19.8	
	Women	5.5	2.7	10.8	13.1 *	11.7	14.8	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.6	5.0	21.1	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic				13.3	10.2	17.1	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	19.5	7.4	42.6	17.6	14.8	20.8	
	Non-Hisp. White Women	4.8	2.2	10.2	12.4 *	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
<b>AGE GROUP</b>	18-44	22.6	9.7	44.1	18.9	16.6	21.5	
	45-64	7.8	3.6	16.0	13.2	11.4	15.1	
	65 & Older	2.5	0.5	11.2	6.3	5.2	7.6	
<b>EDUCATION LEVEL</b>	<High School				13.3	9.9	17.6	
	H.S./GED	21.5	8.5	44.6	17.8	14.9	21.3	
	>High School	8.3	4.3	15.2	14.0	12.5	15.8	
<b>ANNUAL INCOME</b>	<\$25,000	22.6	5.7	58.3	16.0	13.1	19.3	
	\$25,000-\$49,999	19.7	8.1	40.4	16.8	14.0	19.9	
	\$50,000 or More	3.8	1.1	12.4	13.0	11.1	15.2	
<b>MARITAL STATUS</b>	Married/Couple	10.0	4.3	21.6	11.5	10.2	13.0	
	Not Married/Couple	18.6	7.0	41.0	21.2	18.4	24.3	

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## Tobacco Use &amp; Exposure

## Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
<b>ALL</b>	Overall	65.4	52.8	76.2	53.2	50.4	56.0	54.8
<b>SEX</b>	Men	72.0	54.6	84.6	52.8	48.5	57.1	49.6
	Women	57.4	39.8	73.3	53.6	50.2	57.0	58.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	61.6	47.9	73.7	49.3	46.4	52.2	56.2
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	64.2	43.6	80.6	47.5	42.9	52.1	
	Non-Hisp. White Women	59.2	40.9	75.2	51.2	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	
	Hispanic Men				68.1	55.6	78.5	59.0
	Hispanic Women				54.1	41.1	66.6	
<b>AGE GROUP</b>	18-44	77.6	60.9	88.5	58.3	53.7	62.9	55.7
	45-64	45.8	28.3	64.3	48.5	45.0	52.1	49.3
	65 & Older				45.0	39.1	51.1	
<b>EDUCATION LEVEL</b>	<High School				55.0	47.8	62.0	
	H.S./GED				50.9	46.1	55.8	52.7
	>High School	58.3	39.5	74.9	54.2	50.4	58.1	57.5
<b>ANNUAL INCOME</b>	<\$25,000				54.0	48.8	59.1	67.2
	\$25,000-\$49,999	71.5	51.2	85.7	53.5	48.1	58.8	
	\$50,000 or More				54.5	49.6	59.4	
<b>MARITAL STATUS</b>	Married/Couple	63.7	46.6	77.9	53.3	49.5	57.0	53.0
	Not Married/Couple	67.4	48.4	82.0	53.0	48.7	57.2	56.6

\* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

## 2007 Florida Behavioral Risk Factor Surveillance System Data Report

### GLOSSARY

<b>A1C Test</b>	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
<b>Activities of Daily Living</b>	Usual activities, such as self-care, work, and recreation.
<b>Binge Drinking</b>	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
<b>Blood Pressure Control Measures</b>	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
<b>Blood Stool Test</b>	A test that may use a special kit at home to determine whether the stool contains blood.
<b>Body Mass Index (BMI)</b>	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
<b>Chronic Joint Symptoms</b>	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
<b>Current Smokers</b>	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
<b>Digital Rectal Exam</b>	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
<b>Former Smokers</b>	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
<b>Health Insurance Coverage</b>	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
<b>Healthy Weight</b>	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
<b>Heavy Drinking (also called chronic drinking)</b>	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
<b>High Risk Hepatitis B Groups</b>	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
<b>High Risk Influenza Groups</b>	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
<b>Joint Symptoms</b>	Experiencing pain, aching, or stiffness in or around a joint.
<b>Leisure-Time Physical Activity or Exercise</b>	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
<b>Medical Checkup</b>	A general physical exam, not an exam for a specific injury, illness, or condition.
<b>Moderate Physical Activity</b>	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
<b>Obese</b>	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

## 2007 Florida Behavioral Risk Factor Surveillance System Data Report

---

### GLOSSARY

---

<b>Overweight</b>	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
<b>Overweight or Obese</b>	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
<b>Pap Test</b>	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>PSA Test</b>	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
<b>Secondhand Smoke</b>	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
<b>Sedentary</b>	Engaging in no leisure-time physical activity.
<b>Sigmoidoscopy/Colonoscopy</b>	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
<b>Vigorous Physical Activity</b>	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

# 2007 Florida Behavioral Risk Factor Surveillance System Data Report

## Healthy People 2010 Objectives

### Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

### Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

### Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

### Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

### Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

### Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

### Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

# 2007 Florida Behavioral Risk Factor Surveillance System Data Report

## Healthy People 2010 Objectives

### Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

### Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

### Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

### Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

### Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

***The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.***



Prepared by:

Tammie M. Johnson, M.P.H.  
Bo (Bonnie) Yu, M.A.S., M.A.  
Melissa Murray, M.S.  
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments  
please contact:

Florida Department of Health  
Bureau of Epidemiology  
Chronic Disease Evaluation and Surveillance  
4052 Bald Cypress Way, Bin A-12  
Tallahassee, Florida 32399-1720

Phone: 850-245-4401  
Fax: 850-922-9299  
Email: [chronicdisease@doh.state.fl.us](mailto:chronicdisease@doh.state.fl.us)  
Web: [floridachronicdisease.org](http://floridachronicdisease.org)