

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

**2007 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Marion

Completed Surveys: 634

County Adult Population: 260,470

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percentage of adults who reduced or changed outdoor activity because the air quality was bad

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.5	18.6	29.2	19.2	18.2	20.3	
SEX	Men	22.2	14.1	33.1	16.7	15.1	18.4	
	Women	24.7	19.8	30.2	21.6	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	24.6	18.9	31.2	20.4	19.2	21.5	
	Non-Hisp. Black	28.3	13.4	50.2	17.2	14.2	20.7	
	Hispanic	3.5	1.0	11.5	16.0 *	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.9	14.3	37.0	17.4	15.7	19.4	
	Non-Hisp. White Women	25.2	19.8	31.5	23.2	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
AGE GROUP	Hispanic Women	7.2	2.1	21.6	15.7	12.1	20.0	
	18-44	23.1	13.8	36.1	20.1	18.2	22.1	
	45-64	26.0	19.7	33.5	21.0	19.6	22.6	
	65 & Older	21.0	15.5	27.8	14.8	13.6	16.2	
EDUCATION LEVEL	<High School	32.1	14.5	56.8	18.8	15.5	22.5	
	H.S./GED	19.2	12.8	27.7	18.5	16.4	20.7	
	>High School	24.4	18.6	31.4	19.7	18.4	21.0	
ANNUAL INCOME	<\$25,000	21.5	15.3	29.4	22.4	20.0	25.0	
	\$25,000-\$49,999	23.1	15.5	32.9	19.2	17.3	21.2	
	\$50,000 or More	23.5	14.7	35.4	18.0	16.5	19.6	
MARITAL STATUS	Married/Couple	23.5	18.2	29.9	19.4	18.2	20.7	
	Not Married/Couple	23.2	14.7	34.6	19.0	17.2	20.9	

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.3	12.2	23.8	16.2	15.3	17.2	14.2
SEX	Men	24.7	15.6	36.9	20.3	18.8	22.0	22.2
	Women	10.5	7.1	15.3	12.4	11.3	13.5	7.4
RACE/ETHNICITY	Non-Hisp. White	15.2	10.2	22.0	17.9	16.9	19.0	15.2
	Non-Hisp. Black	24.1	6.2	60.2	10.9	8.2	14.3	8.6
	Hispanic	28.0	9.8	58.2	14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.5	12.4	34.6	21.5	19.8	23.3	
	Non-Hisp. White Women	9.7	6.2	14.7	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	23.0
	Hispanic Men				20.1	15.5	25.6	8.1
AGE GROUP	Hispanic Women	5.5	1.4	20.0	8.6	6.0	12.2	
	18-44	28.7	17.8	42.8	21.6	19.8	23.5	20.7
	45-64	14.3	9.2	21.6	14.6	13.5	15.8	13.5
EDUCATION LEVEL	65 & Older	5.6	3.0	10.0	7.7	6.9	8.7	7.3
	<High School	24.1	8.2	52.9	13.6	10.9	16.8	23.2
	H.S./GED	13.9	7.1	25.4	15.8	14.1	17.7	13.8
ANNUAL INCOME	>High School	17.8	11.7	26.1	16.8	15.6	18.1	11.9
	<\$25,000	9.6	5.4	16.4	14.2	12.0	16.8	12.7
	\$25,000-\$49,999	13.7	7.8	22.9	14.7	13.1	16.5	13.9
MARITAL STATUS	\$50,000 or More	30.3	18.3	45.8	19.9	18.4	21.4	22.1
	Married/Couple	15.0	9.7	22.4	15.2	14.1	16.4	11.0
	Not Married/Couple	20.7	11.7	33.9	17.9	16.2	19.7	19.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percentage of adults who have heard of antibiotic resistant infections

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.6	49.4	61.7	58.3	57.1	59.6	
SEX	Men	52.3	41.9	62.5	57.4	55.4	59.4	
	Women	58.6	51.7	65.2	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	57.6	50.8	64.3	63.3	62.1	64.6	
	Non-Hisp. Black	31.1	15.2	53.3	42.3	38.0	46.7	
	Hispanic	47.1	26.1	69.2	49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.9	41.5	63.9	63.6	61.6	65.5	
	Non-Hisp. White Women	61.8	53.9	69.2	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women	53.4	33.9	71.9	54.6	49.8	59.4	
AGE GROUP	18-44	53.7	40.9	66.0	55.6	53.3	57.9	
	45-64	62.7	54.4	70.3	67.2	65.5	68.9	
	65 & Older	51.5	44.0	58.9	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	28.7	16.3	45.4	33.3	29.7	37.0	
	H.S./GED	53.7	43.2	63.8	45.9	43.5	48.3	
	>High School	64.3	56.5	71.3	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	45.7	36.0	55.7	46.3	43.5	49.1	
	\$25,000-\$49,999	58.1	47.8	67.7	55.1	52.7	57.5	
	\$50,000 or More	67.3	54.1	78.2	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	58.1	51.0	65.0	62.3	60.8	63.8	
	Not Married/Couple	51.7	40.6	62.6	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	31.5	26.9	36.6	24.3 *	23.4	25.2	
SEX	Men	26.6	19.7	34.9	20.8	19.5	22.1	
	Women	35.9	30.2	42.0	27.6 *	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	34.4	29.0	40.2	27.5 *	26.5	28.5	
	Non-Hisp. Black	29.9	15.1	50.5	20.4	17.5	23.6	
	Hispanic	10.5	4.3	23.4	15.0	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.5	21.4	39.2	23.7	22.3	25.2	
	Non-Hisp. White Women	38.5	31.9	45.6	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
	Hispanic Women	21.8	9.8	41.8	18.5	15.3	22.2	
AGE GROUP	18-44	13.6	7.9	22.3	8.9	7.9	10.1	
	45-64	35.8	28.6	43.7	29.7	28.2	31.3	
	65 & Older	51.0	43.8	58.1	47.6	45.8	49.3	
EDUCATION LEVEL	<High School	24.4	13.8	39.4	29.5	26.4	32.9	
	H.S./GED	30.0	22.3	39.0	25.2	23.5	27.0	
	>High School	34.3	28.1	41.1	23.1 *	22.0	24.2	
ANNUAL INCOME	<\$25,000	41.2	32.4	50.6	31.0	28.8	33.2	
	\$25,000-\$49,999	27.6	20.1	36.6	25.4	23.7	27.2	
	\$50,000 or More	27.1	18.6	37.7	18.7	17.5	20.0	
MARITAL STATUS	Married/Couple	32.4	26.6	38.7	23.3 *	22.2	24.4	
	Not Married/Couple	30.0	22.6	38.6	26.0	24.5	27.6	

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.0	15.2	23.5	12.5 *	11.8	13.2	
SEX	Men	16.2	10.6	23.9	10.4	9.5	11.4	
	Women	21.6	17.0	27.1	14.4 *	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	19.3	15.0	24.5	13.2 *	12.5	14.0	
	Non-Hisp. Black	25.5	11.7	46.9	11.9	9.7	14.4	
	Hispanic	7.5	2.7	19.3	8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.7	10.3	26.1	11.3	10.4	12.4	
	Non-Hisp. White Women	21.4	16.3	27.6	15.1 *	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
	Hispanic Women	15.5	5.9	34.9	10.7	8.4	13.6	
AGE GROUP	18-44	14.5	8.5	23.7	5.7 *	4.9	6.6	
	45-64	19.7	14.1	26.7	17.2	16.0	18.6	
	65 & Older	24.6	18.7	31.8	19.4	18.1	20.9	
EDUCATION LEVEL	<High School	18.5	9.6	32.7	19.2	16.6	22.0	
	H.S./GED	18.0	12.1	26.0	13.2	11.9	14.6	
	>High School	20.0	14.8	26.4	11.1 *	10.4	11.9	
ANNUAL INCOME	<\$25,000	30.5	22.6	39.7	21.0	19.3	22.9	
	\$25,000-\$49,999	16.7	10.7	25.1	12.3	11.1	13.7	
	\$50,000 or More	13.2	7.2	23.1	7.4	6.6	8.3	
MARITAL STATUS	Married/Couple	16.6	12.2	22.1	11.0 *	10.2	11.9	
	Not Married/Couple	22.6	16.0	30.9	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	42.9	37.2	48.7	37.2	36.1	38.4	
SEX	Men	39.3	29.8	49.7	35.9	34.2	37.7	
	Women	46.0	39.6	52.5	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	43.9	37.5	50.5	40.4	39.2	41.7	
	Non-Hisp. Black	51.3	28.9	73.1	33.5	29.8	37.5	
	Hispanic	24.2	12.7	41.2	27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.1	33.3	55.6	40.3	38.3	42.3	
	Non-Hisp. White Women	43.7	36.7	51.1	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women	40.6	23.7	60.1	30.6	26.5	35.0	
AGE GROUP	18-44	37.2	26.0	50.0	27.1	25.2	29.1	
	45-64	46.3	38.5	54.2	43.7	42.0	45.5	
	65 & Older	47.2	40.1	54.4	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	68.3	51.5	81.4	42.0 *	38.2	45.9	
	H.S./GED	34.3	26.0	43.7	38.0	35.8	40.2	
	>High School	42.4	35.5	49.6	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	50.0	40.4	59.5	44.7	42.1	47.3	
	\$25,000-\$49,999	39.6	30.4	49.7	36.8	34.7	39.0	
	\$50,000 or More	36.3	25.9	48.2	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	42.8	36.2	49.6	36.7	35.3	38.2	
	Not Married/Couple	42.8	32.7	53.5	38.1	36.2	40.1	

Asthma

Percentage of adults who currently have asthma

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.7	5.1	11.5	6.2	5.7	6.7	7.0
SEX	Men	7.6	3.6	15.3	4.9	4.1	5.7	5.7
	Women	7.8	5.0	12.0	7.4	6.7	8.1	8.0
RACE/ETHNICITY	Non-Hisp. White	8.0	4.9	12.6	6.4	5.8	7.0	5.9
	Non-Hisp. Black	5.7	1.0	26.3	7.6	5.8	9.9	8.6
	Hispanic	3.8	1.0	13.0	4.8	3.6	6.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.9	4.7	19.8	5.2	4.3	6.2	
	Non-Hisp. White Women	6.2	3.8	10.0	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women				9.0	6.7	11.9	4.4
	Hispanic Men				3.9	2.3	6.5	7.3
	Hispanic Women	6.6	1.5	24.4	5.7	4.1	7.8	
AGE GROUP	18-44	8.7	4.1	17.8	5.8	5.0	6.8	9.8
	45-64	8.8	5.1	14.9	6.7	6.0	7.6	5.9
	65 & Older	5.4	2.6	10.8	6.1	5.4	6.9	4.9
EDUCATION LEVEL	<High School	2.5	1.0	5.9	8.4 *	6.5	10.7	11.6
	H.S./GED	6.7	2.9	14.6	5.9	5.1	6.8	6.7
	>High School	9.8	6.0	15.8	6.0	5.3	6.7	5.8
ANNUAL INCOME	<\$25,000	6.4	3.5	11.4	7.8	6.8	8.9	9.9
	\$25,000-\$49,999	10.2	5.2	19.1	5.8	5.0	6.8	6.0
	\$50,000 or More	5.1	1.5	15.5	5.2	4.4	6.1	2.0
MARITAL STATUS	Married/Couple	9.2	5.5	14.8	5.7	5.1	6.4	4.8
	Not Married/Couple	5.5	2.7	10.8	7.0	6.1	7.9	10.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 40 years of age and older who received a mammogram in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	70.3	63.8	76.0	64.9	63.3	66.4	57.5
SEX	Men							
	Women	70.3	63.8	76.0	64.9	63.3	66.4	57.5
RACE/ETHNICITY	Non-Hisp. White	71.4	64.5	77.4	65.4	63.8	67.0	56.8 *
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	71.4	64.5	77.4	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							56.8
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44				50.0	44.9	55.1	
	45-64	66.9	57.3	75.3	65.7	63.5	67.9	59.1
	65 & Older	77.2	68.3	84.1	70.0	67.7	72.2	57.6 *
EDUCATION LEVEL	<High School	54.4	35.0	72.6	61.3	56.0	66.4	52.0
	H.S./GED	67.6	56.2	77.2	62.0	59.1	64.9	55.9
	>High School	74.4	65.6	81.6	66.9	64.8	68.8	61.0
ANNUAL INCOME	<\$25,000	59.1	47.7	69.6	57.6	54.3	60.9	52.4
	\$25,000-\$49,999	69.4	54.9	80.8	64.2	61.2	67.1	56.8
	\$50,000 or More	84.3	73.4	91.3	70.3 *	67.5	72.9	
MARITAL STATUS	Married/Couple	73.8	64.7	81.2	67.9	65.7	70.0	59.1
	Not Married/Couple	65.6	56.2	74.0	60.4	58.1	62.7	55.1

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	65.9	59.3	72.0	65.0	63.4	66.5	
SEX	Men							
	Women	65.9	59.3	72.0	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	68.6	61.1	75.2	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic	51.2	31.6	70.4	58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	68.6	61.1	75.2	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women	51.2	31.6	70.4	58.7	54.0	63.4	
AGE GROUP	18-44	60.7	46.8	73.0	63.5	60.7	66.3	
	45-64	71.7	62.3	79.4	69.4	67.1	71.5	
	65 & Older	67.6	57.5	76.3	62.1	59.7	64.4	
EDUCATION LEVEL	<High School	54.3	35.9	71.7	52.8	47.6	57.8	
	H.S./GED	65.8	51.7	77.6	57.5	54.6	60.5	
	>High School	68.6	60.7	75.6	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	56.9	44.9	68.2	53.6	50.3	56.9	
	\$25,000-\$49,999	72.0	57.1	83.2	61.4	58.5	64.3	
	\$50,000 or More	79.9	68.9	87.6	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	65.6	56.6	73.7	68.6	66.6	70.5	
	Not Married/Couple	66.1	56.0	74.9	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 18 years of age and older who received a Pap test in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	63.3	54.8	71.1	64.8	63.0	66.5	58.9
SEX	Men							
	Women	63.3	54.8	71.1	64.8	63.0	66.5	58.9
RACE/ETHNICITY	Non-Hisp. White	62.5	52.6	71.4	64.4	62.4	66.3	57.9
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic				64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	62.5	52.6	71.4	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							57.9
	Hispanic Women				64.5	59.4	69.2	
AGE GROUP	18-44	69.6	55.0	81.0	69.1	66.3	71.8	58.8
	45-64	61.2	48.8	72.4	66.4	63.6	69.1	69.3
	65 & Older	54.3	40.5	67.5	48.0	44.7	51.3	43.7
EDUCATION LEVEL	<High School				51.9	45.5	58.2	
	H.S./GED	63.8	46.7	78.0	55.6	51.9	59.2	51.9
	>High School	65.5	55.2	74.6	70.4	68.3	72.4	69.6
ANNUAL INCOME	<\$25,000	62.2	48.0	74.7	53.6	49.4	57.6	48.8
	\$25,000-\$49,999	68.0	50.0	81.9	62.1	58.6	65.4	62.8
	\$50,000 or More	73.7	57.3	85.4	76.1	73.5	78.6	91.1
MARITAL STATUS	Married/Couple	61.4	49.7	71.9	69.4	67.2	71.5	68.5
	Not Married/Couple	65.7	53.5	76.2	57.7	54.6	60.8	45.1

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	65.2	55.6	73.7	72.3	70.2	74.4	
SEX	Men	65.2	55.6	73.7	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	70.1	59.9	78.7	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.1	59.9	78.7	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	53.9	39.3	67.9	64.5	61.2	67.7	
	65 & Older	75.0	63.3	84.0	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	H.S./GED	63.5	48.0	76.7	61.6	56.9	66.1	
	>High School	73.0	59.2	83.5	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000	46.3	29.7	63.8	59.2	54.0	64.1	
	\$25,000-\$49,999	68.4	52.7	80.8	73.9	69.7	77.6	
	\$50,000 or More	70.4	47.9	86.0	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	66.7	55.9	76.1	75.6	73.1	78.0	
	Not Married/Couple	57.9	38.0	75.5	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	55.3	46.1	64.2	56.3	54.0	58.5	
SEX	Men	55.3	46.1	64.2	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	55.2	45.3	64.7	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.2	45.3	64.7	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	47.0	33.3	61.1	50.1	46.8	53.5	
	65 & Older	62.7	51.4	72.8	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	H.S./GED	45.9	31.8	60.8	47.0	42.5	51.5	
	>High School	71.6	59.7	81.1	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000	36.0	21.6	53.5	48.5	43.6	53.4	
	\$25,000-\$49,999	62.2	46.2	75.8	52.6	48.1	56.9	
	\$50,000 or More	70.8	52.9	84.0	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	58.5	47.9	68.3	59.0	56.2	61.7	
	Not Married/Couple	40.8	24.7	59.1	49.2	45.1	53.2	

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	26.7	22.0	31.9	21.2	20.1	22.3	27.2
SEX	Men	29.2	22.0	37.6	23.7	21.9	25.5	24.6
	Women	24.3	18.7	31.1	19.1	17.8	20.5	29.3
RACE/ETHNICITY	Non-Hisp. White	25.8	20.9	31.4	23.3	22.1	24.6	27.1
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.9	22.2	38.9	26.0	24.1	28.1	
	Non-Hisp. White Women	22.1	16.3	29.2	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	23.4
	Hispanic Men				9.9	6.0	15.9	30.4
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	20.9	14.9	28.5	15.6	14.3	17.1	25.9
	65 & Older	30.8	24.4	38.0	27.1	25.5	28.8	28.2
EDUCATION LEVEL	<High School	20.0	9.9	36.2	20.0	16.2	24.3	33.0
	H.S./GED	30.7	22.3	40.5	19.6 *	17.8	21.5	28.2
	>High School	25.1	19.3	32.1	22.1	20.7	23.6	24.2
ANNUAL INCOME	<\$25,000	22.9	15.8	32.0	20.1	18.0	22.3	24.2
	\$25,000-\$49,999	34.2	24.8	45.1	22.1 *	20.1	24.3	31.2
	\$50,000 or More	22.2	14.1	33.2	21.5	19.6	23.6	24.1
MARITAL STATUS	Married/Couple	29.5	23.5	36.3	22.0 *	20.6	23.5	30.4
	Not Married/Couple	20.5	14.1	28.8	19.9	18.2	21.6	20.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.0	50.1	61.6	53.7	52.3	55.1	44.5
SEX	Men	54.1	45.0	63.0	55.7	53.4	57.9	47.5
	Women	57.7	50.3	64.7	52.1	50.3	53.9	42.1 *
RACE/ETHNICITY	Non-Hisp. White	55.8	49.6	61.9	56.8	55.3	58.2	44.5
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.2	44.4	63.6	59.1	56.8	61.3	
	Non-Hisp. White Women	57.4	49.5	64.9	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	47.5
	Hispanic Men				37.9	29.1	47.6	41.9
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	42.9	34.2	52.0	46.6	44.5	48.7	35.4
	65 & Older	65.3	58.0	72.0	61.4	59.6	63.2	52.2
EDUCATION LEVEL	<High School	37.0	22.8	53.7	41.7	37.3	46.3	48.2
	H.S./GED	60.1	49.5	70.0	51.3	48.8	53.8	40.2
	>High School	56.4	48.8	63.8	56.7	54.9	58.5	46.5
ANNUAL INCOME	<\$25,000	44.4	34.7	54.4	47.2	44.4	50.1	39.9
	\$25,000-\$49,999	59.9	48.7	70.3	50.7	48.0	53.4	49.9
	\$50,000 or More	64.8	53.0	75.0	59.7	57.2	62.1	48.2
MARITAL STATUS	Married/Couple	61.4	54.0	68.3	57.5	55.7	59.3	46.6
	Not Married/Couple	43.3	34.4	52.7	47.3	45.1	49.5	40.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.7	3.2	6.9	3.1	2.8	3.5	
SEX	Men	2.9	1.4	5.7	2.9	2.5	3.4	
	Women	6.4	4.1	10.0	3.4 *	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	5.4	3.6	8.0	3.5	3.2	3.9	
	Non-Hisp. Black	0.0			3.7	2.4	5.5	
	Hispanic	2.1	0.4	9.0	1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.6	1.8	7.4	3.4	2.8	4.0	
	Non-Hisp. White Women	6.9	4.2	11.1	3.6 *	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women				4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women	3.0	0.4	18.5	1.6	0.9	2.8	
AGE GROUP	18-44	2.6	1.0	6.9	1.1	0.7	1.6	
	45-64	3.5	1.4	8.1	2.7	2.3	3.3	
	65 & Older	8.9	5.7	13.5	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	7.4	2.6	19.3	6.0	4.6	7.8	
	H.S./GED	4.7	2.6	8.5	3.7	3.1	4.4	
	>High School	4.1	2.4	7.1	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	8.1	4.8	13.4	5.7	4.8	6.7	
	\$25,000-\$49,999	5.0	2.4	10.3	3.6	2.9	4.5	
	\$50,000 or More	0.9	0.1	5.3	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	4.6	2.6	7.8	2.6	2.3	3.0	
	Not Married/Couple	5.1	3.1	8.2	4.0	3.5	4.6	

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	14.2	11.3	17.6	9.3 *	8.7	9.8	
SEX	Men	14.4	10.2	20.0	10.3	9.5	11.2	
	Women	14.0	10.4	18.4	8.3 *	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	15.1	11.9	19.0	10.6 *	10.0	11.3	
	Non-Hisp. Black	5.0	1.3	17.6	7.8	6.1	9.9	
	Hispanic	2.1	0.4	9.0	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.7	10.1	20.8	12.1	11.1	13.2	
	Non-Hisp. White Women	15.6	11.4	20.9	9.2 *	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women				9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women	3.0	0.4	18.5	4.9	3.6	6.6	
AGE GROUP	18-44	3.4	1.4	7.6	2.2	1.7	2.8	
	45-64	13.0	8.6	19.1	9.1	8.2	10.1	
	65 & Older	29.4	23.3	36.4	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	15.1	7.4	28.1	15.0	12.9	17.5	
	H.S./GED	14.4	9.8	20.5	10.5	9.4	11.6	
	>High School	14.0	10.4	18.7	7.8 *	7.2	8.4	
ANNUAL INCOME	<\$25,000	19.7	14.1	26.8	14.9	13.4	16.4	
	\$25,000-\$49,999	15.0	9.9	22.0	10.1	9.1	11.3	
	\$50,000 or More	6.5	3.1	13.1	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	15.6	11.8	20.4	8.8 *	8.1	9.5	
	Not Married/Couple	12.0	8.4	16.8	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who had their cholesterol checked in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.6	70.9	83.1	78.5	77.4	79.7	76.3
SEX	Men	71.1	59.1	80.7	76.7	74.9	78.5	74.7
	Women	83.0	76.7	87.9	80.2	78.8	81.6	77.8
RACE/ETHNICITY	Non-Hisp. White	79.4	71.5	85.6	84.4	83.3	85.4	75.7
	Non-Hisp. Black	88.1	67.1	96.4	76.3	71.9	80.3	74.6
	Hispanic	66.5	46.2	82.1	60.1	56.3	63.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.9	58.8	83.5	82.5	80.7	84.1	
	Non-Hisp. White Women	85.1	77.5	90.5	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	74.5
	Hispanic Men				59.7	53.8	65.3	76.8
	Hispanic Women	71.0	51.4	85.1	60.5	55.7	65.1	
AGE GROUP	18-44	56.1	43.1	68.3	64.7	62.5	66.9	55.8
	45-64	84.5	76.0	90.4	87.3	86.0	88.5	83.8
	65 & Older	95.8	92.4	97.7	93.2	92.2	94.2	92.5
EDUCATION LEVEL	<High School	54.5	33.3	74.2	62.0	57.9	65.9	67.7
	H.S./GED	72.8	61.5	81.8	70.6	68.0	73.1	72.0
	>High School	86.3	79.1	91.3	85.0	83.8	86.1	82.1
ANNUAL INCOME	<\$25,000	75.3	65.3	83.2	68.4	65.6	71.1	72.0
	\$25,000-\$49,999	76.7	64.8	85.5	75.8	73.4	78.1	77.3
	\$50,000 or More	87.3	73.8	94.4	86.3	84.8	87.8	78.4
MARITAL STATUS	Married/Couple	81.5	74.2	87.0	81.8	80.5	83.0	80.3
	Not Married/Couple	71.3	58.4	81.4	73.0	70.8	75.1	70.4

Percentage of adults who have diagnosed high blood cholesterol

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	40.0	34.7	45.5	37.1	35.9	38.3	36.5
SEX	Men	39.1	30.4	48.5	38.9	37.0	40.9	42.5
	Women	40.7	34.4	47.4	35.4	34.0	36.9	31.9
RACE/ETHNICITY	Non-Hisp. White	41.9	36.1	47.9	38.7	37.4	40.0	38.3
	Non-Hisp. Black	28.6	14.9	47.9	29.7	25.8	33.9	
	Hispanic	23.0	10.5	43.3	34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.7	34.2	53.7	39.6	37.6	41.7	
	Non-Hisp. White Women	40.5	33.6	47.9	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	42.5
	Hispanic Men				38.8	32.0	46.2	34.8
	Hispanic Women				30.7	25.7	36.2	
AGE GROUP	18-44	19.9	11.5	32.3	23.0	20.8	25.4	15.0
	45-64	42.1	34.6	50.0	42.8	41.0	44.7	42.5
	65 & Older	53.9	46.5	61.1	49.8	48.0	51.6	48.3
EDUCATION LEVEL	<High School	40.5	25.4	57.6	45.5	41.1	50.1	54.7
	H.S./GED	34.4	25.8	44.1	37.8	35.6	40.0	34.0
	>High School	43.5	36.6	50.7	35.8	34.3	37.3	33.6
ANNUAL INCOME	<\$25,000	44.9	34.8	55.5	41.6	39.1	44.2	39.9
	\$25,000-\$49,999	40.4	30.9	50.7	37.9	35.7	40.3	36.8
	\$50,000 or More	29.2	20.5	39.8	33.4	31.5	35.3	31.3
MARITAL STATUS	Married/Couple	41.9	35.4	48.6	36.8	35.4	38.3	39.0
	Not Married/Couple	36.5	28.0	45.9	37.4	35.3	39.5	32.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percentage of adults who could not see a dentist in the past year because of cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.5	19.2	30.7	19.2	18.2	20.2	
SEX	Men	26.1	17.1	37.7	16.8	15.3	18.5	
	Women	23.0	18.0	29.0	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	16.8	12.3	22.5	15.7	14.8	16.7	
	Non-Hisp. Black	62.8	39.7	81.3	23.7 *	20.4	27.4	
	Hispanic	56.5	35.3	75.5	28.3 *	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.6	9.2	28.0	13.9	12.5	15.5	
	Non-Hisp. White Women	17.0	12.5	22.7	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women	41.5	23.5	62.0	31.3	27.2	35.8	
AGE GROUP	18-44	36.7	25.4	49.8	23.6	21.8	25.6	
	45-64	23.2	17.1	30.7	19.5	18.1	21.0	
	65 & Older	9.2	5.6	14.6	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	42.9	24.3	63.8	33.9	30.2	37.7	
	H.S./GED	22.9	14.5	34.1	23.2	21.2	25.3	
	>High School	21.0	14.9	28.8	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	36.0	27.0	46.2	36.7	34.1	39.4	
	\$25,000-\$49,999	23.2	15.4	33.4	21.5	19.6	23.6	
	\$50,000 or More	18.1	8.0	36.1	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	19.7	14.3	26.6	16.2	15.1	17.4	
	Not Married/Couple	31.9	22.0	43.6	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	12.7	9.9	16.2	8.7 *	8.2	9.3	10.7
SEX	Men	14.5	10.1	20.4	9.4	8.6	10.3	10.8
	Women	11.1	7.9	15.4	8.1	7.5	8.9	10.5
RACE/ETHNICITY	Non-Hisp. White	13.8	10.5	17.9	9.0 *	8.4	9.6	9.9
	Non-Hisp. Black	11.6	4.9	25.1	12.4	10.4	14.8	12.1
	Hispanic	2.8	0.4	17.8	6.6	5.2	8.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.5	11.2	23.8	10.0 *	9.1	11.1	
	Non-Hisp. White Women	11.4	7.8	16.3	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women				13.3	10.6	16.5	11.5
	Hispanic Men				6.8	4.8	9.5	8.5
AGE GROUP	Hispanic Women	5.9	0.8	31.8	6.4	4.7	8.6	
	18-44	2.5	0.7	8.8	2.4	1.9	3.1	3.6
	45-64	11.3	7.2	17.3	10.9	9.9	12.1	11.6
	65 & Older	27.2	21.1	34.3	18.5 *	17.2	19.9	18.7
EDUCATION LEVEL	<High School	9.2	4.1	19.7	14.4	12.3	16.7	15.6
	H.S./GED	14.0	9.5	20.0	9.5	8.4	10.7	8.3
	>High School	12.5	8.7	17.7	7.5 *	6.9	8.1	11.0
ANNUAL INCOME	<\$25,000	18.2	12.6	25.6	13.3	11.9	14.9	13.0
	\$25,000-\$49,999	14.7	9.3	22.4	8.5	7.6	9.5	10.4
	\$50,000 or More	3.7	1.8	7.6	5.9	5.2	6.7	9.2
MARITAL STATUS	Married/Couple	14.0	10.4	18.5	8.3 *	7.7	9.0	10.2
	Not Married/Couple	10.8	6.8	16.8	9.5	8.6	10.6	11.3

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	70.1	57.2	80.5	65.7	62.6	68.7	
SEX	Men	75.3	55.9	88.0	61.8	57.1	66.3	
	Women	64.1	46.0	78.8	70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	70.6	56.2	81.7	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.0	53.8	89.5	59.9	54.7	64.8	
	Non-Hisp. White Women	63.8	44.2	79.7	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
AGE GROUP	Hispanic Women				80.4	67.8	88.9	
	18-44				72.0	61.6	80.6	
	45-64				63.1	57.8	68.0	
	65 & Older	76.4	62.0	86.5	66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	H.S./GED	71.7	53.5	84.8	67.6	61.8	73.0	
	>High School	66.5	46.0	82.2	64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000	69.2	49.9	83.5	69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	74.0	58.9	84.9	65.1	61.1	69.0	
	Not Married/Couple	62.3	38.5	81.4	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.0	64.9	87.2	71.2	67.7	74.4	
SEX	Men	75.7	57.1	87.9	68.0	62.5	73.0	
	Women	80.7	60.0	92.1	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	80.8	66.2	90.1	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	79.4	59.5	91.0	70.3	64.7	75.4	
	Non-Hisp. White Women	82.5	57.3	94.3	76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older	75.4	58.4	86.9	74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	H.S./GED				67.2	59.8	73.9	
	>High School	83.2	61.2	94.0	75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000	77.0	57.4	89.2	66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple	80.6	64.6	90.4	70.4	66.0	74.5	
	Not Married/Couple	72.4	47.2	88.5	72.8	66.9	77.9	

Percentage of adults with diabetes who had an annual foot exam

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.1	54.5	77.6	75.6	72.6	78.4	
SEX	Men	72.6	55.7	84.8	77.0	72.4	81.0	
	Women	60.4	41.9	76.4	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	64.3	50.3	76.3	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.3	51.5	84.0	76.2	71.3	80.5	
	Non-Hisp. White Women	56.6	36.5	74.7	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older	62.8	47.2	76.2	78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	H.S./GED	74.9	55.8	87.6	71.4	64.8	77.2	
	>High School	57.6	39.0	74.3	79.1 *	75.6	82.3	
ANNUAL INCOME	<\$25,000	57.2	38.6	73.9	74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple	69.4	53.8	81.5	75.6	71.9	78.9	
	Not Married/Couple	62.3	39.7	80.6	75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.2	61.8	85.1	77.4	74.7	80.0	
SEX	Men	72.1	51.3	86.4	78.5	74.5	82.0	
	Women	79.0	63.2	89.2	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	72.2	57.1	83.5	75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	67.4	45.3	83.8	75.7	70.7	80.1	
	Non-Hisp. White Women	78.3	61.0	89.3	76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64				75.0	70.7	78.8	
	65 & Older	85.2	72.2	92.7	83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	H.S./GED	83.4	66.6	92.7	74.2	68.5	79.2	
	>High School	67.5	46.4	83.2	81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000	63.1	43.6	79.1	72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple	83.4	70.9	91.2	79.4	76.2	82.2	
	Not Married/Couple	57.8	33.1	79.1	74.7	69.5	79.3	

Percentage of adults with diabetes who ever had diabetes self-management education

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.1	33.5	57.4	51.4	48.2	54.6	
SEX	Men	47.1	30.9	64.0	50.5	45.8	55.2	
	Women	42.8	26.9	60.3	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	45.6	32.9	59.0	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.4	29.0	64.6	48.1	43.1	53.2	
	Non-Hisp. White Women	44.6	27.2	63.6	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64				53.6	48.4	58.7	
	65 & Older	52.5	38.1	66.5	49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	H.S./GED	52.6	34.9	69.7	52.3	46.2	58.4	
	>High School	46.5	29.2	64.6	55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000	38.2	22.6	56.7	47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	49.4	35.1	63.7	52.7	48.6	56.8	
	Not Married/Couple	36.4	19.0	58.3	49.4	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.2	51.4	59.1	50.9	49.7	52.1	
SEX	Men	53.4	48.0	58.8	50.5	49.1	51.9	
	Women	57.4	52.3	62.5	51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	55.9	51.5	60.3	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.6	47.5	59.8	51.9	50.3	53.5	
	Non-Hisp. White Women	58.8	53.3	64.2	52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older	60.7	57.0	64.4	61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	H.S./GED	58.3	53.4	63.3	51.9	49.2	54.6	
	>High School	54.8	49.0	60.5	50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000	58.0	52.5	63.5	51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple	56.5	52.3	60.8	50.5 *	49.2	51.8	
	Not Married/Couple	52.5	45.2	59.8	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	21.7	17.9	26.1	17.8	17.1	18.6	
SEX	Men	19.0	13.5	26.1	16.9	15.7	18.1	
	Women	24.1	19.3	29.7	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	22.3	18.1	27.1	19.7	18.8	20.6	
	Non-Hisp. Black	22.3	9.9	42.6	16.8	14.1	19.7	
	Hispanic	8.6	2.2	28.5	10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.5	13.5	27.3	18.6	17.3	20.1	
	Non-Hisp. White Women	24.6	19.3	30.8	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women	5.9	1.8	17.4	11.3	9.1	13.9	
AGE GROUP	18-44	12.4	7.2	20.5	10.3	9.2	11.4	
	45-64	30.5	23.9	37.9	21.7 *	20.4	23.1	
	65 & Older	25.8	19.8	32.9	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	25.2	14.2	40.6	24.2	21.4	27.2	
	H.S./GED	22.3	16.0	30.1	19.6	18.0	21.2	
	>High School	20.6	15.7	26.5	16.1	15.2	17.1	
ANNUAL INCOME	<\$25,000	33.1	25.5	41.8	30.3	28.1	32.5	
	\$25,000-\$49,999	26.1	18.4	35.5	17.7	16.2	19.2	
	\$50,000 or More	9.6	5.5	16.4	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	21.1	16.4	26.7	15.5	14.6	16.4	
	Not Married/Couple	22.6	16.5	30.1	21.9	20.5	23.4	

Percentage of adults who use special equipment because of a health problem

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	8.0	5.9	10.8	7.1	6.6	7.7	
SEX	Men	6.3	3.8	10.2	6.9	6.1	7.7	
	Women	9.6	6.6	13.8	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	8.4	6.0	11.6	7.4	6.9	8.0	
	Non-Hisp. Black	8.6	2.7	23.9	8.1	6.4	10.1	
	Hispanic	5.2	1.2	19.2	5.1	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.4	4.4	12.3	6.8	6.1	7.7	
	Non-Hisp. White Women	9.2	6.0	13.9	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women	10.8	2.8	34.1	4.3	3.0	6.1	
AGE GROUP	18-44	1.6	0.4	5.4	2.3	1.8	3.0	
	45-64	9.9	6.2	15.3	7.5	6.7	8.5	
	65 & Older	14.8	10.1	21.1	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	11.7	5.6	22.9	12.0	10.0	14.2	
	H.S./GED	7.2	4.2	12.0	8.1	7.1	9.3	
	>High School	7.3	4.7	11.3	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	12.3	7.9	18.6	13.8	12.4	15.3	
	\$25,000-\$49,999	10.0	5.9	16.5	6.6	5.7	7.6	
	\$50,000 or More	2.0	0.7	5.6	2.9	2.4	3.5	
MARITAL STATUS	Married/Couple	8.5	5.8	12.4	5.3	4.8	5.9	
	Not Married/Couple	7.2	4.5	11.4	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percentage of adults who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	60.9	54.7	66.8	58.5	57.3	59.8	
SEX	Men	62.3	51.4	72.0	53.9	51.9	56.0	
	Women	59.7	53.0	66.1	62.9	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	60.9	54.0	67.5	62.1	60.8	63.4	
	Non-Hisp. Black	58.3	34.6	78.7	52.6	48.1	57.1	
	Hispanic	67.8	45.9	83.9	47.7	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	62.4	50.1	73.3	58.2	56.1	60.3	
	Non-Hisp. White Women	59.6	52.0	66.8	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
	Hispanic Women	73.5	54.1	86.7	53.7	48.8	58.6	
AGE GROUP	18-44	53.1	40.4	65.4	51.2	48.9	53.5	
	45-64	65.6	57.4	73.0	61.5	59.7	63.2	
	65 & Older	66.8	59.6	73.3	69.2	67.4	70.9	
EDUCATION LEVEL	<High School	41.0	24.5	59.9	43.5	39.4	47.6	
	H.S./GED	67.7	57.9	76.1	51.8 *	49.3	54.2	
	>High School	61.7	54.0	68.9	63.9	62.4	65.4	
ANNUAL INCOME	<\$25,000	61.1	51.0	70.2	53.2	50.4	56.0	
	\$25,000-\$49,999	57.7	47.2	67.6	58.1	55.7	60.5	
	\$50,000 or More	71.4	60.4	80.4	62.2	60.2	64.1	
MARITAL STATUS	Married/Couple	61.9	54.8	68.5	59.4	57.9	61.0	
	Not Married/Couple	59.2	47.9	69.7	57.1	54.9	59.3	

Percentage of women under age 45 who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	53.1	39.6	66.1	56.4	53.5	59.2	
SEX	Men							
	Women	53.1	39.6	66.1	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	52.3	35.2	68.9	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	52.3	35.2	68.9	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
	Hispanic Women				48.2	41.4	55.1	
AGE GROUP	18-44	52.8	39.1	66.2	56.2	53.3	59.1	
	45-64							
	65 & Older							
EDUCATION LEVEL	<High School				34.0	25.5	43.7	
	H.S./GED				44.8	39.2	50.6	
	>High School	43.8	28.2	60.7	63.6	60.3	66.8	
ANNUAL INCOME	<\$25,000	60.5	38.2	79.1	46.5	40.2	52.9	
	\$25,000-\$49,999				54.7	49.5	59.9	
	\$50,000 or More				63.6	59.2	67.8	
MARITAL STATUS	Married/Couple	47.3	31.1	64.2	59.2	55.8	62.5	
	Not Married/Couple	60.3	39.8	77.7	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percentage of adults who had diarrhea in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	19.6	14.4	26.0	14.1	13.3	15.0	
SEX	Men	23.0	13.9	35.5	13.8	12.6	15.2	
	Women	16.5	12.5	21.3	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	16.1	11.4	22.3	15.6	14.7	16.6	
	Non-Hisp. Black	28.1	8.7	61.7	11.5	8.8	14.9	
	Hispanic	32.9	13.1	61.4	10.0 *	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.6	7.0	27.9	15.8	14.3	17.5	
	Non-Hisp. White Women	17.5	13.0	23.1	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
AGE GROUP	Hispanic Women	7.2	2.5	18.8	10.7	8.0	14.1	
	18-44	25.3	14.7	39.8	14.6	13.1	16.1	
	45-64	14.7	10.0	21.1	14.0	12.8	15.2	
	65 & Older	17.0	12.0	23.6	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	23.4	7.8	52.3	12.4	10.1	15.2	
	H.S./GED	23.2	14.7	34.7	13.6	12.2	15.1	
	>High School	16.0	10.7	23.3	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	17.4	12.0	24.4	16.7	14.9	18.7	
	\$25,000-\$49,999	16.8	9.9	27.0	12.5	11.1	13.9	
	\$50,000 or More	23.2	12.1	40.0	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	15.9	10.9	22.6	13.9	12.9	14.9	
	Not Married/Couple	25.0	15.4	37.8	14.5	13.2	16.0	

Percentage of adults who had diarrhea in the past 30 days and who visited a doctor

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	2.0	1.0	4.1	2.4	2.0	2.8	
SEX	Men	1.9	0.5	6.7	2.2	1.6	2.9	
	Women	2.2	1.0	4.6	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	2.5	1.2	5.2	2.5	2.1	3.0	
	Non-Hisp. Black	0.0			2.2	1.4	3.6	
	Hispanic	1.1	0.1	7.6	2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.5	0.7	8.8	2.2	1.6	3.1	
	Non-Hisp. White Women	2.5	1.1	5.6	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
AGE GROUP	Hispanic Women	2.2	0.3	14.3	2.0	1.2	3.3	
	18-44	2.4	0.7	7.8	2.0	1.4	2.7	
	45-64	0.6	0.2	2.2	2.5	2.0	3.2	
	65 & Older	2.9	1.1	7.2	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	1.4	0.3	6.1	2.3	1.6	3.2	
	H.S./GED	4.2	1.7	9.9	2.8	2.2	3.6	
	>High School	0.7	0.2	2.3	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	2.0	0.8	4.9	3.5	2.7	4.4	
	\$25,000-\$49,999	2.5	0.5	10.6	2.8	2.1	3.7	
	\$50,000 or More	0.1	0.0	0.9	1.6 *	1.1	2.2	
MARITAL STATUS	Married/Couple	0.4	0.1	2.0	2.1	1.7	2.6	
	Not Married/Couple	4.4	1.9	9.6	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.3	69.6	82.0	81.4	80.3	82.4	80.3
SEX	Men	73.2	61.1	82.5	80.3	78.5	82.0	81.6
	Women	79.2	72.0	85.0	82.4	81.0	83.7	79.1
RACE/ETHNICITY	Non-Hisp. White	80.5	72.7	86.5	87.8 *	86.9	88.7	81.4
	Non-Hisp. Black	74.0	52.6	88.0	77.2	72.9	81.1	74.5
	Hispanic	46.8	27.1	67.5	61.4	57.6	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.1	64.1	87.7	87.6	86.2	88.8	
	Non-Hisp. White Women	82.6	73.8	88.9	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	82.5
	Hispanic Men				57.7	51.8	63.5	80.5
AGE GROUP	Hispanic Women	65.3	45.6	80.8	64.9	60.3	69.3	
	18-44	57.2	44.4	69.2	72.4 *	70.3	74.4	66.6
	45-64	79.1	71.6	85.0	82.7	81.3	84.1	80.6
	65 & Older	98.6	95.8	99.6	97.3	96.5	97.9	96.4
EDUCATION LEVEL	<High School	50.9	31.4	70.1	60.8	56.8	64.6	69.7
	H.S./GED	68.9	56.6	79.0	73.8	71.3	76.1	77.4
	>High School	87.6	81.3	92.0	88.3	87.1	89.3	85.2
ANNUAL INCOME	<\$25,000	65.5	54.7	74.9	64.5	61.7	67.3	70.1
	\$25,000-\$49,999	79.0	68.0	87.0	79.0	76.8	81.0	83.1
	\$50,000 or More	86.2	68.4	94.7	93.2	91.8	94.3	89.2
MARITAL STATUS	Married/Couple	84.1	77.7	88.9	85.3	84.1	86.4	85.5
	Not Married/Couple	64.0	51.5	74.8	74.9	72.7	76.9	72.1

Percentage of adults who have a personal doctor

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.3	66.7	79.0	77.1	75.9	78.2	74.4
SEX	Men	67.8	56.3	77.5	72.8	71.0	74.6	69.8
	Women	78.3	71.5	83.8	81.1	79.7	82.4	78.2
RACE/ETHNICITY	Non-Hisp. White	76.7	69.2	82.9	82.2	81.1	83.2	75.4
	Non-Hisp. Black	80.2	59.1	91.9	75.6	71.4	79.4	76.7
	Hispanic	40.6	23.3	60.5	61.7	58.0	65.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.7	57.6	81.2	77.9	76.0	79.7	
	Non-Hisp. White Women	81.9	74.0	87.8	86.3	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women				78.8	73.5	83.3	70.2
	Hispanic Men				58.2	52.4	63.8	80.0
AGE GROUP	Hispanic Women	70.0	50.5	84.3	65.2	60.5	69.5	
	18-44	52.9	40.5	64.9	64.7	62.5	66.8	58.7
	45-64	80.0	72.3	86.0	83.3	81.9	84.6	81.6
	65 & Older	93.7	89.6	96.3	92.9	91.9	93.8	85.0
EDUCATION LEVEL	<High School	53.6	33.1	72.9	62.8	58.9	66.5	65.2
	H.S./GED	71.6	59.3	81.3	71.4	68.9	73.7	67.8
	>High School	79.1	71.9	84.9	82.1	80.8	83.4	81.9
ANNUAL INCOME	<\$25,000	68.8	57.7	78.0	66.8	64.1	69.4	65.6
	\$25,000-\$49,999	74.2	63.8	82.5	74.2	71.8	76.4	74.6
	\$50,000 or More	81.6	65.3	91.2	84.8	83.2	86.3	86.1
MARITAL STATUS	Married/Couple	79.2	72.5	84.6	80.6	79.3	81.8	81.0
	Not Married/Couple	63.8	51.4	74.5	71.1	68.9	73.2	63.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.5	13.9	24.1	15.1	14.2	16.0	
SEX	Men	14.8	8.0	25.7	13.3	11.9	14.7	
	Women	21.8	16.6	28.0	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	15.0	10.7	20.7	11.5	10.8	12.4	
	Non-Hisp. Black	22.5	10.2	42.6	20.9	17.8	24.4	
	Hispanic	36.1	16.6	61.7	23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.0	5.8	23.0	9.8	8.6	11.0	
	Non-Hisp. White Women	17.7	12.4	24.5	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women				23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
AGE GROUP	Hispanic Women	30.1	14.3	52.6	24.1	20.5	28.2	
	18-44	29.0	19.0	41.4	19.9	18.3	21.6	
	45-64	19.9	14.7	26.5	15.8	14.5	17.2	
	65 & Older	3.4	1.6	7.0	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	29.7	14.3	51.6	25.6	22.6	28.9	
	H.S./GED	18.2	10.3	30.0	19.0	17.1	21.0	
	>High School	16.1	11.6	21.8	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	24.2	17.5	32.5	29.3	26.9	31.9	
	\$25,000-\$49,999	20.1	12.6	30.6	18.4	16.5	20.5	
	\$50,000 or More	12.6	4.8	29.4	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	15.1	10.7	21.1	12.7	11.8	13.8	
	Not Married/Couple	23.6	15.1	34.9	19.3	17.6	21.0	

Percentage of adults who had a medical checkup in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.0	65.9	77.4	74.6	73.5	75.7	
SEX	Men	65.4	54.8	74.6	70.5	68.7	72.3	
	Women	78.2	72.0	83.4	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	74.2	67.3	80.1	75.0	73.8	76.2	
	Non-Hisp. Black	77.7	56.8	90.2	82.7	79.0	85.9	
	Hispanic	62.9	40.4	80.9	70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.2	56.1	78.3	71.0	69.1	72.9	
	Non-Hisp. White Women	79.6	72.5	85.2	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women				86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
AGE GROUP	Hispanic Women	85.9	68.4	94.4	74.3	70.0	78.3	
	18-44	51.8	39.6	63.8	64.0	61.8	66.1	
	45-64	77.8	69.8	84.1	77.7	76.2	79.1	
	65 & Older	93.6	88.7	96.4	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	60.4	39.7	78.0	71.4	67.6	74.9	
	H.S./GED	68.8	57.9	78.0	72.8	70.5	75.0	
	>High School	76.8	68.8	83.2	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	68.7	58.5	77.4	73.0	70.4	75.3	
	\$25,000-\$49,999	70.0	58.6	79.3	72.4	70.1	74.5	
	\$50,000 or More	75.2	61.8	85.0	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	72.6	65.0	79.1	75.6	74.3	77.0	
	Not Married/Couple	70.9	60.1	79.8	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.2	77.3	84.6	83.4	82.5	84.2	81.3
SEX	Men	82.0	75.5	87.0	83.8	82.4	85.1	80.4
	Women	80.6	75.6	84.7	82.9	81.8	84.0	82.1
RACE/ETHNICITY	Non-Hisp. White	82.0	77.7	85.6	85.8	85.0	86.6	81.9
	Non-Hisp. Black	77.6	59.7	89.1	80.8	77.5	83.7	77.6
	Hispanic	85.0	71.5	92.7	77.2	74.1	80.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.5	76.6	88.6	86.1	84.8	87.3	
	Non-Hisp. White Women	80.7	75.0	85.4	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women				78.5	73.8	82.5	80.2
	Hispanic Men				77.5	72.5	81.7	83.4
AGE GROUP	Hispanic Women	76.3	57.1	88.6	77.0	73.0	80.6	
	18-44	92.3	86.9	95.6	89.5	88.1	90.8	91.2
	45-64	75.8	68.6	81.7	80.4	78.8	81.8	81.4
EDUCATION LEVEL	65 & Older	71.7	64.5	77.9	75.2	73.6	76.8	68.7
	<High School	64.9	47.6	78.9	66.1	62.5	69.4	63.0
	H.S./GED	79.3	71.9	85.1	79.0	77.1	80.8	82.4
ANNUAL INCOME	>High School	86.8	82.1	90.4	88.1	87.1	89.0	85.9
	<\$25,000	67.1	58.4	74.7	65.7	63.2	68.1	68.3
	\$25,000-\$49,999	81.4	73.7	87.3	83.9	82.3	85.4	82.5
MARITAL STATUS	\$50,000 or More	96.5	90.8	98.7	93.3	92.2	94.2	97.1
	Married/Couple	81.8	76.8	86.0	85.1	84.0	86.1	83.0
	Not Married/Couple	80.4	73.7	85.7	80.3	78.7	81.7	78.5

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	93.6	90.7	95.7	94.2	93.6	94.8	
SEX	Men	93.5	87.9	96.6	94.0	92.9	94.9	
	Women	93.7	90.3	96.0	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	94.8	91.8	96.7	94.9	94.3	95.4	
	Non-Hisp. Black	83.7	62.4	94.1	93.0	91.0	94.7	
	Hispanic	94.3	75.8	98.9	93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.0	87.8	97.1	94.8	93.9	95.6	
	Non-Hisp. White Women	95.5	92.4	97.3	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
AGE GROUP	Hispanic Women	97.8	85.5	99.7	94.0	91.3	95.9	
	18-44	92.7	85.8	96.4	94.6	93.4	95.6	
	45-64	91.2	86.3	94.5	92.7	91.7	93.6	
EDUCATION LEVEL	65 & Older	97.0	93.1	98.8	95.8	95.0	96.5	
	<High School	91.2	77.6	96.8	91.7	89.7	93.4	
	H.S./GED	94.3	89.3	97.1	92.7	91.1	94.1	
ANNUAL INCOME	>High School	93.7	89.3	96.4	95.3	94.6	95.9	
	<\$25,000	89.0	82.8	93.1	87.8	86.0	89.3	
	\$25,000-\$49,999	92.6	84.0	96.7	94.8	93.6	95.8	
MARITAL STATUS	\$50,000 or More	100.0			97.2	96.2	98.0	
	Married/Couple	97.7	94.9	98.9	96.4	95.7	96.9	
	Not Married/Couple	87.7	80.9	92.2	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	80.0	75.5	83.9	77.9	76.8	79.0	
SEX	Men	82.6	75.1	88.3	76.6	74.7	78.3	
	Women	77.7	72.0	82.5	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	85.1	80.8	88.6	82.3	81.3	83.3	
	Non-Hisp. Black	56.2	33.2	76.7	67.0	62.7	71.0	
	Hispanic	70.1	50.2	84.4	68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.0	78.2	91.3	81.2	79.6	82.8	
	Non-Hisp. White Women	84.4	79.2	88.5	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women				68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
AGE GROUP	Hispanic Women	56.1	35.5	74.8	72.3	67.9	76.4	
	18-44	82.3	73.2	88.8	78.2	76.1	80.1	
	45-64	77.7	70.1	83.8	78.1	76.5	79.6	
	65 & Older	79.2	72.4	84.6	77.4	75.9	78.9	
EDUCATION LEVEL	<High School	63.4	44.7	78.8	63.3	59.3	67.0	
	H.S./GED	81.5	73.9	87.3	71.9	69.5	74.2	
	>High School	83.5	77.4	88.3	82.9	81.6	84.1	
ANNUAL INCOME	<\$25,000	61.7	52.2	70.4	63.4	60.7	66.1	
	\$25,000-\$49,999	78.2	67.8	86.0	76.0	73.8	78.0	
	\$50,000 or More	95.4	91.6	97.6	87.1 *	85.6	88.5	
MARITAL STATUS	Married/Couple	85.1	79.8	89.2	83.1	81.9	84.3	
	Not Married/Couple	72.3	63.4	79.7	68.9	66.8	70.9	

Percentage of adults with good physical health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	87.9	84.6	90.6	88.8	88.1	89.5	
SEX	Men	90.6	85.8	94.0	89.8	88.7	90.8	
	Women	85.4	80.7	89.1	87.8	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	86.8	82.9	90.0	88.5	87.7	89.2	
	Non-Hisp. Black	91.2	77.4	96.9	88.0	85.5	90.1	
	Hispanic	92.6	81.0	97.4	90.6	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.3	82.0	92.6	89.6	88.4	90.7	
	Non-Hisp. White Women	85.6	80.2	89.7	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women				87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
AGE GROUP	Hispanic Women	84.5	65.2	94.1	89.8	87.3	91.9	
	18-44	95.7	91.4	97.9	92.5	91.4	93.5	
	45-64	84.4	78.1	89.1	86.5	85.2	87.6	
	65 & Older	80.6	73.5	86.1	84.3	82.9	85.5	
EDUCATION LEVEL	<High School	84.8	71.9	92.4	82.6	80.1	84.8	
	H.S./GED	86.0	79.5	90.7	86.6	85.1	87.9	
	>High School	90.2	86.0	93.3	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	78.3	70.3	84.6	80.3	78.5	82.0	
	\$25,000-\$49,999	88.4	81.9	92.8	89.1	87.7	90.3	
	\$50,000 or More	97.2	93.7	98.7	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	87.8	83.3	91.2	90.4	89.5	91.1	
	Not Married/Couple	88.3	83.0	92.1	86.1	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	89.0	84.8	92.2	90.3	89.6	91.0	
SEX	Men	89.7	81.8	94.5	91.9	90.9	92.9	
	Women	88.4	83.5	92.0	88.7	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	91.2	87.3	93.9	90.9	90.2	91.6	
	Non-Hisp. Black	71.6	39.5	90.7	87.2	83.8	90.0	
	Hispanic	89.9	74.4	96.5	89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.7	86.5	96.2	92.2	91.2	93.2	
	Non-Hisp. White Women	89.9	84.4	93.6	89.7	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women				85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
AGE GROUP	Hispanic Women	88.1	70.8	95.8	87.7	84.2	90.5	
	18-44	86.8	76.6	93.0	88.9	87.5	90.1	
	45-64	86.8	81.4	90.9	89.2	88.2	90.3	
	65 & Older	94.0	88.7	96.9	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	90.2	77.5	96.1	84.2	81.0	87.0	
	H.S./GED	88.1	80.9	92.8	89.0	87.6	90.3	
	>High School	89.3	82.4	93.7	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	87.4	81.4	91.7	83.9	81.9	85.8	
	\$25,000-\$49,999	84.8	75.2	91.1	88.7	87.1	90.1	
	\$50,000 or More	94.6	76.7	98.9	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	91.8	85.5	95.5	92.0	91.2	92.8	
	Not Married/Couple	84.9	78.0	89.9	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.0	3.7	6.3	4.5	4.2	4.7	
SEX	Men	5.2	2.7	7.6	4.6	4.1	5.0	
	Women	4.9	3.5	6.4	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	4.8	3.4	6.2	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.3	2.6	8.1	4.6	4.1	5.1	
	Non-Hisp. White Women	4.5	3.0	6.0	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
AGE GROUP	Hispanic Women				4.0	3.1	5.0	
	18-44	2.9	1.3	4.5	3.4	3.0	3.9	
	45-64	7.2	4.9	9.6	5.1	4.7	5.6	
	65 & Older	5.9	3.3	8.5	5.8	5.2	6.4	
EDUCATION LEVEL	<High School	2.8	0.5	5.0	6.2 *	5.2	7.1	
	H.S./GED	6.2	3.8	8.7	5.4	4.9	6.0	
	>High School	5.0	3.3	6.8	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	9.8	6.9	12.7	7.5	6.8	8.2	
	\$25,000-\$49,999	4.5	2.5	6.6	4.4	3.9	4.9	
	\$50,000 or More	1.0	0.1	1.9	2.5 *	2.2	2.8	
MARITAL STATUS	Married/Couple	5.0	3.3	6.7	4.0	3.7	4.3	
	Not Married/Couple	4.9	2.9	6.9	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.8	3.1	4.6	3.6	3.4	3.8	
SEX	Men	3.1	2.0	4.3	3.3	3.0	3.6	
	Women	4.5	3.5	5.4	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	4.1	3.2	5.0	3.7	3.5	3.8	
	Non-Hisp. Black	3.1	0.4	5.8	4.1	3.5	4.8	
	Hispanic	2.3	0.1	4.5	3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	2.3	5.3	3.4	3.1	3.7	
	Non-Hisp. White Women	4.4	3.3	5.5	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women	4.9	0.8	8.9	3.3	2.7	4.0	
AGE GROUP	18-44	1.8	1.0	2.5	2.7	2.4	2.9	
	45-64	5.0	3.4	6.5	4.2	3.9	4.5	
	65 & Older	5.5	3.9	7.2	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	4.3	1.9	6.7	5.5	4.8	6.2	
	H.S./GED	4.6	3.1	6.2	4.3	3.9	4.7	
	>High School	3.1	2.2	4.0	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	6.3	4.4	8.2	6.3	5.8	6.8	
	\$25,000-\$49,999	3.8	2.5	5.1	3.5	3.2	3.8	
	\$50,000 or More	1.4	0.7	2.1	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	3.9	2.9	4.9	3.2	3.0	3.4	
	Not Married/Couple	3.7	2.5	4.9	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.4	2.5	4.4	3.3	3.1	3.5	
SEX	Men	3.1	1.4	4.7	2.8	2.5	3.1	
	Women	3.8	2.8	4.7	3.7	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	2.9	2.2	3.7	3.1	2.9	3.2	
	Non-Hisp. Black	9.3	1.2	17.3	4.1	3.2	5.0	
	Hispanic	2.6	0.3	4.9	3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.3	1.3	3.4	2.7	2.4	2.9	
	Non-Hisp. White Women	3.4	2.4	4.5	3.4	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women	3.6	0.6	6.6	4.0	3.1	5.0	
AGE GROUP	18-44	4.1	2.1	6.1	3.8	3.4	4.2	
	45-64	4.1	2.8	5.5	3.5	3.2	3.8	
	65 & Older	2.0	1.0	2.9	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	4.1	1.9	6.4	5.2	4.3	6.1	
	H.S./GED	3.4	2.0	4.8	3.7	3.3	4.1	
	>High School	3.3	1.8	4.8	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	4.2	2.8	5.6	5.2	4.6	5.7	
	\$25,000-\$49,999	3.8	2.2	5.4	3.6	3.2	4.0	
	\$50,000 or More	2.0	-0.6	4.6	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	2.5	1.2	3.7	2.7	2.5	2.9	
	Not Married/Couple	4.9	3.4	6.3	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.0	38.0	54.1	49.1	47.6	50.6	44.0
SEX	Men	36.0	24.2	49.7	46.4	44.0	48.8	43.2
	Women	55.8	47.0	64.1	51.8	50.0	53.7	44.6
RACE/ETHNICITY	Non-Hisp. White	39.7	31.0	49.1	45.3	43.6	47.0	44.8
	Non-Hisp. Black				68.4	63.9	72.6	42.6
	Hispanic	47.3	24.9	70.8	50.7	46.5	54.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.2	18.4	45.5	45.2	42.6	47.8	
	Non-Hisp. White Women	48.7	38.2	59.3	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	42.2
	Hispanic Men				44.2	37.8	50.8	47.1
	Hispanic Women				57.5	52.4	62.5	
AGE GROUP	18-44	53.4	40.5	65.8	58.5	56.3	60.7	56.7
	45-64	35.6	28.2	43.8	35.9	34.2	37.7	30.3
	65 & Older							
EDUCATION LEVEL	<High School	29.5	14.2	51.4	48.1	43.0	53.3	34.1
	H.S./GED	50.9	37.1	64.5	46.9	43.8	50.0	45.1
	>High School	47.1	36.9	57.5	50.2	48.4	52.1	45.9
ANNUAL INCOME	<\$25,000	51.0	37.3	64.6	54.1	50.5	57.7	49.2
	\$25,000-\$49,999	46.5	32.9	60.5	48.0	45.1	51.0	41.0
	\$50,000 or More	46.0	31.7	61.0	49.5	47.3	51.7	50.9
MARITAL STATUS	Married/Couple	48.6	39.0	58.4	47.7	45.9	49.5	41.7
	Not Married/Couple	42.5	29.9	56.1	51.7	48.9	54.4	47.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	32.3	27.8	37.1	28.2	27.2	29.2	31.8
SEX	Men	28.2	21.7	35.9	28.8	27.2	30.4	31.6
	Women	36.0	30.3	42.0	27.6 *	26.4	28.8	32.0
RACE/ETHNICITY	Non-Hisp. White	35.6	30.3	41.2	30.4	29.3	31.5	30.9
	Non-Hisp. Black	24.4	12.1	43.0	32.5	28.9	36.3	36.2
	Hispanic	13.9	6.6	27.2	19.1	16.5	22.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.2	24.3	41.2	31.0	29.3	32.7	
	Non-Hisp. White Women	38.5	32.0	45.5	29.8 *	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women				33.6	29.1	38.4	32.6
	Hispanic Men				20.9	16.7	25.9	29.5
	Hispanic Women	21.0	9.3	41.0	17.3	14.3	20.8	
AGE GROUP	18-44	7.5	3.9	14.1	11.6	10.3	13.1	11.6
	45-64	37.6	30.6	45.1	33.9	32.3	35.5	37.2
	65 & Older	59.0	51.9	65.7	53.5	51.8	55.3	49.0
EDUCATION LEVEL	<High School	34.9	20.7	52.5	31.9	28.7	35.3	50.5
	H.S./GED	31.1	23.8	39.5	29.5	27.6	31.3	27.3
	>High School	32.2	26.5	38.6	27.0	25.8	28.3	29.8
ANNUAL INCOME	<\$25,000	35.6	27.6	44.4	35.3	33.0	37.6	38.0
	\$25,000-\$49,999	34.8	26.6	44.0	29.2	27.3	31.1	29.8
	\$50,000 or More	22.3	15.5	31.1	23.2	21.7	24.8	19.5
MARITAL STATUS	Married/Couple	36.7	30.9	43.0	27.4 *	26.2	28.6	32.8
	Not Married/Couple	24.9	18.7	32.2	29.6	28.0	31.3	30.3

Percentage of adults with hypertension who engage in blood pressure control measures

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	99.1	95.9	99.8	96.4	95.5	97.2	
SEX	Men	100.0			95.9	94.1	97.1	
	Women	98.5	93.2	99.7	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	99.0	95.2	99.8	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	100.0			97.0	95.7	97.9	
	Non-Hisp. White Women	98.2	91.9	99.6	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44				90.0	85.5	93.2	
	45-64	99.4	96.2	99.9	96.9	95.7	97.9	
	65 & Older	100.0			98.8	98.1	99.2	
EDUCATION LEVEL	<High School	100.0			94.3	90.6	96.6	
	H.S./GED	98.1	87.5	99.7	96.2	94.2	97.5	
	>High School	99.6	97.4	99.9	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	100.0			96.2	94.1	97.6	
	\$25,000-\$49,999	97.3	87.9	99.5	97.1	95.4	98.2	
	\$50,000 or More	100.0			96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	99.1	93.6	99.9	96.1	94.7	97.2	
	Not Married/Couple	99.4	95.5	99.9	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with hypertension who were advised by a health care provider to engage in control measures

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	94.2	86.9	97.6	95.5	94.4	96.4	
SEX	Men	90.6	74.6	96.9	95.6	94.1	96.7	
	Women	96.6	88.1	99.1	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	95.4	86.4	98.6	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.6	70.7	99.2	96.7	95.5	97.6	
	Non-Hisp. White Women	96.0	86.0	98.9	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44				89.8	84.5	93.5	
	45-64	98.1	87.5	99.7	96.3	94.8	97.4	
	65 & Older	95.4	86.2	98.6	97.2	96.2	98.0	
EDUCATION LEVEL	<High School	79.0	46.3	94.3	93.7	90.5	95.9	
	H.S./GED	97.9	86.8	99.7	95.5	92.3	97.4	
	>High School	95.8	86.2	98.8	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	96.5	82.7	99.4	94.4	90.9	96.6	
	\$25,000-\$49,999	90.9	71.0	97.6	95.5	93.4	96.9	
	\$50,000 or More	100.0			96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	94.0	84.0	97.9	95.7	94.4	96.8	
	Not Married/Couple	94.6	79.3	98.7	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults in high-risk groups who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.3	36.1	54.8	44.6	42.4	46.8	
SEX	Men	50.2	34.2	66.2	46.4	42.8	50.1	
	Women	41.3	30.8	52.7	43.2	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	49.7	39.2	60.3	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.4	34.1	68.4	50.3	46.3	54.4	
	Non-Hisp. White Women	48.2	35.8	60.8	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44				25.1	21.4	29.2	
	45-64	45.1	30.9	60.1	41.6	38.4	44.9	
	65 & Older	74.0	61.6	83.4	72.1	68.9	75.1	
EDUCATION LEVEL	<High School				34.6	28.9	40.9	
	H.S./GED	51.1	34.0	67.9	42.8	38.6	47.2	
	>High School	42.2	30.8	54.5	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	54.6	40.2	68.3	41.8	37.6	46.2	
	\$25,000-\$49,999	47.6	31.5	64.2	44.1	40.1	48.1	
	\$50,000 or More	29.9	15.4	49.9	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	52.9	40.1	65.4	46.4	43.6	49.1	
	Not Married/Couple	31.9	20.6	45.8	42.0	38.5	45.6	

Percentage of adults in high-risk groups who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.3	42.3	62.1	37.0 *	35.0	39.1	
SEX	Men	55.0	37.7	71.2	40.4	36.9	44.0	
	Women	50.1	38.4	61.8	34.7 *	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	53.3	42.2	64.1	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.1	35.8	71.3	45.3	41.4	49.4	
	Non-Hisp. White Women	52.7	39.6	65.4	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44				12.7	10.0	16.1	
	45-64	43.6	29.3	59.1	30.1	27.3	33.1	
	65 & Older	85.3	74.8	91.9	73.5	70.4	76.5	
EDUCATION LEVEL	<High School				38.8	32.3	45.8	
	H.S./GED	57.6	38.9	74.3	38.9	34.9	43.0	
	>High School	47.7	35.2	60.4	36.0	33.5	38.5	
ANNUAL INCOME	<\$25,000	63.6	48.8	76.1	41.6 *	37.5	45.9	
	\$25,000-\$49,999	55.8	37.9	72.2	41.1	37.2	45.1	
	\$50,000 or More	22.1	10.4	40.9	28.5	25.4	31.8	
MARITAL STATUS	Married/Couple	58.0	44.6	70.3	37.6 *	35.0	40.2	
	Not Married/Couple	41.4	27.6	56.7	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	34.7	30.0	39.8	32.7	31.7	33.7	32.8
SEX	Men	34.6	27.0	43.1	31.7	30.1	33.3	33.5
	Women	34.8	29.3	40.8	33.6	32.3	34.9	32.1
RACE/ETHNICITY	Non-Hisp. White	37.2	31.9	42.9	38.0	36.8	39.2	33.0
	Non-Hisp. Black	18.9	8.7	36.3	23.0	19.9	26.3	32.8
	Hispanic	28.1	13.0	50.6	20.6	17.9	23.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.9	27.6	45.1	36.5	34.7	38.4	
	Non-Hisp. White Women	38.4	31.9	45.4	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women				23.0	19.3	27.1	32.5
	Hispanic Men				19.5	15.6	24.2	33.4
	Hispanic Women	24.9	11.9	44.9	21.7	18.2	25.7	
AGE GROUP	18-44	10.0	5.1	18.6	18.3	16.7	20.0	13.9
	45-64	33.3	26.7	40.6	30.6	29.1	32.2	30.4
	65 & Older	69.1	62.2	75.2	64.6	62.9	66.4	56.9
EDUCATION LEVEL	<High School	21.4	12.1	35.0	26.0	23.2	29.0	30.4
	H.S./GED	33.1	25.5	41.8	30.4	28.6	32.3	35.0
	>High School	39.2	32.7	46.1	34.8	33.5	36.2	31.8
ANNUAL INCOME	<\$25,000	35.2	27.1	44.2	33.8	31.5	36.3	34.8
	\$25,000-\$49,999	38.6	30.0	48.0	31.3	29.4	33.3	36.4
	\$50,000 or More	26.0	17.9	36.1	31.9	30.3	33.6	22.4
MARITAL STATUS	Married/Couple	38.8	32.8	45.1	33.3	32.0	34.6	38.6
	Not Married/Couple	28.3	21.2	36.6	31.8	30.0	33.6	23.6

Percentage of adults age 65 and older who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.1	62.2	75.2	64.6	62.9	66.4	56.9
SEX	Men	72.1	61.6	80.6	65.9	63.1	68.5	56.4
	Women	66.6	57.2	74.9	63.7	61.4	65.9	57.4
RACE/ETHNICITY	Non-Hisp. White	71.4	64.1	77.7	68.3	66.5	70.0	57.9
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.0	66.2	85.2	69.3	66.5	71.9	
	Non-Hisp. White Women	66.9	56.9	75.6	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	55.1
	Hispanic Men				47.4	34.6	60.5	60.5
	Hispanic Women				43.7	33.9	54.1	
AGE GROUP	18-44							
	45-64							
	65 & Older	69.1	62.2	75.2	64.6	62.9	66.4	56.9
EDUCATION LEVEL	<High School				50.8	45.3	56.3	45.9
	H.S./GED	72.8	61.0	82.1	62.1	59.0	65.1	64.4
	>High School	71.4	62.1	79.2	69.4	67.1	71.6	55.0
ANNUAL INCOME	<\$25,000	60.4	48.1	71.5	59.8	56.6	63.0	57.7
	\$25,000-\$49,999	76.0	63.0	85.4	63.7	60.4	67.0	64.0
	\$50,000 or More	64.7	45.2	80.2	70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	73.4	64.5	80.8	68.5	66.1	70.7	65.5
	Not Married/Couple	60.5	49.5	70.6	59.3	56.6	61.9	43.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.3	28.7	38.3	25.9 *	25.0	26.9	27.1
SEX	Men	32.6	25.1	41.0	25.6	24.1	27.2	27.9
	Women	34.0	28.5	39.9	26.2 *	25.0	27.4	26.5
RACE/ETHNICITY	Non-Hisp. White	35.6	30.5	41.0	30.0	28.9	31.1	28.9
	Non-Hisp. Black	18.6	8.3	36.5	17.5	14.9	20.5	14.8
	Hispanic	9.2	3.0	25.2	16.1	13.5	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.3	26.4	43.3	28.6	26.9	30.3	
	Non-Hisp. White Women	36.6	30.4	43.2	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women				15.8	12.8	19.3	29.1
	Hispanic Men				17.3	13.1	22.5	28.7
AGE GROUP	Hispanic Women	18.9	6.9	42.3	15.0	12.0	18.5	
	18-44	8.5	3.9	17.7	11.4	10.0	13.0	5.9
	45-64	22.6	16.7	29.8	18.4	17.1	19.8	19.0
EDUCATION LEVEL	65 & Older	70.4	63.5	76.5	63.0	61.2	64.8	59.6
	<High School	29.4	18.1	44.1	25.1	22.4	28.1	25.7
	H.S./GED	32.7	24.7	41.9	27.7	25.8	29.8	27.8
ANNUAL INCOME	>High School	34.4	28.3	41.0	25.2 *	24.1	26.4	27.1
	<\$25,000	39.4	31.1	48.4	31.6	29.4	33.8	28.4
	\$25,000-\$49,999	41.0	31.7	51.1	26.8 *	25.0	28.6	30.8
MARITAL STATUS	\$50,000 or More	11.5	7.1	18.0	19.5 *	18.1	21.1	12.7
	Married/Couple	32.2	26.7	38.4	24.8 *	23.6	26.0	27.9
	Not Married/Couple	35.4	27.4	44.4	27.9	26.3	29.6	26.1

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	70.4	63.5	76.5	63.0	61.2	64.8	59.6
SEX	Men	68.5	57.9	77.4	62.8	60.0	65.5	55.2
	Women	71.9	62.4	79.8	63.2	60.8	65.4	63.3
RACE/ETHNICITY	Non-Hisp. White	73.2	65.9	79.4	67.7	65.9	69.4	59.4
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.8	60.6	80.8	67.0	64.3	69.6	
	Non-Hisp. White Women	74.3	64.2	82.3	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	54.9
	Hispanic Men				33.4	22.6	46.4	63.5
AGE GROUP	Hispanic Women				33.3	24.4	43.6	
	18-44							
	45-64							
EDUCATION LEVEL	65 & Older	70.4	63.5	76.5	63.0	61.2	64.8	59.6
	<High School				51.3	45.8	56.8	60.4
	H.S./GED	75.1	62.9	84.3	61.3	58.1	64.3	56.6
ANNUAL INCOME	>High School	71.4	61.9	79.4	67.0	64.6	69.2	62.8
	<\$25,000	70.2	58.2	80.0	60.2	56.8	63.4	51.5
	\$25,000-\$49,999	75.8	63.2	85.1	64.4	61.1	67.7	75.0
MARITAL STATUS	\$50,000 or More	55.9	35.3	74.6	64.2	60.3	67.9	
	Married/Couple	71.4	62.2	79.0	64.4	62.0	66.8	60.5
	Not Married/Couple	68.5	57.5	77.7	61.0	58.3	63.7	58.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who were at risk and who have received a hepatitis B vaccination

		2007 County		2007 State		2002 County Measure
		Measure	95% CI	Measure	95% CI	
ALL	Overall			43.8	37.6 50.2	
SEX	Men			43.1	35.4 51.1	
	Women			45.7	35.9 55.8	
RACE/ETHNICITY	Non-Hisp. White			44.2	37.1 51.6	
	Non-Hisp. Black			46.1	31.7 61.1	
	Hispanic			41.5	21.0 65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men			42.3	33.6 51.6	
	Non-Hisp. White Women			50.8	41.5 60.0	
	Non-Hisp. Black Men			39.8	24.2 57.8	
	Non-Hisp. Black Women			51.6	29.2 73.4	
	Hispanic Men			47.5	21.9 74.5	
	Hispanic Women			18.9	6.8 42.9	
AGE GROUP	18-44			50.3	41.7 59.0	
	45-64			34.0	26.5 42.4	
	65 & Older			10.9	5.3 21.1	
EDUCATION LEVEL	<High School			46.1	28.9 64.4	
	H.S./GED			42.9	31.2 55.4	
	>High School			44.1	36.5 52.0	
ANNUAL INCOME	<\$25,000			36.5	26.8 47.4	
	\$25,000-\$49,999			46.5	36.0 57.4	
	\$50,000 or More			46.2	35.0 57.8	
MARITAL STATUS	Married/Couple			42.5	32.7 53.0	
	Not Married/Couple			44.6	36.9 52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.1	32.5	44.1	38.0	36.8	39.2	33.7
SEX	Men	46.0	36.3	56.0	46.0	44.1	48.0	39.4
	Women	30.5	24.9	36.8	30.2	28.8	31.6	28.5
RACE/ETHNICITY	Non-Hisp. White	37.6	31.6	44.1	38.2	37.0	39.5	33.5
	Non-Hisp. Black	30.2	14.9	51.6	36.4	32.5	40.5	32.4
	Hispanic	45.5	24.2	68.6	37.5	33.8	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.5	33.3	54.4	46.3	44.3	48.4	
	Non-Hisp. White Women	32.1	25.6	39.4	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	38.4
	Hispanic Men				46.6	40.7	52.7	28.6
AGE GROUP	Hispanic Women	19.6	8.8	38.3	28.2	24.3	32.4	
	18-44	35.4	24.0	48.6	36.4	34.2	38.6	25.6
	45-64	31.9	25.0	39.7	38.4	36.7	40.2	36.3
	65 & Older	47.9	40.7	55.1	40.6	38.9	42.4	41.3
EDUCATION LEVEL	<High School	34.8	17.7	56.9	37.5	33.7	41.4	36.2
	H.S./GED	40.7	30.7	51.6	37.2	35.0	39.6	36.8
	>High School	36.9	30.4	44.0	38.4	36.9	39.9	30.7
ANNUAL INCOME	<\$25,000	31.3	23.6	40.3	34.9	32.3	37.5	33.7
	\$25,000-\$49,999	38.1	28.8	48.4	39.0	36.7	41.4	29.7
	\$50,000 or More	39.7	27.8	52.9	40.4	38.5	42.4	35.4
MARITAL STATUS	Married/Couple	38.7	32.2	45.6	40.2	38.7	41.7	38.3
	Not Married/Couple	37.3	27.4	48.3	34.2	32.2	36.2	26.7

Percentage of adults who are obese

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.9	20.9	31.5	24.1	23.1	25.1	19.7
SEX	Men	26.0	17.9	36.1	25.2	23.6	26.9	18.7
	Women	25.8	20.6	31.7	23.0	21.8	24.3	20.7
RACE/ETHNICITY	Non-Hisp. White	27.4	21.6	34.1	22.3	21.3	23.3	17.0 *
	Non-Hisp. Black	31.2	15.9	52.2	34.7	30.9	38.8	41.7
	Hispanic	20.4	9.5	38.5	26.5	23.2	30.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.0	22.1	43.9	24.6	23.0	26.4	
	Non-Hisp. White Women	23.0	17.7	29.4	19.9	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	16.8
	Hispanic Men				26.9	21.7	32.8	17.3
AGE GROUP	Hispanic Women	41.8	23.0	63.2	26.1	22.3	30.4	
	18-44	25.1	15.4	38.1	23.1	21.3	25.0	20.4
	45-64	31.9	25.2	39.5	28.1	26.5	29.7	23.8
	65 & Older	20.7	15.3	27.4	20.6	19.2	22.0	14.2
EDUCATION LEVEL	<High School	44.1	24.0	66.3	30.7	27.2	34.4	17.3
	H.S./GED	26.7	19.4	35.6	24.8	22.9	26.8	20.5
	>High School	21.1	15.8	27.6	22.8	21.5	24.1	19.8
ANNUAL INCOME	<\$25,000	30.8	22.6	40.4	26.5	24.5	28.7	21.1
	\$25,000-\$49,999	25.7	17.9	35.3	25.7	23.6	27.9	18.7
	\$50,000 or More	22.8	14.9	33.2	22.6	21.0	24.3	26.0
MARITAL STATUS	Married/Couple	25.6	20.3	31.8	24.1	22.9	25.4	18.1
	Not Married/Couple	26.3	17.5	37.6	23.9	22.2	25.8	22.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	64.0	58.2	69.4	62.1	60.9	63.2	53.5
SEX	Men	71.9	62.3	79.9	71.2	69.5	72.9	58.2
	Women	56.3	49.6	62.7	53.2	51.6	54.7	49.1
RACE/ETHNICITY	Non-Hisp. White	65.0	58.7	70.8	60.5	59.2	61.8	50.5 *
	Non-Hisp. Black	61.4	34.5	82.8	71.1	66.6	75.3	74.1
	Hispanic	65.9	44.0	82.6	64.0	60.2	67.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.5	65.8	83.2	71.0	69.1	72.8	
	Non-Hisp. White Women	55.1	47.6	62.5	50.1	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	55.2
	Hispanic Men				73.5	68.0	78.3	45.9
	Hispanic Women	61.4	41.2	78.3	54.3	49.4	59.2	
AGE GROUP	18-44	60.4	48.0	71.7	59.4	57.2	61.6	46.0
	45-64	63.8	55.6	71.3	66.5	64.8	68.2	60.1
	65 & Older	68.6	61.7	74.7	61.2	59.5	62.9	55.5
EDUCATION LEVEL	<High School	78.8	63.0	89.1	68.2	64.1	72.0	53.6
	H.S./GED	67.5	57.6	76.0	62.0	59.7	64.3	57.3
	>High School	58.1	50.4	65.3	61.2	59.7	62.6	50.5
ANNUAL INCOME	<\$25,000	62.1	51.7	71.6	61.4	58.7	64.0	54.8
	\$25,000-\$49,999	63.8	53.6	72.8	64.7	62.5	66.9	48.4
	\$50,000 or More	62.4	50.1	73.3	63.0	61.1	64.8	61.4
MARITAL STATUS	Married/Couple	64.3	57.2	70.9	64.3	62.9	65.7	56.4
	Not Married/Couple	63.6	53.6	72.5	58.1	56.0	60.2	48.9

Percentage of adults whose body weight increased by five pounds or more in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	27.4	21.9	33.7	22.4	21.3	23.5	
SEX	Men	28.1	19.3	39.0	21.4	19.8	23.2	
	Women	26.7	20.6	33.8	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	22.9	17.6	29.3	19.2	18.1	20.3	
	Non-Hisp. Black	43.4	21.2	68.6	34.9	30.7	39.4	
	Hispanic	56.5	35.7	75.2	27.0 *	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.2	13.6	31.5	19.0	17.3	20.7	
	Non-Hisp. White Women	24.5	17.7	33.0	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women	35.2	18.1	57.2	27.6	23.7	31.9	
AGE GROUP	18-44	43.3	31.2	56.3	30.2	28.2	32.3	
	45-64	21.7	16.1	28.6	18.3	17.0	19.7	
	65 & Older	12.4	8.5	17.7	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	24.2	12.6	41.3	27.7	23.9	32.0	
	H.S./GED	33.6	23.4	45.5	25.2	23.1	27.4	
	>High School	24.0	17.3	32.3	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	26.2	17.3	37.7	23.0	20.8	25.3	
	\$25,000-\$49,999	30.4	21.7	40.9	24.7	22.5	27.1	
	\$50,000 or More	34.5	22.1	49.3	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	24.4	18.2	31.8	21.7	20.5	23.0	
	Not Married/Couple	31.8	22.1	43.4	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults whose body weight decreased by five pounds or more in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	16.7	27.4	23.0	22.0	24.1	
SEX	Men	21.0	13.0	31.9	22.5	20.9	24.2	
	Women	22.2	17.3	27.9	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	21.1	15.5	28.1	22.7	21.6	23.8	
	Non-Hisp. Black	29.5	14.2	51.3	24.8	21.5	28.5	
	Hispanic	16.8	8.1	31.7	23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.7	14.2	36.9	22.3	20.6	24.1	
	Non-Hisp. White Women	18.7	14.0	24.7	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women	33.0	17.5	53.4	23.9	20.0	28.2	
AGE GROUP	18-44	23.9	14.0	37.7	22.9	21.0	24.9	
	45-64	15.7	11.3	21.5	23.7 *	22.2	25.2	
	65 & Older	24.2	18.4	31.1	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	38.3	18.0	63.6	25.7	22.5	29.3	
	H.S./GED	19.6	12.9	28.6	22.1	20.2	24.1	
	>High School	18.7	14.1	24.4	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	23.2	16.7	31.3	27.3	24.8	30.0	
	\$25,000-\$49,999	17.4	11.1	26.3	23.1	21.2	25.2	
	\$50,000 or More	15.1	8.6	25.0	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	17.8	13.3	23.5	21.4	20.1	22.7	
	Not Married/Couple	27.5	18.1	39.4	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	29.0	24.0	34.5	25.4	24.4	26.5	25.0
SEX	Men	26.5	18.6	36.3	22.5	20.9	24.1	20.5
	Women	31.2	25.6	37.4	28.1	26.8	29.6	28.8
RACE/ETHNICITY	Non-Hisp. White	30.7	24.9	37.2	21.3 *	20.3	22.3	24.0
	Non-Hisp. Black	32.7	16.7	54.0	32.0	28.0	36.3	32.8
	Hispanic	18.1	9.0	32.9	37.0 *	33.5	40.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.3	20.7	42.0	18.3 *	16.9	19.8	
	Non-Hisp. White Women	31.0	24.7	38.1	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women				33.9	29.2	39.0	20.4
	Hispanic Men				33.1	28.0	38.7	27.1
	Hispanic Women	31.4	16.5	51.3	40.8	36.3	45.5	
AGE GROUP	18-44	22.5	13.5	34.9	22.8	21.0	24.8	24.0
	45-64	30.5	23.7	38.2	25.3	23.8	26.8	25.6
	65 & Older	36.3	29.5	43.6	30.9	29.3	32.5	25.8
EDUCATION LEVEL	<High School	49.7	30.5	68.9	49.2	45.3	53.0	48.8
	H.S./GED	33.2	24.8	42.8	33.6	31.4	35.8	28.8
	>High School	21.0	16.0	27.1	17.7	16.6	18.9	15.0
ANNUAL INCOME	<\$25,000	32.1	24.6	40.7	40.2	37.7	42.9	31.3
	\$25,000-\$49,999	35.1	26.1	45.2	28.3	26.2	30.5	26.1
	\$50,000 or More	17.1	10.1	27.6	13.9	12.5	15.3	12.5
MARITAL STATUS	Married/Couple	29.0	23.3	35.5	22.5	21.3	23.8	22.1
	Not Married/Couple	28.8	20.3	39.2	30.1	28.3	32.1	29.7

Percentage of adults who are inactive at work

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	53.9	43.3	64.2	64.5	62.8	66.1	58.3
SEX	Men	41.6	27.4	57.4	58.4	55.9	60.9	52.2
	Women	73.1	61.9	81.9	71.5	69.4	73.4	63.2
RACE/ETHNICITY	Non-Hisp. White	53.8	41.6	65.6	67.3	65.5	69.1	59.0
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic				56.9	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.0	23.0	55.7	61.7 *	59.0	64.4	
	Non-Hisp. White Women	75.7	63.4	84.9	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	57.1
	Hispanic Men				49.1	42.3	55.9	60.6
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	53.2	37.5	68.3	60.3	57.8	62.8	56.8
	45-64	56.0	43.4	67.8	69.6	67.5	71.6	57.6
	65 & Older				75.6	71.0	79.7	
EDUCATION LEVEL	<High School				50.2	43.4	57.1	
	H.S./GED	45.7	28.5	64.1	51.1	47.6	54.6	54.2
	>High School	71.1	58.0	81.4	71.1	69.1	72.9	62.2
ANNUAL INCOME	<\$25,000	42.0	24.3	62.0	52.7	48.0	57.4	60.0
	\$25,000-\$49,999	46.3	30.3	63.0	56.5	53.1	59.8	49.8
	\$50,000 or More	71.0	54.1	83.6	71.4	69.2	73.6	66.1
MARITAL STATUS	Married/Couple	58.0	45.6	69.5	66.2	64.2	68.1	62.2
	Not Married/Couple	47.8	30.3	65.8	61.0	58.0	64.0	50.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who consume at least five servings of fruits and vegetables a day

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	22.1	18.0	26.8	26.2	25.2	27.3	21.7
SEX	Men	19.7	13.4	28.0	21.9	20.4	23.6	13.2
	Women	24.3	19.5	29.8	30.3	28.9	31.7	28.9
RACE/ETHNICITY	Non-Hisp. White	23.7	19.1	29.1	26.9	25.8	28.1	22.0
	Non-Hisp. Black	19.2	8.1	39.1	28.2	24.6	32.1	24.1
	Hispanic	12.1	5.3	25.3	22.1	19.1	25.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.5	15.2	32.1	22.7	21.0	24.6	
	Non-Hisp. White Women	24.7	19.4	31.0	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	13.0
	Hispanic Men				17.1	13.1	22.0	30.0
AGE GROUP	Hispanic Women	23.7	11.1	43.8	27.0	22.9	31.6	
	18-44	17.7	10.8	27.6	25.1	23.2	27.0	15.4
	45-64	23.6	17.5	30.9	26.4	24.8	28.0	19.3
	65 & Older	26.7	20.9	33.5	28.3	26.8	29.9	30.8
EDUCATION LEVEL	<High School	11.6	5.2	24.2	19.3	16.4	22.5	19.1
	H.S./GED	22.2	15.0	31.7	24.0	21.9	26.2	17.5
	>High School	24.7	19.5	30.8	28.4	27.0	29.7	25.7
ANNUAL INCOME	<\$25,000	19.6	13.5	27.7	24.8	22.7	27.1	15.9
	\$25,000-\$49,999	24.6	17.2	34.0	25.6	23.6	27.6	24.8
	\$50,000 or More	25.8	17.0	37.1	27.3	25.6	29.0	21.8
MARITAL STATUS	Married/Couple	24.5	19.4	30.4	25.6	24.4	26.9	23.2
	Not Married/Couple	18.5	12.4	26.8	27.4	25.5	29.4	19.2

Percentage of adults who meet moderate physical activity recommendations

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	36.1	30.7	42.0	34.6	33.5	35.8	35.6
SEX	Men	29.0	21.2	38.2	33.2	31.4	35.1	36.6
	Women	42.6	35.9	49.6	36.0	34.5	37.5	34.8
RACE/ETHNICITY	Non-Hisp. White	37.0	31.0	43.4	37.1	35.9	38.4	36.9
	Non-Hisp. Black	19.0	7.4	40.6	28.1	24.3	32.2	43.8
	Hispanic	32.3	16.1	54.3	27.7	24.3	31.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.7	19.1	36.0	35.6	33.6	37.5	
	Non-Hisp. White Women	46.0	38.3	53.8	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	36.9
	Hispanic Men				25.4	20.3	31.2	37.0
AGE GROUP	Hispanic Women	36.4	20.1	56.7	30.0	25.8	34.5	
	18-44	35.7	25.1	47.8	34.8	32.7	37.0	37.8
	45-64	42.1	34.2	50.5	35.7	34.0	37.5	31.8
	65 & Older	30.6	24.3	37.8	32.5	30.8	34.2	35.6
EDUCATION LEVEL	<High School	22.9	12.2	38.8	26.5	23.0	30.2	36.5
	H.S./GED	33.0	23.7	43.8	33.8	31.6	36.1	35.1
	>High School	41.7	34.5	49.2	36.2	34.8	37.7	35.8
ANNUAL INCOME	<\$25,000	35.9	26.4	46.6	31.2	28.8	33.8	38.9
	\$25,000-\$49,999	39.5	29.6	50.4	33.4	31.2	35.6	37.3
	\$50,000 or More	41.8	30.4	54.0	38.7	36.8	40.7	37.5
MARITAL STATUS	Married/Couple	41.0	34.3	48.2	35.3	33.8	36.7	35.4
	Not Married/Couple	28.6	20.3	38.6	33.5	31.5	35.6	36.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet vigorous physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.9	17.1	27.6	26.0	24.9	27.2	19.0
SEX	Men	25.1	16.9	35.7	29.6	27.7	31.5	23.8
	Women	18.9	14.4	24.4	22.7	21.4	24.2	15.0
RACE/ETHNICITY	Non-Hisp. White	21.0	15.9	27.3	26.9	25.7	28.2	18.9
	Non-Hisp. Black	12.4	4.4	30.3	21.3	17.8	25.2	26.4
	Hispanic	24.9	10.1	49.4	24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.1	14.5	34.8	30.7	28.7	32.7	
	Non-Hisp. White Women	19.2	14.2	25.5	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	23.7
	Hispanic Men				28.7	23.0	35.1	14.7
AGE GROUP	Hispanic Women	11.8	3.8	31.2	19.8	16.1	24.0	
	18-44	26.4	16.8	39.1	34.5	32.3	36.7	27.4
	45-64	24.5	17.7	33.0	22.3	20.9	23.9	13.3
	65 & Older	12.8	8.8	18.1	14.0	12.8	15.3	14.3
EDUCATION LEVEL	<High School	17.5	5.5	43.7	16.1	12.9	20.0	13.8
	H.S./GED	14.2	8.4	23.0	20.6	18.6	22.8	18.4
	>High School	28.8	22.0	36.7	30.0	28.5	31.6	21.1
ANNUAL INCOME	<\$25,000	13.0	7.2	22.4	17.7	15.3	20.3	14.4
	\$25,000-\$49,999	21.1	13.2	32.0	23.3	21.3	25.5	18.1
	\$50,000 or More	28.3	18.8	40.2	33.7	31.8	35.7	26.7
MARITAL STATUS	Married/Couple	20.2	15.0	26.7	26.3	24.9	27.7	21.7
	Not Married/Couple	24.6	16.1	35.7	25.6	23.6	27.8	15.0

Sexual Violence

Percentage of adults who had an unwanted sexual experience in the past 12 months

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	5.4	3.6	8.1	6.7	6.1	7.4	
SEX	Men	0.3	0.1	1.5	2.9 *	2.2	3.9	
	Women	10.2	6.8	15.2	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	4.5	2.8	7.2	7.1	6.5	7.8	
	Non-Hisp. Black	12.7	3.5	37.1	7.2	5.2	9.7	
	Hispanic	0.0	0.0	0.1	4.5 *	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	0.3	0.0	2.2	2.9 *	2.2	3.8	
	Non-Hisp. White Women	8.3	5.1	13.2	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
AGE GROUP	Hispanic Women	0.0	0.0	0.2	5.8 *	3.9	8.7	
	18-44	6.9	3.6	13.1	8.6	7.4	9.9	
	45-64	6.3	3.5	11.0	6.9	6.1	7.7	
EDUCATION LEVEL	65 & Older	2.5	1.0	6.0	2.2	1.8	2.8	
	<High School	3.1	0.5	16.0	4.5	3.3	6.1	
	H.S./GED	2.9	1.3	6.2	6.2	4.9	7.8	
ANNUAL INCOME	>High School	7.9	4.8	12.7	7.2	6.5	8.0	
	<\$25,000	8.0	4.2	14.8	8.3	6.9	9.9	
	\$25,000-\$49,999	2.9	1.2	7.1	7.0	6.0	8.1	
MARITAL STATUS	\$50,000 or More	6.1	2.7	13.4	6.0	5.0	7.2	
	Married/Couple	6.1	3.6	10.1	5.2	4.6	5.9	
	Not Married/Couple	4.1	2.1	8.0	9.3 *	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.1	17.8	29.5	19.3	18.3	20.3	26.6
SEX	Men	28.0	18.6	39.8	21.2	19.6	22.9	29.6
	Women	18.7	14.4	23.9	17.5	16.4	18.6	24.0
RACE/ETHNICITY	Non-Hisp. White	21.2	15.6	28.1	20.6	19.5	21.6	27.2
	Non-Hisp. Black	43.8	22.4	67.8	18.5 *	15.2	22.4	29.3
	Hispanic	23.8	7.5	54.4	16.0	13.2	19.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.6	16.7	39.6	21.5	19.8	23.3	
	Non-Hisp. White Women	16.5	12.2	22.0	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women				15.0	11.3	19.6	28.6
	Hispanic Men				19.9	15.4	25.4	25.9
	Hispanic Women	17.3	7.7	34.4	12.0	9.4	15.3	
AGE GROUP	18-44	31.1	20.0	44.9	22.1	20.4	24.0	37.1
	45-64	24.9	18.4	32.7	22.0	20.6	23.4	32.4
	65 & Older	11.3	7.7	16.2	9.7	8.7	10.8	8.2
EDUCATION LEVEL	<High School	40.0	20.7	63.0	28.6	25.2	32.2	30.8
	H.S./GED	24.7	16.3	35.6	25.0	22.9	27.1	32.6
	>High School	17.8	12.4	24.9	15.3	14.2	16.4	20.8
ANNUAL INCOME	<\$25,000	25.7	19.0	33.9	25.0	22.8	27.3	29.6
	\$25,000-\$49,999	16.2	9.9	25.2	21.3	19.4	23.4	30.7
	\$50,000 or More	23.3	12.4	39.6	15.5	14.2	17.0	25.7
MARITAL STATUS	Married/Couple	14.7	9.9	21.3	16.6	15.5	17.7	22.3
	Not Married/Couple	36.3	26.0	47.9	24.1 *	22.4	25.9	33.4

Percentage of adults who are former smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.5	25.1	34.4	26.2	25.3	27.2	32.2
SEX	Men	29.5	22.4	37.7	28.9	27.4	30.5	38.8
	Women	29.6	24.3	35.4	23.7	22.5	24.9	26.5
RACE/ETHNICITY	Non-Hisp. White	33.3	28.1	39.0	31.5	30.4	32.6	35.4
	Non-Hisp. Black	3.8	1.1	12.3	12.4	10.2	14.9	24.1
	Hispanic	17.8	7.8	35.9	16.4	13.8	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.8	27.1	45.6	34.1	32.4	35.9	
	Non-Hisp. White Women	31.1	25.2	37.7	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women				9.7	7.5	12.6	40.5
	Hispanic Men				16.8	13.1	21.3	30.8
	Hispanic Women	27.6	11.7	52.1	15.9	12.7	19.7	
AGE GROUP	18-44	16.9	10.4	26.2	14.7	13.3	16.3	14.8
	45-64	32.7	26.0	40.1	28.3	26.8	29.8	32.4
	65 & Older	42.8	35.9	50.0	46.5	44.7	48.2	53.2
EDUCATION LEVEL	<High School	26.3	14.0	43.9	21.1	18.4	24.0	31.3
	H.S./GED	23.8	17.4	31.5	25.0	23.3	26.8	28.5
	>High School	34.3	28.2	41.1	27.7	26.4	29.0	35.3
ANNUAL INCOME	<\$25,000	22.4	16.2	30.2	23.7	21.7	25.8	25.8
	\$25,000-\$49,999	37.0	28.3	46.7	26.4 *	24.6	28.2	34.9
	\$50,000 or More	28.8	20.2	39.4	27.4	25.8	29.0	35.7
MARITAL STATUS	Married/Couple	33.7	28.0	40.0	28.4	27.2	29.7	37.8
	Not Married/Couple	22.8	16.6	30.5	22.5	21.0	24.1	23.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.4	41.6	53.1	54.5 *	53.3	55.7	41.3
SEX	Men	42.5	33.3	52.3	49.9	48.0	51.8	31.6
	Women	51.8	45.3	58.1	58.8	57.4	60.3	49.5
RACE/ETHNICITY	Non-Hisp. White	45.5	39.2	51.9	47.9	46.7	49.2	37.4
	Non-Hisp. Black	52.4	29.9	73.9	69.1	65.0	72.9	46.6
	Hispanic	58.4	35.4	78.3	67.7	64.1	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.6	28.0	48.2	44.4	42.3	46.4	
	Non-Hisp. White Women	52.4	45.1	59.6	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women				75.3	70.5	79.5	30.9
	Hispanic Men				63.3	57.4	68.7	43.3
	Hispanic Women	55.1	35.1	73.6	72.1	67.7	76.1	
AGE GROUP	18-44	52.0	39.8	64.0	63.1	61.0	65.2	48.1
	45-64	42.4	34.9	50.3	49.7	48.0	51.5	35.2
	65 & Older	45.9	38.9	53.1	43.8	42.1	45.6	38.6
EDUCATION LEVEL	<High School	33.7	20.3	50.4	50.3	46.5	54.2	37.9
	H.S./GED	51.6	41.4	61.5	50.0	47.7	52.3	38.8
	>High School	47.8	40.6	55.1	57.1 *	55.6	58.5	43.9
ANNUAL INCOME	<\$25,000	51.9	42.4	61.2	51.3	48.7	53.9	44.6
	\$25,000-\$49,999	46.8	36.9	57.0	52.3	49.9	54.6	34.4
	\$50,000 or More	47.8	35.9	60.0	57.1	55.2	59.0	38.6
MARITAL STATUS	Married/Couple	51.5	44.7	58.3	55.0	53.6	56.4	39.9
	Not Married/Couple	41.0	31.4	51.2	53.4 *	51.3	55.5	43.1

Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.0	10.0	24.6	14.9	13.6	16.4	
SEX	Men	16.9	7.9	32.6	17.2	14.8	19.8	
	Women	15.3	8.4	26.3	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	18.5	11.0	29.5	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic	3.9	0.8	16.6	13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.0	11.9	45.1	17.6	14.8	20.8	
	Non-Hisp. White Women	14.5	6.9	28.2	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
AGE GROUP	18-44	25.0	13.2	42.2	18.9	16.6	21.5	
	45-64	14.1	7.8	24.2	13.2	11.4	15.1	
	65 & Older	4.5	1.8	11.0	6.3	5.2	7.6	
EDUCATION LEVEL	<High School	7.1	2.0	21.9	13.3	9.9	17.6	
	H.S./GED	20.7	10.3	37.4	17.8	14.9	21.3	
	>High School	13.9	7.0	25.6	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	8.1	3.8	16.3	16.0	13.1	19.3	
	\$25,000-\$49,999	20.0	9.1	38.5	16.8	14.0	19.9	
	\$50,000 or More	26.6	12.5	48.0	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	17.9	10.1	29.7	11.5	10.2	13.0	
	Not Married/Couple	12.3	5.5	25.4	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.0	30.6	60.2	53.2	50.4	56.0	60.1
SEX	Men	39.0	18.6	64.0	52.8	48.5	57.1	52.4
	Women	53.1	39.7	66.1	53.6	50.2	57.0	68.1
RACE/ETHNICITY	Non-Hisp. White	39.0	24.1	56.3	49.3	46.4	52.2	59.6
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.1	13.4	61.3	47.5	42.9	52.1	
	Non-Hisp. White Women	47.2	32.3	62.7	51.2	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	54.4
	Hispanic Men				68.1	55.6	78.5	64.7
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	56.4	30.5	79.2	58.3	53.7	62.9	53.6
	45-64	29.6	17.9	44.8	48.5 *	45.0	52.1	63.5 *
	65 & Older	37.2	20.3	57.8	45.0	39.1	51.1	
EDUCATION LEVEL	<High School				55.0	47.8	62.0	
	H.S./GED	45.5	23.9	69.0	50.9	46.1	55.8	54.9
	>High School	44.3	26.8	63.4	54.2	50.4	58.1	61.7
ANNUAL INCOME	<\$25,000	43.1	28.9	58.6	54.0	48.8	59.1	76.0 *
	\$25,000-\$49,999				53.5	48.1	58.8	54.4
	\$50,000 or More				54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	36.3	20.6	55.6	53.3	49.5	57.0	59.9
	Not Married/Couple	50.2	30.1	70.2	53.0	48.7	57.2	60.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org