

2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr., M.D., Ph.D.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Alcohol Consumption	1
Arthritis	2
Asthma	3
Cancer Screening/Colorectal	4
Cancer Screening/Prostate	5
Cancer Screening/Women's Health	7
Cardiovascular Disease	9
Cholesterol Awareness	10
Diabetes	11
Disability	15
Family Planning	16
Health Care Access & Coverage	17
Health Status & Quality of Life	19
HIV/AIDS	23
Hypertension Awareness & Control	24
Immunization	25
Injury Prevention	27
Oral Health	29
Overweight & Obesity	31
Reactions To Race	32
Tobacco Use & Exposure	33
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. The 2010 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.

Escambia County has 312,409 adults in the county, and had 521 adults respond to the 2010 county-level BRFSS survey.

The 2010 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2007 county-level survey are included for comparison purposes. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county as well as age and sex based on 2010 population estimates. Forty-four records were further adjusted during the weighting process.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.8	10.3	19.3	15.0	14.0	16.0	14.1
SEX	Men	20.9	12.7	29.1	19.8	18.0	21.6	19.3
	Women	8.9	4.9	13.0	10.5	9.6	11.4	9.2
RACE/ETHNICITY	Non-Hisp. White	16.0	10.6	21.3	16.4	15.3	17.5	15.3
	Non-Hisp. Black	9.1	1.6	16.5	8.2	5.8	10.6	10.8
	Hispanic				15.3	11.3	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.2	14.4	34.1	20.9	19.0	22.8	20.6
	Non-Hisp. White Women	8.6	3.9	13.4	12.2	11.1	13.3	10.1
	Non-Hisp. Black Men				12.2	7.3	17.0	
	Non-Hisp. Black Women	7.4	0.0	15.3	5.2	3.4	7.1	7.1
	Hispanic Men				23.0	15.8	30.2	
	Hispanic Women				7.8	4.7	10.9	
AGE GROUP	18-44	21.4	10.8	32.0	20.9	18.8	23.1	19.1
	45-64	14.8	8.9	20.8	14.4	12.9	15.9	12.8
	65 & Older	4.5	1.4	7.6	6.8	6.0	7.6	4.3
EDUCATION LEVEL	<High School	8.6	0.0	24.6	11.6	8.6	14.6	8.0
	H.S. / GED	15.1	7.0	23.3	15.5	13.5	17.5	18.5
	>High School	15.0	9.2	20.8	15.2	14.0	16.5	13.1
ANNUAL INCOME	<\$25,000	16.8	7.5	26.1	12.1	10.0	14.2	6.0
	\$25,000-\$49,999	17.9	7.0	28.8	13.4	11.2	15.7	13.3
	\$50,000 or More	16.2	9.0	23.4	18.6	17.0	20.3	17.2
MARITAL STATUS	Married/Couple	14.9	9.3	20.6	14.7	13.5	15.9	13.3
	Not Married/Couple	14.7	7.1	22.3	15.5	13.6	17.3	14.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	39.4	33.5	45.3	32.0 *	30.8	33.1	28.2 *
SEX	Men	36.8	27.1	46.5	26.5	24.8	28.1	21.4
	Women	42.0	35.1	48.8	37.0	35.6	38.5	34.7
RACE/ETHNICITY	Non-Hisp. White	37.0	30.6	43.4	36.4	35.1	37.6	29.3
	Non-Hisp. Black	56.6	39.1	74.1	25.0 *	21.2	28.8	27.9
	Hispanic				18.3	15.0	21.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.1	20.8	39.4	30.7	28.9	32.6	23.4
	Non-Hisp. White Women	43.1	35.1	51.2	41.6	40.0	43.2	34.9
	Non-Hisp. Black Men				20.2	14.1	26.2	
	Non-Hisp. Black Women	35.1	19.5	50.7	28.4	23.6	33.3	41.6
	Hispanic Men				10.7	6.8	14.6	
	Hispanic Women				25.5	20.6	30.5	
AGE GROUP	18-44	15.7	6.6	24.8	11.9	10.3	13.4	12.8
	45-64	43.0	33.8	52.3	33.5	31.7	35.4	34.3
	65 & Older	65.6	57.4	73.8	59.6	57.9	61.4	54.9
EDUCATION LEVEL	<High School	51.0	26.2	75.7	36.9	32.2	41.7	38.7
	H.S. / GED	44.9	32.4	57.4	36.2	33.9	38.5	27.0
	>High School	35.9	29.0	42.9	29.9	28.6	31.2	27.2
ANNUAL INCOME	<\$25,000	36.9	26.6	47.1	39.6	37.1	42.1	41.6
	\$25,000-\$49,999	38.0	27.0	49.0	32.6	30.3	34.9	22.7
	\$50,000 or More	33.0	22.9	43.1	27.0	25.3	28.7	22.0
MARITAL STATUS	Married/Couple	38.0	30.2	45.7	31.6	30.2	33.1	26.5
	Not Married/Couple	42.3	33.0	51.5	32.7	30.9	34.5	30.4

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	21.5	16.3	26.7	14.9 *	14.0	15.7	14.8
SEX	Men	20.8	12.1	29.6	12.6	11.4	13.8	9.6
	Women	22.2	16.3	28.0	17.0	15.9	18.1	19.7
RACE/ETHNICITY	Non-Hisp. White	18.8	13.8	23.8	16.3	15.4	17.2	14.2
	Non-Hisp. Black	38.5	18.5	58.5	13.2 *	10.4	15.9	21.2
	Hispanic				9.8	7.2	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	6.8	19.5	13.9	12.5	15.2	9.9
	Non-Hisp. White Women	23.8	16.6	30.9	18.7	17.5	19.9	18.5
	Non-Hisp. Black Men				9.5	6.0	12.9	
	Non-Hisp. Black Women	14.6	4.9	24.3	15.8	11.8	19.8	28.4
	Hispanic Men				7.8	4.0	11.5	
	Hispanic Women				11.8	8.3	15.3	
AGE GROUP	18-44	11.2	2.8	19.6	4.9	3.9	6.0	8.5
	45-64	25.0	16.4	33.6	17.4	16.0	18.8	18.5
	65 & Older	28.3	20.4	36.2	25.9	24.3	27.6	23.4
EDUCATION LEVEL	<High School	32.7	5.8	59.5	21.1	17.3	24.9	24.3
	H.S. / GED	21.8	11.1	32.5	17.4	15.6	19.2	13.7
	>High School	20.4	14.4	26.5	13.2 *	12.3	14.2	13.8
ANNUAL INCOME	<\$25,000	21.4	12.9	29.9	23.1	21.1	25.1	25.1
	\$25,000-\$49,999	20.2	11.3	29.2	14.1	12.5	15.7	14.6
	\$50,000 or More	15.3	6.4	24.3	10.6	9.4	11.8	7.8
MARITAL STATUS	Married/Couple	19.0	12.3	25.8	13.6	12.6	14.6	11.9
	Not Married/Couple	26.2	17.8	34.6	17.2	15.8	18.6	19.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.6	7.1	14.0	8.3	7.6	9.0	7.6
SEX	Men	7.3	2.4	12.1	6.5	5.4	7.6	7.1
	Women	13.7	8.9	18.5	10.0	9.2	10.9	8.1
RACE/ETHNICITY	Non-Hisp. White	9.9	6.3	13.5	8.3	7.6	9.0	5.8
	Non-Hisp. Black	15.6	1.8	29.5	8.0	5.8	10.1	19.2
	Hispanic				9.9	6.8	12.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.3	2.1	8.4	6.1	5.1	7.1	4.0
	Non-Hisp. White Women	13.9	8.0	19.7	10.3	9.3	11.3	7.7
	Non-Hisp. Black Men				4.7	2.1	7.3	
	Non-Hisp. Black Women	6.1	0.6	11.6	10.5	7.3	13.6	12.2
	Hispanic Men				10.5	5.1	15.9	
	Hispanic Women				9.2	6.3	12.2	
AGE GROUP	18-44	6.8	1.6	11.9	8.8	7.3	10.4	7.6
	45-64	11.9	6.0	17.8	7.8	6.8	8.7	8.0
	65 & Older	14.1	8.5	19.8	8.5	7.5	9.4	7.3
EDUCATION LEVEL	<High School	26.4	3.5	49.2	11.2	8.8	13.6	12.3
	H.S. / GED	14.8	7.3	22.3	8.9	7.5	10.4	5.6
	>High School	7.2	4.0	10.5	7.8	6.9	8.7	7.8
ANNUAL INCOME	<\$25,000	17.7	10.1	25.4	12.9	10.9	14.9	11.6
	\$25,000-\$49,999	10.2	4.0	16.5	7.5	6.3	8.7	7.4
	\$50,000 or More	2.4	0.0	4.8	6.2 *	5.2	7.1	6.8
MARITAL STATUS	Married/Couple	9.5	4.9	14.0	7.0	6.2	7.8	6.9
	Not Married/Couple	12.5	7.2	17.8	10.7	9.4	12.1	9.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.8	5.8	13.8	14.7	13.8	15.7	13.4
SEX	Men	13.2	6.1	20.2	16.5	14.9	18.0	18.9
	Women	5.9	2.5	9.3	13.2 *	12.0	14.3	9.0
RACE/ETHNICITY	Non-Hisp. White	8.8	4.7	12.9	15.1 *	14.1	16.1	13.3
	Non-Hisp. Black	15.7	0.0	32.2	17.6	12.9	22.4	12.6
	Hispanic				9.8	6.1	13.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.9	4.8	18.9	17.4	15.7	19.1	17.0
	Non-Hisp. White Women	5.5	1.7	9.2	13.0 *	11.9	14.1	10.2
	Non-Hisp. Black Men				13.3	8.3	18.3	
	Non-Hisp. Black Women	6.6	0.0	16.8	20.3	13.4	27.1	
	Hispanic Men				11.2	4.3	18.2	
	Hispanic Women				8.8	4.9	12.6	
AGE GROUP	45-64	8.5	2.9	14.2	11.3	10.0	12.6	12.8
	65 & Older	11.8	6.5	17.1	19.1 *	17.8	20.5	14.1
EDUCATION LEVEL	<High School	16.8	0.5	33.1	11.9	8.6	15.1	9.6
	H.S. / GED	14.2	3.0	25.4	15.4	13.5	17.3	13.2
	>High School	6.5	3.3	9.8	14.7 *	13.6	15.9	14.2
ANNUAL INCOME	<\$25,000	13.5	3.1	23.9	14.7	12.8	16.6	11.4
	\$25,000-\$49,999	11.6	3.1	20.2	15.8	14.0	17.7	15.8
	\$50,000 or More	5.7	1.0	10.4	13.7 *	12.1	15.4	12.1
MARITAL STATUS	Married/Couple	11.3	5.5	17.0	14.7	13.5	16.0	17.8
	Not Married/Couple	6.8	2.9	10.7	14.7 *	13.2	16.2	6.4

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.1	50.2	66.1	56.4	54.9	57.9	59.5
SEX	Men	49.9	37.2	62.6	57.3	54.9	59.7	60.5
	Women	67.7	59.9	75.4	55.6 *	53.7	57.4	58.6
RACE/ETHNICITY	Non-Hisp. White	58.2	49.4	66.9	57.6	56.1	59.0	61.1
	Non-Hisp. Black	60.5	34.3	86.7	57.3	51.0	63.6	58.0
	Hispanic				48.8	41.9	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.3	35.6	62.9	58.8	56.4	61.2	58.7
	Non-Hisp. White Women	68.0	59.1	77.0	56.5 *	54.7	58.3	63.1
	Non-Hisp. Black Men				54.4	43.7	65.2	
	Non-Hisp. Black Women	68.9	48.8	89.0	59.1	51.4	66.9	
	Hispanic Men				52.8	40.9	64.7	
	Hispanic Women				45.7	37.6	53.8	
AGE GROUP	45-64	52.7	41.2	64.1	49.3	47.1	51.6	54.9
	65 & Older	67.2	59.2	75.1	65.3	63.7	67.0	65.2
EDUCATION LEVEL	<High School				45.4	39.3	51.5	41.4
	H.S. / GED	45.7	29.9	61.6	51.5	48.7	54.4	49.6
	>High School	64.8	56.1	73.4	59.7	57.9	61.5	66.9
ANNUAL INCOME	<\$25,000	49.9	35.6	64.2	46.4	43.6	49.3	48.6
	\$25,000-\$49,999	57.3	43.0	71.5	55.8	53.0	58.6	61.2
	\$50,000 or More	66.4	52.0	80.7	61.7	59.2	64.2	64.6
MARITAL STATUS	Married/Couple	59.0	48.3	69.7	59.0	57.1	60.9	66.5
	Not Married/Couple	56.7	46.4	66.9	51.6	49.3	53.8	48.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	63.8	50.4	77.2	72.6	70.2	75.0	75.2
RACE/ETHNICITY	Non-Hisp. White	64.1	49.2	78.9	74.7	72.4	77.0	78.8
	Non-Hisp. Black				67.0	57.1	77.0	
	Hispanic				60.7	48.0	73.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	64.1	49.2	78.9	74.7	72.4	77.0	78.8
	Non-Hisp. Black Men				67.0	57.1	77.0	
	Hispanic Men				60.7	48.0	73.3	
AGE GROUP	45-64	58.5	40.4	76.7	63.9	60.2	67.5	68.9
	65 & Older	75.3	64.4	86.3	84.5	82.3	86.7	83.2
EDUCATION LEVEL	<High School				52.9	40.8	65.0	
	H.S. / GED				68.4	63.6	73.3	60.2
	>High School	66.2	50.9	81.5	75.9	73.2	78.7	84.3
ANNUAL INCOME	<\$25,000	64.0	38.5	89.5	60.7	55.2	66.1	
	\$25,000-\$49,999	68.7	48.5	89.0	75.4	71.5	79.3	72.2
	\$50,000 or More	60.8	36.3	85.3	77.3	73.8	80.8	86.0
MARITAL STATUS	Married/Couple	63.4	46.8	80.0	74.2	71.3	77.2	80.7
	Not Married/Couple	65.2	46.8	83.5	67.4	63.3	71.4	55.9

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	40.3	28.3	52.2	48.5	46.1	50.8	57.3
RACE/ETHNICITY	Non-Hisp. White	33.7	22.9	44.5	50.4 *	48.0	52.9	57.7 *
	Non-Hisp. Black				41.9	31.3	52.4	
	Hispanic				39.8	29.0	50.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.7	22.9	44.5	50.4 *	48.0	52.9	57.7 *
	Non-Hisp. Black Men				41.9	31.3	52.4	
	Hispanic Men				39.8	29.0	50.6	
AGE GROUP	45-64	36.8	20.7	53.0	41.9	38.4	45.4	51.1
	65 & Older	48.0	35.6	60.4	57.7	55.1	60.3	65.5
EDUCATION LEVEL	<High School				31.8	23.4	40.2	
	H.S. / GED				42.0	37.2	46.8	
	>High School	48.0	33.6	62.3	52.3	49.4	55.1	62.6
ANNUAL INCOME	<\$25,000	25.3	7.9	42.7	36.3	31.7	40.9	
	\$25,000-\$49,999	27.2	12.0	42.4	45.8	41.5	50.1	58.1
	\$50,000 or More	54.7	33.1	76.2	55.2	51.4	58.9	64.9
MARITAL STATUS	Married/Couple	43.1	28.3	57.9	50.3	47.4	53.1	58.3
	Not Married/Couple	30.5	15.8	45.3	42.9	38.7	47.2	53.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	7.2	3.1	11.2	7.3	6.4	8.3	
RACE/ETHNICITY	Non-Hisp. White	6.5	2.3	10.6	7.7	6.6	8.7	
	Non-Hisp. Black				6.1	2.9	9.3	
	Hispanic				6.2	1.8	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.5	2.3	10.6	7.7	6.6	8.7	
	Non-Hisp. Black Men				6.1	2.9	9.3	
	Hispanic Men				6.2	1.8	10.6	
AGE GROUP	45-64	6.4	1.4	11.4	2.6	1.7	3.5	
	65 & Older	8.9	2.5	15.4	13.9	12.1	15.7	
EDUCATION LEVEL	<High School				4.8	2.5	7.2	
	H.S. / GED				6.4	4.7	8.1	
	>High School	6.5	2.2	10.7	7.9	6.7	9.2	
ANNUAL INCOME	<\$25,000	8.1	0.0	18.5	6.8	5.0	8.6	
	\$25,000-\$49,999	3.6	0.0	8.2	10.0	7.6	12.3	
	\$50,000 or More	9.5	2.3	16.7	6.3	4.9	7.6	
MARITAL STATUS	Married/Couple	8.5	3.2	13.7	6.8	5.8	7.9	
	Not Married/Couple	2.9	0.0	6.3	8.9*	6.7	11.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	62.8	55.4	70.2	61.9	60.2	63.5	64.2
RACE/ETHNICITY	Non-Hisp. White	62.6	54.1	71.1	61.8	60.1	63.4	64.8
	Non-Hisp. Black	67.7	50.7	84.7	66.6	60.2	72.9	71.1
	Hispanic				59.8	53.1	66.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	62.6	54.1	71.1	61.8	60.1	63.4	64.8
	Non-Hisp. Black Women	67.7	50.7	84.7	66.6	60.2	72.9	71.1
	Hispanic Women				59.8	53.1	66.5	
AGE GROUP	18-44				47.1	41.7	52.5	
	45-64	65.2	55.1	75.4	61.5	59.1	64.0	65.1
	65 & Older	66.1	54.9	77.2	68.8	66.9	70.7	67.5
EDUCATION LEVEL	<High School				53.9	47.4	60.3	50.0
	H.S. / GED	61.1	46.4	75.8	60.3	57.3	63.3	64.7
	>High School	63.7	54.7	72.6	63.6	61.6	65.7	67.2
ANNUAL INCOME	<\$25,000	48.7	35.2	62.2	51.3	48.1	54.6	54.0
	\$25,000-\$49,999	65.1	50.0	80.1	60.2	56.6	63.9	60.8
	\$50,000 or More	65.1	51.9	78.2	67.7	65.0	70.4	77.8
MARITAL STATUS	Married/Couple	73.3	64.0	82.6	64.1	62.0	66.3	72.8
	Not Married/Couple	50.0	39.2	60.8	58.3	55.8	60.7	54.9

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	62.2	55.3	69.1	61.5	59.9	63.0	71.0
RACE/ETHNICITY	Non-Hisp. White	65.2	57.5	72.9	62.3	60.7	63.8	70.8
	Non-Hisp. Black	69.6	55.2	84.0	63.9	58.5	69.3	76.8
	Hispanic				59.5	54.0	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	65.2	57.5	72.9	62.3	60.7	63.8	70.8
	Non-Hisp. Black Women	69.6	55.2	84.0	63.9	58.5	69.3	76.8
	Hispanic Women				59.5	54.0	65.0	
AGE GROUP	18-44	50.1	35.9	64.3	56.6	53.6	59.6	71.3
	45-64	69.1	59.3	78.8	66.4	64.0	68.8	73.3
	65 & Older	65.1	53.7	76.5	59.9	57.9	62.0	66.4
EDUCATION LEVEL	<High School				41.3	35.4	47.2	52.1
	H.S. / GED	60.3	46.3	74.2	55.2	52.3	58.1	73.2
	>High School	64.6	56.6	72.6	66.4	64.5	68.2	74.2
ANNUAL INCOME	<\$25,000	46.1	33.5	58.7	48.2	45.2	51.2	63.0
	\$25,000-\$49,999	58.2	44.7	71.6	60.1	56.8	63.3	73.6
	\$50,000 or More	76.1	65.4	86.7	72.1	69.8	74.5	78.5
MARITAL STATUS	Married/Couple	69.7	60.8	78.6	64.8	62.8	66.7	77.1
	Not Married/Couple	52.7	42.4	63.1	56.1	53.7	58.6	63.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	55.1	46.2	64.0	57.1	55.2	59.0	71.5
RACE/ETHNICITY	Non-Hisp. White	58.4	48.4	68.3	56.4	54.4	58.3	69.4
	Non-Hisp. Black	64.1	44.5	83.7	62.0	55.8	68.3	80.4
	Hispanic				61.3	55.2	67.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	58.4	48.4	68.3	56.4	54.4	58.3	69.4
	Non-Hisp. Black Women	64.1	44.5	83.7	62.0	55.8	68.3	80.4
	Hispanic Women				61.3	55.2	67.4	
AGE GROUP	18-44	55.8	41.0	70.7	59.3	56.2	62.5	74.3
	45-64	57.7	45.2	70.2	63.0	60.0	66.0	68.3
	65 & Older	40.9	21.8	60.1	38.2	35.3	41.2	
EDUCATION LEVEL	<High School				45.8	38.1	53.4	
	H.S. / GED	60.5	43.3	77.7	48.3	44.6	52.1	74.2
	>High School	55.3	44.9	65.7	61.6	59.4	63.8	75.2
ANNUAL INCOME	<\$25,000	36.6	21.2	52.1	44.5	40.7	48.2	60.1
	\$25,000-\$49,999	47.5	30.6	64.3	54.9	50.9	58.9	74.3
	\$50,000 or More	72.8	60.6	84.9	67.5	64.7	70.4	80.1
MARITAL STATUS	Married/Couple	65.8	55.0	76.6	61.1	58.8	63.5	78.7
	Not Married/Couple	39.8	27.2	52.4	50.3	47.3	53.4	61.4

Percentage of women who have had a hysterectomy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	31.7	25.7	37.8	26.2	24.9	27.5	32.4
RACE/ETHNICITY	Non-Hisp. White	35.7	28.3	43.1	29.0	27.6	30.3	33.9
	Non-Hisp. Black	24.0	12.0	36.0	23.7	18.8	28.6	29.1
	Hispanic				17.8	13.9	21.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	35.7	28.3	43.1	29.0	27.6	30.3	33.9
	Non-Hisp. Black Women	24.0	12.0	36.0	23.7	18.8	28.6	29.1
	Hispanic Women				17.8	13.9	21.7	
AGE GROUP	18-44	5.9	0.3	11.6	6.6	5.2	8.1	6.3
	45-64	33.1	23.6	42.7	29.6	27.3	31.9	41.4
	65 & Older	66.3	55.6	76.9	47.2 *	45.1	49.3	71.2
EDUCATION LEVEL	<High School				29.9	25.0	34.7	44.6
	H.S. / GED	32.6	21.2	43.9	30.3	28.0	32.7	37.9
	>High School	32.4	24.8	40.0	24.2	22.6	25.8	27.2
ANNUAL INCOME	<\$25,000	33.5	22.9	44.1	29.7	27.2	32.2	32.4
	\$25,000-\$49,999	34.5	22.2	46.7	28.5	25.6	31.4	31.8
	\$50,000 or More	26.6	15.8	37.4	22.0	20.0	24.0	29.4
MARITAL STATUS	Married/Couple	28.7	20.5	36.9	25.1	23.4	26.8	28.7
	Not Married/Couple	35.8	26.7	44.9	28.1	26.2	29.9	37.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.6	1.5	5.7	3.5	3.1	3.9	3.7
SEX	Men	4.1	0.2	7.9	3.8	3.2	4.5	2.9
	Women	3.1	1.4	4.8	3.3	2.8	3.8	4.4
RACE/ETHNICITY	Non-Hisp. White	3.0	1.4	4.5	3.8	3.3	4.2	2.9
	Non-Hisp. Black	10.0	0.0	21.9	4.0	2.4	5.6	5.7
	Hispanic				1.5	0.6	2.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	1.0	5.9	3.9	3.3	4.6	1.5
	Non-Hisp. White Women	2.5	0.6	4.5	3.6	3.0	4.2	4.4
	Non-Hisp. Black Men				3.7	1.5	6.0	
	Non-Hisp. Black Women	7.1	0.5	13.7	4.2	2.0	6.4	4.2
	Hispanic Men				1.6	0.2	3.1	
	Hispanic Women				1.3	0.5	2.1	
AGE GROUP	18-44	0.8	0.0	1.7	1.0	0.5	1.4	1.0
	45-64	5.3	1.2	9.5	3.3	2.5	4.1	2.2
	65 & Older	4.0	1.4	6.6	8.1 *	7.1	9.0	12.6 *
EDUCATION LEVEL	<High School	17.1	0.0	39.5	7.3	4.8	9.8	11.9
	H.S. / GED	2.4	0.3	4.4	4.6	3.7	5.5	1.6
	>High School	2.6	1.1	4.2	2.7	2.3	3.1	3.3
ANNUAL INCOME	<\$25,000	4.3	1.5	7.1	6.1	5.0	7.3	6.9
	\$25,000-\$49,999	1.7	0.0	3.7	3.6	2.8	4.4	2.7
	\$50,000 or More	2.4	0.4	4.3	1.8	1.3	2.2	0.8
MARITAL STATUS	Married/Couple	3.7	0.5	6.8	3.1	2.6	3.5	1.9
	Not Married/Couple	3.5	1.6	5.3	4.4	3.6	5.1	6.5

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.7	7.4	14.0	10.2	9.5	10.8	8.3
SEX	Men	12.5	6.8	18.2	11.5	10.5	12.5	8.7
	Women	9.0	5.5	12.4	8.9	8.1	9.7	7.8
RACE/ETHNICITY	Non-Hisp. White	9.9	6.5	13.4	11.4	10.7	12.1	7.6
	Non-Hisp. Black	22.5	8.2	36.8	7.8	5.8	9.7	11.4
	Hispanic				6.0	4.1	7.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.2	5.7	16.8	13.0	11.9	14.1	7.8
	Non-Hisp. White Women	8.8	4.4	13.2	9.9	9.0	10.8	7.5
	Non-Hisp. Black Men				6.3	3.8	8.9	
	Non-Hisp. Black Women	14.5	5.2	23.8	8.9	6.0	11.7	10.3
	Hispanic Men				6.7	3.6	9.7	
	Hispanic Women				5.3	3.1	7.5	
AGE GROUP	18-44	1.5	0.2	2.8	2.3	1.6	3.0	1.0
	45-64	13.8	7.7	19.9	8.9	7.9	10.0	9.0
	65 & Older	18.6	12.3	24.8	24.8	23.4	26.3	25.0
EDUCATION LEVEL	<High School	28.9	6.6	51.2	17.4	13.8	21.1	16.7
	H.S. / GED	11.2	4.9	17.5	11.8	10.5	13.1	7.2
	>High School	8.6	5.2	12.0	8.7	8.0	9.3	7.4
ANNUAL INCOME	<\$25,000	17.4	10.3	24.6	16.4	14.8	18.0	13.9
	\$25,000-\$49,999	3.5	0.6	6.3	11.2 *	9.9	12.4	8.6
	\$50,000 or More	10.3	4.9	15.8	5.6	4.9	6.3	3.5
MARITAL STATUS	Married/Couple	9.0	4.5	13.4	9.3	8.5	10.1	6.1
	Not Married/Couple	13.7	8.7	18.6	11.7	10.6	12.8	11.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	36.7	30.9	42.6	38.6	37.4	39.8	32.6
SEX	Men	40.8	30.9	50.8	39.7	37.7	41.7	31.5
	Women	32.7	26.4	39.0	37.5	36.0	39.0	33.7
RACE/ETHNICITY	Non-Hisp. White	36.4	30.0	42.7	41.2	39.9	42.5	34.7
	Non-Hisp. Black	43.2	24.6	61.8	33.3	28.7	38.0	24.0
	Hispanic				30.3	26.1	34.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.5	28.6	50.4	43.2	41.1	45.3	33.9
	Non-Hisp. White Women	33.6	26.3	40.8	39.4	37.8	40.9	35.6
	Non-Hisp. Black Men				31.4	23.8	38.9	
	Non-Hisp. Black Women	25.5	12.2	38.8	34.8	28.9	40.6	26.7
	Hispanic Men				29.6	22.9	36.3	
	Hispanic Women				31.0	25.9	36.1	
AGE GROUP	18-44	11.9	3.4	20.5	17.9	16.0	19.8	14.5
	45-64	43.3	34.1	52.6	43.7	41.6	45.8	40.5
	65 & Older	57.4	48.9	65.9	61.1	59.5	62.8	50.8
EDUCATION LEVEL	<High School	62.7	39.6	85.9	39.6	34.8	44.3	52.7
	H.S. / GED	32.5	21.5	43.6	39.6	37.2	42.0	34.0
	>High School	36.2	29.2	43.3	38.2	36.7	39.7	29.4
ANNUAL INCOME	<\$25,000	38.3	27.1	49.5	41.3	38.8	43.8	45.6
	\$25,000-\$49,999	28.5	18.9	38.0	39.3	36.7	41.8	24.6
	\$50,000 or More	37.7	27.3	48.0	36.6	34.6	38.5	29.8
MARITAL STATUS	Married/Couple	40.0	32.1	48.0	39.6	38.1	41.2	29.3
	Not Married/Couple	31.1	23.2	39.0	36.9	34.9	38.9	38.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.2	8.1	14.3	10.4	9.8	11.1	9.2
SEX	Men	10.6	5.6	15.5	11.7	10.6	12.7	7.3
	Women	11.7	7.9	15.6	9.2	8.4	10.0	11.0
RACE/ETHNICITY	Non-Hisp. White	10.3	7.1	13.6	10.1	9.4	10.7	8.0
	Non-Hisp. Black	18.6	5.6	31.6	13.1	10.7	15.5	16.1
	Hispanic				9.6	7.2	12.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.1	6.2	16.0	12.0	10.9	13.2	6.0
	Non-Hisp. White Women	9.7	5.2	14.1	8.2	7.5	8.9	10.1
	Non-Hisp. Black Men				12.6	8.6	16.5	
	Non-Hisp. Black Women	19.4	8.4	30.4	13.5	10.6	16.4	18.5
	Hispanic Men				9.5	5.9	13.1	
	Hispanic Women				9.8	6.5	13.0	
AGE GROUP	18-44	4.0	0.0	9.7	3.6	2.8	4.5	2.3
	45-64	10.1	6.2	14.1	11.6	10.4	12.7	9.8
	65 & Older	24.7	17.3	32.2	19.2	17.9	20.5	25.0
EDUCATION LEVEL	<High School	15.2	4.1	26.2	15.4	12.8	18.1	20.0
	H.S. / GED	12.1	4.3	20.0	11.7	10.5	13.0	9.8
	>High School	10.1	6.8	13.4	9.3	8.5	10.1	7.1
ANNUAL INCOME	<\$25,000	10.2	5.3	15.1	14.8	13.3	16.2	12.6
	\$25,000-\$49,999	10.7	5.6	15.9	11.2	9.7	12.7	9.4
	\$50,000 or More	10.0	5.3	14.7	7.3	6.4	8.3	5.6
MARITAL STATUS	Married/Couple	9.8	6.4	13.2	9.8	9.0	10.6	7.8
	Not Married/Couple	13.5	7.5	19.5	11.6	10.5	12.6	11.6

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.3	60.1	84.5	62.1	58.9	65.3	72.8
SEX	Men	68.9	49.3	88.4	57.2	52.4	61.9	
	Women	75.4	60.1	90.7	68.0	64.1	71.8	74.4
RACE/ETHNICITY	Non-Hisp. White	69.1	53.7	84.4	62.7	59.4	66.1	64.8
	Non-Hisp. Black				65.7	56.7	74.7	
	Hispanic				54.9	42.1	67.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				58.2	53.2	63.1	
	Non-Hisp. White Women				69.1	65.1	73.1	72.2
	Non-Hisp. Black Men				68.0	52.3	83.7	
	Non-Hisp. Black Women				64.1	53.4	74.8	
	Hispanic Men				39.6	21.6	57.5	
	Hispanic Women				69.6	55.7	83.4	
AGE GROUP	18-44				51.8	39.6	63.9	
	45-64	66.7	48.3	85.1	61.7	56.6	66.7	
	65 & Older	71.1	53.5	88.7	65.6	62.1	69.2	80.6
EDUCATION LEVEL	<High School				61.3	52.4	70.3	
	H.S. / GED				60.8	54.9	66.8	
	>High School	67.1	50.9	83.3	62.9	58.7	67.0	66.7
ANNUAL INCOME	<\$25,000				70.5	66.1	75.0	
	\$25,000-\$49,999				58.0	51.0	64.9	
	\$50,000 or More				56.6	50.0	63.2	
MARITAL STATUS	Married/Couple	69.4	52.8	86.0	61.7	57.4	66.1	
	Not Married/Couple	75.5	58.0	93.0	62.6	58.1	67.2	77.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.2	59.2	91.3	75.6	72.6	78.6	75.8
SEX	Men	76.2	46.8	00.0	74.3	69.8	78.8	
	Women	74.4	58.3	90.5	77.3	73.6	81.0	80.6
RACE/ETHNICITY	Non-Hisp. White	81.8	68.2	95.5	77.6	74.5	80.7	76.3
	Non-Hisp. Black				70.9	61.0	80.8	
	Hispanic				70.5	58.1	82.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.8	80.7	
	Non-Hisp. White Women				79.5	75.7	83.2	
	Non-Hisp. Black Men				62.7	45.1	80.4	
	Non-Hisp. Black Women				77.2	67.6	86.8	
	Hispanic Men				67.3	48.5	86.1	
	Hispanic Women				74.0	58.8	89.1	
AGE GROUP	18-44				62.2	49.9	74.4	
	45-64	85.8	73.6	98.1	76.5	71.8	81.1	
	65 & Older	83.9	68.4	99.5	79.3	76.1	82.5	73.8
EDUCATION LEVEL	<High School				68.6	58.9	78.3	
	H.S. / GED				72.0	66.3	77.8	
	>High School	79.0	64.7	93.2	78.6	74.8	82.3	
ANNUAL INCOME	<\$25,000				75.0	70.3	79.6	
	\$25,000-\$49,999				76.0	69.5	82.4	
	\$50,000 or More				76.5	70.5	82.5	
MARITAL STATUS	Married/Couple	85.1	73.4	96.9	78.9	75.1	82.7	
	Not Married/Couple	62.2	33.0	91.4	70.3	65.5	75.1	75.4

Percentage of adults with diabetes who had an annual foot exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.0	46.3	75.8	72.2	69.2	75.2	67.8
SEX	Men	67.1	38.7	95.4	73.9	69.6	78.2	
	Women	56.0	40.1	71.8	70.2	66.2	74.1	65.2
RACE/ETHNICITY	Non-Hisp. White	58.7	42.3	75.1	73.6	70.5	76.7	68.4
	Non-Hisp. Black				76.5	67.9	85.2	
	Hispanic				59.8	47.1	72.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.9	80.6	
	Non-Hisp. White Women				69.9	65.8	74.0	
	Non-Hisp. Black Men				70.1	53.5	86.7	
	Non-Hisp. Black Women				81.0	72.9	89.1	
	Hispanic Men				57.5	38.8	76.2	
	Hispanic Women				62.2	45.6	78.7	
AGE GROUP	18-44				63.4	52.0	74.8	
	45-64	68.7	51.3	86.2	72.3	67.5	77.1	
	65 & Older	67.3	49.0	85.7	75.2	71.8	78.6	72.6
EDUCATION LEVEL	<High School				69.7	61.5	77.8	
	H.S. / GED				65.8	60.1	71.4	
	>High School	65.7	49.9	81.5	76.1	72.3	79.8	
ANNUAL INCOME	<\$25,000				69.6	64.9	74.4	
	\$25,000-\$49,999				68.9	62.3	75.5	
	\$50,000 or More				77.1	71.2	83.0	
MARITAL STATUS	Married/Couple	76.5	62.2	90.8	75.1	71.3	79.0	
	Not Married/Couple	43.2	22.1	64.3	67.8	63.2	72.4	67.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.1	55.4	86.9	70.2	67.0	73.4	75.7
SEX	Men	61.6	35.3	87.8	72.8	68.6	77.1	
	Women	79.3	63.7	95.0	67.1	62.3	71.9	74.0
RACE/ETHNICITY	Non-Hisp. White	71.4	56.0	86.8	70.8	67.5	74.1	74.9
	Non-Hisp. Black				72.3	64.0	80.5	
	Hispanic				63.4	49.8	77.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				72.1	67.4	76.9	
	Non-Hisp. White Women				68.9	64.7	73.2	72.1
	Non-Hisp. Black Men				72.2	58.5	86.0	
	Non-Hisp. Black Women				72.3	62.2	82.5	
	Hispanic Men				72.3	56.1	88.5	
AGE GROUP	Hispanic Women				55.0	35.6	74.5	
	18-44				58.3	47.0	69.6	
	45-64	69.5	50.8	88.2	64.3	58.8	69.8	
EDUCATION LEVEL	65 & Older	87.8	74.7	00.0	80.2	76.9	83.5	76.9
	<High School				62.4	53.9	70.8	
	H.S. / GED				64.5	58.9	70.1	
ANNUAL INCOME	>High School	75.8	60.4	91.2	74.6	70.3	78.9	73.7
	<\$25,000				67.5	62.9	72.1	
	\$25,000-\$49,999				67.3	59.1	75.6	
MARITAL STATUS	\$50,000 or More				77.1	71.4	82.7	
	Married/Couple	74.3	57.8	90.8	72.1	67.7	76.5	
	Not Married/Couple	67.4	40.0	94.8	67.3	62.8	71.8	74.3

Percentage of adults with diabetes who ever had diabetes self-management education

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	64.3	49.4	79.1	55.1	51.9	58.3	60.2
SEX	Men	50.2	25.9	74.6	55.4	50.7	60.0	
	Women	76.0	61.9	90.0	54.8 *	50.4	59.2	64.5
RACE/ETHNICITY	Non-Hisp. White	65.5	50.9	80.2	56.5	53.0	59.9	55.4
	Non-Hisp. Black				56.4	47.1	65.7	
	Hispanic				45.0	31.5	58.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				56.5	51.5	61.4	
	Non-Hisp. White Women				56.5	52.0	60.9	
	Non-Hisp. Black Men				57.8	41.8	73.8	
	Non-Hisp. Black Women				55.4	44.3	66.5	
	Hispanic Men				37.4	18.9	55.9	
AGE GROUP	Hispanic Women				52.1	34.3	69.9	
	18-44				53.8	41.7	65.8	
	45-64	70.7	54.1	87.2	58.1	52.8	63.3	
EDUCATION LEVEL	65 & Older	73.2	58.4	88.0	52.6 *	48.9	56.3	60.3
	<High School				47.1	38.3	55.9	
	H.S. / GED				46.9	41.4	52.4	
ANNUAL INCOME	>High School	75.4	62.4	88.3	60.9	56.6	65.2	70.6
	<\$25,000				50.2	45.3	55.1	
	\$25,000-\$49,999				54.9	47.9	62.0	
MARITAL STATUS	\$50,000 or More				60.8	54.1	67.5	
	Married/Couple	70.6	55.9	85.3	59.1	54.7	63.4	
	Not Married/Couple	56.9	31.8	82.1	48.9	44.4	53.5	60.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	50.9	45.8	55.9	50.0	49.0	50.9	53.4
SEX	Men	50.2	43.5	56.9	50.2	48.7	51.6	
	Women	51.5	44.0	59.1	49.7	48.4	51.0	52.6
RACE/ETHNICITY	Non-Hisp. White	53.6	46.4	60.8	51.9	50.8	53.0	52.9
	Non-Hisp. Black				44.8	42.0	47.7	
	Hispanic				45.3	42.3	48.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.7	50.1	53.2	
	Non-Hisp. White Women				52.2	50.7	53.7	
	Non-Hisp. Black Men				43.4	38.2	48.6	
	Non-Hisp. Black Women				45.8	42.7	48.9	
	Hispanic Men				45.9	41.0	50.7	
	Hispanic Women				44.8	41.0	48.6	
AGE GROUP	18-44				31.0	28.7	33.2	
	45-64	43.6	36.8	50.3	45.7	44.7	46.8	
	65 & Older	62.3	57.7	66.9	60.4	59.4	61.4	64.0
EDUCATION LEVEL	<High School				49.4	46.6	52.2	
	H.S. / GED				50.0	48.2	51.9	
	>High School	52.3	44.7	60.0	50.1	48.8	51.3	51.3
ANNUAL INCOME	<\$25,000				50.0	48.4	51.6	
	\$25,000-\$49,999				51.0	49.1	52.9	
	\$50,000 or More				48.0	46.1	50.0	
MARITAL STATUS	Married/Couple	51.0	44.8	57.2	49.3	48.1	50.5	
	Not Married/Couple	50.7	42.3	59.1	50.9	49.4	52.5	56.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.1	23.7	34.5	24.3	23.3	25.3	22.3
SEX	Men	26.6	17.8	35.5	23.0	21.4	24.6	19.1
	Women	31.4	25.2	37.7	25.5	24.2	26.7	25.4
RACE/ETHNICITY	Non-Hisp. White	28.0	22.3	33.7	26.2	25.1	27.3	22.5
	Non-Hisp. Black	42.2	23.9	60.4	22.0	18.3	25.7	20.9
	Hispanic				17.2	13.8	20.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.7	12.5	28.8	24.3	22.6	25.9	18.7
	Non-Hisp. White Women	34.4	27.0	41.9	28.0	26.6	29.4	26.3
	Non-Hisp. Black Men				22.0	15.7	28.2	
	Non-Hisp. Black Women	17.4	8.0	26.7	22.0	17.6	26.4	24.5
	Hispanic Men				17.1	11.3	22.9	
	Hispanic Women				17.3	13.7	21.0	
AGE GROUP	18-44	19.3	10.5	28.2	16.6	14.8	18.4	16.7
	45-64	32.1	23.5	40.8	26.6	25.0	28.3	26.9
	65 & Older	38.2	30.0	46.4	32.3	30.8	33.9	27.8
EDUCATION LEVEL	<High School	34.8	11.9	57.6	28.7	24.8	32.6	33.1
	H.S. / GED	28.5	18.1	38.9	25.3	23.4	27.2	15.1
	>High School	28.9	22.3	35.4	23.4	22.2	24.6	23.8
ANNUAL INCOME	<\$25,000	39.1	28.3	49.9	38.5	36.0	40.9	36.3
	\$25,000-\$49,999	25.4	16.7	34.1	23.6	21.6	25.6	25.9
	\$50,000 or More	19.9	11.1	28.8	16.2	14.9	17.5	10.7
MARITAL STATUS	Married/Couple	23.9	16.9	30.8	21.4	20.2	22.6	18.6
	Not Married/Couple	37.9	29.2	46.6	29.4	27.6	31.3	28.3

Percentage of adults who use special equipment because of a health problem

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.8	6.8	14.7	9.3	8.7	9.8	7.9
SEX	Men	13.9	6.6	21.2	9.0	8.1	9.9	7.3
	Women	7.8	4.7	10.9	9.5	8.7	10.2	8.5
RACE/ETHNICITY	Non-Hisp. White	7.7	4.8	10.5	10.0	9.3	10.6	6.6
	Non-Hisp. Black	28.2	9.8	46.6	12.0	9.3	14.7	13.8
	Hispanic				4.4	3.0	5.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.3	3.3	11.3	9.8	8.8	10.9	6.7
	Non-Hisp. White Women	8.0	4.0	12.0	10.1	9.3	10.9	6.4
	Non-Hisp. Black Men				12.0	7.8	16.2	
	Non-Hisp. Black Women	9.3	3.2	15.4	12.0	8.5	15.6	17.1
	Hispanic Men				4.0	1.7	6.3	
	Hispanic Women				4.8	3.2	6.3	
AGE GROUP	18-44	1.7	0.0	3.9	3.1	2.4	3.8	3.6
	45-64	13.5	6.1	20.9	9.5	8.5	10.6	9.5
	65 & Older	18.7	12.0	25.4	18.7	17.4	19.9	15.2
EDUCATION LEVEL	<High School	22.0	0.0	44.1	12.8	10.5	15.0	14.9
	H.S. / GED	10.1	3.9	16.3	10.4	9.2	11.6	4.5
	>High School	9.7	4.9	14.6	8.4	7.7	9.1	8.4
ANNUAL INCOME	<\$25,000	16.3	8.9	23.8	17.1	15.5	18.7	13.3
	\$25,000-\$49,999	7.2	3.1	11.3	8.1	7.0	9.2	6.6
	\$50,000 or More	7.1	0.0	15.0	4.9	4.1	5.6	5.0
MARITAL STATUS	Married/Couple	10.7	4.9	16.5	7.6	6.9	8.2	5.9
	Not Married/Couple	11.1	6.6	15.5	12.3	11.2	13.4	10.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	49.6	38.8	60.4	56.2	54.1	58.4	
SEX	Men	45.2	31.4	59.1	51.3	48.5	54.1	
	Women	60.3	44.4	76.1	66.8	63.7	69.9	
RACE/ETHNICITY	Non-Hisp. White	51.0	37.1	64.8	57.7	55.3	60.0	
	Non-Hisp. Black	44.6	19.5	69.8	53.9	47.1	60.7	
	Hispanic				55.9	49.2	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.4	28.2	64.6	52.2	49.2	55.2	
	Non-Hisp. White Women	61.7	44.0	79.4	70.8	67.4	74.2	
	Non-Hisp. Black Men				49.9	40.4	59.5	
	Non-Hisp. Black Women				60.1	51.4	68.9	
	Hispanic Men				50.3	41.3	59.3	
	Hispanic Women				66.2	57.7	74.8	
AGE GROUP	18-44	54.8	41.1	68.5	60.6	57.9	63.3	
	45-64	43.0	24.7	61.2	47.3	43.4	51.2	
EDUCATION LEVEL	<High School				51.5	43.7	59.4	
	H.S. / GED	57.4	36.8	78.0	53.5	49.3	57.7	
	>High School	46.7	33.7	59.7	57.9	55.2	60.6	
ANNUAL INCOME	<\$25,000	37.0	18.6	55.4	46.8	42.2	51.4	
	\$25,000-\$49,999	47.4	27.4	67.3	56.7	52.0	61.4	
	\$50,000 or More	63.5	46.0	81.1	64.0	60.9	67.1	
MARITAL STATUS	Married/Couple	56.6	42.8	70.5	66.1	63.5	68.7	
	Not Married/Couple	36.0	19.8	52.3	38.8	35.2	42.4	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.6	76.2	87.0	83.0	81.9	84.1	81.3
SEX	Men	81.2	72.3	90.1	81.7	79.9	83.5	81.8
	Women	82.0	75.6	88.4	84.2	82.9	85.5	80.9
RACE/ETHNICITY	Non-Hisp. White	85.0	78.8	91.2	87.3	86.3	88.2	83.9
	Non-Hisp. Black	81.4	67.7	95.0	76.1	71.7	80.4	66.9
	Hispanic				70.3	66.1	74.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.1	69.7	92.4	85.4	83.8	87.1	85.8
	Non-Hisp. White Women	88.5	83.1	93.8	89.0	87.9	90.0	82.0
	Non-Hisp. Black Men				70.7	63.0	78.5	
	Non-Hisp. Black Women	80.2	61.4	99.0	80.1	75.4	84.8	79.6
	Hispanic Men				72.0	65.0	78.9	
	Hispanic Women				68.7	63.6	73.8	
AGE GROUP	18-44	66.9	55.3	78.5	73.0	70.7	75.3	73.6
	45-64	84.3	76.4	92.2	83.4	81.8	85.0	82.2
	65 & Older	98.4	96.7	00.0	98.0	97.1	98.8	98.5
EDUCATION LEVEL	<High School	80.5	59.0	00.0	64.4	59.6	69.2	84.7
	H.S. / GED	72.6	60.0	85.2	76.5	74.3	78.8	74.1
	>High School	85.1	79.3	91.0	87.9	86.7	89.1	84.1
ANNUAL INCOME	<\$25,000	68.5	57.0	80.0	64.2	61.5	66.8	69.1
	\$25,000-\$49,999	79.6	70.0	89.1	81.7	79.4	84.1	79.8
	\$50,000 or More	91.7	82.6	00.0	95.4	94.5	96.3	94.7
MARITAL STATUS	Married/Couple	84.2	77.3	91.2	87.4	86.2	88.5	87.5
	Not Married/Couple	77.1	68.3	85.9	75.0	72.9	77.1	71.0

Percentage of adults who have a personal doctor

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.0	75.6	86.4	81.7	80.6	82.8	81.7
SEX	Men	77.6	68.6	86.6	78.7	76.9	80.5	79.8
	Women	84.2	78.1	90.3	84.5	83.3	85.8	83.4
RACE/ETHNICITY	Non-Hisp. White	86.5	81.3	91.7	84.6	83.6	85.6	82.0
	Non-Hisp. Black	81.3	66.8	95.7	79.2	75.1	83.3	82.7
	Hispanic				70.7	66.4	75.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	85.1	75.9	94.2	81.2	79.4	82.9	79.1
	Non-Hisp. White Women	87.8	82.3	93.3	87.9	86.8	89.0	85.0
	Non-Hisp. Black Men				75.5	68.5	82.6	
	Non-Hisp. Black Women	83.9	65.4	00.0	82.0	77.2	86.7	87.1
	Hispanic Men				68.1	61.1	75.2	
	Hispanic Women				73.2	68.2	78.3	
AGE GROUP	18-44	62.9	50.7	75.0	67.5	65.2	69.9	69.9
	45-64	86.8	80.2	93.3	86.2	84.8	87.7	89.5
	65 & Older	97.7	95.7	99.8	96.0	95.4	96.6	97.2
EDUCATION LEVEL	<High School	61.9	34.6	89.2	68.0	63.2	72.8	84.3
	H.S. / GED	82.1	72.5	91.8	76.8	74.5	79.1	79.3
	>High School	82.4	76.1	88.7	85.3	84.1	86.6	82.3
ANNUAL INCOME	<\$25,000	64.1	51.9	76.3	71.0	68.4	73.6	76.2
	\$25,000-\$49,999	81.6	72.0	91.2	80.8	78.4	83.1	71.6
	\$50,000 or More	92.8	87.4	98.3	89.0	87.7	90.3	93.3
MARITAL STATUS	Married/Couple	84.2	77.7	90.7	85.3	84.1	86.5	85.5
	Not Married/Couple	75.5	66.2	84.9	75.3	73.2	77.4	76.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.8	13.0	22.5	17.3	16.2	18.3	16.3
SEX	Men	15.6	8.1	23.2	15.4	13.8	17.0	11.8
	Women	19.9	14.1	25.7	19.1	17.8	20.4	20.7
RACE/ETHNICITY	Non-Hisp. White	15.0	10.2	19.9	13.6	12.7	14.5	15.2
	Non-Hisp. Black	22.3	7.6	37.0	21.8	17.8	25.8	24.7
	Hispanic				29.5	25.3	33.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.5	2.6	16.5	12.1	10.7	13.6	9.4
	Non-Hisp. White Women	19.9	13.3	26.6	15.0	13.8	16.1	20.8
	Non-Hisp. Black Men				24.8	17.5	32.1	
	Non-Hisp. Black Women	10.3	2.6	18.1	19.6	15.4	23.7	22.9
	Hispanic Men				24.3	17.7	30.9	
	Hispanic Women				34.5	29.3	39.7	
AGE GROUP	18-44	29.2	18.5	39.9	25.3	23.1	27.5	24.1
	45-64	15.9	9.3	22.6	17.6	16.1	19.1	12.4
	65 & Older	4.1	0.8	7.4	4.3	3.3	5.2	3.1
EDUCATION LEVEL	<High School	32.8	8.8	56.8	31.2	26.7	35.7	28.3
	H.S. / GED	23.6	13.2	34.0	21.7	19.5	23.9	15.0
	>High School	14.0	8.8	19.2	13.9	12.7	15.1	15.0
ANNUAL INCOME	<\$25,000	38.0	26.7	49.2	36.1	33.4	38.7	30.0
	\$25,000-\$49,999	17.9	9.0	26.9	18.6	16.5	20.7	14.8
	\$50,000 or More	5.3	0.8	9.9	6.0	5.0	7.0	8.6
MARITAL STATUS	Married/Couple	14.7	8.8	20.7	14.0	12.8	15.2	11.3
	Not Married/Couple	23.1	15.1	31.0	23.2	21.2	25.2	24.7

Percentage of adults who had a medical checkup in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.3	60.2	72.5	69.7	68.5	71.0	78.4 *
SEX	Men	62.1	51.9	72.4	66.5	64.5	68.5	79.8
	Women	70.3	63.6	77.0	72.8	71.3	74.3	77.0
RACE/ETHNICITY	Non-Hisp. White	66.6	59.5	73.8	71.6	70.4	72.9	77.5
	Non-Hisp. Black	74.0	59.0	89.1	71.9	67.5	76.2	77.4
	Hispanic				59.4	54.8	64.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	59.5	47.2	71.8	68.4	66.4	70.4	81.1
	Non-Hisp. White Women	72.9	65.8	80.1	74.7	73.3	76.1	73.8
	Non-Hisp. Black Men				64.6	57.1	72.1	
	Non-Hisp. Black Women	70.5	51.8	89.2	77.4	72.5	82.2	90.6
	Hispanic Men				56.6	49.1	64.1	
	Hispanic Women				62.2	56.7	67.7	
AGE GROUP	18-44	46.7	34.4	59.0	53.8	51.3	56.2	70.6 *
	45-64	71.2	62.0	80.3	72.3	70.5	74.1	81.8
	65 & Older	87.3	82.1	92.5	90.3	89.4	91.2	91.1
EDUCATION LEVEL	<High School	68.3	44.2	92.4	59.9	55.1	64.6	72.2
	H.S. / GED	62.7	49.9	75.5	67.3	64.9	69.6	81.4
	>High School	67.3	60.0	74.5	71.9	70.4	73.4	78.0
ANNUAL INCOME	<\$25,000	48.2	37.1	59.4	63.0 *	60.4	65.7	69.0
	\$25,000-\$49,999	66.1	54.7	77.4	70.5	68.0	73.0	76.1
	\$50,000 or More	75.8	65.5	86.1	73.5	71.6	75.4	84.5
MARITAL STATUS	Married/Couple	67.8	59.7	75.9	72.0	70.5	73.5	77.4
	Not Married/Couple	64.3	55.0	73.5	65.6	63.4	67.8	79.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	81.5	76.9	86.2	82.9	82.0	83.7	83.6
SEX	Men	81.2	73.1	89.3	83.5	82.1	84.9	87.4
	Women	81.8	77.2	86.4	82.3	81.2	83.4	80.0
RACE/ETHNICITY	Non-Hisp. White	84.7	80.3	89.2	84.2	83.4	85.1	84.7
	Non-Hisp. Black	63.2	45.1	81.2	79.8	76.4	83.2	78.5
	Hispanic				79.3	76.1	82.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.3	81.5	95.0	84.4	83.0	85.7	87.7
	Non-Hisp. White Women	81.6	75.8	87.3	84.1	83.1	85.2	81.7
	Non-Hisp. Black Men				81.6	76.2	87.0	
	Non-Hisp. Black Women	80.8	70.9	90.8	78.4	74.1	82.7	71.0
	Hispanic Men				81.8	76.9	86.8	
	Hispanic Women				76.9	72.8	81.1	
AGE GROUP	18-44	94.1	89.9	98.2	89.6	88.3	91.0	89.0
	45-64	76.6	68.3	84.9	81.1	79.6	82.6	79.2
	65 & Older	72.5	65.2	79.9	75.3	73.8	76.8	78.0
EDUCATION LEVEL	<High School	57.9	34.0	81.9	63.1	58.8	67.5	70.1
	H.S. / GED	82.2	74.7	89.8	76.6	74.6	78.5	83.5
	>High School	84.3	78.6	90.0	87.7	86.8	88.6	85.9
ANNUAL INCOME	<\$25,000	64.4	54.0	74.9	66.4	64.1	68.7	70.4
	\$25,000-\$49,999	89.5	84.0	95.1	84.2	82.5	85.9	81.8
	\$50,000 or More	88.9	80.8	97.0	92.7	91.8	93.6	94.2
MARITAL STATUS	Married/Couple	83.6	77.0	90.2	85.6	84.6	86.6	89.2
	Not Married/Couple	78.0	71.9	84.1	77.9	76.3	79.5	74.4

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	91.0	86.6	95.5	93.1	92.4	93.8	94.5
SEX	Men	87.5	79.0	95.9	92.3	91.1	93.5	96.1
	Women	94.3	91.0	97.5	93.7	93.0	94.5	93.0
RACE/ETHNICITY	Non-Hisp. White	93.9	90.1	97.6	93.0	92.2	93.7	94.7
	Non-Hisp. Black	82.2	62.8	00.0	92.1	89.2	94.9	93.6
	Hispanic				94.9	92.8	97.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.8	87.4	00.0	92.5	91.2	93.7	95.2
	Non-Hisp. White Women	93.9	89.7	98.1	93.4	92.5	94.4	94.3
	Non-Hisp. Black Men				90.5	85.2	95.8	
	Non-Hisp. Black Women	97.0	93.3	00.0	93.3	90.3	96.2	88.9
	Hispanic Men				94.1	90.2	98.0	
	Hispanic Women				95.8	94.0	97.5	
AGE GROUP	18-44	95.4	89.8	00.0	92.9	91.5	94.2	96.2
	45-64	86.7	78.6	94.8	91.3	90.1	92.5	90.5
	65 & Older	95.1	91.4	98.9	96.4	95.9	97.0	97.0
EDUCATION LEVEL	<High School	79.5	54.0	00.0	86.6	83.1	90.0	93.0
	H.S. / GED	93.2	87.3	99.1	92.2	90.8	93.5	95.9
	>High School	91.4	85.8	97.0	94.1	93.3	94.9	94.1
ANNUAL INCOME	<\$25,000	88.0	79.9	96.1	85.1	83.1	87.1	86.0
	\$25,000-\$49,999	96.0	92.1	99.9	94.1	92.7	95.5	96.7
	\$50,000 or More	91.3	82.6	00.0	97.0	96.3	97.7	97.4
MARITAL STATUS	Married/Couple	90.9	84.4	97.4	95.7	95.1	96.4	97.2
	Not Married/Couple	91.2	86.5	95.9	88.1	86.6	89.7	90.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.3	70.9	81.6	79.5	78.4	80.6	81.2
SEX	Men	74.6	65.4	83.8	77.9	76.0	79.8	87.0
	Women	77.8	71.9	83.7	81.1	79.8	82.3	75.7
RACE/ETHNICITY	Non-Hisp. White	82.5	77.7	87.4	82.7	81.7	83.7	84.2
	Non-Hisp. Black	41.0	23.9	58.1	69.7 *	65.4	74.1	70.7
	Hispanic				73.4	68.7	78.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.7	75.1	90.3	81.1	79.4	82.8	89.2
	Non-Hisp. White Women	82.4	76.1	88.6	84.1	83.0	85.3	79.3
	Non-Hisp. Black Men				70.2	62.8	77.6	
	Non-Hisp. Black Women	60.9	44.6	77.3	69.4	64.2	74.6	65.4
	Hispanic Men				68.9	60.8	77.0	
	Hispanic Women				77.6	72.9	82.4	
AGE GROUP	18-44	83.0	73.3	92.8	79.4	77.2	81.7	84.6
	45-64	72.7	64.2	81.2	79.8	78.1	81.5	76.7
	65 & Older	74.2	66.6	81.7	79.4	77.8	80.9	80.3
EDUCATION LEVEL	<High School	35.6	12.7	58.6	58.2	53.3	63.2	66.8
	H.S. / GED	65.3	53.3	77.2	74.5	72.3	76.7	80.5
	>High School	84.2	78.7	89.8	83.8	82.5	85.1	83.8
ANNUAL INCOME	<\$25,000	66.9	56.6	77.3	63.8	61.2	66.4	59.2
	\$25,000-\$49,999	77.9	69.3	86.5	79.8	77.4	82.2	83.3
	\$50,000 or More	84.2	74.9	93.6	88.6	87.2	90.1	92.6
MARITAL STATUS	Married/Couple	80.8	73.9	87.7	84.6	83.4	85.9	87.5
	Not Married/Couple	68.4	59.7	77.2	70.2	68.1	72.3	70.8

Percentage of adults with good physical health

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	85.1	81.2	89.0	87.4	86.6	88.2	90.3
SEX	Men	84.6	78.1	91.0	88.4	87.2	89.6	92.5
	Women	85.7	81.2	90.2	86.5	85.5	87.4	88.1
RACE/ETHNICITY	Non-Hisp. White	86.1	82.0	90.2	87.0	86.2	87.8	91.8
	Non-Hisp. Black	82.0	68.4	95.5	87.6	84.6	90.5	86.3
	Hispanic				89.9	87.6	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.7	80.2	93.3	87.8	86.6	89.1	94.5
	Non-Hisp. White Women	85.6	80.5	90.7	86.2	85.2	87.3	89.1
	Non-Hisp. Black Men				86.6	81.5	91.7	
	Non-Hisp. Black Women	87.6	78.1	97.1	88.3	84.9	91.8	83.4
	Hispanic Men				93.4	89.8	96.9	
	Hispanic Women				86.7	83.7	89.7	
AGE GROUP	18-44	85.5	77.0	94.0	92.4	91.2	93.6	93.5
	45-64	87.1	82.1	92.1	85.0	83.7	86.4	89.1
	65 & Older	80.2	73.5	86.9	83.8	82.6	84.9	84.2
EDUCATION LEVEL	<High School	82.8	70.6	95.0	78.5	75.2	81.9	78.6
	H.S. / GED	82.3	73.4	91.2	83.9	82.3	85.6	89.2
	>High School	87.0	82.5	91.4	89.7	88.9	90.6	92.5
ANNUAL INCOME	<\$25,000	75.2	66.2	84.1	76.1	74.0	78.2	79.9
	\$25,000-\$49,999	86.5	79.8	93.1	88.1	86.5	89.7	92.9
	\$50,000 or More	92.7	87.9	97.4	93.3	92.4	94.2	95.4
MARITAL STATUS	Married/Couple	87.5	82.8	92.2	89.5	88.7	90.4	93.3
	Not Married/Couple	81.1	74.3	87.9	83.5	82.0	85.0	85.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	85.4	80.9	90.0	88.2	87.4	89.0	88.7
SEX	Men	85.2	77.3	93.1	89.2	87.9	90.5	92.1
	Women	85.6	81.0	90.3	87.2	86.2	88.2	85.3
RACE/ETHNICITY	Non-Hisp. White	86.7	81.9	91.4	88.5	87.7	89.3	88.5
	Non-Hisp. Black	80.5	63.2	97.8	90.9	88.5	93.3	87.9
	Hispanic				85.3	81.9	88.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	89.2	81.5	96.8	89.7	88.4	90.9	92.1
	Non-Hisp. White Women	84.4	78.6	90.2	87.4	86.3	88.4	84.9
	Non-Hisp. Black Men				92.6	89.1	96.1	
	Non-Hisp. Black Women	91.1	83.5	98.8	89.6	86.2	92.9	87.6
	Hispanic Men				86.6	81.1	92.1	
	Hispanic Women				84.0	80.1	87.8	
AGE GROUP	18-44	87.4	80.0	94.8	87.3	85.7	88.9	88.2
	45-64	80.7	72.9	88.5	86.5	85.2	87.8	85.7
	65 & Older	93.0	88.4	97.7	92.6	91.6	93.7	94.6
EDUCATION LEVEL	<High School	83.6	70.2	96.9	78.0	74.0	81.9	84.0
	H.S. / GED	86.0	78.2	93.8	86.4	84.8	88.1	87.3
	>High School	85.3	79.3	91.3	90.0	89.0	90.9	90.1
ANNUAL INCOME	<\$25,000	70.8	60.3	81.2	77.3	75.1	79.5	84.1
	\$25,000-\$49,999	87.9	81.3	94.6	88.8	87.2	90.4	82.2
	\$50,000 or More	89.9	81.2	98.5	93.9	92.9	94.8	94.9
MARITAL STATUS	Married/Couple	89.3	83.1	95.5	90.7	89.8	91.6	91.2
	Not Married/Couple	78.8	72.0	85.6	83.5	81.9	85.1	84.3

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	6.2	4.9	7.5	5.2	4.9	5.5	3.9
SEX	Men	7.5	5.2	9.8	5.6	5.0	6.2	3.5 *
	Women	5.1	3.8	6.5	4.9	4.5	5.2	4.2
RACE/ETHNICITY	Non-Hisp. White	5.2	3.8	6.5	5.0	4.7	5.3	3.5
	Non-Hisp. Black	10.5	7.1	13.9	5.3 *	4.1	6.6	6.4
	Hispanic				5.8	4.6	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.4	2.9	7.9	5.3	4.8	5.9	2.9
	Non-Hisp. White Women	5.0	3.4	6.6	4.8	4.5	5.1	3.9
	Non-Hisp. Black Men				6.0	3.7	8.3	
	Non-Hisp. Black Women	6.4	3.1	9.8	4.9	3.5	6.3	5.8
	Hispanic Men				6.9	4.6	9.3	
	Hispanic Women				5.0	4.0	6.0	
AGE GROUP	18-44	5.7	3.3	8.1	3.8	3.3	4.4	2.5
	45-64	6.8	4.8	8.8	6.1	5.6	6.7	5.4
	65 & Older	5.6	3.4	7.9	5.7	5.2	6.1	5.1
EDUCATION LEVEL	<High School				7.7	6.4	9.0	5.3
	H.S. / GED	7.3	4.7	10.0	6.0	5.4	6.6	4.0
	>High School	5.4	3.8	7.0	4.5	4.1	4.9	3.7
ANNUAL INCOME	<\$25,000	9.3	6.6	12.0	8.3	7.6	9.0	6.4
	\$25,000-\$49,999	4.6	2.2	7.0	4.8	4.1	5.4	4.0
	\$50,000 or More	5.0	2.4	7.6	2.9	2.6	3.3	1.6
MARITAL STATUS	Married/Couple	5.8	4.0	7.6	4.4	4.0	4.7	2.8
	Not Married/Couple	7.0	5.1	8.9	6.4	5.8	6.9	5.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.5	3.6	5.4	4.1	3.9	4.3	3.4
SEX	Men	4.6	3.1	6.1	3.8	3.5	4.1	2.8
	Women	4.5	3.5	5.5	4.4	4.2	4.6	3.9
RACE/ETHNICITY	Non-Hisp. White	4.2	3.2	5.2	4.2	4.0	4.4	2.9
	Non-Hisp. Black	5.8	3.7	8.0	4.0	3.2	4.7	4.3
	Hispanic				3.6	3.0	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.0	2.3	5.6	4.0	3.6	4.3	2.3
	Non-Hisp. White Women	4.4	3.2	5.6	4.5	4.2	4.7	3.6
	Non-Hisp. Black Men				4.1	2.8	5.4	
	Non-Hisp. Black Women	4.6	2.1	7.1	3.8	3.1	4.6	5.1
	Hispanic Men				2.8	1.7	3.8	
	Hispanic Women				4.4	3.7	5.2	
AGE GROUP	18-44	3.4	1.8	5.0	2.8	2.5	3.2	2.5
	45-64	4.7	3.3	6.1	4.7	4.4	5.0	3.9
	65 & Older	6.0	4.4	7.7	5.1	4.8	5.4	4.8
EDUCATION LEVEL	<High School	5.2	2.1	8.3	6.6	5.8	7.5	5.8
	H.S. / GED	5.2	3.2	7.1	5.0	4.6	5.4	3.3
	>High School	4.1	3.0	5.1	3.5	3.3	3.7	3.0
ANNUAL INCOME	<\$25,000	6.4	4.4	8.4	7.2	6.7	7.7	6.3
	\$25,000-\$49,999	4.1	2.5	5.7	4.0	3.6	4.4	2.9
	\$50,000 or More	3.1	1.6	4.7	2.5	2.3	2.7	1.8
MARITAL STATUS	Married/Couple	4.0	2.8	5.1	3.5	3.3	3.7	2.5
	Not Married/Couple	5.5	4.0	7.0	5.2	4.9	5.6	4.9

Average number of unhealthy mental days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.7	3.5	6.0	3.8	3.6	4.0	3.5
SEX	Men	4.9	2.6	7.1	3.4	3.1	3.8	2.4
	Women	4.6	3.4	5.8	4.1	3.8	4.3	4.6
RACE/ETHNICITY	Non-Hisp. White	4.2	2.9	5.5	3.7	3.5	3.9	3.5
	Non-Hisp. Black	7.4	2.6	12.3	3.3	2.6	3.9	3.9
	Hispanic				4.2	3.4	5.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.6	1.4	5.8	3.4	3.1	3.7	2.4
	Non-Hisp. White Women	4.8	3.4	6.2	4.0	3.8	4.3	4.6
	Non-Hisp. Black Men				2.7	1.7	3.6	
	Non-Hisp. Black Women	3.5	1.1	5.9	3.7	2.9	4.6	4.3
	Hispanic Men				3.5	2.3	4.8	
	Hispanic Women				4.9	3.9	5.8	
AGE GROUP	18-44	4.3	2.5	6.1	4.1	3.7	4.5	3.7
	45-64	6.1	3.9	8.3	4.3	3.9	4.6	4.3
	65 & Older	2.3	1.1	3.5	2.4	2.1	2.7	1.8
EDUCATION LEVEL	<High School	5.8	1.8	9.9	6.7	5.7	7.7	5.5
	H.S. / GED	4.8	2.9	6.6	4.3	3.9	4.7	3.6
	>High School	4.6	2.9	6.3	3.2	3.0	3.5	3.2
ANNUAL INCOME	<\$25,000	8.7	6.0	11.5	6.8	6.3	7.4	5.8
	\$25,000-\$49,999	4.1	2.3	5.9	3.7	3.2	4.1	4.5
	\$50,000 or More	3.2	0.7	5.7	2.2	2.0	2.4	1.6
MARITAL STATUS	Married/Couple	3.8	2.0	5.6	3.1	2.9	3.4	2.9
	Not Married/Couple	6.3	4.6	8.0	5.0	4.6	5.3	4.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	44.0	36.6	51.4	48.4	46.8	50.0	56.1
SEX	Men	42.2	29.9	54.5	45.3	42.7	47.8	57.7
	Women	45.9	37.7	54.1	51.5	49.5	53.5	54.6
RACE/ETHNICITY	Non-Hisp. White	38.3	29.9	46.7	42.4	40.7	44.1	51.7
	Non-Hisp. Black	70.9	53.3	88.4	67.0	61.9	72.0	75.9
	Hispanic				56.2	51.0	61.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.1	20.9	49.2	40.6	37.9	43.2	52.3
	Non-Hisp. White Women	41.1	31.5	50.7	44.4	42.2	46.5	51.2
	Non-Hisp. Black Men				58.6	49.7	67.5	
	Non-Hisp. Black Women	63.4	41.8	85.0	73.7	68.4	78.9	68.1
	Hispanic Men				52.4	44.0	60.8	
	Hispanic Women				59.9	53.7	66.1	
AGE GROUP	18-44	58.3	45.8	70.9	57.0	54.5	59.6	62.2
	45-64	35.0	26.1	43.9	40.6	38.5	42.7	47.5
EDUCATION LEVEL	<High School				47.7	41.5	54.0	
	H.S. / GED	44.2	29.7	58.7	43.8	40.7	46.9	58.2
	>High School	45.7	36.8	54.7	50.3	48.3	52.3	55.2
ANNUAL INCOME	<\$25,000	57.3	43.6	71.0	54.7	51.3	58.1	66.9
	\$25,000-\$49,999	43.6	30.0	57.3	51.5	48.0	55.1	55.8
	\$50,000 or More	39.2	26.9	51.4	46.1	43.7	48.5	52.0
MARITAL STATUS	Married/Couple	38.9	29.5	48.3	46.9	44.9	48.9	53.8
	Not Married/Couple	54.3	42.5	66.1	51.3	48.5	54.2	59.6

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.5	14.9	28.1	19.2	17.8	20.6	
SEX	Men	25.9	14.5	37.4	20.6	18.4	22.8	
	Women	17.1	10.7	23.4	17.8	16.1	19.5	
RACE/ETHNICITY	Non-Hisp. White	18.9	10.9	26.9	17.4	16.0	18.9	
	Non-Hisp. Black	37.5	17.0	58.0	27.5	22.4	32.5	
	Hispanic				21.5	17.0	25.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.0	9.9	40.2	19.4	17.1	21.8	
	Non-Hisp. White Women	13.8	6.8	20.8	15.5	13.7	17.3	
	Non-Hisp. Black Men				30.9	21.6	40.2	
	Non-Hisp. Black Women	26.2	8.0	44.5	25.0	19.5	30.5	
	Hispanic Men				20.9	13.8	28.0	
	Hispanic Women				22.0	16.4	27.6	
AGE GROUP	18-44	26.0	13.7	38.4	20.9	18.6	23.1	
	45-64	19.1	11.6	26.5	17.8	16.1	19.6	
EDUCATION LEVEL	<High School				42.2	34.9	49.5	
	H.S. / GED	30.0	15.5	44.4	28.9	25.5	32.3	
	>High School	17.5	9.9	25.0	13.8	12.4	15.3	
ANNUAL INCOME	<\$25,000	32.6	18.5	46.8	31.2	27.7	34.7	
	\$25,000-\$49,999	22.7	10.4	35.0	21.1	18.0	24.2	
	\$50,000 or More	12.7	3.8	21.6	11.8	10.2	13.5	
MARITAL STATUS	Married/Couple	16.9	9.0	24.8	15.9	14.4	17.4	
	Not Married/Couple	30.0	18.4	41.6	25.3	22.5	28.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.6	30.8	42.4	34.3	33.1	35.4	27.8
SEX	Men	38.0	28.2	47.8	36.5	34.6	38.4	26.2
	Women	35.3	29.0	41.6	32.2	30.8	33.6	29.4
RACE/ETHNICITY	Non-Hisp. White	34.6	28.4	40.7	35.4	34.2	36.6	23.3 *
	Non-Hisp. Black	59.4	42.2	76.6	41.7	37.0	46.4	45.9
	Hispanic				24.8	21.0	28.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.2	24.1	44.3	38.2	36.2	40.1	20.6
	Non-Hisp. White Women	34.8	27.5	42.2	32.8	31.4	34.2	26.0
	Non-Hisp. Black Men				40.1	32.2	47.9	
	Non-Hisp. Black Women	42.8	25.7	59.9	42.9	37.1	48.7	48.8
	Hispanic Men				26.9	20.6	33.2	
	Hispanic Women				22.8	18.3	27.3	
AGE GROUP	18-44	17.5	7.5	27.5	13.2	11.7	14.8	7.9
	45-64	37.4	28.5	46.2	36.8	34.9	38.8	36.1
	65 & Older	62.9	54.6	71.2	61.7	60.1	63.4	62.5
EDUCATION LEVEL	<High School	58.3	34.1	82.5	40.7	36.0	45.5	53.4
	H.S. / GED	32.5	21.4	43.6	38.5	36.2	40.8	30.4
	>High School	36.5	29.5	43.5	32.0	30.6	33.4	22.5 *
ANNUAL INCOME	<\$25,000	41.3	30.3	52.4	42.5	40.0	45.1	37.7
	\$25,000-\$49,999	27.3	18.3	36.3	36.4	34.0	38.8	27.8
	\$50,000 or More	37.0	26.8	47.1	28.0	26.3	29.8	21.7
MARITAL STATUS	Married/Couple	36.2	28.6	43.9	33.5	32.0	34.9	22.5 *
	Not Married/Couple	37.7	28.9	46.5	35.9	33.9	37.8	36.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.0	32.4	43.5	36.5	35.4	37.7	40.6
SEX	Men	34.6	25.7	43.6	35.4	33.5	37.2	42.9
	Women	41.1	34.6	47.7	37.6	36.2	39.0	38.5
RACE/ETHNICITY	Non-Hisp. White	42.0	35.4	48.5	41.2	39.9	42.4	43.5
	Non-Hisp. Black	25.5	13.2	37.8	24.0	20.4	27.6	34.8
	Hispanic				25.2	21.2	29.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.4	28.7	50.1	38.7	36.7	40.7	46.5
	Non-Hisp. White Women	44.2	36.5	52.0	43.5	42.0	45.1	40.6
	Non-Hisp. Black Men				25.1	18.6	31.5	
	Non-Hisp. Black Women	32.5	18.4	46.7	23.2	19.1	27.2	37.5
	Hispanic Men				26.7	20.0	33.4	
	Hispanic Women				23.8	19.2	28.4	
AGE GROUP	18-44	20.7	11.4	29.9	22.3	20.2	24.4	36.2
	45-64	39.0	30.5	47.5	32.9	31.1	34.7	35.0
	65 & Older	62.4	54.3	70.5	65.3	63.7	67.0	60.5
EDUCATION LEVEL	<High School	38.3	14.6	62.1	29.7	25.5	33.8	22.4
	H.S. / GED	25.5	16.2	34.9	32.8	30.7	34.9	38.6
	>High School	42.5	35.5	49.5	38.8	37.4	40.3	44.5
ANNUAL INCOME	<\$25,000	36.7	26.3	47.2	32.1	29.9	34.3	36.7
	\$25,000-\$49,999	33.2	23.2	43.1	38.0	35.5	40.5	32.5
	\$50,000 or More	39.1	29.4	48.7	37.3	35.4	39.2	49.7
MARITAL STATUS	Married/Couple	38.0	30.8	45.2	37.5	36.0	38.9	39.0
	Not Married/Couple	38.2	29.3	47.0	34.7	32.8	36.7	44.0

Percentage of adults age 65 and older who received a flu shot in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	62.4	54.4	70.4	65.3	63.7	66.9	60.5
SEX	Men	64.5	52.6	76.4	67.0	64.4	69.6	67.7
	Women	60.8	49.8	71.8	64.1	62.0	66.1	55.1
RACE/ETHNICITY	Non-Hisp. White	63.3	54.4	72.1	69.6	68.1	71.1	66.3
	Non-Hisp. Black				41.3	32.8	49.9	
	Hispanic				44.5	34.6	54.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	63.0	50.4	75.7	70.6	68.2	73.0	75.2
	Non-Hisp. White Women	63.5	51.0	76.0	68.9	67.0	70.8	59.8
	Non-Hisp. Black Men				43.4	30.5	56.3	
	Non-Hisp. Black Women				40.2	29.1	51.3	
	Hispanic Men				50.5	34.1	66.9	
	Hispanic Women				38.9	28.1	49.7	
AGE GROUP	65 & Older	62.4	54.4	70.4	65.3	63.7	66.9	60.5
EDUCATION LEVEL	<High School				55.2	48.5	62.0	42.9
	H.S. / GED	55.7	38.4	73.0	61.8	58.8	64.9	57.3
	>High School	64.5	54.5	74.4	68.8	66.9	70.7	69.5
ANNUAL INCOME	<\$25,000	62.2	46.8	77.6	57.1	53.9	60.4	49.8
	\$25,000-\$49,999	54.3	37.1	71.4	66.9	63.8	70.0	58.5
	\$50,000 or More	66.9	51.9	81.9	71.1	68.1	74.0	79.1
MARITAL STATUS	Married/Couple	60.5	49.2	71.7	67.3	65.1	69.5	66.4
	Not Married/Couple	65.3	54.3	76.3	62.4	60.0	64.7	53.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.0	22.2	31.7	30.6	29.5	31.7	31.2
SEX	Men	24.3	16.8	31.8	30.5	28.6	32.3	33.0
	Women	29.3	23.5	35.0	30.8	29.5	32.1	29.7
RACE/ETHNICITY	Non-Hisp. White	31.8	25.8	37.8	35.1	33.9	36.3	34.6
	Non-Hisp. Black	15.7	6.9	24.6	18.8	15.5	22.1	27.2
	Hispanic				19.2	15.6	22.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.5	22.9	44.1	35.1	33.1	37.0	37.8
	Non-Hisp. White Women	30.5	23.7	37.4	35.2	33.8	36.6	31.6
	Non-Hisp. Black Men				14.2	9.1	19.2	
	Non-Hisp. Black Women	26.5	13.7	39.3	22.1	17.7	26.4	33.1
	Hispanic Men				20.7	14.4	27.0	
	Hispanic Women				17.8	14.0	21.7	
AGE GROUP	18-44	3.9	0.0	9.0	14.3 *	12.4	16.2	23.3 *
	45-64	18.5	12.4	24.6	20.4	18.8	21.9	21.3
	65 & Older	75.9	68.8	82.9	69.9	68.4	71.5	64.2
EDUCATION LEVEL	<High School	29.5	10.6	48.4	32.7	28.4	37.1	33.9
	H.S. / GED	24.5	16.0	33.0	30.2	28.2	32.3	25.1
	>High School	27.1	21.2	33.0	30.5	29.2	31.9	33.8
ANNUAL INCOME	<\$25,000	24.4	16.4	32.5	36.7 *	34.2	39.1	34.2
	\$25,000-\$49,999	27.5	17.7	37.3	32.5	30.3	34.8	32.9
	\$50,000 or More	26.1	18.0	34.2	23.8	22.1	25.4	26.8
MARITAL STATUS	Married/Couple	26.9	20.6	33.1	29.0	27.7	30.4	29.1
	Not Married/Couple	27.4	20.1	34.6	33.6	31.7	35.6	34.4

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.9	68.8	82.9	69.9	68.4	71.5	64.2
SEX	Men	69.4	57.6	81.2	69.4	66.9	71.9	64.9
	Women	80.3	71.8	88.8	70.3	68.4	72.3	63.7
RACE/ETHNICITY	Non-Hisp. White	76.7	69.0	84.4	72.9	71.4	74.3	68.0
	Non-Hisp. Black				49.1	40.0	58.2	
	Hispanic				57.5	47.6	67.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.6	56.1	81.2	71.6	69.2	74.0	69.8
	Non-Hisp. White Women	83.4	74.3	92.5	73.8	72.0	75.6	66.8
	Non-Hisp. Black Men				36.5	24.6	48.4	
	Non-Hisp. Black Women				55.3	44.0	66.6	
	Hispanic Men				68.7	54.4	82.9	
	Hispanic Women				48.0	35.9	60.1	
AGE GROUP	65 & Older	75.9	68.8	82.9	69.9	68.4	71.5	64.2
EDUCATION LEVEL	<High School				64.7	58.3	71.1	66.5
	H.S. / GED	77.5	63.4	91.6	67.2	64.3	70.0	53.3
	>High School	74.8	65.8	83.9	72.4	70.6	74.3	68.8
ANNUAL INCOME	<\$25,000	76.6	64.2	89.0	68.2	65.2	71.2	63.4
	\$25,000-\$49,999	63.5	46.5	80.5	70.4	67.6	73.3	68.8
	\$50,000 or More	82.5	71.1	94.0	70.7	67.7	73.7	66.0
MARITAL STATUS	Married/Couple	76.2	66.1	86.3	70.4	68.3	72.4	67.5
	Not Married/Couple	75.3	65.9	84.8	69.4	67.1	71.6	60.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.1	0.0	4.9	1.9	1.5	2.3	
SEX	Men	4.1	0.0	9.6	3.0	2.2	3.9	
	Women	0.3	0.0	0.9	0.8	0.5	1.1	
RACE/ETHNICITY	Non-Hisp. White	1.1	0.0	2.9	2.1	1.7	2.6	
	Non-Hisp. Black	1.1	0.0	3.3	0.5	0.2	0.9	
	Hispanic				2.3	0.3	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.3	0.0	6.3	3.3	2.5	4.1	
	Non-Hisp. White Women				1.0	0.6	1.4	
	Non-Hisp. Black Men				0.7	0.0	1.4	
	Non-Hisp. Black Women	2.1	0.0	6.2	0.4	0.0	0.8	
	Hispanic Men				4.1	0.2	7.9	
	Hispanic Women				0.5	0.0	1.3	
AGE GROUP	18-44	6.4	0.0	14.7	3.1	2.0	4.2	
	45-64	0.2	0.0	0.5	1.6 *	1.1	2.1	
	65 & Older				0.5	0.3	0.8	
EDUCATION LEVEL	<High School				1.3	0.0	2.9	
	H.S. / GED				1.5	0.8	2.1	
	>High School	3.3	0.0	7.4	2.1	1.5	2.7	
ANNUAL INCOME	<\$25,000	3.2	0.0	8.0	2.0	0.7	3.3	
	\$25,000-\$49,999	5.0	0.0	14.5	1.1	0.7	1.6	
	\$50,000 or More	0.1	0.0	0.4	2.3 *	1.7	2.9	
MARITAL STATUS	Married/Couple	1.1	0.0	3.1	1.7	1.1	2.2	
	Not Married/Couple	3.9	0.0	10.3	2.3	1.6	3.0	

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.8	3.5	10.1	5.7	5.1	6.4	
SEX	Men	6.3	0.6	11.9	5.0	4.0	6.0	
	Women	7.2	3.7	10.8	6.3	5.5	7.1	
RACE/ETHNICITY	Non-Hisp. White	4.5	2.1	7.0	5.9	5.2	6.7	
	Non-Hisp. Black	16.2	0.7	31.7	5.7	3.1	8.2	
	Hispanic				2.8	1.5	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.7	0.0	5.8	5.1	4.0	6.2	
	Non-Hisp. White Women	6.2	2.5	9.9	6.7	5.8	7.6	
	Non-Hisp. Black Men				4.9	0.0	9.8	
	Non-Hisp. Black Women	18.6	2.9	34.3	6.2	3.4	8.9	
	Hispanic Men				1.4	0.0	2.9	
	Hispanic Women				3.9	1.9	6.0	
AGE GROUP	45-64	8.3	3.7	12.9	6.1	5.2	7.1	
	65 & Older	2.8	0.5	5.1	5.1	4.4	5.8	
EDUCATION LEVEL	<High School	8.9	0.0	19.0	9.1	5.5	12.7	
	H.S. / GED	11.6	2.8	20.4	6.7	5.3	8.2	
	>High School	4.5	1.2	7.8	5.0	4.3	5.6	
ANNUAL INCOME	<\$25,000	16.0	6.4	25.5	9.9	8.3	11.5	
	\$25,000-\$49,999	3.8	0.0	7.7	5.4	4.0	6.9	
	\$50,000 or More	4.0	0.0	8.9	3.7	2.8	4.5	
MARITAL STATUS	Married/Couple	5.0	0.8	9.2	5.0	4.2	5.7	
	Not Married/Couple	10.2	4.9	15.5	7.2	6.1	8.3	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	92.7	89.4	95.9	95.6	95.0	96.1	
SEX	Men	87.9	81.7	94.2	94.3	93.4	95.2	
	Women	97.2	95.2	99.2	96.8	96.1	97.4	
RACE/ETHNICITY	Non-Hisp. White	92.8	88.8	96.8	95.9	95.4	96.5	
	Non-Hisp. Black	92.5	84.9	00.0	93.9	92.0	95.9	
	Hispanic				96.2	94.4	97.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.1	79.0	95.1	94.4	93.5	95.4	
	Non-Hisp. White Women	97.7	95.5	00.0	97.3	96.8	97.8	
	Non-Hisp. Black Men				92.9	89.5	96.3	
	Non-Hisp. Black Women	97.4	94.3	00.0	94.7	92.5	96.9	
	Hispanic Men				96.3	94.4	98.2	
	Hispanic Women				96.0	93.0	99.0	
AGE GROUP	18-44	88.7	81.1	96.3	92.7	91.4	94.0	
	45-64	94.4	90.1	98.7	97.1	96.6	97.7	
	65 & Older	94.8	91.3	98.4	97.3	96.8	97.8	
EDUCATION LEVEL	<High School	95.2	90.1	00.0	90.4	87.5	93.3	
	H.S. / GED	88.4	80.5	96.3	93.9	92.7	95.1	
	>High School	94.0	90.2	97.8	96.8	96.2	97.4	
ANNUAL INCOME	<\$25,000	92.5	87.2	97.8	93.7	92.6	94.7	
	\$25,000-\$49,999	90.5	82.7	98.3	95.2	93.9	96.4	
	\$50,000 or More	94.4	89.4	99.5	97.0	96.2	97.8	
MARITAL STATUS	Married/Couple	93.7	89.5	97.9	96.4	95.8	97.0	
	Not Married/Couple	90.9	85.7	96.1	94.0	93.0	95.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.6	44.5	56.7	64.7 *	63.5	65.9	
SEX	Men	46.7	36.6	56.8	64.0 *	62.1	66.0	
	Women	54.3	47.5	61.1	65.3 *	63.8	66.8	
RACE/ETHNICITY	Non-Hisp. White	56.5	49.5	63.4	68.2 *	67.0	69.4	
	Non-Hisp. Black	41.1	24.1	58.2	55.2	50.7	59.7	
	Hispanic				58.1	53.6	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.0	44.1	67.9	66.4	64.5	68.4	
	Non-Hisp. White Women	56.9	49.1	64.8	69.9 *	68.4	71.3	
	Non-Hisp. Black Men				53.8	46.0	61.5	
	Non-Hisp. Black Women	52.2	35.1	69.2	56.3	50.9	61.7	
	Hispanic Men				61.9	54.8	69.0	
	Hispanic Women				54.5	49.0	60.0	
AGE GROUP	18-44	43.1	31.3	54.9	60.0 *	57.6	62.4	
	45-64	51.6	42.5	60.8	66.1 *	64.3	68.0	
	65 & Older	61.1	53.0	69.1	69.4	67.9	71.0	
EDUCATION LEVEL	<High School	14.8	3.4	26.3	36.3 *	31.7	40.9	
	H.S. / GED	42.3	30.7	53.9	54.1	51.8	56.5	
	>High School	57.9	50.5	65.3	72.3 *	70.8	73.7	
ANNUAL INCOME	<\$25,000	32.7	22.9	42.4	43.1	40.6	45.6	
	\$25,000-\$49,999	47.1	35.7	58.4	62.2 *	59.6	64.7	
	\$50,000 or More	69.1	58.6	79.6	78.8	77.0	80.5	
MARITAL STATUS	Married/Couple	58.0	49.9	66.1	69.0 *	67.6	70.5	
	Not Married/Couple	38.1	29.5	46.7	56.8 *	54.6	58.9	

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.3	52.1	64.4	53.0	51.7	54.2	
SEX	Men	55.1	44.9	65.2	51.8	49.7	53.8	
	Women	61.4	54.4	68.3	54.1	52.6	55.6	
RACE/ETHNICITY	Non-Hisp. White	56.8	49.9	63.7	52.1	50.8	53.4	
	Non-Hisp. Black	82.1	68.9	95.4	62.4 *	57.8	67.0	
	Hispanic				48.9	44.3	53.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.9	44.3	67.5	52.2	50.0	54.3	
	Non-Hisp. White Women	57.6	49.7	65.5	52.0	50.5	53.6	
	Non-Hisp. Black Men				58.2	50.4	65.9	
	Non-Hisp. Black Women	72.7	53.7	91.7	65.6	60.2	71.0	
	Hispanic Men				45.7	38.3	53.1	
	Hispanic Women				52.1	46.6	57.6	
AGE GROUP	18-44	28.3	18.3	38.3	34.5	32.2	36.8	
	45-64	71.2	63.4	79.1	56.0 *	54.0	58.1	
	65 & Older	78.1	71.2	85.0	77.2	75.8	78.7	
EDUCATION LEVEL	<High School	74.6	46.6	00.0	70.1	65.0	75.1	
	H.S. / GED	71.6	60.5	82.6	63.0	60.6	65.4	
	>High School	51.5	44.2	58.9	47.0	45.4	48.5	
ANNUAL INCOME	<\$25,000	69.6	57.7	81.6	68.4	65.8	71.0	
	\$25,000-\$49,999	62.1	50.4	73.8	60.2	57.5	62.9	
	\$50,000 or More	48.4	37.8	59.1	40.7	38.7	42.6	
MARITAL STATUS	Married/Couple	54.6	46.7	62.5	51.6	50.0	53.2	
	Not Married/Couple	64.0	54.0	73.9	55.6	53.4	57.8	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had their teeth cleaned in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.9	40.9	52.8	60.9 *	59.6	62.1	
SEX	Men	44.2	34.3	54.1	59.5 *	57.5	61.5	
	Women	49.4	42.7	56.1	62.2 *	60.7	63.7	
RACE/ETHNICITY	Non-Hisp. White	54.0	47.0	61.0	64.2 *	63.0	65.4	
	Non-Hisp. Black	29.3	16.2	42.4	49.6 *	45.1	54.2	
	Hispanic				57.0	52.4	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.5	43.4	67.5	62.3	60.3	64.3	
	Non-Hisp. White Women	52.7	44.9	60.5	66.0 *	64.5	67.5	
	Non-Hisp. Black Men				45.5	37.8	53.2	
	Non-Hisp. Black Women	50.0	32.9	67.1	52.7	47.3	58.2	
	Hispanic Men				57.7	50.4	65.0	
	Hispanic Women				56.2	50.8	61.6	
AGE GROUP	18-44	37.8	26.4	49.2	57.3 *	54.9	59.7	
	45-64	48.1	39.1	57.0	62.0 *	60.1	63.9	
	65 & Older	59.6	51.5	67.7	64.3	62.6	65.9	
EDUCATION LEVEL	<High School	12.0	2.1	21.9	28.3 *	23.8	32.8	
	H.S. / GED	42.2	30.5	53.9	49.4	47.0	51.8	
	>High School	52.7	45.3	60.1	69.3 *	67.8	70.7	
ANNUAL INCOME	<\$25,000	25.5	16.9	34.2	35.7	33.2	38.2	
	\$25,000-\$49,999	47.8	36.3	59.3	58.2	55.6	60.8	
	\$50,000 or More	63.8	52.7	75.0	76.7 *	75.0	78.5	
MARITAL STATUS	Married/Couple	53.4	45.4	61.5	65.4 *	63.9	66.9	
	Not Married/Couple	35.8	27.2	44.3	52.6 *	50.4	54.7	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.2	32.2	44.2	37.8	36.6	39.0	38.0
SEX	Men	41.7	31.8	51.6	43.8	41.8	45.8	45.0
	Women	34.7	27.9	41.6	31.8	30.4	33.3	30.8
RACE/ETHNICITY	Non-Hisp. White	39.5	32.6	46.3	37.9	36.7	39.2	37.2
	Non-Hisp. Black	34.0	18.1	50.0	36.3	31.9	40.8	37.4
	Hispanic				37.3	32.7	41.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.1	33.6	56.6	45.5	43.4	47.5	43.6
	Non-Hisp. White Women	34.3	26.6	42.0	30.5	29.0	31.9	30.4
	Non-Hisp. Black Men				34.9	27.8	41.9	
	Non-Hisp. Black Women	44.2	25.5	63.0	37.5	31.8	43.1	31.6
	Hispanic Men				39.7	32.4	47.0	
	Hispanic Women				34.8	29.4	40.2	
AGE GROUP	18-44	25.6	15.1	36.2	33.8	31.5	36.2	34.9
	45-64	46.7	37.4	56.0	39.3	37.2	41.3	43.3
	65 & Older	37.7	29.5	45.9	41.5	39.8	43.1	35.9
EDUCATION LEVEL	<High School	16.1	4.5	27.6	31.7	27.5	35.9	32.6
	H.S. / GED	36.0	23.3	48.7	37.5	35.2	39.9	45.5
	>High School	41.3	34.0	48.5	38.7	37.1	40.2	35.4
ANNUAL INCOME	<\$25,000	24.0	13.9	34.1	34.5	32.1	37.0	28.4
	\$25,000-\$49,999	41.9	30.3	53.5	38.0	35.5	40.6	37.2
	\$50,000 or More	43.8	33.1	54.5	40.4	38.4	42.5	44.7
MARITAL STATUS	Married/Couple	44.3	36.3	52.4	40.2	38.6	41.7	40.2
	Not Married/Couple	28.7	20.3	37.1	33.5	31.5	35.5	34.9

Percentage of adults who are obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.7	23.7	35.6	27.2	26.1	28.4	28.7
SEX	Men	34.6	24.5	44.6	29.8	27.9	31.7	27.3
	Women	24.7	19.1	30.3	24.7	23.3	26.1	30.1
RACE/ETHNICITY	Non-Hisp. White	24.1	17.9	30.3	25.2	24.0	26.3	28.1
	Non-Hisp. Black	54.3	36.9	71.8	42.7	38.1	47.3	35.4
	Hispanic				29.2	25.0	33.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.9	17.9	39.8	28.6	26.7	30.5	28.8
	Non-Hisp. White Women	19.7	13.7	25.7	21.8	20.5	23.1	27.3
	Non-Hisp. Black Men				45.3	37.5	53.0	
	Non-Hisp. Black Women	41.6	24.6	58.7	40.7	35.3	46.2	49.0
	Hispanic Men				31.2	24.4	38.0	
	Hispanic Women				27.2	22.1	32.3	
AGE GROUP	18-44	33.8	21.6	46.0	26.9	24.7	29.0	27.1
	45-64	29.1	20.4	37.8	30.6	28.6	32.5	31.3
	65 & Older	24.9	17.4	32.3	22.2	20.8	23.7	28.3
EDUCATION LEVEL	<High School	52.3	26.6	77.9	37.7	33.1	42.3	36.4
	H.S. / GED	31.6	20.2	42.9	29.0	26.8	31.1	24.6
	>High School	26.7	19.8	33.6	25.4	24.0	26.8	29.3
ANNUAL INCOME	<\$25,000	40.3	29.0	51.5	31.7	29.3	34.0	35.4
	\$25,000-\$49,999	19.0	10.1	27.9	28.9	26.4	31.3	32.5
	\$50,000 or More	29.4	19.1	39.7	24.4	22.6	26.3	23.1
MARITAL STATUS	Married/Couple	30.1	22.2	38.1	27.4	25.9	28.8	26.8
	Not Married/Couple	29.1	20.5	37.8	27.0	25.2	28.9	30.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.9	62.2	73.5	65.0	63.8	66.2	66.7
SEX	Men	76.3	67.7	84.8	73.6	71.7	75.5	72.3
	Women	59.4	52.4	66.3	56.5	55.0	58.1	61.0
RACE/ETHNICITY	Non-Hisp. White	63.6	57.1	70.0	63.1	61.9	64.4	65.3
	Non-Hisp. Black	88.4	79.8	96.9	79.1	75.3	82.8	72.8
	Hispanic				66.4	61.9	71.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.9	64.1	83.7	74.1	72.2	75.9	72.5
	Non-Hisp. White Women	54.0	46.0	61.9	52.2	50.6	53.9	57.7
	Non-Hisp. Black Men				80.1	74.1	86.2	
	Non-Hisp. Black Women	85.9	74.8	96.9	78.2	73.5	82.9	80.6
	Hispanic Men				70.9	63.4	78.4	
	Hispanic Women				62.0	56.6	67.5	
AGE GROUP	18-44	59.4	47.2	71.7	60.7	58.2	63.2	62.0
	45-64	75.8	68.5	83.1	69.8	68.0	71.7	74.7
	65 & Older	62.6	54.5	70.7	63.7	62.2	65.3	64.1
EDUCATION LEVEL	<High School	68.3	44.9	91.8	69.4	64.6	74.2	69.0
	H.S. / GED	67.5	56.9	78.2	66.5	64.2	68.7	70.1
	>High School	67.9	61.0	74.8	64.1	62.5	65.6	64.7
ANNUAL INCOME	<\$25,000	64.2	53.5	75.0	66.2	63.7	68.7	63.8
	\$25,000-\$49,999	61.0	48.8	73.1	66.9	64.3	69.4	69.7
	\$50,000 or More	73.2	64.5	82.0	64.8	62.9	66.8	67.7
MARITAL STATUS	Married/Couple	74.5	67.9	81.0	67.5	66.1	69.0	67.0
	Not Married/Couple	57.8	48.3	67.3	60.5	58.4	62.7	65.4

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.2	8.1	18.2	10.8	9.9	11.7	
SEX	Men	17.1	7.7	26.4	10.8	9.3	12.2	
	Women	9.5	5.6	13.4	10.9	9.8	11.9	
RACE/ETHNICITY	Non-Hisp. White	7.3	2.8	11.8	8.0	7.2	8.7	
	Non-Hisp. Black	40.6	22.0	59.3	26.8	22.5	31.2	
	Hispanic				11.3	7.9	14.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	2.4	20.2	7.4	6.3	8.5	
	Non-Hisp. White Women	4.0	0.7	7.3	8.5 *	7.5	9.5	
	Non-Hisp. Black Men				31.7	23.8	39.7	
	Non-Hisp. Black Women	34.0	17.8	50.2	23.6	18.7	28.6	
	Hispanic Men				11.1	5.3	16.8	
	Hispanic Women				11.4	7.9	14.9	
AGE GROUP	18-44	11.9	3.4	20.4	13.7	11.9	15.5	
	45-64	16.0	7.5	24.5	11.2	9.8	12.6	
	65 & Older	8.7	3.6	13.8	5.6	4.7	6.5	
EDUCATION LEVEL	<High School	10.8	0.0	21.5	20.6	16.5	24.7	
	H.S. / GED	12.1	4.4	19.7	13.9	12.1	15.8	
	>High School	13.8	7.2	20.4	8.5	7.5	9.5	
ANNUAL INCOME	<\$25,000	22.9	10.5	35.2	21.2	18.6	23.8	
	\$25,000-\$49,999	13.3	5.3	21.2	11.7	9.9	13.5	
	\$50,000 or More	7.7	0.0	16.3	4.9	4.0	5.7	
MARITAL STATUS	Married/Couple	11.3	4.8	17.9	9.4	8.3	10.4	
	Not Married/Couple	16.5	8.7	24.4	13.5	11.8	15.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.6	17.6	27.6	17.1	16.1	18.1	24.0
SEX	Men	21.5	13.2	29.8	18.4	16.7	20.0	23.4
	Women	23.6	17.8	29.3	16.0 *	14.9	17.0	24.5
RACE/ETHNICITY	Non-Hisp. White	20.5	15.0	26.0	18.4	17.4	19.5	25.2
	Non-Hisp. Black	34.1	17.1	51.0	13.7 *	10.9	16.5	22.0
	Hispanic				13.8	10.1	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.7	7.9	25.6	17.9	16.3	19.6	24.8
	Non-Hisp. White Women	23.8	17.1	30.6	18.9	17.6	20.2	25.6
	Non-Hisp. Black Men				19.0	13.4	24.5	
	Non-Hisp. Black Women	13.0	4.0	22.1	9.7	7.3	12.0	16.0
	Hispanic Men				18.9	12.2	25.6	
	Hispanic Women				8.8	6.1	11.6	
AGE GROUP	18-44	28.9	18.7	39.0	20.5	18.4	22.5	28.1
	45-64	23.1	15.3	30.9	19.2	17.7	20.7	25.0
	65 & Older	11.7	6.7	16.7	8.4	7.5	9.3	12.2
EDUCATION LEVEL	<High School	30.7	8.1	53.3	28.3	24.4	32.3	30.3
	H.S. / GED	35.3	24.0	46.7	24.3	22.2	26.4	29.5
	>High School	16.8	11.3	22.3	12.9	11.8	14.0	20.5
ANNUAL INCOME	<\$25,000	32.5	21.8	43.1	26.5	24.2	28.8	36.8
	\$25,000-\$49,999	27.1	17.0	37.2	18.0	15.9	20.2	26.3
	\$50,000 or More	12.2	6.2	18.1	11.7	10.3	13.0	15.0
MARITAL STATUS	Married/Couple	19.9	13.3	26.4	14.3	13.2	15.4	22.3
	Not Married/Couple	27.2	19.3	35.1	22.3	20.4	24.1	27.0

Percentage of adults who are former smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.6	19.5	29.6	29.8	28.7	30.9	25.2
SEX	Men	30.0	21.1	38.9	33.4	31.6	35.2	32.1
	Women	19.3	14.4	24.3	26.5 *	25.2	27.7	18.6
RACE/ETHNICITY	Non-Hisp. White	30.0	23.6	36.4	34.1	32.9	35.3	27.1
	Non-Hisp. Black	6.7	1.4	12.0	16.2 *	13.0	19.4	26.1 *
	Hispanic				22.0	18.3	25.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.3	26.9	49.7	36.7	34.8	38.7	32.8
	Non-Hisp. White Women	22.7	16.4	29.0	31.6 *	30.2	33.0	21.7
	Non-Hisp. Black Men				19.1	13.6	24.7	
	Non-Hisp. Black Women	9.0	1.0	17.0	13.9	10.1	17.7	14.0
	Hispanic Men				28.3	21.8	34.8	
	Hispanic Women				15.8	12.4	19.2	
AGE GROUP	18-44	8.6	1.8	15.4	16.9	15.2	18.6	19.0
	45-64	29.8	21.4	38.2	30.8	29.0	32.7	25.7
	65 & Older	38.2	30.3	46.2	48.5 *	46.9	50.2	39.8
EDUCATION LEVEL	<High School	21.2	3.4	39.0	29.2	25.2	33.2	32.4
	H.S. / GED	29.3	17.3	41.3	29.9	27.9	32.0	20.2
	>High School	22.6	17.2	28.0	29.9 *	28.5	31.3	26.3
ANNUAL INCOME	<\$25,000	17.4	10.1	24.8	27.5 *	25.4	29.5	21.1
	\$25,000-\$49,999	22.9	14.4	31.3	31.2	29.0	33.5	23.8
	\$50,000 or More	31.9	21.7	42.2	30.7	28.9	32.5	31.6
MARITAL STATUS	Married/Couple	28.6	21.5	35.7	32.1	30.7	33.5	28.4
	Not Married/Couple	18.2	12.5	23.9	25.9 *	24.3	27.6	19.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.9	46.9	58.9	53.0	51.8	54.3	50.8
SEX	Men	48.5	38.3	58.6	48.2	46.2	50.3	44.5
	Women	57.1	50.5	63.7	57.6	56.1	59.1	56.8
RACE/ETHNICITY	Non-Hisp. White	49.5	42.6	56.3	47.5	46.2	48.8	47.7
	Non-Hisp. Black	59.3	42.3	76.2	70.1	66.1	74.1	51.8
	Hispanic				64.2	59.7	68.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.0	33.5	56.5	45.4	43.3	47.5	42.5
	Non-Hisp. White Women	53.5	45.8	61.1	49.5	47.9	51.0	52.8
	Non-Hisp. Black Men				61.9	54.7	69.0	
	Non-Hisp. Black Women	78.0	66.1	89.8	76.4	72.2	80.7	70.1
	Hispanic Men				52.8	45.3	60.3	
	Hispanic Women				75.4	71.1	79.6	
AGE GROUP	18-44	62.6	51.2	73.9	62.6	60.3	65.0	52.8
	45-64	47.1	38.1	56.1	50.0	48.0	52.0	49.3
	65 & Older	50.0	41.8	58.3	43.0	41.4	44.7	48.0
EDUCATION LEVEL	<High School	48.1	22.9	73.4	42.4	37.6	47.3	37.4
	H.S. / GED	35.4	24.4	46.4	45.7	43.4	48.1	50.3
	>High School	60.6	53.7	67.5	57.2	55.7	58.8	53.2
ANNUAL INCOME	<\$25,000	50.1	38.8	61.4	46.0	43.5	48.6	42.1
	\$25,000-\$49,999	50.0	38.5	61.5	50.7	48.1	53.4	50.0
	\$50,000 or More	55.9	45.3	66.5	57.7	55.7	59.7	53.3
MARITAL STATUS	Married/Couple	51.5	43.6	59.5	53.6	52.1	55.2	49.3
	Not Married/Couple	54.6	45.5	63.7	51.8	49.7	53.9	53.3

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	64.7	53.2	76.2	60.1	57.0	63.2	44.7
SEX	Men	79.9	66.5	93.3	61.0 *	55.9	66.1	37.5 *
	Women	51.4	36.9	66.0	59.1	55.7	62.6	51.2
RACE/ETHNICITY	Non-Hisp. White	55.7	40.7	70.7	57.6	54.6	60.7	41.1
	Non-Hisp. Black				71.9	61.7	82.0	
	Hispanic				60.7	45.7	75.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				57.3	52.4	62.2	34.2
	Non-Hisp. White Women	47.0	29.9	64.0	57.9	54.2	61.7	47.7
	Non-Hisp. Black Men				72.8	57.5	88.2	
	Non-Hisp. Black Women				70.4	59.7	81.1	
	Hispanic Men				60.7	39.7	81.8	
	Hispanic Women				60.5	44.7	76.4	
AGE GROUP	18-44	63.4	44.8	81.9	63.3	57.8	68.9	46.3
	45-64	66.3	49.6	83.0	58.8	54.7	62.9	46.4
	65 & Older				53.1	47.6	58.6	
EDUCATION LEVEL	<High School				61.2	53.6	68.7	
	H.S. / GED	68.4	51.5	85.4	61.0	56.2	65.9	48.2
	>High School	58.2	41.0	75.4	59.1	54.5	63.8	42.9
ANNUAL INCOME	<\$25,000	61.3	42.3	80.3	63.7	59.0	68.3	55.6
	\$25,000-\$49,999	70.5	52.7	88.3	55.8	48.7	62.9	31.2 *
	\$50,000 or More				57.0	51.0	62.9	
MARITAL STATUS	Married/Couple	64.7	48.1	81.2	61.1	57.0	65.2	34.7
	Not Married/Couple	64.7	49.1	80.3	59.1	54.3	63.9	57.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Clinical Breast Exam	A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Behavior Groups	Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
HIV	Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections.
Hysterectomy	An operation to remove the uterus (womb) in women.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Mammogram	An x-ray of each breast to look for breast cancer.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Myocardial Infarction	Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Retinopathy	A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina).
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Tobacco Cessation Services	Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., M.S., PhD.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org